



22500149693

SEVENTY-FIFTH ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES IN ENGLAND AND WALES.

(1912.)

Presented to both Houses of Parliament by Command of His Majesty.



LONDON:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By DARLING AND SON, LIMITED, BACON STREET, E.

To be purchased, either directly or through any Bookseller, from
WYMAN AND SONS, LIMITED, 29, BREAMS BUILDINGS, FETTER LANE, E.C.,
28, ABINGDON STREET, S.W., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH; or
E. PONSONBY, LIMITED, 116, GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

1914.

[Cd. 7028.] Price 5s. 9d.

WELLCOME INSTITUTE LIBRARY	
Coll.	welMOMec
Call	
No.	

CONTENTS

OF THE

REGISTRAR-GENERAL'S ANNUAL REPORT FOR 1912.

	PAGE.
INTRODUCTORY REMARKS—	
Salient Features of the Vital Statistics of the Year	vii
REVIEW by DR. STEVENSON of the VITAL STATISTICS of the YEAR—	
POPULATION—	
Census and Estimated	ix
Factors for Estimating... ..	ix
MARRIAGES—	
Number	ix
Changes in the Marriage-rate	ix
Methods of Calculating Marriage-rates	ix
Marriage-rates in Registration Counties, 1870-2; 1880-2; 1890-2; 1900-2; and 1910-2	x
Marriage-rates of Bachelors, Spinsters, Widowers and Widows; Average Annual Marriage-rates per 1000 Unmarried and Widowed Persons at Six Age-Groups, 1870-2; 1880-2; 1890-2; 1900-2; and 1910-12	xii
Proportions of First Marriages and Re-marriages in 1000 Marriages	xiii
Marriages of Bachelors, Spinsters, Widowers and Widows of Various Ages per 1000 Marriages at All Ages, 1886-1912	xiii
The Divorced	xiv
Average Annual Number of Divorced Persons who Re-married, 1876-1912... ..	xiv
Marriages of Minors	xiv
Minors Married per 1000 Marriages at All Ages, 1876-1912	xiv
Mean Age at Marriage	xiv
Mean Ages of Men and of Women at Marriage, 1896-1912... ..	xv
Signature in Marriage Register	xv
Buildings in which Marriage may be Solemnized... ..	xvi
Manner of Solemnization	xvii
BIRTHS—	
Number	xvii
Changes in the Birth-rate	xvii
Age and Marital Condition of Women in relation to Birth-rate, 1871-1911	xvii
Birth-rate and Fertility—Significance and Changes, 1876-1912... ..	xviii
Factors influencing the Fall in Birth-rate, 1876-80 to 1912	xix
Fertility in Different Classes of Area and Parts of the Country... ..	xx
Geographical Divisions employed (North, Midlands, South, Wales)	xxi
Fertility in relation to occupation, 1911	xxii
Inconsistent return of Occupation on Census Schedules and in the Birth Registers	xxii
Grouping of Occupations by Social Class; Fertility therein	xxiii
Legitimate Births in proportion to (1) all Males over 10 years of age, (2) Married Males under 55 years of age, in each Occupation	xxiv
in certain Occupational Groups	xxix
Illegitimate Births in proportion to Single and Widowed Females 15-45 years of age in certain occupational groups	xxx
Sex Proportions at Birth	xxxii
Illegitimate Births	xxxiii
Illegitimate Birth-rates and Fertility, 1876-1912	xxxiii
in Different Classes of Area, and Parts of the Country, 1912	xxxiv
Natural Increase	xxxiv
per 1000 living, 1876-1912	xxxv
in Different Classes of Area and Parts of the Country, 1912	xxxv
DEATHS—	
Number	xxxvi
Changes in Death-rate	xxxvi
Standardization of Death-rates for differences of Sex and Age Constitution	xxxvi
Mortality of Each Sex	xxxvii
Male Excess at Various Ages	xxxvii
Analysis of Cause of this Excess	xxxvii
Mortality at Different Ages	xxxviii
Excess at all Ages in the North... ..	xxxviii
Excess of Mortality of Females at certain Ages in Wales	xxxviii

REVIEW by DR. STEVENSON of the VITAL STATISTICS of the YEAR—*continued.*

PAGE.

DEATHS—*continued.*

Infant Mortality in 1912 and other Recent Years	xxxix
in Different Classes of Area and Parts of the Country, 1912	xxxix
Mortality in Early Childhood and Survivors at Ages 1, 2, and 5 Years	xl
Combined Effect of Fertility and Mortality—Effective Fertility	xli
Causes of Infant Mortality—	
Increase or Reduction at Various Ages as compared with 1907–11 and 1911	xlii
Decrease in Infant Mortality from Tuberculosis, 1902–1912... ..	xlii
Infant Mortality from Developmental and Wasting Diseases, 1886–1912 ...	xliii
Relation to Sex and Legitimacy in Different Classes of Area and Parts of the Country	xliv
Centenarians	xlv
Mortality at Individual Years of Age	xlv
Accuracy of Statement of Age in Registration as compared with the Census ...	xlvi
Deaths at each Year of Age in the Three Years 1910–12; Males and Females ...	xlvi
Annual Death-rates at each Year of Age in the Three Years 1910–12; Males and Females	xlviii
Mortality of Women in relation to Marital condition	xlix
Deaths of Single, Married, and Widowed Females at each Year of Age from 15 upwards in the three years 1910–12	l
Annual Death-rates of Single, Married and Widowed Females at each Year of Age from 15 upwards in the three years 1910–12	li
Mortality in Town and Country	lii
Crude and Standardized Death-rates in Different Classes of Area	lii
Comparison at Ages of Mortality of Males and Females in Different Classes of Area	lii
Mortality by Sex and Age in Different Classes of Area	liii
Comparison at Ages of Mortality in each Sex by Class of Area	liii

CAUSES OF DEATH—

Details shown for Various Areas	liv
Comparison of Registrar-General's with International Short List	lv
Proportions of Total Mortality due to Various Causes	lvi
Characteristics of the Mortality of 1912	lvii

ENTERIC FEVER—

Diminution in Mortality	lvii
Mortality (Crude and Standardized), Prevalence and Fatality in Different Classes of Area, and Parts of the Country	lvii

SMALL-POX	lviii
------------------	-------

MEASLES—

Mortality in Different Classes of Area and Parts of the Country	lviii
--	-------

SCARLET FEVER—

Trend of Mortality	lix
Prevalence, Fatality, and Mortality in Different Classes of Area and Parts of the Country	lx
Fatality experience of Metropolitan Asylums Board	lx
Proportion of Deaths occurring in Institutions	lxi

WHOOPIING COUGH—

Trend of recent Mortality	lxi
Mortality in Different Classes of Area and Parts of the Country	lxii

DIPHTHERIA AND CROUP—

Trend of Mortality	lxii
Standardization of Death-rates for Different Classes of Area and Parts of the Country	lxiii
Mortality, Prevalence, and Fatality in Different Classes of Area and Parts of the Country	lxiii
Variations in Age Distribution of Mortality and their significance	lxiv
Fatality Experience of Metropolitan Asylums Board	lxiv
Proportion of Deaths occurring in Institutions	lxv

INFLUENZA—

Trend of Mortality	lxv
Mortality in Different Classes of Area and Parts of the Country	lxv

ERYSIPELAS

Trend of Mortality	lxvi
Mortality, Prevalence, and Fatality in Different Classes of Area and Parts of the Country	lxvi

VACCINIA	lxvi
-----------------	------

TUBERCULOSIS—

Trend of Mortality in recent years	lxvii
Effect of Urbanization on Mortality in each Sex	lxvii
Mortality by Sex and Age in different Classes of Area and comparison with England and Wales	lxviii
Reduction in the Mortality of Males and Females of various Ages at different Periods	lxx
Forms and Complications of Fatal Tuberculosis	lxxii

REVIEW by DR. STEVENSON of the VITAL STATISTICS of the YEAR—*continued*.

PHTHISIS—

The Title more comprehensive than in Old List	lxxii
Forms and Complications of Fatal Phthisis	lxxii
Mortality from Phthisis in various Classes of Institutions at different ages	lxxii
Effect of Urbanization on Mortality	lxxiii
Mortality by Sex and Age in Different Classes of Area, and comparison with England and Wales	lxxiv
Reduction in the Mortality of Males and Females of various Ages at different Periods	lxxv
Mortality at All Ages and over 65 years in Different Classes of Area and Parts of the Country	lxxv

TUBERCULOUS MENINGITIS—

Trend of Mortality	lxxvi
Age Distribution of Deaths from Tuberculous Meningitis in Poor Law Institutions, Hospitals and Private Houses	lxxvi

OTHER TUBERCULOUS DISEASES ... lxxvii

SYPHILIS—

Incompleteness of the Records of Mortality	lxxvii
Their use as an Index to the Distribution of Syphilis	lxxviii
Evidence as to this afforded by the Records of certain Diseases of Syphilitic Origin	lxxviii
Excessive Mortality in Large Towns	lxxviii
Mortality from Syphilis and the Parasyphilitic diseases in different Classes of Area and Parts of the Country	lxxix
Distribution among Social Classes	lxxx
Sex Distribution of Mortality	lxxxi
Mortality recorded in past years	lxxxii

CANCER—

Crude and Standardized Mortality in Different Classes of Area	lxxxiii
Mortality by Sex and Age in Different Classes of Area	lxxxiii
Mortality at certain Ages in Different Classes of Area and Parts of the Country	lxxxiv
Sites of Fatal Cancer at Ages in each Sex	lxxxv
Mortality by Sex and Age of Cancer of Various Parts of the Body	lxxxvii
Comparison of the Frequency of Cancer of Various Sites in Institutions and elsewhere, with distinction of Sex and Age	lxxxvii
Age Distribution of Mortality from Cancer of Various Sites in Institutions and elsewhere	lxxxviii
Proportion of Mortality from Cancer of various Organs occurring in Different Classes of Institutions	lxxxix
Significance attaching to Peculiarities of Institutional Mortality	lxxxix

TUMOURS (not returned as Malignant)—

Classification by Sex, Age and Part of the Body affected	xc
--	----

RHEUMATIC FEVER ... xci

GOUT ... xcii

ALCOHOLISM—

The Title less comprehensive than in Old List	xcii
Alcoholism as a Secondary Cause of Death	xcii
Classification of Deaths by Sex, Age, and Primary Cause	xciii

POLIOMYELITIS ... xciii

PNEUMONIA (All Forms)—

As a Complication of Tuberculosis and Rickets	xciv
Mortality in Different Classes of Area and Parts of the Country	xcv
Proportion of the Mortality from Pneumonia in each Quarter of the Year	xcv

THE PUERPERAL STATE—

Details of Cause of Death, distinguishing Age	xcvi
Deaths at Ages from various Causes complicated by Pregnancy or Childbirth	xcvii

ANÆSTHETICS—

Difference from former Practice in Tabulation	xcviii
Deaths connected with the Administration of various Anæsthetics, distinguishing Sex and Age	xcix
Conditions for which Anæsthetics were administered	xcix
Status Lymphaticus	c

ILL-DEFINED CAUSES OF DEATH—

Deaths so classified and Comparison with previous Years	ci
Effects upon Tabulation of the Inquiries addressed to Coroners and Medical Practitioners and their Importance	ci

DEATHS IN INSTITUTIONS FOR THE SICK OR INFIRM—

Proportion of total Mortality occurring in various Classes of Institutions, in Different Classes of Area and Parts of the Country	ciii
---	------

UNITED KINGDOM—

Population	civ
Marriages	civ
Births	civ
Deaths	cv
Infant Mortality	cv

REVIEW by DR. STEVENSON of the VITAL STATISTICS of the YEAR— <i>continued.</i>	PAGE.
MORTALITY IN THE ARMY	cv
MORTALITY IN THE NAVY	cv
BIRTHS AND DEATHS AT SEA	cvi
PROGRESS OF REGISTRATION	cvi
OFFENCES AGAINST THE REGISTRATION ACTS	cvi
SEARCHES AND CERTIFICATES	cvi
METEOROLOGY OF THE YEAR 1912	cvi

TABLES—

1. United Kingdom : Population of its several portions estimated to the middle of each of the years 1863–1912	2
2. Estimated Population of England and Wales and Main Divisions in the middle of the year 1912, by sexes at ages	4
3. Estimated Population of aggregate Urban and Rural Areas in Administrative Counties in the middle of the year 1912, by sexes at ages	5
4. Estimated Population of County Boroughs in the middle of the year 1912, by sexes at ages	13
5. Marriages, Births, and Deaths, 1863–1912	19
6. Annual Marriage-, Birth-, and Death-rates and Infant Mortality, 1838–1912	20
7. Annual Marriage-, Birth-, and Crude Death-rates in each Quarter in Groups of Years, 1838–1912, and in each year, 1903–1912	21
8. Churches and Chapels of the Established Church and Registered Buildings in which Marriages could be legally solemnized, 31st December, 1912	21
9. England and Wales and London, in 1,000 Marriages, 1863–1912— Manner of Solemnization	22
10. First Marriages, Re-marriages, Marriages of Minors and Signatures by Mark	23
11. Registration Counties, in 1,000 Marriages, Manner of Solemnization, 1912	24
12. Proportions of First Marriages, Re-marriages, Marriages of Minors, Signatures by Mark ; and Marriage-rates, 1902–11 and 1912	25
13. Annual Death-rates at Twelve Groups of Ages, General Death-rate corrected for Sex- and Age-Constitution, and Infant Mortality, 1838–1912—Males	26
14. Females	27
15. Persons	28
16. Mortality by Sex, Age, and Locality, 1912	29
17. Administrative Counties—Crude Death-rate at all Ages, Death-rates at Ages, including Infant Mortality, together with Crude Death-rate at All Ages in Urban and Rural Aggregates, 1912—Males and Females	30
18. County Boroughs—Crude Death-rate at All Ages, Death-rates at Ages, including Infant Mortality, 1912—Males and Females	32
19. Deaths from Various Causes at all Ages, 1898–1912—Males, Females, and Persons (List of Causes as in use prior to 1911)	35
20. Crude Annual Death-rates from Various Causes at all Ages to a Million living, 1898–1912—Males, Females, and Persons (List of Causes as in use prior to 1911)	45
21. Crude Death-rates at all Ages from Various Causes, 1912 (New List)	55
22. Annual Death-rates from the Principal Epidemic Diseases, 1838–1912	60
23. Administrative Counties and County Boroughs : Mortality from the principal Epidemic Diseases and from certain Other Causes, 1911 and 1912	61
24. Mortality from Several Causes, by sex and age, 1912—All Areas... ..	65
25. London	67
26. County Boroughs	68
27. Other Urban Districts	70
28. Rural Districts	72
29. Infant Mortality by Sex, Age, Cause, and Legitimacy—1912	75
30. Infant Mortality by Age, Cause, and Legitimacy, 1912—Classes of Administrative Areas	77
31. Names on Registers, Searches and Fees received at the General Register Office, 1863–1912	82
32. Islands in the British Seas. Area and Population ; and Births and Deaths, 1888–1912	83
33. Balance inward or outward on Passenger Movement into and out of the United Kingdom, 1895–1912	83
34. Army—Strength and Mortality, 1873–1912	84
35. Royal Navy—Mortality in the Service Afloat, 1873–1912	84
36. Merchant Service, Number and Mortality of Masters and Seamen employed in Sea-going Vessels (excluding Fishing Vessels and Yachts) registered in the United Kingdom and the Isle of Man, 1892–93 to 1911–1912	85

TABLES—*continued*.

37. Meteorological Elements, Greenwich, 1861–1912	86
38. Quarterly, 1912	88
39. Meteorological Table for London, 1912	90
40. Meteorological Elements at Several Stations, 1912	92
41. Age Constitution of Populations of Several Countries	96
42. International Vital Statistics	97

ABSTRACTS—

MARRIAGES—

Analysis of, in Registration Divisions and Counties; showing (a) mode of Solemnization, (b) number in each quarter of the year, (c) Previous Civil Condition of Persons married, (d) Marriages of Persons not of Full Age, and (e) Signatures by mark in Marriage Register	110
Ages of Persons married in England and Wales and in London, distinguishing Bachelors, Spinsters, Widowers, Widows	114
In Registration Districts	129
ESTIMATED POPULATION, BIRTHS (Legitimate and Illegitimate), Birth-rate, DEATHS, Death-rate (Crude and Standardized), Standardizing Factor, Infant Mortality and Natural Increase in each Administrative Area	132
ENUMERATED POPULATION (adjusted for Institutions) and Calculated Deaths used in calculating Standardizing Factors in each Administrative Area	163 and 610

DEATHS—

By Sex, and for Females by Condition as to Marriage, at each Year of Age	175
By Sex and Age—	
County Boroughs	176
Metropolitan Boroughs	181
Urban and Rural Portions of Counties	183
From Various Causes by Sex and Age—	
England and Wales	190
London	220
County Boroughs	238
Other Urban Districts	256
Rural Districts	274
In each Quarter of the Year, distinguishing Sex and Cause, in Different Classes of Area	292
In various Classes of Institutions, distinguishing Sex, Cause, and Class of Institution, and for Certain Causes, Age also, in Different Classes of Area	310
By Sex and Short List of Causes and Ages—	
Summarized Areas	329
Metropolitan Boroughs	340
County Boroughs	355
Urban and Rural Portions of Counties	393
By Sex and Short List of Causes in Administrative Areas	454
Deaths from Accident, Negligence, and Execution in England and Wales, distinguishing Age, and Cause or Nature of Accident; Males and Females	554
Deaths from Suicide in England and Wales, distinguishing Age and Method; Males and Females	564
Deaths from Murder in England and Wales, distinguishing Age and Method; Males and Females	568
Deaths from Manslaughter and Justifiable Homicide in England and Wales, distinguishing Age and Method; Males and Females	570
Secondary Causes of Deaths allocated to Titles 20–38	572

DIAGRAMS—

I. Birth-rates, 1881–1912. Ratio per cent. of the Rate in each Year to the Mean Rate in 1876–80	xix
II. Deaths at each Year of Age in the Three Years 1910–12; Males and Females	xlvi
III. Annual Death-rates per 1,000 living at each Year of Age in the Three Years 1910–1912; Males and Females	xlix
IV. Mortality by Sex and Age in Different Classes of Area per cent. of Mortality at the Same Ages in England and Wales, 1912	liv
V. Proportions of Deaths from the Principal Causes to Total Deaths, 1912	lvi
VI. Tuberculosis (All Forms)—Standardized mortality per Million Population, 1912	lxvii
VII. Tuberculosis (All Forms) and Phthisis—Standardized mortality per Million Population in Quinquennia 1851–1910 and in 1911 and 1912	lxx

R E P O R T

TO

THE RIGHT HONOURABLE HERBERT L. SAMUEL, M.P.,
PRESIDENT OF THE LOCAL GOVERNMENT BOARD, &c., &c.

(1912.)

SIR,

I HAVE the honour to submit to you my Report on the estimated population, and on the marriages, births, and deaths registered in England and Wales during the year 1912.

From returns furnished by the registrars acting throughout the country, the provisional numbers of marriages, births, and deaths for the year 1912 have already been published in the "General Abstract," and in somewhat greater detail as regards the causes of death for the registration counties of England and Wales, and for London and other large towns in the "Annual Summary," which publication was issued in June, 1913.

The present report also relates to the year 1912, but the statistics have been compiled from the registers deposited in this Office, and they have been analysed in far greater detail than was possible in the "Annual Summary."

The salient features of the vital statistics of 1912 are as follows :—The marriage-rate was 15·5 per 1,000, being 0·1 above the average in the ten years 1902–1911. It is satisfactory to note that in each of the three years 1910–1912 the marriage-rate has shown an increase upon that in the preceding year. The provisional figures for 1913, however, do not indicate a continuance of this rise, the rate remaining at 15·5 per 1,000.

The birth-rate in 1912 was 23·8 per 1,000 and was 3·0 below the average for the preceding decennium ; it was the lowest rate on record, being no less than 0·6 below that of 1911, which was the next lowest. The provisional figures for 1913, however, indicate a rise of 0·1 per 1,000 upon the rate in 1912, this being the first year since 1908 to show an increase. In view of the fact that the rise in 1908 proved to be only a temporary check to the general downward tendency it would be unsafe to conclude that there is any present indication of a real check in the decline of the birth-rate.

The death-rate in 1912 was 13·3 per 1,000, and was 1·9 below the average for the ten preceding years. It was the lowest rate on record, being 0·2 per 1,000 below the lowest previously recorded, that in 1910. Although the climatic conditions of the two years were very similar the advantage of 1912 was mainly due to greater diminution of the mortality of children under the age of five years.

Infant mortality was 95 per 1,000 births, being 30 per 1,000 below the average for the preceding decennium. It was the lowest rate on record, being 10 per 1,000 births below the lowest rate previously recorded, that for the year 1910. It is of interest to note that if mortality from diarrhœa—naturally low on account of the cool and wet summer—is excluded from the comparison, the infant mortality of 1912 still remains the lowest yet recorded. The provisional infant mortality rate for 1913, when the summer conditions were much less favourable to infant life, is 109 per 1,000 births.

As regards the principal epidemic diseases, mortality from measles was above the average. On the other hand, the death-rates from enteric fever, diphtheria and croup conjointly, and diarrhœal diseases were the lowest recorded. The mortality from scarlet fever was the lowest, except for the rate in 1911, and that for whooping cough the lowest, except for 1909 and 1911.

Cancer caused a higher death-rate both among males and among females than in any preceding year, but the rate from tuberculosis as a whole was the lowest on record. The mortality from diseases affecting the lungs was very low. Lower mortality from phthisis has been experienced in 1910 only (the rate being then merely two per million lower), and from bronchitis and pneumonia jointly in 1910 and 1911 only.

The new features introduced in last year's Report, which so completely altered its basis and its form as really to involve the inauguration of a new series, appear to have met with general approval, and are retained in the present volume. The improvements thus effected have been mainly in the machinery and methods of tabulation, and have necessarily left untouched both the extent of the data dealt with and the methods of its collection. Progress in regard to both matters can only be attained by a thorough

revision of the present system of registration, which would involve legislation. Such legislation, however, is much to be desired, not only for statistical but also for administrative reasons.

It has been found advisable to add one or two new tables to this Report, designed for annual insertion, as well as others which form a special feature of the year's work. Thus, at the instance of the medical officer of the Local Government Board, I have arranged for the yearly publication of Table 23, which sets forth in form convenient for comparison the death-rates from causes of chief importance from a sanitary point of view of each administrative county and county borough. The table showing the adjusted populations and calculated annual deaths from which the standardization factors for each administrative area are calculated is also new to this Report. The object of its insertion is to furnish students of sanitary science with the means of easily obtaining standardized death-rates for any combination of counties or districts in which they may be interested. It is impossible to foresee the groupings which may be required for the purposes of different investigations, but by means of this table the factor required for standardizing the mortality of any required group of areas can be very readily obtained.

Special features of this Report calling for reference here are the continuation of the detailed analysis of causes of death in combination, commenced in 1911, and the tabulation of the births registered in 1911 according to the occupation of the fathers of the legitimate and mothers of the illegitimate infants born. Tabulation of deaths by combinations of causes as certified appeared in the Report for 1911 for all deaths registered in that year and allotted to the first 19 causes of the detailed international list. This year the causes similarly dealt with are those registered in 1912 and allocated to causes Nos. 20-38 of the same list. These causes include tuberculosis and syphilis, the protean manifestations of which, in combination with the other diseases with which they are liable to be complicated, have made the work of tabulation far more intricate than when the acute specific infections were similarly dealt with in 1911; but a mass of information is now available with regard to the forms and complications of these important diseases which there has hitherto been no attempt to obtain on a national scale in this country.

Special interest also attaches at the present time to the records, incomplete as they necessarily are, of mortality from syphilis in view of the investigation now being carried on by the Royal Commission on Venereal Diseases. This disease accordingly has received special attention in this Report, and the interesting results arrived at, particularly with regard to the distribution amongst the various grades of society, of mortality from syphilis and diseases dependent upon it, have been communicated to the Commission.

The tabulation of births registered in 1911 by parents' occupation may be regarded as a belated portion of the Report for that year, in which it will be remembered that infant mortality was similarly classified. When the Report for 1911 was published, however, the census tabulation of occupations was incomplete. It was therefore impossible to prepare tables showing fertility by occupation, and this portion of the work had necessarily to be postponed for inclusion in the present Report. The tables now published are the first to deal with this matter on a national scale in this country. They amply confirm the conclusions already arrived at by students of occupational fertility who have investigated the subject by the aid of less complete data to the effect that fertility varies greatly with social status, being with few exceptions lowest for professional and other middle-class occupations and highest as a rule for those representing unskilled labour. This general result harmonises also with that of the tabulation of fertility by occupations in the Report on the census of Scotland.

I have to convey my thanks to the Registrars-General of Scotland and Ireland, and the various Foreign and Colonial Authorities for the information from which the tables of International Vital Statistics have been compiled, to medical officers of health throughout the country, especially county medical officers of health, for their valuable assistance in securing accurate transfer of deaths from the district of occurrence to that of residence, and to Dr. W. N. Shaw, F.R.S., for the Meteorological Report upon the year 1912.

I have the honour to be,

Sir,

Your obedient Servant,

BERNARD MALLET,

Registrar-General.

General Register Office,
Somerset House,
April, 1914.

REVIEW OF THE VITAL STATISTICS OF THE YEAR 1912.

POPULATION.

The final report on the census of 1911 shows that the total population of England and Wales on April 3rd, 1911, was 36,070,492.

On the assumption of a continuance of increase by geometrical progression at the rate experienced during 1901–1911 the population at the middle of the year 1912 is estimated to have been 36,539,636; and on the further assumption of a continuance in arithmetical progression of the change in the proportion of the sexes experienced between the last two censuses this total is estimated to have been made up of 17,672,985 males and 18,866,651 females.

For parts of the country the method adopted in this Report for the calculation of estimated populations is that described in the Annual Reports for 1907, pages cxxxii–cxxxiv, and for 1910, pages xi and xii.

The factors to be used for the calculation of estimates of populations for the years 1911–1920 are as follows:—

1911	·02634780	1916	·56787619
1912	·13242746	1917	·67958101
1913	·23960799	1918	·79244797
1914	·34790096	1919	·90648664
1915	·45731880	1920	1·02170833

The population of any district at the middle of any year from 1911 to 1920 is calculated by adding to the population enumerated in 1911 the product of the increase of population in the last intercensal period and the factor for the year in the above series. In the case of a decreasing population the product of the intercensal decrease multiplied by the factor should be deducted from the population enumerated in 1911.

In the case of leap years, when it is desired to correct for the extra day, the mid-year estimate should be increased by $\frac{1}{365}$ th part.

This method of estimation has been employed for all areas, excepting two unimportant cases, as after a somewhat extensive trial of the more elaborate method for important areas referred to in last year's Report as then in contemplation it was deemed inadvisable to adopt the latter at the present time. Estimates for a number of the chief towns in the country were prepared by both methods and submitted to their medical officers of health for criticism in the light of local knowledge. The great majority of the replies favoured the method at present in use, so it has been decided to retain it for the present. After next census the question will again come under review in the light of the returns of population which will then be available.

MARRIAGES.

The marriages in England and Wales during the year 1912 numbered 283,834, corresponding to a rate of 15·5 persons married per 1,000 population at all ages. This rate was 0·3 above the corresponding rate in 1911, and was equal to the average rate in the decade 1901–1910.

The proportion to the total population of persons married during the 75 years (1838–1912) since civil registration of marriages was enforced has ranged between a maximum of 17·9 per 1,000 living in 1853 and a minimum of 14·2 per 1,000 in 1886, the mean annual rate for the whole period being 15·8 per 1,000. (See Table 6, p. 20.)

In view of the changing constitution of the population, however, a better method of measuring the marriage-rate is to eliminate married persons and young children, and to calculate the rate on the unmarried and widowed population aged 15 years and upwards, thus dealing only with that section of the population in which marriages take place. Marriage-rates so calculated are shown for a series of years in Table 6. From this table it appears that, when calculated in this way, the marriage-rate shows a considerable decline in the last 40 years, the rate for the quinquennium 1906–1910 being the lowest recorded in any corresponding period for either sex, whereas the rate per 1,000 persons at all ages was lower in three previous quinquennia. This difference is due largely to the fact that, owing to the fall in the birth-rate, persons over 15 years of age form a larger proportion of the population now than formerly. Hence 1,000 persons of all ages now include more of marriageable age, and a rise in the number who marry in a year is not inconsistent with a fall in the number married out of 1,000 marriageable persons. On the latter basis of reckoning Table 6 shows that a lower marriage-rate than that of 1912 has been recorded in ten previous years for males and eight for females.

TABLE I.—ANNUAL RATES of PERSONS MARRIED per 1,000 of the UNMARRIED and WIDOWED POPULATION AGED 15 YEARS and UPWARDS, in each REGISTRATION COUNTY, 1870–1912.

Registration Counties.	Census Periods.					Increase or Decrease per cent. in each County between 1870–72 and 1910–12.
	1870–72.	1880–82.	1890–92.	1900–02.	1910–12.	
England and Wales	57·2	51·5	49·8	48·7	46·3	–19·1
London	60·9	56·2	52·3	50·3	50·2	–17·6
Surrey	38·3	39·2	37·0	38·0	36·2	– 5·5
Kent	46·1	46·0	42·4	43·5	41·2	–10·6
Sussex	44·5	42·3	38·4	39·0	34·8	–21·8
Hampshire	48·9	48·0	44·7	44·5	41·8	–14·5
Berkshire	47·0	43·4	43·7	43·2	40·8	–13·2
Middlesex	34·8	38·0	37·8	42·5	42·9	+23·3
Hertfordshire	41·0	37·2	38·0	39·3	37·7	– 8·0
Buckinghamshire	47·7	45·7	44·5	47·1	40·1	–15·9
Oxfordshire	46·6	41·4	41·7	41·6	39·8	–14·6
Northamptonshire	58·0	53·0	53·6	49·4	46·2	–20·3
Huntingdonshire	52·1	44·8	44·7	46·0	44·3	–15·0
Bedfordshire	52·3	48·0	43·2	43·8	43·5	–16·8
Cambridgeshire	52·0	41·8	45·3	46·3	45·5	–12·5
Essex	45·9	46·2	48·4	49·3	46·8	+ 2·0
Suffolk	51·8	50·2	46·9	47·0	43·3	–16·4
Norfolk	52·3	50·2	45·9	45·5	43·7	–16·4
Wiltshire	47·4	44·5	44·8	45·0	42·7	– 9·9
Dorsetshire	45·6	42·7	43·1	41·5	38·0	–16·7
Devonshire	50·6	46·7	45·7	43·4	41·1	–18·8
Cornwall	44·6	38·7	39·8	38·4	40·0	–10·3
Somersetshire	45·6	42·2	43·1	40·7	39·8	–12·7
Gloucestershire	58·1	50·9	49·2	47·2	43·0	–26·0
Herefordshire	38·6	35·4	38·3	38·6	37·7	– 2·3
Shropshire	44·9	37·9	40·2	42·0	37·8	–15·8
Staffordshire	71·6	60·0	58·7	55·9	52·6	–26·5
Worcestershire	56·2	47·5	47·0	46·1	44·3	–21·2
Warwickshire	62·9	53·2	56·4	54·7	53·2	–15·4
Leicestershire	61·8	55·1	53·4	51·6	48·9	–20·9
Rutlandshire	43·1	37·0	38·3	37·2	34·3	–20·4
Lincolnshire	53·1	47·9	49·9	50·6	48·7	– 8·3
Nottinghamshire	68·1	64·8	58·4	58·1	52·5	–22·9
Derbyshire	60·0	51·2	54·3	53·5	49·1	–18·2
Cheshire	54·7	46·8	45·5	43·8	42·6	–22·1
Lancashire	66·1	56·8	52·8	50·3	47·5	–28·1
West Riding	66·1	55·2	54·1	52·0	49·7	–24·8
East Riding	63·8	54·9	53·7	50·4	48·4	–24·1
North Riding	50·7	49·7	45·9	47·4	45·1	–11·0
Durham	70·9	62·9	57·6	58·9	55·8	–21·3
Northumberland	64·4	54·1	52·9	51·1	47·6	–26·1
Cumberland	47·6	45·7	42·6	43·7	40·7	–14·5
Westmorland	44·7	39·2	37·7	36·4	36·1	–19·2
Monmouthshire	64·4	55·6	57·5	55·6	49·4	–23·3
Glamorganshire	67·6	60·3	63·3	59·2	52·0	–23·1
Carmarthenshire	53·0	45·6	45·4	46·4	43·5	–17·9
Pembrokeshire	47·0	41·6	42·8	42·8	40·8	–13·2
Cardiganshire	38·1	31·7	31·3	30·9	27·3	–28·3
Brecknockshire	50·5	41·1	47·1	52·3	40·5	–19·8
Radnorshire	43·3	38·1	34·6	40·1	34·4	–20·6
Montgomeryshire	41·6	33·3	37·7	37·2	31·2	–25·0
Flintshire	38·3	36·0	42·1	37·2	42·2	+10·2
Denbighshire	45·7	42·0	46·8	43·9	39·2	–14·2
Merionethshire	44·8	37·6	36·1	38·6	31·0	–30·8
Carnarvonshire	44·0	41·3	39·5	39·0	33·0	–25·0
Anglesey	37·9	36·6	36·1	38·5	33·5	–11·6

A still more precise method of calculating the marriage-rate over an extended period would be to take into account not only the changes in the proportion of marriageable persons in the population, but also the changes in their ages. Taking the period 1870–1872, when the marriage-rate was about at its maximum, as a standard, the standardized* marriage-rate for 1910–1912 shows a fall of 23 per cent., which is practically the same as the fall calculated in last year's report for 1911 by the method used in that and previous reports of modifying the marriage-rate of 1870–1872 to allow for the smaller proportion of marriageable persons in the population at that time. When the comparison was made in this way the relatively large numbers of unstated ages at marriages at the earlier date made it impossible to calculate the marriage-rates at ages at that period except upon the unproved assumption that the unrecorded ages were distributed in the same proportions as the recorded ages in the marriage registers. This difficulty disappears when the earlier period is taken as the standard, as it is the marriage-rates at different ages in 1912, when there were very few unstated ages, which have now to be applied to the standard population. As the marriage-rate for 1910–1912 approximated very nearly to that for 1911 the close agreement in the amount of decline shown by the two methods of calculation indicates that no serious error was introduced by the assumption referred to.

Marriages in Counties.—Table I. shows for the Registration Counties of England and Wales the marriage-rates in the years around the five past censuses. The rates are based on the proportions of persons married to the unmarried and widowed population aged 15 years and upwards. No correction has been made for differences in the age constitution of this population.

Among Registration Counties with populations exceeding 100,000 persons the highest and lowest marriage-rates in the period 1910–1912, in proportion to the marriageable section of the population, were as follows:—

TABLE II.

Registration Counties with the highest Marriage-rates.	Persons Married per 1,000 Marriageable Population.	Registration Counties with the Lowest Marriage-rates.	Persons Married per 1,000 Marriageable Population.
Durham	55·8	Shropshire	37·8
Warwickshire	53·2	Herefordshire	37·7
Staffordshire	52·6	Hertfordshire	37·7
Nottinghamshire	52·5	Surrey	36·2
Glamorganshire	52·0	Sussex	34·8
London	50·2	Carnarvonshire	33·0

The last column of Table I. shows a very wide range of variation in the changes shown in the various counties. This is due mainly to the tendency of those counties with an abnormally high or low relative rate in the period 1870–1872 to assimilate more closely to the general marriage-rate of the whole country in 1910–1912. Thus, Staffordshire, with a rate of 25 per cent. above the general rate in the first period, is only 14 per cent. above the general rate in the last. Nottinghamshire fell from 19 per cent. above to 13 per cent. above, Glamorganshire from 18 per cent. above to 12 per cent. above, Lancashire from 16 per cent. above to 3 per cent. above, and the West Riding from 16 per cent. above to 7 per cent. above. At the other end of the scale Middlesex, 39 per cent. below the general rate in 1870–1872, rose to 7 per cent. below in 1910–1912; Surrey from 33 per cent. below to 22 per cent. below, Flintshire from 33 per cent. below to 9 per cent. below, Herefordshire from 33 per cent. below to 19 per cent. below, and Hertfordshire from 28 per cent. below to 19 per cent. below. On the other hand, Warwickshire which had a rate 10 per cent. above the general rate in 1870–1872 had risen to 15 per cent. above in the period 1910–1912. The London rate is probably affected by the number of marriages of foreigners who come to the metropolis for that purpose, and also by the marriages of other than permanent residents who contract marriage in the fashionable churches.

Marriage-Rates of Bachelors, Spinsters, Widowers, and Widows.—The following table compares the marriage-rates of the single and of the previously married at different groups of ages.

Marriages without statement of age have been distributed to the various age-groups in the proportions shown in the stated ages, as, although it may be that the proportion of unstated ages is higher in the later age-groups, there is no means of estimating

* See page xxxvi.

to what extent. The calculations have been restricted to census periods, in order to avoid errors which might arise from erroneous estimates of sections of the populations for intercensal years, and to the last five census periods only, because of the high proportion of unstated ages at earlier periods. These proportions have gradually declined from about 94 per cent. when civil registration began until in 1912 they amounted to only 0·60 per cent. in the case of husbands and 0·68 in that of wives.

TABLE III.—ENGLAND AND WALES.—AVERAGE ANNUAL MARRIAGE-RATES per 1,000 of UNMARRIED and WIDOWED PERSONS at SIX AGE-GROUPS—1870-2; 1880-2; 1890-2; 1900-2; and 1910-2.

—	Aged 15 years and upwards.*		15—	20—	25—	35—	45—	55 and upwards.
	Rate per 1,000.	Compared with rate in 1870-2 taken as 100.						
<i>Bachelors.</i>								
1870-2 ...	61·7	100·0	6·0	122·4	119·3	43·3	15·3	3·2
1880-2 ...	55·4	89·8	4·6	106·8	112·4	40·5	14·3	3·0
1890-2 ...	53·6	86·9	3·1	94·7	122·4	43·4	15·2	3·5
1900-2 ...	51·2	83·0	2·5	85·9	123·7	44·2	14·6	3·3
1910-2 ...	47·5	77·0	2·2	74·8	120·6	44·4	14·9	3·9
<i>Widowers.</i>								
1870-2 ...	65·8	100·0	11·5	229·0	288·5	181·5	88·3	15·9
1880-2 ...	58·3	88·6	30·6	192·9	246·5	157·8	76·9	16·0
1890-2 ...	55·6	84·5	14·1	153·4	231·7	151·1	74·7	15·5
1900-2 ...	48·8	74·2	—	132·6	201·7	134·1	65·3	13·5
1910-2 ...	43·4	66·0	—	121·6	171·2	117·9	59·4	12·7
<i>Spinsters.</i>								
1870-2 ...	63·1	100·0	26·8	133·7	85·9	30·4	11·9	1·7
1880-2 ...	56·7	89·9	21·5	121·9	80·6	26·3	10·4	1·6
1890-2 ...	53·3	84·5	16·2	112·4	85·7	26·4	10·3	1·7
1900-2 ...	50·5	80·0	12·9	104·9	88·6	25·3	9·1	1·5
1910-2 ...	48·4	76·7	11·2	97·7	91·1	24·4	8·5	1·8
<i>Widows.</i>								
1870-2 ...	21·1	100·0	55·4	170·5	125·5	55·7	20·8	2·6
1880-2 ...	19·2	91·0	56·6	155·3	114·5	50·2	18·6	2·6
1890-2 ...	18·9	89·6	49·3	150·4	114·3	50·3	17·8	2·4
1900-2 ...	18·2	86·3	54·9	140·7	115·9	48·9	15·6	2·1
1910-2 ...	18·1	85·8	30·0	151·2	114·1	48·9	15·6	2·1

* The rates in each period are based on the age-constitution of these particular sections of the population as enumerated at the census of 1871 by the direct method of standardization. See page xxxvi.

The fall in the marriage rate in the period under review has been greatest amongst widowers and least amongst widows. The number of widows is always much greater than that of widowers, because men marry later in life than women and are shorter lived, and because the proportion of widows who re-marry is much lower than that of widowers.

It will be noted that amongst bachelors the fall in the rate is confined to those under 25, where it has been heavy and continuous, while from the age of 25 upwards there has been little fluctuation, indeed, the rates are now slightly higher than they were 40 years ago. Amongst spinsters there is a fall at every age-group up to 55 except that of ages 25-35, in which after a drop between the 70's and 80's there has since been a steady and continuous rise. Amongst widowers the fall has been practically continuous at every age group. The apparent anomaly that the rates for widows at all ages are uniformly very much lower than those for spinsters (and the rates for widowers in recent years somewhat below those for bachelors), although at each separate age-period they are higher, is explained by the fact that the higher rates for the single of both sexes relate to age-periods at which their numbers are comparatively large, while the higher rates for the widowed relate to age-periods at which their numbers are comparatively small.

Table IV. gives a general view of the changes in the proportions of first marriages and re-marriages since the year 1876; it will be observed that the proportion of re-marriages shows continuous decrease.

TABLE IV.—ENGLAND AND WALES.—PROPORTIONS of FIRST MARRIAGES and RE-MARRIAGES in 1,000 MARRIAGES.

Period.	Men.		Women.		Bachelors who married.		Widowers who married.	
	Bachelors.	Widowers.	Spinsters.	Widows.	Spinsters.	Widows.	Spinsters.	Widows.
1876-80 ...	864	136	902	98	820	44	82	54
1881-85 ..	874	126	911	89	834	40	77	49
1886-90 ...	881	119	917	83	844	37	73	46
1891-95 ...	887	113	921	79	851	36	70	43
1896-1900	904	96	931	69	871	33	60	36
1901-05 ...	911	89	933	67	877	34	56	33
1906-10 ...	916	84	938	62	884	32	54	30
1911 ...	918	82	939	61	887	31	52	30
1912 ...	918	82	938	62	886	32	52	30

Table V. shows the proportions by age of bachelors, spinsters, widowers, and widows who married during the period 1886-1912.

TABLE V.—ENGLAND AND WALES, 1886-1912.—MARRIAGES of BACHELORS, SPINSTERS, WIDOWERS and WIDOWS of VARIOUS AGES per 1,000 MARRIAGES at ALL AGES.

Period.	All Ages.	Under 18 Years.	18—	19—	20—	21—	25—	30—	35—	40—	45—	50—	55 and up-wards.	Age not Stated.
<i>Bachelors.</i>														
1886-1890	1,000	0	4	20	47	424	309	96	33	13	6	3	2	43
1891-1895	1,000	0	3	17	43	415	333	108	37	14	6	3	2	19
1896-1900	1,000	0	3	15	39	411	346	110	39	15	6	3	2	11
1901-1905	1,000	0	3	13	35	390	360	122	41	16	7	3	2	8
1906-1910	1,000	0	3	11	30	370	372	132	46	17	8	3	2	6
1911 ...	1,000	0	3	11	28	350	380	139	50	19	9	3	3	5
1912 ...	1,000	0	3	11	28	347	378	140	52	20	9	4	3	5
<i>Spinsters.</i>														
1886-1890	1,000	9	37	72	97	417	219	62	23	10	5	2	1	46
1891-1895	1,000	7	31	66	94	425	241	70	25	11	5	2	1	22
1896-1900	1,000	6	27	59	89	434	253	74	26	11	5	2	1	13
1901-1905	1,000	5	23	53	82	428	272	79	28	12	5	2	1	10
1906-1910	1,000	5	21	48	75	420	284	87	30	12	6	2	2	8
1911 ...	1,000	5	21	46	70	404	298	93	32	13	7	3	2	6
1912 ...	1,000	5	22	47	71	399	295	95	34	14	7	3	2	6
<i>Widowers.</i>														
1886-1890	1,000	0	13	81	133	151	139	120	94	70	53	27	15	104
1891-1895	1,000	0	12	76	132	153	148	126	106	74	55	29	18	71
1896-1900	1,000	0	10	73	131	158	150	136	109	84	56	30	19	44
1901-1905	1,000	0	10	68	130	155	152	136	116	83	62	32	20	36
1906-1910	1,000	0	8	61	123	153	152	141	119	90	62	37	24	30
1911 ...	1,000	0	7	56	115	155	146	144	119	93	68	40	33	24
1912 ...	1,000	0	7	55	108	150	145	142	125	99	68	45	33	23
<i>Widows.</i>														
1886-1890	1,000	1	30	119	164	173	145	117	73	46	26	10	3	93
1891-1895	1,000	1	27	115	170	177	157	119	78	47	29	10	4	66
1896-1900	1,000	1	26	113	175	188	157	127	81	50	28	11	3	40
1901-1905	1,000	1	28	122	182	190	158	118	78	47	29	11	4	32
1906-1910	1,000	1	23	106	177	192	160	129	82	52	30	14	6	28
1911 ...	1,000	0	22	102	164	192	166	135	82	54	32	17	13	21
1912 ...	1,000	1	19	95	166	195	166	134	87	54	34	17	12	20

The Divorced.—The number of persons divorced in 1912 was 1,174, the number in 1911 being 1,160. Although showing this slight increase over the previous year the figure for 1912 is well below the average of the five years immediately preceding.

As will be seen from Table VI., the marriages of persons described as divorced show a considerable increase on those of previous years. No valid comparison can, however, be instituted between the number of persons divorced and the number of divorced persons married in any given year, as the figures are not directly related. A very large percentage of the divorced who contract marriage in England have been divorced by some foreign tribunal and resort to this country either to avoid local publicity or to avail themselves of the greater facilities for contracting marriage under English law; while on the other hand it is probable that in some cases persons divorced in this country are not so described in the marriage register.

TABLE VI.—ENGLAND AND WALES.—AVERAGE ANNUAL NUMBER OF DIVORCED PERSONS who RE-MARRIED, 1876–1912.

Period.	Average Annual Number of Divorced Persons who re-married.							
	Total.	Men.	Women.	Divorced men and spinsters.	Divorced men and widows.	Divorced men and divorced women.	Divorced women and bachelors.	Divorced women and widowers.
1876–80	104	56	48	42	12	2	31	15
1881–85	128	68	60	53	12	3	42	15
1886–90	169	80	89	65	11	4	65	20
1891–95	214	110	104	89	15	6	75	23
1896–1900	345	172	173	138	24	10	126	37
1901–05	509	262	247	205	38	19	181	47
1906–10	693	356	337	276	53	27	253	57
1911	702	365	337	300	39	26	265	46
1912	782	402	380	321	51	30	280	70

Marriages of Minors.—The proportion of marriages under age was at its maximum in the year 1874 both for males and females, since when the ratio of such marriages to total marriages has declined continuously up to 1911. In 1912 the ratio for females showed a slight increase.* (See Tables VII. and 10.)

TABLE VII.—ENGLAND AND WALES.—MINORS MARRIED per 1,000 MARRIAGES at ALL AGES.

—		Husbands.	Wives.	—		Husbands.	Wives.
1876–80		77·8	217·0	1901–05		46·3	153·1
1881–85		73·0	215·0	1906–10		40·3	139·4
1886–90		63·2	200·2				
1891–95		56·2	182·6	1911... ..		39·3	133·3
1896–1900		51·2	168·0	1912... ..		39·2	135·4

The proportions per 1,000 marriages of husbands and of wives marrying under age in 1912 and in the preceding decennium in the respective registration counties are shown in Table 12, page 25.

The highest proportions of marriages of minors were recorded in the mining and manufacturing counties and the lowest in the agricultural counties.

Marriages of minors are proportionately more common in Scotland but much less common in Ireland than in England and Wales.

Mean Age at Marriage.—Although the mean age at marriage is for many purposes a convenient summary of the statements as to age, it must be borne in mind that it forms only a very imperfect measure of changes in the age at which marriage takes place.

The great reduction that has taken place in the disturbing factor of unstated ages, has rendered it possible to measure with approximate accuracy for a series of recent years

* The decreasing tendency to early marriage is more accurately indicated by the proportion of men and women who marry at the earlier ages to the numbers living at those ages. See Table III.

the mean age at marriage, based on the returns in which age is recorded, as is done in Tables VIII. and IX. These tables show that the mean age at marriage has steadily increased during the whole period both for bachelors and for spinsters, and a similar tendency, with slight fluctuations, is noticeable in the case of widowers. In the case of widows the mean age has shown a progressive increase since 1902.

TABLE VIII.—ENGLAND AND WALES.—MEAN AGES of MEN at MARRIAGE 1896–1912.

Year.	All Bridesgrooms.*	All Bachelor Bridesgrooms.	All Widower Bridesgrooms.	Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.
1896	28·43	26·59	44·49	26·30	33·93	41·38	49·60
1897	28·38	26·63	44·53	26·35	34·10	41·43	49·73
1898	28·34	26·62	44·70	26·34	33·94	41·82	49·69
1899	28·34	26·65	44·90	26·37	34·29	41·87	49·81
1900	28·41	26·68	45·02	26·39	34·35	42·19	49·75
1901	28·55	26·76	45·18	26·48	33·94	42·43	49·69
1902	28·53	26·88	44·96	26·60	33·94	42·11	49·81
1903	28·49	26·91	44·94	26·63	34·24	42·16	49·72
1904	28·46	26·93	45·03	26·66	34·06	42·25	49·98
1905	28·56	27·01	45·27	26·74	34·26	42·47	50·18
1906	28·56	27·03	45·37	26·76	34·39	42·59	50·25
1907	28·66	27·10	45·62	26·84	34·58	42·85	50·56
1908	28·78	27·19	45·69	26·92	34·57	42·92	50·66
1909	28·88	27·29	45·93	27·02	35·00	43·23	50·85
1910	28·92	27·36	45·93	27·09	34·96	43·14	50·89
1911	29·03	27·46	46·42	27·19	35·19	43·49	51·46
1912	29·12	27·56	46·77	27·27	35·75	43·96	51·67

TABLE IX.—ENGLAND AND WALES.—MEAN AGES of WOMEN at MARRIAGE 1896–1912.

Year.	All Brides.*	All Spinster Brides.	All Widow Brides.	Spinsters with Bachelors.	Spinsters with Widowers.	Widows with Bachelors.	Widows with Widowers.
1896	26·21	25·08	40·58	24·54	32·43	35·69	44·81
1897	26·18	25·10	40·74	24·59	32·31	35·95	45·00
1898	26·18	25·14	40·59	24·62	32·68	35·85	45·04
1899	26·21	25·16	40·83	24·65	32·83	36·12	45·16
1900	26·29	25·23	40·74	24·71	32·97	36·19	44·95
1901	26·39	25·31	40·43	24·77	33·04	35·65	44·96
1902	26·37	25·36	40·25	24·86	32·86	35·62	44·95
1903	26·35	25·37	40·27	24·89	32·93	35·69	45·01
1904	26·32	25·37	40·35	24·90	33·03	35·82	45·22
1905	26·38	25·43	40·53	24·96	33·08	36·02	45·29
1906	26·41	25·46	40·79	24·99	33·30	36·27	45·53
1907	26·49	25·54	40·91	25·06	33·43	36·32	45·68
1908	26·61	25·63	41·02	25·13	33·71	36·43	45·86
1909	26·69	25·73	41·27	25·22	33·85	36·71	45·98
1910	26·75	25·79	41·33	25·30	33·85	36·83	46·07
1911	26·80	25·81	41·74	25·32	34·13	37·01	46·63
1912	26·84	25·85	41·89	25·36	34·25	37·44	46·69

* The apparent anomaly that the mean age of all bridesgrooms shows a smaller increase than the mean age of either bachelor or widower bridesgrooms is due to the fact that in the earlier years the total number of bridesgrooms included a larger proportion of widowers, and this, of course, had the effect of raising the mean age of the total (see Table IV.). A similar explanation applies to the mean ages of wives.

The ages of persons married in 1911 and 1912 have been separately abstracted for each year of age up to 25, and these numbers have been used in calculating the mean age at marriage in the above tables. For years prior to 1911 marriages at ages between 21 and 25 formed a single group and the mean age of this group was taken as 23 years.

Signature in Marriage Register.—The proportion of husbands who failed at the time of marriage to sign their names in the marriage register has gradually fallen from 32·6 per cent. in 1841–45 to 0·9 in 1912, and of wives from 48·9 to 1·1. In the Home and the agricultural counties the proportion of illiterate men is higher, and in the mining and industrial counties lower, than that of women.

Buildings in which Marriages may be Solemnized.—At the end of the year 1912 the numbers of churches or chapels of the Established Church, and of registered buildings in which marriages could be legally solemnized were as follows :—

Established Church	15,907
All other Religious Denominations	16,252
Total	<u>32,159</u>

The increase upon the numbers at the end of the previous year was : Established Church 43, other religious denominations 229. The number of these buildings belonging to the various denominations is shown for each registration county in Table VIII., (p. 21).

By the Acts 15 and 16 Vict. c. 36, and 18 and 19 Vict., c. 81, it was enacted that all places of religious worship not being churches or chapels of the Established Church should, if the congregations desired, but not otherwise, be certified to the Registrar General, certification for public worship being a necessary preliminary to the registration of a building for the solemnization of marriages. The number of places of meeting for religious worship on the official register on 31st December, 1912, and the number of buildings registered for the solemnization of marriages are shown in the following table :—

TABLE X.

Denomination.	Buildings certified to the Registrar-General as Meeting-places for Religious Worship.	Buildings registered for the Solemnization of Marriages.*	Denomination.	Buildings certified to the Registrar-General as Meeting-places for Religious Worship.	Buildings registered for the Solemnization of Marriages.*
Roman Catholics ...	1,415	1,351	New Jerusalem Church...	54	57
Wesleyan Methodists ...	7,478	3,755	Catholic Apostolic Church	71	49
Congregationalists ...	3,265	2,928	Countess of Huntingdon's Connexion.	47	44
Baptists	3,052	2,638	Salvation Army	1,165	48
Primitive Methodists ...	4,266	1,691	Society of Friends ...	425	—†
United Methodist Church	1,963	1,167	Jews	217	—†
Calvinistic Methodists ...	1,213	904	Other Denominations ...	2,893	984
Presbyterians	434	440			
Unitarians	182	196	All Denominations ...	28,140	16,252

* Of these buildings nearly 1,000 were certified before 1852, as Places of Meeting for Religious Worship, to some other Authority than the Registrar-General and therefore are not included in the preceding column.
† It is not necessary for buildings to be registered for the solemnization of Quaker or Jewish marriages. Under section 31 of the Births, Deaths, and Marriages Registration Act (1836) Registering Officers of the Society of Friends and Secretaries of Jewish Synagogues who have been certified to the Registrar-General record the marriages in each case.

The Marriage Act, 1898, provided that under specified conditions marriages might be solemnized in registered buildings in the presence of duly authorised persons without the attendance of a Registrar of Marriages. The governing bodies of some of the registered buildings have availed themselves of this provision, and at the end of the year 1912 the number of such buildings which had been brought under the operation of the Act, and so remained, was 3,534 out of the total of 16,252 ; the numbers of these buildings and the denominations to which they belonged, were as follows :—

1,535 Wesleyan Methodists.
548 Congregationalists.
480 Primitive Methodists.
356 Baptists.
318 United Methodist Church.
93 Calvinistic Methodists.
204 Other Denominations, and Unsectarian.
<u>3,534 All Denominations.</u>

These 3,534 registered buildings were distributed among 515 of the registration districts. In the remaining 120 registration districts there was no registered building under the operation of the Act.

Manner of Solemnization.—Table 9, p. 22, shows that almost four-fifths of the marriages contracted in England and Wales during 1912 were solemnized with religious ceremonial. This proportion, which had been steadily decreasing since the commencement of civil registration owing to the growing favour of purely civil marriage in District Register Offices, showed a slight increase in 1912 over 1911, but was lower than in any other previous year. The proportion of Established Church marriages showed a similar increase, and that of civil marriages a proportional decrease.

The proportion of marriages solemnized under the provisions of the Marriage Act, 1898, has steadily increased in each successive year from 11 per 1,000 marriages in 1899 to 48 in 1912.

Of the 1,904 Jewish marriages contracted in the year 1912 in England and Wales, 1,454, or 76 per cent., were registered in London, 146, or 8 per cent., in the City of Manchester, and 89, or 5 per cent., in the City of Leeds. Of the Jewish marriages in London, no fewer than 1,145, or 79 per cent., were registered in a group of three registration districts—London City, Whitechapel, and Mile End Old Town.

Table 11, p. 24, gives particulars as to the forms under which marriages have been contracted in the various registration counties during 1912.

BIRTHS.

The births registered in the year 1912 numbered 872,737 ; of these 835,209 were legitimate, and 37,528 were illegitimate.

In proportion to the total population of both sexes and all ages, the total births were equal to a rate of 23·8 per 1,000 living ; this rate was 0·6 per 1,000 less than that recorded in 1911, and was no less than 3·4 per 1,000 below the average of the low rates in the ten years 1901–1910.

In the year 1876 the birth-rate in this country attained the highest point on record, viz., 36·3 per 1,000 living, since which date the ratio has, with a few insignificant exceptions, fallen year by year.

The birth-rate, stated in terms of total population (crude birth-rate), must obviously vary considerably with the proportion of females of conceptive ages in the population, and with the proportion of these married.

The following statement shows the changes in these proportions and in the age constitution of the married female population at the last five censuses :—

TABLE XI.—ENGLAND AND WALES.

Census Years.	Proportion per cent. of Women aged 15–45 years in the Total Population of both sexes and all ages.	Proportion per cent. of Married Women in the Female Population aged 15–45 years.	Of the Married Women aged 15–45 years the proportion per cent. at four groups of ages.				Persons Married to 1,000 Marriage- able Persons* in the Population.
			15–20.	20–25.	25–35.	35–45.	
1871	23·1	49·6	1·3	13·9	45·5	39·3	56·9
1881	23·1	49·1	1·1	13·7	45·6	39·6	51·1
1891	23·8	47·1	0·9	12·8	46·0	40·3	49·8
1901	25·0	46·8	0·7	11·8	46·8	40·7	48·6
1911	24·9	47·7	0·5	9·4	46·0	44·1	46·2

* *i.e.*—unmarried and widowed persons over 15 years of age : see p. ix.

Perhaps the most remarkable features in this table are the fall in the proportion of marriages to marriageable persons and the evidence of postponement of marriage by women. The proportion of women of fertile ages who are married was higher in 1911 than in 1901, but the proportions of these married women had fallen at the three earlier out of the four age-periods dealt with, a change resulting from the postponement of marriage shown in Table III.

When the extent to which fertility diminishes with advancing age is borne in mind, it is seen that this change in itself must have had an appreciable effect in diminishing the birth-rate, but one which is not recognised in any form of comparative statement of fertility employed in this Report.

TABLE XII.—ENGLAND AND WALES.—BIRTH-RATES and FERTILITY, 1876-1912.

Period.	(a.)		(b.)		(c.)		(d.)	
	Birth-rate calculated on Total Population at All Ages.		Fertility calculated on the Female Population aged 15-45 years.		Legitimate Fertility calculated on the Married Female Population aged 15-45 years.		Illegitimate Fertility calculated on the Un-married and Widowed Female Population aged 15-45 years.	
	Rate per 1,000.	Compared with rate in 1876-80 taken as 100.	Rate per 1,000.	Compared with rate in 1876-80 taken as 100.	Rate per 1,000.	Compared with rate in 1876-80 taken as 100.	Rate per 1,000.	Compared with rate in 1876-80 taken as 100.
1876-1880 ...	35·3	100·0	153·3	100·0	296·3	100·0	14·4	100·0
1881-1885 ...	33·5	94·9	144·3	94·1	282·4	95·3	13·5	93·8
1886-1890 ...	31·4	89·0	133·4	87·0	267·1	90·1	11·8	81·9
1891-1895 ...	30·5	86·4	126·8	82·7	258·3	87·2	10·1	70·1
1896-1900 ...	29·3	83·0	118·8	77·5	242·9	82·0	9·2	63·9
1901-1905 ...	28·2	79·9	112·9	73·6	230·5	77·8	8·4	58·3
1906-1910 ...	26·3	74·5	105·3	68·7	212·9	71·9	8·1	56·3
1876	36·3	102·8	157·5	102·7	304·1	102·6	14·6	101·4
1877	36·0	102·0	155·9	101·7	301·1	101·6	14·6	101·4
1878	35·6	100·8	154·5	100·8	298·8	100·8	14·4	100·0
1879	34·7	98·3	150·5	98·2	291·1	98·2	14·2	98·6
1880	34·2	96·9	148·3	96·7	287·0	96·9	14·1	97·9
1881	33·9	96·0	147·0	95·9	284·9	96·2	14·1	97·9
1882	33·8	95·8	145·8	95·1	283·9	95·8	13·8	95·8
1883	33·5	94·9	144·1	94·0	281·9	95·1	13·4	93·1
1884	33·6	95·2	144·2	94·1	283·7	95·7	13·2	91·7
1885	32·9	93·2	140·7	91·8	277·6	93·7	13·0	90·3
1886	32·8	92·9	140·2	91·5	278·0	93·8	12·8	88·9
1887	31·9	90·4	135·5	88·4	269·9	91·1	12·4	86·1
1888	31·2	88·4	132·3	86·3	265·0	89·4	11·7	81·3
1889	31·1	88·1	131·7	85·9	265·1	89·5	11·5	79·9
1890	30·2	85·6	127·6	83·2	258·2	87·1	10·7	74·3
1891	31·4	89·0	132·1	86·2	268·8	90·7	10·6	73·6
1892	30·4	86·1	127·3	83·0	259·3	87·5	10·1	70·1
1893	30·7	87·0	127·9	83·4	260·4	87·9	10·3	71·5
1894	29·6	83·9	122·4	79·8	249·4	84·2	9·9	68·8
1895	30·3	85·8	124·8	81·4	254·5	85·9	9·9	68·8
1896	29·6	83·9	121·5	79·3	247·8	83·6	9·7	67·4
1897	29·6	83·9	120·7	78·7	246·4	83·2	9·5	66·0
1898	29·3	83·0	118·9	77·6	243·0	82·0	9·3	64·6
1899	29·1	82·4	117·7	76·8	241·0	81·3	8·9	61·8
1900	28·7	81·3	115·6	75·4	236·8	79·9	8·6	59·7
1901	28·5	80·7	114·2	74·5	234·2	79·0	8·4	58·3
1902	28·5	80·7	114·4	74·6	234·1	79·0	8·4	58·3
1903	28·5	80·7	114·1	74·4	233·1	78·7	8·5	59·0
1904	28·0	79·3	112·3	73·3	228·8	77·2	8·5	59·0
1905	27·3	77·3	109·6	71·5	222·8	75·2	8·3	57·6
1906	27·2	77·1	109·2	71·2	221·6	74·8	8·3	57·6
1907	26·5	75·1	106·1	69·2	215·1	72·6	7·9	54·9
1908	26·7	75·6	107·3	70·0	217·0	73·2	8·2	56·9
1909	25·8	73·1	103·6	67·6	208·8	70·5	8·1	56·3
1910	25·1	71·1	100·6	65·6	202·5	68·3	7·8	54·2
1911	24·4	69·1	97·8	63·8	196·2	66·2	8·0	55·6
1912	23·8	67·4	95·6	62·4	191·8	64·7	7·9	54·9

Note.—In the absence of precise information as to the changes in the number and constitution of the population from year to year, the estimates of total population at all ages are calculated by geometrical progression, on the assumption that the rate of increase in each intercensal period was maintained regularly throughout the period; the estimates for the several sections of the population are based on the further assumption that the proportion which each section bore to the total population changed uniformly during each intercensal period, but that it has remained stationary as regards age and marital condition since 1911. In view of the necessity of these, or similar assumptions, the figures for intercensal years are inevitably less accurate than those for years in which censuses were taken.

The crude birth-rate, or ratio of births registered to population at all ages, is the appropriate form of statement when the object in view is to record the net result of the various factors governing reproduction—proportionate number of potential mothers, number of these married, age, and fertility in relation to age, of married and single women, &c. It sums up the results of all the influences governing the rate at which a community is reproducing itself, and is therefore, in conjunction with the corresponding form of mortality statement, the crude death-rate, the appropriate means of measuring natural increase.

Birth-rates, however, are often studied for the sake of the light they throw upon the fertility of communities, and for this purpose also the crude birth-rate is the form of statement ordinarily employed; in fact, none other is as a rule available. But as the fertility of potential mothers is only one of the several factors mentioned above as governing the rate of reproduction in a community, it follows that the crude birth-rate is an imperfect measure of the community's fertility, *i.e.*, of its rate of reproduction in proportion to opportunity for reproduction.


In Table XII. the results are shown of calculating the following proportions:—

- (a) Of total births to the total population of both sexes and all ages;
- (b) Of total births to the female population aged 15–45 years;
- (c) Of legitimate births to the married female population aged 15–45 years; and
- (d) Of illegitimate births to the unmarried and widowed female population aged 15–45 years.

These calculations have also been illustrated in the accompanying diagram, which affords a ready means of gauging the fall in the birth-rate since the decline set in.

DIAGRAM I.—ENGLAND AND WALES.—BIRTH-RATES, 1881–1912. RATIO per cent. of the RATE in each YEAR to the MEAN RATE in 1876–80.

- (1) Birth-rate on total population at all ages.
- (2) Fertility on female population aged 15–45 years.
- (3) Legitimate fertility on married women aged 15–45 years.
- (4) Illegitimate fertility on unmarried and widowed women aged 15–45 years.



As already stated, the birth-rate in England and Wales attained the highest point on record in the year 1876; and for the purpose of measuring the decrease that has since

occurred, the mean annual rate in the quinquennial period 1876-80 has been taken as a standard. Calculated on the total population the fall in the birth-rate in the period under review amounted to 33 per cent. ; the fall in the proportion of births to the number of women of child-bearing ages amounted to 38 per cent. ; while the fertility of married women, *i.e.*, the ratio of legitimate births to wives of conceptive ages, showed a decrease of 35 per cent.

Put in another way, if the fertility of married women in proportion to their numbers (calculated on the assumptions stated in the footnote to Table XII.) had been as high in 1912 as in 1876-80 the legitimate births would have numbered 1,290,480 instead of the 835,209 actually recorded, giving a legitimate birth-rate of 35·2, or 12·4 in excess of that shown in Table 6.

But if the population in 1912 had not only shown the same fertility for wives aged 15-45, but had contained them in the same proportion as that of 1876-80, the resulting birth-rate would of course have been the same as in 1876-80, namely, 33·67. Therefore the proportionate increase in wives aged 15-45 in the 1912 population is sufficient to account for a *rise* of 1·56 in the legitimate birth-rate.

The fall in the legitimate birth-rate since 1876-80 is 10·87, therefore this net fall must be made up of a potential rise of 1·56 due to increased proportion of wives aged 15-45, and a fall of 12·43 due to diminished fertility of wives from whatever cause.

The fall due to decrease of illegitimacy is 0·66, making up the fall of 11·53 in the total birth-rate. The fall in the illegitimate rate is compounded similarly to that in the legitimate rate of a potential rise due to (1) increased proportion of unmarried and widowed women aged 15 to 45 years, and a fall due to (2) their diminished fertility. Had the latter remained as in 1876-80, 68,598 births would have resulted, giving an illegitimate birth-rate of 1·87, or 0·86 more than that actually recorded. This figure then represents the effect of (2), so the difference between it and 0·66, the actual fall in illegitimate birth-rate, must represent the potential rise, 0·20, due to (1).

The effects of the increased proportions of wives and of spinsters, &c. in the population may be further analysed into the separate effects of the larger proportion of women aged 15-45, and of the smaller proportion of these women now married. This is done in the subjoined Table :—

TABLE XIII.—ENGLAND AND WALES. THE EFFECTS OF VARIOUS FACTORS INFLUENCING THE FALL OF THE BIRTH-RATE, 1876-80 TO 1912.

	Birth-rate.		
	Total.	Legitimate.	Illegitimate.
Potential effect of increased proportion of women aged 15-45 in the population.	+ 2·86	+ 2·72	+ 0·14
Potential effect of decreased proportion of married to total women aged 15-45.	— 1·10	— 1·16	+ 0·06
Effect of diminished fertility	— 13·29	— 12·43	— 0·86
Recorded fall 1876-80 to 1912	— 11·53	— 10·87	— 0·66

It will be understood that when a potential rise is spoken of what is meant is that if the factor referred to had been the only one whose influence was altered the rise in question would have occurred.

It will be seen that the effect of decrease in fertility of married women—due in some measure to their greater average age, but largely no doubt to deliberate restriction of child-bearing—is masked to some extent by the net result of the other changes noted in the constitution of the population, so that these cannot be appealed to as helping to explain the fall in the birth-rate.

Fertility in different parts of the Country.—The birth-rate of every administrative area in the country is tabulated on pages 132-162, where also the birth-rates of administrative counties and of the aggregated urban and rural districts composing them may be found. Here it will only be possible to consider the records of large sections of the country extracted in the form of a summary of the table referred to. This summary is provided by Table XIV., which, as well as other similar tables, has been arranged so as to present the facts dealt with as far as possible in comparable form. The geographical divisions of the country dealt with in the table contain different proportions of population in large towns, small towns and rural areas, and unless allowance

were made for this fact comparison between them in regard to many matters might be misleading. Each of them is therefore sub-divided into the sum of county boroughs, of other urban districts, and of rural districts contained in it, and by this means comparisons can be made with a fair degree of safety between populations living under approximately similar conditions of town or country life. At the same time the effect of urbanization can be studied in the column relating to England and Wales as a whole, where it is seen that the birth-rate is highest in the county boroughs and lowest in the rural districts. The limits of the four geographical divisions dealt with are indicated in a footnote* and their populations will be found in Table 2.

TABLE XIV.—BIRTHS per THOUSAND TOTAL POPULATION, 1912.

	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	24·7	—	24·7
County boroughs	25·8	25·4	20·9	26·9	25
Other urban districts	24·4	23·5	19·8	28·8	23·6
Rural districts... ..	24·8	21·7	19·5	24·6	22·1
All areas	25·2	23·6	22·0	27·0	23·8

The highest birth-rates recorded in Table XIV. are those of Wales, and next to them of the North of England, while those of the South are much the lowest. Moreover, if it were not for the inclusion of London in the South the rate for this portion of the country as a whole would fall short of those recorded elsewhere to a considerably greater extent than appears in the table. These differences depend upon real differences in fertility, for when allowance is made for variation in the proportion of women and of married women of fertile age, they are still apparent, though the southern deficit is less marked in a comparison of legitimate births in proportion to married women. (See Table XXVIII. p. xli.).

The high position of Wales and of the rural districts of the North in Table XIV. is no doubt largely dependent upon the high proportion of miners included in their populations, for the fertility of miners is much higher than that of the general population. (Table XV).

If Table XIV. is compared with the corresponding table (Table XII.) of the Report for 1911 it is seen that outside London, where the rate remained practically stationary, there was not one of the sixteen sections into which the table divides the population in which the birth-rate did not show decrease in 1912. This decrease was least in the great towns and greatest in the rural districts. It was also least in the North and greatest in Wales, where it applied chiefly to the towns.

Table XXVIII., page xli., compares the fertility of urban and rural areas in different portions of the country, the rates in each case being stated in proportion to total

* The "North" includes the administrative counties and county boroughs corresponding to the registration counties in the eighth, ninth and tenth "registration divisions" of the Registrar-General, *i.e.*, Lancashire, Cheshire and Yorkshire and counties north of them. The "South" includes England south of the Thames, with the whole of the County of London and the five south-western counties, forming the first, second and fifth registration divisions. "Wales" corresponds to the eleventh or Welsh registration division and so includes Monmouthshire. All the rest of the country corresponding to the third, fourth, sixth and seventh registration divisions, is included in the Midland area. The counties in the four areas are as follows :—

North.	Midlands.	South.	Wales.
Cheshire. Lancashire. Yorks, West Riding. " East Riding. " North Riding. Durham. Northumberland. Cumberland. Westmorland.	Middlesex. Hertfordshire. Buckinghamshire. Oxfordshire. Northamptonshire. Soke of Peterborough. Huntingdonshire. Bedfordshire. Cambridgeshire. Isle of Ely. Essex. Suffolk, East. " West. Norfolk.	Gloucestershire. Herefordshire. Shropshire. Staffordshire. Worcestershire. Warwickshire. Leicestershire. Rutlandshire. Lincolnshire. Parts of Holland. " Kesteven. " Lindsey. Nottinghamshire. Derbyshire.	London. Surrey. Kent. Sussex, East. " West. Southampton. Isle of Wight. Berkshire. Wiltshire. Dorsetshire. Devonshire. Cornwall. Somersetshire.
			Monmouthshire. Glamorganshire. Carmarthenshire. Pembrokeshire. Cardiganshire. Brecknockshire. Radnorshire. Montgomeryshire. Flintshire. Denbighshire. Merionethshire. Carnarvonshire. Anglesey.

population, to total females of conceptive ages, and to married females of conceptive ages. It shows that the low position of the rural districts in the last column of Table XIV. is completely changed by correction for proportion either of total or of married women, for their fertility then ranks higher than that of any of the urban sections. This difference would be still more marked if the age constitution in the various groups of areas were identical. The rural districts, however, are at a disadvantage in this respect, because their proportion of married women at the younger and more fertile portions of the child-bearing period is lower than that of the country at large, in consequence of the migration of young persons from rural to industrial areas. In all three divisions of Table XXVIII. the county boroughs make a better showing as regards births than the smaller urban areas, so the relation of fertility to urbanization at the present time is not a simple one.

When comparison is made between different parts of the country Wales comes first, followed in order by the North, Midlands and South, whatever measure of fertility be employed. The highest rates are yielded by the small towns of Wales; and the lowest by the South of England. In all forms of the comparison London takes a higher position than the remainder of the South.

Further reference is made to this subject on pages xli. and xlii., where the combined effects of fertility and infant and child mortality are discussed.

Fertility in relation to occupation.—The completion of the census tabulation of occupations renders it possible to include in this Report tables showing the numbers of children born during 1911 (as stated in Tables 28A to 28D of the Report for 1911) in relation to the numbers of the parents engaged in the various occupations. These fertility rates will be found in Tables XV.—XVIII. Legitimate births are necessarily stated in terms of the numbers of possible fathers, and illegitimate of possible mothers. In many cases, as indicated in the notes to Table XVI., there is reason to believe that the fertility of the single occupational groups shown in this table is misleading, owing to certain characteristic differences in the return of occupations at the census and in the birth registers. As there is on the whole more precision of statement at the census, the numbers tabulated to such indefinite headings as “general labourer” are relatively greater in the case of births than of population, and the fertility of such occupations is correspondingly overstated, while on the other hand the fertility of labourers attached to definite occupations is correspondingly reduced, in some cases, *e.g.*, that of navvies (XII. 2 (2)), to a very low level. This difficulty has been overcome as far as possible by grouping together, in Table XVII., those headings which experience shows to be liable to confusion entailing overstatement of the fertility of some of them and corresponding understatement of that of others. Thus “domestic” motor car drivers are returned in Table XVI. as comparatively infertile, and non-domestic motor car drivers as very fertile. Evidently in the birth registers the information that the employment was of a domestic nature has been omitted more frequently than at the census. Each rate is misleading if considered alone, but there is good reason to believe that if motor car drivers are treated as a whole the rates so obtained will closely represent the facts for the whole class, the occupation, in contrast to its sub-divisions, being a very distinctive one. This has accordingly been done in group 8 of Table XVII., attention being called to the fact in Table XVI. by footnotes to each of the constituent headings of the group. In all cases where these footnotes appear it is to be remembered that the rates shown in Table XVI. are unreliable, and that attention should rather be directed to the rates given in Table XVII. for the group of occupations in which the footnote shows the one in question to be included.

The reason for using two methods of statement of fertility in these tables is analogous to that for stating standardized as well as crude death-rates. The constitution of the populations following certain occupations is much more favourable to fertility than that of others for at least three reasons, firstly that occupations differ greatly in the proportion of men they contain of an age beyond that at which men’s families as a rule cease to increase, secondly that the proportions of married men in the same age-groups differ greatly in different occupations, and thirdly that the wives of married men of equal age are younger in some occupations than others. Occupations having many old men and comparatively small proportions of their younger men married have naturally, other things being equal, a lower fertility than others where the opposite conditions prevail. A good example of this is furnished by the contrast between agricultural labourers and motor car drivers. In Tables XVI. and XVII. age 55 has been taken as the most suitable for marking the termination of the time of life at which men’s children are generally born to them. Using this limit we find from the census returns that 99 per cent. of motor drivers fall within it, against only 83 per cent. in the case of agricultural labourers.

Moreover the proportion of motor drivers married is much above the average and that of agricultural labourers considerably below it at every age-period.* It follows that if children had been born in 1911 in equal proportions to married motor drivers and to married agricultural labourers of reproductive age the fertility of the latter occupation as a whole would have been far below that of the former. From some points of view it may be desired to ascertain the rate at which the population engaged in any occupation is reproducing itself, its "crude" fertility; and from other points of view its rate of reproduction in proportion to opportunity may be the information desired. For this reason two rates are given in Tables XVI. and XVII., the first being the crude fertility rate, and the second a rate roughly standardized by stating the births in proportion to married men aged less than 55 years. Measured in the first way the fertility of motor drivers exceeds that of agricultural labourers by 120 per cent., but only by 20 per cent. when measured in the second way.

The accuracy of the standardization obtained by the rough method employed in these tables leaves much to be desired, since the natural limitation of the number of legitimate children born to men is generally formed by the fertility of their wives, which again is closely associated with age. Any refined method of standardization would therefore entail knowledge of the age of the wives of the married men following each occupation. This is obtainable from the census schedules, but has never been tabulated. For the 1911 census however the age at marriage of husbands and wives in combination is being tabulated for each occupation, and this in conjunction with the tabulated statements of numbers of children born and surviving will make it possible to calculate fully standardized families for each occupation or group of occupations. These rates will be free from the weakness of those shown here for the births of 1911 in that due allowance will be made in them for the differences in the age at which men in different occupations marry and for the differences between their ages at marriage and those of their wives. In the absence of such allowance the figures in the second column of rates in Tables XVI. and XVII. must be regarded as only very roughly comparable, but notwithstanding this the differences between the rates in this column of the tables are so great that no further refinement of standardization could be expected to call for any very serious modification of the conclusions which may be drawn from them.

TABLE XV.—ENGLAND AND WALES, 1911.—LEGITIMATE BIRTH-RATES IN SOCIAL CLASSES.

Social Class.	Per 1,000 Males aged 10 Years and over (including Retired).	Per 1,000 Married Males aged under 55 Years (including Retired).	Social Class.	Per 1,000 Males aged 10 years and over (including Retired).	Per 1,000 Married Males aged under 55 Years (including Retired).
I.—Upper and Middle Class ...	47	119	VI.—Textile Workers ...	50	125
II.—Intermediate Class (exclud- ing scholars) ...	46	132	VII.—Miners ...	107	230
III.—Skilled Workmen ...	73	153	VIII.—Agricultural Labourers.	49	161
IV.—Intermediate Class ...	70	158	III.—VIII.—Working Class	76	175
V.—Unskilled Workmen ...	90	213	All Classes ...	62	162

Table XV. summarizes the facts recorded in Tables XVI. and XVII. into records relating to the same eight social groups as were employed in the section of the Report for 1911 which dealt with infant mortality according to fathers' occupations. The occupations composing the various groups are indicated by the numbers 1 to 8 in the first column of Table XVI. Groups 1-5 are arranged in descending order of the social scale from upper and middle class occupations in group 1 to purely unskilled labour in group 5. It will be seen that in the case of these five groups fertility, like infant mortality, increases progressively from the first to the fifth group. When the total number of workers is considered there is some little irregularity in this increase, but when the births are related to the number of probable fathers alone, the order of the five groups in regard to fertility is exactly the inverse of their order in social status. Thus in respect of fertility as of infant mortality the result of the first investigation on a national scale absolutely bears out the

* Census Report (1911), Vol. X., Table 20.

conclusions already arrived at by previous students of the subject, whose material was necessarily less complete.

TABLE XVI.—ENGLAND AND WALES, 1911.—LEGITIMATE BIRTHS in each OCCUPATION in PROPORTION to (1) MALES OVER 10 YEARS OF AGE (including Retired); (2) MARRIED MALES UNDER 55 YEARS OF AGE (including Retired).

Social Class No.	Occupation.	Number of Married Males aged under 55 years (including Retired).	Legitimate Births.	Birth Rates.		Social Class No.	Occupation.	Number of Married Males aged under 55 years (including Retired).	Legitimate Births.	Birth Rates.	
				Per 1,000 Males aged 10 years and over.	Per 1,000 Married Males aged under 55 years.					Per 1,000 Males aged 10 years and over.	Per 1,000 Married Males aged under 55 years.
—	ALL MALES	5,201,915	843,505	62	162		III. PROFESSIONAL OCCUPATIONS AND THEIR SUBORDINATE SERVICES— <i>continued.</i>				
—	Occupied and Retired	5,173,143	842,123	71	163						
—	Unoccupied or Occupation not stated ..	27,872	1,382	1	50						
	I. GENERAL OR LOCAL GOVERNMENT OF THE COUNTRY.										
	1. <i>National Government.</i>					1	6. <i>Engineers and Surveyors.</i>				
1	1. Post Office—Telegraphists, Telephone Operators, <i>a</i>	2,240	354	80	158	1	1. Civil, Mining—Engineers	3,435	679	83	198
1	2. Other Post Office Officers and Clerks, <i>a</i>	17,233	1,792	55	104	1	2. Land, House, Ship—Surveyors ..	1,832	320	73	175
4	3. Postmen <i>b</i>	28,554	4,539	94	159	2	3. Professional Engineers, Professional Surveyors—Assistants.	294	49	47	167
4	4. Post Office Messengers, etc. <i>b</i>	3,000	486	29	162	1	7. <i>Art, Music, Drama.</i>				
1	5. Other Civil Service Officers and Clerks, <i>a</i>	15,131	1,661	44	110	2	1. Painters, Sculptors, Artists	2,955	297	39	101
4	5. Other Civil Service Messengers, etc. <i>b</i>	7,780	734	56	94	2	2. Architects	3,829	491	52	128
	2. <i>Local Government.</i>					2	3. Engravers	2,066	251	49	121
4	1. Police	39,895	6,110	94	153	2	4. Photographers	5,495	675	55	123
2	2. Poor Law Service <i>c</i>	6,861	569	41	83	2	5. Musicians, Music Masters, Singers ..	11,441	1,284	55	112
2	3. Municipal, Parish, and other Local or County Officers, <i>c</i>	19,859	1,665	39	84	2	6. Actors	4,582	545	59	119
	II. DEFENCE OF THE COUNTRY.						7. Art, Music, Theatre—Service etc. ..	6,033	855	61	142
	1. <i>Army (at Home).</i>						8. <i>Exhibitions, Games, etc.</i>				
1	{ 1. Army Officers (Effective) }	5,753	677	42	118	2	1. Performers, Showmen; Exhibition, Games—Service.	12,141	1,624	57	134
4	{ 2. Army Officers (Retired) }	19,975	5,942	50	297		IV. DOMESTIC OFFICES OR SERVICES.				
	3. Soldiers and Non-Commissioned Officers.						1. <i>Domestic Indoor Service.</i>				
	2. <i>Navy and Marines.</i>					4	1. Domestic Indoor Servants in Hotels, Lodging Houses and Eating Houses, <i>f</i>	1,030	17	1	17
	(<i>Ashore and in Port.</i>)					3	2. Other Domestic Indoor Servants ..	10,034	1,194	27	119
1	{ 1. Officers of the Navy (Effective) <i>d</i> .. }	1,996	322	46	161	4	2. <i>Domestic Outdoor Service.</i>				
4	{ 2. Officers of the Navy (Retired) <i>d</i> .. }	23,047	6,140	79	266	3	1. Domestic—Coachmen, Grooms	33,082	5,069	73	153
1	{ 4. Officers of the Marines (Effective) <i>d</i> }	208	19	37	91	4	2. Domestic—Motor Car Drivers, Motor Car Attendants <i>g</i>	12,209	1,152	50	94
4	{ 5. Officers of the Marines (Retired) <i>d</i> }	3,310	983	88	297	3	3. Domestic—Gardeners <i>h</i>	54,026	7,071	59	131
	III. PROFESSIONAL OCCUPATIONS AND THEIR SUBORDINATE SERVICES.						4. Gamekeepers	9,300	1,362	75	146
	1. <i>Clerical.</i>					3	3. <i>Other Service.</i>				
1	1. Clergymen (Established Church) ..	9,599	968	39	101	2	1. College, Club—Service	6,331	587	51	93
1	2. Roman Catholic Priests	—	—	—	—	4	2. Hospital, Institution (not Poor Law), and Benevolent Society—Service.	8,314	1,035	58	124
1	3. Ministers, Priests, of other Religious Bodies.	6,502	621	47	96	4	3. Park, Lodge, Gate, etc.—Keepers (not Government).	1,047	121	61	116
2	4. Itinerant Preachers, Scripture Readers, Mission Workers.	2,372	241	46	102	4	4. Caretakers, Office Keepers (not Government).	12,723	786	36	62
2	5. Monks, Nuns, Sisters of Charity ..	—	—	—	—	3	5. Cooks (not Domestic)	5,051	814	77	161
2	6. Church, Chapel, Cemetery—Officers, etc.	3,878	285	35	73	4	8. Laundry Workers; Washers, Ironers, Manglers, etc.	6,176	783	62	127
	2. <i>Legal.</i>					4	9. Bath and Wash-house Service ..	1,439	205	85	142
1	1. Barristers	1,696	191	43	113	4	10. Others engaged in Service	11,539	1,932	64	167
1	2. Solicitors	8,310	827	45	100		V. COMMERCIAL OCCUPATIONS.				
1	3. Law Clerks	11,520	1,243	36	108	1	1. <i>Merchants, Agents, and Accountants.</i>				
	3. <i>Medical.</i>					1	1. Merchants (commodity undefined) ..	2,722	401	60	147
1	1. Physicians, Surgeons, Registered Practitioners.	12,534	1,285	52	103	1	2. Brokers, Agents, Factors	21,470	2,544	59	118
1	2. Dentists (including Assistants) ..	3,541	441	58	125	1	3. Salesmen, Buyers (not otherwise described).	449	83	65	185
2	3. Veterinary Surgeons	1,323	118	43	89	1	4. Commercial Travellers	51,898	6,466	74	125
2	5. Sick Nurses, Invalid Attendants ..	560	106	82	189	1	5. Accountants	4,670	380	37	81
2	6. Subordinate Medical Service	1,979	186	45	94	2	6. Auctioneers, Appraisers, Valuers, House Agents.	8,816	868	47	98
	4. <i>Teaching.</i>					2	7. Officers of Commercial Guilds, Societies, etc.	1,746	113	33	65
1	1. Schoolmasters, Teachers, Professors, Lecturers.	32,340	3,678	42	95	1	2. <i>Commercial or Business Clerks.</i>				
2	2. Others connected with Education ..	3,857	310	39	80	1	1. Commercial or Business Clerks ..	116,222	16,429	45	141
	5. <i>Literary, Scientific, and Political.</i>					1	3. <i>Dealers in Money.</i>				
1	1. Authors, Editors, Journalists, Reporters.	5,832	609	49	104	1	1. Bankers; Bank—Officials, Clerks ..	13,630	1,533	36	112
1	2. Persons engaged in Scientific Pursuits.	2,102	292	46	139	1	2. Bill—Discounters, Brokers; Finance Agents.	1,542	115	36	75
2	3. Others connected with Literature, etc.	3,097	326	44	105	1	4. <i>Insurance.</i>				
						1	1. Life, House, Ship, etc., Insurance—Officials, Clerks, etc.	19,507	2,066	48	106
						1	2. Insurance Agents	34,181	4,419	81	129

Volume X of the Census Report does not record the numbers of "retired" married men of different ages according to the occupation they previously followed. Table 17 of that volume, however, gives the numbers of these retired married men with distinction of occupation but not of age, and Table 7 gives their numbers with distinction of age but not of occupation. From the latter Table it is found that 14·8 per cent. of the whole were under 55 years of age, and this proportion has been applied to the totals recorded for each occupation in Table 17 to obtain the numbers of retired married men under 55 years of age included with the occupied in this Table.

a See Group 1 } Table XVII
b See Group 2 }
c See Group 3 }
d See Group 4 }
e See Group 5 } Table XVII.
f See Group 52 }
g See Group 8 } Table XVII.
h See Group 15 }

TABLE XVI.—continued.

Social Class No.	Occupation	Number of Married Males aged under 55 years (including Retired).	Birth Rates.			Social Class No.	Occupation.	Number of Married Males aged under 55 years (including Retired).	Birth Rates.			
			Legitimate Births.	Per 1,000 Males aged 10 years and over.	Per 1,000 Married Males aged under 55 years.				Legitimate Births.	Per 1,000 Males aged 10 years and over.	Per 1,000 Married Males aged under 55 years.	
VI. CONVEYANCE OF MEN, GOODS, AND MESSAGES.												
1. On Railways.												
1	1. Railway—Officials, Clerks ..	40,940	4,167	47	102	4	1. Fishermen ..	12,353	3,181	121	258	
3	2. Railway Ticket—Examiners, Collectors, Checkers.	2,184	246	71	113	IX. IN AND ABOUT, AND WORKING AND DEALING IN THE PRODUCTS OF MINES AND QUARRIES.						
3	3. Railway Engine—Drivers, Stokers, Cleaners.	39,020	6,050	84	155	1. Workers.						
3	4. Railway Guards ..	15,329	1,843	83	120	7	1. Coal and Shale Mine—Workers at the Face, <i>k</i>	284,507	73,471	142	258	
3	5. Signalmen ..	17,509	2,049	76	117	7	2. Coal and Shale Mine—Other Workers below ground, <i>k</i>	96,581	17,126	61	177	
5	6. Pointsmen, Level Crossing Men ..	9,369	1,819	124	194	7	3. Coal and Shale Mine—Workers above ground, <i>k</i>	31,198	4,969	53	159	
5	7. Platelayers, Gangers, Packers ..	31,797	4,808	90	152	1	4. Coal and Shale Mine—Owners, Agents, Managers.	3,704	311	46	84	
5	8. Railway Labourers (not Railway Contractors' Labourers), <i>a</i>	12,890	3,768	144	292	7	5. Coal and Shale Mine—Other Mine Service.	2,012	282	70	140	
5	9. Railway Porters <i>a</i>	28,280	4,914	83	174	5	6. Coke Burners ..	5,124	894	105	182	
5	10. Other Railway Servants <i>a</i>	22,082	2,622	56	119	5	7. Patent Fuel Manufacture ..	656	151	124	230	
2. On Roads.												
2	1. Livery Stable Keepers; Coach, Cab, —Proprietors.	5,942	782	67	132	7	8. Iron—Miners, Quarriers ..	10,945	2,127	93	194	
4	2. Motor Garage—Proprietors, Workers	2,044	386	102	189	7	9. Copper Miners ..	125	45	146	360	
4	3. Coachmen (not Domestic); Cabmen <i>b</i>	16,973	2,314	71	136	7	10. Tin Miners ..	3,097	699	94	226	
5	4. Horsekeepers, Grooms, Stablemen (not Domestic), <i>b</i>	20,529	3,307	70	161	7	11. Lead Miners ..	1,306	213	68	163	
3	5. Motor Car Drivers (not Domestic); Motor Cab Drivers, <i>c</i>	8,711	3,051	197	350	7	12. Miners in other Minerals ..	920	272	131	296	
5	6. Carmen, Carriers, Carters, Waggoners (not Farm), <i>d</i>	163,003	33,764	119	207	1	13. Metalliferous Mine—Owners, General Managers, Captains.	279	35	50	125	
3	7. Motor Van, etc., Drivers, <i>c</i>	2,945	408	92	139	7	14. Metalliferous Mine—Other Mine Service.	57	7	49	123	
5	8. Van, etc.—Guards, Boys <i>d</i>	124	11	1	89	1	15. Stone, Slate, etc. Mine or Quarry—Owners, Agents, Managers.	695	49	37	71	
4	9. Others connected with Carrying or Cartage, <i>d</i>	5,738	635	52	111	4	16. Stone—Miners, Quarriers <i>l</i>	19,229	2,708	66	141	
3	10. Omnibus Service—Horse Drivers <i>e</i>	1,488	139	57	93	4	17. Stone—Cutters, Dressers <i>l</i>	3,607	524	73	145	
11	11. —Motor Drivers <i>e</i>	2,073	467	164	225	4	18. Slate—Miners, Quarriers <i>m</i>	4,636	704	69	163	
12	12. —Conductors <i>e</i>	2,401	504	141	210	4	19. Slate Workers <i>m</i>	1,089	42	17	39	
13	13. —Others <i>e</i>	1,702	156	56	92	5	20. Limeburners ..	1,102	169	71	153	
14	14. Tramway Service—Drivers <i>f</i>	11,421	1,916	133	168	5	21. Clay, Sand, Gravel, Chalk—Pit, etc. Workers.	7,099	979	72	138	
15	15. —Conductors <i>f</i>	8,510	1,928	140	227	5	22. Other Workers in Products of Quarries.	2,094	251	60	120	
16	16. —Others <i>f</i>	7,495	860	64	115	2. Dealers.						
17	17. Others on Roads ..	629	53	31	84	2	1. Coal, Coke—Merchants, Dealers ..	14,493	1,583	58	109	
3. On Seas, Rivers, and Canals.												
Merchant Service; Seamen—												
1	1. —Navigating Department <i>g</i>	18,064	4,140	79	229	1	2. Dealers in Stone, Slate, etc. ..	949	97	50	102	
2	2. —Engineering Department <i>g</i>	15,725	4,601	141	293	X. METALS, MACHINES, IMPLEMENTS, AND CONVEYANCES.						
2	3. —Cooks, Stewards, and Others (Subsidiary Services), <i>g</i>	5,942	1,796	112	302	1. Iron and Steel Manufacture.						
4	4. Pilots; Boatmen on Seas <i>g</i>	3,322	550	77	152	5	1. Pig Iron Manufacture (Blast Furnaces), <i>n</i>	11,635	1,912	86	164	
5	5. Bargemen, Lightermen, Watermen	14,668	2,897	100	198	5	2. Puddling Furnaces; Iron and Steel Rolling Mills, <i>n</i>	25,990	4,913	88	189	
2	6. Navigation Service (on Shore) ..	2,904	231	51	97	4	3. Tube Manufacture <i>n</i>	4,088	648	72	159	
4. In Docks, Harbours, and Lighthouses.												
5	1. Dock Labourers, Wharf Labourers	52,642	12,163	115	231	4	4. Steel — Manufacture, Smelting, Founding, <i>n</i>	20,573	4,661	116	227	
4	2. Harbour, Dock, Wharf, Lighthouse —Officials and Servants.	11,629	1,232	60	110	2. Manufacture of Other, Mixed or Unspecified Metals.						
5. In Storage, Portage, and Messages.												
4	1. Warehousemen ..	3,945	714	68	181	5	1. Galvanized Sheet Manufacture <i>n</i>	2,497	416	86	167	
5	2. Coalheavers; Coal — Porters, Labourers.	18,185	2,996	90	165	4	2. Tinplate Manufacture ..	8,383	1,665	81	199	
5	3. Messengers, Porters, Watchmen (not Railway or Government).	26,461	4,331	19	134	4	3. Copper Manufacture <i>o</i>	2,637	436	79	165	
2	4. Telegraph, Telephone—Service (not Government).	3,584	408	45	114	4	4. Lead Manufacture <i>p</i>	578	73	72	126	
VII. AGRICULTURE.												
1. On Farms, Woods, and Gardens.												
2	1. Farmers, Graziers <i>h</i>	106,944	15,804	70	148	4	5. Zinc Manufacture <i>q</i>	704	151	117	214	
2	2. Farmers' Graziers—Sons, or other Relatives assisting in the work of the Farm, <i>h</i>	6,334	213	2	34	4	6. Brass, Bronze—Manufacture <i>r</i>	112	19	85	170	
3	3. Farm—Bailiffs, Foremen ..	13,418	1,451	63	108	4	7. Manufacture of other or unspecified Metals.	1,169	178	78	152	
4	4. Shepherds ..	9,896	1,038	48	105	3	3. General Engineering and Machine Making.					
8	5. Agricultural Labourers, Farm Servants—distinguished as in charge of Cattle, <i>i</i>	25,930	2,254	32	87	3	1. Patternmakers ..	5,715	739	51	129	
8	6. Agricultural Labourers, Farm Servants—distinguished as in charge of Horses, <i>i</i>	49,018	3,639	28	74	3,5	2. Millwrights ..	3,061	332	56	108	
8	7. Agricultural Labourers, Farm Servants—not otherwise distinguished, <i>i</i>	121,926	25,881	58	212	3	3. Ironfounders <i>n</i>	48,236	9,635	94	204	
4	8. Woodmen ..	5,393	552	43	102	3	4. Brassfounders <i>r</i>	5,838	951	77	163	
4	9. Nurserymen, Seedsmen, Florists <i>j</i>	11,566	1,358	47	117	3	5. Blacksmiths, Strikers ..	60,831	9,449	72	155	
4	10. Market Gardeners (including Labourers), <i>j</i>	14,589	1,669	45	114	6	6. Erectors, Fitters, Turners ..	70,029	12,552	79	179	
4	11. Other Gardeners (not Domestic) <i>j</i>	27,334	2,915	36	107	5	7. Erectors', Fitters', Turners'—Labourers, <i>s</i>	7,357	710	49	97	
4	12. Agricultural Machine—Proprietors, Attendants.	3,628	390	52	108	3	8. Brass Finishers <i>r</i>	4,869	1,150	96	236	
4	13. Others engaged in or connected with Agriculture.	3,628	499	54	138	3	9. Copper Smiths <i>o</i>	2,477	365	69	147	
10. Metal Machinists <i>s</i>												
11. Labourers (undefined) in Engineering Works, <i>s</i>												
12. Boiler Makers ..												
Other or undefined Workers in Engineering and Machine Making.												
13. —In Textile Machinery Fittings, etc., <i>s</i>												
14. —Others <i>s</i>												

a See Group 6
b See Group 7
c See Group 8
d See Group 9
e See Group 10
f See Group 11
g See Group 12

Table XVII.

h See Group 13
i See Group 14
j See Group 15
k See Group 16
l See Group 17
m See Group 18
n See Group 21

Table XVII.

o See Group 22
p See Group 23
q See Group 24
r See Group 25
s See Group 19

Table XVII.

TABLE XVI.—continued.

Social Class No.	Occupation	Number of Married Males aged under 55 years (including Retired).	Birth Rates.			Social Class No.	Occupation.	Number of Married Males aged under 55 years (including Retired).	Birth Rates.		
			Legitimate Births.	Per 1,000 Males aged 10 years and over.	Per 1,000 Married Males aged under 55 years.				Legitimate Births.	Per 1,000 Males aged 10 years and over.	Per 1,000 Married Males aged under 55 years.
X. METALS, MACHINES, IMPLEMENTS, AND CONVEYANCES—continued.											
4. <i>Electrical Apparatus.</i>											
3	1. Electrical Cable Manufacture <i>a</i> ..	2,217	261	53	118	3	1. Piano, Organ—Makers ..	6,509	843	58	130
3	2. Electric Lamp Manufacture <i>a</i> ..	567	48	34	85	3	2. Other Musical Instrument Makers..	893	130	72	146
3	3. Other Electrical Apparatus Makers; Electrical Fitters, <i>a</i> ..	24,265	2,937	58	121						
3	4. Electricians (undefined) <i>a</i> ..	11,325	3,637	129	321	3	4. <i>Tackle for Sports and Games.</i>				
5. <i>Tools.</i>											
3	1. Tool Makers ..	12,120	1,734	68	143		5. <i>Dealers.</i>				
3	2. File Makers ..	2,520	434	77	172	2	1. Dealers in Precious Metals, Jewellery, and Watches, <i>i</i> ..	5,899	615	49	104
3	3. Saw Makers ..	1,176	148	57	126		2. Dealers in Instruments, Toys, etc. ..	2,791	216	42	77
3	4. Cutlery; Scissors Makers ..	6,684	1,127	75	169	2					
3	5. Needle, Pin—Makers ..	869	80	36	92						
3	6. Steel Pen Makers..	198	35	75	177						
6. <i>Type, Dies, Medals, Coins, etc.</i>											
3	1. Roller Engravers, Block Cutters (for Textile, etc. Printing) ..	1,320	110	43	83		XII. BUILDING, AND WORKS OF CONSTRUCTION.				
3	2. Type—Cutters, Founders ..	598	66	47	110	1	1. <i>House Building, etc.</i>				
3	3. Die, Seal, Coin, Medal—Makers ..	927	139	61	150	3	1. Builders ..	23,193	2,672	60	115
7. <i>Arms.</i>											
3	1. Gunsmiths, Gun Manufacturers ..	3,714	492	65	132	3	2. Builders' Labourers <i>j</i> ..	34,563	4,186	62	121
3	2. Sword, Bayonet—Makers, Cutlers ..	154	17	66	110	5	3. Carpenters, Joiners' ..	99,723	14,913	63	150
8. <i>Miscellaneous Metal Trades.</i>											
4	1. Nail Manufacture ..	1,182	155	49	131	3	4. Carpenters, Joiners'—Labourers <i>j</i> ..	2,402	291	53	121
4	2. Bolt, Nut, Rivet, Screw, Staple—Makers.	4,125	640	60	155	3	5. Bricklayers..	58,201	9,167	86	158
4	3. Anchor, Chain—Manufacture ..	2,686	452	84	168	5	6. Bricklayers' Labourers <i>j</i> ..	35,238	4,279	60	121
4	4. Stove, Grate, Range, Fire Iron—Makers, <i>b</i> ..	4,881	391	39	80	3	7. Masons <i>k</i> ..	23,924	4,127	84	173
4	5. Bedstead Makers (Iron or Brass) <i>b</i> ..	2,570	329	69	128	5	8. Masons' Labourers <i>j</i> ..	6,798	1,175	72	173
4	6. Wire—Drawers, Makers, Workers, Weavers ..	8,883	1,689	85	190	3	9. Slaters, Tilers ..	4,668	816	94	175
4	7. Lock, Key—Makers ..	2,176	308	57	142	3	10. Plasterers ..	13,873	2,445	94	176
4	8. Gas Fittings Makers ..	2,403	358	72	149	3	11. Plasterers' Labourers <i>j</i> ..	2,561	412	84	161
4	9. Lamp, Lantern, Candlestick—Makers.	1,640	127	37	77	3	12. Paperhangers, Whitewashers ..	3,372	425	70	126
4	10. White Metal, Plated—Ware Manufacturers; Pewterers.	5,339	783	69	147	3	13. Painters, Decorators ..	96,494	14,984	80	155
4	11. Tinplate Goods Makers ..	7,948	1,499	74	189	3	14. Glaziers ..	1,462	251	83	172
4	12. Copper Workers <i>c</i> ..	854	249	129	261	5	15. Architectural Monumental—Carvers, Sculptors <i>k</i> ..	705	51	34	72
4	13. Leaden Goods Makers <i>d</i> ..	864	179	116	207	3	16. Monumental Masons <i>k</i> ..	1,925	138	37	72
4	14. Zinc Workers <i>e</i> ..	465	56	56	120	3	17. Plumbers <i>l</i> ..	30,986	4,827	73	156
4	15. Brass, Bronze—Workers <i>f</i> ..	6,861	1,714	113	250	3	18. Gasfitters <i>i</i> ..	8,846	1,509	86	171
4	16. Other Iron Goods Makers <i>b</i> ..	15,391	2,670	82	173	3	19. Locksmiths, Bellhangers ..	511	51	42	100
4	17. Iron Workers (undefined) <i>b</i> ..	3,566	1,314	197	509		2. <i>Other Works of Construction, and Roads.</i>				
4	18. Other Metal Workers ..	8,911	2,132	104	239	5	1. Railway, Canal, Harbour, etc.—Contractors.	656	30	24	46
9. <i>Ships and Boats.</i>											
3	1. Ship—Platers, Riveters, etc. <i>g</i> ..	15,306	2,579	78	169	2	2. Navvies; Railway, etc. Contractors' Labourers, <i>j</i> ..	8,592	481	20	56
4	2. Ship—Other Workers in Iron <i>g</i> ..	2,533	80	14	32	3	3. Well, Mine—Sinkers, Borers ..	1,094	388	119	229
4	3. Shipwrights <i>g</i> ..	12,877	1,756	58	139	1	4. Road — Contractors, Surveyors, Inspectors.	643	140	113	218
4	4. Ship—Other Workers in Wood <i>g</i> ..	1,869	90	22	45	5	5. Paviments; Road Labourers <i>j</i> ..	21,114	2,654	58	126
5	5. Ship Painters <i>g</i> ..	2,778	260	51	94	3	XIII. WOOD, FURNITURE, FITTINGS, AND DECORATIONS.				
5	6. Shipyard Labourers (undefined) <i>g</i> ..	7,313	2,013	115	275	3	1. <i>Furniture, Fittings, and Decorations.</i>				
4	7. Others in Ship and Boat Building <i>g</i> ..	5,887	613	47	104	3	1. Cabinet Makers ..	23,133	3,733	72	161
10. <i>Vehicles.</i>											
3	1. Railway—Coach, Wagon Makers <i>h</i> ..	20,736	2,052	54	99	3	2. French Polishers ..	8,614	1,618	91	188
3	2. Tram Car Makers <i>h</i> ..	1,725	140	52	81	3	3. Upholsterers ..	7,618	1,108	65	145
3	3. Cycle Makers ..	13,032	2,229	76	171	4	4. House and Shop Fittings Makers ..	7,366	700	55	103
3	4. Motor Car Chassis Makers; Motor Car Mechanics, <i>h</i> ..	17,150	2,778	65	162	2	5. Undertakers; Funeral Furniture Makers.	1,969	198	55	101
3	5. Motor Car Body Makers <i>h</i> ..	5,047	338	35	67	2	6. Wood Carvers; Carvers and Gilders	5,060	734	63	145
3	6. Coach, Carriage—Makers <i>h</i> ..	11,380	1,936	77	170	4	7. Willow, Cane, Rush—Workers; Basket Makers.	3,745	567	63	151
3	7. Wheelwrights ..	10,830	1,362	55	126	2	8. Dealers in Works of Art ..	1,846	208	53	113
3	8. Others in Construction of Vehicles <i>h</i> ..	2,172	200	44	92	4	9. Furniture, etc. Dealers ..	12,752	1,518	63	119
11. <i>Dealers.</i>											
2	1. Ironmongers; Hardware—Dealers, Merchants.	12,381	1,595	46	113	4	2. <i>Wood and Bark.</i>				
2	2. Other Dealers in Metals, Machines, etc.	7,323	705	52	96	4	1. Sawyers; Wood Cutting Machinists	19,249	2,779	67	144
XII. PRECIOUS METALS, JEWELS, WATCHES, INSTRUMENTS AND GAMES.											
1. <i>Precious Metals and Jewellery.</i>											
2	1. Goldsmiths, Silversmiths, Jewellers <i>i</i> ..	8,513	1,315	65	154	4	2. Lath, Wooden Fence, Hurdle—Makers.	774	54	28	70
2	2. Lapidaries and other Workers <i>i</i> ..	528	80	61	152	4	3. Wood Turners ..	3,180	442	55	139
2. <i>Watches and Scientific Instruments.</i>											
2	1. Watchmakers, Clockmakers <i>i</i> ..	6,631	691	42	104	4	4. Wooden Box, Packing Case—Makers	5,196	863	72	166
3	2. Scientific Instrument Makers; Opticians.	3,092	420	56	136	4	5. Coopers; Hoop—Makers, Benders ..	6,616	940	63	142
3	3. Photographic Apparatus Makers ..	380	39	43	103	4	6. Cork, Bark—Cutters, Workers ..	519	74	57	143
3	4. Weighing and Measuring Apparatus Makers.	4,305	443	52	103	4	7. Other Workers in Wood ..	8,350	1,358	72	163
3	5. Surgical and Dental Instrument and Apparatus Makers.	2,573	374	54	145	2	8. Timber, Wood, Cork, Bark—Merchants, Dealers.	4,839	527	51	109
XIII. BRICK, CEMENT, POTTERY, AND GLASS.											
1. <i>Brick, Cement, Pottery, and Glass.</i>											
5	1. Brick, Plain Tile, Terra—Cotta—Makers.	21,618	3,482	69	161	5	XIV. BRICK, CEMENT, POTTERY, AND GLASS.				
5	2. Plaster, Cement—Manufacture ..	5,156	819	81	159	5	1. <i>Brick, Cement, Pottery, and Glass.</i>				
4	3. Earthenware, China, Porcelain—Manufacture.	19,149	3,470	84	181	4	1. Brick, Plain Tile, Terra—Cotta—Makers.	21,618	3,482	69	161
4	4. Sheet, Plate—Glass Manufacture <i>m</i> ..	2,272	557	98	245	4	2. Plaster, Cement—Manufacture ..	5,156	819	81	159
4	5. Glass Bottle Manufacture <i>m</i> ..	4,870	840	68	172	4	3. Earthenware, China, Porcelain—Manufacture.	19,149	3,470	84	181
4	6. Other Workers in Glass Manufacture, <i>m</i> ..	4,525	1,024	99	240	4	4. Sheet, Plate—Glass Manufacture <i>m</i> ..	2,272	557	98	245
2	7. Brick, Cement—Dealers ..	141	22	86	156	2	5. Glass Bottle Manufacture <i>m</i> ..	4,870	840	68	172
2	8. Earthenware, China, Glass—Dealers	3,523	419	60	119	2	6. Other Workers in Glass Manufacture, <i>m</i> ..	4,525	1,024	99	240

a See Group 20
b See Group 21
c See Group 22
d See Group 23
e See Group 24

Table XVII.

g See Group 25
h See Group 26
i See Group 27
j See Group 28
k See Group 29

Table XVIII.

l See Group 30
m See Group 31

Table XIX.

TABLE XVI.—continued.

Social Class No.	Occupation.	Number of Married Males aged under 55 years (including Retired).	Birth Rates.			Social Class No.	Occupation.	Number of Married Males aged under 55 years (including Retired).	Birth Rates.			
			Legitimate Births.	Per 1,000 Males aged 10 years and over.	Per 1,000 Married Males aged under 55 years.				Legitimate Births.	Per 1,000 Males aged 10 years and over.	Per 1,000 Married Males aged under 55 years.	
XV. CHEMICALS, OIL, GREASE, SOAP, RESIN, ETC.						XVIII. TEXTILE FABRICS—continued.						
1. <i>Colouring Matter.</i>						1. <i>Cotton—continued.</i>						
4	1. Dye, Paint, Ink, Blacking—Manufacture.	4,470	717	84	160	6	4. Cotton—Weaving Processes <i>h</i> ..	34,347	3,618	43	105	
						6	5. Cotton—Workers in other processes <i>h</i> ..	7,224	788	41	109	
						6	6. Cotton—Workers undefined <i>h</i> ..	5,092	1,453	107	285	
						6	7. Fustian Cutters <i>i</i> ..	596	83	64	139	
2. <i>Explosives and Matches.</i>						2. <i>Wool and Worsted.</i>						
4	1. Gunpowder, Gun cotton, Explosive Substance—Manufacture. <i>a</i>	1,203	179	75	149	6	1. Wool—Sorting Processes <i>j</i> ..	1,889	166	37	88	
3	2. Cartridge, Fireworks, Explosive Article—Manufacture. <i>a</i>	1,584	122	41	77	6	2. Wool—Carding and Combing Processes. <i>j</i>	6,040	879	74	146	
4	3. Lucifer Match Manufacture ..	257	37	49	144	6	3. Wool and Worsted—Spinning Processes. <i>j</i>	5,330	552	21	104	
	3. <i>Salt, Drugs, and other Chemicals and Compounds.</i>					6	4. Wool and Worsted—Weaving Processes. <i>j</i>	10,913	934	37	86	
4	1. Salt Makers ..	1,541	268	87	174	6	5. Wool and Worsted—Workers in other processes. <i>j</i>	11,376	1,124	46	99	
4	2. Manufacturing Chemists <i>b</i> ..	11,391	1,691	77	148	6	6. Wool and Worsted—Workers undefined. <i>j</i>	2,034	429	70	211	
4	3. Alkali Manufacture <i>b</i> ..	6,060	1,193	99	197							
1	4. Chemists, Druggists ..	11,400	1,420	50	125							
4. <i>Oil, Grease, Soap, Resin, etc.</i>						3. <i>Silk.</i>						
5	1. Oil—Millers, Refiners; Oil Cake Makers.	5,265	1,072	102	204	6	1. Silk—Spinning processes <i>k</i> ..	1,253	151	41	121	
						6	2. Silk—Weaving Processes <i>k</i> ..	1,288	110	36	87	
5	2. Candle, Grease—Manufacture <i>c</i> ..	1,418	209	70	147	6	3. Silk—Workers in other processes <i>k</i> ..	755	67	37	89	
5	3. Soap—Boilers, Makers <i>c</i> ..	3,170	472	68	149	6	4. Silk—Workers undefined <i>k</i> ..	394	112	112	284	
5	4. Manure Manufacture <i>c</i> ..	1,814	153	43	84							
5	5. India Rubber, Gutta Percha—Workers. <i>d</i>	6,437	1,344	97	209							
4	6. Waterproof Goods Makers <i>d</i> ..	1,854	265	62	143	6	4. <i>Flax, Hemp, and other Fibrous Materials.</i>					
5	7. Glue, Size, Varnish, etc.—Makers ..	1,827	257	70	141	6	1. Flax, Linen—Manufacture <i>l</i> ..	437	59	50	135	
5	8. Oil and Colourmen ..	4,243	554	62	131	6	2. Hemp Manufacture <i>l</i> ..	86	10	40	116	
3	9. Other Dealers of Order XV. ..	1,799	223	62	124	6	3. Jute Manufacture <i>l</i> ..	47	8	61	170	
						6	4. Cocoa Fibre Manufacture <i>l</i> ..	3	1	125	333	
						6	5. Rope, Twine, Cord—Makers <i>l</i> ..	2,221	314	44	141	
						6	6. Mat Makers <i>l</i> ..	867	106	46	122	
						6	7. Canvas, Sailcloth, Sacking, Net, etc.—Manufacture. <i>l</i>	1,403	165	51	118	
XVI. SKINS, LEATHER, HAIR, AND FEATHERS.						5. <i>Mixed or Unspecified Materials.</i>						
1. <i>Skins and Leather.</i>						1. Thread Manufacture <i>i</i> ..						
4	1. Furriers, Skinners ..	3,794	707	81	186	6	2. Hosiery Manufacture ..	781	113	66	145	
4	2. Tanners ..	5,330	863	79	162	6	3. Lace Manufacture ..	6,318	823	53	130	
4	3. Curriers ..	7,183	1,188	75	165	6	4. Elastic Web Manufacture <i>i</i> ..	7,039	1,051	67	149	
3	4. Leather Goods, Portmanteau, Bag, Strap, etc.—Makers.	4,853	707	65	146	6	5. Carpet, Rug, Felt—Manufacture ..	559	60	40	107	
						6	6. Smallware Manufacture <i>i</i> ..	3,092	342	47	111	
						6	7. Fancy Goods (Textile), etc. Manufacture. <i>i</i>	973	77	30	79	
3	2. Saddlery and Harness.	9,793	1,249	57	128	6	8. Weavers of Sundry Fabrics and undefined. <i>i</i>	275	56	86	204	
						6	9. Other Workers in Sundry Fabrics and undefined. <i>i</i>	1,010	147	54	146	
5	3. <i>Hair and Feathers.</i>	4,145	537	53	130	6	10. Factory Hands (Textile), undefined <i>i</i>	512	44	29	86	
4	2. Quill, Feather—Dressers ..	238	41	81	172	6		76	13	30	171	
4. <i>Dealers.</i>						6. <i>Bleaching, Printing, Dyeing, etc.</i>						
2	1. Dealers in Skins, Leather, Hair, and Feathers.	3,638	415	55	114	6	1. Textile Bleachers <i>m</i> ..	4,161	615	54	148	
						6	2. Textile Printers <i>m</i> ..	5,191	698	55	134	
XVII. PAPER, PRINTS, BOOKS, AND STATIONERY.						6	3. Textile Dyers <i>m</i> ..	12,648	1,819	67	144	
1. <i>Paper and Stationery.</i>						6	4. Textile—Calenderers, Finishers, etc. <i>m</i>	9,298	1,343	68	144	
4	1. Paper Manufacture ..	7,772	1,294	74	166	2	7. <i>Dealers.</i>					
3	2. Paper Stainers ..	1,522	144	44	95	2	1. Drapers, Linen Drapers, Mercers ..	25,266	2,872	41	114	
4	3. Stationery Manufacture <i>e</i> ..	2,877	336	50	117		2. Other Dealers in Textile Fabrics ..	16,221	2,221	62	137	
4	4. Envelope Makers <i>e</i> ..	219	27	52	123							
3	5. Paper Bag Makers <i>e</i> ..	228	21	36	92							
3	6. Cardboard Box Makers <i>e</i> ..	1,709	239	58	140							
4	7. Other Workers in Paper, etc. <i>e</i> ..	846	95	38	112							
2	8. Stationers, Law Stationers <i>f</i> ..	4,789	592	62	124							
2	9. Other Dealers in Paper ..	1,520	255	81	168							
2. <i>Prints and Books.</i>												
3	1. Printers—Hand Compositors <i>g</i> ..	18,860	2,153	56	114	4	1. Straw Plait Manufacture <i>n</i> ..	430	56	68	130	
3	2. —Machine Compositors <i>g</i> ..	2,504	181	49	72	4	2. Straw Hat, Straw Bonnet—Manufacture. <i>n</i>	2,203	316	74	143	
3	3. —Printing Machine Minders <i>g</i> ..	4,287	578	74	135	4	3. Felt Hat Manufacture <i>o</i> ..	3,638	458	58	126	
3	4. —Stereotypers, Electrotypers. <i>g</i>	1,592	206	74	129	4	4. Makers of Cloth Hats and Caps <i>o</i> ..	960	243	123	253	
						2	5. Makers of other Hats and Caps <i>o</i> ..	1,379	117	36	85	
						2	6. Milliners ..	435	69	69	159	
3	5. —Others in Printing <i>g</i> ..	23,855	4,193	64	176	2	7. Hat, Bonnet, Straw Plait, etc.—Dealers. <i>o</i>	2,055	162	35	79	
3	6. Lithographers; Copper and Steel Plate Printers.	6,118	610	47	100	3	8. Tailors <i>p</i> ..	57,720	8,903	70	154	
3	7. Bookbinders ..	5,621	704	53	125	3	9. Clothiers, Outfitters—Dealers <i>p</i> ..	11,859	1,282	46	108	
2	8. Book, Print—Publishers, Sellers <i>f</i> ..	5,704	645	46	113	2	10. Dressmakers ..	1,412	150	53	106	
2	9. Newspaper Publishers ..	1,683	142	50	84	2	11. Stay, Corset—Makers ..	701	88	55	126	
2	10. Newspaper Agents, News Room Keepers. <i>f</i>	6,314	755	54	120	2	12. Shirt Makers, Seamstresses ..	2,373	264	52	111	
						4	13. Button Makers ..	601	80	42	100	
XVIII. TEXTILE FABRICS.						4	14. Glove Makers ..	1,255	170	56	135	
1. <i>Cotton.</i>						4	15. Hosiers, Haberdashers ..	2,987	338	43	113	
6	1. Cotton—Card and Blowing Room Processes—					3	16. Boot, Shoe—Makers <i>q</i> ..	70,328	10,387	62	148	
6	(a) Strippers and Grinders <i>h</i> ..	3,072	426	85	139	2	17. Slipper Makers <i>q</i> ..	1,390	236	71	170	
6	(b) Others <i>h</i> ..	4,593	530	62	115	3	18. Patten, Clog—Makers <i>q</i> ..	2,363	320	53	135	
6	2. Cotton—Spinning Processes <i>h</i> ..	29,521	3,792	44	128	2	19. Boot, Shoe, Patten, Clog—Dealers <i>q</i>	10,520	963	43	92	
6	3. Cotton—Winding, Warping, etc. Processes. <i>h</i>	9,870	1,050	50	106	3	20. Artificial Flower Makers ..	288	39	62	135	
						2	21. Wig Makers, Hairdressers ..	19,622	3,161	70	161	
						4	22. Umbrella, Parasol, Stick—Makers ..	2,476	315	56	127	
						2	23. Other Workers in Dress ..	436	56	63	128	
						2	24. Other Dealers in Dress ..	1,377	137	51	99	

a See Group 32
b See Group 33
c See Group 34
d See Group 35
e See Group 36
f See Group 37

Table XVII.

g See Group 38
h See Group 39
i See Group 43
j See Group 40
k See Group 41
l See Group 42

Table XVII.

m See Group 44
n See Group 45
o See Group 46
p See Group 47
q See Group 48

Table XVII.

TABLE XVI.—continued.

Social Class No.	Occupation.	Number of Married Males aged under 55 years (including Retired).	Legitimate Births.		Social Class No.	Occupation.	Number of Married Males aged under 55 years (including Retired).	Legitimate Births.			
			Per 1,000 Males aged 10 years and over.	Per 1,000 Married Males aged under 55 years.				Per 1,000 Males aged 10 years and over.	Per 1,000 Married Males aged under 55 years.		
										Birth Rates.	Birth Rates.
XX. FOOD, TOBACCO, DRINK AND LODGING.											
1. Food.											
4	1. Creamery Workers	592	94	74	159	2	1. Circular, Envelope—Addressers, etc.	29	1	8	34
2	2. Milksellers, Dairymen	22,968	4,253	89	185	2	2. Advertising, Bill Posting—Agents	1,942	207	60	107
2	3. Provision Curers	2,696	292	58	108	5	3. Bill Posters	1,677	294	88	175
2	4. Cheesemongers, Buttermen, Provision Dealers.	9,125	1,142	60	125	5	4. Sandwichmen, Bill Distributors ..	229	12	10	52
3	5. Slaughterers <i>a</i>	1,409	126	47	89	2. About Animals.					
2	6. Butchers, Meat Salesmen <i>a</i>	52,941	8,566	67	162	2	1. Cattle, Sheep, Pig—Dealers, Salesmen.	2,237	265	52	118
2	7. Fish Curers	1,483	298	96	201	3	2. Drivers, Lairmen	968	135	44	139
2	8. Fishmongers, Poulterers, Game Dealers.	19,716	3,007	79	153	5	3. Dog, Bird, Animal—Keepers, Dealers	807	79	43	98
4	9. Millers: Cereal Food Manufacture	11,878	1,726	70	145	2	4. Knackers; Catsmeat Dealers ..	677	98	76	145
2	10. Corn Flour, Seed—Merchants, Dealers.	9,113	990	53	109	3. Sundry Specified Industries.					
2	11. Bread, Biscuit, Cake, &c.—Makers <i>b</i>	32,655	5,925	72	181	4	1. Celluloid—Makers, Workers	414	55	54	133
2	12. Bakers, Confectioners (Dealers) <i>b</i> ..	25,615	3,100	69	121	3	2. Tobacco Pipe, Snuff-Box, etc.—Makers.	683	109	64	160
5	13. Sugar Refiners	1,693	418	118	247	3	3. Bone, Horn, Ivory, Tortoiseshell—Workers.	494	47	38	95
4	14. Jam, Preserve, Sweet—Makers ..	4,381	579	61	132	4	4. Floor Cloth, Oil Cloth—Manufacture	2,856	389	63	136
4	15. Chocolate, Cocoa—Makers	2,266	226	42	100	3	5. Japanners	134	34	110	254
2	16. Grocers; Tea, Coffee, Chocolate—Dealers.	67,590	8,137	47	120	4	6. Chimney Sweeps	4,099	580	73	141
2	17. Greengrocers, Fruiterers	26,735	4,226	80	153	3	7. Rag—Gatherers, Dealers	2,036	221	49	109
2	18. Ginger Beer, Mineral Water—Manufacture.	4,239	506	56	119	4	8. Other Workers in Sundry Industries	1,869	269	65	144
2	19. Mustard, Vinegar, Spice, Pickle, etc.—Makers.	1,973	247	66	125	2	9. Other Dealers in Sundry Industries	729	104	70	143
2	20. Other Dealers in Food	2,749	230	51	84	2	10. Receiving Shop, Receiving Office—Keepers, Assistants, (Laundry; Dyers and Cleaners) <i>f</i> .	168	17	54	101
2. Tobacco.											
3	1. Tobacco Manufacture	3,541	497	61	140	4. Makers and Dealers (General or Undefined).					
2	2. Tobacconists	6,151	753	62	122	2	1. Multiple Shop, Multiple Store—Proprietors, Workers (general or undefined) <i>f</i> .	1,472	155	49	105
3. Makers of Spirituous Drinks.											
4	1. Maltsters	5,519	708	73	128	2	2. General or Unclassified Shopkeepers; General Dealers. <i>f</i>	17,559	2,921	73	166
4	2. Brewers	14,642	2,248	77	154	2	3. Pawnbrokers	4,204	596	46	142
4	3. Distillers; Spirit Manufacture ..	502	65	69	129	5	4. Costermongers, Hawkers, Street Sellers. <i>g</i>	23,140	4,052	73	175
4. Board, Lodging and Dealing in Spirituous Drinks.											
2	1. Coffee House, Eating House—Keepers.	10,930	805	49	74	4	5. Contractors, Manufacturers, Managers, Superintendents, Foremen (undefined).	1,582	429	115	271
2	2. Lodging House, Boarding House—Keepers.	4,365	254	27	58	5	6. News—Boys, Vendors, (Street or undefined) <i>g</i>	797	218	13	274
2	3. Inn, Hotel—Keepers; Publicans, Beersellers, Cider Dealers. <i>c</i>	56,018	5,288	60	94	5. Mechanics and Labourers (General or Undefined).					
3	4. Beer Bottlers	1,633	218	35	133	5	1. General Labourers <i>e</i>	111,179	48,713	151	438
3	5. Cellarmen	4,615	721	81	156	4	2. Engine—Drivers, Stokers, Firemen (not Railway, Marine or Agricultural).	67,947	10,357	91	152
4	6. Barmen	8,097	1,893	65	234	5	3. Artizans, Mechanics, Apprentices (undefined).	3,621	743	63	205
3	7. Waiters (not Domestic)	8,955	1,512	65	169	4	4. Factory—Hands, Labourers (undefined).	2,624	1,511	180	576
4	8. Others in Inn, Hotel, Eating House, etc.—Service. <i>d</i>	7,825	1,384	61	177	4	5. Machinists, Machine Workers (undefined).	428	192	141	449
1	9. Wine and Spirit—Merchants, Agents <i>c</i> .	3,483	386	52	111	XXIII. WITHOUT SPECIFIED OCCUPATIONS OR UNOCCUPIED.					
XXI. GAS, WATER AND ELECTRICITY SUPPLY AND SANITARY SERVICE.											
1. Gas, Water, Electricity.											
	1. Gas Works Service	35,210	5,112	91	145	1	4. Private Means <i>h</i>	12,284	1,083	21	88
	2. Waterworks Service	5,441	517	53	95	1	5. Students <i>h</i>	15,588	299	0	19
	3. Electricity Supply	9,239	970	65	105	2	6. Scholars <i>h</i>				
2. Sanitary Service.											
4	1. Drainage and Sanitary Service <i>e</i> ..	6,349	501	51	79		7. Others <i>h</i>				
5	2. Scavenging and Disposal of Refuse <i>e</i>	7,631	452	31	59						

a See Group 49 }
b See Group 50 } Table XVII.
c See Group 51 }

d See Group 52 }
e See Group 55 } Table XVII.
f See Group 53 }

g See Group 54 } Table XVII.
h See Group 56 }

It will be noted that the gap separating the group of unskilled labourers from that immediately above them in the scale is by far the greatest of the four dividing the five groups. It would seem therefore that the statement that the population is being recruited out of due proportion from its least successful and progressive elements receives confirmation from these figures. It may be of course that there is nothing very novel about this, and that the same tabulation at an earlier date would have revealed a similar result. But the probability is that the causes which have diminished the birth-rate have increased if not created the differences between social classes, and even if this were not so it must be remembered that the differential effect of the much higher infant mortality of an earlier epoch probably had a far greater influence upon the relative increase of the various classes than is produced by this factor at the present time.

The fertility of the sixth group, that of textile operatives, is very little above that of the middle class by either form of statement. As its infant mortality is practically twice as great it can be readily shown that the slight advantage at birth held by group 6 is

TABLE XVII.—ENGLAND AND WALES, 1911.—LEGITIMATE BIRTHS IN CERTAIN OCCUPATIONAL GROUPS in proportion to (1) MALES over 10 YEARS OF AGE (including RETIRED) ; (2) MARRIED MALES under 55 YEARS OF AGE (including RETIRED).

Reference No.	Order, Sub-order and Title No. (the latter in brackets) in the 1911 Census Classification.	Occupational Group.	No. of Married Males aged under 55 years.	Legitimate Births.	Birth Rates.	
					Per 1,000 Males aged 10 years and over.	Per 1,000 Married Males aged under 55 years.
1	I: 1 (1, 2, 5)...	Civil Service (Officers and Clerks) ...	34,604	3,807	51	110
2	I: 1 (3, 4, 6)...	Civil Service (Messengers, &c.) ...	39,334	5,759	73	146
3	I: 2 (2, 3) ...	Poor Law and Municipal Service ...	26,720	2,234	39	84
4	II: 2 (1, 2, 4, 5) ...	Officers of the Navy and Marines ...	2,204	341	46	155
5	II: 2 (3, 6) ...	Men of the Navy and Marines... ..	26,357	7,123	80	270
6	VI: 1 (8, 9, 10) ...	Other Railway Servants	63,252	11,304	86	179
7	VI: 2 (3, 4) ...	Coachmen, Cabmen, Grooms (not Domestic) ...	37,502	5,621	70	150
8	IV: 2 (2); VI: 2 (5, 7) ...	Motor Car, Motor Van—Drivers ...	23,865	4,611	107	193
9	VI: 2 (6, 8, 9) ...	Carmen, &c.	168,865	34,410	110	204
10	VI: 2 (10-13) ...	Omnibus Service... ..	7,664	1,266	109	165
11	VI: 2 (14-16) ...	Tramway Service	27,426	4,704	113	172
12	VI: 3 (1-4) ...	Merchant Service, Seamen; Pilots, Boatmen on Seas ...	43,353	11,087	102	256
13	VII: 1 (1, 2) ...	Farmers, Farmers' Sons, &c.	113,278	16,017	49	141
14	VII: 1 (5, 6, 7) ...	Agricultural Labourers... ..	196,874	31,774	49	161
15	IV: 2 (3); VII: 1 (9-11) ...	Gardeners... ..	107,515	13,003	49	121
16	IX: 1 (1, 2, 3) ...	Coal Miners	412,286	95,566	107	232
17	IX: 1 (16, 17) ...	Stone—Quarriers, Cutters, Dressers	22,836	3,232	67	142
18	IX: 1 (18, 19) ...	Slate—Quarriers, Workers	5,775	806	60	140
19	X: 3 (7, 10, 11, 13, 14) ...	Others engaged in Engineering and Machine Making ...	90,928	12,945	66	142
20	X: 4 (1-4) ...	Electrical Apparatus Makers, Electrical Fitters, Electricians.	38,374	6,883	81	179
21	X: 1 (1-4); 2 (1); 3 (3); 8 (4, 5, 16, 17) ...	Iron and Steel Manufacture; Iron Goods Makers ...	139,417	27,589	94	198
22	X: 2 (3); 3 (9); 8 (12) ...	Copper Manufacture; Copper Workers	6,068	1,050	83	173
23	X: 2 (4); 8 (13) ...	Lead Manufacture; Leaden Goods Makers	1,442	252	99	175
24	X: 2 (5); 8 (14) ...	Zinc Manufacture; Zinc Workers	1,169	207	91	177
25	X: 2 (6); 3 (4, 8); 8 (15) ...	Brass—Manufacturers, Founders, Finishers, Workers ...	17,680	3,834	97	217
26	X: 9 (1-7) ...	Shipbuilding	48,363	7,391	68	153
27	X: 10 (1, 2, 4, 5, 6, 8) ...	Makers of other Vehicles	58,210	7,444	60	128
28	XI: 1 (1, 2); 2 (1); 5 (1) ...	Goldsmiths, Jewellers, Watchmakers (including Dealers).	21,571	2,701	53	125
29	XII: 1 (7, 15, 16) ...	Masons	26,554	4,316	79	163
30	XII: 1 (17, 18) ...	Plumbers, Gasfitters	39,832	6,336	76	159
31	XIV: 1 (4, 5, 6) ...	Glass Manufacture	11,667	2,481	86	213
32	XV: 2 (1, 2) ...	Explosive Substance, Explosive Article—Manufacture.	2,787	301	56	108
33	XV: 3 (2, 3) ...	Chemical Manufacture	17,451	2,884	85	165
34	XV: 4 (2, 3, 4) ...	Grease, Soap, Manure—Manufacture... ..	6,402	834	62	130
35	XV: 4 (5, 6) ...	India Rubber, Gutta Percha—Workers; Waterproof Goods Makers.	8,291	1,609	89	194
36	XVII: 1 (3-7) ...	Stationery, &c., Manufacture; Cardboard Box Makers.	5,879	718	50	122
37	XVII: 1 (8, 9); 2 (8, 10) ...	Dealers in Paper, Prints, Books and Stationery ...	18,327	2,247	53	123
38	XVII: 2 (1-5) ...	Printers	51,098	7,311	62	143
39	XVIII: 1 (1-6) ...	Cotton Manufacture	93,719	11,657	49	124
40	XVIII: 2 (1-6) ...	Wool, Worsted—Manufacture	37,582	4,084	42	109
41	XVIII: 3 (1-4) ...	Silk Manufacture	3,670	440	46	120
42	XVIII: 4 (1-7) ...	Workers in Hemp, Jute, and other Fibrous Materials ...	5,064	663	47	131
43	XVIII: 1 (7); 5 (1, 4, 6-10) ...	Workers in other or Undefined Textile Fabrics ...	4,782	593	48	124
44	XVIII: 6 (1-4) ...	Textile—Dyeing, Bleaching, Calendering, Finishing, &c.	31,298	4,475	63	143
45	XIX: 1 (1, 2) ...	Straw Plait, Straw Hat, Straw Bonnet—Manufacture.	2,633	372	73	141
46	XIX: 1 (3-5, 7) ...	Hatters	8,032	980	55	122
47	XIX: 1 (8, 9) ...	Tailors	69,579	10,185	66	146
48	XIX: 1 (16-19) ...	Shoemakers	84,601	11,906	60	141
49	XX: 1 (5, 6) ...	Butchers	54,350	8,692	67	160
50	XX: 1 (11, 12) ...	Bakers	58,270	9,025	71	155
51	XX: 4 (3, 9) ...	Innkeepers, Publicans, Wine, Spirit—Merchants, Agents.	59,501	5,674	60	95
52	IV: 1 (1); XX: 4 (8) ...	Others in Inn, Hotel—Service... ..	8,855	1,401	42	158
53	XXII: 3 (10); 4 (1, 2) ...	Shopkeepers (General or Undefined)... ..	19,199	3,093	71	161
54	XXII: 4 (4, 6) ...	Hawkers	23,937	4,270	59	178
55	XII: 1 (2, 4, 6, 8, 11); 2 (2, 5); XXI: 2 (1, 2); XXII: 5 (1) ...	General Labourers (including those engaged on Buildings, Roads, &c., and in Drainage and Sanitary Service).	236,367	63,144	109	267
56	XXIII: (4-7) ...	Unoccupied, or without Specified Occupation ...	27,872	1,382	1	50

more than lost by the end of the first year of life, so that the effective fertility of textile workers is really the lowest of the eight groups compared. If it may be assumed that the custom of married female labour in the mills provides special economic inducements to this class to restrict its birth-rate the fact that this is so low in comparison with other

TABLE XVIII.—ENGLAND and WALES, 1911.—ILLEGIMATE BIRTHS in CERTAIN OCCUPATIONAL GROUPS in proportion to the UNMARRIED and WIDOWED FEMALE POPULATION aged 15-45 YEARS (including RETIRED).

Order, Sub-order and Title Number (the latter in brackets) of Headings in the 1911 Census Classification.	Occupational Group.	Number of Unmarried and Widowed Females aged 15-45 years enumerated at Census 1911 (including Retired).	Illegitimate Births, 1911.	Birth Rate per 1,000.
	All Unmarried and Widowed Females aged 15-45 years.	4,701,324	37,633	8·0
I.—XXII	Occupied...	3,403,299	30,260	8·9
XXIII	Unoccupied or Occupation not stated ...	1,298,025	7,373	5·7
I: 1 (1, 2, 5)	Civil Officers (Officers and Clerks) ...	22,949	21	0·9
III: 3 (4, 5)	Midwives; Sick Nurses ...	49,385	106	2·1
III: 4 (1)	School Teachers ...	152,838	105	0·7
III: 7 (5)	Musicians ...	17,537	53	3·0
III: 7 (6)	Actresses ...	5,256	78	14·8
IV: 1 (1, 2): 3 (6)	Domestic Servants ...	1,147,241	17,132	14·9
IV: 3 (7)	Charwomen ...	34,279	1,494	43·6
IV: 3 (8)	Laundry and Washing Service ...	83,413	1,318	15·8
V: 2 (1)	Commercial Clerks ...	111,067	236	2·1
VII: 1 (1, 2)	Farmers, Farmers' Daughters, &c. ...	52,739	76	1·4
VII: 1 (5, 6, 7)	Agricultural Labourers ...	8,131	290	35·7
VII: 1 (3, 4, 8-13)	Others engaged in Agriculture ...	2,117	28	13·2
IX: 1 (3)	Coal Mine—Workers above Ground ...	2,343	70	29·9
X: 1-8, 10	Working in Metals, Machines, Implements and Conveyances.	70,479	621	8·8
XI: 1: 2: 3	Working in Jewellery, Watches, and Scientific, &c., Instruments.	10,874	26	2·4
XIII: 1 (1-7)	Working in Furniture Fittings, and Decorations.	12,606	78	6·2
XIII: 2 (1-7)	Working in Wood, Cork and Bark ...	3,414	40	11·7
XIV: 1 (1)	Brick, Plain Tile, Terra-cotta—Makers ...	1,954	70	35·8
XIV: 1 (3)	Earthenware Manufacture ...	18,378	227	12·4
XIV: 1 (4, 5, 6)	Glass Manufacture ...	2,299	26	11·3
XV: 4 (5, 6)	India rubber, Gutta-percha—Workers; Waterproof Goods Makers.	6,869	36	5·2
XVI: 1 (1, 2, 3)	Furriers, Curriers, &c. ...	4,609	26	5·6
XVI: 1 (4): 2 (1)	Saddlers; Leather Goods Makers ...	8,128	49	6·0
XVI: 3 (1)	Brush, Broom Makers; Hair Bristle—Workers.	4,788	34	7·1
XVII: 1 (1)	Paper Manufacture.	5,389	47	8·7
XVII: 1 (2-7)	Stationery Manufacture and Other Workers in Paper.	36,470	143	3·9
XVII: 2 (1-7)	Printers; Lithographers; Bookbinders ...	35,709	111	3·1
XVIII: 1	Cotton Manufacture ...	226,459	1,707	7·5
XVIII: 2	Wool, Worsted—Manufacture ...	82,968	546	6·6
XVIII: 3	Silk Manufacture ...	13,065	83	6·4
XVIII: 4	Workers in Hemp, Jute, and Other Fibrous Materials.	11,382	174	15·3
XVIII: 5, 6	Other Textile Workers ...	79,575	552	6·9
XIX: 1 (1, 2)	Straw Plait, Straw Hat—Manufacture ...	5,038	36	7·1
XIX: 1 (6)	Milliners ...	57,356	127	2·2
XIX: 1 (8)	Tailoresses ...	89,831	469	5·2
XIX: 1 (10)	Dressmakers ...	257,876	769	3·0
XIX: 1 (11)	Staymakers ...	9,907	64	6·5
XIX: 1 (12)	Shirtmakers; Seamstresses ...	50,715	235	4·6
XIX: 1 (16, 17)	Boot, Shoe, Slipper—Makers ...	29,121	209	7·2
XVI: 3 (2); XIX: 1 (3-5, 13, 14, 18, 20-23).	Other Workers in Dress ...	28,097	103	3·7
XX: 1 (14, 15)	Jam, Sweet, Cocoa—Manufacture ...	27,252	129	4·7
XX: 1 (18)	Mineral Water Manufacture ...	1,956	42	21·5
XX: 1 (1, 3, 5, 7, 9, 11, 13, 19)	Other Workers in Food Manufacture ...	14,233	83	5·8
XX: 2 (1)	Tobacco Manufacture ...	15,859	72	4·5
XX: 4 (6)	Barmaids ...	20,583	275	13·4
XX: 4 (7)	Waitresses ...	25,413	333	13·1
XX: 4 (8)	Others in, Inn, Hotel, &c.—Service ...	9,196	53	5·8
XXII: 3 (7)	Rag Gatherers—Dealers ...	2,724	80	29·4
XXII: 4 (4, 6)	Hawkers ...	4,076	271	66·5
X: 11 (1, 2); XI: 5 (1, 2); XIII: 1 (8, 9): 2 (8); XIV: 1 (7, 8): XV: 3 (4): 4 (8, 9); XVI: 4 (1); XVII: 1 (8, 9): 2 (8, 10); XVIII: 7 (1, 2); XIX: 1 (7, 9, 15, 19, 24); XX: 1 (2, 4, 6, 8, 10, 12, 16, 17, 20): 2 (2): 4 (9); XXII: 3 (9, 10): 4 (1, 2, 3).	Shopkeepers and their Assistants ...	241,405	715	3·0
	All Other Occupations...	187,951	592	3·1

Volume X of the Census Report does not record the numbers of "retired" single and widowed females of different ages according to the occupation they previously followed. Table 17 of that volume, however, gives the numbers of these retired, single, and widowed females with distinction of Occupation, but not of age, and Table 8 gives their numbers with distinction of age, but not of occupation. From the latter Table it is found that 14·2 per cent. of the whole were between 15 and 45 years of age, and this proportion has been applied to the totals recorded for each occupation in Table 17 to obtain the numbers of retired, single, and widowed females between 15 and 45 years of age included with the occupied in this Table.

workers of similar standing is strongly suggestive of purposeful avoidance of fertility as the cause of the difference. Indeed it seems difficult to account otherwise for the contrast between miners and mill hands, two classes very similarly situated in most respects other than the employment of their womenfolk.

It might perhaps have been expected that the fertility of agricultural labourers would have been higher than it is. In the recently published section of the Scottish census report dealing with fertility, crofters occupy the highest place in the list of occupations and farm servants are highly placed. In England however not only does the agricultural labourer remain unmarried to a much larger extent than the average man (Census Report 1911, volume X. Table 20) but when he is married his fertility barely attains the average for all classes, and is eight per cent. below that of the working classes as a whole. The interest of these facts in relation to recent discussion of the adequacy of the agricultural labourer's wages and housing need scarcely be pointed out, but the compatibility of scarcity of house accommodation with high fertility as illustrated by the case of miners must be borne in mind. The advantage of this class in regard to infant mortality was only very moderate in 1911, a year in which, owing to its exceptional climatic conditions, the corresponding advantage of the country over the town was probably almost at its maximum. Using the 1911 rates however, as the only figures available, the 161 infants born to 1,000 married agricultural labourers of less than 55 years of age are reduced to 145·4 survivors at the end of the first year, and the 175 born in the case of the working classes in general to 151·8.

The fertility of miners is a very prominent feature of Table XV. It has long been noticeable that the registration counties in which mining was extensively carried on had high birth-rates, and in 1912 the three administrative counties with the highest birth-rates (pages 133-162) are Glamorgan, Monmouth and Durham. This exceptional fertility of the mining population is also to be noted in the Scottish census returns, and in the statistics of various foreign countries. It may be noted that it exists despite the fact of great scarcity of house accommodation in some at all events of the areas where it is most marked, and that it is accompanied by a heavy excess of infant mortality, the latter however not being nearly sufficient to reduce the number of survivors at one year of age to the average for the working classes.

Little need be said here of the details of occupational fertility presented in Tables XVI. and XVII. In the main the rates recorded in these tables are much what might be expected from the facts already dealt with. The two tables should be studied in conjunction with Tables 3, 7 and 20 of the Census Report on Occupations, showing respectively the numbers of males and of married males at ages in each occupation, and the proportion of males of different ages in each occupation who are married. An instance of the use of these census tables in throwing light upon peculiarities in the results here presented has been quoted already in the case of agricultural labourers and motor car drivers. As a further instance the comparative fertility of Church of England clergymen and Nonconformist ministers may be referred to. Table XVI. shows that in comparison to total numbers following these occupations the fertility of ministers is decidedly superior, but that when comparison is restricted to married men under 55 years of age, the ministers are at a disadvantage. The census tables supply the explanation. In the first place although the proportion of old men is very high in both callings it is higher in the Church—35 per cent. over 55 years of age against 30 per cent. for the other group and 18 per cent. for males over 20 years of age in general. The main disadvantage of the Church however lies in the much smaller proportion of its ministers married, as shown in Table 20 of the Census Report on Occupations. Thus, to compare the most fertile ages, at 25-35, 54 per cent. of the Nonconformists were married, against only 29 per cent. of the Churchmen, and at 35-45 the proportions were 86 and 68 per cent. respectively. As a result of the combined action of these two causes the proportion of married men under 55 years of age to the total in the occupation is only 40 per cent. amongst the Church clergy as against 53 per cent. for the ministers and 51 per cent. for men over 20 years of age in the community at large.

Although the attempt has been made in Table XVII. to restate the fertility of those occupations in Table XVI. which are likely to be fallacious, by grouping together headings between which there is insufficient demarcation, it does not follow that all the entries in Table XVI. to which no note is attached are free from suspicion. Civil and mining engineers (III. 6 (1)) for instance are credited with a fertility suspiciously in excess of those prevalent amongst the professional classes in general. It is very possible that this may be due to loose application of the designation to persons other than professional engineers, since engine fitters are often spoken of as engineers. It is probable however that it is mainly due to the fact that the replies to the census question relating to industry

made it possible to assign to IX. 1 (4) (coal-mine—owners, agents, managers) a number of mining engineers in the employ of coal-mines who in the absence of such information in the birth registers were treated as consulting engineers and allocated to III. 6 (1). It has not been thought desirable to get over the difficulty by giving a combined rate for III. 6 (1) and IX. 1 (4), the latter of which groups shows a suspiciously low fertility, because such a combined group would include many persons other than engineers. Inaccuracies of this kind being even more difficult to avoid in the birth registers than at the census they have probably had the effect of artificially swelling the total of births attributed to the class. The occupational designations listed to each heading in both census and births tabulation may be seen in the Appendix to volume X of the Census Report, but of course no consistence of practice in this respect can eliminate error due to careless use of imperfectly defined occupational terms. In other cases a somewhat similar result arises in another way. The fertility of soldiers and fishermen (Table XVI.) and of men of the Royal Navy (Table XVI.) is very high because many fathers in these callings are absent from the country at census date though their homes are here and their children are born and registered in England.

It will be seen that there are many possibilities of error in tables which depend upon the description of occupations both in the census and the registers. This has long been recognised in the case of occupational mortality tabulation and its probable effects pointed out in the decennial reports on that subject. It has been thought best not to suppress any of the tabulated results because of the probability that they may be factitious but to allow the student of the tables the opportunity as far as possible of forming an estimate of their accuracy, while at the same time suggesting, in Table XVII., groups of occupations which may be used with more safety than the units of which they are composed.

It is not in all cases within the power of the staff which has classified and tabulated the facts represented in the tables to furnish explanations of the results arrived at. Apparently anomalous results which are not obviously due to such causes as have been illustrated above must be left for the consideration of economists and sociologists, who are best equipped for the task.

With regard to Table XVIII., which states the fertility of the single and widowed women engaged in various occupations, two cautions must be borne in mind, (1), that illegitimacy is by no means necessarily a measure of immorality, and (2), that the possibilities of discrepancy between census and registration figures apply to this table as well as to Tables XV–XVII.

It may probably be said that the most prominent feature of the table is the degree to which illegitimate fertility is related to social status. Thus the highest rates in the table are those of hawkers (66·5), charwomen (43·6), brickmakers (35·8), agricultural labourers (35·7), pit brow workers (29·9), rag gatherers (29·4), and mineral water manufacturers (21·5); while the lowest are those of teachers (0·7), civil service clerks (0·9) farmers' daughters (1·4), commercial clerks (2·1), sick-nurses (2·1), and milliners (2·2). The contrast here is obvious, and is especially remarkable in the case of the women farmers and farmers' daughters and of the women labourers in their employ.

No less than 46 per cent. of all the illegitimate infants born during 1911 were the children of domestic servants, but the table shows that while the rate for this, numerically the most important occupation, is high, it is very much exceeded by those of a number of others. The excess shown by the workers in the coarse textile materials over the moderate rates for textile workers in general is noteworthy, as is also the fact that the rates for actresses and barmaids are not higher than they are shown to be, having regard to the conditions of their employment.

Sex Proportions at Birth.—Births of males in England and Wales numbered 445,004, and those of females 427,733; the proportion of male to female births being, therefore, 1,040 to 1,000. The corresponding proportions in each year since 1863 and in groups of years since the commencement of registration are shown in Table 6, page 20; the extreme range has been from 1,032 per 1,000 in 1898 to 1,054 in 1843 and in 1844. Compared with other countries the proportion in England is exceedingly low, the ratio most commonly returned being 1,050–1,060.

The extent to which the proportional excess in the number of boys at birth varies in the different counties and other administrative areas of England and Wales may be gathered from the returns tabulated on pages 132–162. A table was inserted in the Report for 1911 showing the degree of male excess in the same classes of area and portions of the country/as are dealt with in Table XIV. Comparison of this with a similar table for 1912 however shows that the differences between the records of the two years are far too great to allow of any significance being attached to such a table for a

single year. The results of several years tabulation must evidently be awaited before any characteristic differences in regard to this matter between the various sections of the population can be brought to light.

Illegitimate Births.—The births registered during the year 1912 included 37,528 of illegitimate children.

Illegitimacy is usually stated in the form of the proportion of illegitimate births either to total births or to total population. The first method of statement is objectionable as expressing one variable (the rate of illegitimacy) in terms of another (the total birth-rate). A 4 per cent. rate of illegitimacy, for instance, in a district where

TABLE XIX.—ENGLAND AND WALES.—ILLEGITIMATE BIRTHS, 1876–1912.

Period.	In proportion to total Births.		In proportion to total Population.		In proportion to the Unmarried and Widowed Female Population aged 15–45 years.	
	Rate per 1,000.	Compared with rate in 1876–80 taken as 100.	Rate per 1,000.	Compared with rate in 1876–80 taken as 100.	Rate per 1,000.	Compared with rate in 1876–80 taken as 100.
1876–1880... ..	47·5	100·0	1·7	100·0	14·4	100·0
1881–1885... ..	48·0	101·1	1·6	94·1	13·5	93·8
1886–1890... ..	46·3	97·5	1·5	88·2	11·8	81·9
1891–1895... ..	42·4	89·3	1·3	76·5	10·1	70·1
1896–1900... ..	41·0	86·3	1·2	70·6	9·2	63·9
1901–1905... ..	39·5	83·2	1·1	64·7	8·4	58·3
1906–1910... ..	40·2	84·6	1·1	64·7	8·1	56·3
1876	46·8	98·5	1·7	100·0	14·6	101·4
1877	47·5	100·0	1·7	100·0	14·6	101·4
1878	47·2	99·4	1·7	100·0	14·4	100·0
1879	47·9	100·8	1·7	100·0	14·2	98·6
1880	48·3	101·7	1·6	94·1	14·1	97·9
1881	48·8	102·7	1·7	100·0	14·1	97·9
1882	48·5	102·1	1·6	94·1	13·8	95·8
1883	47·9	100·8	1·6	94·1	13·4	93·1
1884	47·1	99·2	1·6	94·1	13·2	91·7
1885	47·9	100·8	1·6	94·1	13·0	90·3
1886	47·4	99·8	1·6	94·1	12·8	88·9
1887	47·5	100·0	1·5	88·2	12·4	86·1
1888	46·3	97·5	1·4	82·4	11·7	81·3
1889	45·9	96·6	1·4	82·4	11·5	79·9
1890	44·2	93·1	1·3	76·5	10·7	74·3
1891	42·4	89·3	1·3	76·5	10·6	73·6
1892	41·9	88·2	1·3	76·5	10·1	70·1
1893	42·5	89·5	1·3	76·5	10·3	71·5
1894	43·1	90·7	1·3	76·5	9·9	68·8
1895	42·1	88·6	1·3	76·5	9·9	68·8
1896	42·3	89·1	1·3	76·5	9·7	67·4
1897	41·7	87·8	1·2	70·6	9·5	66·0
1898	41·5	87·4	1·2	70·6	9·3	64·6
1899	40·0	84·2	1·2	70·6	8·9	61·8
1900	39·7	83·6	1·1	64·7	8·6	59·7
1901	38·9	81·9	1·1	64·7	8·4	58·3
1902	39·0	82·1	1·1	64·7	8·4	58·3
1903	39·3	82·7	1·1	64·7	8·5	59·0
1904	39·9	84·0	1·1	64·7	8·5	59·0
1905	40·2	84·6	1·1	64·7	8·3	57·6
1906	40·0	84·2	1·1	64·7	8·3	57·6
1907	39·4	82·9	1·0	58·8	7·9	54·9
1908	39·9	84·0	1·1	64·7	8·2	56·9
1909	41·0	86·3	1·1	64·7	8·1	56·3
1910	40·8	85·9	1·0	58·8	7·8	54·2
1911	42·7	89·9	1·0	58·8	8·0	55·6
1912	43·0	90·5	1·0	58·8	7·9	54·9

the total birth-rate is 30, implies more illegitimacy than a 5 per cent. rate where the total birth-rate is 20. The second method of statement yields a crude illegitimate birth-rate corresponding to the crude total birth-rate, and the remarks on page xix as to the latter apply to it.

The most satisfactory measure of illegitimacy we possess is that which expresses the fertility of unmarried women in the form of a statement of the number of illegitimate children compared with that of single and widowed women of conceptive ages.

The preceding table shows for a series of years the results of the different methods of measuring illegitimacy.

Comparing the proportion of illegitimate births in England and Wales in the year 1912 with that obtaining in the quinquennial period 1876-80, it will be seen that based on the standard of total births the rate of illegitimacy had decreased by less than 10 per cent. The crude illegitimate birth-rate, however, based on the total population, shows during the same period a decline of 41 per cent., while the rate based on the numbers of unmarried and widowed women of conceptive ages fell by 45 per cent.

The extent of illegitimacy in different classes of area and parts of the country may be gathered from Table XX., from which it may be seen that statement in proportion to total population conceals the excess of illegitimacy in the rural districts which is definitely brought out by the other portion of the table. Stated in relation to unmarried women of conceptive ages illegitimate births were most frequent in the rural districts and least so in London. They were also most frequent in Wales, and least so in the South of England.

TABLE XX.—ILLEGITIMATE BIRTH-RATES, 1912.

	Per 1,000 total Population.					Per 1,000 Unmarried and Widowed Females aged 15-45 years.				
	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	0.95	—	0.95	—	—	6.35	—	6.35
County Boroughs ...	1.11	1.04	1.11	0.90	1.08	8.38	7.89	7.69	7.59	8.11
Other Urban Districts...	1.01	0.98	0.91	1.03	0.98	7.84	7.55	6.18	9.76	7.51
Rural Districts...	1.13	1.10	0.91	1.28	1.07	9.44	10.08	7.52	10.83	9.31
All areas	1.07	1.03	0.95	1.09	1.02	8.32	8.30	6.68	9.69	7.86

Natural Increase.—The fall in the birth-rate which characterised the year 1912 was accompanied by a still greater fall in the death-rate from the level attained in the exceptionally hot and dry summer of 1911. The natural increase, or excess of birth-rate over crude death-rate, rose from 9.8, at which it stood in 1911, to 10.5 per thousand persons living. These two rates are the lowest ever recorded in this country, the next lowest being 11.2, in 1909. As the death-rate in 1912 was the lowest yet attained, and yet the natural increase was also exceptionally low, it is evident that the fall in the birth-rate has now reached a point at which it is no longer likely to be fully compensated by decrease in mortality. Table XXI shows that during the first few years after the birth-rate commenced to fall in 1877 a diminution of natural increase resulted, then for many years the fall in mortality compensated for that in natality, but in 1911 and 1912 this compensation has failed. Moreover the falling birth-rate must automatically tend to increase the death-rate by increasing the average age of the population, and as the scope for further improvement in mortality experience is limited by the natural duration of human life it seems almost certain that continuance of the present fall in natality must tend more and more to outstrip that in mortality.

The effect of the increased age of the population, brought about by the falling birth-rate, may be traced in Table 6. This table shows that at the time the birth-rate began to fall the population was less favourably constituted in relation to mortality than in 1901, the period selected as a standard for general comparison. This is shown by the fact that the death-rate of, for instance, 1877, is reduced on standardization from 20.3 to 19.4 to make it fairly comparable with that of 1901. The first effect of the fall in the birth-rate which then set in was to bring about so great a reduction of the proportion of young children in the population that the death-rate was diminished in consequence. This effect continued up to about the year 1901, as shown by the fact that crude death-rates require less and less reduction on standardization up to that year. Since then however the favourable effect upon mortality of reduction in the proportion of

infants has been outweighed by the adverse effect of reduction in the proportion of children and youths and increase in that of elderly persons. This is shown by the fact that the crude death-rate has now once more to be decreased, and that to an increasing extent, to make it comparable with that of the favourably composed population of 1901. With a continuance of the fall in the birth-rate this latter phase of change in our population must also continue, and so must play its part in the reduction of our natural increase.

TABLE XXI.—NATURAL INCREASE of POPULATION per 1,000 LIVING, 1876–1912.

—	Mean Annual Birth-rate per 1,000 living.	Mean Annual Death-rate per 1,000 living.	Mean Annual Rate of Increase by excess of Births over Deaths, per 1,000 living.
1876–1880	35·3	20·8	14·5
1881–1885	33·5	19·4	14·1
1886–1890	31·4	18·9	12·5
1891–1895	30·5	18·7	11·8
1896–1900	29·3	17·7	11·6
1901–1905	28·2	16·0	12·2
1906–1910	26·3	14·7	11·6
1906... ..	27·2	15·5	11·7
1907... ..	26·5	15·1	11·4
1908... ..	26·7	14·8	11·9
1909... ..	25·8	14·6	11·2
1910... ..	25·1	13·5	11·6
1911	24·4	14·6	9·8
1912... ..	23·8	13·3	10·5

TABLE XXII.—NATURAL INCREASE per 1,000 LIVING, 1912.

—	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	10·9	—	10·9
County Boroughs	10·1	11·4	8·3	12·8	10·5
Other Urban Districts	10·6	12·0	8·3	15·3	11·1
Rural Districts	12·2	9·3	8·0	11·1	9·8
All areas	10·6	11·1	9·3	13·4	10·5

The distribution throughout the country of the natural increase recorded in 1912 is shown in Table XXII. It will be seen that as in 1911 it was, like the birth-rate, highest in Wales in all but the rural areas, and lowest in the South in all three classes of area. The advantage in birth-rate possessed by the North over the Midlands does not prevent its rate of increase being lower, owing to the higher mortality in the North. The same statement holds good of the county boroughs and the smaller urban districts in the country at large. The advantage in birth-rate of 1·6 per 1,000 enjoyed by the county boroughs over the smaller towns (Table XIV.) is converted by excess of mortality into a deficiency of 0·6 per 1,000 population in natural increase. In the absence of migration the large towns would have increased at the same rate as the country at large, the smaller towns faster, and the rural areas more slowly. These facts are worth noting in view of the assumption sometimes loosely made that the population of the towns would cease to increase if it were not recruited from the country. It is true that the figures in the table probably do not fairly represent the increase characteristic of the town and country born, for many births in towns are the result of fertility freshly imported from the country, but the rural population now bears so small a proportion to the whole that this consideration must be of much less importance than in former years.

If Table XXII. is contrasted with the similar table in last year's Report it may be seen that the rise in natural increase in 1912 as compared with 1911 is confined to the towns. The country districts had naturally not been so much affected by the infantile diarrhoea which so adversely influenced the mortality of 1911, and consequently their death-rate fell much less in 1912. On the other hand, as already noted, they experienced the greatest fall in natality of any class of area in 1912. Hence it has come about that in the rural areas of the Midlands and South the natural increase was actually less than in the exceptionally unfavourable year 1911, and in those of the country at large only just

equal to that of 1911. Much attention has of late been directed to lack of cottage accommodation in rural areas, which is stated in some cases to diminish opportunity for marriage and parenthood, and in view of such statements additional interest attaches to the fact that natural increase was at its lowest in the rural districts in 1912.

DEATHS.

The deaths of 486,939 persons were registered in England and Wales during 1912, 250,232 of these being males and 236,707 females.

These deaths correspond to a rate of 13·3 per 1,000 population, or 0·2 below that for the year 1910, the lowest recorded up to that time. Reference to Table 6 shows that during the first twelve years of the present century the standardized death-rate* has fallen from 16·9 per 1,000 in 1901 to 12·9 in 1912. In eight of these twelve years, viz., 1902, 1903, 1905, 1907, 1908, 1909, 1910, and 1912, the death-rate has been successively the lowest on record. The lowest standardized rate recorded during the nineteenth century was 16·4 in 1894. This remarkable fall in mortality is the rule rather than the exception in the recent experience of progressive countries (see Table 42). Since registration began in this country the average standardized death-rate

* The need for modification of the crude death-rate, that is the proportion borne by deaths registered to each thousand of the population at all ages, if true comparison is to be made of the force of mortality at different times or in different areas, has frequently been pointed out in these Reports. The two methods of effecting this "standardization" of recorded death-rates here employed were fully described in the Annual Report for 1911 (pp. xxvii-xxx). Owing to the laborious nature of the calculations involved by use of the "direct" method, which is to be preferred on the ground of accuracy, the standardized rates shown for administrative areas on pages 132-162 have been obtained by the indirect or factorial method, by which the standardizing factor represents the relation of the "index death-rate" for the standard population, that of England and Wales in 1901, to the "index death-rate" of the population in question (the index death-rate itself being a measure of the effect upon mortality of the age- and sex-constitution of the population as ascertained at the latest census). The following comparison of the results of application of the two methods shows that the differences are not as a rule of great importance.

Rates calculated upon the standard recommended by the International Statistical Institute, viz., the population of Sweden in 1890, distinguishing five groups of ages, but without distinction of sex, are also shown.

	Crude Death-rate per Million Population, 1912.	Standardized Rates.		
		By Direct Method (England and Wales Standard, 1901).	By Indirect Method (England and Wales Standard, 1901).	By Direct Method (International Standard, 1890).
England and Wales	13,290	12,914	13,011	15,679
London... ..	13,832	13,782	13,832	16,451
County boroughs	14,712	15,164	15,102	17,900
Other urban districts	12,523	12,392	12,444	15,085
Rural districts	12,340	10,506	10,936	13,400

In order that those interested in the subject may have an opportunity of using the standardization method to the fullest extent which the calculations permit, the table showing "calculated deaths" and "adjusted populations" on pages 163-174 has been inserted. The figures in the second column of this table are those referred to on page xxix. of the Annual Report for 1911, as giving "the deaths that would have occurred in a year had the mortality of each sex- and age-group been the same as that in England and Wales as a whole" (during 1901-10). By the addition of these calculated deaths and adjusted populations for any combination of areas, a standardizing factor can be obtained for the combination in the same way as for the individual areas. Thus if it were desired to ascertain the standardized death-rate of Manchester and Salford in combination the procedure would be as follows ;—

	Calculated deaths.	Adjusted population.
Manchester	10056·5	714,949
Salford	3275·9	231,357
Combined area	13332·4	946,306

The index death-rate for the combined area therefore = $\frac{13332 \cdot 4 \times 1000}{946306} = 14 \cdot 09$. The index death-rate for the standard population, that of England and Wales in 1901, was 15·19, and the standardizing factor for the combined area is therefore $\frac{15 \cdot 19}{14 \cdot 09} = 1 \cdot 0781$.

has been 19·4 per 1,000 living, as against 12·9 in 1912. During 1861–70 this rate stood at 21·3, and so recently as 1891–95 at 18·5, since when therefore the fall has been very rapid.

Mortality of each Sex.—The standardized mortality* of males in 1912 exceeded that of females by 14 per cent. (Table 6). Up to 1860 or so the excess was only about six per cent., but for the last 15 years it has averaged about 14 per cent. Since 1841–1845, the first quinquennium in the table, the standardized mortality of females has fallen by 39·8 per cent. while the fall in that of males has been only 35·2 per cent.

Tables 13 and 14 show that the excess in the mortality of males exists at all ages except in the years of childhood, when mortality is at its minimum. The excess, however, is very unequally distributed, being large in infancy, negative in childhood, then gradually increasing to a maximum in later middle life, and from this declining again with advancing age. Comparison with the similar age distribution of the excess of urban over rural mortality for each sex inevitably suggests itself (*see* page liii and Diagram IV). The ratios of male per cent. of female mortality at the various age-periods during the years 1901–1910 and 1912 are as follows :—

—	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—
1901–10 ...	119	97	95	107	120	119	123	130	128	120	115	112
1912 ...	120	101	93	105	115	121	125	131	132	124	116	108

Tables 13 and 14 also show that during the period covered curious changes have occurred in the ages at which juvenile mortality is in excess in the female sex. The only three age-periods, with one or two trifling exceptions, at which the mortality of males has not been in constant excess are 5–10, 10–15, and 15–20. For the first of these three periods mortality has been higher in the male sex during 1911 and 1912. For over a quarter of a century before 1911 it had been at least as high amongst females, and very commonly higher, but before the year 1884 the mortality of males at this age was in almost constant excess. The recent change in this matter forms, therefore, a reversion to an earlier state of affairs. At ages 10–15, at which period alone the mortality of females is now in excess, this excess has been fairly constant, but during the eleven years 1865–1875 girls of this age only once experienced a higher mortality than boys. Finally the age group 15–20, at which from the year 1894 onwards the mortality of males has been in constant excess, affords only two instances of such excess (in 1876 and 1890) prior to that year. It seems advisable to draw attention to these curious changes, even though no explanation of them can be advanced, for it can scarcely be supposed that they are without significance.

TABLE XXIII.—ANALYSIS by CAUSES of DEATH of the EXCESS of MALE over FEMALE MORTALITY, 1912.

—	Male mortality per 1,000 living.	Female mortality per 1,000 living.	Excess or deficiency of (1) compared with (2).	Per-centage of total male excess.
	(1)	(2)	(3)	(4)
Phthisis ...	1·217	·873	+ ·344	21·4
Other forms of Tuberculosis ...	·352	·302	+ ·050	3·1
Pneumonia (all forms) ...	1·205	·845	+ ·360	22·4
Cancer (excluding generative and mammary organs) ...	·898	·674	+ ·224	13·9
Violence ...	·784	·313	+ ·471	29·3
Infantile deaths not included above ...	2·244	1·588	+ ·656	40·7
Causes of death not particularised in this table ...	7·405	7·290	+ ·115	7·2
Total ...	14·105	11·885	+ 2·220	138·0
Diseases incident to Pregnancy and Child-bearing ...	—	·184	— ·184	11·4
Cancer of generative and mammary organs ...	·015	·443	— ·428	25·6
All Causes ...	14·120	12·512	+ 1·608	100·0

* *I.e.*, by the ordinary method of calculation (*see* page xxxvi) by which the death-rates at ages for each sex are applied to the number of the sex living at each age in a standard million. But this method of comparison, while fair as between dates or localities, is inapplicable to a comparison between the sexes since it ignores the less favourable age-constitution of the female element in the standard population. To allow for this the age-group death-rates for each sex have been applied successively to the 1901 standard million of persons without distinction of sex, with the result that the male rates yield a mortality of 14,237 per million and the female rates one of 11,753. Thus the true measure of excess of male mortality is 21 per cent., and not 14 (*see* Table XXXVIII).

Table XXIII sets forth the causes of death which mainly account for the difference in mortality between the sexes. The excess of the mortality of males in infancy, and from phthisis, pneumonia and violence together amount to more than the total excess from all causes, which would have been 38 per cent. greater than it actually was but for the mortality of females from child-bearing and from cancer of the generative organs, causes peculiar or almost so to the female sex.

The excess in the mortality of males from all causes during the first year of life amounts to 0·761 per 1,000 living at all ages, or nearly half the total male excess.

Mortality at different Ages.—The fall in mortality during recent years applies to all ages, though in old age it is inconsiderable. Tables 13–15 enable the history of this fall to be traced at each age-period dealt with. They show that up to 35 years of age for males and to 45 for females the mortality of 1912 was at each period only one half to one third of that recorded 50 years ago (1861–65), but that after these ages the fall, though appreciable, has been comparatively slight.

Comparing 1912 with its more immediate predecessors the year of chief interest is 1910, which furnished the lowest mortality previously recorded. Comparison of the rates for the two years shows that the advantage of 1912 is almost confined to the first age-group dealt with, 0–5 years. The total mortality at all ages over 5 years was 11·00 in 1912 as against 10·75 in 1910, but this excess is more than wiped out by the fall at ages under 5 years, from 36·4 to 32·4 (Table 15).

As in 1911, the striking feature of Table 16 is the constancy with which the mortality of each sex in the North exceeds that of other parts of England and in all classes of area. The only exceptions to this rule are furnished by the rural districts of the Midlands, the mortality of which exceeded that of the North in both sexes at ages 20–25, and equalled it in the female sex at 15–20. Even if the mortality of London alone is compared with that of all areas, urban and rural together, of the North, the latter is everywhere in excess except for males of 25–65 and females of 35–55. In 1911 males of 35–55 formed the only exception.

The case of Wales is very different. Its general position is intermediate between those of the North and of the Midlands and South, but at ages 20–35 its mortality is heavier than that of the North. In 1911 this statement applied also to ages 15–20, at which in 1912 the mortality of females in Wales was equal to and that of males slightly less than the rate in the North, the similarity of the two years in regard to these comparisons being remarkable. If classes of area are distinguished as well as age, sex, and part of the country, we find that, in the 36 comparisons so instituted for each sex, mortality in the male sex is higher in the North in 30 cases and in Wales in three cases, the other three showing equality between the two. In the female sex the North is highest in 17 instances and Wales in 18, with one case of equality, but the standardized rate at all ages is appreciably higher in the North. As in 1911 it is in the rural districts that this excess of female mortality in Wales is most marked, applying in both years practically to all ages from 5 to 75. The corresponding excess of male mortality in the rural districts of Wales, noted in 1911, is much less marked in 1912, as excess over the North is confined to ages 20–35, though at 35–55 rural mortality of males in the two areas is equal. In 1911 the excess was widespread between ages 5 and 75.

The extent to which the excess of total mortality amongst the young women of Wales is due to their heavy death-rate from phthisis is shown in Table XXIV.

TABLE XXIV.—EXCESS OF MORTALITY OF FEMALES AT CERTAIN AGES IN WALES, 1911 AND 1912.

	Welsh excesses over the North of England.				Welsh excesses over England and Wales.					
	15–25.		25–45.		15–25.		25–45.		45–65.	
	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.
All causes	·44	·36	·86	·52	·77	·72	1·44	1·09	1·44	1·35
Phthisis	·35	·09	·44	·22	·41	·21	·49	·28	·23	·19
Causes other than phthisis	·09	·27	·42	·30	·36	·51	·95	·81	1·21	1·16

It will be seen that the Welsh excess in mortality from all causes was due to phthisis in a much smaller degree in 1912 than in 1911, so it would seem probable that

the influences, whatever they may be, which cause young women in Wales to die from phthisis in undue proportion to their numbers lead also to excessive mortality from a number of other causes of death.

The lowest mortalities in Table 16 are furnished exclusively by the Midlands and South, except at ages over 85, at which Wales shows to considerable advantage. At other ages the mortality of males was on the whole somewhat lower in the Midlands, and of females in the South. The most favourable mortality for young children of both sexes is recorded by the South, and for the middle-aged of both sexes, but particularly males, by the Midlands. These statements are almost equally applicable to the year 1911 as to 1912, so it would seem that the differences noted may be characteristic of the populations concerned.

Infant Mortality.—Of the 486,939 deaths registered during the year in England and Wales, 82,779, or 17·0 per cent., were those of infants under one year of age, corresponding to a mortality rate of 95 per 1,000 births. This rate was 30 per 1,000 births, or 24 per cent., below the average in the preceding ten years, and 22 per 1,000 births, or 19 per cent., below that of 1906–10 (Table 6). It was the lowest rate on record, being 10 per 1,000 births below the lowest rate previously recorded, that for the year 1910, while during the nineteenth century the proportion of deaths had never been lower than 130 per 1,000 births. These facts illustrate the rapidity with which infant mortality has fallen in recent years in this as well as in most other European countries. The extent to which it is affected by diarrhœal mortality is strikingly illustrated by comparison with the previous year. The summer of 1911 was exceptionally hot and dry, and the infant mortality of that year was 130, or 37 per cent. higher than that of 1912, when the summer was of quite the opposite type. Of this difference no less than 80 per cent. is accounted for by diminution in diarrhœal mortality during the latter year, but the infant mortality from causes other than diarrhœa was also lower than that of any previous year, amounting to 87 deaths per 1,000 births, as against 92 in 1910, and 94 in 1911. It was only in 1909 that this rate for the first time fell below 100, and since then it has never reached that figure.

Table XXV shows how the infant mortality of 1912 was distributed between the sexes and throughout the country. For infants of both sexes jointly the rate varied from 113 in the county boroughs of the North to 66 in the rural districts of the South.

TABLE XXV.—INFANT MORTALITY (DEATHS UNDER 1 YEAR per 1,000 BIRTHS), 1912.

	Males.					Females.					Both Sexes.				
	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	100	—	100	—	—	82	—	82	—	—	91	—	91
County boroughs ...	124	119	93	122	120	100	93	72	101	96	113	107	83	111	108
Other urban districts ...	113	97	83	122	103	89	73	63	99	80	101	85	73	111	92
Rural districts	106	86	74	104	90	82	68	59	83	71	95	77	66	94	81
All areas	118	102	91	117	106	94	79	73	94	84	106	90	82	106	95

The fact that infant mortality is considerably higher under the conditions of town than of country life is well known, and the rate for the rural districts is exceeded accordingly by 14 per cent. in the case of the smaller towns, and by 33 per cent. in that of the county boroughs, but only by 12 per cent. in the case of London. The small excess in London shows to what a large extent the adverse influence of urban surroundings on infant life may be avoided. For each sex the mortality in the County of London, the central portion of the largest urban population in existence, was lower than that in the country at large—a very remarkable fact.

The feature of chief interest in the table indeed is not the variation of infant mortality with aggregation of population, but its geographical variation. In each sex and in every class of area the English mortality was highest in the North and lowest in South, the position of the Midlands being in all cases intermediate. Even the rural districts of the North record a higher rate than London does, their excess in the male sex being compensated by no advantage in the female. The general position of Wales is practically the same as that of the North of England, but in the case of the smaller towns infant mortality is at its maximum in Wales in both sexes.

The variations in infant mortality and its great excess in certain localities have recently formed the subject of a valuable report by the medical officer of the Local Government Board, in which the areas and causes of death concerned are dealt with individually. It is only by such detailed study, which cannot be attempted in this report, that the full significance of the figures can be appreciated ; but none the less the yearly repetition of Table XXV. is likely to emphasize certain broad facts of mortality distribution which must always be borne in mind when the possibility and means of its further reduction are being considered. The urban excess is analysed by sex, age and cause of death in Table 30, and Tables 24-28 provide the means of investigating, in somewhat less detail, the causes of death which are accountable for the differences between the various geographical areas.

It is of interest to extend the comparison of infant mortality up to school age, *i.e.*, to the end of the period of exclusively home influence. This is done in Table XXVI, which gives the mortality during the second year of life, and the mean annual mortality between the ages of two and five years, in the different areas dealt with ; and in Table XXVII, which shows the survivors from 10,000 births at the end of the first, second, and fifth years of life in the same areas. The range of variation in the second year of life is very much greater than in the first. It extends in Table XXVI from 12·42 in the rural districts of the South to 47·18 in the county boroughs of the North. In all parts of the country except the North, and the South at age 1-2 years, the mortality of the rural districts is less than half that of the county boroughs, in both sections of the table ; and throughout the whole of the table mortality decreases regularly in all cases with decrease of urbanization.

TABLE XXVI.—MORTALITY in EARLY CHILDHOOD, 1912 : DEATHS per 1,000 LIVING at EACH AGE (Both Sexes).

	1-2 years.					2-5 years. (Mean Annual Mortality.)				
	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	33·96	—	33·96	—	—	9·25	—	9·25
County boroughs	47·18	36·73	22·71	45·22	41·39	13·23	11·32	7·46	14·39	12·11
Other urban districts	35·05	21·88	16·75	38·93	27·55	10·46	6·64	5·60	11·12	8·27
Rural districts	24·41	16·64	12·42	20·92	17·92	7·31	5·20	3·66	5·76	5·37
All areas	39·51	25·09	24·47	34·60	30·61	11·40	7·71	7·08	10·04	8·96

Table XXVII exhibits the cumulative results of the mortalities shown in Tables XXV and XXVI. It shows that, judging by the experience of 1912, 19 per cent. of children born in the county boroughs of the North and of Wales may be expected to die before completing their fifth year, while in the rural districts of the South the proportion lost is only 9 per cent. or less than half the other. Outside London there is no class of area in the South which does not, judging by the experience of both 1911 and 1912, rear a larger proportion of its children than even the rural districts of the North.

TABLE XXVII*.—MORTALITY in EARLY CHILDHOOD, 1912 : SURVIVORS of 10,000 CHILDREN BORN.

	At end of First Year.					At end of Second Year.					At end of Fifth Year.				
	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	9,086	—	9,086	—	—	8,777	—	8,777	—	—	8,533	—	8,533
County boroughs	8,874	8,933	9,174	8,886	8,921	8,455	8,605	8,966	8,484	8,552	8,119	8,313	8,765	8,118	8,241
Other urban districts.	8,990	9,147	9,268	8,891	9,081	8,675	8,947	9,113	8,545	8,831	8,403	8,769	8,960	8,260	8,612
Rural districts	9,054	9,229	9,336	9,064	9,192	8,833	9,075	9,220	8,874	9,027	8,639	8,933	9,119	8,721	8,882
All areas	8,940	9,098	9,180	8,943	9,052	8,587	8,870	8,955	8,634	8,775	8,293	8,665	8,765	8,374	8,539

* A note as to the construction of Tables XXVII and XXVIII will be found in the Annual Report for 1911, page xxxvi.

The comparison may be carried a stage further, as is done in Table XXVIII, by stating the combined effects of each population's fertility and early mortality, in other words, by showing the extent to which it produces *and rears* children. The result may be regarded as its effective fertility, and will give some indication of the extent to which success in preservation of young lives is likely to compensate for failure in their production.

The greatest effect of successful life preservation in compensating for its non-production is naturally shown by comparison of the county boroughs of Wales with the rural districts of the South, since these populations present the greatest contrast of any in Table XXVII. Table XXVIII shows that the birth-rate of the former was 26·9 as against 19·5 for the latter, but this difference would be reduced at age 5 to that between 21·9 and 17·8, the survivors per 1,000 population in each case. It may be judged therefore how little of the much greater deficit in the fertility of the present day as compared with that of thirty to forty years ago is likely to be made good in the near future by success in preservation of young lives. The effect of low mortality in compensating for low fertility was less in 1912 than in 1911, because the lower rates of infant mortality in the former year did not provide so great a range of difference in mortality as 1911 had exhibited.

The advantage in regard to birth-rate held by the large towns in the first section of Table XXVIII is still maintained, though to a diminished extent, when the age of five years is attained. The advantage in regard to fertility on the other hand is held on the whole by the rural districts (the higher birth-rates of the towns being accounted for by their higher proportions of women of conceptive age) and this advantage becomes gradually accentuated by their more favourable mortality experience.

TABLE XXVIII.—EFFECTIVE FERTILITY, 1912.*

	1.—Births per 100,000 Total Population.					2.—Births per 10,000 Women aged 15–45.					3.—Legitimate Births per 10,000 Married Women aged 15–45.				
	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	2,468	—	2,468	—	—	918	—	918	—	—	1,985	—	1,985
County boroughs ...	2,581	2,542	2,086	2,693	2,518	1,000	991	790	1,109	977	1,959	1,955	1,654	2,099	1,930
Other urban districts ...	2,439	2,347	1,980	2,876	2,356	967	932	762	1,263	938	1,892	1,844	1,680	2,268	1,871
Rural districts ...	2,484	2,168	1,946	2,465	2,209	1,074	1,007	861	1,107	993	2,118	1,938	1,767	2,229	1,964
All areas	2,516	2,356	2,199	2,704	2,382	997	971	854	1,181	956	1,955	1,904	1,831	2,224	1,918
SURVIVORS OF ABOVE AT END OF FIRST YEAR OF LIFE.															
London	—	—	2,243	—	2,243	—	—	834	—	834	—	—	1,804	—	1,804
County boroughs ...	2,289	2,270	1,913	2,394	2,246	887	885	724	986	871	1,738	1,746	1,517	1,866	1,722
Other urban districts ...	2,193	2,148	1,835	2,557	2,139	869	853	706	1,123	852	1,701	1,687	1,557	2,016	1,699
Rural districts ...	2,248	2,001	1,818	2,233	2,030	972	929	804	1,003	913	1,917	1,789	1,650	2,019	1,805
All areas	2,249	2,144	2,019	2,417	2,156	891	884	784	1,056	865	1,748	1,733	1,681	1,988	1,736
SURVIVORS OF ABOVE AT END OF SECOND YEAR OF LIFE.															
London	—	—	2,167	—	2,167	—	—	803	—	806	—	—	1,743	—	1,743
County boroughs ...	2,181	2,187	1,870	2,286	2,153	845	852	708	941	835	1,656	1,682	1,483	1,782	1,651
Other urban districts ...	2,116	2,101	1,804	2,457	2,080	839	834	694	1,079	829	1,641	1,650	1,521	1,938	1,652
Rural districts ...	2,193	1,968	1,795	2,186	1,994	948	914	794	982	897	1,870	1,759	1,630	1,977	1,773
All areas	2,160	2,090	1,970	2,333	2,090	856	862	765	1,019	839	1,679	1,690	1,640	1,919	1,683
SURVIVORS OF ABOVE AT END OF FIFTH YEAR OF LIFE.															
London	—	—	2,107	—	2,107	—	—	784	—	784	—	—	1,695	—	1,695
County boroughs ...	2,094	2,113	1,828	2,187	2,075	811	823	692	900	805	1,590	1,625	1,450	1,705	1,591
Other urban districts ...	2,050	2,059	1,774	2,375	2,028	813	817	682	1,043	808	1,590	1,617	1,505	1,873	1,611
Rural districts ...	2,145	1,937	1,775	2,148	1,962	927	900	785	965	883	1,829	1,732	1,612	1,943	1,744
All areas	2,086	2,042	1,928	2,263	2,034	827	842	749	988	817	1,622	1,651	1,605	1,861	1,638

* The rates of mortality at ages 1–5 employed in the third section of this table are those applicable to all children without distinction of legitimacy, as the mortality of legitimate children is not separately tabulated except during the first year of life. The consequent error, however, is probably very small. See Annual Report for 1911, Table XXXIII.

It may be noted that the disadvantage of 1912 as compared with 1911 in the upper section of the above table, referred to on page xxi, is with few exceptions converted into an advantage in the second section, there being more survivors at the expiry of the first year owing to the effect of the diminished birth-rate being outweighed by that of diminished infant mortality. The only cases in which this is not so are the county boroughs of Wales and the rural districts of England and Wales, and of the Midlands and South, but the recovery in Wales is not maintained, as at the end of the fifth year the 1912 table once more shows fewer survivors.

One of the most striking features of Table XXVIII is the extent to which the fertility of Wales, however stated, exceeds that of England. The survivors at age 5 in Wales exceed the births in the South of England in each section of the table, and the smaller towns of Wales more nearly approximate to the old-fashioned standard of birth-rate than any other of the sections of the population dealt with.

Causes of Infant Mortality.—All the principal causes of infantile deaths, as summarized in Table XXIX, except infectious diseases, show a reduction in mortality in 1912 as compared with the previous year, as well as with the average of the five preceding years. In the case of diarrhoea and enteritis the reduction is very large, but it is substantial in the case of other causes also, particularly tubercle. The reduction from 1·49 deaths from abdominal tuberculosis per thousand births to 0·99 and from 3·81 deaths from all tuberculous diseases to 2·81 in a single year is even more remarkable than the fall in diarrhoeal mortality, since in this case there is no obvious climatic explanation to account for it. Possibly in a year of heavy diarrhoeal mortality the records of death from abdominal tuberculosis are to some extent swollen by misdescription of deaths properly assignable to diarrhoea, but it is to be noted that during recent years, as will be seen from Table XXX, the fall in infant mortality assigned to tubercle has been rapid

TABLE XXIX.—ENGLAND AND WALES, 1912.—PERCENTAGE INCREASE OR REDUCTION OF INFANT MORTALITY as compared with 1907–11 and with 1911.

	Under 1 month.		1–3 months.		3–6 months.		6–9 months.		9–12 months.		Under 1 year.	
	1907–11.	1911.	1907–11.	1911.	1907–11.	1911.	1907–11.	1911.	1907–11.	1911.	1907–11.	1911.
Whooping cough ...	—	+ 9	+ 7	+24	— 1	+10	— 1	+ 7	— 1	+ 5	+ 1	+10
Other common infectious diseases.	—	—	—12	—22	+ 9	—	+ 8	— 6	+ 4	—12	+ 5	— 9
Diarrhoea and enteritis ...	—29	—60	—51	—73	—61	—80	—66	—84	—63	—82	—59	—79
Premature birth ...	— 1	— 2	— 9	—11	— 5	—	—	—25	—	—50	— 1	— 2
Congenital defects...	—17	—	—15	— 1	—19	— 8	—26	—18	—17	— 9	—17	— 1
Atrophy, debility,marasmus	— 4	—13	—25	—24	—31	—27	—24	—22	—30	—30	—16	—19
Developmental and wasting diseases.	— 4	— 4	—20	—18	—28	—23	—24	—22	—27	—27	— 9	— 9
Tuberculous diseases ...	—43	—20	—35	—22	—38	—30	—29	—22	—31	—29	—33	—26
Convulsions ...	—14	— 4	—27	—15	—25	—19	+ 6	—16	+13	—19	—16	—12
Bronchitis and pneumonia	+ 4	+ 9	— 6	+ 1	—13	— 1	—13	— 3	—11	— 6	—10	— 1
Other causes ...	+12	+ 5	— 7	— 1	—22	—12	—33	—15	—35	—20	—14	— 6
All causes ...	— 4	— 5	—22	—29	—32	—43	—28	—40	—23	—35	—19	—27

TABLE XXX.—ENGLAND AND WALES.—INFANTILE MORTALITY from TUBERCULOSIS, 1902–1912.

	1902-1906.	1907.	1908.	1909.	1910.	1911.	1912.	1902-1906.	1907.	1908.	1909.	1910.	1911.	1912.
Abdominal Tuberculosis Tuberculous Meningitis Other Tuberculous Diseases All Tuberculous Diseases	Under 3 Months.							3-6 Months.						
	·51	·36	·35	·33	·30	·27	·21	·86	·60	·66	·55	·56	·51	·32
	·13	·13	·13	·09	·07	·10	·09	·40	·36	·39	·36	·32	·32	·26
	·27	·22	·21	·16	·15	·13	·09	·48	·36	·41	·28	·28	·28	·20
	·91	·71	·69	·58	·52	·50	·39	1·74	1·32	1·46	1·19	1·16	1·11	·78
Abdominal Tuberculosis Tuberculous Meningitis Other Tuberculous Diseases All Tuberculous Diseases	6-12 Months.							Under 1 Year.						
	1·07	·75	·82	·71	·69	·71	·46	2·44	1·71	1·83	1·59	1·55	1·49	·99
	1·04	·96	·95	·90	·92	·82	·71	1·57	1·45	1·47	1·35	1·31	1·24	1·06
	·87	·80	·73	·62	·62	·67	·47	1·62	1·38	1·35	1·06	1·05	1·08	·76
	2·98	2·51	2·50	2·23	2·23	2·20	1·64	5·63	4·54	4·65	4·00	3·91	3·81	2·81

and almost uninterrupted. The total mortality so ascribed in 1912 was almost exactly one-half that returned eight years earlier (1902–06) and not much more than one-third of the rates prevalent during the latter part of last century. The fall has not been quite so great in the case of tuberculous meningitis as of other forms of the disease, nor in the second as in the first six months of life, but it is very heavy in all cases. The very rapidity of the decline suggests the possibility that it may be in part at least due to declining vogue of tubercle as a form of return for the deaths of infants rather than to its diminishing prevalence as a cause of their mortality, but it must suffice here to call attention to the changes in the figures as certified.

The possibility, referred to above, that other headings than diarrhœa were affected by the abnormally hot summer of 1911 is exemplified by the course of mortality ascribed to “atrophy, debility, and marasmus.” Table XXXI shows the steady downward trend of mortality attributed to this cause, which may also be seen in Table 20. In 1911 the infant mortality so ascribed was however actually higher than the average for the five preceding years, but in 1912 this rise was succeeded by a fall to the minimum hitherto attained. Similarly in other recent years succeeding seasons of high diarrhœal mortality the drop in mortality from “atrophy” has generally been more than usually marked. It seems probable that this is at least partly due to vague description in certain cases of deaths due to the effects of summer diarrhœa. If in search of confirmation of this surmise we turn to the return of deaths in separate quarters of the year on page 306 the quest is at first sight disappointing since it reveals the fact that mortality from this cause (151 B—E) was at its minimum in the third quarter of 1912 in all the classes of area dealt with. This year however was one of very low diarrhœal mortality, and infant mortality in general was, no doubt largely because of this fact, at its lowest in the third quarter. Fortunately the quarterly record of deaths from individual causes is available, though unpublished, for 1911 also. It shows that accompanying the high diarrhœal mortality of the third quarter of that year there was a mortality from infantile atrophy considerably higher than that of any of the other three quarters. The total deaths of infants from atrophy were as follows :—First quarter, 3,504 ; second, 2,928 ; third, 4,131 ; and fourth, 3,448. In all four classes of area and for each sex in all of them the deaths were most numerous in the third quarter. So complete a contrast with the seasonal distribution of a year of light diarrhœal mortality seems to point very strongly to the return under atrophy of deaths directly or indirectly due to epidemic diarrhœa.

TABLE XXXI.—ENGLAND AND WALES.—DEATHS of CHILDREN under ONE YEAR of AGE from DEVELOPMENTAL and WASTING DISEASES per 1,000 BIRTHS, 1886–1912.

		Sex.	Proportion of Deaths to 1,000 Births of each Sex.						
			1886-1890.	1891-1895.	1896-1900.	1901-1905.	1906-1910.	1911.	1912.
Premature birth (151A)	{	Males	17·8	20·3	21·7	22·4	22·0	22·1	21·7
		Females	14·4	16·4	17·5	18·1	17·8	18·0	17·4
		Both sexes	16·1	18·4	19·6	20·2	19·9	20·1	19·6
Congenital defects (150 and 152B) ...	{	Males	3·5	3·9	4·3	6·4	7·3	5·9	5·9
		Females	2·9	3·3	3·5	5·0	5·9	4·8	4·7
		Both sexes	3·2	3·6	3·9	5·7	6·6	5·4	5·3
Atrophy, Debility, Marasmus (151 B-E).	{	Males	24·9	25·0	23·9	20·8	17·5	17·7	14·7
		Females	20·6	20·3	19·3	16·6	13·7	14·1	10·9
		Both sexes	22·8	22·7	21·7	18·7	15·6	15·9	12·9
Total : Developmental and wasting diseases.	{	Males	46·2	49·2	49·9	49·6	46·8	45·7	42·3
		Females	37·9	40·0	40·3	39·7	37·4	36·9	33·0
		Both sexes	42·1	44·7	45·2	44·6	42·1	41·4	37·8

Table XXXI has been continued from the Annual Report for 1909, the figures for the years 1886–1910 having been made comparable with those for 1911 and 1912. It is encouraging to find from this table that the diminution of mortality from “atrophy” is not counter-balanced in 1912, as has been very largely the case in the past, by increase in that from premature birth and congenital defects. It has been pointed out in previous reports that the mortality from the three headings in combination remained almost stationary, the inference being that the increases recorded for premature birth and

congenital defects represented transfer from “atrophy.” Fortunately however these steady increases appear now to be checked, so the continued diminution in atrophy need no longer be discounted in this way.

Table XXXII, which contrasts the mortality of male with that of female, and of legitimate with that of illegitimate infants, shows that the mortality of males was 26 per cent. greater than that of females, and that all the principal causes of death except whooping cough display the same feature, and on the whole to a very uniform extent. The excess in the mortality of males was greatest in the second and third months of life, regularly decreasing thereafter. All these features of the table—excess in male mortality of about 25 per cent. from all causes and from the principal groups of causes, excess of female mortality from whooping cough, and the decrease with advancing age of the excess in male mortality—reproduce themselves with curious fidelity from year to year. The proportionate male excess was less in the case of illegitimate infants, as it has been in (at least) each of the past 5 years.

The table also shows that the mortality of illegitimate infants was about twice as great as that of the legitimate, rather less in the case of males and rather more in that of females. This excess was highest (145 per cent.) in the second three months of life for males and at one to three months for females, and thereafter fell to about 50 per cent. in the last three months of the first year.

TABLE XXXII.—ENGLAND AND WALES, 1912 : INFANT MORTALITY by SEX and LEGITIMACY.

		Deaths per 1,000 Births.						Mortality per cent.					
		All Infants.		Legitimate Infants.		Illegitimate Infants.		Male of Female Infants.			Illegitimate of Legitimate Infants.		
		Male.	Female.	Male.	Female.	Male.	Female.	All Infants.	Legitimate.	Illegitimate.	Male.	Female.	
All causes	under one month ...	43·47	33·21	42·10	31·80	74·37	64·53	131	132	115	177	203	
	1-3 months ...	20·36	14·80	19·33	13·93	43·20	34·17	138	139	126	223	245	
	3-6 „ ...	16·24	13·34	15·29	12·61	37·40	29·61	122	121	126	245	235	
	6-9 „ ...	13·65	11·27	13·18	10·83	24·01	21·02	121	122	114	182	194	
	9-12 „ ...	11·91	11·02	11·66	10·78	17·31	16·41	108	108	105	148	152	
	Total under one year ...	105·63	83·64	101·56	79·95	196·29	165·74	126	127	118	193	207	
All ages under one year.	Whooping cough ...	4·19	4·97	4·18	4·97	4·45	4·83	84	84	92	106	97	
	Other common infectious diseases.	3·50	2·92	3·47	2·86	4·18	4·18	120	121	100	120	146	
	Diarrhœa and enteritis	8·87	6·52	8·33	6·03	20·82	17·33	136	138	120	250	287	
	Premature birth ...	21·73	17·42	21·26	16·87	32·27	29·44	125	126	110	152	175	
	Congenital defects ...	5·92	4·66	5·84	4·61	7·69	5·65	127	127	136	132	123	
	Atrophy, debility and marasmus.	14·73	10·92	13·78	10·20	35·83	26·89	135	135	133	260	264	
	Developmental and wasting diseases.	42·38	33·00	40·88	31·68	75·79	61·98	128	129	122	185	196	
	Tuberculous diseases ...	3·08	2·55	2·93	2·41	6·38	5·54	121	122	115	218	230	
	Convulsions ...	9·81	7·13	9·44	6·77	18·10	14·99	138	139	121	192	221	
	Bronchitis and pneumonia.	19·88	15·84	19·45	15·43	29·55	24·94	126	126	118	152	162	
	Other causes ...	13·92	10·71	12·88	9·80	37·02	31·95	130	131	116	287	326	
All causes ...	105·63	83·64	101·56	79·95	196·29	165·74	126	127	118	193	207		

The excess in mortality of illegitimate children varied greatly also for different causes of death. It was very slight for infectious disease in general (Table 29) and practically disappears in the case of whooping cough. It was also slight in the case of deaths from congenital defects, and only moderate for bronchitis and pneumonia, but heavy for diarrhœa and atrophy.

The mortality of illegitimate exceeds that of legitimate infants most of all in the case of deaths attributed to syphilis, being over seven times as heavy (Table 29). Probably there is much less reluctance to certify the true cause of death in such cases for illegitimate infants, but the difference is greater than could well be explained in this way, and it is, moreover, of a nature to be expected from the circumstances of the case. Fatal injury at birth is very much commoner with illegitimate infants. No doubt many of the confinements take place under disadvantageous circumstances.

Table 30 compares towns of various sizes and rural districts in respect of infant mortality. These effects are summarised by comparison of the death-rate from each cause in the urban areas as a whole and in the rural areas. The total mortality in the former exceeded that in the latter by 22 per cent., but this excess was very unevenly distributed over the different age-periods into which the first year of life is divided in the table, being only 3 per cent. in the first month, 23 per cent. at 1-3 months, 41 at 3-6, 45 at 6-9, and 57 per cent. at 9-12 months. The chances of survival seem to differ but little at birth in town and in the country, but the noxious influences of the former soon come into play, and make themselves felt to an increasing extent as the first year of life progresses.

When comparison is made between towns of varying size it is seen that apart from London, those of larger size are at a disadvantage at every age, in the case both of legitimate and illegitimate infants. The London rate, however, was lower than that of the smaller towns. This is due mainly to the low mortality in London during the first month of life, which, as also in 1911, was below that even of the rural districts. After the first month London comes between the county boroughs and the smaller towns, as it may be seen from Table XXVI to do also during the succeeding four years of life,

Apart from the special case of London, Table 30 shows that the mortality from each of the five groups of diseases under which it summarises infantile deaths increases regularly from the rural areas to the large towns, but the difference in the case of the wasting diseases is small. This statement applies also to each quarter of the first year of life, except that in the case of the infectious diseases the order of mortality appears to be reversed during the first three months, the rate being highest in the rural districts and lowest in London. This feature of the table harmonises with the fact that, as pointed out on page lxi a larger proportion of fatal whooping cough occurs during the first year of life in the rural than in the urban districts (*see also page lix in regard to measles*).

Comparison of individual diseases in town and country shows that measles, whooping cough, and diphtheria followed the usual rule of urban excess, the excess being very great in the case of measles and slight in that of whooping cough. The mortality from convulsions in London was less than half that in the rest of the country. This accords with what was said in the Report for 1911 as to evidence of superiority of certification in London, for it has often been pointed out that this indefinite form of certificate, which continues to show a most satisfactory decline in frequency of use (Table 20), is one which should be used only when the condition causing the convulsions cannot be ascertained. Similarly it is perhaps not without significance that while tubercle of organs other than the intestine and peritoneum was more fatal in London than in any other class of area, "abdominal" tuberculosis was less fatal in London than even in the rural districts. For there is no doubt that the term "tabes mesenterica" at least has been loosely used to cover disease not all of which was due to tubercle, and it may be that this looseness has to some extent survived the gradual disuse of the term with which it was especially associated (*see page 38*). Another instance of the same kind is furnished by the relative mortality of bronchitis and pneumonia in London and other parts of the country. Reasons were given in the Report for 1909 (pages lxix.-lxxi.) for believing that, especially in former years, many deaths from pneumonia were erroneously ascribed to bronchitis. Table 30 shows that as far as deaths of infants are concerned, the reform which is taking place in regard to this matter has proceeded further in London than elsewhere.

The harmful effect of town life is well marked in regard to the respiratory diseases, but it is especially evident in the case of diarrhoea, the mortality from which in London was more than twice that in the rural districts. Syphilis shows an even greater variation with urban conditions, the mortality in the country districts, whether of legitimate or illegitimate children, being only a small fraction of that returned in the great towns. It is most fatal in the first month, and thereafter progressively less so. Another cause of infant mortality particularly associated with the great towns is overlying, which caused more than four times as many deaths in London as in the rural districts. The mortality from congenital malformations, premature birth, and atrophy debility and marasmus, differs but little, as already remarked, in the various classes of area.

Centenarians.—Among the deaths registered during the year there were 67 of reputed centenarians, 17 of whom were males and 50 females. In the preceding three years the numbers were 61, 65, and 63 respectively.

Mortality at Individual Years of Age.—Deaths of males and females during 1912 at each year of age up to 100 are tabulated on page 175. The females whose deaths were registered during the year are there distinguished as single, married, or widowed, but

the registers do not afford this information with regard to males. Table XXXIII and Diagram II afford the means of comparing the regularity of distribution of the deaths registered during the three years 1910-1912 with that of the census returns of population as graphically represented in Diagrams XV and XVII of the seventh volume of the Report on the census of 1911. It will be seen that the errors of statement of age referred to in that report as the errors of "round numbers" and of "even numbers" are both very evident also in the mortality returns, though their extent here is not so great as in the census figures. The error of round numbers results from the tendency to return 30, 40, &c., or to a lesser degree 35, 45, &c., as the age when it is actually only within a year or two of these "round" numbers, and the error of even numbers expresses the preference of the public, for whatever reason, for ages evenly divisible by two. Thus if, in Diagram II, we select those years of age at which there is for both sexes an apparent overstatement of deaths as indicated by convexities of the curves, we find these to be as follows:—30, 32, 38, 40, 42, 45, 50, 52, 54, 56, 58, 60, 62, 65, 68, 70, 72, 74, 78, 82. All of these except 45 and 65, accounted for as "round numbers," are even numbers. There is not, however, the same differential preference for even numbers ending in 8 as was noticed in the population returns. The absence of age 55 from the above list of preferred ages is very remarkable. Instead of an elevation at this point the diagram shows a very definite depression, statement of age at death in the "fifties" following the rule of even numbers strictly. As was pointed out in last year's Report, the same difference between age 55 on the one hand and ages 45 and 65 on the other characterises the census table of ages for each sex, though in that case it is not so strongly marked.

TABLE XXXIII.—ENGLAND AND WALES.—DEATHS at each YEAR of AGE in the THREE YEARS 1910-1912.

Age.	Males.	Females.	Age.	Males.	Females.	Age.	Males.	Females.
All Ages	771,760	726,236	33	4,465	4,110	67	10,839	10,240
0 ...	164,033	127,925	34	4,807	4,332	68 ...	11,743	11,268
1 ...	41,577	38,288	35	5,167	4,386	69 ...	11,868	11,202
2 ...	15,916	15,598	36	5,230	4,504	70 ...	12,125	12,542
3 ...	9,639	9,387	37	5,070	4,653	71 ...	11,029	11,811
4 ...	6,895	6,732	38	5,538	5,144	72 ...	11,973	13,248
5 ...	5,604	5,476	39	5,635	5,089	73 ...	11,196	12,686
6 ...	4,116	4,112	40	5,993	4,998	74 ...	11,066	12,464
7 ...	3,141	3,160	41	5,299	4,536	75 ...	10,359	12,015
8 ...	2,589	2,639	42	6,259	5,520	76 ...	9,765	11,576
9 ...	2,270	2,263	43	5,885	5,080	77 ...	8,919	10,751
10 ...	2,180	2,126	44	5,918	5,180	78 ...	8,770	10,620
11 ...	2,013	1,956	45	6,783	5,468	79 ...	7,851	9,687
12 ...	1,851	1,943	46	6,545	5,459	80 ...	7,159	9,530
13 ...	1,897	2,178	47	6,792	5,609	81 ...	6,131	8,004
14 ...	2,103	2,353	48	7,131	6,233	82 ...	5,980	8,135
15 ...	2,318	2,495	49	7,524	6,308	83 ...	5,089	7,117
16 ...	2,623	2,634	50	7,970	6,360	84 ...	4,761	6,653
17 ...	2,960	2,729	51	6,993	5,822	85 ...	3,892	5,679
18 ...	3,069	2,848	52	8,239	6,807	86 ...	3,330	4,913
19 ...	3,325	2,859	53	7,877	6,720	87 ...	2,683	4,216
20 ...	3,319	2,914	54	8,605	7,047	88 ...	2,095	3,347
21 ...	3,277	3,169	55	8,266	6,705	89 ...	1,665	2,726
22 ...	3,385	3,017	56	9,065	7,700	90 ...	1,273	2,187
23 ...	3,400	3,270	57	8,740	7,474	91 ...	958	1,735
24 ...	3,406	3,399	58	9,441	8,072	92 ...	738	1,394
25 ...	3,481	3,345	59	9,603	8,113	93 ...	524	981
26 ...	3,645	3,464	60	10,416	8,720	94 ...	307	668
27 ...	3,702	3,616	61	9,556	8,035	95 ...	219	490
28 ...	3,962	3,664	62	10,385	9,059	96 ...	188	364
29 ...	3,931	3,817	63	10,505	9,153	97 ...	93	246
30 ...	4,193	3,934	64	10,674	9,683	98 ...	49	160
31 ...	4,020	3,757	65	11,511	10,201	99 ...	37	103
32 ...	4,604	4,187	66	10,698	9,806	100 and over.	57	138

DIAGRAM II.—ENGLAND AND WALES.—DEATHS at EACH YEAR of AGE in the
THREE YEARS, 1910-12.




Diagram II shows that at ages under 70 the numbers of male deaths are generally in considerable excess of those of females, but that from 70 onwards the relationship is reversed, the excess of females in the population being so great that even though their mortality at each year of life almost up to 94 (when owing to the smallness of the numbers concerned the rates become very irregular) is shown in Table XXXIV to be below that of males, the absolute number of deaths is greater. The period of childhood during which the mortality of girls exceeds that of boys, the changes in which in the course of years have been already described (page xxxvii.), is represented in the table by excess of deaths of females, sufficient to be clearly seen in Diagram II, at ages 12-15. As the numbers of the sexes in the population are very nearly equal at these ages the mortality of females is seen


in Table XXXIV and Diagram III to be in excess at almost the same ages—13 to 15 inclusive. It is of interest to note that this age very nearly represents the onset of puberty, but it would be unsafe to assume that this change causes relative increase in the mortality of females in view of the shifting already noted of the ages at which female mortality is in excess.

TABLE XXXIV.—ENGLAND AND WALES.—ANNUAL DEATH-RATES per 1,000 LIVING at each YEAR of AGE in the THREE YEARS 1910-12.

Age.	Males.	Females.	Age.	Males.	Females.	Age.	Males.	Females.
All Ages	14.7	13.0	33	5.8	4.9	67 ...	52.3	40.9
0 ...	138.4	110.3	34	6.0	5.0	68 ...	55.1	43.9
1 ...	37.1	34.6	35	6.5	5.1	69 ...	57.8	45.3
2 ...	13.4	13.2	36	6.7	5.4	70 ...	65.5	52.8
3 ...	8.3	8.1	37	7.2	6.1	71 ...	77.6	64.5
4 ...	6.0	5.9	38	7.0	6.1	72 ...	83.1	67.1
5 ...	5.0	4.9	39	8.0	6.7	73 ...	89.0	73.2
6 ...	3.7	3.7	40	7.6	5.9	74 ...	97.4	78.6
7 ...	2.8	2.8	41	8.9	7.3	75 ...	101.5	84.6
8 ...	2.4	2.4	42	9.2	7.6	76 ...	112.2	92.2
9 ...	2.1	2.1	43	10.0	7.8	77 ...	119.5	101.9
10 ...	2.0	2.0	44	10.3	8.3	78 ...	130.8	108.6
11 ...	1.9	1.9	45	11.2	8.6	79 ...	152.1	126.7
12 ...	1.8	1.8	46	11.8	9.1	80 ...	143.9	124.7
13 ...	1.8	2.1	47	12.8	9.7	81 ...	167.8	149.1
14 ...	2.0	2.3	48	12.6	10.0	82 ...	180.1	157.0
15 ...	2.3	2.5	49	14.5	11.2	83 ...	189.7	165.5
16 ...	2.6	2.6	50	13.6	10.1	84 ...	208.0	173.3
17 ...	3.0	2.7	51	16.5	13.0	85 ...	221.0	193.8
18 ...	3.1	2.8	52	18.0	13.6	86 ...	242.8	203.9
19 ...	3.4	2.9	53	18.9	14.6	87 ...	252.6	226.9
20 ...	3.6	2.9	54	20.4	15.1	88 ...	273.4	239.6
21 ...	3.6	3.2	55	20.9	15.5	89 ...	288.9	254.5
22 ...	3.8	3.0	56	22.7	17.9	90 ...	293.0	251.6
23 ...	3.8	3.2	57	26.0	20.0	91 ...	344.9	298.7
24 ...	3.8	3.4	58	26.3	20.1	92 ...	363.9	312.7
25 ...	4.0	3.3	59	28.8	21.7	93 ...	442.2	369.9
26 ...	4.1	3.5	60	28.1	20.7	94 ...	348.1	360.3
27 ...	4.4	3.8	61	36.6	27.9	95 ...	342.7	352.0
28 ...	4.4	3.7	62	35.9	28.0	96 ...	478.4	374.5
29 ...	4.6	4.1	63	40.6	30.7	97 ...	378.0	420.5
30 ...	4.5	3.8	64	42.5	32.5	98 ...	326.7	395.1
31 ...	5.2	4.4	65	47.0	34.7	99 ...	425.3	512.4
32 ...	5.5	4.6	66	47.1	35.8	100 and over.	527.8	500.0

The errors in return of age at death and in the census enumeration are on the whole very similar, but the death returns are somewhat the more accurate of the two. This point can be tested by calculating death-rates from the numbers of persons living and of deaths as returned for each year of age, when the curve of mortality values resulting should be smooth in proportion as there is parallelism of mis-statement in the two returns. This has been done for the combined deaths of 1910-1912 for each sex in Table XXXIV, and it is found that the resultant curves shown in Diagram III are remarkably smooth in comparison with those representing either of the two series of facts compared. There are depressions in the mortality curves at each year of age ending in 8 or 0 from 28 to 60 inclusive. Those at 8 reflect the absence in the deaths table of the marked elevations met with there in the census; and those at 0 show that the heaping up at years of age ending in 0, which is a feature common to both returns, is less exaggerated in the case of the deaths. The resultant smaller proportion of deaths to lives at risk at these ages causes of course a depression in the mortality curve at each of them.

DIAGRAM III.—ENGLAND AND WALES.—ANNUAL DEATH-RATES per 1,000 LIVING
at EACH YEAR of AGE in the THREE YEARS, 1910-12.



Mortality of Women in relation to Marital Condition.—The fact that the death registers contain information as to the marital condition of deceased women, though not of men, has rendered it possible to prepare Tables XXXV and XXXVI.

The first of these gives the deaths of single, married, and widowed women at each year of age from fifteen onwards during the three years 1910-1912. In the figures relating to each of the three groups the same characteristic mis-statements can be traced as in those for women (and men) as a whole. Thus there is the same preference for ages ending in even numbers and the same avoidance of age 55 in contrast to preference for 45 and 65 over the years of age immediately adjoining.

Comparison of the accuracy of statement of age in the three conditions would probably require the preparation of graduated tables by actuarial methods, but it may be seen from Table XXXVI, which gives the mortality at each year of age in the three conditions from the ungraduated returns of population and of deaths, that the death-rates of

widows show wider fluctuations from year to year of age than do those of single or married women. There is in all three cases a depression in the mortality curve at the years 30, 40, 50, &c., owing to more marked preference for these ages in the census returns than in the death registers, but these depressions are greater in the case of widows than of single or married women.

TABLE XXXV.—ENGLAND AND WALES.—DEATHS of UNMARRIED, MARRIED, and WIDOWED FEMALES at each YEAR of AGE from 15 upwards in the THREE YEARS 1910-12.

Age.	Unmarried.	Married.	Widowed and Divorced.	Age.	Unmarried.	Married.	Widowed and Divorced.
Total 15 years and upwards }	91,711	207,213	201,176	57	941	4,463	2,070
15	2,494	1	—	58	956	4,682	2,434
16	2,631	3	—	59	954	4,501	2,658
17	2,711	18	—	60	1,120	4,620	2,980
18	2,734	114	—	61	923	4,170	2,942
19	2,617	240	2	62	1,087	4,492	3,480
20	2,448	466	—	63	1,083	4,371	3,699
21	2,489	675	5	64	1,150	4,440	4,093
22	2,148	862	7	65	1,179	4,324	4,698
23	2,001	1,253	16	66	1,059	4,226	4,521
24	1,881	1,499	19	67	1,116	4,082	5,042
25	1,674	1,655	16	68	1,263	4,326	5,679
26	1,492	1,944	28	69	1,252	3,947	6,003
27	1,356	2,218	42	70	1,395	3,929	7,218
28	1,244	2,375	45	71	1,264	3,511	7,036
29	1,219	2,525	73	72	1,457	3,691	8,100
30	1,189	2,671	74	73	1,318	3,212	8,156
31	1,014	2,666	77	74	1,366	2,906	8,192
32	1,048	3,040	99	75	1,276	2,667	8,072
33	989	2,993	128	76	1,275	2,294	8,007
34	957	3,228	147	77	1,204	1,969	7,578
35	957	3,263	166	78	1,154	1,791	7,675
36	888	3,403	213	79	1,115	1,486	7,086
37	885	3,541	227	80	1,067	1,284	7,179
38	931	3,933	280	81	850	891	6,263
39	875	3,907	307	82	964	824	6,347
40	897	3,740	361	83	864	658	5,595
41	758	3,457	321	84	792	539	5,322
42	889	4,170	461	85	719	410	4,550
43	835	3,793	452	86	648	272	3,993
44	906	3,716	558	87	525	228	3,463
45	940	3,867	661	88	393	169	2,785
46	961	3,821	677	89	374	97	2,255
47	888	3,912	809	90	256	60	1,871
48	946	4,329	958	91	223	38	1,474
49	997	4,250	1,061	92	200	28	1,166
50	979	4,245	1,136	93	141	16	824
51	887	3,817	1,118	94	87	4	577
52	1,026	4,375	1,406	95	74	7	409
53	910	4,325	1,485	96	45	5	314
54	949	4,498	1,600	97	27	3	216
55	894	4,183	1,628	98	20	—	140
56	965	4,583	2,152	99	17	3	83
				100 and over	19	3	116

Table XXXVI also brings out the remarkable fact that at nearly all ages the mortality of widows as recorded in this country is considerably, and in many cases greatly, in excess of that of single or married women. Not a single exception to this rule is met with below age 85, and there is reason to regard the returns of marital condition in extreme old age with some suspicion. It is hard to say whether this excess of mortality among widows should be looked upon as in any degree artificial, and unrepresentative of the true facts. Such a hypothesis would involve the assumption that for some reason there are inducements to describe women as widows in the death registers which do not apply to the census. Until evidence in favour of such a hypothesis is produced it will probably be wiser to assume that the differences in the table are too great to be explained in any such manner, but that they do represent a real excess of mortality amongst widows. The stress to which many widows left in poor circumstances are subjected naturally suggests itself, but this would hardly apply (except by way of after-effect) so late in life as their excess in mortality continues. Similar figures for other countries also show excess of

TABLE XXXVI.—ENGLAND AND WALES.—ANNUAL DEATH-RATES of UNMARRIED, MARRIED, and WIDOWED FEMALES per 1,000 LIVING at QUINQUENNIAL GROUPS of AGES and at each YEAR of AGE from 15 upwards in the THREE YEARS 1910-12.

Ages.	Unmarried.	Married.	Widowed and Divorced.	Ages.	Unmarried.	Married.	Widowed and Divorced.
15-20 ...	2.6	6.2	7.5	49 ...	11.4	10.6	14.6
20-25 ...	2.9	3.9	6.3	50 ...	9.5	9.8	12.1
25-30 ...	3.3	3.9	5.6	51 ...	13.1	12.1	17.6
30-35 ...	4.3	4.6	6.1	52 ...	14.0	12.7	17.0
35-40 ...	5.3	5.9	7.8	53 ...	14.0	13.8	18.0
40-45 ...	6.9	7.2	9.4	54 ...	14.4	14.5	17.6
45-50 ...	9.6	9.2	13.0	55 ...	14.6	14.8	18.3
50-55 ...	12.7	12.4	16.3	56 ...	16.4	16.9	21.9
55-60 ...	17.3	17.9	22.6	57 ...	18.6	19.1	23.2
60-65 ...	25.7	25.4	31.3	58 ...	18.0	19.1	23.5
65-70 ...	36.9	37.2	43.1	59 ...	19.8	20.3	25.4
70-75 ...	58.4	59.1	71.4	60 ...	20.0	19.6	22.9
75-80 ...	91.9	90.6	104.1	61 ...	24.5	25.7	33.6
80-85 ...	141.9	134.7	153.4	62 ...	26.7	25.9	31.9
85-90 ...	223.0	197.5	216.4	63 ...	29.1	28.6	34.4
90-95 ...	282.6	181.6	304.0	64 ...	31.3	30.3	35.5
95-100 ...	369.7	206.9	390.9	65 ...	32.4	31.7	38.6
100 & upwards	372.5	333.3	537.0	66 ...	32.4	34.4	38.2
				67 ...	36.5	38.5	44.4
15 ...	2.5	41.7	—	68 ...	41.4	41.8	46.2
16 ...	2.6	9.4	—	69 ...	43.5	42.8	47.5
17 ...	2.7	6.7	—	70 ...	46.0	48.0	57.6
18 ...	2.7	7.5	—	71 ...	56.4	57.9	70.3
19 ...	2.7	5.7	15.2	72 ...	60.8	61.6	71.2
20 ...	2.7	4.8	—	73 ...	63.1	66.4	78.5
21 ...	3.0	4.2	7.1	74 ...	72.4	71.2	82.8
22 ...	2.8	3.6	5.5	75 ...	74.7	78.2	88.8
23 ...	2.9	3.9	8.0	76 ...	84.9	83.5	96.4
24 ...	3.1	3.8	6.1	77 ...	95.7	92.3	105.8
25 ...	3.1	3.6	3.9	78 ...	97.9	101.9	112.2
26 ...	3.2	3.8	5.0	79 ...	123.1	121.9	128.3
27 ...	3.4	4.1	6.4	80 ...	111.7	119.0	128.1
28 ...	3.3	3.9	4.9	81 ...	133.0	128.6	155.2
29 ...	3.8	4.2	6.5	82 ...	157.6	141.4	159.2
30 ...	3.6	3.9	4.9	83 ...	164.2	151.9	167.4
31 ...	4.3	4.5	5.9	84 ...	170.9	164.5	174.7
32 ...	4.3	4.6	5.7	85 ...	201.1	186.4	193.4
33 ...	4.8	4.9	7.1	86 ...	220.4	176.1	203.7
34 ...	4.6	5.1	6.6	87 ...	221.5	217.1	228.4
35 ...	4.8	5.2	6.6	88 ...	228.2	234.7	241.6
36 ...	4.9	5.4	7.7	89 ...	284.6	220.0	251.7
37 ...	5.6	6.1	8.0	90 ...	221.1	168.1	260.7
38 ...	5.5	6.2	7.7	91 ...	271.3	191.9	307.9
39 ...	6.0	6.8	8.7	92 ...	343.6	194.4	312.4
40 ...	5.3	5.9	7.4	93 ...	419.6	197.5	368.7
41 ...	6.8	7.2	9.2	94 ...	278.8	166.7	380.1
42 ...	7.0	7.6	9.5	95 ...	379.5	291.7	348.7
43 ...	7.6	7.7	9.7	96 ...	348.8	238.1	382.0
44 ...	8.6	7.9	11.3	97 ...	333.3	166.7	444.4
45 ...	8.3	8.3	11.4	98 ...	370.4	—	420.4
46 ...	9.6	8.6	11.8	99 ...	472.2	500.0	522.0
47 ...	9.6	9.2	13.6	100 and over	372.5	333.3	537.0
48 ...	9.5	9.6	13.2				

mortality amongst the widowed of both sexes. The excess shown in Table XXXVI in the mortality of married over that of single women up to age 43 is the more remarkable in view of the number of women debarred from marriage by ill health. It can be seen however from comparison of the deaths of married women aged 15-45 from all causes (page 175) with the deaths of all women from causes dependent upon pregnancy and child bearing (Table LXXXV.) that a large proportion of the total mortality of married women of these ages is attributable to the risks of maternity. Classifying the deaths in this table by the marital condition of the deceased we find that 3152 out of the 3424 aged 15-45 were married. Of these 55 were aged 15-20, and 415, 742, 815, 774 and 351 were in the succeeding five quinquennial age-periods. The proportion of these deaths to the total deaths of married women at the same ages is 14 per cent. for the whole period 15-45, and 44, 26, 21, 17, 13, and 6 per cent. respectively for the six separate

quinquennia of age from 15 on. In the light of these figures it is not surprising that the total mortality of young married women should exceed that of spinsters of the same ages.

From age 44-45, at which the mortality of the single first exceeds that of the married, till old age is reached, there is not much difference between the mortality of married and single women in England, but after age 80 there appears to be a very decided difference in favour of the married. This appears the more remarkable in view of the probability, pointed out by Mr. George King, F.I.A. (Census 1911, vol. VII, page xlvi), that the census returns of the single at advanced ages are overstated by reason of the mis-description as single of a number of married and widowed women. It would therefore seem that in extreme old age the mortality of single is very much in excess of that of married women, or else that the misdescription referred to applies to the death registers as much as, or more than, to the census returns.

Mortality in Town and Country.—Table XXXVII. states both in the crude and in the standardized form, the annual rates of mortality at all ages and from all causes in the four groups of areas employed in this Report for the year 1912 and in England and Wales for 1911 and for the preceding quinquennium as well.

TABLE XXXVII.—MORTALITY from ALL CAUSES PER MILLION POPULATION, 1906-10, 1911 and 1912.

		1906-10.	1911.	1912.					
		England and Wales.		England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
Males	{ Crude rates ...	15,636	15,580	14,120	15,229	15,922	13,150	12,726	14,571
	{ Standardized rates	15,407	15,337	13,790	15,242	16,420	13,147	10,878	14,752
Females	{ Crude rates ...	13,809	13,672	12,512	12,593	13,600	11,938	11,954	12,702
	{ Standardized rates	13,516	13,343	12,094	12,415	13,988	11,685	10,158	12,706
Persons	{ Crude rates ...	14,692	14,595	13,290	13,832	14,712	12,523	12,340	13,597
	{ Standardized rates	14,431	14,307	12,914	13,782	15,164	12,392	10,506	13,695

Standardization on the 1901 basis slightly reduces the death-rate of the whole country, since the constitution of its population in 1912 was less favourable to low mortality than in 1901. The effect upon London and the smaller urban districts is slight, but the mortality of the county boroughs is increased by three per cent., and that of the rural districts diminished by 15 per cent., the contrast between them being thus greatly increased.

TABLE XXXVIII.—RATIO PER CENT. of TOTAL MORTALITY of MALES at EACH AGE GROUP to that of FEMALES at the SAME AGE GROUP; 1912.

		England and Wales.	London.	County Boroughs.	Other Urban Districts	Rural Districts.	All Urban Districts.
0-	...	120	119	119	121	122	120
5-	...	101	109	99	103	94	102
10-	...	93	108	91	89	95	92
15-	...	105	118	108	107	91	109
20-	...	115	137	118	112	104	118
25-	...	117	141	124	110	105	121
30-	...	120	141	132	110	101	124
35-	...	120	137	126	115	107	123
40-	...	128	141	135	122	115	131
45-	...	130	140	139	121	120	132
50-	...	132	148	141	128	114	137
55-	...	131	149	134	131	117	136
60-	...	133	149	137	130	123	136
65-	...	128	141	129	133	119	132
70-	...	123	134	128	124	116	127
75-	...	118	130	123	119	113	122
80-	...	115	120	119	110	120	114
85 and upwards	...	108	101	110	106	112	106
All Ages (standardized).*		121	130	124	120	115	123

* See note p. xxxvii.

Table XXXIX. gives the mortalities of the various sex- and age-groups from which the standardized rates in Table XXXVII. are calculated ; and Table XXXVIII. compares the mortality of the two sexes for the same ages and populations. It shows that the ratio of male to female mortality is lowest for all classes of area in later childhood and highest in later adult life, decreasing in extreme age. The proportional as well as the actual excess of male mortality is least in the rural districts and increases with urbanization to a maximum in London, where even at ages 10–15, the death-rate is distinctly higher in the male sex. Evidently urban conditions of life tell more severely on males than on females. Table 16 shows that the excess of mortality amongst males is much lower in Wales than in England in all classes of area.

Outside the metropolis mortality in general increases in proportion to urbanization, but the mortality of London is intermediate between that of the county boroughs and of the smaller urban districts and in the case of females is even slightly lower than that of urban districts as a whole.

The differences between the four groups of areas may be further studied by comparing their mortalities at different ages, as is done in Diagram IV. This is derived from Table XXXIX. by taking the mortality of the whole country at each age as one hundred, and plotting that of each group at the same age higher or lower on the scale in proportion as it exceeds or falls short of this standard.

It will be seen that, speaking generally, the same order of mortality prevails amongst the four classes of area at the several age-periods as at all ages jointly. The curves start wide apart in early childhood but rapidly approximate or in some instances even overlap considerably in early adult life, diverge very widely indeed in middle life, and approximate very closely in extreme old age. This holds good of each sex, but the overlapping in early adult life is most marked in the case of females and the divergence at middle age in that of males.

Comparison of this diagram with the similar one in the Report for 1911 shows that all their main features are identical, although the climatic conditions of the two years were widely different. Even such small points as the greater relative advantage of female infants in the rural districts and the exceptionally favourable mortality experience of females aged 70–80 years in London are common features of both diagrams. The reduction in London of mortality in early adult life and its elevation in the rural districts at about the same ages are very similar indeed in the two years, and the explanation suggested for 1911—that this feature is due to the deaths in their country homes of many young persons enumerated at the census in London and stricken there with fatal disease, particularly tubercle—is equally applicable to 1912.

TABLE XXXIX.—MORTALITY from ALL CAUSES PER MILLION LIVING at VARIOUS AGES, 1906–10, 1911 and 1912.

Sex and Age.				1906-10.	1911.	1912.					
				England and Wales.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.	
MALES.	0—	45,445	47,318	35,405	36,836	43,696	33,374	26,058	38,053
	5—	3,326	3,461	3,068	3,111	3,703	3,002	2,297	3,298
	10—	1,971	2,040	1,823	2,052	2,017	1,735	1,607	1,894
	15—	2,975	3,036	2,816	2,730	3,124	2,844	2,443	2,938
	20—	3,971	3,851	3,523	3,438	3,875	3,357	3,383	3,573
	25—	...	}	5,251	4,456	4,174	4,529	4,743	3,803	3,764	4,293
	30—	...			5,526	5,207	5,966	6,200	4,523	4,430	5,419
	35—	...	}	8,615	7,112	6,957	8,511	8,271	6,200	5,384	7,385
	40—	...			9,268	9,117	11,592	10,981	8,016	6,867	9,759
	45—	...	}	15,511	12,490	12,522	16,198	15,503	11,085	8,752	13,659
	50—	...			17,407	17,250	21,709	21,134	16,045	11,851	18,970
	55—	...	}	31,218	24,563	24,784	30,385	29,569	23,591	18,151	27,020
	60—	...			36,074	36,405	42,233	43,340	35,510	27,506	39,645
	65—	...	}	64,400	52,091	51,140	58,273	60,270	51,203	40,816	55,458
	70—	...			80,900	83,568	87,261	98,336	85,949	68,066	90,752
75—	...	}	137,722	119,645	121,487	129,342	140,117	122,055	106,975	129,551	
80—	...			171,994	175,703	185,902	193,676	167,737	170,831	179,283	
85 and upwards				283,035	270,692	266,022	254,351	274,241	255,725	275,050	261,335

TABLE XXXIX.—continued.

				1906-10.	1911.	1912.					
Sex and Age.				England and Wales.		England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts	All Urban Districts.
FEMALES.	0—	37,980	40,143	29,449	30,941	36,639	27,572	21,304	31,735
	5—	3,438	3,374	3,047	2,852	3,736	2,901	2,437	3,228
	10—	2,092	2,070	1,968	1,907	2,209	1,958	1,697	2,051
	15—	2,764	2,725	2,688	2,321	2,899	2,647	2,684	2,698
	20—	3,339	3,209	3,058	2,502	3,286	2,994	3,247	3,025
	25—	4,462	3,735	3,554	3,215	3,828	3,456	3,575	3,562
	30—		4,563	4,356	4,232	4,707	4,106	4,376	4,366
	35—	7,051	5,903	5,783	6,197	6,572	5,389	5,024	5,990
	40—		7,413	7,146	8,220	8,160	6,584	5,968	7,475
	45—	12,000	9,859	9,646	11,530	11,114	9,140	7,297	10,313
	50—		13,236	13,064	14,692	14,989	12,527	10,416	13,853
	55—	24,278	19,093	18,886	20,376	22,016	17,960	15,560	19,940
	60—		27,734	27,465	28,430	31,563	27,367	22,354	29,160
	65—	53,125	39,468	40,018	41,323	46,680	38,602	34,270	42,112
70—	66,717		67,846	65,335	76,536	69,194	58,738	71,323	
75—	119,591	99,528	102,830	99,644	113,862	102,878	95,073	106,269	
80—		151,578	152,209	154,531	163,346	152,978	142,765	156,809	
85 and upwards			250,862	232,681	245,609	252,765	249,863	242,148	245,467	246,655	
PERSONS.	0—	41,724	43,747	32,440	33,898	40,180	30,486	23,698	34,906
	5—	3,382	3,418	3,058	2,981	3,719	2,952	2,366	3,263
	10—	2,032	2,055	1,896	1,979	2,114	1,847	1,651	1,973
	15—	2,869	2,879	2,751	2,516	3,007	2,744	2,554	2,814
	20—	3,638	3,513	3,278	2,918	3,557	3,166	3,317	3,279
	25—	4,837	4,076	3,847	3,807	4,256	3,620	3,669	3,904
	30—		5,023	4,763	5,036	5,419	4,306	4,402	4,867
	35—	7,806	6,487	6,350	7,281	7,391	5,781	5,201	6,660
	40—		8,306	8,095	9,801	9,516	7,273	6,410	8,569
	45—	13,687	11,124	11,029	13,722	13,215	10,070	8,017	11,910
	50—		15,235	15,070	17,995	17,905	14,199	11,129	16,280
	55—	27,546	21,695	21,691	25,029	25,578	20,616	16,835	23,271
	60—		31,635	31,648	34,737	37,024	31,113	24,872	33,993
	65—	58,124	45,193	45,062	47,887	52,695	44,194	37,434	48,019
	70—		72,786	74,574	74,143	85,463	76,211	63,097	79,339
	75—	127,003	107,802	110,504	110,635	123,992	110,555	100,536	115,354
	80—		159,565	161,402	165,154	174,332	158,589	155,164	165,057
	85 and upwards			262,398	246,171	252,855	253,223	257,792	246,810	257,505	251,466


The remaining portions of Diagram IV. very largely speak for themselves. Town conditions evidently tell more severely on males than on females, and on infants and the middle-aged and elderly than on children and the aged. The chances of life for very old persons seem almost the same in town and country. It can be seen with what rapidity the middle-aged and elderly die off in the county boroughs, whereas in the smaller towns mortality is throughout life generally speaking rather below the average for the whole country, approximating much more closely to it than that of any of the other classes of area dealt with.

CAUSES OF DEATH.

The causes of death of males and females at 27 groups of ages are stated in the abstracts at pages 190-291 for the whole country, for London, for county boroughs in the aggregate, for other urban districts in the aggregate, and for rural districts in the aggregate ; and at pages 292-309 these deaths are shown by cause but not by age for each quarter of the year. These tables include the full International List of Causes of Death with certain subdivisions introduced for reasons stated in the "Manual of the International List" (page vi). All other abstracts of the causes of death are arranged in the form of the short list of causes adopted by the Registrar-General and the Local Government Board. The relation of this list to the detailed and condensed International

DIAGRAM IV. DEATHS FROM ALL CAUSES. 1912.

Mortality at different Ages in various Classes of Area per cent. of Mortality at the same Ages in England & Wales.



Lists as revised by the International Commission which met for the purpose at Paris, in 1909, is as follows :—

Short List of Registrar-General and of Local Government Board.					Corresponding Number.	
					Detailed International List.	Abridged International List.
1.	Enteric fever	1	1
2.	Small-pox	5	4
3.	Measles	6	5
4.	Scarlet fever	7	6
5.	Whooping cough	8	7
6.	Diphtheria and croup	9	8
7.	Influenza	10	9
8.	Erysipelas	18	12 part of.
9.	Phthisis (pulmonary tuberculosis)	28, 29	13
10.	Tuberculous meningitis...	30	14
11.	Other tuberculous diseases	31-35	15
12.	Cancer, malignant disease	39-45	16
13.	Rheumatic fever...	47	37 part of.
14.	Meningitis	61	17
15.	Organic heart disease	79	19
16.	Bronchitis	89, 90	20, 21
17.	Pneumonia (all forms)	91, 92	22, and 23 part of.
18.	Other diseases of respiratory organs	86-88, 93-98	23 part of.
19.	Diarrhoea and enteritis, ages stated	104, 105	25, and 37 part of.
	" " ages unstated	104	25
20.	Appendicitis and typhlitis	108	26
21.	Cirrhosis of liver	113	28
21A.	Alcoholism	56	37 part of.
22.	Nephritis and Bright's disease	119, 120	29
23.	Puerperal fever	137	31
24.	Other accidents and diseases of pregnancy and parturition.	134-136, 138-141	32
25.	Congenital debility and malformation, including premature birth.	150, 151	33
26.	Violent deaths, excluding suicide	164-186	35
27.	Suicide	155-163	36
28.	Other defined diseases	2-4, 11-17, 19-27, 36-38, 46, 48-55, 57-60, 62-78, 80-85, 99-103, 105-107, 109-112, 114-118, 121-133, 142-149, 152-154.	37 plus detailed list Nos. 2-4, 11-17, 19, 64, 65, 102, 103, 109, 128-132, 154 ; and less detailed list Nos. 47, 56, and, where ages are stated, 105.
29.	Diseases ill-defined or unknown	187-189	38


The contents of every heading in both the short and the detailed list now in use, and their relation to the items in the list in use hitherto are defined in the Manual, which should be consulted in all cases where it is desired to ascertain the precise significance of any heading in the lists.

On pages 329-453 deaths are shown for urban and rural portions of administrative counties, and for county and metropolitan boroughs, arranged by sex, short list of causes as above, and the eight age-groups of Table III. of the Local Government Board. These tables, in fact, are the same as the Board's Table III. with the addition of the distinction of sex. For all other administrative areas the deaths are shown on pages 454-552 arranged by sex and short list of causes without distinction of age.

In addition to the above presentations, all of which follow the International List, the deaths of the year are shown in Tables 19 and 20 for England and Wales only, and with distinction of sex but not of age, arranged according to the list in use up to 1910. In these tables the deaths and death-rates from each cause in the old list are shown for each of the last 15 years, the series being uninterrupted by the adoption in 1911 of the International List. The method by which this result is secured is described in the "Manual" above referred to (pages vi and xxvi-xxx).

The proportions in which the more important diseases contribute to the death roll are shown by Diagram V., in which the whole area of the circle represents deaths from all causes, and its various segments deaths from particular causes or groups of causes. Certain differences in this diagram from its form in years previous to 1911, notably increase of the segment denoting nervous at the expense of that denoting circulatory disease, are due to the adoption of the International List.

DIAGRAM V.—ENGLAND AND WALES.—PROPORTIONS OF DEATHS FROM THE PRINCIPAL CAUSES TO TOTAL DEATHS, 1912.



International List Nos.	Disease.	Proportion per 1000 Deaths from All Causes.	Rate per 1000 living.
6	Measles	26·4	0·35
8	Whooping cough	17·3	0·23
9	Diphtheria, croup	8·9	0·12
10	Influenza	11·0	0·15
28, 29	Phthisis, pulmonary tuberculosis	78·2	1·04
30-35	Other forms of tuberculosis	24·6	0·33
39-45	Cancer	76·6	1·02
60-76	Diseases of nervous system and special sense	110·7	1·47
79	Organic heart disease	98·1	1·30
77, 78 and 80-85	Other diseases of circulatory system	27·5	0·36
89, 90	Bronchitis	81·6	1·08
91, 92	Pneumonia	76·7	1·02
86-88 and 93-98	Other diseases of respiratory system	15·2	0·20
104, 105	Diarrhoea and enteritis	23·7	0·32
99-103 and 106-118	Other diseases of digestive system	39·8	0·53
119-133	Diseases of genito-urinary system	39·8	0·53
151-153	Premature birth and diseases of early infancy	64·5	0·86
154	Old age	66·6	0·88
155-186	Violence	40·6	0·54
	Other causes	72·2	0·96
	All causes	1000·0	13·29

It has already been mentioned that the death-rate from all causes was lower in 1912 than in any previous year on record. The same remark holds good of the death-rates from tuberculosis as a whole, enteric fever, diphtheria and croup conjointly, and diarrhoeal diseases. The mortality from measles was above the average of the preceding 10 years, but the experience of the year in regard to other epidemic diseases was favourable. Thus the death-rate from scarlet fever was the lowest yet recorded, 1911 excepted; while lower rates have been attained only twice in the case of whooping cough (in 1909 and 1911). The records of mortality from these diseases are represented in Table 22. The table shows that the above statements hold good of scarlet fever, whooping cough, and diphtheria and croup, whether their mortalities be reckoned per million at all ages or at ages under 15 years only. The death-rate from cancer shows, as usual, an increase over that of any previous year, but those from diseases affecting the lungs were very low. Lower mortality from phthisis has been experienced in 1910 only (when the rate was only 2 per million lower), and from bronchitis and pneumonia jointly in 1910 and 1911 only.

GENERAL DISEASES.

1. **Enteric Fever.**—The deaths of 1,600 persons of all ages and of both sexes were classified to enteric fever during 1912.

These deaths correspond to a rate of 44 per million persons living as compared with 67 in 1911. This is the lowest mortality as yet recorded for England and Wales, the only previous year with a rate of less than 60 having been 1910, when the mortality from this cause stood at 53 per million (Table 22). When it is added that up to 1904 the rate had never fallen below 100 per million living it will be seen how rapid has been the progress made during the last few years towards extinction of this disease. The surmise hazarded in last year's Report, that the arrest in decline then reported was dependent upon the very hot summer of that year and therefore of a temporary nature only, appears to have been justified by the course of events in 1912.

The effect of standardization of the enteric fever death-rate (by the direct method) in accordance with the sex and age distribution of the populations compared is shown in Table XL. It will be seen that mortality from this disease is but slightly modified by this correction.

TABLE XL.—ENTERIC FEVER.—DEATH-RATES per MILLION POPULATION, 1906-10, 1911, and 1912.

		1906-10.	1911.	1912.					
		England and Wales.		England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
Males	Crude rates ...	84	81	52	33	68	58	32	58
	Standardized rates	84	80	52	33	66	58	32	57
Females	Crude rates ...	56	53	36	22	45	38	26	38
	Standardized rates	56	54	35	21	45	38	27	38
Persons	Crude rates ...	70	67	44	27	56	48	29	48
	Standardized rates	70	67	43	27	55	47	30	47

Table XLI. shows that, as in 1911, the mortality of London was very low, and that of the North of England much higher than elsewhere. Although the table shows that enteric fever is largely dependent upon urban conditions of life, it is remarkable that the mortality of the smaller towns is higher than that of the county boroughs in the North and in Wales, and in the South is higher than that of London. This was the case also in 1911, the highest mortality in the Midlands and South on the other hand in both years being that of their county boroughs. Possibly the explanation may lie in greater relative sanitary progress in the large towns, and if so the ultimate outlook becomes the more hopeful. The position occupied by London especially shows to what an extent the influence of density of population can be counteracted by careful administration, for it will be seen from Table XLII. that the prevalence of the disease was less in London than in the rural districts as a whole. This was the case also in 1911, and is the main cause of the low mortality in London, though the fact that the fatality of

London cases is somewhat below the average contributes to the same result. The large proportion of cases treated in institutions in London—73 per cent. of all London deaths being returned from institutions as against 65 per cent. in the county boroughs, 46 in the smaller towns and 44 in the rural districts (*see* p. 310)—no doubt contributes to this result by limiting the possible channels of infection.

TABLE XLI.—ENTERIC FEVER, 1912.—MORTALITY per MILLION POPULATION.

Class of Area.	Sex.	North.	Midlands.	South.	Wales.	England and Wales.
London	Males	—	—	33	—	33
	Females	—	—	22	—	22
	Persons	—	—	27	—	27
County Boroughs	Males	77	49	77	59	68
	Females	53	31	49	47	45
	Persons	64	40	62	53	56
Other Urban Districts	Males	88	33	48	64	58
	Females	59	27	18	44	38
	Persons	73	30	32	54	48
Rural Districts	Males	49	24	29	38	32
	Females	41	21	25	22	26
	Persons	45	22	27	30	29
All areas	Males	77	35	41	55	52
	Females	53	27	25	37	36
	Persons	65	31	33	46	44

While the number of cases notified was much less than in 1911, 23 per 100,000 population as against 38 in that year, the fatality of the cases which did occur was higher, having risen from 176 to 194 deaths per 1,000 cases. This large fall in prevalence is shared by every entry in Table XLII., which is derived from the returns published from 1911 onwards by the Local Government Board, but there are several exceptions to the rise in fatality though it also is widespread.

TABLE XLII.—ENTERIC FEVER, 1912.—PREVALENCE and FATALITY.

Class of Area.	Cases per 100,000 Population.					Deaths per 1,000 Cases.				
	North.	Mid-lands.	South.	Wales.	England and Wales.	North.	Mid-lands.	South.	Wales.	England and Wales.
London	—	—	16	—	16	—	—	175	—	175
County Boroughs	30	23	27	24	27	214	171	227	219	204
Other Urban Districts	34	15	21	24	24	213	197	149	228	200
Rural Districts	26	15	16	14	18	175	147	167	217	166
All areas	31	18	19	21	23	209	174	176	224	194

5. **Small-pox.**—The number of deaths, nine, attributed to this disease in 1912 is lower than that recorded for any previous year.

A detailed return of the vaccinal condition of each of the nine fatal cases of small-pox has been prepared from the case records by the Local Government Board. This renders it possible to classify the deaths with much more precision in regard to vaccination than in former years; when the only information available was that recorded on the death certificates, which frequently do not refer to the subject. Of the nine persons dying during the year five, two young children and three adults, had not been vaccinated, and four, all adults aged from 30 years upwards, had been, or were stated to have been, vaccinated in infancy only. None appear to have been re-vaccinated.

6. **Measles.**—As in 1911 the mortality from measles, 351 per million living at all ages, was above the average for the present century, but Table 22 shows that at any earlier date this would have counted as a low rate. Table XLIII. shows that the brunt of this

mortality fell on the North of England and on Wales, the large towns of Wales recording a particularly high rate. The South of England escaped very lightly except for London, which had been especially affected in 1911. The mortality of the large towns was four times that of the rural districts, the smaller towns occupying an intermediate position.

TABLE XLIII.—MEASLES, 1912.—MORTALITY per 100,000 LIVING at AGES 0-15.

Class of Area.	Sex.	North.	Midlands.	South.	Wales.	England and Wales.
London	Males	—	—	152	—	152
	Females	—	—	129	—	129
	Persons	—	—	140	—	140
County Boroughs	Males	208	154	69	298	181
	Females	192	142	62	284	167
	Persons	200	148	66	291	174
Other Urban Districts	Males	134	67	32	203	98
	Females	129	63	30	188	93
	Persons	132	65	31	195	96
Rural Districts	Males	83	34	16	57	43
	Females	81	37	14	81	46
	Persons	82	35	15	69	44
All areas	Males	164	85	85	174	118
	Females	153	80	74	171	110
	Persons	158	82	80	173	114

Table XLIV. confirms the corresponding table in the Report for 1911 in showing that notwithstanding the more frequent exposure to infection in towns the proportionate number of deaths of very young children is not much higher there than in the rural districts.

TABLE XLIV.—MEASLES, 1912.—DEATHS under Two YEARS of AGE per THOUSAND at ALL AGES.

Class of Area.	Sex.	North.	Midlands.	South.	Wales.	England and Wales.
London	Males	—	—	641	—	641
	Females	—	—	594	—	594
	Persons	—	—	619	—	619
County Boroughs	Males	599	547	545	561	580
	Females	565	527	445	562	550
	Persons	582	538	498	562	566
Other Urban Districts	Males	639	596	539	615	617
	Females	580	562	574	549	569
	Persons	610	579	556	583	594
Rural Districts	Males	630	533	481	544	571
	Females	580	500	578	527	543
	Persons	606	516	526	534	557
All areas	Males	613	561	616	590	599
	Females	570	535	576	550	561
	Persons	592	548	598	570	581

Only ten per cent. of the total deaths recorded occurred in institutions (p. 310).

7. Scarlet Fever.—The deaths allocated to this disease during 1912 number 1,995 in all, corresponding to a rate of 54 per million population at all ages, and of 166 per million at ages under 15 years. These are the lowest death-rates from scarlet fever recorded except those of 1911, which were 52 and 159 respectively. Table 22 shows to what a remarkable extent mortality from this disease has declined during

the last 50 years, and how rapidly the process is still going on. Until 1906 no year experienced a mortality at all ages less than double that of 1911. If deaths alone were considered indeed it might be thought that the disease was tending to disappearance, but the notification returns prove that it is still widely prevalent, the diminished mortality corresponding with extreme mildness of type, which contrasts sharply with that of a generation or two ago.

TABLE XLV.—SCARLET FEVER, 1912.—MORTALITY per 100,000 LIVING at AGES 0-15.

Class of Area.	Sex.	North.	Midlands.	South.	Wales.	England and Wales.
London	Males	—	—	12	—	12
	Females	—	—	12	—	12
	Persons	—	—	12	—	12
County Boroughs	Males	24	22	17	16	23
	Females	24	31	17	20	25
	Persons	24	27	17	18	24
Other Urban Districts	Males	24	11	7	19	16
	Females	25	11	8	20	16
	Persons	24	11	7	19	16
Rural Districts	Males	20	10	5	11	11
	Females	14	11	4	9	10
	Persons	17	11	4	10	10
All areas	Males	24	14	10	16	16
	Females	23	17	10	16	17
	Persons	23	16	10	16	17

The fatality from the disease during 1912 is seen from Table XLVI. to have amounted to 19 deaths per 1,000 cases notified as against 18 in 1911. Corresponding rates cannot be stated for previous years, notifications not having been tabulated ; but the fatality in London, where 94 per cent. of all the deaths occurred in hospitals and nursing homes, may be compared with the experience in the past of the Metropolitan Asylums Board, which controls the fever hospitals. The fatality during 1912 in the Board's hospitals was 1·6 per cent. of cases treated, as against 1·5 deaths per cent. of notifications shown in Table XLVI. for London cases as a whole, the difference no doubt being largely due to mistaken notifications. Comparing this rate of 1·6 with the Board's past experience we find that the ratio of deaths per cent. of admissions has gradually fallen from 13·1 in 1876-1880 (when, however, there was some selection of severe cases for admission) to 2·7 in 1906-10, so the type of disease prevailing in London in 1912 was mild even beyond the average of recent years. During 1912 the fatality amongst the Board's male cases was 1·6 as against 1·5 for females. Corresponding figures cannot be given for the country at large as the returns of notified cases do not distinguish sex. Table XLVI. shows that the fatality of scarlet fever during 1912 varied considerably in different parts of the country, and that it was highest in the large towns and, except in the Midlands, lowest in the rural districts in all parts of the country. It was also considerably higher in the North of England than in the South, for each class of area compared. Thus, the extremes were a rate of 26 per 1,000 in the county boroughs of the North and one of only 9 per 1,000 in the rural districts of the

TABLE XLVI.—SCARLET FEVER, 1912.—PREVALENCE and FATALITY.

Class of Area.	Cases per 10,000 Population aged 0-15 years.					Deaths per 1,000 Cases.				
	North.	Mid-lands.	South.	Wales.	England and Wales.	North.	Mid-lands.	South.	Wales.	England and Wales.
London	—	—	87	—	87	—	—	15	—	15
County Boroughs	98	126	128	105	110	26	23	14	19	23
Other Urban Districts	116	85	75	112	97	23	13	11	18	17
Rural Districts	107	79	54	78	79	17	15	9	14	14
All areas	106	96	82	99	96	23	17	13	17	19

South. This experience is in close agreement with that recorded for 1911. The general rule of comparatively high fatality in the large towns and in the northern counties applies also in the cases of enteric fever and diphtheria, though not to such an extent as in that of scarlet fever. The experience of future years will probably show whether this greater fatality is due to greater severity of the prevalent type of disease or to some other factor, such as inferior conditions of treatment or of health before attack. In the former case the area of greatest fatality would presumably vary from time to time, but in the latter it might not. There has been remarkably little variation in 1912 as compared with 1911.

TABLE XLVII.—SCARLET FEVER, 1912.—RATIO of DEATHS under FIVE YEARS and over FIVE YEARS per 1,000 of those at ALL AGES.

Class of Area.	Aged 0-5.					Aged 5 and upwards.				
	North.	Mid-lands.	South.	Wales.	England and Wales.	North.	Mid-lands.	South.	Wales.	England and Wales.
London	—	—	590	—	590	—	—	410	—	410
County Boroughs	570	606	462	467	571	430	394	538	533	429
Other Urban Districts	525	570	414	675	544	475	430	586	325	456
Rural Districts	576	487	310	643	516	424	513	690	357	484
All areas	553	573	506	623	556	447	427	494	377	444

Table XLVII., when compared with the similar table for 1911, shows that the age distribution of deaths in the various areas compared is subject to great variation from year to year, and that without obvious relation to change in the extent of prevalence of the disease. Epidemic prevalence would furnish a ready explanation for such changes of age distribution, but when, as in the case of the rural districts of Wales, the proportion of deaths under five years of age rises from 419 per thousand in 1911 to 643 in 1912, the prevalence remaining constant at 78 cases per 10,000 of child population in both years, the cause of the alteration in age at death must apparently be sought elsewhere. Another very similar instance is furnished by the rural districts of the South, while on the other hand a large increase of prevalence in the county boroughs of the South was accompanied by little change in the proportion of deaths at the earlier ages. It may be that analysis of the figures by smaller areas would throw more light on the subject. The rule holds good for England and Wales in 1912 as in 1911 that the proportion of deaths over five years diminishes as urbanization increases.

The extent to which cases of this disease receive hospital isolation at the present day may be inferred from the facts recorded on page 310, where it may be seen that in 1912 as in 1911 no less than 65 per cent. of the deaths from scarlet fever occurred in hospitals or nursing homes. In London the proportion was as high as 94 per cent., falling in the county boroughs to 78, in the urban districts to 51, and in the rural districts to 40 per cent.

8. Whooping Cough.—The deaths allocated to this heading numbered 8,407—3,729 of males and 4,678 of females. Though rather more numerous than those of 1911, these deaths represent a mortality below that of any previous year recorded in Table 22, except 1909 and 1911. This table shows how great has been the fall in mortality from this cause during the past twenty years.

Table XLVIII. shows that, in 1912 as in 1911, mortality from whooping cough was higher in the North than in other parts of England, but that much the highest mortality of all was that of Wales, which was not in excess in the previous year. Diminution of mortality with diminishing aggregation of population is more marked than in 1911, the increase in the year's mortality being wholly accounted for by increased number of deaths in the county boroughs.

It will be seen from Table XLIX. that, as in 1911, the proportion of infantile to total deaths was larger in all parts of the country in the rural districts than in the small towns, and larger in these than in the county boroughs. There is reason to believe that this distribution of mortality, just the opposite to that noted in the case of scarlet fever, is characteristic of whooping cough, and it would be of interest to know its cause. It might have been expected that in towns, where the opportunity of infection is greatest, the proportion of infantile deaths would also have been at its maximum, there being less chance of survival beyond the first year of life without exposure to infection.

TABLE XLVIII.—WHOOPIING COUGH, 1912.—MORTALITY per 100,000 LIVING AT AGES 0-15.

Class of Area.	Sex.	North.	Midlands.	South.	Wales.	England and Wales.
London	Males	—	—	66	—	66
	Females	—	—	85	—	85
	Persons	—	—	76	—	76
County Boroughs	Males	83	90	53	108	83
	Females	101	108	58	133	101
	Persons	92	99	56	120	92
Other Urban Districts	Males	66	62	47	98	64
	Females	87	73	54	125	80
	Persons	76	68	50	111	72
Rural Districts	Males	42	47	39	64	46
	Females	69	64	55	76	64
	Persons	56	56	47	70	55
All areas	Males	71	66	54	89	66
	Females	91	82	68	111	83
	Persons	81	74	61	100	75

The tendency to especially heavy incidence of mortality from whooping cough upon the earlier ages in the Rural Districts is also displayed in the distribution of the mortality of infants within the first year of life, as shown in Table 30. The section of this table relating to all infants shows that in the rural districts mortality is higher than in any other class of area under three months of age, and lower than in any other class of area at ages 6-12 months. If the first and the second six months of life are compared it may be seen from this table that the proportions of total infant mortality occurring during the first six months are as follows :—London 41 per cent., county boroughs 45, other urban districts 46, and rural districts 52 per cent.

TABLE XLIX.—WHOOPIING COUGH, 1912.—DEATHS under ONE YEAR of AGE per 1,000 at ALL AGES.

Class of Area.	Sex.	North.	Midlands.	South.	Wales.	England and Wales.
London	Males	—	—	490	—	490
	Females	—	—	413	—	413
	Persons	—	—	447	—	447
County Boroughs	Males	435	455	489	476	448
	Females	412	431	371	461	419
	Persons	422	442	427	467	432
Other Urban Districts	Males	490	541	571	561	530
	Females	473	465	532	460	475
	Persons	481	499	550	504	499
Rural Districts	Males	530	561	621	624	577
	Females	545	479	554	556	521
	Persons	539	514	582	587	544
All areas	Males	462	509	526	556	500
	Females	447	454	454	481	454
	Persons	453	479	486	515	474

9. Diphtheria and Croup.—The 4,338 deaths from diphtheria and croup in 1912, of which all but 49 were allocated to diphtheria, correspond to a death-rate of 118 per million living at all ages, or 372 per million living at ages under 15 years, the standard preferably adopted in the case of a disease of which the mortality is almost confined to children. Table 22 shows that these mortalities are the lowest recorded from this cause since 1855, when it was first distinguished from scarlet fever in the tables.

Table L. shows the effect upon the death-rate at all ages from diphtheria and croup of standardization by the "direct method" referred to on page xxxvi. All the crude rates require increase to make them fairly comparable with those of 1901, the standard year, on account of the diminished proportion of children in our population at the present time. The difference in the case of England and Wales, which amounts to seven per million living, or 6 per cent. of the crude rate, gives an example of the extent to which comparisons of crude mortality at all ages may be misleading, even in the case of a single very large community and at such a short interval as eleven years.

TABLE L.—DIPHTHERIA and CROUP.—DEATH-RATES per MILLION POPULATION, 1906-10, 1911, and 1912.

		1906-10.	1911.	1912.					
		England and Wales.		England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
Males	Crude rates ...	163	142	120	106	149	123	84	131
	Standardized rates	169	150	127	114	154	129	91	137
Females	Crude rates ...	161	134	117	99	139	114	102	121
	Standardized rates	168	143	124	112	146	120	104	130
Persons	Crude rates ...	162	138	118	102	144	118	93	126
	Standardized rates	169	146	125	113	150	124	98	133

The distribution of this mortality in different parts of the country and different classes of area is shown in Table LI., from which it appears that, as in 1911, it was lowest in the Midlands and highest in the North, but did not vary greatly throughout the country. In all parts of the country it was higher in the county boroughs than elsewhere, and, except in Wales, higher in the smaller towns than in the rural areas. In all these respects the distribution of mortality resembled that of the preceding year, except that in 1911 the rate was somewhat higher in the rural districts than in the smaller towns of the North.

TABLE LI.—DIPHTHERIA and CROUP, 1912.—MORTALITY per 100,000 LIVING at AGES 0-15.

Class of Area.	Sex.	North.	Midlands.	South.	Wales.	England and Wales.
London	Males	—	—	34	—	34
	Females	—	—	34	—	34
	Persons	—	—	34	—	34
County Boroughs	Males	43	40	66	53	45
	Females	45	40	62	59	45
	Persons	44	40	64	56	45
Other Urban Districts	Males	41	30	50	30	37
	Females	41	30	43	35	37
	Persons	41	30	46	32	37
Rural Districts	Males	30	22	24	32	26
	Females	38	30	28	33	31
	Persons	34	26	26	33	28
All areas	Males	41	31	39	35	37
	Females	42	33	38	39	38
	Persons	41	32	39	37	37

Table LII. shows, that although mortality from diphtheria was greatest in the North, its prevalence as indicated by notifications was practically at its lowest in that part of the country. In comparison with the South of England the lower apparent prevalence in the North was more than counterbalanced by higher fatality, which caused the higher mortality shown in Table LI. In all these respects the experience of 1912

TABLE LII.—DIPHTHERIA, 1912.—PREVALENCE and FATALITY.

	Cases per 10,000 population, aged 0-15 years.					Deaths per 1,000 cases.				
	North.	Mid-lands.	South.	Wales.	England and Wales.	North.	Mid-lands.	South.	Wales.	England and Wales.
London	—	—	55	—	55	—	—	65	—	65
County Boroughs	36	42	78	56	43	127	98	85	103	109
Other Urban Districts	33	35	54	33	37	129	89	89	103	103
Rural Districts	35	29	35	35	32	105	94	77	99	93
All areas	35	35	53	38	40	125	94	76	102	97

repeats that of 1911. This difference is susceptible of various explanations. It may be that infection was of severer type or children less resistant or worse cared for in the North; but on the other hand a difference of practice in regard to notification might explain at once the lower prevalence and higher fatality in the North. Diphtheria is a disease found to a considerable extent in the degree in which it is looked for, that is to say that the diphtheritic nature of many mild cases of sore throat and of nasal discharge and similar conditions readily escapes recognition unless they are submitted to specific tests. The facilities for making such tests have increased greatly of late years, and the increasing practice of doing so has no doubt raised the number of notifications above what it would otherwise have been. If this change has progressed further in the South than in the North, the larger proportion of cases and the lower fatality in the South are accounted for without postulating any difference in type of disease, patient, or treatment. It may be pointed out, however, that treatment is most likely to be effective where diagnosis is promptest and most complete. The differences in recorded fatality between the various classes of area (apart from London) are small, much smaller than those between the different parts of the country. Dealing with the country at large the range of fatality is from 93 per 1,000 cases in the rural districts to 109 in the county boroughs, whereas it ranges from 76 in the South to 125 in the North. These rates are generally speaking below those of the preceding year and are all very low compared with those prevalent before the introduction, about 1894, of antitoxic serum treatment for diphtheria. During the four years 1890-1893 the hospitals of the Metropolitan Asylums Board experienced a fatality of 304 deaths per thousand admissions, as against 68 only in 1912.

TABLE LIII.--DIPHTHERIA and CROUP, 1912.—DEATHS under FIVE YEARS OF AGE per THOUSAND at ALL AGES.

Class of Area.	Sex.	North.	Midlands.	South.	Wales.	England and Wales.
London	Males	—	—	668	—	668
	Females	—	—	593	—	593
	Persons	—	—	630	—	630
County Boroughs	Males	646	556	529	581	600
	Females	557	515	383	400	512
	Persons	601	535	457	489	556
Other Urban Districts	Males	565	471	500	726	535
	Females	533	472	441	583	501
	Persons	549	471	473	649	518
Rural Districts	Males	545	504	397	489	488
	Females	477	308	375	304	369
	Persons	508	394	386	396	423
All Areas	Males	606	511	556	613	567
	Females	538	446	481	454	491
	Persons	571	478	518	530	528

The fatality of diphtheria, like that of most other infectious diseases of children, decreases rapidly with increase of age. In the experience during 1912 of the Metropolitan Asylums Board it decreased with age from 404 per thousand admissions under one year of age to 41 per thousand at ages 10–15. The ages at which cases occur therefore have considerable influence on the mortality. Table LIII. throws light on this matter in so far as age distribution of deaths can be regarded as indicative of age distribution of cases. It shows London's low fatality (Table LII.) in a yet more favourable light owing to the fact that the proportion of deaths under five years of age is almost the highest recorded in the table. The proportion of deaths under five years in the rural districts is uniformly lower than that in either class of urban areas. This is not surprising, but the contrast with Table XLIX. (whooping cough) will be noted. As in other similar tables the proportion of early deaths is higher in the male sex.

Of the 4,338 deaths from diphtheria and croup 2,176, or almost exactly one-half, occurred in institutions for the sick or infirm (page 310). In London the proportion was as high as 88 per cent.; in the county boroughs it was 59 per cent.; in the smaller urban districts 41 per cent.; and in the rural districts 27 per cent. only. In each case the number of deaths in institutions other than hospitals was inconsiderable. Only two of the nine deaths from membranous laryngitis, and none of the 40 deaths from croup, were returned from institutions—proportions which illustrate the obsolescence of these forms of return.

10. **Influenza.**—The deaths allocated to this disease during the year numbered 5,354, the corresponding mortality being 146 per million living. Since 1890, when influenza reappeared, after a long period of quiescence, as a serious factor in our mortality, only two years, 1896 and 1911, have yielded a lower death-rate from this cause.

Table LIV shows that, as in 1911, the mortality was highest in Wales and lowest in the North of England. It was also decidedly higher in the rural districts than elsewhere. This rural excess was also noted in 1911, and has been commented upon in several previous reports.

TABLE LIV.—INFLUENZA, 1912.—MORTALITY per MILLION POPULATION.

Class of Area.	Sex.	North.	Midlands.	South.	Wales.	England and Wales.
London	Males	—	—	121	—	121
	Females	—	—	122	—	122
	Persons	—	—	122	—	122
County Boroughs	Males	127	128	184	114	133
	Females	111	102	168	103	115
	Persons	119	114	176	108	123
Other Urban Districts	Males	134	147	151	165	145
	Females	141	129	176	128	143
	Persons	138	138	164	147	144
Rural Districts	Males	195	207	215	190	205
	Females	153	198	197	242	192
	Persons	174	203	206	216	199
All areas	Males	139	159	155	163	151
	Females	128	140	156	161	141
	Persons	133	149	155	162	146

Comparatively few deaths from influenza occur in institutions for the sick (page 310). It is recorded much more frequently in certificates received from poor law institutions and asylums than in those from hospitals, which returned this as the cause of death in 55 only out of 38,734 certifications during the year, or 1·4 per 1,000 from all causes as against about 11·8 per 1,000 for deaths occurring elsewhere. Much the same ratio was noted in 1911 between the frequency of hospital and other deaths from this cause, although the frequencies compared were somewhat lower in each case. There can be no doubt that in private practice, in which 13·1 influenza deaths per 1,000 from all causes were recorded, the term is often very loosely used.

18. **Erysipelas.**—This disease is returned as having caused the death of 900 persons, of whom 489 were males and 411 females. The distribution of this mortality, by age as well as by sex, was very similar to that of mortality in general, there being considerable incidence in infancy. Table 20 shows the decline in mortality from this cause which has occurred of late years, the rate for each of the years 1908 and 1912, 24 per million, being the lowest recorded except in 1910, when it stood at 23. In 12 of the 15 years 1870–1884 the deaths exceeded 2,000, and in both 1874 and 1875 there were over 3,000 deaths.

TABLE LV.—ERYSIPELAS, 1912.—MORTALITY per MILLION POPULATION.

Class of Area.	Sex.	North.	Midlands.	South.	Wales.	England and Wales
London	Males	—	—	37	—	37
	Females	—	—	32	—	32
	Persons	—	—	34	—	34
County Boroughs	Males	30	35	32	25	31
	Females	23	22	29	17	23
	Persons	26	28	30	21	27
Other Urban Districts	Males	25	26	27	16	25
	Females	21	22	17	21	20
	Persons	23	24	22	19	22
Rural Districts	Males	20	24	21	19	22
	Females	9	18	17	15	16
	Persons	15	21	19	17	19
All areas	Males	27	28	31	19	28
	Females	21	21	25	18	22
	Persons	24	24	28	19	25

Table LV. shows that, unlike many other diseases, erysipelas caused a higher mortality in the South of England than elsewhere. This was the case also in 1911, and in both years the high mortality recorded in London was largely responsible for the fact. In all parts of the country the death-rates recorded show a steady fall with decreasing aggregation of population.

TABLE LVI.—ERYSIPELAS, 1912.—PREVALENCE and FATALITY.

Class of Area.	Cases per 100,000 Population.					Deaths per 1,000 Cases.				
	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	92	—	92	—	—	37	—	37
County Boroughs	71	82	61	53	73	37	34	50	40	37
Other Urban Districts	61	58	40	50	55	38	40	54	38	41
Rural Districts	53	45	37	35	44	28	48	51	49	43
All areas	65	62	65	45	62	36	39	43	41	39

Table LVI. shows that the comparatively high mortality of London is apparently due entirely to greater prevalence, the proportion of deaths to cases notified there being below average. Prevalence showed even greater increase with urbanization than mortality, the rate in the rural districts being less than half that in London. Reference to page 310 shows that the excess of mortality in London occurred exclusively in the poor law institutions, deaths in which amounted to 53 per cent. of the total, as against 21 per cent. in the county boroughs, and 15 per cent. in the urban and in the rural districts.

20c. **Vaccinia.**—Four deaths have been assigned to this cause, two less than in 1911. Until 1911 it was the practice to class to this heading not only deaths returned as due to it, but all in the case of which vaccination appeared from the certificates to have been in any way connected with the cause of death. In 1911 and 1912, however, the general rule with regard to erysipelas, blood poisoning, &c., following slight injury (Manual, page xxxiii, 4 (e)), has been followed in the case of vaccination, with the result that in 1912

six deaths, which in former years would have been assigned to effects of vaccination, appear under other headings. The causes to which they have been assigned are as follows:—Measles (1 death), pyæmia (2 deaths), and septicæmia (3 deaths). These were all deaths of infants except one of the septicæmia cases, a male of 18 years.

28–35. **Tuberculosis.**—The deaths assigned to tuberculous affections in the aggregate numbered 50,051, a decrease of 3,069 upon the deaths so returned in 1911, and of 5,982 upon the average number in the previous five years, corrected for estimated increase of population. During the first twelve years of the present century the number of deaths returned has fallen from 58,930 in 1901 to 50,051 in 1912, notwithstanding increase of population, and a change in its age constitution favouring tubercle mortality, as shown in Table LVII. by the reduction of the crude rate for persons required in standardization to compensate for it. This rate amounted to 1,366 per million living, which is less than that of any previous year, and forms 10·3 per cent. of the mortality from all causes. Compared with the average rate for the five years 1906–10 a reduction of 13 per cent. is shown in Table LVII. whether the crude or the standardized rate is considered, while the reduction as compared with 1911 amounts to 7 per cent. There is no indication in these figures of any slackening in the very satisfactory rate of decrease in tuberculosis mortality which has been maintained now for over a generation. (See Diagram VII., p. lxx).

The fall shown in Table LVII. has been shared in almost equal proportions by both sexes, but the mortality of males was 33 per cent. in excess of that of females. The extent of this excess differed greatly in the various classes of area represented in the

DIAGRAM VI.—TUBERCULOSIS (ALL FORMS). STANDARDIZED MORTALITY per MILLION POPULATION, 1912.



table. It was at its maximum in London, where it amounted to no less than 73 per cent., as against 43 per cent. in the county boroughs, 24 per cent. in the smaller towns, and only 6 per cent. in the rural districts. For the population at large and for the male sex, mortality from tubercle varied in the same way with urbanization, from a maximum in London to a minimum in the rural districts. Urban conditions of life, therefore, in proportion to their accentuation, appear to increase the liability to death from tubercle, but to a much greater extent for males than for females. The excess of standardized mortality in London over that in the rural districts was no less than 97 per cent. for males, but for females it was only 22 per cent. The extent to which urban conditions differentiate against the male sex in their effect upon mortality from tuberculosis is shown graphically in Diagram VI., which compares the standardized death-rates of the two sexes given in Table LVII. for the four classes of areas. The regularity with which the excess of male over female mortality increases with urbanization will be observed. Comparison with the similar diagram relating to phthisis in last year's Report shows that mortality in town and country varies similarly according to sex whether phthisis alone or tuberculosis in general is considered. In fact the two diagrams are almost indistinguishable to the eye apart from the greater height of the columns in that relating to tuberculosis. The fact that the rate recorded for females was higher in the county boroughs than in London is probably due to a factitious lowering

of the mortality recorded for young women in London due to deaths in their country homes of workers enumerated, and infected with tubercle, in London (see Annual Report for 1911, page lii.). In all these respects Tables LVII. and LXIII. are very much alike, as is only natural in view of the fact that 76 per cent. of all the tuberculosis deaths in 1912 were due to pulmonary or laryngeal disease.

The distribution by age and sex of tuberculosis mortality in 1912 is shown in detail for the country at large and for the great groups of administrative areas in Table LVIII. Amongst other points the fact may be noted that for females the first quinquennium is

TABLE LVII.—TUBERCULOSIS (ALL FORMS).—MORTALITY per MILLION POPULATION, 1906-10, 1911 and 1912.

		1906-10.	1911.	1912.					
		England and Wales.		England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
Males	Crude rates ...	1,798	1,670	1,569	2,209	1,951	1,345	1,067	1,719
	Standardized rates	1,774	1,641	1,536	2,108	1,901	1,323	1,071	1,676
Females	Crude rates ...	1,350	1,279	1,175	1,274	1,363	1,084	1,004	1,225
	Standardized rates	1,352	1,282	1,175	1,254	1,355	1,085	1,031	1,220
Persons	Crude rates ...	1,566	1,468	1,366	1,713	1,645	1,210	1,036	1,462
	Standardized rates	1,556	1,456	1,350	1,667	1,619	1,200	1,051	1,440

still the most fatal, though the excess is much less than it was only a very few years ago. In 1906-1910 the mortality at 0-5 was the highest recorded for males also, though for this sex the rates from 30 to 65 years of age are now continuously higher. This remarkable change is mainly due to the enormous reduction which is occurring in the returns of deaths from tubercle in early childhood, and to which reference has already been made on pages xlii and xliii. Comparing 1912 with 1906-10 the decrease for children under five years of age amounts to as much as 30 per cent., as compared with the fall at all ages, already noted, of 13 per cent. This decline is unapproached at any other period of life, and forms an important element in the decline at all ages. At other ages the decline, though smaller in amount, is very general. The mortality of 1912 was lower than that of 1911 for each sex at all ages below 45, and above that age was in excess during three quinquennia only in each sex.

Childhood excluded, the period of greatest mortality is definitely later for males than for females. It shows no strongly marked maximum, the summit of the curve representing mortality at different ages being rounded, but in both 1911 and 1912 it may be said that for males mortality was highest at 30-65 and for females at 15-50.

TABLE LVIII.—TUBERCULOSIS, ALL FORMS.—MORTALITY at DIFFERENT AGES, 1906-10, 1911 and 1912.

		Mortality at Age-groups per Million Living.							Ratio per cent. of Mortality in England and Wales.					
		1906-10.	1911.	1912.					1912.					
		England and Wales.		England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	Total Urban Districts.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	Total Urban Districts.
MALES.	0—	2,832	2,475	1,947	2,432	2,426	1,803	1,225	2,149	125	125	93	63	110
	5—	611	607	557	672	646	553	384	608	121	116	99	69	109
	10—	460	445	425	533	512	381	328	456	125	120	90	77	107
	15—	980	1,007	920	829	1,188	856	719	983	90	129	93	78	107
	20—	1,665	1,580	1,486	1,703	1,709	1,302	1,360	1,526	115	115	88	92	103
	25—	2,041	1,747	1,703	1,990	1,913	1,515	1,544	1,749	117	112	89	91	103
	30—		2,017	1,960	2,520	2,373	1,587	1,638	2,047	129	121	81	84	104
	35—	2,441	2,199	2,160	3,017	2,683	1,783	1,514	2,333	140	124	83	70	108
	40—		2,366	2,312	3,459	2,949	1,884	1,441	2,556	150	128	81	62	111
	45—	2,728	2,374	2,481	3,994	3,337	1,976	1,272	2,840	161	135	80	51	114
	50—		2,562	2,391	3,850	3,184	1,963	1,247	2,751	161	133	82	52	115
	55—	2,496	2,389	2,430	4,180	3,053	2,078	1,329	2,796	172	126	86	55	115
	60—		2,261	2,267	4,305	2,829	1,915	1,176	2,656	190	125	84	52	117
	65—	1,683	1,799	1,659	3,413	2,117	1,280	975	1,939	206	128	77	59	117
	70—		1,263	1,131	2,078	1,475	866	803	1,281	184	130	77	71	113
	75—	695	688	680	1,514	971	503	408	825	223	143	74	60	121
	80—		583	507	1,598	412	436	334	609	315	81	86	66	120
	85—	327	307	304	446	456	—	440	216	147	150	—	145	71

TABLE LVIII.—continued.

		Mortality at Age-groups per Million Living.							Ratio per cent. of Mortality in England and Wales.					
		1906-10.	1911.	1912.					1912.					
		England and Wales.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	Total Urban Districts.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	Total Urban Districts.	
FEMALES.	0—	2,379	2,117	1,696	2,113	2,132	1,624	946	1,903	125	126	96	56	112
	5—	697	668	544	643	676	528	333	604	118	124	97	61	111
	10—	702	713	657	547	779	633	587	679	83	119	96	89	103
	15—	1,245	1,253	1,236	993	1,417	1,174	1,219	1,244	80	115	95	99	101
	20—	1,401	1,386	1,348	1,001	1,465	1,333	1,453	1,329	74	109	99	108	99
	25—	1,587	1,486	1,372	1,064	1,503	1,304	1,524	1,342	78	110	95	111	98
	30—		1,511	1,427	1,396	1,580	1,284	1,473	1,420	98	111	90	103	100
	35—	1,574	1,549	1,490	1,696	1,691	1,321	1,354	1,529	114	113	89	91	103
	40—		1,440	1,351	1,683	1,597	1,127	1,164	1,404	125	118	83	86	104
	45—	1,362	1,326	1,286	1,621	1,542	1,074	1,069	1,349	126	120	84	83	105
	50—		1,143	1,088	1,644	1,264	937	767	1,182	151	116	86	70	109
	55—	1,140	1,118	1,046	1,445	1,172	968	792	1,125	138	112	93	76	108
	60—		1,110	1,004	1,329	1,158	826	910	1,036	132	115	82	91	103
	65—	883	973	865	1,614	829	668	824	882	187	96	77	95	102
70—	715		734	1,137	719	615	728	739	155	98	84	99	101	
75—	546	465	616	889	463	736	499	664	144	75	119	81	108	
80—		444	359	818	374	300	227	417	228	104	84	63	116	
85—	214	241	310	544	440	359	76	420	175	142	116	25	135	
PERSONS.	0—	2,606	2,297	1,822	2,273	2,279	1,714	1,086	2,026	125	125	94	60	111
	5—	654	637	550	658	661	540	359	606	120	120	98	65	110
	10—	581	579	541	540	647	507	455	568	100	120	94	84	105
	15—	1,114	1,131	1,079	915	1,307	1,017	950	1,118	85	121	94	88	104
	20—	1,526	1,478	1,413	1,313	1,577	1,319	1,405	1,420	93	112	93	99	100
	25—	1,803	1,610	1,528	1,481	1,695	1,404	1,534	1,532	97	111	92	100	100
	30—		1,753	1,682	1,917	1,958	1,429	1,554	1,718	114	116	85	92	102
	35—	1,992	1,863	1,813	2,314	2,169	1,544	1,433	1,915	128	120	85	79	106
	40—		1,885	1,814	2,516	2,247	1,491	1,300	1,956	139	124	82	72	108
	45—	2,018	1,830	1,861	2,736	2,402	1,506	1,169	2,061	147	129	81	63	111
	50—		1,823	1,713	2,683	2,175	1,425	1,005	1,926	157	127	83	59	112
	55—	1,778	1,722	1,705	2,717	2,059	1,492	1,056	1,911	159	121	88	62	112
	60—		1,648	1,595	2,689	1,933	1,327	1,040	1,783	169	121	83	65	112
	65—	1,237	1,347	1,225	2,404	1,399	940	897	1,350	196	114	77	73	110
	70—		950	904	1,515	1,029	720	763	963	168	114	80	84	107
	75—	607	557	642	1,120	659	643	457	727	174	103	100	71	113
	80—		498	417	1,082	388	352	274	487	259	93	84	66	117
	85—	255	265	308	516	445	235	224	353	168	144	76	73	115

Comparing different classes of area the table shows that the period of maximum mortality for males varied from 30-35 in the rural districts to 60-65 in London. For females, mortality was generally highest in the first quinquennium of life, but even excluding this the maximum in adult life was in no case later than 35-40. The difference in regard to the period of maximum mortality of females between the rural districts and all other classes of area is noteworthy. The rate at 0-5 is highest except in the rural areas, where it is exceeded by those for every age from 15 to 50, and while the rural rates are below the mean for the whole country at all other ages they exceed it at 20-35, at which ages the London rates are remarkably low. The latter feature is noticeable in the corresponding table for phthisis in last year's Report, the explanation being in all probability that movement from London to their country homes of infected female workers which has just been referred to.


A more extended survey of the reduction which has taken place in mortality from tuberculosis as recorded at various age-groups may be made by means of Table LIX., which compares the mortalities experienced in 1912 with those of the last decade of the nineteenth century and of a similar period forty years earlier. It will be seen that during the second and shorter period dealt with the decline in the mortality of males has been practically the same as in the earlier period of more than twice the length, and also as that for females during the second period. In the female sex, however, the reduction during the first period was very much greater than amongst males (49 per cent. as

TABLE LIX.—ENGLAND AND WALES : TUBERCULOSIS (ALL FORMS).—MORTALITY PER MILLION LIVING, 1851-60, 1891-1900, and 1912.

Age Groups.	Males.						Females.						Both Sexes.					
	Death Rates.			Ratio per cent.			Death Rates			Ratio per cent.			Death Rates.			Ratio per cent.		
	1851-60.	1891-1900.	1912.	(1) to (2)	(2) to (3)	(3) to (1)	1851-60.	1891-1900.	1912.	(1) to (2)	(2) to (3)	(3) to (1)	1851-60.	1891-1900.	1912.	(1) to (2)	(2) to (3)	(3) to (1)
	(1)	(2)	(3)	(2)	(3)	(3)	(1)	(2)	(3)	(2)	(3)	(3)	(1)	(2)	(3)	(2)	(3)	(3)
All Ages... (Standardized).	3,472	2,282	1,536	66	67	44	3,485	1,777	1,175	51	66	34	3,479	2,021	1,350	58	67	39
0—	6,323	4,347	1,947	69	45	31	5,232	3,516	1,696	67	48	32	5,780	3,930	1,822	68	46	32
5—	1,225	705	557	58	79	45	1,201	744	544	62	73	45	1,213	724	550	60	76	45
10—	1,102	521	425	47	82	39	1,595	818	657	51	80	41	1,346	669	541	50	81	40
15—	2,636	1,234	920	47	75	35	3,731	1,555	1,236	42	79	33	3,187	1,396	1,079	44	77	34
20—	4,245	2,102	1,486	50	71	35	4,430	1,788	1,348	40	75	30	4,342	1,936	1,413	45	73	33
25—	4,163	2,541	1,828	61	72	44	4,690	2,086	1,398	44	67	30	4,439	2,302	1,602	52	70	36
35—	4,119	3,251	2,230	79	69	54	4,293	2,264	1,426	53	63	33	4,208	2,742	1,813	65	66	43
45—	3,957	3,296	2,440	83	74	62	3,236	1,753	1,196	54	68	37	3,588	2,492	1,793	69	72	50
55—	3,479	2,768	2,359	80	85	68	2,523	1,344	1,027	53	76	41	2,982	2,007	1,656	67	83	56
65—	2,573	1,706	1,452	66	85	56	1,783	906	810	51	89	45	2,148	1,263	1,095	59	87	51
75 and upwards.	1,061	629	592	59	94	56	834	427	503	51	118	60	932	512	538	55	105	58

against 34 per cent.), so that notwithstanding the practical equality of improvement during the second period the mortality of females in 1912 was only 34 per cent. of that of 1851-60, as against 44 per cent. in the case of males. Taking the two sexes together it is encouraging to find that a reduction of 33 per cent. since the closing years of last century compares with the proportionately much smaller fall of 42 per cent. during the preceding forty years. Evidently, so far as the records enable us to judge, the rate of progress has tended to increase of late years. This may also be seen in Diagram VII., as well as the greater reduction in the mortality of females during the earlier portion of the period covered.

DIAGRAM VII.—ENGLAND AND WALES.—TUBERCULOSIS (ALL FORMS) AND PHTHISIS. STANDARDIZED MORTALITY IN QUINQUENNIA, 1851-1910, AND IN 1911 AND 1912.



When the various age-groups are considered individually it is seen that if the earliest and the latest of the three periods are compared the reduction in mortality is almost exactly the same for both sexes until adult life is reached, the degree of reduction being especially striking during infancy and early childhood (0-5). The latter however is a recent feature, for during last century the improvement at 0-5 was less than at any other age up to 35 for males and less than for any other time of life at all for females. It is during the last few years that such great progress has been made at this age that the youngest children, instead of lagging behind their seniors, are now in advance of every other age in both sexes in regard to improvement shown.

After adult life is reached the decrease in mortality of males over the whole period dealt with begins to lag behind that of females, and in later life the difference becomes very pronounced, a decrease of 59 per cent. in the mortality of females aged 55-65 comparing with one of only 32 per cent. in that of males at the same age. This difference is in the main common to the two periods dealt with, but in the earlier it applied till the end of life, whereas in the later there has been more improvement amongst males after the age of 65. It will thus be seen that it is only during the working period of life that the improvement in mortality of males has been less than that of females, and this fact obviously suggests the conditions of their work as accounting for the difference. Some of the occupations involving the greatest risk of tuberculosis are confined to the male sex, and if conditions have improved less in the workshop than in the home, as is very possible in view of the improvement in the dietary of the working classes during the last sixty years, the difference in the experience of the sexes may be explicable by this fact. It is worth noting in this connexion that during the later of the two periods, when on the one hand the fall in the price of food has been arrested, and on the other the sanitary supervision of factories and workshops has been greatly developed, the difference between the sexes has been very much less than before.

The difference at adult ages is stated numerically in the following table :—

TABLE LX.—ENGLAND AND WALES: TUBERCULOSIS (ALL FORMS) PERCENTAGE REDUCTION in MORTALITY of MALES and FEMALES.

	1851-60 to 1891-1900.			1891-1900 to 1912.		
	Males.	Females.	Males per cent. of Females.	Males.	Females.	Males per cent. of Females.
20—	50	60	83	29	25	116
25—	39	56	70	28	33	85
35—	21	47	45	31	37	84
45—	17	46	37	26	32	81
55—	20	47	43	15	24	63
65—	34	49	69	15	11	136
75—	41	49	84	6	+18	—

During the latter half of the nineteenth century the mortality of females was reduced to very much the same extent at all ages over 35, by which age females are comparatively little subject to factory and workshop conditions. The reduction in male mortality, however, varied greatly at different ages. It was less than 50 per cent. of that for females from 35 to 65, and from 35 to 55 it was actually less than in the very much shorter second period to 1912, in which the difference between the sexes in regard to improvement shown has been reduced to quite moderate dimensions. The tendency to increased mortality of late years amongst the aged is perhaps apparent rather than real. In view of the very much higher mortality recorded for old men and women in London than in the rest of the country (Table LVIII.) it may be surmised that improvement in diagnosis has much to do with the arrest of the fall previously recorded. (See Annual Report for 1911, page lxxiii.)

The experience of lunatic asylums may be invoked in favour of the hypothesis that the excess of mortality in males is due to the circumstances of their work. As may be seen in the tables on pages 324 and 325, the deaths of the two sexes in asylums from phthisis were approximately equal in number in 1912, and the returns published by the Lunacy Commissioners show that amongst the asylum population the phthisis mortality, which is very excessive, is approximately equal as a rule for the two sexes. Thus it is seen that in one instance at least where the circumstances of the sexes in regard to infection and conditions of life are similar the resultant mortality is almost the same for both.

The forms of tuberculosis recorded on death certificates during 1912 are catalogued in detail, with the ages and sexes of the sufferers, in the table on pages 600–603, and the complications chiefly returned in the latter portion of the same table. The frequency of involvement of every organ and part of the body in fatal cases of the disease may be gathered from this table, so far as such involvement was considered by the certifier to have contributed materially to the fatal result. A single death of course frequently figures several times in such a table, as when more than one organ is mentioned as diseased an entry has been made under each one affected. Even this extensive list, however, is not complete, as it only refers to deaths allocated to tuberculosis and so omits a number of deaths where tubercle in some form was mentioned along with another cause of death selected for classification in preference to it. Details were given in last year's Report for such combinations of tubercle with the acute specific fevers in 1911.

28 and 29. Phthisis.—This term, which is used to cover both pulmonary tuberculosis and 'phthisis' not otherwise defined, includes the whole of Nos. 28 and 29 of the detailed International List of causes. The inclusion of 29B, acute miliary tuberculosis, in accordance with the international practice, implies a departure from the rule followed previously to 1911 in these Reports, which classed deaths so certified to general tuberculosis. The number of deaths affected in 1912 by the transfer is 814, and the total deaths from phthisis as now defined amount to 38,083, of which 21,619 were returned as pulmonary tuberculosis, 12,706 as 'phthisis,' 2,944 as *acute* phthisis or pulmonary tuberculosis, &c., and 814 as acute miliary tuberculosis. Together these deaths form 76 per cent. of the total deaths from tuberculosis, and correspond to a rate of 1,039 per million living, or 7·8 per cent. of the total death-rate.

Details of the precise forms of return allocated to these four heads are supplied in the tables and lists relating to them on pages 575 *et seq.* On page 575, for instance, Table A states the numbers of deaths, with their age and sex distribution, and with distinction of those occurring in institutions for the sick or infirm, certified under the more commonly occurring forms of disease or combinations of diseases which are classed to pulmonary tuberculosis (28A). Thus of the 7,740 deaths so returned from institutions (of which those occurring in poor law establishments formed by far the larger portion—*see* pages 311 and 324) 6,121, or 79 per cent. were certified as due to tubercle of the lungs without mention of any complication, and of the 13,879 deaths in private houses included in the table, 10,316, or 74 per cent., were similarly certified. Tubercle of the lung and larynx was returned as the sole cause of death in 498 cases, and with complicating causes in 37 other cases (Table B, page 581). Tubercle of the larynx was returned in 861 cases; haemoptysis was recorded upon 800 certificates, tuberculous meningitis upon 319, and diabetes upon 85 (page 581). Of the 12,706 deaths from phthisis, not defined as tuberculous, 10,944, or 86 per cent., were returned simply as due to 'phthisis,' without qualification or complication. Twenty-three only were attributed to 'consumption,' and the ten of these as to which this term formed the sole statement of cause of death all occurred in private practice. Evidently this term is approaching complete desuetude for the purpose of death certification, therein following the course already taken by 'decline,' once a very frequent entry in the register, but of which not a single example occurred in 1912. Haemoptysis was mentioned in 499 of the cases allocated to 'phthisis,' and diabetes in 91. Complete details of the forms of pulmonary tuberculosis certified and of its complications will be found in the tables and lists on the pages referred to.

The tables on pages 324–327, which this year supply for tuberculous diseases information as to age at death in conjunction with place of occurrence, afford further means of comparing certification in institutional and in private practice. Thus of the total number of deaths occurring in institutions and allocated to chronic pulmonary tubercle (28A and B), the tuberculous nature of the disease was mentioned on the certificate in almost three-quarters of the cases (75 per cent. of the males and 72 per cent. of the females), whereas the corresponding proportion in private practice was 58 per cent. for both sexes. The great bulk of the institutional deaths occurred in poor law establishments, and the proportion definitely certified here, 75 per cent. of males and 74 per cent. of females, was little below that so returned from hospitals—80 per cent. of males and 77 per cent. of females.

The tables on pages 311 and 324 serve to bring to light some interesting facts with regard to the use of institutions of various kinds for the treatment of phthisis in persons of different ages and sexes, as shown by the deaths returned from them. In the following table are stated the proportions of total deaths at various ages which occurred in different classes of institutions for the sick, and elsewhere. The table refers to chronic phthisis (28) only. The proportion of institutional deaths from acute phthisis is lower (24 per cent.), being particularly low in the case of 29A, acute pulmonary tuberculosis.

TABLE LXI.—ENGLAND AND WALES, 1912.—DEATHS FROM CHRONIC PHTHISIS IN INSTITUTIONS AND ELSEWHERE per cent. of TOTAL DEATHS at VARIOUS AGES.

—	All ages.	0-	5-	15-	25-	35-	45-	55-	65-
Poor law institutions	22·2	10	15	14	18	26	28	30	29
Lunatic asylums	4·0	—	2	2	5	4	4	5	6
Hospitals and nursing homes ...	4·4	18	9	6	5	4	3	1	1
Elsewhere	69·4	72	74	78	72	66	65	64	64
Total	100·0	100	100	100	100	100	100	100	100

It will be seen from the table that while the proportion of total deaths occurring in institutions of all sorts does not vary greatly with age, though it is least in youth and greatest at ages over 35, the class of institution serving the needs of the community varies greatly at different ages. Except in the case of the youngest children more deaths are returned from poor law than from all other institutions combined, but this proportion increases greatly with advance of age, while the similar proportion for hospitals diminishes with increasing age to an even greater degree. The figures for the two classes of institutions are in this respect most sharply contrasted; the hospital deaths are those of young persons, and the poor law deaths of the middle-aged and elderly.

Another peculiarity of the deaths in poor law institutions is that as age advances the deaths of males outnumber those of females in constantly increasing proportion, till at age 55–65 they form over four-fifths of the total. The figures are as follows :—

TABLE LXII.—DEATHS OF MALES FROM CHRONIC PHTHISIS IN POOR LAW INSTITUTIONS, per cent. of DEATHS OF FEMALES at the SAME AGES.

All ages.	0-	5-	15-	25-	35-	45-	55-	65-
232	97	62	126	180	237	351	438	309

These remarkable figures may perhaps be explained, in part at least, by the economic crisis involved for a working class family by disablement of the breadwinner leaving no alternative but the workhouse, whereas if the wife and mother were the patient she could be kept at home. The great and steady increase in the proportions throughout the working period of life does not, however, seem to be completely explained in this way. Whatever the cause of the difference may be the figures have an obvious interest at the present time as indicating the type of patients for whom institutional accommodation is requisite on economic grounds.

TABLE LXIII.—PHTHISIS.—MORTALITY per MILLION LIVING at ALL AGES, 1906–10, 1911, and 1912.

		1906–10.	1911.	1912.	1912 (28 and 29).					
		(28 and 29A.)								
		England and Wales.			England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
Males	Crude rates ...	1,299	1,234	1,194	1,217	1,838	1,531	1,003	798	1,342
	Standardized rates	1,261	1,187	1,146	1,170	1,716	1,471	970	788	1,286
Females	Crude rates ...	926	901	852	873	995	1,012	779	758	906
	Standardized rates	913	887	837	860	947	990	770	778	885
Persons	Crude rates ...	1,106	1,062	1,017	1,039	1,391	1,261	887	778	1,115
	Standardized rates	1,082	1,032	986	1,010	1,319	1,222	867	783	1,079

Table LXIII., in so far as it supplies a comparison with years previous to 1911, necessarily applies to phthisis as formerly understood in these reports, *i.e.*, to the present headings 28 and 29A. It shows that the standardized death-rate in 1912 was 4 per cent.

below that of 1911, and 9 per cent. below that of the five years 1906–1910, a rate of fall appreciably above the average (*see* Diagram VII.).

TABLE LXIV.—PHTHISIS.—MORTALITY at DIFFERENT AGES, 1906–10, 1911 and 1912.

	Mortality at Age-groups per Million Living.									Ratio per cent. of Mortality in England and Wales.					
	1906–10.	1911.	1912.	1912 (28 and 29).						1912.					
	(28 and 29A.)														
	England and Wales.			England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	Total Urban Districts.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	Total Urban Districts.	
MALES.	0—	334	293	228	318	563	389	267	161	361	177	122	84	51	114
	5—	125	137	123	144	218	180	121	92	159	151	125	84	64	110
	10—	166	170	158	170	201	234	131	131	182	118	138	77	77	107
	15—	731	767	704	722	622	945	691	532	781	86	131	96	74	108
	20—	1,435	1,394	1,322	1,342	1,588	1,551	1,183	1,176	1,392	118	116	88	88	104
	25—	1,846	1,589	1,539	1,554	1,858	1,797	1,363	1,337	1,615	120	116	88	86	104
	30—		1,875	1,813	1,826	2,451	2,209	1,466	1,487	1,917	134	121	80	81	105
	35—	2,271	2,053	2,017	2,026	2,941	2,557	1,631	1,361	2,204	145	126	81	67	109
	40—		2,210	2,163	2,177	3,408	2,796	1,726	1,321	2,417	157	128	79	61	111
	45—	2,543	2,214	2,296	2,310	3,806	3,140	1,821	1,120	2,663	165	136	79	48	115
	50—		2,396	2,243	2,257	3,706	3,069	1,815	1,116	2,616	164	136	80	49	116
	55—	2,298	2,218	2,289	2,299	4,072	2,900	1,944	1,216	2,658	177	126	85	53	116
	60—		2,089	2,074	2,091	4,166	2,621	1,710	1,056	2,460	199	125	82	51	118
	65—	1,507	1,611	1,557	1,568	3,342	1,988	1,206	890	1,844	213	127	77	57	118
	70—		1,120	956	973	1,770	1,361	688	680	1,107	182	140	71	70	114
	75—	598	571	557	557	1,135	837	383	362	660	204	150	69	65	118
	80—		495	419	419	1,598	329	327	239	526	381	79	78	57	126
	85—	224	263	260	260	446	456	—	330	216	172	175	—	127	83
FEMALES.	0—	287	288	214	284	442	340	268	139	324	156	120	94	49	114
	5—	188	181	155	180	207	249	160	100	203	115	138	89	56	113
	10—	384	408	363	384	414	461	330	350	395	108	120	86	91	103
	15—	981	997	994	1,024	843	1,205	959	973	1,040	82	118	94	95	102
	20—	1,214	1,220	1,184	1,203	938	1,315	1,173	1,285	1,189	78	109	98	107	99
	25—	1,413	1,333	1,231	1,247	1,000	1,416	1,167	1,312	1,237	80	114	94	105	99
	30—		1,353	1,308	1,320	1,361	1,484	1,165	1,319	1,324	103	112	88	100	100
	35—	1,414	1,420	1,350	1,362	1,618	1,573	1,174	1,206	1,405	119	115	86	89	103
	40—		1,324	1,217	1,227	1,586	1,482	1,019	981	1,295	129	121	83	80	106
	45—	1,219	1,198	1,166	1,173	1,553	1,421	966	930	1,242	132	121	82	79	106
	50—		1,005	974	981	1,543	1,168	820	653	1,076	157	119	84	67	110
	55—	998	949	924	927	1,328	1,060	848	663	1,009	143	114	91	72	109
	60—		952	871	880	1,256	972	705	834	898	143	110	80	95	102
	65—	735	819	742	753	1,392	711	596	717	768	185	94	79	95	102
	70—		564	548	548	930	506	468	525	558	170	92	85	96	102
	75—	385	372	422	427	756	294	528	288	483	177	69	124	67	113
	80—		239	247	247	636	281	134	189	273	257	114	54	77	111
	85—	141	72	263	263	544	440	215	76	350	207	167	82	29	133
PERSONS.	0—	310	290	221	301	507	365	268	150	343	168	121	89	50	114
	5—	157	159	139	162	212	215	141	96	181	131	133	87	59	112
	10—	275	289	261	277	309	349	231	238	289	112	126	83	86	104
	15—	857	883	850	874	737	1,081	827	736	915	84	124	95	84	105
	20—	1,319	1,302	1,249	1,269	1,227	1,423	1,178	1,229	1,283	97	112	93	97	101
	25—	1,619	1,451	1,377	1,393	1,386	1,594	1,260	1,325	1,414	99	114	90	95	102
	30—		1,603	1,550	1,562	1,866	1,830	1,309	1,401	1,606	119	117	84	90	103
	35—	1,827	1,726	1,671	1,682	2,237	2,048	1,395	1,282	1,789	133	122	83	76	106
	40—		1,750	1,673	1,685	2,440	2,114	1,360	1,148	1,833	145	125	81	68	109
	45—	1,855	1,687	1,710	1,720	2,611	2,244	1,375	1,024	1,920	152	130	80	60	112
	50—		1,672	1,583	1,593	2,561	2,070	1,293	883	1,807	161	130	81	55	113
	55—	1,610	1,553	1,574	1,580	2,603	1,927	1,365	935	1,786	165	122	86	59	113
	60—		1,484	1,434	1,447	2,585	1,737	1,167	943	1,618	179	120	81	65	112
	65—	1,077	1,178	1,111	1,122	2,248	1,276	867	801	1,244	200	114	77	71	111
	70—		802	723	730	1,267	856	560	598	784	174	117	77	82	107
	75—	472	454	477	480	896	504	470	322	552	187	105	98	67	115
	80—		339	315	315	962	298	207	211	366	305	95	66	67	116
	85—	161	140	262	262	516	445	141	179	306	197	170	54	68	117

The features of this table as regards relative incidence upon various classes of area are very similar to those of Table LVII. There is the same increase of mortality with urbanization, strongly marked in the male sex, and but slightly in the female, so that the excess of male over female mortality regularly increases from rural districts to London, just as shown for tuberculosis of all forms in Diagram VI.

TABLE LXV.—ENGLAND AND WALES : PHTHISIS.—MORTALITY per MILLION LIVING, 1851-60, 1891-1900, and 1912.

Age-groups.	Males.						Females.						Both sexes.					
	Death-rates.			Ratio per cent.			Death-rates.			Ratio per cent.			Death-rates.			Ratio per cent.		
	1851-60.	1891-1900.	1912.	(1) to (2)	(2) to (3)	(1) to (3)	1851-60.	1891-1900.	1912.	(1) to (2)	(2) to (3)	(1) to (3)	1851-60.	1891-1900.	1912.	(1) to (2)	(2) to (3)	(1) to (3)
	(1)	(2)	(3)	(2)	(3)	(3)	(1)	(2)	(3)	(2)	(3)	(3)	(1)	(2)	(3)	(2)	(3)	(3)
All Ages... (Standardized).	2,668	1,614	1,170	60	72	44	2,871	1,235	860	43	70	30	2,773	1,418	1,010	51	71	36
0-	1,333	441	318	33	72	24	1,287	385	284	30	74	22	1,310	413	301	32	73	23
5-	526	174	144	33	83	27	621	239	180	38	75	29	573	206	162	36	79	28
10-	764	234	170	31	73	22	1,294	502	384	39	76	30	1,027	368	277	36	75	27
15-	2,398	995	722	41	73	30	3,523	1,290	1,024	37	79	29	2,964	1,144	874	39	76	29
20-	4,054	1,887	1,342	47	71	33	4,302	1,591	1,203	37	76	28	4,184	1,730	1,269	41	73	30
25-	4,028	2,369	1,686	59	71	42	4,583	1,923	1,282	42	67	28	4,319	2,135	1,474	49	69	34
35-	4,016	3,095	2,095	77	68	52	4,197	2,121	1,300	51	61	31	4,109	2,592	1,683	63	65	41
45-	3,840	3,144	2,286	82	73	60	3,134	1,642	1,085	52	66	35	3,479	2,362	1,662	68	70	48
55-	3,346	2,618	2,208	78	84	66	2,394	1,239	906	52	73	38	2,852	1,881	1,521	66	81	53
65-	2,394	1,584	1,334	66	84	56	1,640	807	667	49	83	41	1,989	1,154	963	58	83	48
75 and upwards	927	556	487	60	88	53	717	352	354	49	101	49	808	437	407	54	93	50

This similarity extends also to Tables LVIII. and LXIV., the chief difference between them consisting in the absence from the latter table of heavy rates of mortality in early life. As tuberculosis in adult life is in great bulk phthisis it is natural that the tables should be very similar. The period of maximum mortality is the same for males in both tables, varying from 30-35 in the rural districts to 60-65 in London. For females it is 35-40 in all classes of area except the rural districts, where, as in the male sex, the period 30-35 suffered the highest mortality. The very heavy excess in the mortality of later life which characterises the London returns is for the most part greater in the case of phthisis than of tuberculosis in general.

TABLE LXVI.—PHTHISIS.—CRUDE DEATH-RATES per 1,000,000 LIVING, 1912.

		All Ages.					At Ages 65 Years and Upwards.				
		North.	Mid-lands.	South.	Wales.	England and Wales.	North.	Mid-lands.	South.	Wales.	England and Wales.
London ...	Males	—	—	1,838	—	1,838	—	—	2,375	—	2,375
	Females	—	—	995	—	955	—	—	1,049	—	1,049
	Persons	—	—	1,391	—	1,391	—	—	1,585	—	1,585
County Boroughs	Males	1,645	1,438	1,296	1,386	1,531	1,661	1,407	1,100	2,044	1,509
	Females	1,066	961	869	1,116	1,012	594	467	537	521	541
	Persons	1,344	1,189	1,067	1,252	1,261	1,040	862	756	1,205	944
Other Urban Dis- tricts.	Males	1,024	1,006	1,060	810	1,003	753	886	789	1,041	833
	Females	843	732	713	878	779	581	446	489	398	494
	Persons	931	863	875	843	887	656	631	610	684	637
Rural Districts ...	Males	727	771	826	981	798	589	616	627	1,137	663
	Females	688	715	758	1,073	758	473	405	615	710	506
	Persons	708	743	792	1,027	778	530	503	620	905	580
All areas ...	Males	1,286	1,068	1,376	975	1,217	1,124	903	1,333	1,237	1,118
	Females	934	799	865	989	873	570	437	730	556	576
	Persons	1,105	930	1,107	982	1,039	811	641	981	863	809

Comparison of Tables LIX. and LXV. shows that during the earlier of the two periods dealt with the decline of mortality from phthisis was considerably greater than that from tubercle in general, but that of late years it has been less, this result being no doubt largely due to the very great recent decline of tubercle mortality at ages under five years already noted. (The recent decline in phthisis mortality at these ages is not nearly so great). At every age-group except 5-15 the decline in Table LXV. over the whole period has been greater for females than for males, the difference being greatest at ages 25-65, and being much more marked in the earlier than in the later of the two separate periods. In these respects the remarks made upon Table LIX. are equally applicable to Table LXV.

Table LXVI. reproduces for 1912 a similar table inserted in last year's Report. It shows, as in 1911, how great is the excess of phthisis mortality recorded for old men and women in London. It also shows that the excess of male over female mortality as well as its increase in proportion to urbanization is especially characteristic of old age. The higher mortality of females than of males at all ages in the rural districts and smaller towns of Wales forms a feature common to the tables for both years.

30. Tuberculous Meningitis.—The deaths classed to this head during 1912 number 5,002 at all ages, or 838 below the average of the previous five years, corrected for increase of population. As the deaths from simple meningitis were also below the quinquennial average there appears no reason to doubt the reality of the decrease.

Mortality from tuberculous meningitis has declined on the whole steadily throughout the last sixty years, and now amounts only to one-third of that returned at the commencement of that period. This decline is the more remarkable in view of the great increase during the same period in the proportion of our population living in towns, for Tables 25-28 show the extent to which mortality from this disease is increased by urban conditions of life. It is over twice as high for children under 5 years of age in London as for those of the rural districts generally, and nearly three times as high as in the rural districts of the Midlands.

As there is considerable liability to confusion between tuberculous meningitis and other forms of disease characterised by similar symptoms it may be of interest to examine the age-distribution of the deaths returned from poor law institutions, hospitals, and private houses respectively, the returns of which will be found on page 325. It is obvious of course that even with perfect diagnosis in all cases, identity of age-distribution could not be looked for, as age must exercise some influence upon the choice of institutional or private treatment. For this reason the facts are stated in the following table for London as well as for the country at large, since in London, where 52 per cent. of the total deaths from this cause occurred in institutions (37 per cent. in hospitals) as against 21 per cent. in the country at large (15 per cent. in hospitals) it may be held that the institution deaths, in the case of which diagnosis is largely checked by post-mortem examination, are likely to form a fairer sample of the whole than elsewhere.

TABLE LXVII.—AGE-DISTRIBUTION of DEATHS from TUBERCULOUS MENINGITIS in POOR LAW INSTITUTIONS, HOSPITALS, and PRIVATE HOUSES, 1912.

—		Under 6 months.	6-12 months	1-	2-	3-	5-	10-	20-	All ages.
England and Wales	Poor Law Institutions.	6	10	12	7	11	18	19	17	100
	Hospitals ...	4	7	14	11	17	22	16	9	100
	Private houses ...	7	13	19	11	14	16	12	8	100
	Total ...	6	12	19	11	14	17	13	8	100
London	Poor Law Institutions.	6	12	11	8	16	18	20	9	100
	Hospitals ...	4	13	20	11	22	17	10	3	100
	Private houses ...	10	17	22	13	13	14	8	3	100
	Total ...	7	15	18	12	17	16	11	4	100

It will be seen that the age-distribution of deaths from this cause is very similar in London and in the country generally, except that the proportion of adults in London is only half that in the whole country.

The proportion of adults returned from poor law institutions is about twice as great as that from hospitals, or from private practice, and the poor law returns are high also in later childhood. The proportions returned from hospitals are low in the first year, and especially in the first six months, of life, both in London and elsewhere, and it seems probable that some of the earliest deaths returned from private practice may be due to mistaken diagnosis, though it will be seen that even in hospital practice an appreciable proportion—four per cent.—of the total deaths occurs in the first six months of life. Generally it may be said that the deaths returned from private houses are of younger children than those from institutions, though whether this difference is more than can be accounted for by the influence of age upon admission to institutions it is hard to say. On the whole the impression left by this test of the returns is that they are not very grossly inaccurate in any class of practice.

It will be seen from Table B, page 589, that the heading includes 82 deaths from tuberculous tumour of the brain (70 of 'brain' and 12 of cerebellum), and 16 cases of 'tuberculosis of the brain.' The age-distribution of these cases of tuberculous brain tumour differs entirely from that of tuberculous meningitis, 44 per cent. of the deaths having been those of adults. The proportion of the whole returned from institutions was also much higher than in the case of tuberculous meningitis proper (Table A).

A very high proportion of the total deaths—81 per cent.—was returned simply as due to tuberculous meningitis, without mention of any complication.

31-35. Other Tuberculous Diseases.—These account for 6,966 deaths, of which 3,246 were due to abdominal tuberculosis and 2,125 to disseminated tubercle. Details of the age and sex distribution of these forms of tuberculosis will be found, as in other years, on page 194; those of age in relation to place of death on pages 326 and 327, and those of the exact forms of disease returned and their complications on pages 589-599. These forms of tubercle are not infrequently returned in conjunction with tuberculosis of the lungs, and in all such cases the death is allocated to lung tubercle. For this reason the details given on pages 594 and 595 for example for tubercle of the joints do not include all fatal cases of joint tubercle, as even when the lung affection is returned as secondary to that of a joint it is selected for tabulation under the international scheme. Such deaths as these may all be found amongst the details regarding certification of deaths from pulmonary tuberculosis on pages 575-588, but as complete information in regard to tubercle of any one joint is here necessarily scattered over a number of different tables and lists, the total numbers of persons of different sexes and ages dying from each form of tubercle mentioned on the certificates of all deaths allocated to tuberculosis are stated on pages 600-602. It will be seen for instance from this table that the deaths from tubercle included those of 405 persons suffering from tubercle of the hip (including 'hip disease'), whereas the deaths allocated to this form of disease numbered only 242 (page 595).

In London nearly all the deaths from joint tubercle occurred in institutions, and nearly half of the total in the country at large (page 326). The proportion of deaths from joint tubercle occurring in young children is very small, and such as do occur are nearly all returned from institutions.

37. Syphilis.—A special study of the records of mortality caused by this disease during 1911 and 1912 was made for the purposes of the Royal Commission on Venereal Diseases, and the chief points which emerged from this examination may be briefly restated here. In order to increase the somewhat scanty basis of facts, the deaths registered in the two years 1911 and 1912 were considered jointly, and in some cases the census populations or those calculated for the middle of 1911 were employed in obtaining death-rates from these figures, in order to avoid the necessity of calculating the populations strictly required, *i.e.*, those at the end of 1911.

The deaths tabulated from the registers as due to syphilis clearly afford no measure of the absolute amount of mortality properly ascribable to the disease. This is inevitable under the present system by which the causes of death are certified, an open certificate being handed by the certifying practitioner to the relatives of the deceased, and subsequently included in a register open to inspection by any member of the public on payment of a small fee. The practitioner is obviously strongly tempted, in fact almost obliged, in many cases under this system to avoid mention on the certificate of the syphilitic nature of the disease he is returning as cause of death. Indeed the fact that such concealment is commonly practised is frequently illustrated both by correspondence with medical men who have issued purposely indefinite certificates, and by efforts made in certain cases to embody in the wording of the certificate a hint as to the true cause of death not likely to be understood by relatives. Considerations of this sort apply far less

to institutional than to private practice, and so it is to be expected that the proportion of deaths returned from institutions should be higher in the case of syphilis than of mortality in general. This is found to be the case, as shown in the following table.

TABLE LXVIII.—ENGLAND AND WALES, 1911 and 1912.—DEATHS in INSTITUTIONS per cent. of TOTAL DEATHS.

	All Ages.		Under 15 Years.		Over 15 Years.	
	Males.	Females.	Males.	Females.	Males.	Females.
Syphilis (1911-12)	41	39	33	33	59	52
All Causes (1912)	24	19	15	15	29	20

The proportion of the deaths from syphilis returned by institutions is double that of deaths in general, and in the case of adults more than half the total deaths ascribed to syphilis are returned from institutions. It is much more likely that this is due to greater under statement of these deaths in private practice than to exceptional resort to institutions by sufferers from syphilis.

The admittedly great defects in the returns do not, however, by any means deprive them of all value. Although they so greatly understate the number of deaths regarded by the practitioners certifying them as due to syphilis—a total to be distinguished from that of deaths actually due to syphilis—they appear to afford a very fair indication of the relative incidence of mortality from this disease upon different classes of area and of society. Fortunately moreover certain nervous and vascular diseases dependent upon syphilitic infection, general paralysis of the insane locomotor ataxy and aneurysm in particular, are not yet sufficiently identified in origin with syphilis in the public mind to forbid their being returned on death certificates almost if not quite as freely as other causes of death. The distribution of mortality from these diseases may be used as a test of the prevalence of syphilis, since their dependence upon syphilis is being recognised in ever increasing degree, and as this distribution can be ascertained with a fair degree of accuracy, that of syphilis itself can be approximately ascertained from the death registers, though not the mortality recognised by practitioners as due to it nor still less that properly ascribable to the disease. In so far therefore as the deaths assigned under present circumstances to syphilis itself approximate to a constant proportion of the true total, and are therefore of statistical value, to that extent their distribution should coincide with that of those assigned to the other causes referred to. It is found that this is the case to a very great extent.

The distribution throughout the country of syphilis itself and of the consequent diseases most closely associated with it, as indicated in the death returns, is shown in broad outline in Table LXIX.

The principal features of this table are great excess of mortality in the large towns and a fairly even distribution over the geographical sections of the country dealt with, with some tendency for the rates to be higher in the North and South than in the Midlands and Wales. The mortality from aneurysm is higher in the South than elsewhere in all classes of area, but it is possible that this may depend to some extent on greater efficiency in diagnosis. It will be seen that the urban excess is much greater for syphilis than for the other diseases quoted. It may be that this represents greater reluctance to certify syphilis in the country, but on the other hand it may imply a lower fatality from syphilis under the healthy conditions of rural life, whereas the other headings in the table would be less affected by environment, the cases falling under them being in great part of an inevitably fatal nature. In so far as this may be the case the relative prevalence of syphilis in town and country may be better judged of from the mortality of the consequential diseases, which also is greatly in excess in the large towns.

It may fairly be assumed from the general consistency of the rates in Table LXIX. that the returns of two years' deaths are sufficient to yield significant results for populations of the size dealt with, but the case is very different when comparison is made of syphilis in individual counties and county boroughs. If the returns formed a reliable indication of the prevalence of the disease in these areas we might expect approximate correspondence between the areas showing highest mortality at ages under 15 years (congenital disease) and over 15 years (acquired disease). This is, broadly speaking, true of the areas represented in Table LXIX., though the urban excess is far greater for children than for adults,

but when the correlation coefficients were worked out for counties and boroughs between mortality under and over 15 years of age no results of any significance were obtained, even after the smallest areas had been excluded as most liable to chance variation. The same statement applies to the ratio of syphilis to general paralysis of the insane and locomotor ataxy, a ratio the general consistency of which in Table LXIX. is very apparent. It may be hoped that when the results of a number of years have been accumulated they will prove to be of some value as applied to city and county populations.

TABLE LXIX.—MORTALITY from SYPHILIS and CERTAIN of its CONSEQUENCES, 1911 and 1912.

		Males.					Females.					Persons.				
		North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London	{ Syphilis ...	—	—	90	—	90	—	—	57	—	57	—	—	73	—	73
	{ L.A. and G.P.I.*	—	—	195	—	195	—	—	41	—	41	—	—	113	—	113
	{ Aneurysm ...	—	—	87	—	87	—	—	24	—	24	—	—	54	—	54
	{ Total of above ...	—	—	372	—	372	—	—	122	—	122	—	—	240	—	240
County Boroughs.	{ Syphilis ...	92	86	98	92	90	60	63	45	63	59	75	74	70	78	74
	{ L.A. and G.P.I.*	162	156	166	171	161	35	39	39	20	36	96	95	98	96	96
	{ Aneurysm ...	58	53	118	56	63	11	11	16	4	11	34	31	63	30	36
	{ Total of above ...	312	295	382	319	314	106	113	100	87	106	205	200	231	204	206
Other Urban Districts.	{ Syphilis ...	51	51	53	46	50	36	38	32	26	36	43	44	41	36	43
	{ L.A. and G.P.I.*	112	119	130	101	117	31	23	26	19	26	70	69	75	61	70
	{ Aneurysm ...	37	49	70	30	47	9	8	11	4	9	22	28	39	17	27
	{ Total of above ...	200	219	253	177	214	76	69	69	49	71	135	141	155	114	140
Rural Districts.	{ Syphilis ...	23	26	28	17	24	18	17	19	18	18	21	22	23	17	22
	{ L.A. and G.P.I.*	100	84	85	70	86	29	21	23	18	23	65	52	54	44	54
	{ Aneurysm ...	27	34	51	24	36	5	7	8	7	7	16	20	29	16	21
	{ Total of above ...	150	144	164	111	146	52	45	50	43	48	102	94	106	77	97
All Areas	{ Syphilis ...	67	53	68	45	61	46	40	43	30	42	56	46	55	38	52
	{ L.A. and G.P.I.*	135	119	153	104	133	33	27	34	19	30	82	72	90	62	80
	{ Aneurysm ...	46	46	79	33	54	10	9	17	5	11	27	26	46	19	32
	{ Total of above ...	248	218	300	182	248	89	76	94	54	83	165	144	191	119	164

* Locomotor Ataxy and General Paralysis of Insane.

The rates for the separate sexes in Table LXIX. point in the same direction as those for persons. Thus the mortality for each sex increases rapidly with the change from rural areas to large towns, though rather more so for males than for females. The Welsh rates, outside the county boroughs, are also low for each sex, though a partial exception must be made for the females of the rural areas.

The fact that in making these statements it is not necessary to distinguish between the causes of death represented in the table furnishes strong evidence of the correspondence between the mortality recorded for syphilis and for the parasymphilitic diseases, and so of the utility of both as an indication of the real distribution of mortality from syphilis.

As the proportion of deaths from all causes occurring in institutions is highest in large towns and lowest in rural districts (page ciii), and as syphilis can be more freely certified in institutional practice, the excess of syphilis mortality in the towns might conceivably depend upon their greater reliance on institutions in sickness. To test this point the syphilis mortality of the areas dealt with in Table LXIX. was tabulated with distinction of that occurring in institutions and in private houses, and also of that under and over 15 years of age. In the result it was found that while acquired syphilis is returned almost as much in the rural districts as in the towns in private practice, institutional mortality of large towns shows an excess of almost 150 per cent. over that of the rural districts. Greater use of institutions in sickness might therefore very largely account for the excess of urban mortality so far as adults are concerned but fails to do so in the case of children, whose deaths form 68 per cent. of the total registered, for while the deaths ascribed to congenital syphilis in the institutions of the county boroughs are eight times as numerous in proportion to total population as those in the rural districts, those in private houses are four times as numerous. In these respects the experience of all parts of the country is very similar.

Distribution amongst Social Classes.—The mortality of various occupational and social classes from syphilis and diseases resulting from it is dealt with in Table LXX. The eight social groups dealt with are the same as those referred to on page xxiii. Their precise composition is indicated in Table XVI. The table is restricted to males

TABLE LXX.—ENGLAND AND WALES, 1911-12.—SYPHILIS, LOCOMOTOR ATAXY, GENERAL PARALYSIS of the INSANE, and ANEURYSM, DEATH-RATES, per 1,000,000 living, of MALES in various SOCIAL CLASSES.

				All Ages over 15 (Stand- ardized).	15—	20—	25—	35—	45—	55—	65—	75—
				SYPHILIS.								
All Classes	28	4	9	23	37	53	58	56	36
Class 1	22	—	3	13	24	37	55	62	42
" 2	31	14	11	32	33	60	43	35	21
" 3	25	—	9	11	33	40	77	72	31
" 4	31	4	15	26	38	73	47	41	52
" 5	56	2	18	46	72	74	103	110	114
" 6	12	—	—	16	31	17	—	31	—
" 7	12	—	4	15	8	31	25	63	—
" 8	9	—	—	4	11	35	8	11	—
				LOCOMOTOR ATAXY.								
All Classes	37	0	—	6	40	98	147	134	87
Class 1	65	—	—	10	46	167	186	255	167
" 2	40	2	—	2	39	105	169	90	55
" 3	40	—	—	4	35	89	128	156	92
" 4	40	—	—	6	32	85	164	143	35
" 5	56	—	—	11	59	113	175	127	182
" 6	34	—	—	5	43	91	87	124	—
" 7	22	—	—	8	25	54	82	84	—
" 8	19	—	—	4	32	18	48	64	115
				GENERAL PARALYSIS OF THE INSANE.								
All Classes	137	5	10	78	274	331	229	122	65
Class 1	152	—	3	47	287	419	304	139	62
" 2	137	17	15	69	241	362	181	118	28
" 3	131	2	3	68	257	288	257	160	122
" 4	137	—	9	92	293	275	268	92	70
" 5	205	4	21	146	420	476	230	121	114
" 6	103	—	32	47	153	249	202	155	—
" 7	96	7	4	47	185	229	172	21	103
" 8	50	—	6	35	54	118	95	118	57
				ANEURYSM.								
All Classes	81	2	2	20	93	178	205	188	150
Class 1	62	—	—	11	56	95	219	278	271
" 2	72	5	4	20	73	178	200	166	90
" 3	65	5	—	14	65	168	211	148	214
" 4	96	2	—	33	148	202	223	210	174
" 5	115	—	5	32	163	294	244	265	205
" 6	37	—	—	5	18	100	159	124	228
" 7	47	—	4	6	48	135	123	189	—
" 8	31	—	—	9	48	47	111	54	29
				THE ABOVE FOUR CAUSES TOGETHER.								
All Classes	283	11	21	127	444	660	639	500	338
Class 1	302	—	6	81	413	718	763	734	542
" 2	280	37	30	123	386	705	593	409	194
" 3	264	7	12	97	390	585	673	536	459
" 4	304	6	24	157	512	635	702	486	331
" 5	429	6	44	235	719	957	752	623	615
" 6	186	—	32	73	245	458	448	435	228
" 7	177	7	12	76	266	449	402	357	103
" 8	108	—	6	52	145	217	262	247	201

over 15 years of age on account of its occupational basis, and as its death-rates where not referring to age-groups are standardized for variation in the age-distribution of the various classes they are directly comparable from this point of view.

Perhaps the most striking feature in the table is the uniformly low mortality of textile operatives, miners, and agricultural labourers from each of the four forms of disease dealt with. The last group especially yield very low standardized rates, one-third of the average in the case of syphilis and from that to one-half in the other cases. The uniformity of the records of these three groups under all four headings is most striking, and affords strong evidence of the general reliability of the syphilis returns as indicative of the relative distribution of the disease. Similar consistence is exhibited at the opposite end of the scale of prevalence, the rate for class 5, unskilled labourers, being highest for every cause except locomotor ataxy, and second highest there.

The high rates of this class are no doubt largely to be explained by the fact that men of careless habits are specially liable both to contract syphilis and to come down in the world, and hence do not necessarily imply that persons born in that rank of life suffer abnormally from syphilis and its consequences. The large proportion of their deaths occurring in institutions (for syphilis 78 per cent., *see* below) must also affect their figures. The predominance of class 1 in the locomotor ataxy list shows that no stigma as yet attaches to this form of disease.

Although the mortality of class 1 is highest for locomotor ataxy it is lowest of the five graded divisions of the social scale for syphilis itself. In view of the mortality recorded against it from the parasymphilitic diseases, this low position probably does not represent the facts. There are two reasons why a smaller proportion of men dying of syphilis should be recorded as doing so in class 1 than in other classes, the first being that a smaller proportion of their deaths occurs in institutions, and the second that the obstacles to candid certification in private practice are in all probability at their maximum in this class of practice. The following figures illustrate the first point. They show for each of the eight classes in Table LXX. the proportion occurring in institutions per cent. of total deaths from syphilis.

Class 1—31 per cent.

„	2—46	„
„	3—58	„
„	4—60	„
„	5—78	„
„	6—55	„
„	7—38	„
„	8—45	„

Under all the circumstances it is remarkable that the syphilitic mortality recorded for class 1 is as large as it is, being not far below the average for all classes, and about twice as high as those of the three great single occupational groups, Nos. 6–8. The fact that mortality from aneurysm is below average in this class is not surprising if any importance is to be attached to the element of strain in its causation. The remarkably low aneurysm mortality of groups 7 and 8, notwithstanding the liability of miners and agricultural labourers to strain, may probably be regarded as a striking illustration both of the comparative freedom of these classes from syphilis and of the dependence of aneurysm upon syphilis. If it were not for this relationship the difference between the aneurysm mortalities of classes 5 and 8 would be hard to explain. It follows that mortality from aneurysm may be used with considerable confidence as a measure of the prevalence of syphilis.

Taking all the circumstances into consideration the conjecture may be hazarded that syphilis is most prevalent among the highest and lowest of the five social classes dealt with; and the three great industries of textile manufacture, mining, and agriculture are in all probability exceptionally free from the disease.

Sex-distribution of mortality.—As the distribution throughout society of syphilis and the other diseases dealt with in Table LXX. has so much in common, it might be expected that the sex-distribution of their mortality would also be similar. This is not however the case. From syphilis returned as such there is an excess of mortality in the male sex amounting to about 30 per cent. under 15 years of age and about 70 per cent. at higher ages in 1911–12, the excess being naturally greater for the acquired than for the congenital form of disease. In the cases of locomotor ataxy, general paralysis of the insane, and aneurysm on the other hand the excesses in the mortality of males over that of females amount to 300–400 per cent., the rates for males in 1911–12 being respectively 508, 423, and 486 per cent. of those for females. Possibly this difference

may in part at least be explained as an effect of the concealment of the facts in regard to syphilis. If the disease while affecting males of all classes were largely confined amongst women to the lower ranks of society, the suppression of the facts on death certificates might understate the true number of deaths more in the case of males than of females. There is some reason for supposing that the distribution of the disease may differ in this way in the two sexes, but the difference in excess of mortality in the male sex is so great that it may be doubted whether the suggested explanation is adequate alone to account for it.

As the male excess for congenital syphilis is comparatively small it is of interest to compare with it that of general paralysis of the insane occurring in young persons and therefore presumably dependent upon the congenital form of syphilitic disease. (There is practically no mortality registered from locomotor ataxy or aneurysm under 25.) As the number of such deaths in any one year is small, they have been summed together for the 12 years from 1901, when the disease was first separately tabulated ; and as there may be room for difference of opinion as to the age-periods to be selected as best representing congenital syphilitic infection the figures are compared by separate age-periods up to 35 years, as follows :—

TABLE LXXI.—DEATHS FROM GENERAL PARALYSIS OF THE INSANE—(ENGLAND AND WALES), 1901–1912.

—	0–	5–	10–	15–	20–	25–35
Males	1	9	27	98	163	2,417
Females	—	9	24	61	104	759

It will be seen that in childhood the excess of male mortality is less than that from syphilis at the same time of life ; and that after 25, when the disease must be supposed to have originated in acquired syphilis in the great bulk of cases, the great excess of male mortality is established. From 15 to 25 the position is intermediate between those of the years above and below, and it may be that at these ages the deaths partly represent congenital and partly acquired syphilis, though it might have been expected that under 20 years of age at least the proportion due to the acquired disease would be very small.

It may be added that in the returns as published practical equality (in the number of deaths) between the sexes is again reached in old age. Probably however the bulk of the deaths in the tables at this time of life are cases returned as “general” in the sense of “generalised” paralysis, and not “general paralysis of the insane” at all, for in 1911 and 1912 their number has fallen to less than half its previous height as a result of inquiry into the meaning of such certificates.

Registration records of syphilis mortality.—The question whether mortality from syphilis is increasing or decreasing in this country cannot be decisively answered from the registration statistics, on account of their defective nature, for it cannot be determined with certainty whether there is more or less suppression of the facts at the present day than in earlier years. It may be pointed out, however, that as the proportion of deaths occurring in institutions has increased very much of late years the reasons for suppressing the facts have to some extent been diminished on this account ; and that in so far as failure to record syphilis as a cause of death is dependent not upon reticence but upon failure to recognise the syphilitic nature of the disease causing death, the progress of medical knowledge in recent years must have tended to increase in the number of deaths ascribed to syphilis. In view of these influences tending towards increase in the proportion of deaths from syphilis certified as such, and of the increasing urbanization of the population, which would in itself tend to increase of syphilis mortality, the disease being one particularly affecting town populations, it is interesting to find that the mortality from syphilis, as tabulated in these Reports, has been falling since about 1886. In that year it stood at 81 deaths per million persons living, but since then the highest rate recorded has been 74, in 1887, and since 1897 it has not been as high as 60, standing now at 51 (Table 20). For about 20 years prior to 1887 the rate had been 80 or more, but never reached 90 per million. This maximum period was preceded by one of rise even more marked than that of fall which succeeded it. In 1850 the rate stood only at 31 per million, and in 15 years had risen to 81, in 1865. Such an increase as this suggests some change in classification as a possible explanation, but the rise was fairly well distributed over the period, which is not characteristic of the effect of a change in

classification, and the records of the department indicate no such change which could in any way account for the increase. In fact the figures relating both to syphilis and to the parasymphilitic diseases are exceptionally free from this disturbing influence.

The records of general paralysis of the insane and of locomotor ataxy throw little light on this matter, since they go back only to 1901, *i.e.* to a date since when the mortality ascribed to syphilis itself has changed very little. During this period of 12 years the mortality from locomotor ataxy has shown a slight rise and that from general paralysis of the insane a slight fall.

Aneurysm has been separately tabulated as long as syphilis, but its mortality has not fluctuated so much. From 1850 to 1865 a very considerable increase accompanied the great increase in mortality of syphilis. This continued during the next 10 years, after syphilis had ceased to increase; the level then reached was maintained till 1886, after which a slight fall occurred along with the greater fall in syphilis. A change in method of classification in 1901, giving aneurysm greater precedence for tabulation than formerly over other diseases recorded on the same certificate, has tended to obscure this fall, but it may be said that from 1901 onwards there has been little change recorded in the mortality from syphilis, locomotor ataxy, general paralysis of the insane, or aneurysm.

39-45. **Cancer.**—The deaths ascribed to cancer or malignant disease during 1912 numbered 37,323, of which 23,495 were referred to carcinoma, 2,164 to sarcoma, and 11,664 to “cancer,” not otherwise defined. The proportion of the latter ingredient in

TABLE LXXII.—CANCER.—DEATH-RATES per MILLON POPULATION, 1906-10, 1911 and 1912.

		1906-10.	1911.	1912.					
		England and Wales.		England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
Males ...	Crude rates ...	819	891	913	1,070	901	844	968	901
	Standardized rates	770	823	844	1,020	910	813	735	885
Females	Crude rates ...	1,052	1,088	1,117	1,212	1,071	1,104	1,166	1,108
	Standardized rates	986	998	1,025	1,126	1,057	1,033	927	1,058
Persons	Crude rates ...	939	993	1,019	1,145	989	978	1,067	1,009
	Standardized rates	882	914	937	1,075	986	926	834	974

the total is steadily diminishing. The mortality of males was 913 per million living as compared with 891 in 1911, and that of females 1,117 as compared with 1,088. In the case of each sex these rates are the highest on record.

TABLE LXXIII.—CANCER.—DEATH-RATES per MILLION LIVING, 1906-10, 1911 and 1912.

		1906-10.	1911.	1912.					
Sex and Age.		England and Wales.		England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
MALES.	0— ...	24	28	22	23	20	24	21	22
	15— ...	45	49	44	57	39	48	39	46
	25— ...	113	112	103	118	114	98	85	108
	35— ...	422	274	279	374	338	258	172	308
	40— ...		586	625	765	689	588	516	656
	45— ...	1,589	1,269	1,269	1,668	1,474	1,094	1,049	1,337
	50— ...		2,237	2,195	2,746	2,493	2,141	1,624	2,378
	55— ...	4,051	3,491	3,702	4,126	4,005	3,619	3,283	3,851
	60— ...		5,224	5,502	6,978	6,080	5,043	4,826	5,759
	65— ...	6,967	6,939	6,930	8,344	7,306	6,976	6,020	7,320
	70— ...		8,663	9,135	10,850	9,918	9,079	8,013	9,667
	75— ...	8,345	9,447	9,758	11,125	8,839	9,586	10,211	9,563
	80— ...		8,490	8,911	10,476	9,470	8,275	8,790	9,019
	85 and upwards	7,928	7,377	8,239	9,371	8,442	8,227	7,928	8,479

TABLE LXXIII.—continued.

			1906-10.	1911.	1912.					
			England and Wales.		England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
FEMALES.	0—	...	20	19	19	29	17	21	14	21
	15—	...	34	35	34	40	33	34	33	34
	25—	...	164	161	148	173	168	131	130	153
	35—	...	822	567	545	586	625	518	448	571
	40—	...		1,131	1,072	1,202	1,144	1,027	968	1,102
	45—	...	2,282	1,913	1,935	2,114	2,109	2,000	1,492	2,062
	50—	...		2,635	2,888	2,975	3,121	2,932	2,478	3,013
	55—	...	4,432	3,885	3,957	4,571	4,004	3,932	3,645	4,064
	60—	...		5,059	5,122	5,578	5,040	5,308	4,774	5,249
	65—	...	6,753	6,211	6,415	7,181	6,868	6,154	5,961	6,592
70—	...	8,061		8,246	8,629	8,024	8,697	7,805	8,433	
75—	...	8,318	8,869	9,551	9,916	9,466	9,582	9,528	9,597	
80—	...		8,617	9,166	11,363	9,119	9,682	7,789	9,786	
85 and upwards			7,603	8,068	9,569	10,698	8,578	10,039	9,368	9,701
PERSONS.	0—	...	22	23	21	26	19	23	18	22
	15—	...	40	42	39	48	36	41	36	40
	25—	...	140	138	127	148	143	116	108	132
	35—	...	629	425	417	487	486	392	312	445
	40—	...		868	856	997	925	816	746	888
	45—	...	1,949	1,603	1,615	1,904	1,805	1,566	1,273	1,716
	50—	...		2,444	2,556	2,867	2,823	2,556	2,054	2,712
	55—	...	4,253	3,698	3,836	4,364	4,004	3,784	3,467	3,964
	60—	...		5,137	5,300	6,218	5,522	5,186	4,799	5,484
	65—	...	6,848	6,541	6,648	7,692	7,062	6,519	5,990	6,914
	70—	...		8,319	8,627	9,521	8,800	8,857	7,902	8,942
	75—	...	8,329	9,106	9,636	10,363	9,224	9,584	9,842	9,584
	80—	...		8,567	9,066	11,062	9,246	9,147	8,231	9,504
85 and upwards			7,720	7,822	9,097	10,315	9,534	9,417	8,782	9,300

Table LXXII. compares the crude and the standardized death-rates from cancer in the four classes of area dealt with in this Report as well as in the country as a whole and the aggregated urban districts. It appears to indicate that cancer is more destructive in the urban than the rural districts, though the crude death-rates would seem to show the reverse. The excess of the standardized death-rate in the towns is greater for males than for females.

Table LXXIII. shows that mortality in 1912 as in 1911 was greater in the male sex at ages under 25 and from 60 to 80 years of age, but in the female sex at other ages. It increases more rapidly as old age approaches in the male than in the female sex.

TABLE LXXIV.—CANCER, 1912—DEATH-RATES per MILLION LIVING.

		Ages 45-65.					Ages 65 and over.				
		North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London	{ M.	—	—	3,382	—	3,382	—	—	9,646	—	9,646
	{ F.	—	—	3,483	—	3,483	—	—	8,571	—	8,571
County Boroughs	{ M.	3,241	2,908	2,905	2,422	3,065	8,452	8,401	8,962	6,771	8,448
	{ F.	3,422	3,205	3,059	3,356	3,305	7,669	8,048	8,323	6,358	7,856
Other Urban Districts	{ M.	2,650	2,553	2,697	2,362	2,599	7,532	8,495	8,869	6,346	8,122
	{ F.	3,330	3,227	3,100	3,650	3,266	8,048	8,108	7,915	6,406	7,924
Rural Districts	{ M.	2,187	2,569	2,370	2,352	2,414	7,312	7,789	7,704	7,201	7,626
	{ F.	2,988	2,814	2,817	3,032	2,870	7,274	7,821	7,037	7,379	7,464
All areas	{ M.	2,868	2,663	2,940	2,369	2,784	7,897	8,187	8,825	6,802	8,195
	{ F.	3,330	3,095	3,195	3,363	3,209	7,748	7,989	8,008	6,835	7,840

Table LXXIV. refers to two groups of ages in making comparison of cancer mortality in different parts of the country. This limitation of age makes it unnecessary to calculate standardized death-rates in order to obtain a fair basis of comparison. At both age-periods the mortality of males in London is higher than that of any of the other twelve sections of the population, while that of London females is exceeded in only one instance. Apart from the London excess, which is greatest in the male sex, the rates in the table are on the whole very uniform, but those returned for aged persons in Wales are markedly below average.

The parts of the body affected by fatal cancer in 1912 are shown in Tables LXXV. and LXXVI. in greater detail than that provided by the International classification, five

TABLE LXXV.—ENGLAND AND WALES, 1912.—SITES OF FATAL CANCER—MALES.

					All Ages.	0-	5-	15-	25-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
					ALL DEATHS.															
Total ...					16,188	64	60	142	296	358	682	1,193	1,712	2,285	2,665	2,573	2,196	1,262	510	190
39	Lip	250	—	—	—	—	1	4	8	12	34	24	35	50	36	30	16
	Tongue	931	—	—	—	2	13	42	96	125	161	175	137	104	51	20	5
	Mouth	374	2	2	2	2	7	21	30	53	62	53	58	42	30	5	5
	Jaw	487	2	2	5	8	4	27	37	65	83	73	67	64	34	8	8
40	Pharynx	194	—	1	1	1	4	10	17	33	39	33	18	19	12	3	3
	Œsophagus	1,208	—	—	2	5	3	47	104	171	228	226	181	131	82	22	6
	Stomach	3,426	—	—	7	48	83	166	245	352	471	610	602	484	232	97	29
	Liver and gall bladder	1,725	3	2	6	10	37	45	115	152	242	302	322	250	164	62	13
41	Mesentery and peritoneum	135	1	—	4	7	8	10	9	16	23	15	21	13	7	—	1
	Intestines	1,684	2	5	7	26	47	62	107	150	201	284	322	248	148	52	23
	Rectum	1,641	—	—	11	27	28	58	96	169	210	270	262	262	163	62	23
	Breast	20	—	—	—	—	—	—	1	—	5	2	7	1	1	3	—
44	Skin...	560	1	1	2	11	12	21	28	33	66	57	82	76	69	68	33
	Larynx	424	—	—	2	—	5	19	35	71	76	75	58	47	29	6	1
	Lung and pleura	265	—	3	7	19	14	20	40	43	39	23	29	18	6	3	1
	Pancreas	314	—	2	2	9	7	13	30	39	42	61	43	39	18	8	1
45	Kidneys and suprarenal glands	164	20	6	3	12	6	9	19	17	17	23	9	17	5	1	—
	Bladder	460	1	1	—	3	6	12	26	30	45	88	86	89	46	18	9
	Prostate	407	1	—	—	—	2	1	9	14	41	72	73	106	66	17	5
	Testes	82	3	—	6	20	8	5	7	7	2	2	7	2	8	3	2
45	Brain	100	2	7	9	15	6	7	18	14	8	6	6	2	—	—	—
	Bones (jaw excepted)	240	9	13	33	26	6	11	13	22	27	27	24	19	8	1	1
	Other specified organs	578	14	11	24	31	29	42	57	65	84	85	56	51	18	8	3
	Abdominal cavity, organ un- specified.	97	1	3	3	1	5	7	7	6	12	14	17	10	6	5	—
Other and undefined ...					422	2	1	6	13	17	23	39	53	67	65	51	52	23	8	2
					DEATHS IN INSTITUTIONS.															
Total ...					4,812	32	29	58	132	150	273	440	631	718	819	697	467	241	84	41
39	Lip	72	—	—	—	—	—	2	2	5	10	8	10	13	13	5	4
	Tongue	400	—	—	—	—	7	19	42	63	70	82	56	37	16	6	2
	Mouth	150	2	—	1	—	4	7	11	24	23	22	22	17	12	2	3
	Jaw	173	—	2	3	2	1	7	15	21	37	26	31	16	8	2	2
40	Pharynx	73	—	—	1	—	4	3	4	15	16	9	9	6	—	—	—
	Œsophagus	415	—	—	1	1	—	27	38	79	77	77	66	32	14	2	1
	Stomach	879	—	—	4	26	27	70	93	105	122	159	129	87	38	17	2
	Liver and gall bladder	293	1	—	3	4	13	12	26	39	42	48	46	30	17	10	2
41	Mesentery and peritoneum	45	1	—	3	2	5	4	2	7	6	2	8	2	—	—	1
	Intestines	514	1	2	2	13	21	24	50	59	67	103	93	51	19	6	3
	Rectum	442	—	—	3	13	9	19	37	53	64	86	75	51	24	6	2
	Breast	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
44	Skin...	194	—	—	—	7	2	8	12	14	24	22	33	23	20	17	12
	Larynx	157	—	—	2	—	2	11	17	27	29	34	15	13	5	2	—
	Lung and pleura	86	—	—	4	9	10	11	16	14	7	3	7	5	—	—	—
	Pancreas	126	—	2	1	7	5	5	13	21	16	19	19	12	4	2	—
45	Kidneys and suprarenal glands	58	13	4	—	6	2	4	4	5	7	6	1	5	1	—	—
	Bladder	132	—	1	—	—	3	4	6	8	19	27	28	23	10	—	3
	Prostate	112	1	—	—	—	—	—	3	7	13	29	17	21	17	3	1
	Testes	29	—	—	2	9	3	2	3	4	—	1	1	—	2	1	1
45	Brain	60	2	5	7	10	4	4	9	9	4	3	3	—	—	—	—
	Bones (jaw excepted)	74	5	5	10	11	1	4	2	7	13	8	6	1	1	—	—
	Other specified organs	181	3	7	10	6	17	18	19	26	28	21	9	11	5	—	1
	Abdominal cavity, organ un- specified.	22	1	1	1	—	2	1	4	2	3	2	1	1	3	—	—
Other and undefined ...					123	2	—	—	6	8	7	12	17	21	22	12	9	4	2	1

TABLE LXXVI.—ENGLAND AND WALES, 1912.—SITES of FATAL CANCER—FEMALES.

				All Ages.	0-	5-	15-	25-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
				ALL DEATHS.															
Total...				21,135	55	53	116	471	749	1,260	1,964	2,447	2,693	2,822	2,870	2,650	1,768	816	401
39	Lip	21	—	—	—	1	—	1	—	1	1	1	—	2	3	3	8
	Tongue	76	—	—	—	1	8	4	5	6	8	10	12	7	7	5	3
	Mouth	63	—	—	4	3	1	4	4	4	9	7	10	3	8	6	—
	Jaw	157	2	7	2	6	5	10	5	14	20	23	23	19	16	4	1
40	Pharynx	63	—	—	3	6	4	3	5	13	8	7	5	3	2	2	2
	Esophagus	352	—	—	1	11	16	26	36	37	43	46	39	40	30	22	5
	Stomach	3,082	—	—	3	38	75	111	215	309	375	456	541	477	318	116	48
	Liver and gall bladder	2,520	5	1	6	29	33	79	147	239	314	410	449	400	256	108	44
41	Mesentery and peritoneum	303	2	2	1	8	10	18	30	35	40	43	42	34	22	10	6
	Intestines	2,298	2	—	4	33	54	91	140	216	280	309	362	381	231	134	61
	Rectum	1,252	—	—	8	37	36	49	83	119	165	166	196	199	117	55	22
	Ovary and fallopian tube	504	2	5	10	31	29	40	70	92	69	48	56	24	22	6	—
42	Uterus	3,878	1	—	7	106	221	377	548	604	584	498	388	282	174	69	19
	Vagina and vulva	278	—	1	—	5	4	12	22	20	34	20	43	58	29	18	12
	Breast	3,736	—	—	1	66	171	308	453	495	468	468	377	414	272	151	92
	Skin	361	1	1	1	9	8	10	10	18	16	27	48	59	67	47	39
43	Larynx	106	—	—	—	8	9	14	14	11	9	11	10	10	6	4	—
	Lung and pleura...	188	—	1	10	4	7	10	21	28	27	23	20	25	11	1	—
	Pancreas	342	—	—	2	7	6	7	25	33	52	61	54	47	34	8	6
	Kidneys and suprarenal glands...	149	15	6	1	7	4	7	10	13	16	19	18	10	16	7	—
44	Bladder	228	1	—	—	2	3	4	14	22	22	37	37	32	33	12	9
	Brain	61	3	4	7	5	6	4	7	6	8	3	5	1	1	—	1
	Bones (jaw excepted)	223	5	14	30	12	3	14	23	16	24	24	22	14	14	5	3
	Other specified organs	371	9	6	11	21	15	29	28	36	39	46	53	45	23	6	4
45	Abdominal cavity, organ un-	221	2	2	—	5	7	18	18	29	29	19	30	25	25	5	7
	specified.																
	Other and undefined	302	5	3	4	10	14	10	31	31	33	40	30	39	31	12	9
																	
				DEATHS IN INSTITUTIONS.															
Total...				4,006	24	19	41	163	204	327	496	525	553	491	463	365	201	84	50
39	Lip	3	—	—	—	—	—	—	—	—	1	—	—	—	1	—	1
	Tongue	14	—	—	—	—	1	1	1	1	2	1	4	2	1	—	—
	Mouth	15	—	—	2	1	—	1	2	1	2	1	2	2	—	1	—
	Jaw	33	—	2	—	3	—	—	1	5	2	5	5	5	2	2	1
40	Pharynx	13	—	—	—	2	3	1	2	—	1	2	—	—	2	—	—
	Esophagus	52	—	—	1	2	4	7	5	5	11	5	4	6	1	1	—
	Stomach	440	—	—	2	20	15	30	57	59	66	65	56	39	24	4	3
	Liver and gall bladder	295	1	—	1	7	7	16	26	34	46	48	36	35	21	9	8
41	Mesentery and peritoneum	57	2	1	—	5	1	4	10	7	10	6	4	6	1	—	—
	Intestines	522	—	—	3	13	30	45	55	62	80	70	80	48	17	12	7
	Rectum	319	—	—	4	19	12	14	32	38	43	51	46	38	15	4	3
	Ovary and fallopian tube	150	2	1	3	15	9	18	20	24	12	12	4	5	1	—	—
42	Uterus	870	1	—	4	28	61	115	141	136	123	86	79	49	30	14	3
	Vagina and vulva	55	—	—	—	2	1	3	4	5	6	7	9	9	7	1	1
	Breast	621	—	—	—	11	28	48	84	91	74	81	63	68	37	22	14
	Skin	73	—	1	—	3	3	—	1	5	2	7	17	11	13	6	4
43	Larynx	21	—	—	—	2	4	3	3	1	2	2	1	2	1	—	—
	Lung and pleura...	39	—	—	3	3	3	1	5	11	6	2	—	4	1	—	—
	Pancreas	96	—	—	2	5	4	1	11	3	16	18	11	15	5	3	2
	Kidneys and suprarenal glands...	35	6	5	—	3	—	2	4	6	4	—	4	—	1	—	—
44	Bladder	46	1	—	—	1	—	2	5	6	6	5	5	6	7	1	1
	Brain	31	2	3	4	4	4	2	3	2	4	1	1	1	—	—	—
	Bones (jaw excepted)	46	2	3	7	3	2	4	7	3	4	2	5	3	—	1	—
	Other specified organs	74	2	1	4	7	7	6	7	9	5	6	9	6	3	2	—
45	Abdominal cavity, organ un-	34	2	1	—	1	2	3	5	4	4	6	3	2	1	—	—
	specified.																
	Other and undefined	52	3	1	1	3	3	—	5	7	9	2	7	4	5	—	2
																	

out of its seven headings (Nos. 39-45) relating to cancer being subdivided according to a scheme approved by the Director of the Cancer Research Fund, at whose request also deaths occurring in institutions are separately tabulated.

A few of the most important sites only have been selected for incorporation in Table LXXVII., which shows the rates of mortality at different ages from cancer of certain organs, and in Tables LXXVIII. and LXXIX., which compare the returns of deaths in private houses with those occurring in institutions. The age distributions shown in Table LXXVII. agree very closely indeed with those shown graphically for the same sites in the Report for 1909 (Diagram XIV., page lxxxviii.). The latter contain less

TABLE LXXVII.—ENGLAND AND WALES, 1912.—MORTALITY PER MILLION LIVING AT SEVERAL AGES FROM CANCER OF VARIOUS PARTS OF THE BODY.

Part of Body affected.		All Ages.	0—	25—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—
Tongue ...	M.	53	—	1	10	38	102	160	261	361	369	433	394	349	217
	F.	4	—	0	6	3	5	7	12	18	27	22	38	56	72
Œsophagus	M.	68	0	2	2	43	111	219	369	467	487	545	634	384	260
	F.	19	0	3	12	22	35	44	63	83	87	124	162	247	119
Stomach ...	M.	193	1	17	65	152	261	451	763	1,259	1,621	2,013	1,794	1,695	1,257
	F.	163	0	12	55	94	212	365	551	828	1,209	1,484	1,718	1,303	1,145
Liver & gall bladder.	M.	97	1	3	29	41	122	195	392	624	867	1,040	1,268	1,083	564
	F.	133	1	9	24	67	145	282	461	744	1,004	1,245	1,383	1,213	1,050
Intestines	M.	95	2	9	37	57	114	192	326	586	867	1,032	1,144	909	997
	F.	121	1	10	39	77	138	255	411	561	809	1,186	1,248	1,505	1,456
Rectum ..	M.	93	1	9	22	53	102	217	340	557	706	1,090	1,260	1,083	997
	F.	66	1	12	26	42	82	140	242	301	438	619	632	618	525
Uterus ...	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	205	1	33	161	321	540	713	858	904	867	878	940	775	453
Breast ...	M.	1	—	—	—	—	1	—	8	4	19	4	8	52	—
	F.	197	0	21	125	262	446	584	688	849	843	1,288	1,469	1,696	2,195
Skin ...	M.	32	0	4	9	19	30	42	107	118	221	316	534	1,188	1,431
	F.	19	0	3	6	9	10	21	24	49	107	184	362	528	931

TABLE LXXVIII.—ENGLAND AND WALES, 1912.—SITES OF FATAL CANCER: PERCENTAGE of DEATHS at VARIOUS AGES to TOTAL DEATHS from CANCER at the same AGES.

	0—		25—		35—		45—		55—		65—		75—		85—		All Ages.	
	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.
MALES.																		
Tongue...	—	—	—	1.2	6.1	4.7	9.8	6.3	9.9	5.4	8.0	4.1	6.8	3.4	4.9	2.0	8.3	4.7
Œsophagus	0.8	0.7	0.8	2.4	6.4	3.7	10.9	8.6	10.0	8.8	8.4	5.9	4.9	6.1	2.4	3.4	8.6	7.0
Stomach	3.4	2.0	19.7	13.4	22.9	24.6	18.5	21.8	18.3	23.4	18.6	24.1	16.9	18.9	4.9	18.1	18.3	22.4
Liver and gall bladder.	3.4	4.8	3.0	3.7	5.9	9.2	6.1	11.0	5.9	13.3	6.5	13.8	8.3	13.8	4.9	7.4	6.1	12.6
Intestines	4.2	6.1	9.8	7.9	10.6	10.4	10.2	8.1	11.1	9.2	12.4	11.8	7.7	12.1	7.3	13.4	10.7	10.3
Rectum...	2.5	5.4	9.8	8.5	6.6	9.4	8.4	9.5	9.8	9.7	10.8	11.0	9.2	13.5	4.9	14.1	9.2	10.5
Skin	—	2.7	5.3	2.4	2.4	3.7	2.4	1.9	3.0	2.3	4.8	2.8	11.4	6.9	29.3	14.1	4.0	3.2
Other organs	85.7	78.3	51.6	60.5	39.1	34.3	33.7	32.8	32.0	27.9	30.5	26.5	34.8	25.3	41.4	27.5	34.8	29.3
All sites	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
FEMALES.																		
Œsophagus	1.2	—	1.2	2.9	2.1	2.1	1.0	1.9	1.5	1.6	1.2	1.5	0.7	2.2	—	1.4	1.3	1.8
Stomach	2.4	0.7	12.3	5.8	8.5	9.5	11.4	12.0	12.5	15.7	11.5	19.7	9.8	17.7	6.0	12.8	11.0	15.4
Liver and gall bladder.	2.4	7.1	4.3	7.1	4.3	6.0	5.9	9.6	9.0	14.1	8.6	16.6	10.5	14.5	16.0	10.3	7.4	13.0
Intestines	3.6	2.1	8.0	6.5	14.1	4.7	11.5	7.1	14.4	9.8	15.5	13.6	10.2	14.6	14.0	15.4	13.0	10.4
Rectum...	4.8	2.9	11.7	5.8	4.9	4.0	6.9	3.9	9.0	5.3	10.1	6.6	6.7	6.7	6.0	5.4	8.0	5.4
Uterus	6.0	2.1	17.2	25.3	33.1	28.6	27.1	25.8	20.0	19.5	15.5	11.6	15.4	8.7	6.0	4.6	21.7	17.6
Breast	—	0.7	6.7	17.9	14.3	27.3	17.1	22.8	14.8	17.5	15.8	14.1	20.7	15.8	28.0	22.2	15.5	18.2
Skin	1.2	1.4	1.8	1.9	0.6	1.0	0.6	0.6	0.9	0.8	3.4	1.7	6.7	4.1	8.0	10.0	1.8	1.7
Other organs	78.4	83.0	36.8	26.8	18.1	16.8	18.5	16.3	17.9	15.7	18.4	15.2	19.3	15.7	16.0	17.9	20.3	16.5
All sites	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

detail as to age, but refer to the accumulated experience of nine years. Even so small a point as the later maximum of mortality from cancer of the œsophagus and stomach in the female sex in Table LXXVII. is clearly shown in this diagram. It is evident,

therefore, that these peculiarities of age distribution are of significance, though their explanation may not always be apparent at present. The maximum mortality from uterine cancer does not as a rule occur so late in life as it did in 1912.

TABLE LXXIX.—ENGLAND AND WALES, 1912.—SITES OF FATAL CANCER :
PERCENTAGE OF DEATHS AT VARIOUS AGES TO DEATHS FROM CANCER OF THE
SAME SITE AT ALL AGES.

				0—	25—	35—	45—	55—	65—	75—	85—	All Ages.
				MALES.								
Tongue	{ Instn. Private	— —	— 0·4	6·5 5·5	26·3 21·8	37·9 34·6	23·3 27·9	5·5 9·2	0·5 0·6	100·0 100·0
Esophagus	{ Instn. Private	0·2 0·1	0·2 0·5	6·5 2·9	28·2 19·9	37·2 37·9	23·6 27·0	3·9 11·1	0·2 0·6	100·0 100·0
Stomach	{ Instn. Private	0·5 0·1	3·0 0·9	11·0 6·0	22·5 15·7	31·9 31·3	24·6 34·1	6·3 10·8	0·2 1·1	100·0 100·0
Liver and gall bladder			{ Instn. Private	1·4 0·5	1·4 0·4	8·5 4·0	22·2 14·1	30·7 31·7	25·9 34·6	9·2 13·9	0·7 0·8	100·0 100·0
Intestines	{ Instn. Private	1·0 0·8	2·5 1·1	8·8 5·5	21·2 12·6	33·0 26·9	28·0 36·4	4·9 15·0	0·6 1·7	100·0 100·0
Rectum	{ Instn. Private	0·7 0·7	2·9 1·2	6·3 4·8	20·4 14·6	33·9 27·5	28·5 33·1	6·8 16·3	0·5 1·8	100·0 100·0
Skin	{ Instn. Private	— 1·1	3·6 1·1	5·2 6·3	13·4 9·6	23·7 21·0	28·8 27·9	19·1 27·3	6·2 5·7	100·0 100·0
Other organs	{ Instn. Private	6·1 3·4	4·1 3·0	9·9 6·3	21·6 18·0	29·4 28·6	21·2 28·5	6·7 11·0	1·0 1·2	100·0 100·0
All sites	{ Instn. Private	2·5 1·3	2·7 1·4	8·8 5·4	22·3 16·1	31·8 30·0	24·2 31·8	6·8 12·7	0·9 1·3	100·0 100·0
				FEMALES.								
Esophagus	{ Instn. Private	1·9 —	3·8 3·0	21·2 10·3	19·2 21·0	30·9 24·3	19·2 23·0	3·8 16·7	— 1·7	100·0 100·0
Stomach	{ Instn. Private	0·5 0·0	4·5 0·7	10·2 5·3	26·4 15·4	29·7 26·5	21·6 35·0	6·4 15·4	0·7 1·7	100·0 100·0
Liver and gall bladder			{ Instn. Private	0·7 0·4	2·4 1·0	7·8 4·0	20·3 14·7	31·8 28·3	24·1 35·0	10·2 15·0	2·7 1·6	100·0 100·0
Intestines	{ Instn. Private	0·6 0·2	2·5 1·1	14·4 3·9	22·4 13·5	28·7 24·7	24·5 34·7	5·6 18·9	1·3 3·0	100·0 100·0
Rectum	{ Instn. Private	1·3 0·4	6·0 1·9	8·2 6·3	21·9 14·1	29·4 25·5	26·3 33·4	6·0 16·4	0·9 2·0	100·0 100·0
Uterus	{ Instn. Private	0·6 0·1	3·2 2·6	20·2 14·0	31·9 29·2	24·0 29·0	14·7 18·0	5·1 6·6	0·3 0·5	100·0 100·0
Breast	{ Instn. Private	— 0·0	1·8 1·8	12·2 12·9	28·1 24·8	25·0 25·1	21·1 21·2	9·5 11·7	2·3 2·5	100·0 100·0
Skin	{ Instn. Private	1·4 0·7	4·1 2·1	4·1 5·2	8·2 7·6	12·3 11·8	38·4 27·4	26·0 33·0	5·5 12·2	100·0 100·0
Other organs	{ Instn. Private	8·1 4·1	7·4 2·9	11·8 8·7	23·2 19·4	22·9 24·8	18·8 25·2	6·8 12·7	1·0 2·2	100·0 100·0
All sites	{ Instn. Private	2·1 0·8	4·1 1·8	13·3 8·6	25·5 19·8	26·0 26·1	20·7 27·5	7·1 13·4	1·2 2·0	100·0 100·0

Just under a quarter of the cancer deaths of the year occurred in institutions, 30 per cent. in the case of males and 19 per cent. in that of females. The object of the separate tabulation of institutional deaths in Tables LXXV., LXXVI., LXXVIII., and LXXIX. is to compare the experience of institutions, where presumably the details of the cause of death have as a rule been confirmed by post-mortem examination, with the certification of other deaths from cancer in the case of which such facilities are as a rule lacking. The various classes of institutions contributed the following proportions to the total institutional deaths dealt with in Tables LXXV. and LXXVI. (see pages 312 and 313)—poor law institutions 52 per cent., lunatic asylums 4 per cent., and hospitals and nursing homes 44 per cent. The proportion of poor law to hospital deaths was considerably higher in London and the county boroughs than in the smaller towns and rural districts. It was highest in the case of cancer of the buccal cavity and of the skin (Table LXXX.) whereas the proportion occurring in hospitals was highest for cancer of the peritoneum, intestines and rectum, and of the rarer sites as a whole. This experience exactly confirms that of 1911, and as pointed out in the Report for that year may be due to (1) greater severity of the operations for cancer of certain sites, leading to deaths in hospital, or (2) greater relative frequency of cancer of certain sites amongst that section of the population which furnishes the deaths in poor-law institutions. Both of these factors so far as operative must tend to a different distribution of cancer amongst persons dying in and outside institutions.

TABLE LXXX.—ENGLAND AND WALES, 1912.—PERCENTAGE OF TOTAL DEATHS FROM CANCER OF VARIOUS SITES OCCURRING IN VARIOUS CLASSES OF INSTITUTIONS.

Site of Cancer, and International List Number.	Occurring in Poor law Institutions.	Occurring in Hospitals.	Occurring in Other Institutions.
Buccal cavity (39)	26	9	1
Stomach, liver, &c. (40)	11	8	1
Peritoneum intestines and rectum (41)	10	15	1
Female genital organs (42)	13	9	1
Breast (43)	9	6	1
Skin (44)	23	5	1
Other or unspecified (45)	12	14	2
All Sites	12	10	1

A third reason for divergence between the returns from institutional and private practice lies in the fact that the average age at death is lower in institutions than elsewhere. Table LXXIX. shows that the maximum number of deaths from cancer of most sites occurs at 55–65 in institutional, and at 65–75 in private practice. This may be due to the fact that it is easier to keep at home during their fatal illness persons too old to contribute to the support or care of a family than those whose incapacity involves the breaking up of the home. If so the comparative frequency in institutions of deaths at the earlier ages may be compared with their greater share in the mortality of males than of females.

In view of these and probably other reasons for divergence between the distribution of institutional and other deaths the differences brought out in Table LXXVIII. are on the whole not very striking. Cancer of the liver is much less frequently returned in institutional practice, and this undoubtedly implies that increased facilities for diagnosis have brought about better certification, as primary disease of the liver is rare. The site of commonest occurrence was the same for males at all ages between 25 and 85 both in institutions and elsewhere, namely, the stomach. Amongst females the uterus comes first at all ages from 25 to 65 in both classes of practice. After 65 cancer of the breast caused most deaths in institutions as it did also in private practice in extreme age, the stomach coming first in this case from 65 to 85. From 25 to 55 the comparative frequency of cancer of the female breast was much less in institutions than elsewhere, whereas after 65 it was rather greater. Table LXXIX., however, shows that the proportion of early to total deaths from cancer of the breast is almost exactly the same in institutional and in private practice. But for most other cancers, and particularly for cancers of the digestive system, a much larger proportion of the total deaths occurs at the earlier ages in institutions than elsewhere. As the institutional deaths of women from cancer in general occur earlier in life than the average of all cancer deaths while there is no corresponding preponderance of early mortality in institutions in the case of breast cancer, it follows that early institutional deaths from breast cancer are infrequent compared with

institutional cancer experience in general, though not compared with breast cancer experience in general. All these statements apply equally well, except in a few trivial details, to the returns for 1911 as for 1912.

46. **Other Tumours (situation undefined)** :—This title includes only tumours not ascertained to be malignant, and of which the situation either cannot be ascertained or is of a general or ill-defined nature. Other benign tumours are classified under the organ affected.

The total number of persons returned as dying from ill-defined tumours is so small—71 males and 75 females—that there is no possibility of any appreciable shortage in the cancer figures from the improper return under this heading of deaths from malignant disease.

These deaths have been tabulated according to the nature of the tumour, but as the numbers are so small full details will be published only when the accumulated experience of several years can be tabulated together. In the male sex 45 of the 71 deaths were returned as due to tumour of the mediastinum, and 2 others to thoracic tumour ; while 34 deaths of females were attributed to tumour of the abdomen or pelvis and 19 to mediastinal tumour.

TABLE LXXXI.—ENGLAND AND WALES, 1912.—DEATHS FROM TUMOURS NOT RETURNED AS MALIGNANT WHICH HAVE BEEN CLASSED TO DISEASE OF THE PART OF THE BODY AFFECTED.

Part affected.	All Ages.		0—		15—		35—		45—		55—		65—		75—	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
TUMOURS OF BENIGN NATURE.																
Spinal cord, fibroma ...	1	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—
Nose, polypus ...	6	6	—	1	2	1	2	1	1	—	1	1	—	1	—	1
Larynx ...	5	2	4	1	—	—	—	—	—	—	—	1	1	—	—	—
Thyroid, adenoma ...	—	4	—	1	—	1	—	—	—	—	—	1	—	1	—	—
„ cystic ...	4	5	1	—	2	1	—	—	—	—	—	1	—	1	1	2
„ (other benign)	—	2	—	—	—	—	—	—	1	—	—	—	—	1	—	—
Lung ...	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Intestine ...	4	8	—	—	2	1	—	1	—	3	—	1	1	—	1	2
Liver ...	2	3	—	1	—	2	—	—	—	2	—	—	—	—	—	—
Pancreas, adenoma ...	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
„ cyst ...	3	6	2	—	—	1	—	1	—	3	—	1	1	—	—	—
Kidney ...	2	5	—	—	—	—	—	2	1	1	—	1	1	—	—	1
Bladder, villous or papil- omatous.	71	14	—	1	—	—	7	2	7	1	15	3	30	4	12	3
Bladder, myxoma ...	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
„ (other benign)	2	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—
Prostate, adenoma ...	31	—	—	—	—	—	—	—	—	—	8	—	14	—	9	—
„ (other benign)	4	—	—	—	—	—	—	—	—	—	—	—	1	—	3	—
Broad ligament, cyst ...	—	5	—	—	—	3	—	2	—	—	—	—	—	—	—	—
„ „ fibro- myoma.	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Other sites ...	11	11	2	2	3	1	—	2	3	1	1	1	2	2	—	2
All sites ...	148	74	9	8	10	12	9	12	12	10	29	11	52	10	27	11
TUMOURS OF UNKNOWN NATURE.																
Spinal cord ...	4	3	—	—	1	1	—	—	2	1	—	—	1	1	—	—
Nose ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Larynx ...	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Thyroid ...	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Lung ...	10	4	—	—	3	—	3	—	3	—	—	1	—	2	1	1
Intestine...	7	11	—	—	—	1	—	—	2	—	1	1	3	7	1	2
Liver ...	7	7	—	—	—	1	—	—	1	1	2	1	1	2	3	2
Pancreas...	3	4	—	—	—	—	—	—	1	2	1	—	1	1	—	1
Kidney ...	—	3	—	—	—	—	—	—	—	—	—	1	—	1	—	1
Bladder ...	9	4	—	—	—	—	—	2	3	—	—	—	5	1	1	1
Prostate ...	4	—	—	—	—	—	—	—	—	—	1	—	2	—	1	—
Broad ligament...	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Other sites ...	8	8	1	1	1	2	1	—	3	1	1	1	—	2	1	1
All sites ...	52	48	1	1	5	7	4	3	15	5	6	6	13	17	8	9

In addition to the 146 deaths assigned to this heading and to the 772 deaths from cerebral tumour (74 C.) and 614 deaths from tumours of the female genital organs (129 and 131) there were 322 deaths from tumours of other parts of the body which under the international scheme of classification have been referred to the titles relating to the organs in question. Thus of the 200 deaths of males so dealt with 82 were attributed to tumour of the bladder, and are included amongst the 997 deaths of males referred to title No. 124 (page 210). Particulars of some only of these tumours are given in the preceding table, the remainder being reserved for future statement along with the accumulated results of subsequent years.

It will be seen that the possibilities of addition to the cancer death-rate from this source are very limited, as the inclusion of the whole 100 deaths from tumour of unascertained nature would leave it practically unaffected.

The completeness of the cancer returns can be further checked by the details of deaths referred to titles 74 C., 129, and 131, which may conveniently be dealt with here in order to complete the list of non-malignant tumours.

The 772 deaths from cerebral tumour (74 C.) include 397 of males and 375 of females. In 614 of these cases the nature of the growth was not ascertained, in 127 cases it was returned as glioma, and in the remaining 31 in various other ways. It must be borne in mind that neither cancerous, syphilitic, nor tuberculous growths are included under this title. The numbers of syphilitic and tuberculous growths can however be stated for 1912 from the tabulation of deaths by secondary causes. They were:—Syphilitic growths 43 males and 22 females (page 608); tuberculous growths 50 males and 40 females. Cancer of the brain is shown in Tables LXXV. and LXXVI. to have been returned as the cause of death of 100 males and 61 females. These additions bring up the grand total of deaths from cerebral tumour to 1,088—590 males and 498 females.

The 326 deaths referred to uterine tumour (129) include 304 from fibroid, fibromyoma, myoma, &c. and 18 of which the nature could not be ascertained.

The 288 deaths from ovarian tumour include 177 from "ovarian cyst" and 24 from tumours of a cystic nature otherwise described. In the case of 72 others the nature of the tumour was not stated. From these particulars it is possible to form some idea of the extent to which the returns of malignant disease may be understated by failure to record the malignant nature of growths whose existence has been recognized. Even if all growths the nature of which is unstated were assumed to be malignant the mortality ascribed to cancer would not be greatly increased.

47. Rheumatic Fever.—The deaths allocated to this cause in 1912 numbered 1,969, representing a mortality of 54 per million living. Separate tabulation of these deaths was commenced in 1901, since when the mortality has fluctuated between 67 (in 1901) and 47 (in 1910) per million living. From 1881 to 1901 a number of deaths now assigned to cardiac valvular disease were returned, as "rheumatism of the heart," along with rheumatic fever, and previous to 1881 other changes had been made which render it impossible to compare with any precision the relative frequency of this form of return at different periods.

From 1881 to the end of last century the mortality ascribed to "rheumatic fever, rheumatism of heart" showed a slight decline, the death-rates varying from 74 to 107 deaths per million living. On the whole, while the difficulties of comparison do not permit of any definite statement, the evidence points to some diminution in recent years in the frequency with which this disease is returned as the cause of death.

Comparing mortality in town and country, no very striking differences are met with, but in the two years for which the comparison can be made, the county boroughs have suffered the highest mortality, followed in order by the smaller towns, London, and the rural districts. The following are the figures, in the form of death-rates per million living:—

	1911.	1912.
London	52	49
County boroughs	60	59
Other urban districts	56	54
Rural districts	45	49

Hospital statistics in London appear to show that the disease is most prevalent in the autumn, but the seasonal mortality returns of 1912 (pages 296, 297) show no evidence of this. They do show that in this particular year, at least, the mortality in London, as in the country at large, was appreciably lower in the two summer than in the two winter quarters. Thus the proportion of the year's deaths registered in its second and third

quarters was 43 per cent. in London, and 44, 50 and 38 per cent. in the county boroughs, smaller towns, and rural districts, respectively.

Rheumatic fever is a disease especially fatal to childhood; the largest number of deaths at any age-period for both sexes occurred at 10–15. Forty-five per cent. of the total deaths were of persons under 20 years of age, the remainder being widely spread over the adult ages. There were more deaths of females than of males at most ages.

48c. **Gout.**—The number of deaths assigned to gout in 1912 was 354, 276 of the deceased being males and 78 females. These deaths represent a mortality only about half that returned 20 years ago. For many years up to about 1895 the annual mortality is recorded as about 20 per million living, whereas from 1853 to 1868 it varied from 12 to 18 and in 1912 it was 10 only. The ratio of male to female deaths, about 4 to 1, has remained almost constant, and the age distribution, showing the maximum number of deaths at the age-period 65–75 in both sexes, not less so.

The relation of mortality to urban or rural conditions of life is a curious one. The mortality in London in 1912 was 15 per million living, and 8, 9 and 10 per million in the county boroughs, smaller towns, and rural districts, respectively. In 1911 the distribution of mortality between these populations was much the same, the order being as in 1912, London, rural districts, smaller towns, county boroughs. For many years London has furnished 20–25 per cent. of the total deaths from gout in the whole country, though its population has been only about one-seventh of the whole. This is the more remarkable in view of the absence in 1911 and 1912 of any tendency to higher mortality in the cities outside London. Possibly the disease is more fatal in the South of England than in the North; such points as this can only be effectively tested when it becomes possible to assemble the facts for several years for the purpose of examining the various questions which arise in greater detail than can profitably be employed with regard to the facts of a single year.

Few deaths from gout are returned from hospitals, only 6 in 1912 as against 37 from poor-law institutions and 311 by private practitioners (page 313). In view of these figures the higher mortality in London can scarcely be explained as a consequence of greater facilities for accurate diagnosis.

In all classes of area the mortality was lowest in the third quarter of the year and generally highest in the first (pages 296, 297.)

56. **Alcoholism.**—This heading differs from the “alcoholism, delirium tremens,” of the list in use prior to 1911 in that, in accordance with international practice, it excludes organic disease attributed to alcoholism. Thus alcoholic cirrhosis of the liver, formerly referred to alcoholism, is now tabulated with other deaths from the same disease which are not stated to have been of alcoholic origin. As may be seen from page 208 the latter form the immense majority of the returns under this head. As most cases of the disease are generally considered to be of alcoholic origin it may be assumed that the omission to state the fact in certification should not be taken as an indication that any given case is considered not to be of this nature. It is therefore preferable that alcoholic cirrhosis should be grouped with other deaths from that disease, the returns of which are probably made fairly complete by its inclusion, rather than with those from alcoholism, the returns of which cannot possibly be made even approximately complete.

The effect of the change may be gathered from comparison of the number of deaths (547) from alcoholism in the new list on page 196 with that (1,650) referred to the same heading in the old list in Table 19. Table 20 shows that there has been a very rapid decline in the mortality attributed to this cause in recent years, the death-rate, which reached 113 per million living so recently as 1900, now standing at 45 only. There is undoubtedly great reluctance in many cases to certify this cause of death, and it may be that this reluctance is increasing. It is also possible that the names alone of diseases commonly arising from intemperance may be left more frequently now than in former years to convey the story of their causation even where there is no incentive to suppress the facts. In the absence, however, of reason for making such assumptions, the returns, while they cannot be regarded as at all reliable, certainly suggest a very satisfactory fall in mortality from this cause.

In order that the change in classification referred to above might not lessen the information afforded with regard to mortality from over indulgence in alcohol, all the death certificates in which any mention of alcohol appears (other than those referred to alcohol itself) have been assembled in Table LXXXII.

It will be seen that these deaths, added to those referred primarily to alcohol, make up a total of 1,894, or only 244 in excess of the 1,650 referable to the old heading.

The difference is partly accounted for by causes of death formerly selected in preference to alcoholism when recorded in conjunction with it. As it is comparatively small, the numbers in Table 19 may be regarded as forming a fairly complete statement of the deaths certified to have been in any way dependent upon intemperance.

TABLE LXXXII.—ENGLAND AND WALES, 1912.—DEATHS of which ALCOHOLISM was RECORDED as a SECONDARY CAUSE.

				All Ages.		Under 25.		25—	35—	45—	55—	65—	75—
				M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
10.	Influenza	6	2	1	—	—	3	1	1	—	—
18.	Erysipelas	3	1	—	—	—	1	1	—	—	—
20B.	Septicæmia	4	1	—	—	1	1	—	2	—	—
28, 29.	Phthisis	17	9	—	—	3	3	2	6	3	5
30-35.	Other forms of tubercle	1	1	—	—	—	1	—	1	—	—
37.	Syphilis	4	1	—	—	1	1	—	2	—	—
47.	Rheumatic fever	4	2	—	—	—	2	1	2	1	—
	Other general diseases	7	4	—	—	3	1	1	1	—	2
60.	Encephalitis	4	1	—	—	1	1	1	1	—	—
61C.	Meningitis	6	3	—	—	1	—	3	1	—	1
63.	Other diseases of the spinal cord	1	6	—	—	1	—	1	1	—	2
64.	Cerebral hæmorrhage, apoplexy	32	51	—	—	1	2	11	10	12	25
67.	General paralysis of the insane	5	3	—	—	1	—	—	1	1	1
	General paralysis (not of insane)	4	7	—	—	—	1	—	3	1	—
69.	Epilepsy	20	7	—	—	3	3	5	2	6	—
73B.	Neuritis	24	59	—	—	3	5	5	19	9	23
	Other nervous diseases	6	9	—	—	1	1	2	4	4	1
79A.	Valvular disease of the heart	14	3	1	—	2	—	—	4	1	6
79B.	Fatty degeneration of the heart	26	31	—	—	2	10	11	6	12	8
79C.	Other organic disease of the heart	53	43	—	—	5	2	13	8	16	16
81B.	Arterial sclerosis	6	1	—	—	—	1	—	3	1	—
	Other diseases of circulatory system	6	6	—	—	1	—	2	1	2	3
89, 90.	Bronchitis	17	12	—	—	1	3	1	4	9	4
92A.	Lobar pneumonia	121	24	—	—	14	2	38	6	40	10
	Other diseases of respiratory system	23	8	—	—	1	1	8	—	9	3
103A.	Inflammation of stomach	22	9	—	—	1	1	6	3	9	2
103B.	Other diseases of stomach	6	3	—	—	—	—	1	2	1	3
104, 105.	Diarrhoea and enteritis	11	5	—	—	1	2	1	1	4	1
113.	Cirrhosis of liver	145	135	—	—	1	3	8	31	44	48
	Other diseases of digestive system	8	4	—	—	2	2	2	—	1	1
120.	Bright's disease	43	35	—	—	4	3	10	7	18	17
128-133.	Diseases of female genital organs	—	5	—	—	—	—	—	2	—	3
134-136.	Pregnancy and childbirth	—	2	—	—	—	1	—	—	—	—
142.	Gangrene	2	1	—	—	—	—	—	1	1	—
145.	Diseases of integumentary system	—	3	—	—	—	—	—	—	1	—
155-186.	Violence	153	46	4	—	22	3	36	16	53	16
Total				804	543	6	1	73	48	198	144	272	193

The contents of the table are on the whole very much what might have been expected from the general medical experience of the connexion of intemperance with disease. The comparative infrequency of the mention of alcoholism upon certificates of death from phthisis may be noted. The frequency of such secondary mention in the case of deaths from disease in general was .25 per cent., but in that of deaths from phthisis only .07 per cent.

Poliomyelitis—Deaths from poliomyelitis and polioencephalitis are included under title 63, "other diseases of the spinal cord," unless it is apparent that the brain alone is affected, when they are listed to No. 74 D. So much interest, however, attaches to this disease at the present time that it seems desirable to state its mortality separately.

Including the encephalic form the total number of deaths registered was 180, with sex- and age-distribution as follows :—

		All Ages.	0—	1—	2—	3—	4—	5—	10—	15—	20—	25—	35—	45—	55—	65—
Males	...	100	16	22	10	8	10	10	6	7	2	2	2	4	—	1
Females	...	80	12	14	6	4	5	14	9	2	3	7	1	2	1	—

The proportion of deaths occurring under five years of age was 59 per cent., and under 20 years 86 per cent.

Included in the above deaths are 9 from polioencephalitis (in no case distinguished as “superior” or “inferior”) and four from polioencephalomyelitis, with sex- and age-distribution as follows :—

—			All Ages.	0—	5—	10—
Polioencephalitis.	{ Males 6	4	—	2
			{ Females 3	2	—	1
Polioencephalomyelitis	{ Males 2	2	—	—
			{ Females 2	2	—	—

91 and 92. **Pneumonia.**—The deaths assigned to pneumonia in its various forms numbered 37,348,—21,345 being deaths of males and 16,003 of females. Included in this total are 17,373 deaths from broncho-pneumonia, 7,943 from lobar pneumonia, and 12,032 from pneumonia of undefined type. These numbers show an increase upon those of 1911 under each of the defined headings, together with a decrease under the undefined heading which more than counterbalances them. Table 19 shows that from 1901, when the different forms were first distinguished, onwards, deaths returned as due to lobar pneumonia have been increasing, with decrease under pneumonia (undefined), and minor changes only in mortality attributed to broncho-pneumonia. In addition to these deaths, which are shown on page 204 as those in the case of which pneumonia was either the only cause returned or was selected as the primary cause where more than one was mentioned, pneumonia was mentioned as a contributory cause of 630 of the deaths returned under tuberculosis (page 603), of 110 of those under rickets (page 604), and of four of those under other forms of bone softening (page 605). Little importance can be attached to the number relating to tuberculosis, since in all probability the mention of pneumonia in these cases merely indicates, as a rule, the form assumed by the tuberculous infection and does not therefore imply the existence of a secondary cause of death ; but the 110 deaths from rickets complicated by pneumonia (which was described as broncho-pneumonia in 89 cases, as lobar pneumonia in three, and as “pneumonia” not otherwise defined in 18 cases) require to be added to those listed to pneumonia in stating its total mortality. When a rickety child dies of broncho-pneumonia it is probably more or less a matter of chance whether rickets is mentioned on the certificate or not, but if it is the rules for selection classify the death to rickets (Manual of Causes of Death, page xxxiv.) and not to the immediately fatal disease. It is therefore of importance to have a record of the approximate annual number of deaths which the operation of the rule in question diverts from the pneumonia heading to that of rickets. Of course if the rule assigned such deaths to pneumonia, transfer would have to be made in the other direction in dealing with the mortality of rickets, since the probability in such cases is that the pneumonia is largely a consequence of the rickets, so that rickets may be said to have caused the death through the immediate agency of pneumonia. In all such cases double classification seems to be the only satisfactory solution of the difficulty.

The death-rate from pneumonia of all forms (as primary cause of death) amounted to 1,019 per million living. Including 231 deaths from hypostatic pneumonia, formerly classed to this head, the death-rate was 1,025 per million, the lowest recorded since 1889.

As standardizing for sex- and age-constitution causes no very material modification of this rate the following table of crude death-rates may be accepted as giving a fair indication of the distribution throughout the country of the total mortality from pneumonia. Apart from London, where it is fairly high, the mortality steadily decreases from north to south in all classes of area and in both sexes, the position of Wales being intermediate between the North and the Midlands. The range of mortality is extreme, being almost four times as great for males in the county boroughs of the North as for females in the rural districts of the South, and three times as great when males alone are compared. Even when comparison is restricted to the same class of area in each case the mortality of the North is in no instance very much less than twice that of the South. No doubt this depends to some extent upon industrial conditions, but these can scarcely explain the great difference between the North and the Midlands. Evidently pneumonia is to a large extent a preventable disease, and the North of England has still much to learn with regard to its prevention.

The table shows pneumonia to be largely a disease of town life, as in all parts of the country mortality increases with urbanization, though the county boroughs of the south suffer less than the rural districts of the north. Standardization to some

extent accentuates these differences, slightly increasing the urban and decreasing the rural mortality.

TABLE LXXXIII.—PNEUMONIA (ALL FORMS), 1912.—CRUDE DEATH-RATES per MILLION POPULATION.

—				North.	Midlands.	South.	Wales.	England and Wales.
London	{	Males ...	—	—	1,456	—	1,456	
		Females	—	—	984	—	984	
		Persons...	—	—	1,205	—	1,205	
County Boroughs	{	Males ...	1,814	1,321	913	1,453	1,547	
		Females	1,197	935	601	1,086	1,042	
		Persons...	1,493	1,119	746	1,271	1,283	
Other Urban Districts	{	Males ...	1,323	936	727	1,372	1,075	
		Females	930	653	542	1,109	767	
		Persons...	1,121	788	629	1,244	916	
Rural Districts	{	Males ...	1,063	763	624	964	813	
		Females	752	578	488	780	612	
		Persons...	909	671	555	873	713	
All areas	{	Males ...	1,526	1,002	1,043	1,253	1,205	
		Females	1,040	720	733	993	845	
		Persons...	1,276	866	880	1,126	1,019	

Mortality from pneumonia is definitely influenced by season, being highest in winter and lowest in summer. This is shown in the following table to apply to both forms of the disease, though the variation was greater in the case of broncho- than of lobar pneumonia.

TABLE LXXXIV.—ENGLAND AND WALES, 1911 and 1912.—MORTALITY FROM PNEUMONIA IN EACH QUARTER PER CENT. OF TOTAL ANNUAL MORTALITY.

—	1911.				1912.			
	Broncho-Pneumonia.	Lobar Pneumonia.	Pneumonia not otherwise defined.	Pneumonia (all forms).	Broncho-Pneumonia.	Lobar Pneumonia.	Pneumonia not otherwise defined.	Pneumonia (all forms).
First Quarter ...	38	29	33	35	38	29	35	35
Second „ ...	23	28	26	25	22	28	25	24
Third „ ...	12	16	16	14	13	17	15	15
Fourth „ ...	27	27	25	26	27	26	25	26
Year ...	100	100	100	100	100	100	100	100

The uniformity of seasonal distribution in the two years available for examination is very striking. In the first or winter quarter the mortality from broncho-pneumonia was almost three times as great as in the third or summer quarter, but in the case of lobar pneumonia the excess was only about 75 per cent. This difference in seasonal distribution, if it proves to be a fairly constant feature from year to year, will furnish an additional test of the probable composition of the undefined group of cases. Reasons were given in the Report for 1910 for believing that this contains more lobar than broncho-pneumonia, but in regard to seasonal distribution in 1911 and 1912, at all events, it conforms very closely indeed to the average for pneumonia in general, suggesting that it may be made up of the two forms in much the same proportion as these bear to each other amongst the defined returns. Fortunately the question is one of continuously decreasing importance, owing to the steady growth in precision of certification.

134-141. **The Puerperal State.**—The number of deaths assigned to pregnancy or childbirth was 3,473 (Table LXXXV.), corresponding to a rate of 3·98 per 1,000 births. It will be seen from Table 19 that this number is 174 in excess of that assignable to these causes of death under the classification in use up to 1910 (*see* Manual of Causes of Death, pages xxvi. and xxx.). Deducting these 174 deaths, the mortality amounted to 3·78 per

1,000 births, as against an average rate of 3·90 in the ten years immediately preceding. Inclusion of the 848 deaths in Table LXXXVI. raises the proportion to 4·95 deaths stated to have been caused by or associated with the puerperal state in its widest sense (*i.e.*, including pregnancy as well as childbirth) for every 1,000 births.

The mortality amongst women aged 15–45 years from all the causes included in Tables LXXXV. and LXXXVI. was 473 per million living, against 480 per million in 1911.

Table LXXXV. gives particulars of the deaths assigned to the puerperal state, and in the case of the headings “other accidents of pregnancy,” “other accidents of childbirth,” and “puerperal fever” amplifies the information on pages 212 and 213 by giving details of the causes comprised by those titles.

Table LXXXVI. shows the causes of deaths stated to have been complicated by the existence of the puerperal state. Heart disease was much the commonest of these, and after it pneumonia and tuberculosis.

TABLE LXXXV.—ENGLAND and WALES, 1912.—DEATHS of WOMEN CLASSED to PREGNANCY and CHILDBEARING.

Cause of Death.	All Ages.	Ages.						
		15—	20—	25—	30—	35—	40—	45 and up-wards.
134A. Abortion	119	1	10	27	22	44	13	2
B. Hæmorrhage of pregnancy	88	2	5	11	21	33	15	1
C. Uncontrollable vomiting	33	1	8	7	5	6	5	1
D. Ectopic gestation	73	—	7	15	25	18	7	1
E. Other accidents of pregnancy :—								
Hydatid mole	4	—	1	1	—	1	—	1
Vesicular degeneration of chorion	1	—	—	—	—	1	—	—
Hydramnios	2	—	—	—	—	2	—	—
Retroversion of gravid uterus	1	—	—	—	1	—	—	—
False conception	1	—	—	—	1	—	—	—
Pregnancy apart from above complications :—								
(a) With secondary causes as follows :—								
Valvular disease	1	—	—	—	—	1	—	—
Bronchitis	1	—	—	—	—	1	—	—
Asthma	1	—	—	—	1	—	—	—
Suppression of urine	1	—	—	—	—	1	—	—
Pyelitis	1	—	1	—	—	—	—	—
(b) Without stated secondary cause	2	—	—	—	1	—	—	1
135. Puerperal hæmorrhage	522	7	38	92	141	150	79	15
136. Other accidents of childbirth :—								
Contracted pelvis	26	2	4	2	5	8	4	1
Craniotomy	10	1	2	1	3	2	1	—
Cæsarean section	15	—	—	3	5	5	2	—
Perineorrhaphy	1	—	—	—	—	—	—	1
Version	5	—	—	—	2	2	1	—
Instrumental delivery	13	1	1	1	2	5	3	—
Rupture of perineum	3	—	—	3	—	—	—	—
Rupture of uterus	32	—	5	3	9	9	6	—
Rupture of vagina	2	—	1	—	—	1	—	—
Malpresentation	14	—	1	2	4	4	3	—
Hour glass contraction of uterus	1	—	—	—	1	—	—	—
Inversion of uterus	7	3	1	3	—	—	—	—
Retroversion of uterus	2	—	—	1	—	1	—	—
Inertia of uterus	4	—	1	—	2	1	—	—
Hydrocephalic foetus	6	—	—	2	2	1	1	—
Difficult and prolonged labour	40	1	3	10	5	11	6	4
Childbirth apart from above complications :—								
(a) With secondary causes as follows :—								
Hæmatoma in pelvis	1	—	—	—	1	—	—	—
Anæmia	14	1	2	6	1	2	2	—
Alcoholism	1	—	—	—	—	1	—	—
Meningitis	7	—	2	4	—	1	—	—
Cerebral apoplexy	1	—	—	—	—	—	1	—
Cerebral effusion	1	—	1	—	—	—	—	—

TABLE LXXXV.—*continued.*

Cause of Death.	All Ages.	Ages.						
		15—	20—	25—	30—	35—	40—	45 and upwards.
Childbirth apart from above complications— <i>continued.</i>								
(a) With secondary causes as follows— <i>continued.</i>								
Hemiplegia	1	—	—	—	—	1	—	—
Chorea	1	—	—	1	—	—	—	—
Acute endocarditis	2	—	—	2	—	—	—	—
Rupture of valve of heart	1	—	—	—	—	—	1	—
Dilatation of heart	8	—	—	2	1	2	2	1
Bronchiectasis	1	—	—	—	1	—	—	—
Bronchitis	14	—	3	4	2	4	1	—
Broncho-pneumonia	9	—	2	2	4	1	—	—
Pneumonia	38	—	6	8	6	13	4	1
Pleurisy	4	—	—	1	2	—	1	—
Congestion of lungs	3	—	1	1	—	—	1	—
Asthma	1	—	—	—	1	—	—	—
Gastritis	6	—	1	1	4	—	—	—
Dilatation of stomach	1	—	—	—	—	1	—	—
Diarrhoea and enteritis	6	—	3	1	1	1	—	—
Intestinal obstruction	4	—	—	—	1	2	—	1
Intestinal paralysis	2	—	—	—	1	1	—	—
Ischio-rectal abscess	1	—	—	1	—	—	—	—
Acute yellow atrophy of liver	2	—	—	1	1	—	—	—
Jaundice	2	—	—	1	1	—	—	—
Cholecystitis	1	—	—	1	—	—	—	—
Suppression of urine	1	—	1	—	—	—	—	—
Renal insufficiency	1	—	—	—	—	1	—	—
Acute cystitis	1	—	—	—	1	—	—	—
(b) Without stated secondary cause	61	1	4	14	14	17	10	1
137 Puerperal fever :—								
Puerperal septicæmia	922	25	169	247	230	167	78	6
Puerperal pyæmia	102	1	14	33	31	20	2	1
Puerperal fever (not otherwise described).	192	5	38	43	54	38	13	1
138A. Puerperal nephritis and uræmia	131	6	14	41	31	21	16	2
B. Puerperal albuminuria and Bright's disease.	41	1	3	12	16	6	3	—
C. Puerperal convulsions	457	48	97	106	92	76	36	2
139A. Puerperal phlegmasia alba dolens, and phlebitis.	64	1	9	10	21	15	7	1
B. Puerperal embolism and sudden death	298	10	29	69	61	90	35	4
140. Puerperal insanity	30	—	4	7	10	9	—	—
141. Puerperal diseases of the breast	7	—	3	1	1	1	1	—
Total	3,473	118	495	804	848	799	360	49

TABLE LXXXVI.—ENGLAND AND WALES, 1912.—DEATHS OF WOMEN not CLASSED to PREGNANCY and CHILDBEARING, but RETURNED as ASSOCIATED THEREWITH.

Enteric fever	5	—	3	—	2	—	—	—
Small pox	1	—	1	—	—	—	—	—
Measles	6	—	—	2	1	3	—	—
Scarlet fever	8	1	3	2	—	1	1	—
Diphtheria	3	—	—	2	—	—	1	—
Influenza	33	2	4	12	4	9	2	—
Pulmonary tuberculosis	56	1	7	14	17	10	7	—
Phthisis	32	1	5	5	7	11	3	—
Acute phthisis	20	—	3	4	6	7	—	—
Acute miliary tuberculosis	1	—	—	—	1	—	—	—
Tuberculous meningitis	4	—	2	2	—	—	—	—
Tuberculosis of peritoneum and intestines	3	—	—	2	1	—	—	—
Other forms of tubercle	6	—	—	2	3	1	—	—
Rickets	1	—	—	1	—	—	—	—
Syphilis	2	2	—	—	—	—	—	—
Gonococcus infection	3	—	2	1	—	—	—	—

TABLE LXXXVI.—*continued.*

Cause of Death.	All Ages.	Ages.						
		15—	20—	25—	30—	35—	40—	45 and up-wards.
Cancer	17	—	—	3	4	7	2	1
Rheumatic fever	10	—	1	2	—	4	3	—
Diabetes	1	—	—	1	—	—	—	—
Exophthalmic goitre	7	—	1	2	2	2	—	—
Addison's disease	1	—	—	1	—	—	—	—
Leucocythæmia	1	—	—	—	—	1	—	—
Anæmia	23	1	—	5	4	9	3	1
Purpura	1	—	—	—	1	—	—	—
Hæmophilia	1	—	—	1	—	—	—	—
Diseases of the spinal cord	3	—	1	—	1	—	1	—
Cerebral hæmorrhage, apoplexy	5	—	1	—	1	1	2	—
Hemiplegia	1	—	—	—	—	1	—	—
Epilepsy	9	1	1	2	1	4	—	—
Chorea	10	1	5	3	1	—	—	—
Neuritis	1	—	—	1	—	—	—	—
Disease of the ears	1	—	—	—	—	1	—	—
Pericarditis	2	—	—	—	1	1	—	—
Acute endocarditis	12	—	—	—	4	6	2	—
Valvular disease	94	3	10	12	29	27	13	—
Fatty degeneration of the heart	13	—	1	2	3	6	1	—
Other organic disease of the heart	79	3	8	14	12	22	18	2
Angina pectoris... ..	2	—	—	1	—	1	—	—
Embolism and thrombosis	4	—	1	1	—	2	—	—
Varicose veins	1	—	—	—	1	—	—	—
Bronchitis	36	—	4	8	7	11	6	—
Broncho-pneumonia	16	—	—	1	8	4	2	1
Lobar pneumonia	60	3	13	8	16	15	4	1
Pneumonia (type not stated)	58	1	2	12	22	14	6	1
Pleurisy	10	—	—	1	2	4	3	—
Asthma	6	—	1	2	—	1	2	—
Other respiratory diseases	6	—	—	—	2	2	1	1
Perforating ulcer of the stomach	16	1	5	1	1	6	2	—
Gastritis	8	—	2	3	1	1	1	—
Other diseases of the stomach	2	—	—	1	1	—	—	—
Diarrhœa and enteritis	11	—	1	3	4	2	1	—
Appendicitis	11	—	3	4	4	—	—	—
Hernia	4	—	—	—	—	2	2	—
Intestinal obstruction	8	—	3	1	2	1	1	—
Acute yellow atrophy of liver	5	—	—	3	—	—	2	—
Other diseases of the liver	4	—	—	1	2	—	1	—
Other diseases of the digestive system	2	—	1	1	—	—	—	—
Bright's disease... ..	68	—	3	12	13	26	11	3
Other diseases of the kidney	5	—	1	2	1	1	—	—
Urinary calculus	1	—	—	—	1	—	—	—
Uterine tumour (non-cancerous)	14	—	—	—	—	9	5	—
Ovarian cyst, tumour (non-cancerous)	2	—	—	1	—	1	—	—
Other diseases of the female genital organs	3	—	1	1	—	—	1	—
Violence	9	1	2	1	2	1	2	—
Total	848	22	102	167	196	238	112	11

Anæsthetics.—Until 1911 all deaths in certifying which any mention was made of an anæsthetic were assigned to the anæsthetic as the cause of death except in the case of cancer and strangulated hernia, deaths from which were in all cases classed to the disease. This practice had the disadvantage of understating to some extent both the mortality connected with the administration of anæsthetics and that from the various conditions, other than cancer and strangulated hernia, for which they are commonly administered. Moreover it seems illogical to class deaths primarily to anæsthetics, since the primary cause must always be some condition which has occasioned the administration of the anæsthetic. And it is often impossible to determine from the certificate whether a death which occurred under an anæsthetic should be regarded as in any way due to its administration and not rather perhaps to the severity of the operation or other cause apart from the anæsthetic.

For these reasons it was decided in 1911 not to classify deaths primarily to anæsthetics at all, but to publish returns, as a process of secondary classification, of all

deaths on the certificates relating to which any mention of the administration of an anæsthetic is made. These are classified in Table LXXXVII. according to sex and age and nature of anæsthetic, while the lists appended to the table show for each sex the disease or accident to which the death has been primarily classed and the age of the patient, but not the kind of anæsthetic. Causes of death in these lists are numbered in International List order. The bracketed figures following them denote the exact ages of the deceased.

TABLE LXXXVII.—ENGLAND AND WALES, 1912.—DEATHS UNDER OR CONNECTED WITH THE ADMINISTRATION OF VARIOUS ANÆSTHETICS.

Anæsthetic.			Age.																	
			All Ages.	0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	65-
Adrenalin and chloroform ...	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Adrenalin chloride and cocaine.	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
A.C.E. Mixture ...	M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
	F.	3	—	—	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—
Alcohol and chloroform ...	F.	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Chloroform ...	M.	69	2	3	3	1	1	10	8	3	2	5	—	6	4	5	5	5	6	—
	F.	48	1	4	1	1	1	4	3	—	3	9	1	7	2	6	4	1	—	—
Chloroform and ether ...	M.	15	2	1	—	—	—	3	1	—	—	—	2	2	—	1	—	2	1	—
	F.	9	1	2	—	1	—	1	—	1	—	—	—	—	—	—	1	2	—	—
Codrenine ...	F.	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Ether ..	M.	12	1	—	1	—	—	—	1	—	—	—	4	—	2	—	1	1	1	—
	F.	10	—	—	—	—	—	—	1	—	—	3	—	1	2	1	1	1	—	—
Ether and nitrous oxide ...	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Ethyl chloride ...	M.	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Hedonal ...	F.	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Mannitol and novocaine ...	F.	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Nitrous oxide ...	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
	F.	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Scopolamine ...	M.	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Stovaine ...	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Kind not stated ...	M.	62	5	1	2	3	1	7	3	4	2	—	4	2	7	2	7	10	2	—
	F.	40	1	1	—	—	2	3	1	5	2	1	4	5	2	3	3	4	3	—
Total...	M.	167	10	5	6	4	3	20	14	7	4	5	10	11	13	8	16	20	11	—
	F.	116	3	7	1	2	5	9	7	6	7	13	6	14	6	10	9	8	3	—

CAUSES OF DEATHS UNDER OR FOLLOWING ANÆSTHETICS.

Males.

9. Diphtheria, tracheotomy (4, 13); 28. Tuberculous phthisis, removal of tear sac (19); 29. Acute general tuberculosis, operation for cause not stated (30); 33. Hip joint disease (2); 34. Tuberculosis—of tibia (14); of kidney (4, 31); of urinary tract (20); of glands of neck (5, 5, 10); 35. Disseminated tubercle (26); disseminated tubercle, removal of testicle (35); 36. Rickets (1); 39–45. Cancer—of tongue (57, 62); of tongue and neck glands (50, 57); of mouth (45, 54); of mouth and neck (54); of soft palate (38); of cheek (62); of gullet (54); of liver (60); of colon (63); of rectum (63); of intestines (undefined) (50, 56, 65); of testicle (52); 46. Tumour of neck (54); 75. Strabismus (8); shrunken eyeball (23); dermoid cyst of eye (13); removal of tear sac (40); 76. Disease of ear (2, 5, 7); 83. Varicose veins (21, 47); 84. enlarged glands of neck (30); 86. Adenoids (2, 5, 7, 11, 12); nasal polypus (38); obstruction in nose (17, 21); overgrowth of nasal tissues (68); deflected septum of nose (12); resection of nasal septum (25); 93. Empyema (2, 35); abscess of chest (3); 99. Dental operations (25, 38, 40, 53); 100. Enlarged tonsils (0, 4, 5, 6, 9, 10, 12, 15, 16, 36); 102. Gastric ulcer (31); 103. Dilatation of stomach (32); 108. Appendicitis (8, 9, 10, 12, 15, 32, 42, 59); 109. Hernia (0, 0, 1, 1, 1, 2, 28, 33, 41, 44, 44, 49, 52, 54, 57, 64, 66, 72, 73); rupture of intestine (55); intestinal obstruction (0, 3, 14, 40, 47, 57, 65, 68); intussusception of intestine (0, 0); 110. Tumour of rectum (66); perforation of duodenum (40); 114. Gallstones (33); 115. Removal of gall bladder (67); 117. Peritonitis (52); 123. Calculus (13, 56, 57); 124. Cystitis (46); 125. Perineal abscess (64); rupture of urethra (57);

126. Enlarged prostate (68); 127. Hydrocele (1); 142. Gangrene (62); 144. Cellulitis of leg (56); 145. Ingrowing toenail (16); 146. Frontal abscess (43); diseased bone (6, 36); 147. Stiff shoulder joint (48); 149. Torticollis (8); 150. Phimosis (0, 0, 2); circumcision (3); nævus (5); cleft palate (0); removal of birth mark (0); undescended testicle (13); 155–186. Various forms of violence (3, 7, 31, 34, 35, 36, 38, 39, 40, 41, 42, 42, 48, 48, 52, 52, 52, 54, 63); 189. Operation, nature not stated (5, 6, 8, 17, 28, 53; 68).

Females.

9. Diphtheria, tracheotomy (6); 20. Pyæmia, splinter in finger (49); 28. Tuberculous empyema (27); tuberculous phthisis, operation for removal of tonsils (10); 31. Tuberculous peritonitis (3, 14); tuberculous kidney (48); tuberculous glands of neck (1, 3, 5, 7); 35. Disseminated tuberculosis, tuberculous glands (1); disseminated tuberculosis, abscess in pelvis (32); 39–45. Cancer—of tongue (56); of stomach (61); of liver (gallstones) (54); of rectum (73); of uterus (51); of uterus, obstruction, colotomy (67); of breast (46, 46, 53, 64); of kidney (34); of eye (26); of erector spinæ muscle (0); 46. Tumour—of neck (1); of mediastinum (8); of organ not stated (58); cyst on chest wall (39); 53. Hodgkin's disease, enlarged glands (38); 75. Corneal ulcer (39); 76. Mastoid disease (0); disease of ears (0); 79. Fatty heart, childbirth (35); 83. Hæmorrhoids (42); 84. Septic glands of neck (7); 86. Adenoids (6, 10, 12, 14, 22); removal of bone of nose (54); 88. Removal of thyroid gland (26); goitre (46); 92. Pneumonia, empyema (27, 29); 93. Empyema (1, 2, 4, 6, 42, 48); 99. Dental operations (15, 16, 20, 20, 25, 26); 100. Enlarged tonsils (18); Ludwig's angina (48); 104. Duodenal ulcer (45); 108. Appendicitis (4, 6, 16, 21, 28, 48); 109. Hernia (10, 46, 52, 62); intestinal obstruction (59, 63); 110. Mortified bowel (26); 114. Gallstones (36, 40); 118. Abdominal abscess (1); 120. Bright's disease, exploratory operation (10); 129. Myoma of uterus (43); fibromyoma of uterus (52); tumour of uterus (40); 130. Falling womb (54); 131. Cyst of ovary (27); 132. Abscess in Fallopian tube (35, 38); 133. Mammary abscess (31); 134. Abortion (30); incomplete abortion (35); 135. Puerperal hæmorrhage (31); retained placenta (35); 136. Contracted pelvis (23, 39); craniotomy (31); torn perineum (27); instrumental delivery (39); 137. Puerperal fever, endometritis (36); puerperal fever, pelvic abscess (24); 138. Puerperal convulsions, instrumental delivery (15); 142. Gangrene (61, 70); 144. Abscess in leg (4); 146. Diseased frontal bone (36); 150. Cleft palate (4); enlarged liver (0); malformation of bladder (1); 155–186. Various forms of violence (4, 24, 29, 44, 51); 189. Operation, nature not stated (6, 25, 39, 51).

Of the males whose deaths are referred to in Table LXXXVII., 17 per cent. were under 5 years of age and 41 per cent. under 20 years, the corresponding proportions for females being 16 and 34 per cent. Very few deaths of aged persons appear in the table. The nature of the anaesthetic was stated in only 64 per cent. of the cases, as against 78 per cent. in 1911. In 65 per cent. of the cases in which it was stated chloroform is recorded as the only anæsthetic administered, and in 17 per cent. as administered in combination with some other agent. Mention is made of anaesthetics other than alcohol, chloroform, ether and nitrous oxide in nine instances as against four only in 1911, so the use of the newer agents would seem to be increasing rapidly.

Operations for tubercle, cancer, the removal of tonsils and adenoids, the extraction of teeth, empyema, appendicitis, hernia, intestinal obstruction, and various forms of injury, appear to involve the greatest mortality under or related to anæsthetics. In some cases this is evidently due to the frequency with which the operation is performed and in others to its gravity or the severity of the condition requiring it.

Status Lymphaticus.—In addition to the 155 deaths primarily classified to this condition its presence was noted in the case of 29 deaths under anæsthetics, which were referred to the condition leading to the administration of the anæsthetic. The sex- and age-distribution of these was as follows:—

—	0—	5—	10—	15—	20—	25—	35—
Males ...	4	6	2	3	—	1	2
Females ...	1	2	3	1	—	2	2

In 11 of the cases the nature of the anæsthetic was not stated; in 14 of the remainder it was chloroform only, in two chloroform and ether, in one ether and in one hedonal. The operations during which these deaths occurred seem for the most part not to have been of a dangerous nature.

189. Ill-defined Causes of Death.—The deaths allocated to No. 189 of the list of causes, with which this title is particularly associated, number 2,516. Addition of Nos. 187 and 188 however, which are included under the same group title in the International List, brings this number up to 2,868. This figure excludes from the group as given in the old list of causes of death (see Tables 19 and 20) the ill-defined diseases of infancy and old age, which now appear under titles 151 and 154, and together accounted for 41,719 deaths in 1912, as well as 455 deaths from other causes of less numerical importance; and includes 1,713 deaths, mainly from syncope and heart failure, not formerly classified as ill-defined.* When the appropriate additions and deductions have been made the number of ill-defined deaths in Table 19, 43,329, is arrived at. This number is the lowest of recent years. It forms 8·9 per cent. of the total deaths, as against 9·3 per cent. in 1911 and 9·5 per cent. in 1901–1910.

The inquiries sent to medical practitioners asking for further information respecting deaths which had been indefinitely certified were fewer than in 1911, but, for the reasons given in that year's Report, more than in any previous year. As in 1911 they were addressed to coroners as well as to medical practitioners. Thanks to the courtesy of the coroners applied to, only 56 deaths appear in 1912 under "Accident (not otherwise described) without further qualification," and 11 under "Suicide (otherwise or not stated)," as against 320 and 122 respectively in 1910.

In order at once to facilitate inquiries and to diminish if possible their number in the future a list of indefinite forms of certificate, with indications of the further information desirable in each case, was distributed with the inquiries in 1911 and 1912, and is now bound with each book of death certificate forms issued. By its means the supplemental information desired in any given case is readily indicated, and it has been found moreover that the number of deaths certified in ways respecting which inquiry is at present made has fallen appreciably since the list came into use.

The total number of inquiries issued respecting deaths registered in 1912 was 9,912 and to these 8,305 replies were received, as against 12,563 inquiries and 10,718 replies in 1911, the subjects of inquiry in the two years remaining the same. In 1910 the number of inquiries was 6,130, to which 5,549 replies were received.

The principal subjects of inquiry, and the resultant classification of the deaths concerned, are indicated in Table LXXXVIII. In some cases the allocation of a death, after satisfactory information has been obtained by means of inquiry, is the same as that provisionally assigned to it on the original incomplete information. Instances of this are afforded by the 103 deaths from "tuberculosis" classed as the result of inquiry to pulmonary tuberculosis, and the 33 deaths from "rheumatism" classed to rheumatic fever. It must not therefore be assumed that all entries in the table represent changes in classification, but in all cases they represent improvement in classification, whether by increase of correctness, of definiteness, or of reliability of the various entries.

The replies so courteously and willingly furnished in the great majority of instances to these inquiries have an importance altogether beyond and outside their effects upon the tabulation of the particular deaths concerned, for they are capable of throwing much light upon the significance of a number of the less definite headings in the tables of past years as well as of those immediately affected. Thus, to take the first entry in Table LXXXVIII. "croup" has been very generally regarded in this and in other countries as a loose term which in most cases signifies diphtheria. This opinion however can no longer be held of croup as returned at the present day, whether it held good in former years or not, when it is seen that of the 109 returns regarding which replies were received in 1912 only 11 were in their authors' eyes significant of diphtheria. Croup, as returned at the present day, generally implies laryngitis or laryngismus stridulus, and not diphtheria at all. The matter is fortunately of little importance now, as the term is rapidly dying out, but its importance in regard to the past history of diphtheria is very great. "Peritonitis," again, is an item fortunately of little importance in the returns of 1912, as the mortality so ascribed amounted only to 13 deaths per million living, the deaths numbering 459 in all (Tables 19 and 20). Table LXXXVIII. shows that without the system of inquiry in such case this number would have been 249 greater

* See Manual of Causes of Death, page xxxi.

or 708, and throws much light upon the probable nature not only of the 459 fatal cases of peritonitis in 1912 but of the 2,575 deaths allocated to the heading so recently as 1893.

A number of similar instances might be quoted in which the issue of these inquiries renders it possible to ascertain with a certainty which could not otherwise be hoped for the meaning attached by the practitioners using them to various conveniently indefinite terms. These are questions in regard to which no assistance can be looked for from nomenclatures or text-books, for it is the function of these to discourage, not to define, the use of the terms in question. And even if the meaning which should attach to such terms could be laid down by authority, this would not necessarily supply the answer to the question which the tabulator must ask himself, viz. :—"What does this expression mean to the man who has used it?" This question can only be answered by the reply to an inquiry directed to the user himself.

Sometimes the significance of a term is so clearly established as the result of a year or two's inquiries that these need not be continued, but where, as is more frequently the case, an indefinite term is found to possess different meanings for different users, the inquiries have to be kept up. They form a most valuable means of increasing the accuracy of the returns of causes of death included in these Reports, and as the Registrar General is necessarily dependent in regard to them upon the goodwill of those to whom they are addressed it is fitting that this acknowledgment should be made of the services willingly rendered in replying to them.

TABLE LXXXVIII.—ENGLAND AND WALES, 1912.—REPLIES TO INQUIRIES RESPECTING INDEFINITELY CERTIFIED CAUSES OF DEATH.

Subject of Inquiry.	Replies received.	Replies amplifying previous information.	Deaths allocated as the result of inquiry to various important headings.
Croup	133	109	Diphtheria 11, Laryngismus stridulus 23, Laryngitis 66.
Membranous laryngitis	14	14	Diphtheria 12.
Pyæmia, septicæmia, &c.	334	187	Syphilis 11, Diseases of the teeth and gums 23, Puerperal fever 22, Carbuncle, Boil 10.
Tuberculosis	355	352	Pulmonary tuberculosis 103, Acute phthisis 67, Acute miliary tuberculosis 49, Tuberculosis of peritoneum, &c. 17, Disseminated tuberculosis 91, Other forms of tubercle 22.
Cancer (part or organ affected not stated).	1,060	940	Part or organ stated in 939 cases.
Tumour, growth, &c.	480	235	Cancer 199.
Rheumatism	83	78	Rheumatic fever 33, Chronic rheumatism 21.
Rheumatic arthritis	35	35	Osteo-arthritis 29.
Basal or basic meningitis	92	46	Tuberculous meningitis 32.
Cerebro-spinal meningitis	140	119	Tuberculous meningitis 13, Cerebro-spinal fever 95.
Paraplegia	230	164	Syphilis 15, Diseases of the spinal cord 75, Cerebral hæmorrhage, apoplexy 18, Arterial sclerosis 17.
General paralysis (outside asylums)	210	190	Cerebral hæmorrhage, apoplexy 11, General paralysis of the insane 144.
Paralysis	241	204	Diseases of the spinal cord 21, Cerebral hæmorrhage, apoplexy 81, Hemiplegia 15, Arterial sclerosis 18, Cerebral embolism 19.
Cerebral tumour	646	247	Tuberculous meningitis 37, Syphilis 47, Cancer 76.
Fibroid phthisis	198	125	Pulmonary tuberculosis 120.
Hæmoptysis	140	95	Pulmonary tuberculosis 47, Phthisis 13.
Stomatitis	90	70	Thrush, aphthous stomatitis 57.
Stricture of œsophagus	86	64	Cancer 53.
Hæmatemesis	98	73	Cancer 15, Gastric ulcer 28, Cirrhosis of liver 10.
Pyloric obstruction, stenosis, &c.	74	54	Cancer 36, Gastric ulcer 10.
Jaundice	86	52	Cancer 32, Cirrhosis of liver 8.
Peritonitis	437	249	Tuberculosis of peritoneum, &c. 31, Cancer 11, Gastric ulcer 20, Duodenal ulcer 12, Appendicitis 67, Hernia, intestinal obstruction 21, Diseases of female genital organs 11, Puerperal fever 18.
Pemphigus	123	77	Syphilis 74.
Hydrocephalus	159	140	Tuberculous meningitis 41, Congenital hydrocephalus 69.
Violence	278	264	Precise form of suicide 33, Injury by fall 68, Injury in mines and quarries 18, Injury by machines 10, Injury by crushing 70.
Ascites, dropsy	83	76	Diseases of the heart 43, Cirrhosis of liver 13.
Syncope, heart failure (ages 1-70)	566	430	Influenza 12, Diseases of the heart 246, Arterial sclerosis 25, Bronchitis 18, Old age 13.
Operation	198	180	Cancer 23, Diseases of the nasal fossæ 10, Hernia, intestinal obstruction 15, Diseases of the prostate 11, Uterine tumour 9.
Other indefinite forms of certificate	1,636	1,195	—
All Subjects	8,305	6,064	—

DEATHS IN INSTITUTIONS FOR THE SICK OR INFIRM.

The numbers of deaths from different causes occurring in various classes of institutions are shown on pages 310–323 with distinction of the four classes of areas dealt with in this Report, and of sex, but not of age. The additional distinction of age is added on pages 324–328 for that portion of the list of causes selected for specially detailed analysis in the present Report.

It will be possible here to comment only on the figures relating to deaths from all causes, which can to some extent be compared with those tabulated in former years. These are shown on page 323 where it may be seen that 55,232 deaths occurred in Poor Law Institutions (workhouses and workhouse infirmaries), 38,073 in hospitals, 11,068 in lunatic asylums, and 661 in nursing homes. Excluding the latter, which were not tabulated until 1911, these numbers yield the proportions in the following table, which is continued from previous Reports :—

TABLE LXXXIX.

Public Institutions.	Percentage of Total Deaths.		Rate per 1,000 living.	
	Ten years, 1902–11.	1912.	Ten years, 1902–11.	1912.
Workhouses and Workhouse Infirmaries.	9·78	11·34	1·48	1·51
Hospitals	6·67	7·82	1·01	1·04
Lunatic and Idiot Asylums	1·94	2·27	0·29	0·30
Total	18·39	21·43	2·78	2·85

Table XC. shows that the proportion of institutional deaths is much higher in the male sex and varies enormously in different areas. It is highest in London and decreases regularly in both sexes to a minimum in the rural districts, the most highly organised communities naturally showing the largest proportions of institutional deaths ; and in this connexion it may be noted that the gap between London and the county boroughs is by far the greatest in the series.

TABLE XC.—DEATHS OCCURRING IN VARIOUS CLASSES OF INSTITUTIONS PER CENT. OF TOTAL DEATHS, 1912.

Place of Death.	Males.					Females.				
	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
Poor Law Institutions ...	25·8	15·4	9·1	7·1	13·0	21·6	11·2	6·3	4·5	9·6
Hospitals	17·2	9·3	7·2	5·2	8·8	14·0	7·4	5·2	3·7	6·8
Lunatic and Idiot Asylums ...	3·8	2·0	2·1	2·4	2·3	4·3	1·7	1·8	2·3	2·2
Nursing Homes	0·1	0·1	0·1	0·1	0·1	0·2	0·2	0·1	0·1	0·1
Institutions in general ...	46·9	26·8	18·5	14·8	24·2	40·1	20·5	13·4	10·6	18·7
Elsewhere than Institutions ...	53·1	73·2	81·5	85·2	75·8	59·9	79·5	86·6	89·4	81·3

It is a remarkable fact that more than a quarter of the deaths of London males occurred in poor law institutions, and over one-fifth of those of London females. Probably this implies that the London poor are much better cared for in illness on the whole than their fellows elsewhere, and may help to explain why London mortality from many causes of death is lower than that of the county boroughs.

UNITED KINGDOM.

Population.

The first complete census of the United Kingdom was taken in 1821, when the population numbered 20,893,584 persons ; during the 90 years, 1821–1911, the population more than doubled itself, the numbers enumerated at the beginning of April, 1911, amounting to 45,221,615 persons.

The method adopted, in the absence of precise information as to migration, for estimating the population of England and Wales, has been described on page ix. The populations of the several divisions of the United Kingdom are provisionally estimated as follows :—

TABLE XCI.—POPULATION ESTIMATED to the MIDDLE of the YEAR 1912.

					Persons.	Males.	Females.
England and Wales	36,539,636	17,672,985	18,866,651
Scotland	4,738,300	2,297,400	2,440,900
Ireland	4,384,710	2,189,429	2,195,281
United Kingdom					45,662,646	22,159,814	23,502,832

Marriages.

The marriages in the United Kingdom during the year 1912 numbered 339,627, corresponding to a rate of 14·8 persons married per 1,000 of the population at all ages.

This rate was 0·2 per 1,000 above the corresponding rate in 1911 and 0·1 per 1,000 above the average rate in the ten years, 1902–1911.

TABLE XCII.

	Marriages, 1912.	Persons Married to 1,000 Living.	
		Ten Years, 1902-1911.	1912.
England and Wales	283,834	15·4	15·5
Scotland	32,510	13·8	13·7
Ireland	23,283	10·4	10·6
United Kingdom	339,627	14·7	14·8

Births.

The births registered in the United Kingdom in the year 1912 numbered 1,096,488 and were in the proportion of 23·9 per 1,000 of the population at all ages.

This rate was 0·5 per 1,000 below the corresponding rate in 1911 ; compared with the average in the ten years 1902–1911 the birth-rate in 1912 showed a decrease of 2·7 per 1,000.

TABLE XCIII.

	Births, 1912.	Births to 1,000 Living.	
		Ten Years, 1902-1911.	1912.
England and Wales	872,737	26·8	23·8
Scotland	122,716	28·0	25·9
Ireland	101,035	23·3	23·0
United Kingdom	1,096,488	26·6	23·9

Deaths.

The deaths registered in the United Kingdom in the year 1912 numbered 631,463 and were in the proportion of 13·8 per 1,000 of the population at all ages.

This rate was 1·0 per 1,000 below the corresponding rate in 1911 ; compared with the average in the ten years 1902–1911 the death-rate in 1912 showed a decrease of 1·7 per 1,000.

TABLE XCIV.

	Deaths, 1912.	Deaths to 1,000 living.	
		Ten years, 1902–1911.	1912.
England and Wales	486,939	15·2	13·3
Scotland	72,337	16·3	15·3
Ireland	72,187	17·3	16·5
United Kingdom	631,463	15·5	13·8

Infant Mortality.

The following Table shows the proportion of deaths of infants under one year of age to 1,000 births in each division of the United Kingdom. At the time of going to press the figures for Scotland relating to the year 1912 were not available.

TABLE XCV.

		Deaths under 1 year to 1,000 Births.	
		1902–1911.	1912.
England and Wales	...	125	95
Scotland	...	114	112*
Ireland	...	95	86
United Kingdom	...	121	—

In Table 42, pages 100, 102, 106 and 107, the population, marriages, births, deaths and principal causes of death are given for a series of years for the United Kingdom and for each of its three divisions.

MORTALITY IN THE ARMY.

The average regimental strength of the British Army at home and abroad during the year 1912 was 254,001, and the deaths during the year numbered 773, giving a death-rate of 3·0 per 1,000, as compared with 3·9, 3·4, and 3·4 per 1,000, respectively, in the three preceding years. The mortality in the Army abroad was 3·8 per 1,000, against 4·8, 4·3, and 4·4 in the three preceding years ; whilst the mortality in the Army at home was 2·3 per 1,000, against 3·1, 2·5, and 2·5 (Table 34).

MORTALITY IN THE NAVY.

The average strength of the service afloat during the year 1912 was 119,540, and the deaths during the year numbered 395, being in the proportion of 3·30 per 1,000 of the strength, against an average of 3·31 per 1,000 in the six years immediately preceding. Of the 395 deaths in 1912, 244 were caused by disease and 151 by violence ; the death-rate from disease was therefore 2·04 per 1,000, and that from violence 1·26 per 1,000. Of the 151 deaths by violence, 79 were due to drowning, and 4 to heatstroke, while 21 were cases of suicide.

* This proportion relates to the year 1911.

BIRTHS AND DEATHS AT SEA.

Marine Register Book.—In accordance with the Births and Deaths Registration Act of 1874 and the Merchant Shipping Act of 1894, Commanding Officers of ships trading to or from British ports are required, under penalty, to transmit returns of all births and deaths occurring on board their ships to the Registrar-General of Shipping and Seamen, who furnishes certified copies of such returns to the Registrars-General of Births and Deaths for England, Scotland, and Ireland. Similar returns are furnished to the Registrars-General of Births and Deaths by officers in charge of His Majesty's ships. These returns of births and deaths at sea constitute the "Marine Register Book." During the year 1912, this register was increased by the addition of 233 entries of birth and 2,903 entries of death.

Mercantile Marine.—A return received from the Marine Department of the Board of Trade shows the number of masters and seamen employed in sea-going vessels (excluding fishing vessels and yachts) registered in the United Kingdom and the Isle of Man under the Merchant Shipping Act in the years 1892–1912, and the number of deaths reported to the Board as occurring amongst this population. In the year 1911 the number employed was 247,046, of whom 15,086 were employed in sailing vessels, being 4,278 fewer than in the preceding year, and 231,960 in steam vessels, being 8,537 more than in the preceding year.

The reported deaths from all causes in sailing or steam vessels during the year ended 30th June 1912, numbered 3,124,* of which 1,163 resulted from disease, suicide, &c., 1423* from wreck or casualty to ship, and 538 from accident other than wreck or casualty to ship, showing a death-rate from all causes of 12·6 per 1,000 of the strength; this rate was 3·5 per 1,000 above the mean rate in the previous five years. (Table 36.)

PROGRESS OF REGISTRATION.

The names in the alphabetical indexes of births, deaths, and marriages recorded in the national registers of England and Wales were increased during the year 1912 by 1,927,344, this addition raising the total of names in the indexes, which at the end of 1912 embraced a period of 75½ years, to 124,497,433.

The following statements as to the number of prosecutions for offences against the Registration Acts and of searches in the registers have been prepared by the Secretary:—

OFFENCES AGAINST THE REGISTRATION ACTS.

In 1912, 17 persons, on prosecution by order of the Registrar-General, were convicted of different offences against the Registration Acts. The offences for which convictions were obtained were as under:—

For giving a false age when registering the death of an old-age pensioner	7
For otherwise giving false information to the registrar when registering a birth or death	1
For falsifying certificate of birth or death and using same as true ...	9

In addition to the above prosecutions initiated by the Registrar General proceedings were taken by the Public Prosecutor in several cases of false notice and declaration for marriage.

SEARCHES AND CERTIFICATES.

Besides the certified copies of the registered births, deaths, and marriages kept in England and Wales pursuant to the Registration Acts, a large number of other registers and records are deposited in this Office under statute or other arrangement. A list of these various registers and records will be found on pages xxix.–xxxii. of the Annual Report for 1895. Searches may be made in any of these registers, and certificates obtained on payment of the prescribed fees.

During the 52 weeks ended 28th December, 1912, the total number of searches was 80,601, and of certificates issued 61,143. The total amount received in fees was 11,752*l.* 6*s.*

* Of these deaths 673 were due to the loss of the s.s. "Titanic."

TABLE XCVI.

Years.	Total Searches.	Certificates Issued.	Amount Received.
			£ s. d.
1866 (52 weeks)	12,135	10,017	1,860 15 6
1875 (52 weeks)	26,356	20,282	3,879 15 6
1885 (52 weeks)	36,450	27,682	5,317 13 6
1895 (52 weeks)	53,289	35,727	7,200 12 6
1896 (53 weeks)	57,444	37,435	7,600 0 6
1897 (52 weeks)	58,664	37,485	7,686 8 6
1898 (52 weeks)	63,825	41,143	8,450 19 6
1899 (52 weeks)	57,670	44,793	8,551 19 6
1900 (52 weeks)	57,895	45,479	8,658 9 6
1901 (52 weeks)	58,445	45,254	8,645 10 0
1902 (53 weeks)	61,437	48,262	9,177 15 0
1903 (52 weeks)	63,519	49,469	9,437 9 6
1904 (52 weeks)	62,270	48,658	9,274 12 0
1905 (52 weeks)	65,142	50,310	9,611 9 0
1906 (52 weeks)	64,340	49,429	9,458 6 0
1907 (52 weeks)	69,249	53,058	10,194 9 0
1908 (53 weeks)	72,370	54,870	10,550 8 0
1909 (52 weeks)	73,543	54,674	10,568 8 0
1910 (52 weeks)	75,369	57,019	10,939 5 6
1911 (52 weeks)	75,005	56,347	10,875 6 0
1912 (52 weeks)	80,601	61,143	11,752 6 0

Table XCVI. affords an indication of the extent to which the copies of the records kept in this Office have been utilised by the public for legal evidence of births, deaths, and marriages since 1866.

In addition to the above, 69,151 searches were made during 1912 free of charge for the purpose of verifying the ages of persons claiming old age pensions.

T. H. C. STEVENSON.

METEOROLOGY OF THE YEAR 1912.

REMARKS ON THE CONSPICUOUS METEOROLOGICAL OCCURRENCES IN THE BRITISH ISLES
in 1912.

(Prepared in the Meteorological Office under the direction of
W. N. SHAW, Esq., LL.D., Sc.D., F.R.S.)

GENERAL CHARACTER OF THE YEAR.

Cold in summer ; otherwise mild ; irregularly rainy ; sunshine scanty and feeble.

The following are the outstanding features of the meteorology of the year 1912 :—

1. *Gales*.—There were many, and sometimes very severe and destructive, gales in the course of the year, but as a general rule they were of a local character, their influence being felt within narrow limits. Notwithstanding this, it is interesting to note that the pressure gradients across the entire country were frequently very steep. The weather during the greater part of the month of January was of a very unsettled type, mainly under the influence of large and deep depressions out on the Atlantic, but the only gales of any considerable extent occurred on the 8th–9th, and 15th–18th, on most of the western and north-eastern coasts, and from a general South-Easterly direction. Both of them were of a very severe character, at least a strong gale (force 9) being felt at a large number of places. In the former a whole gale (force 10) blew at Cape Wrath, Donaghadee, Rathlin Island and Rathlin O’Birne, while in the latter this strength was attained at the Outer Farne, Sule Skerry, Wick, Tarbet Ness, Cape Wrath, Donaghadee, Malin Head, Loop Head and Tearaght, and a storm (force 11) at the Bell Rock and Pentland Skerries. The violence of this storm on the north-eastern coasts, and out on the North Sea was associated with great destruction of life and property, more than 70 lives being lost in the neighbourhood of Aberdeen. Towards the close of February the conditions became very unsettled, under the influence of a large disturbance on the neighbouring parts of the Atlantic, and on the 28th and 29th there was a strong Southerly or South-Westerly gale on the western coasts and in the Western Channels. Other disturbances followed, and March opened with a severe South-Westerly gale on the Bristol Channel, attaining storm force at Lundy. A brief lull on the 3rd preceded the arrival of a deep cyclonic system which moved on an almost due easterly course across Ireland and England on the 4th and 5th. This was accompanied by a violent South-Westerly to Westerly gale over the southern half of the Kingdom, the force of a strong or whole gale being registered from the south of Ireland to the Dutch coast, storm force at Portland Bill, and a hurricane (force 12) at Lundy. The gale was marked by the passage of a well-defined and severe line squall, which traversed the region between Scilly and the Norfolk coast in $5\frac{1}{2}$ hours. It was attended by hail and thunderstorms, snow in places, and sharp fluctuations of temperature. Another deep depression followed much the same path on the 21st, occasioning a strong Easterly gale off the Yorkshire coast and on the Irish Sea, and a strong Westerly to South-Westerly gale further south, a whole gale at Lundy, locally on the English Channel and on the Downs. At the close of the month and on April 1st a strong North-Easterly to Northerly gale was felt in many parts of Scotland, and also on the Bristol Channel, a whole gale in Shetland. The centre of a deep cyclonic system of increasing intensity moved across the extreme north of Scotland on the 8th, resulting in severe Westerly to Northerly gales over the northern half of the kingdom, the force of a whole gale being reported at numerous points, storm force at the Farne islands.

An interval of summer quietness now set in, only a few sporadic instances of gale force occurring during May, June and July. Through the month of August the atmospheric situation was of an exceptionally unsettled type, with an almost unbroken succession of wet weather disturbances, but there were few gales of note. Between the 4th and 6th a strong gale blew here and there at places as far apart as Shetland and the Channel Islands, Easterly in the north, and Westerly in the south, a whole gale at Scilly. On the 26th a very small cyclone which appeared over the Thames Estuary raised quite a tempest locally, a strong gale at Yarmouth, and a whole gale at the Kentish Knock and the Outer Gabbard, and a rainstorm of unprecedented intensity over the eastern counties,

A gale from various quarters on September 3rd and 4th affected the more northern districts, a strong gale locally in the north-east and west of Scotland, a whole gale at Cape Wrath. In October the conditions fell into a disturbed state on the 20th, and during the remainder of the month there were five important gales—on the 20th and 21st a Westerly to Northerly gale round the southern half of Ireland and on the Western Channels, a whole gale at Rockabill, a storm at the Codling light vessel; on the 22nd a strong gale from between North-West and North-East on the Western Channels, a whole gale at Caldy, Rathlin O'Birne and Malin Head; on the 26th and 27th a strong gale round Scotland and on the western coasts, a whole gale at Lerwick and the Mull of Galloway, Easterly in Shetland, South-Westerly elsewhere; on the 28th and 29th a strong to whole Westerly to South-Westerly gale on the Bristol Channel and the Western half of the English Channel; and on the 30th and 31st a similar South-Westerly to North-Westerly gale on the south and east coasts of England. Between November 10th and 12th nearly all coasts were visited by a severe Westerly to Northerly gale, a whole gale at numerous stations, and storm force at the Codling Bank; and on the 26th and 27th there was an almost general gale from South-West veering to North-West and North, a strong or whole gale in most places, a storm at Bell Rock, Sule Skerry, Rona, Rathlin Island, Malin Head, and the Varne. From December 9th to 15th strong to whole gales from between South and West occurred on many coasts, a storm at Rona. The 24th witnessed the most general and the severest gale of the year, there being numbers of reports of a whole gale, a storm at the Codling Bank, a hurricane at Inchkeith and the Bahama Bank, resulting in many casualties ashore and afloat. On the 26th the southern coasts, from the Shannon to the Thames, were affected by another heavy gale from the same quarter, storm force being registered at Scilly, the Casquets, Portland Bill and Dungeness.

Anemometrical records disclosed the following instances of mean hourly velocities of 60 or more miles of wind:—March 4th, Scilly, 63, Pendennis, 64; November 26th, Pendennis, 66; 27th, Deernees, 60; December 24th, Quilty, 62; and 26th, Scilly, 65, Pendennis, 70. In gusts the highest velocities attained were above 80 miles per hour in several instances, 98 miles at Pendennis on March 4th, 85 at Rosyth on November 26th, 88 at Quilty on December 24th, and at Scilly on the 26th, and, for the second time, 98 at Pendennis on the 26th. (For more detailed records *see* Appendix III of the Weekly Weather Report).

2. *Rainfall*.—The aggregate precipitation for the year was less than the normal at a few stations in the eastern parts of Britain and of Ireland, otherwise an excess was general, and in many localities it was considerable. Roche's Point returned 90 per cent. of the average, Cawdor 92, Marchmont 93, and Aberdeen and Phoenix Park, Dublin, 95, whereas numerous stations exceeded 125 per cent., Harrogate 142, Coventry 144, Woolacombe 145, Stroud 147, Spurn Head 148, and Salisbury 149 per cent. A number of stations, at low as well as at high levels, exceeded their average amounts by more than 10 in., Stroud by 14 in., Poltalloch and Woolacombe by $14\frac{1}{2}$ in., Arlington by $15\frac{1}{2}$ in., and Salisbury by $15\frac{3}{4}$ in. The smallest totals were 19.2 in. at Stifford, 20.2 in. at Shoberyngness, 20.6 in. at Southend, 22.4 in. at Clacton, 23.6 in. at Felixstowe, and 23.8 in. at Chelmsford, all on the northern side of the Thames Estuary. The largest records were 112.5 in. at Princetown (Dartmoor), and 142.9 in. at Seathwaite, while of 14 stations distributed over the slopes of Snowden, at altitudes ranging between 310 feet and 2,500 feet above sea level, ten returned more than 165 in., and one, Lluclfa 246.7 in. The frequency of days with rain was generally greater than usual, 283 at Roche's Point, 281 at Baltasound, 276 at Foynes, 270 at Bellingham and Valencia, 268 at Stornoway, 263 at Darwen, and 261 at Killarney; while at the other extreme there were 170 days at Clacton and Dunrobin, 168 at Shoberyngness and South Kensington, 159 at Kingstown, and 139 at Tottenham. Falls of an inch or more in a day were very numerous in the course of the year. In Snowdonia falls of 2.5 in. or more were frequent, on June 17th, 5.3 in., and on August 23rd and October 26th, 4.2 in. Elsewhere, on March 12th, Seathwaite had 2.6 in.; April 4th, Ardnadam, 2.6 in., Glencarron, 2.7 in., and Cruachan, 4.3 in., and on the 7th, 2.6 in. at Glencarron (where the total for 5 days was 8.6 in.), June 17th, Machynlleth, 2.5 in.; August 5th, Greenock, 2.6 in. in $5\frac{1}{2}$ hours, causing enormous destruction through flooding; 17th, Princetown, 2.8 in., and on the 23rd, 2.5 in. Then came the greatest sea-level rainstorm on record in this country, that which flooded the Eastern Counties of England on August 26th. Within the period of the civil day, in nearly all cases in considerably less than 24 hours, the precipitation exceeded 4 in. over a wide area, the largest records being concentrated over and around the city of Norwich. A land area of 500 square miles received more than 4 in., 280 square miles more than 6 in., and 170 square miles more than 7 in. At Brundell the fall amounted to 8.1 in. (*See the Quarterly Journal of the Royal Meteorological Society*, Vol. XXXIX., pp. 1–28, for an account of the rainstorm, with

returns from 262 stations). A very heavy rainfall occurred over the north-western district on September 3rd, ranging up to 2·5 in. at Cruachan, and 2·8 in. at Ardnadam and Ford (Argyll). An equally severe downpour visited Southern England at the close of the month, 2·7 in. falling at Grayshott and Midhurst on the 29th. On October 13th Cruachan received another 2·5 in., and on the 27th there was a deluge about Dartmoor, 2·5 in. at Ashburton, 2·8 in. at Sheepstor, 3·1 in. at Redstone, 3·2 in. at Two Bridges, and 3·6 in. at Princetown. There was a fall of 5·7 in. at Seathwaite, on December 13th, and 2·5 in. at Fort William on the 19th. Some of the heavy falls in short periods noted by the observers were 0·9 in. in 20 minutes at Lincoln, and 0·71 in. in 17 minutes at Claypole on June 19th; 0·44 in. in less than a quarter of an hour at Great Billing on July 12th; 0·60 in. in half an hour at Oundle on the 23rd; 0·20 in. in 10 minutes at Meltham, and 0·50 in. in 12 minutes at Raunds on the 26th; 0·66 in. in 20 minutes at Guernsey on August 19th, and 0·4 in. in about 10 minutes at Bournemouth on the 20th; and 0·20 in. in eight minutes at New Malden on November 26th.

3. *Snowstorms*.—Though there were many records of snowfalls, there were no great snowstorms. Usually the depths noted were less than 6 in., but on January 8th Crieff had 10 in., on the 17th Wellington 10 in., and Malvern $11\frac{1}{2}$ in., and on the 18th Buxton 12 in. (6 feet in drifts), and Edgbaston $12\frac{1}{2}$ in. During the first six days of February Aberdeen totalled 29 in. Snow fell on the Snowden hills near Llanberis on June 4th, 8th, 9th, and 10th; on the 9th there was a very destructive hail and ice storm at Colfooney, Sligo; and at Wellington there was “a very heavy snow and hail storm,” doing immense damage to crops, on the 10th. A fall of 7 in. of snow at Rothesay on November 30th appears to have been the heaviest in the closing months.

4. *Thunderstorms*.—There were very few thunderstorms during January and February, those noted being of a local and unimportant character. On March 4th a storm was general over the Southern half of England and Wales, severe in places, with very heavy rain and hail, and locally some snow, several casualties being reported. This storm was associated with the severe line squall already referred to. Over the same region there was an equally extensive storm on the 22nd, with rain, hail or snow, but the precipitation was not nearly so heavy as in the previous case. The northern parts of England and Ireland and Western Scotland were visited on the 29th. June was a month of frequent and sometimes severe thunderstorms, the most extensive being on the 1st, 8th–13th, 16th, 19th, 22nd–25th, and 28th–30th, very violent and destructive in various parts of Ireland on the 8th, 9th, and 10th. At Lincoln, on the 19th, the storm was the most violent known for years. The storms of July were neither so numerous nor so widespread, and few of them were attended by heavy rains. The principal ones occurred on the 1st, 12th, 13th, and 23rd–29th. That of the 13th was exceedingly severe locally, occasioning some damage and loss of one life. August was affected to about the same extent, storms covering wide areas on the 4th, 6th–10th, and 18th–20th. There were very few instances of heavy rains in these thunderstorms—apparently there was no electrical disturbance within the area of the tremendous rainstorm over the Eastern Counties on the 26th. September was remarkable for the almost entire absence of storms. Geldeston reported a thunderstorm on the 6th, and Portsmouth on the 30th, otherwise there were only occasional references to thunder or to lightning in isolated situations. On October 20th and 21st, and 28th to 30th thunderstorms occurred in many parts of England and Ireland. The remaining months were comparatively free, most of the storms noted being in Ireland and Scotland, but the severe gale of December 26th, was accompanied by a sharp thunder and hail storm over the south-west quarter of England, mainly in the counties of Cornwall, Devon and Dorset.

5. *Dry Periods*.—Though the year as a whole was wet there were some spells of rainless weather. During the second half of January and the opening days of February a considerable number of places had from 10 to 14 consecutive days without rain, Birr Castle and Dumfries 15, Blacksod 16, and Donaghadee 19 days. In many localities the month of April was very dry. At Watlington the drought lasted 32 days, to May 2nd, at Wisley 33 days, to May 3rd. The first three weeks of July had very slight showers occasionally, many stations having a succession of days without a shower, Creech Grange (Dorset) returning a drought of 16 days. Following the great rainstorms of August, there was a well-marked drought of 20 days or more in September, 26 days at Torquay, Teignmouth, and Wisley, and 27 at Portsmouth, Totland Bay, Bucklebury, and Newcastle (Wicklow). Over a wide region in Southern England the first half of October was rainless. At Broadford, County Clare, a partial drought of 36 days ended on October 10th, only $\frac{1}{4}$ in. of rain being received in the five weeks. It was the longest dry spell at that station since the summer of 1896, when less than $\frac{1}{2}$ in. fell in 46 days.

6. *Temperature*.—A characteristic feature of the year was the small range of temperature between the summer and winter seasons, the conditions over the country as a whole approaching in this respect very closely to the normal conditions at such places as Valencia or the Shetlands. There were a few afternoon maxima of 80° and upwards on May 11th, some stations in East Anglia touching 82° , and Greenwich 83° . June 19th and 22nd yielded similar records, Greenwich 84° on the former, and Isleworth 85° on the latter date. At nearly every station in the kingdom the warmest days of the year were July 12th to 15th, when there were many maxima of 85° and above, 89° at Salisbury and Northwich, 90° at Portsmouth and Greenwich, and 91° at Camden Square (London) and Tottenham. August and September were exceptionally free from high maxima, the two months yielding between them only a few instances of values between 70° and 73° , or from 20° to 27° lower than those of the same months in the previous year. Some places in the North of Ireland and of Scotland remained below 70° throughout the year, Wick not passing 64° , Deerness 63° , Lerwick 62° , and Baltasound 61° . Days on which the thermometer registered maxima below the freezing point were uncommonly rare. In the burst of sharp wintry weather from January 27th to February 5th there were a number of afternoon readings below 30° , as low as 21° at Braemar, Thorntonhall, and West Linton. During a similar cold touch at the end of November and the beginning of December there were equally low maxima, as low as 20° at Kilmarnock. Very low night minima were seldom registered. On January 8th and 9th there were some records below 20° , 14° at West Linton, and 13° at Balmoral. The frost which set in about the 27th developed into the most general (not a single station escaped it) and the longest which the country had experienced since the early part of 1895, lasting about ten days, and attaining its greatest intensity on the last day, February 5th, when the lowest temperatures of the year were registered at all but a few stations, the lowest being -1° at Gordon Castle, -2° at Balmoral, -4° at Braemar and Garforth, and (on the 4th) -5° at West Linton. The only frost of note in the closing months occurred between November 28th and December 2nd, when there were a number of minima below 10° , Ardross Castle touching 4° , Scaleby 3° , Balmoral 2° , West Linton 1° , and Braemar zero. The extreme range of temperature for the year was 70° and upwards over an extensive region, 79° at Braemar and Scaleby, 81° at West Linton, 84° at Garforth, and 85° at Shrewsbury. The localities of smallest range were on the far western and northern coasts, 42° at Scilly, 41° at Deerness, 40° at Baltasound, 39° at Castlebay and Donaghadee and 38° at Lerwick.

7. *Bright Sunshine*.—With the exception of Westminster (102 per cent. of the average) and Tunbridge Wells (101 per cent.) the duration of insolation was everywhere less than the normal, ranging down to 74 per cent. at Cullompton, Durham and York, 69 at St. Ann's Head, and 68 at Stonyhurst. April was an exceptionally brilliant month, while rainy August was as exceptionally dull, followed by a general dulness during September. The aggregate totals for the whole year were less than 1,000 hours in some parts of Scotland and at several stations in or near North of England manufacturing towns, the smallest records being 779 hours at Manchester (City), 822 at Whitworth Park, 827 at Hull, 868 at Glasgow, 879 at Fort Augustus, 912 at Darwen, and 913 at Garforth. Southern and South-Eastern England had the largest records, 1,609 hours at Worthing, 1,612 at Hastings, 1,617 at Bexhill and Folkestone, 1,638 at Eastbourne, 1,664 at Jersey, 1,666 at Felixstowe, and 1,696 in Guernsey.

8. *Fog*.—Inland fogs in January were more frequent than for some years previously, described as thick at times, and at Bromyard there was continuous fog from the 19th to the 25th. The weather of October was remarkable for the unusual frequency and density of fog at that season, being very general, and in many localities described as thick, mainly between the 7th and 15th, and the 23rd and 27th. There was no important fog in the later months. Along the coasts sea fogs were fairly frequent in all months, and often rather thick. The English Channel was, however, less affected than the eastern and western coasts.

9. *Barometer*.—All over the country the mean pressure for the year was below the normal, the deficiency ranging from less than 0.03 in. at Jersey, and a little over that amount at Dover, Yarmouth, and Stornoway to 0.08 in. at Valencia, 0.09 at Blacksod, and 0.1 in. at Birr Castle. The distribution pointed to the pervulence of a low pressure area to the southward of Iceland, the mean reading at Westmanna being 29.70 in., the values increasing to 29.79 in. at Stornoway, 29.97 in. at Jersey, and 30.01 in. at Paris. No very high readings were registered, the highest being 30.64 in. at Lerwick on April 23rd, and 30.67 in. at Oxford on October 4th. On the other hand, there were many very low ones, down to 28.45 in. at Valencia on February 9th, and 27.93 in. at Wick on November 26th. The extreme range of pressure exceeded 2 in. over Ireland and Scotland.

At Southport, on March 4th, the barometer fell, 0·07 in. in 8 minutes, and 0·10 in. in 20 minutes. On December 26th, there was an unusually rapid fall and rise at St. Ann's Head, the fall amounting to 0·8 in. in $4\frac{3}{4}$ hours, a drop of one-third of an inch taking place almost instantaneously during a violent squall, followed immediately by an upward bound of more than a quarter of an inch.

10. *Floods*.—With such frequent heavy rainstorms, as indicated above, many floods were reported in the course of the year, but generally they were moderate. Between January 14th and 27th there were extensive floods in the Midlands, 7,000 acres under water between Northampton and Peterborough. There was also a heavy flood along the Thames Valley. Round Leyland, Lancs, the country was axle deep under water, and the water works stopped on August 1st, as the result of "the heaviest rain for 20 years." A few days later, on the 5th, Greenock was swept by a destructive flood; and resulting from the phenomenal rainfall of the 26th a wide area in East Anglia was under water for several days. The persistent rains of December brought about floods in the Thames and other valleys, the year closing with the water still rising.

11. *Solar Eclipse*.—Interesting records of temperature and radiation variations were made at a number of stations during the progress of the solar eclipse on April 17th, the air temperature sinking 7° at Canterbury and Kensal Green, and solar radiation dropping 47° at Greenwich.

12. *Earthquake*.—At 4.30 a.m. on January 28th an earthquake shock was felt at Gruline and Poltalloch.

13. *Waterspouts*.—A waterspout was seen off Minehead on August 6th, and three striking ones over the Ribble Estuary and Liverpool Bay on the 13th.

14. *Aurora*.—Reports of aurora were uncommon, and the only one described as bright was seen at Dunrossness (Shetland) on January 22nd.

15. *Glazed Frost*.—On several days in January observers recorded a glazed frost, a silver frost, or a silver thaw. At Hampstead, on the 18th, there was tremendous havoc amongst trees and telegraph wires, which had been coated with ice $\frac{3}{8}$ in. thick.

16. *Summer Sky*.—In this and in other countries on both sides of the Atlantic there was, during the summer months, a peculiar haze-like veil over the sky, "producing a grey whiteness," and resulting in a marked diminution in the brightness of the sunshine. There is, as yet, no adequate explanation of the phenomenon, but it has been attributed by many meteorologists to the volcanic eruption at Mount Katmai, in Alaska.

The measurements of the intensity of solar radiation at different places in the Northern Hemisphere showed that the intensity of the radiation reaching the earth was much below its normal value during the last six months of the year.

In continuation of the remarks given in previous annual reports, the following notes refer exclusively to the stations, the results from which are given in Table 40, pages 92–95.

The highest temperatures of the air were at Camden Square and Tottenham 91°; Greenwich and Portsmouth 90°; and at Salisbury 89°.

The lowest temperatures were at Shrewsbury, 2°; Llangammarch Wells, 9°; and at Bettws-y-Coed and Durham 10°.

The heaviest totals of rain were at Bettws-y-Coed, 63·2 ins.; at Llangammarch Wells, 59·3 ins.; and at Buxton 54·4 ins.

The least falls of rain were at Clacton, 22·4 in.; Westminster, 24·3 in.; and at Greenwich, 24·9 ins.

The greatest number of days of rain was at Cromer, 255; Llangammarch Wells, 251; and at Morpeth 242.

The least number of days was at Tottenham, 139; Clacton, 170; and at Portland Bill, 172.

TABLES.

TABLE 1.—UNITED KINGDOM: POPULATION of its several PORTIONS ESTIMATED to the
in the BRITISH SEAS, and of the PORTIONS of

YEAR.	UNITED KINGDOM. AREA 76,457,356 ACRES.†			ENGLAND AND WALES. AREA 37,337,537 ACRES.‡		
	Persons.	Males.	Females.	Persons.	Males.	Females.
1863	29,470,969	14,329,606	15,141,363	20,625,855	10,046,909	10,578,946
1864	29,680,439	14,431,944	15,248,495	20,883,889	10,172,089	10,711,800
1865	29,925,179	14,552,747	15,372,432	21,145,151	10,298,826	10,846,325
1866	30,147,756	14,656,116	15,491,640	21,409,684	10,427,146	10,982,538
1867	30,409,135	14,781,925	15,627,210	21,677,525	10,557,066	11,120,459
1868	30,689,980	14,917,164	15,772,816	21,948,713	10,688,600	11,260,113
1869	30,978,282	15,056,680	15,921,602	22,223,299	10,821,775	11,401,524
1870	31,256,540	15,189,552	16,066,988	22,501,316	10,956,608	11,544,708
1871	31,555,699	15,331,182	16,224,517	22,788,594	11,092,620	11,695,974
1872	31,874,184	15,485,220	16,388,964	23,096,495	11,242,495	11,854,000
1873	32,177,551	15,630,140	16,547,411	23,408,556	11,394,394	12,014,162
1874	32,501,517	15,788,489	16,713,028	23,724,834	11,548,346	12,176,488
1875	32,838,758	15,957,608	16,881,150	24,045,385	11,704,378	12,341,007
1876	33,199,993	16,138,193	17,061,800	24,370,267	11,862,519	12,507,748
1877	33,575,940	16,325,250	17,250,690	24,699,539	12,022,796	12,676,743
1878	33,943,773	16,508,370	17,435,403	25,033,259	12,185,238	12,848,021
1879	34,304,037	16,688,039	17,615,998	25,371,489	12,349,875	13,021,614
1880	34,622,930	16,844,178	17,778,752	25,714,288	12,516,737	13,197,551
1881	34,934,476	16,995,578	17,938,898	26,046,142	12,673,435	13,372,707
1882	35,206,616	17,122,483	18,084,133	26,334,942	12,808,460	13,526,482
1883	35,449,721	17,237,226	18,212,495	26,626,949	12,944,923	13,682,026
1884	35,724,229	17,367,248	18,356,981	26,922,192	13,082,837	13,839,355
1885	36,015,501	17,505,359	18,510,142	27,220,706	13,222,216	13,998,490
1886	36,313,581	17,646,573	18,667,008	27,522,532	13,363,079	14,159,453
1887	36,599,143	17,780,591	18,818,552	27,827,706	13,505,441	14,322,265
1888	36,881,271	17,912,257	18,969,014	28,136,258	13,649,314	14,486,944
1889	37,178,928	18,052,088	19,126,840	28,448,239	13,794,721	14,653,518
1890	37,484,763	18,196,143	19,288,620	28,763,673	13,941,671	14,822,002
1891	37,802,440	18,346,840	19,455,600	29,085,819	14,092,535	14,993,284
1892	38,134,110	18,504,779	19,629,331	29,421,392	14,252,190	15,169,202
1893	38,490,333	18,674,558	19,815,775	29,760,842	14,413,657	15,347,185
1894	38,859,067	18,851,843	20,007,224	30,104,201	14,576,948	15,527,253
1895	39,221,109	19,027,140	20,193,969	30,451,528	14,742,091	15,709,437
1896	39,599,072	19,209,015	20,390,057	30,802,858	14,909,104	15,893,754
1897	39,987,294	19,396,275	20,591,019	31,158,245	15,078,010	16,080,235
1898	40,380,792	19,586,134	20,794,658	31,517,725	15,248,823	16,268,902
1899	40,774,296	19,774,970	20,999,326	31,881,365	15,421,578	16,459,787
1900	41,154,646	19,956,716	21,197,930	32,249,187	15,596,283	16,652,904
1901	41,538,211	20,142,628	21,395,583	32,612,022	15,769,412	16,842,610
1902	41,892,680	20,317,417	21,575,263	32,950,909	15,933,658	17,017,251
1903	42,246,591	20,492,494	21,754,097	33,293,321	16,099,612	17,193,709
1904	42,611,375	20,672,334	21,939,041	33,639,287	16,267,291	17,371,996
1905	42,980,788	20,853,456	22,127,332	33,988,844	16,436,707	17,552,137
1906	43,361,077	21,038,326	22,322,751	34,342,040	16,607,890	17,734,150
1907	43,737,834	21,221,125	22,516,709	34,698,905	16,780,848	17,918,057
1908	44,123,819	21,410,611	22,713,208	35,059,484	16,955,609	18,103,875
1909	44,519,454	21,604,581	22,914,873	35,423,805	17,132,182	18,291,623
1910	44,915,934	21,797,280	23,118,654	35,791,902	17,310,586	18,481,316
1911	45,298,573	21,983,102	23,315,471	36,163,833	17,490,847	18,672,986
1912	45,662,646	22,159,814	23,502,832	36,539,636	17,672,985	18,866,651

* The Estimates of Population for Scotland and Ireland have been supplied

† Land only to high water mark.

‡ Land and inland water.

§ Excluding inland water, tidal water, and foreshore.

|| Excluding larger rivers, lakes, and tideways.

MIDDLE of each of the YEARS 1863-1912, EXCLUSIVE of the POPULATION of the ISLANDS the ARMY, NAVY, and MERCHANT SERVICE ABROAD.

SCOTLAND.* AREA 19,069,500 ACRES.§			IRELAND.* AREA 20,371,125 ACRES.¶			YEAR.
Persons.	Males.	Females.	Persons.	Males.	Females.	
3,126,879	1,483,008	1,643,871	5,718,235	2,799,689	2,918,546	1863
3,156,023	1,497,989	1,658,034	5,640,527	2,761,866	2,878,661	1864
3,185,439	1,513,121	1,672,318	5,594,589	2,740,800	2,853,789	1865
3,215,130	1,528,405	1,686,725	5,522,942	2,700,565	2,822,377	1866
3,245,101	1,543,844	1,701,257	5,486,509	2,681,015	2,805,494	1867
3,275,353	1,559,439	1,715,914	5,465,914	2,669,125	2,796,789	1868
3,305,889	1,575,192	1,730,697	5,449,094	2,659,713	2,789,381	1869
3,336,712	1,591,104	1,745,608	5,418,512	2,641,840	2,776,672	1870
3,368,926	1,607,780	1,761,146	5,398,179	2,630,782	2,767,397	1871
3,404,799	1,626,462	1,778,337	5,372,890	2,616,263	2,756,627	1872
3,441,057	1,645,361	1,795,696	5,327,938	2,590,385	2,737,553	1873
3,477,704	1,664,480	1,813,224	5,298,979	2,575,663	2,723,316	1874
3,514,744	1,683,821	1,830,923	5,278,629	2,569,409	2,709,220	1875
3,552,182	1,703,387	1,848,795	5,277,544	2,572,287	2,705,257	1876
3,590,021	1,723,180	1,866,841	5,286,380	2,579,274	2,707,106	1877
3,628,268	1,743,204	1,885,064	5,282,246	2,579,928	2,702,318	1878
3,666,923	1,763,459	1,903,464	5,265,625	2,574,705	2,690,920	1879
3,705,994	1,783,950	1,922,044	5,202,648	2,543,491	2,659,157	1880
3,742,564	1,802,924	1,939,640	5,145,770	2,519,219	2,626,551	1881
3,770,656	1,816,786	1,953,870	5,101,018	2,497,237	2,603,781	1882
3,798,961	1,830,755	1,968,206	5,023,811	2,461,548	2,562,263	1883
3,827,476	1,844,830	1,982,646	4,974,561	2,439,581	2,534,980	1884
3,856,207	1,859,015	1,997,192	4,938,588	2,424,128	2,514,460	1885
3,885,154	1,873,308	2,011,846	4,905,895	2,410,186	2,495,709	1886
3,914,318	1,887,711	2,026,607	4,857,119	2,387,439	2,469,680	1887
3,943,701	1,902,226	2,041,475	4,801,312	2,360,717	2,440,595	1888
3,973,304	1,916,851	2,056,453	4,757,385	2,340,516	2,416,869	1889
4,003,131	1,931,589	2,071,542	4,717,959	2,322,883	2,395,076	1890
4,036,245	1,948,183	2,088,062	4,680,376	2,306,122	2,374,254	1891
4,078,910	1,970,197	2,108,713	4,633,808	2,282,392	2,351,416	1892
4,122,029	1,992,461	2,129,568	4,607,462	2,268,440	2,339,022	1893
4,165,606	2,014,976	2,150,630	4,589,260	2,259,919	2,329,341	1894
4,209,645	2,037,746	2,171,899	4,559,936	2,247,303	2,312,633	1895
4,254,153	2,060,773	2,193,380	4,542,061	2,239,138	2,302,923	1896
4,299,132	2,084,060	2,215,072	4,529,917	2,234,205	2,295,712	1897
4,344,589	2,107,610	2,236,979	4,518,478	2,229,701	2,288,777	1898
4,390,530	2,131,427	2,259,103	4,502,401	2,221,965	2,280,436	1899
4,436,958	2,155,512	2,281,446	4,468,501	2,204,921	2,263,580	1900
4,479,104	2,177,034	2,302,070	4,447,085	2,196,182	2,250,903	1901
4,507,220	2,190,198	2,317,022	4,434,551	2,193,561	2,240,990	1902
4,535,513	2,203,442	2,332,071	4,417,757	2,189,440	2,228,317	1903
4,563,985	2,216,767	2,347,218	4,408,103	2,188,276	2,219,827	1904
4,592,636	2,230,172	2,362,464	4,399,308	2,186,577	2,212,731	1905
4,621,466	2,243,658	2,377,808	4,397,571	2,186,778	2,210,793	1906
4,650,478	2,257,226	2,393,252	4,388,451	2,183,051	2,205,400	1907
4,679,671	2,270,875	2,408,796	4,384,664	2,184,127	2,200,537	1908
4,709,048	2,284,607	2,424,441	4,386,601	2,187,792	2,198,809	1909
4,738,611	2,298,423	2,440,188	4,385,421	2,188,271	2,197,150	1910
4,751,132	2,304,100	2,447,032	4,383,608	2,188,155	2,195,453	1911
4,738,300	2,297,400	2,440,900	4,384,710	2,189,429	2,195,281	1912

by the Registrars-General for those parts of the United Kingdom.

TABLE 2.—ESTIMATED POPULATION OF ENGLAND AND WALES AND MAIN DIVISIONS in the MIDDLE of the YEAR 1912.

Mortality under one year of age is calculated throughout this Report upon the numbers of births in preference to the populations here given; and the estimated populations at ages 1-2 years must be used with caution owing to uncertainty in the statement of ages in the Census Returns.

Area.	Sex.	All Ages.	0-1	1-2	2-5	0-	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 Years and upwards.
England and Wales	M { F {	17,672,985 18,866,651	400,406 391,873	379,150 373,731	1,182,552 1,178,738	1,962,108 1,944,342	1,871,869 1,874,418	1,770,445 1,775,217	1,676,354 1,703,667	1,522,433 1,694,687	2,869,319 3,165,484	2,367,176 2,541,959	1,715,708 1,856,903	1,098,508 1,228,123	610,012 766,679	186,054 273,382	22,999 41,790
London	M { F {	2,124,277 2,395,477	49,142 48,994	44,995 44,589	140,198 139,981	234,335 232,864	215,717 217,727	198,818 202,977	193,068 212,400	190,834 237,838	363,254 432,417	293,658 333,156	213,803 240,908	131,526 153,583	68,178 92,601	18,845 33,491	2,241 5,515
County Boroughs*	M { F {	5,441,890 5,922,044	127,691 124,775	119,807 118,594	374,160 374,035	621,658 617,404	581,930 587,068	546,381 556,890	509,893 552,565	469,995 551,505	913,120 1,020,874	745,286 802,391	522,530 573,357	322,397 366,325	162,305 215,648	42,012 68,924	4,383 9,093
Urban Districts*	M { F {	6,163,967 6,610,014	140,023 137,355	133,688 131,621	415,174 413,958	688,885 682,934	660,135 660,882	620,041 623,569	586,498 605,649	535,898 594,903	1,015,415 1,113,939	834,332 895,487	585,821 642,282	369,171 432,225	200,383 261,735	60,095 92,463	7,293 13,946
Rural Districts*	M { F {	3,942,851 3,939,116	83,550 81,449	80,660 78,927	253,020 250,764	417,230 411,140	414,087 408,741	405,205 391,781	386,895 333,053	325,706 310,441	577,530 598,254	493,900 510,925	393,554 400,356	275,414 285,990	179,146 196,695	65,102 78,504	9,082 13,236
Northern Counties	M { F {	5,951,413 6,300,969	139,610 136,523	131,598 130,214	406,304 406,350	677,512 673,087	632,552 636,547	598,010 603,124	565,474 582,187	518,575 575,685	985,742 1,078,309	811,993 854,562	572,568 608,206	359,410 391,233	179,808 224,006	45,452 66,401	4,317 7,622
Midland Counties	M { F {	5,543,530 5,885,972	125,344 122,806	120,159 117,898	375,673 374,870	621,176 615,574	604,603 603,455	574,630 575,271	526,575 533,161	453,110 509,310	873,182 955,737	728,814 775,916	533,196 570,978	347,058 384,690	204,530 251,112	67,795 95,432	8,861 15,336
Southern Counties (including London).	M { F {	4,917,131 5,465,662	105,073 102,697	98,823 97,534	312,846 309,786	516,742 510,017	496,279 496,900	473,859 472,929	463,843 474,772	436,641 504,016	801,940 938,290	657,547 757,312	493,628 570,088	320,097 382,309	186,806 246,623	61,305 95,876	8,444 16,530
Wales and Monmouth	M { F {	1,260,911 1,214,048	30,379 29,847	28,570 28,085	87,729 87,732	146,678 145,664	138,435 137,516	123,946 123,893	120,462 113,547	114,107 105,676	208,455 193,148	168,822 154,169	116,316 107,631	71,943 69,891	38,868 44,938	11,502 15,673	1,377 2,302
County Boroughs.	North*	2,922,032	69,597	65,053	202,873	337,523	312,456	293,891	272,940	252,665	492,442	406,044	280,962	171,356	81,853	18,324	1,576
	Midlands	3,157,176	68,135	64,442	203,135	335,712	315,507	298,814	292,612	293,339	550,617	432,574	304,754	191,775	107,928	30,261	3,283
	South	1,685,875	39,949	37,491	116,856	194,296	184,331	173,889	158,738	141,619	277,912	226,897	160,023	99,960	51,903	14,718	1,589
	Wales	1,841,412	38,907	37,106	117,511	193,524	185,606	177,292	176,826	172,591	311,952	242,990	174,353	112,097	67,607	23,378	3,196
	Boroughs.	596,622	12,435	11,950	37,973	62,358	59,465	55,705	55,821	53,564	101,748	79,982	58,879	38,192	22,423	7,428	1,057
		690,442	12,260	11,701	36,982	60,943	60,170	57,084	60,029	63,213	119,345	97,017	73,817	50,406	33,062	13,028	2,328
		237,361	5,710	5,313	16,458	27,481	25,676	22,896	22,394	22,147	41,020	32,363	22,666	12,889	6,126	1,542	161
		233,014	5,473	5,345	16,407	27,225	25,785	23,700	23,098	22,362	38,960	29,810	20,433	12,047	7,051	2,257	286

	Urban Districts	North* ...	Midlands* ...	South* ...	Wales* ...	50,045	47,347	145,235	242,627	228,394	217,333	205,949	191,255	361,620	297,120	209,274	132,292	65,530	16,610	1,508
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
		2,169,512	2,298,327	2,412,590	2,412,590	50,947	49,213	145,533	254,693	246,707	219,850	212,039	209,451	392,895	312,874	223,380	145,337	82,902	24,424	2,767
		2,217,898	2,412,590	2,412,590	2,412,590	50,947	49,213	153,433	252,282	245,770	232,329	222,599	214,174	392,895	312,874	223,380	145,337	82,902	24,424	2,767
		1,168,785	2,412,590	2,412,590	2,412,590	50,947	49,213	153,433	252,282	245,770	232,329	222,599	214,174	392,895	312,874	223,380	145,337	82,902	24,424	2,767
		1,327,190	2,412,590	2,412,590	2,412,590	50,947	49,213	153,433	252,282	245,770	232,329	222,599	214,174	392,895	312,874	223,380	145,337	82,902	24,424	2,767
		607,772	15,482	14,492	14,492	15,482	14,492	43,455	73,429	68,101	59,167	57,325	56,715	104,763	83,008	53,960	31,133	15,554	4,178	439
		571,907	15,261	14,151	14,151	15,261	14,151	43,795	73,207	67,847	58,929	53,626	50,628	92,138	72,317	48,214	29,870	18,353	5,960	818
		859,869	19,968	19,198	19,198	19,968	19,198	58,196	97,362	91,702	86,786	86,585	74,655	131,680	108,829	82,332	55,762	32,425	10,518	1,233
		845,466	19,420	18,617	18,617	19,420	18,617	57,641	95,678	90,329	84,460	77,536	72,895	134,797	109,114	80,072	54,121	33,176	11,716	1,572
		1,639,757	34,448	33,455	33,455	34,448	33,455	104,284	172,187	173,563	170,237	159,686	130,585	235,884	202,576	164,935	116,456	79,380	30,003	4,245
		1,631,970	33,532	32,310	32,310	33,532	32,310	103,926	169,768	172,079	165,650	133,736	122,545	239,845	208,289	167,023	122,237	88,014	36,356	6,428
		1,027,447	19,947	19,242	19,242	19,947	19,242	62,724	101,913	104,164	106,299	99,881	85,221	147,294	129,044	106,577	75,275	50,153	18,799	2,827
		1,052,553	19,384	19,411	19,411	19,384	19,411	61,667	100,462	102,449	100,407	84,958	82,315	161,562	141,480	114,277	81,658	55,971	22,976	4,038
		415,778	9,187	8,765	8,765	9,187	8,765	27,816	45,768	44,658	41,883	40,743	35,245	62,672	53,451	39,690	27,921	17,188	5,782	777
		409,127	9,113	8,589	8,589	9,113	8,589	27,530	45,232	43,884	41,264	36,823	32,686	62,050	52,042	38,984	27,974	19,534	7,456	1,198

TABLE 3.—ESTIMATED POPULATION of aggregate URBAN AREAS (U) and of RURAL AREAS (R) in ADMINISTRATIVE COUNTIES in the MIDDLE of the YEAR 1912.

Mortality under one year of age is calculated throughout this Report upon the numbers of births in preference to the populations here given ; and the estimated populations at ages 1-2 years must be used with caution owing to uncertainty in the statement of ages in the Census Returns.

Anglesey ...	U	R	9,001	165	159	611	935	1,047	919	810	675	1,291	1,253	909	650	373	123	16
			M	F	M	F	M	F	M	F	M	F	M	F	M	F		
			10,012	175	164	557	896	957	945	931	737	1,598	1,326	1,083	754	532	207	46
			15,612	288	290	968	1,546	1,610	1,727	1,507	1,114	2,003	1,830	1,676	1,312	875	356	56
			16,346	281	267	932	1,480	1,529	1,511	1,372	1,231	2,326	2,112	1,558	1,391	1,035	420	81
			55,699	1,172	1,120	3,538	5,830	5,663	5,719	5,769	5,050	9,089	7,233	5,216	3,381	2,001	662	86
			64,030	1,156	1,135	3,489	5,780	5,530	5,868	6,227	6,302	10,703	8,514	6,601	4,371	2,918	1,039	177
			38,970	782	734	2,467	3,983	3,995	4,109	3,729	3,125	5,384	4,657	3,968	2,888	2,185	834	113
			38,919	723	721	2,199	3,643	3,839	3,857	3,048	2,718	5,507	4,938	4,245	3,407	2,559	995	163
			27,510	562	528	1,611	2,701	2,648	2,682	2,622	2,538	4,213	3,524	2,807	1,925	1,289	476	85
			30,364	528	480	1,569	2,577	2,532	2,536	2,754	2,630	5,037	4,031	3,368	2,394	1,663	714	128
			67,781	1,374	1,281	4,151	6,806	6,708	7,209	6,976	4,967	9,786	8,635	7,109	4,955	3,182	1,274	174
			69,413	1,303	1,281	4,184	6,768	6,895	6,629	5,539	5,389	10,661	9,301	7,517	5,363	3,605	1,500	246

* Population adjusted to be comparable with the births and deaths shown in this Report, changes in area having occurred during the year.

TABLE 3.—ESTIMATED POPULATION OF aggregate URBAN AREAS (U) and of RURAL AREAS (R) in ADMINISTRATIVE COUNTIES, &c.—continued.

Area.	Sex.	All Ages.	0—1	1—2	2—5	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 Years and upwards.
Brecknockshire	{ U	8,733	193	192	543	928	900	852	867	726	1,373	1,235	854	556	323	107	12
	{ F	8,920	166	168	601	935	945	869	840	846	1,397	1,136	813	565	384	162	28
	{ R	22,013	456	502	1,480	2,438	2,393	2,116	2,055	1,881	3,508	2,889	2,131	1,425	836	289	52
	{ F	20,293	505	445	1,433	2,383	2,221	2,058	1,910	1,698	3,046	2,550	1,845	1,278	894	345	65
Buckinghamshire	{ U	39,344	818	805	2,530	4,153	4,229	4,124	4,054	3,008	6,254	5,190	3,715	2,504	1,527	507	79
	{ F	42,041	809	760	2,429	3,998	4,145	3,989	3,830	3,564	6,732	5,781	4,221	2,898	2,022	743	118
	{ R	69,417	1,422	1,336	4,266	7,024	7,412	7,119	6,397	5,321	10,077	9,036	7,216	5,014	3,363	1,272	166
	{ F	71,729	1,278	1,298	4,271	6,847	7,207	6,988	5,539	5,345	10,953	9,699	7,802	5,609	3,901	1,572	267
Cambridgeshire	{ U*	25,153	505	489	1,497	2,491	2,497	2,446	2,511	2,156	3,816	3,440	2,577	1,827	1,010	336	46
	{ F	30,261	486	519	1,448	2,453	2,389	2,564	3,064	2,954	4,921	4,189	3,176	2,326	1,512	606	107
	{ R*	37,052	709	730	2,172	3,611	3,771	3,743	3,496	2,873	5,058	4,515	3,862	2,958	2,246	816	103
	{ F	36,923	704	689	2,167	3,560	3,837	3,708	2,706	2,460	5,044	4,729	3,934	3,123	2,533	1,068	221
Cardiganshire	{ U	6,937	130	120	392	642	664	661	699	591	955	904	755	527	401	124	14
	{ F	9,454	122	114	405	641	704	746	939	946	1,516	1,300	1,082	760	582	200	38
	{ R	19,986	321	298	1,127	1,746	1,995	2,097	2,153	1,575	2,416	2,246	2,166	1,798	1,252	464	78
	{ F	23,343	335	375	1,097	1,807	1,940	2,026	1,972	1,799	3,242	2,974	2,661	2,211	1,765	814	132
Carmarthenshire	{ U*	33,570	732	738	2,186	3,656	3,401	3,079	3,455	3,244	5,817	4,597	3,107	1,876	1,024	291	23
	{ F	32,785	744	688	2,179	3,611	3,465	3,034	3,192	3,105	5,311	4,230	3,069	1,932	1,292	484	60
	{ R*	48,516	1,143	1,064	3,209	5,416	5,180	4,677	5,329	4,471	7,560	5,965	4,357	3,044	1,794	639	84
	{ F	48,856	1,130	1,031	3,305	5,466	5,113	4,912	4,661	4,275	7,462	5,872	4,445	3,277	2,317	912	144
Carnarvonshire	{ U	26,364	500	467	1,540	2,507	2,734	2,585	2,375	2,003	4,062	3,675	2,795	2,042	1,194	354	38
	{ F	32,071	506	466	1,669	2,641	2,714	2,724	2,881	2,898	5,449	4,547	3,449	2,499	1,622	578	69
	{ R	32,881	647	588	1,986	3,221	3,334	3,330	3,020	2,441	4,707	4,398	3,578	2,616	1,628	527	81
	{ F	33,647	641	552	1,966	3,159	3,330	3,224	2,546	2,259	5,068	4,610	3,733	2,815	2,027	742	134
Cheshire	{ U	235,345	5,043	4,921	15,204	25,168	24,208	23,363	21,957	20,291	39,378	33,275	23,449	14,313	7,495	2,222	226
	{ F	265,940	5,029	4,798	15,446	25,273	24,581	23,671	23,785	24,690	47,264	38,240	26,894	17,512	10,421	3,230	379
	{ R	91,446	1,934	1,736	5,692	9,362	9,283	9,100	9,424	7,957	14,378	12,137	9,050	5,796	3,613	1,207	139
	{ F	94,455	1,812	1,727	5,470	9,009	9,153	8,927	8,725	8,542	16,132	13,098	9,338	6,033	3,963	1,363	172
Cornwall	{ U	65,322	1,278	1,262	3,970	6,510	6,527	6,405	6,972	5,755	9,485	8,034	6,821	4,528	3,005	1,138	142
	{ F	79,920	1,245	1,236	3,993	6,474	6,514	6,484	7,197	7,239	12,426	10,743	9,058	6,474	4,861	2,068	382
	{ R	86,514	1,721	1,657	5,392	8,770	8,901	9,049	9,151	7,072	11,350	10,352	9,218	6,461	4,325	1,600	265
	{ F	97,105	1,620	1,674	5,455	8,749	8,947	9,046	8,472	7,634	13,939	12,548	10,988	7,976	5,904	2,432	470

TABLE 3.—ESTIMATED POPULATION OF aggregate URBAN AREAS (U) and of RURAL AREAS (R) in ADMINISTRATIVE COUNTIES, &c.—continued.

Area.	Sex.	All Ages.	Years										75—	85 Years and upwards.			
			0—1	1—2	2—5	0—	5—	10—	15—	20—	25—	35—			45—	55—	65—
Glamorganshire	{ U	295,892	8,094	7,498	21,866	37,458	33,685	28,495	27,504	28,467	53,485	41,379	25,569	12,956	5,527	1,257	110
	{ R	261,040	7,944	7,421	22,229	37,594	33,752	28,320	24,525	23,346	42,164	32,471	19,762	11,129	6,028	1,741	208
	{ M	110,595	2,777	2,691	8,265	13,733	12,514	10,772	10,224	10,219	18,922	15,104	9,287	5,775	3,022	917	106
	{ F	103,435	2,789	2,574	8,204	13,567	12,435	10,716	9,816	9,069	16,946	12,936	8,214	5,367	3,178	1,056	135
Gloucestershire	{ U	44,512	881	850	2,658	4,389	4,574	4,618	4,646	3,457	6,371	5,797	4,427	3,218	2,171	733	111
	{ R	55,909	853	828	2,698	4,379	4,551	4,766	5,762	5,250	8,695	7,435	6,020	4,326	3,138	1,345	242
	{ M	112,304	2,249	2,194	7,149	11,592	12,201	11,975	10,795	8,780	15,385	13,956	11,672	8,248	5,467	1,960	273
	{ F	117,292	2,186	2,188	7,043	11,417	12,022	11,843	9,800	8,861	16,753	15,121	12,687	9,167	6,522	2,658	441
Herefordshire	{ U	18,689	364	336	1,172	1,872	1,823	1,973	1,719	1,441	2,784	2,434	1,978	1,393	890	336	46
	{ R	21,348	377	349	1,134	1,860	1,911	1,874	2,071	1,873	3,327	2,782	2,278	1,576	1,204	498	94
	{ M	36,475	707	714	2,256	3,677	3,835	3,869	3,348	2,505	4,418	4,634	3,999	3,047	2,231	791	121
	{ F	37,776	729	689	2,285	3,703	3,786	3,820	3,126	2,723	5,066	4,839	4,041	3,041	2,470	991	170
Hertfordshire	{ U	93,517	1,919	1,911	5,953	9,783	10,063	10,101	8,780	7,384	14,733	12,744	8,899	6,005	3,639	1,210	176
	{ R	105,034	1,943	1,841	5,991	9,775	9,847	9,594	9,503	9,518	17,508	14,487	10,452	7,367	4,739	1,880	364
	{ M	58,414	1,153	1,125	3,527	5,805	5,811	6,038	5,682	4,995	8,992	7,606	5,904	4,093	2,509	861	118
	{ F	61,319	1,030	1,094	3,543	5,667	5,816	5,785	5,076	5,127	9,971	8,300	6,404	4,676	3,146	1,148	203
Huntingdonshire	{ U	11,491	220	227	769	1,216	1,283	1,271	1,093	878	1,655	1,483	1,135	727	537	190	23
	{ R	12,317	274	218	771	1,263	1,321	1,275	1,111	971	1,718	1,557	1,248	870	652	280	51
	{ M	16,147	332	317	955	1,604	1,579	1,666	1,545	1,199	2,242	1,933	1,731	1,242	968	375	63
	{ F	15,814	272	307	1,011	1,590	1,636	1,574	1,219	1,011	2,175	1,976	1,731	1,309	1,076	436	81
Kent	{ U*	341,174	7,020	6,680	21,598	35,298	35,866	34,065	32,679	30,985	56,547	45,451	32,273	20,816	12,461	4,177	556
	{ R*	376,491	6,788	6,504	21,577	34,869	35,569	33,936	33,298	33,648	63,679	52,154	38,440	25,924	17,077	6,679	1,158
	{ M	158,773	3,079	2,998	9,804	15,881	16,747	17,250	15,109	12,132	22,561	19,549	16,278	11,724	8,059	3,006	477
	{ F	155,746	2,990	2,984	9,676	15,650	16,179	15,912	12,441	11,752	23,445	20,756	16,564	11,568	7,710	3,223	546
Lancashire	{ U*	719,755	15,392	14,840	46,083	76,315	73,345	71,455	69,714	64,921	122,161	101,399	71,701	43,384	20,306	4,696	358
	{ R	783,300	15,171	14,967	46,226	76,364	74,273	72,465	73,140	73,097	137,796	110,765	79,202	50,403	27,630	7,434	731
	{ M	119,852	2,403	2,426	7,396	12,225	11,900	11,543	11,710	10,414	18,967	16,147	12,504	8,287	4,744	1,279	132
	{ F	123,111	2,409	2,245	7,351	12,005	11,558	11,233	11,167	10,970	20,786	17,084	12,732	8,759	5,059	1,596	162
Leicestershire	{ U*	48,474	1,094	1,072	3,246	5,412	5,198	5,056	4,676	4,081	7,926	6,241	4,546	3,066	1,676	527	69
	{ R*	51,526	1,108	1,021	3,252	5,381	5,333	5,166	5,050	4,896	8,535	6,615	4,790	3,112	1,857	677	114
	{ M	75,454	1,601	1,671	4,889	8,161	7,957	7,930	7,426	6,161	11,429	9,290	7,253	5,109	3,246	1,301	191
	{ F	76,978	1,645	1,588	4,826	8,059	8,090	7,704	6,766	6,261	12,230	9,740	7,345	5,313	3,689	1,568	213

Lincolnshire, Holland.	{ U { R	{ M F M F	17,957	412	398	1,200	2,010	1,871	1,765	1,639	1,331	2,701	2,309	1,725	1,308	906	337	55
			19,646	411	403	1,177	1,991	1,847	1,836	1,803	1,715	3,027	2,471	1,873	1,434	1,109	443	97
			23,376	511	535	1,565	2,611	2,558	2,320	2,190	1,852	3,388	2,813	2,113	1,733	1,258	475	65
			22,564	569	455	1,557	2,581	2,353	2,311	1,940	1,667	3,247	2,749	2,076	1,707	1,301	540	92
Lincolnshire, Kesteven.	{ U { R	{ M F M F	21,843	464	458	1,363	2,285	2,180	1,974	1,953	1,813	3,778	2,942	2,144	1,476	915	341	42
			22,852	441	471	1,412	2,324	2,173	2,142	2,035	1,909	3,820	2,943	2,236	1,606	1,136	445	83
			34,309	757	647	2,148	3,552	3,433	3,384	3,433	2,712	4,899	4,063	3,589	2,579	1,852	725	88
			33,295	683	635	2,053	3,371	3,390	3,350	2,746	2,412	4,657	4,217	3,457	2,677	2,007	855	156
Lincolnshire, Lindsey.	{ U { R	{ M F M F	48,051	1,135	1,117	3,323	5,575	5,068	4,562	4,273	4,101	8,142	6,268	4,628	2,990	1,781	584	79
			50,711	1,132	1,123	3,364	5,619	5,090	4,757	4,510	4,382	8,455	6,574	4,803	3,272	2,219	892	138
			72,887	1,578	1,543	4,586	7,707	7,547	7,051	6,819	5,804	10,369	8,833	7,471	5,525	3,980	1,553	228
			70,341	1,544	1,433	4,589	7,566	7,389	6,937	6,036	5,293	10,280	8,681	7,058	5,166	3,938	1,695	302
Merionethshire	{ U { R	{ M F M F	9,311	167	156	510	833	940	998	840	712	1,364	1,213	967	807	492	136	9
			10,573	179	177	530	886	954	1,035	821	775	1,644	1,466	1,189	919	659	199	26
			12,223	208	202	670	1,080	1,185	1,226	1,168	989	1,635	1,604	1,349	1,055	673	232	27
			13,023	212	204	698	1,114	1,245	1,266	1,155	928	1,925	1,739	1,430	1,033	806	330	52
Middlesex ...	{ U { R	{ M F M F	522,521	12,430	11,995	38,390	62,815	59,307	51,750	45,641	41,011	90,173	75,016	49,156	28,293	14,602	4,200	557
			598,602	12,344	11,899	37,877	62,120	58,965	52,948	52,653	54,866	109,083	85,280	56,757	35,464	21,370	7,854	1,240
			23,339	525	513	1,658	2,696	2,789	2,773	1,860	1,638	3,567	3,170	2,184	1,382	967	269	44
			26,232	558	482	1,620	2,660	2,763	2,678	2,216	2,236	4,465	3,557	2,492	1,610	1,069	405	81
Monmouthshire	{ U* { R*	{ M F M F	147,551	3,998	3,772	11,409	19,179	17,275	14,409	14,118	14,234	25,456	19,574	12,092	6,968	3,279	874	93
			128,453	3,936	3,558	11,202	18,696	16,942	14,053	12,290	11,077	20,355	15,148	9,657	5,752	3,312	1,037	134
			23,699	474	517	1,604	2,595	2,451	2,359	2,170	1,796	3,458	3,117	2,446	1,787	1,097	365	58
			23,081	480	431	1,461	2,372	2,468	2,414	2,153	1,815	3,435	2,995	2,208	1,624	1,086	446	65
Montgomeryshire...	{ U { R	{ M F M F	8,986	175	159	572	906	962	929	861	654	1,237	1,157	982	628	474	174	22
			10,027	170	178	512	860	945	919	943	873	1,509	1,310	1,090	744	574	230	30
			17,173	357	334	1,109	1,800	1,773	1,791	1,700	1,305	2,181	2,012	1,761	1,417	1,004	397	32
			16,728	325	354	1,040	1,719	1,681	1,773	1,561	1,236	2,292	2,039	1,755	1,250	979	377	66
Norfolk ...	{ U { R	{ M F M F	28,820	589	583	1,852	3,024	2,987	3,092	2,679	2,234	4,109	3,644	3,007	2,068	1,358	527	91
			32,474	601	559	1,828	2,988	2,985	3,054	3,213	2,657	4,983	4,133	3,337	2,430	1,701	847	146
			131,396	2,672	2,560	8,021	13,253	13,537	13,680	12,580	10,138	17,825	15,258	14,089	9,975	7,441	3,130	490
			130,423	2,602	2,472	8,037	13,111	13,319	13,232	10,142	9,275	17,810	16,119	14,169	10,404	8,249	3,821	772
Northampton	{ U { R	{ M F M F	47,267	945	851	2,780	4,576	5,111	5,265	4,799	3,813	7,332	6,572	4,718	2,847	1,620	543	71
			48,861	867	909	2,928	4,704	4,965	5,309	4,881	4,468	8,028	6,419	4,626	2,884	1,803	657	117
			59,316	1,121	1,104	3,564	5,789	5,941	6,034	5,567	4,647	8,564	7,500	6,215	4,461	3,142	1,314	142
			59,116	1,093	1,143	3,464	5,700	6,045	5,978	4,522	4,208	8,537	7,654	6,369	4,731	3,612	1,500	260

* Population adjusted to be comparable with the births and deaths shown in this Report, changes in area having occurred during the year.

TABLE 3.—ESTIMATED POPULATION OF aggregate URBAN AREAS (U) and of RURAL AREAS (R) in ADMINISTRATIVE COUNTIES, &c.—continued.

Area.	Sex.	All Ages.	0-1	1-2	2-5	0-	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 Years and upwards.
Northumberland ...	U*	137,560	3,689	3,368	10,279	17,336	15,871	13,945	13,364	12,092	22,536	17,859	12,028	7,510	3,891	1,020	108
	F	134,456	3,499	3,348	10,229	17,076	15,697	13,917	12,592	12,083	21,998	17,036	11,349	7,090	4,128	1,332	158
	R*	53,272	1,088	1,146	3,475	5,709	5,489	5,093	5,233	4,560	8,152	6,783	5,392	3,671	2,315	769	106
Nottinghamshire ...	U	110,649	2,957	2,791	8,266	14,014	12,905	11,614	10,513	9,406	18,455	14,484	9,475	5,858	2,919	896	110
	F	112,027	2,777	2,757	8,365	13,899	12,831	11,691	10,978	10,233	18,644	14,022	9,230	5,824	3,373	1,168	134
	R	65,294	1,532	1,462	4,240	7,234	6,790	6,453	6,465	5,613	9,716	7,945	6,474	4,535	2,837	1,074	158
Oxfordshire ...	U	65,425	1,495	1,367	4,353	7,215	7,004	6,528	5,932	5,313	9,931	8,153	6,441	4,486	3,022	1,207	193
	F	17,402	382	351	1,023	1,756	1,863	1,720	1,588	1,362	2,554	2,205	1,787	1,249	900	370	48
	R	19,116	338	305	1,013	1,656	1,778	1,773	1,908	1,660	2,893	2,478	1,979	1,405	1,033	469	84
Pembrokeshire ...	U	50,060	994	950	3,032	4,976	5,092	5,219	4,978	4,064	6,827	5,844	5,292	3,912	2,660	1,051	145
	F	50,627	1,016	962	3,037	5,015	5,044	5,077	3,955	3,562	7,110	6,488	5,587	4,234	3,020	1,281	254
	R	18,934	429	363	1,162	1,954	1,965	1,917	1,914	1,876	2,995	2,261	1,788	1,210	754	254	46
Peterborough, Soke of.	U	20,081	397	383	1,177	1,957	1,973	1,910	1,850	1,833	3,202	2,602	2,033	1,348	963	345	65
	F	24,772	553	529	1,576	2,658	2,637	2,547	2,645	2,019	3,342	2,917	2,421	1,842	1,240	422	82
	R	26,447	506	507	1,576	2,589	2,509	2,444	2,427	2,248	3,884	3,153	2,846	2,068	1,565	610	104
Radnorshire	U	16,131	340	293	984	1,617	1,581	1,602	1,493	1,283	2,567	2,158	1,712	1,214	638	237	29
	F	17,801	286	299	969	1,554	1,631	1,699	1,720	1,575	2,794	2,376	1,839	1,362	834	360	57
	R	5,738	136	117	385	638	564	562	536	472	831	666	593	446	291	118	21
Rutlandshire	U	5,524	103	94	321	518	570	570	464	385	754	694	609	467	321	136	36
	F	2,730	63	54	160	277	277	268	233	217	442	357	267	199	136	48	9
	R	3,154	43	31	161	235	257	244	339	321	554	436	334	230	139	55	10
Shropshire ...	U	8,541	170	165	488	823	869	850	817	685	1,135	1,090	855	716	492	186	23
	F	8,073	177	150	506	833	832	825	763	656	1,144	1,021	767	613	419	166	34
	R	1,876	42	30	127	199	178	205	184	126	303	232	207	148	68	23	3
Shropshire ...	U	1,841	42	33	105	180	176	150	179	159	278	260	218	121	76	33	11
	F	8,499	179	166	518	863	788	867	1,111	625	1,123	1,034	905	567	425	157	34
	R	8,214	131	146	498	775	837	767	686	634	1,171	1,091	871	627	498	219	38
Shropshire ...	U	53,568	1,121	1,078	3,433	5,632	5,704	5,600	5,144	4,309	7,991	6,993	5,273	3,670	2,347	813	92
	F	56,517	1,109	1,049	3,454	5,612	5,779	5,573	5,075	4,461	8,403	7,415	5,821	4,063	2,984	1,158	173
	R	68,686	1,392	1,408	4,378	7,178	7,152	7,035	6,669	5,301	9,498	8,591	7,107	5,025	3,600	1,359	171
	F	68,400	1,380	1,271	4,368	7,019	7,321	6,979	5,876	5,115	9,477	8,760	6,960	5,078	3,924	1,598	293

Somersetshire	{ U { ... { R {	M	72,135	1,425	1,363	4,335	7,123	7,360	7,920	7,479	5,901	10,713	9,253	7,186	4,855	3,049	1,106	190
		F	87,089	1,402	1,332	4,386	7,120	7,415	7,698	8,467	8,228	14,011	11,710	9,126	6,480	4,588	1,890	356
		M	112,762	2,229	2,196	6,917	11,342	11,849	11,885	11,034	8,862	15,336	13,821	11,818	8,611	5,781	2,094	329
		F	119,496	2,196	2,152	6,879	11,227	11,515	11,353	9,701	9,261	17,586	15,522	12,851	9,844	7,014	3,032	590
Southampton	{ U* { ... { R* {	M	111,542	2,325	2,216	6,737	11,278	9,956	9,221	13,436	15,936	19,669	13,097	8,829	5,578	3,243	1,152	147
		F	98,150	2,239	2,082	6,459	10,780	9,735	8,921	8,099	8,605	17,000	13,292	9,605	6,066	4,117	1,657	273
		M	119,269	2,384	2,251	7,232	11,867	11,639	11,324	12,106	13,195	17,728	14,489	11,570	7,862	5,226	1,966	297
		F	113,864	2,288	2,269	7,045	11,602	11,487	10,941	8,966	9,010	17,945	15,256	12,117	8,326	5,539	2,279	396
Staffordshire	{ U { ... { R {	M	234,576	5,972	5,710	17,632	29,314	27,305	25,268	23,192	20,233	36,574	29,280	20,481	13,304	7,332	2,080	213
		F	231,795	5,934	5,647	17,476	29,057	27,709	25,597	20,948	19,372	36,010	28,416	20,071	13,379	8,236	2,704	296
		M	106,545	2,337	2,349	7,051	11,737	11,607	11,282	10,866	9,049	15,865	13,518	9,877	6,783	4,278	1,487	196
		F	104,325	2,385	2,261	7,072	11,718	11,488	10,811	9,002	8,129	15,948	13,441	9,938	7,127	4,750	1,726	247
Suffolk, East	{ U { ... { R {	M	38,379	895	845	2,616	4,356	4,386	4,080	3,506	3,338	6,032	4,483	3,559	2,481	1,532	537	89
		F	43,787	926	784	2,688	4,398	4,229	4,133	4,177	3,929	7,013	5,436	4,388	3,080	2,021	835	148
		M	63,060	1,217	1,201	3,792	6,210	6,619	6,496	6,979	4,770	8,446	7,285	6,478	4,776	3,310	1,449	242
		F	59,858	1,206	1,215	3,848	6,269	6,461	6,370	4,513	4,140	8,229	7,382	6,403	4,748	3,459	1,583	301
Suffolk, West	{ U { ... { R {	M	21,031	381	400	1,269	2,050	2,155	2,213	2,213	1,611	2,996	2,707	2,220	1,527	947	345	47
		F	22,787	394	379	1,189	1,962	2,084	2,222	2,161	1,963	3,414	3,014	2,433	1,669	1,249	527	89
		M	36,950	736	695	2,209	3,640	3,896	3,856	3,550	2,842	5,039	4,372	3,898	2,788	2,099	830	140
		F	36,052	697	692	2,280	3,669	3,844	3,750	2,727	2,354	4,911	4,362	3,927	2,913	2,284	1,109	202
Surrey	{ U { ... { R {	M	213,849	4,350	4,365	13,827	22,542	21,656	20,157	18,989	17,516	35,493	30,938	21,940	13,896	7,839	2,524	359
		F	251,588	4,283	4,183	13,496	21,962	21,663	19,810	21,504	23,999	46,187	37,462	26,087	17,275	10,849	4,102	688
		M	108,771	2,261	2,132	7,075	11,468	11,548	11,381	9,151	7,855	17,205	15,376	11,329	7,434	4,443	1,412	169
		F	122,512	2,238	2,189	6,874	11,301	11,242	10,843	9,974	10,867	21,677	17,860	12,994	8,455	5,130	1,885	284
Sussex, East	{ U { ... { R {	M	49,774	989	966	2,876	4,831	5,094	5,248	4,364	3,722	7,519	6,653	5,391	3,665	2,291	863	133
		F	67,947	905	881	3,022	4,808	5,096	5,465	6,247	6,291	11,819	9,818	7,737	5,555	3,412	1,426	273
		M	62,126	1,113	1,100	3,618	5,831	6,209	6,626	5,831	4,767	9,154	7,961	6,540	4,820	3,034	1,174	179
		F	65,444	1,120	1,084	3,606	5,810	6,158	6,052	5,330	5,023	10,452	9,200	7,297	5,274	3,341	1,281	226
Sussex, West	{ U { ... { R {	M	37,395	781	747	2,309	3,837	4,105	3,896	3,291	2,652	5,585	4,823	3,796	2,681	1,866	740	123
		F	47,965	756	674	2,297	3,727	4,045	3,682	4,123	4,045	7,762	6,849	5,489	4,063	2,797	1,186	197
		M	47,340	907	815	2,744	4,466	4,781	5,112	4,499	3,508	6,793	5,973	4,980	3,654	2,439	989	146
		F	46,923	831	839	2,767	4,437	4,597	4,391	3,549	3,446	7,243	6,685	5,073	3,797	2,510	1,017	178
Warwickshire	{ U { ... { R {	M	64,359	1,413	1,399	4,058	6,870	6,587	6,400	6,106	5,352	10,941	8,731	6,124	4,078	2,229	835	106
		F	72,552	1,353	1,285	4,193	6,831	6,665	6,343	6,806	6,810	12,391	9,725	7,218	4,964	3,246	1,316	237
		M	85,569	1,913	1,841	5,803	9,557	9,402	9,143	8,187	6,972	13,117	10,676	7,924	5,585	3,491	1,327	188
		F	84,590	1,860	1,769	5,678	9,307	9,283	8,567	6,979	6,685	13,114	10,831	8,102	5,959	3,909	1,576	278

* Population adjusted to be comparable with the births and deaths shown in this Report, changes in area having occurred during the year.

TABLE 3.—ESTIMATED POPULATION OF aggregate URBAN AREAS (U) and of RURAL AREAS (R) in ADMINISTRATIVE COUNTIES, &c.—continued.

Area.	Sex.	All Ages.	0—1	1—2	2—5	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 Years and upwards.
Westmorland	U	12,288	244	228	708	1,180	1,173	1,256	1,186	966	1,887	1,616	1,335	963	530	174	22
	F	14,545	215	217	708	1,140	1,156	1,238	1,362	1,426	2,458	1,978	1,560	1,170	736	286	35
	R	17,758	334	324	985	1,643	1,787	1,760	1,819	1,432	2,327	2,194	1,891	1,553	952	358	42
	F	18,874	319	329	949	1,597	1,681	1,854	1,824	1,661	2,896	2,382	2,102	1,487	916	417	57
Wight, Isle of	U	25,438	508	467	1,582	2,557	2,578	2,375	2,241	1,854	3,935	3,481	2,630	1,910	1,331	485	61
	F	32,122	478	435	1,538	2,451	2,506	2,521	2,757	2,720	5,403	4,634	3,571	2,699	1,906	817	137
	R	16,437	283	272	818	1,373	1,318	1,704	1,400	1,702	2,544	2,227	1,736	1,229	835	317	52
	F	14,953	258	248	830	1,336	1,327	1,324	1,153	1,164	2,411	2,059	1,703	1,199	850	371	56
Wiltshire	U	60,556	1,230	1,223	3,889	6,342	6,104	6,154	6,275	4,730	9,413	8,243	6,232	3,967	2,236	747	113
	F	65,648	1,216	1,147	3,752	6,115	6,271	6,217	6,170	5,554	10,405	8,833	6,934	4,672	3,053	1,230	194
	R	83,720	1,644	1,596	5,331	8,571	8,335	8,162	8,347	7,534	12,253	10,170	8,323	5,939	4,238	1,614	234
	F	78,941	1,629	1,650	5,028	8,307	8,227	7,903	5,891	5,617	11,468	10,173	8,456	6,133	4,611	1,838	317
Worcestershire	U*	73,499	1,567	1,495	4,842	7,904	8,132	7,830	7,328	5,841	11,524	9,655	7,020	4,611	2,691	854	109
	F	82,092	1,655	1,545	4,899	8,099	8,067	7,878	7,727	7,416	13,382	10,723	8,108	5,590	3,549	1,341	212
	R*	66,712	1,424	1,275	4,349	7,048	7,139	7,114	6,541	5,062	9,251	8,484	6,743	4,719	3,258	1,192	161
	F	69,038	1,348	1,283	4,307	6,938	7,078	6,990	5,792	5,231	10,166	8,892	7,107	5,345	3,667	1,542	290
Yorkshire, Riding.	U	27,631	586	555	1,771	2,912	3,030	2,824	2,357	1,991	4,063	3,565	2,810	2,135	1,404	470	70
	F	33,255	590	578	1,800	2,968	2,832	2,961	3,016	2,897	5,406	4,585	3,367	2,648	1,756	691	128
	R	48,798	992	964	2,925	4,881	4,685	4,566	5,448	4,471	6,905	5,723	4,865	3,671	2,508	942	133
	F	46,411	951	910	2,921	4,782	4,730	4,462	4,160	3,844	6,917	5,719	4,768	3,394	2,409	1,066	160
Yorkshire, North	U	89,066	2,168	1,992	6,396	10,556	9,806	9,019	7,890	7,270	14,650	11,659	8,106	5,761	3,261	969	119
	F	92,405	2,073	1,996	6,154	10,223	9,735	9,072	8,027	8,036	15,406	11,968	8,665	5,963	3,781	1,322	207
	R	68,381	1,339	1,364	4,218	6,921	6,555	6,611	7,017	5,901	9,773	8,126	7,112	5,299	3,448	1,424	194
	F	68,733	1,336	1,301	3,986	6,623	6,625	6,354	6,158	5,860	10,470	8,848	7,341	5,331	3,496	1,375	252
Yorkshire, Riding.	U	594,377	13,541	12,585	38,270	64,396	60,527	58,246	55,104	52,517	100,458	83,660	58,974	37,549	18,081	4,498	367
	F	624,223	13,232	12,680	38,557	64,469	61,673	59,189	56,216	53,883	106,237	85,824	62,401	41,418	23,401	6,800	712
	R	198,080	4,882	4,655	13,951	23,488	21,755	20,030	19,090	16,661	32,084	25,907	18,371	11,917	6,495	2,043	239
	F	188,685	4,729	4,564	13,766	23,059	21,335	19,410	16,035	15,306	30,368	24,400	17,386	11,617	7,036	2,422	311

TABLE 4.---ESTIMATED POPULATION OF COUNTY BOROUGHs in the MIDDLE of the YEAR 1912.

Mortality under one year of age is calculated throughout this Report upon the numbers of births in preference to the population here given ; and the estimated populations at ages 1-2 years must be used with caution owing to uncertainty in the statement of ages in the Census Returns.

Barrow in Furness	{ ... {	M	33,623	759	708	2,302	3,769	3,778	3,227	3,080	3,099	5,861	4,797	2,924	1,932	967	171	18
	{ ... {	F	30,966	723	675	2,283	3,681	3,604	3,234	2,665	2,646	5,402	4,163	2,609	1,735	981	215	31
Bath	{ ... {	M	29,456	553	569	1,719	2,841	2,957	3,171	2,729	2,258	4,385	3,901	3,079	2,197	1,388	473	77
	{ ... {	F	40,143	564	528	1,800	2,892	3,046	3,038	3,657	3,768	6,376	5,391	4,634	3,448	2,546	1,142	205
Birkenhead	{ ... {	M	64,862	1,664	1,519	4,810	7,993	7,206	6,556	6,028	5,725	11,080	8,644	5,812	3,461	1,883	433	41
	{ ... {	F	68,565	1,658	1,477	4,751	7,886	7,061	6,665	5,936	6,183	12,271	9,169	6,291	3,929	2,321	739	114
Birmingham	{ ... {	M	405,540	9,661	9,075	28,554	47,290	44,630	41,175	36,880	33,894	69,753	56,682	37,719	22,788	11,402	3,019	308
	{ ... {	F	445,407	9,436	8,836	28,720	46,992	44,549	42,031	42,036	42,390	79,406	60,519	40,939	25,824	15,206	4,924	591
Blackburn	{ ... {	M	62,066	1,279	1,145	4,008	6,432	5,933	5,936	5,912	5,577	10,838	8,629	6,644	3,962	1,770	404	29
	{ ... {	F	71,494	1,229	1,201	3,861	6,291	6,049	6,028	6,622	7,275	13,143	10,195	7,905	4,778	2,541	614	53
Blackpool	{ ... {	M	26,018	444	450	1,463	2,357	2,541	2,433	2,035	1,892	4,132	4,192	3,126	1,979	1,092	213	26
	{ ... {	F	33,813	450	419	1,484	2,353	2,538	2,701	2,628	2,961	5,995	5,340	4,290	2,910	1,649	402	46
Bolton	{ ... {	M	85,964	1,927	1,895	5,582	9,404	8,956	8,779	8,636	7,656	14,196	12,109	8,534	5,063	2,154	443	34
	{ ... {	F	96,560	1,844	1,834	5,623	9,301	8,878	9,031	9,120	9,377	17,031	13,763	9,944	6,054	3,201	788	72
Bootle	{ ... {	M	34,943	911	853	2,608	4,372	4,209	3,629	3,292	3,009	5,594	4,523	3,260	1,957	894	190	14
	{ ... {	F	36,210	866	856	2,578	4,300	4,114	3,698	3,476	3,229	6,120	4,742	3,212	1,967	1,052	272	28
Bournemouth	{ ... {	M	31,560	598	582	1,844	3,024	2,855	2,735	2,765	2,746	5,200	4,113	3,415	2,457	1,639	520	91
	{ ... {	F	49,618	574	597	1,731	2,905	2,923	2,900	4,565	5,471	9,235	7,361	6,046	4,369	2,725	967	151
Bradford	{ ... {	M	133,917	2,498	2,333	7,433	12,264	11,740	12,295	12,600	11,568	23,511	20,253	15,047	9,220	4,304	1,028	87
	{ ... {	F	155,692	2,399	2,307	7,144	11,850	12,150	12,767	14,452	14,783	28,543	23,436	17,651	11,640	6,505	1,748	167
Brighton	{ ... {	M	58,921	1,156	1,114	3,569	5,839	5,866	5,616	5,349	4,679	9,247	7,924	6,507	4,372	2,524	875	123
	{ ... {	F	73,344	1,148	1,037	3,430	5,615	5,889	5,807	6,167	6,599	12,410	10,734	8,516	5,939	3,887	1,510	271
Bristol	{ ... {	M	164,537	3,595	3,516	10,831	17,942	18,093	17,592	16,152	13,155	25,662	22,181	15,660	10,148	5,953	1,817	182
	{ ... {	F	194,895	3,494	3,386	10,822	17,702	18,231	18,213	19,512	18,806	32,558	26,029	19,039	12,658	8,395	3,210	542
Burnley	{ ... {	M	51,115	1,114	1,064	3,311	5,489	4,873	4,964	4,843	4,595	8,964	7,188	5,362	3,103	1,424	297	13
	{ ... {	F	56,897	1,111	1,052	3,249	5,412	5,057	5,110	5,506	5,667	10,423	8,054	5,915	3,587	1,722	413	31

* Population adjusted to be comparable with the births and deaths shown in this Report, changes in area having occurred during the year.

TABLE 4.—ESTIMATED POPULATION OF COUNTY BOROUGHs IN THE MIDDLE OF THE YEAR 1912—*continued*.

Area.	Sex.	All Ages.	0—1	1—2	2—5	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 Years and upwards.
Burton upon Trent	{ M F	24,020 23,965	510 487	492 485	1,544 1,523	2,546 2,495	2,549 2,431	2,493 2,451	2,193 2,065	1,902 1,931	3,845 3,855	3,273 3,206	2,435 2,493	1,718 1,654	839 1,020	203 317	24 47
Bury	{ M F	28,004 31,102	505 530	493 513	1,625 1,551	2,623 2,594	2,393 2,355	2,472 2,495	2,617 2,648	2,644 3,050	4,983 5,828	4,273 4,611	2,935 3,504	1,930 2,371	949 1,266	169 356	16 24
Canterbury	{ M F	11,615 12,975	229 246	216 232	692 729	1,137 1,207	1,128 1,178	1,123 1,102	1,243 1,064	1,088 1,118	1,763 2,080	1,515 1,712	1,077 1,366	789 1,029	543 742	174 303	35 74
Cardiff	{ M F	90,804 93,829	2,107 1,977	2,008 2,001	6,066 6,221	10,181 10,199	9,896 10,058	9,075 9,660	8,671 9,378	8,259 9,129	15,078 15,764	12,253 12,157	9,151 8,685	5,057 4,930	2,466 2,835	654 921	63 113
Chester	{ M F	18,487 20,636	434 413	356 338	1,229 1,249	2,019 2,000	1,929 1,899	1,794 1,849	1,720 1,860	1,631 1,895	3,123 3,659	2,560 2,776	1,826 2,084	1,117 1,357	619 898	130 320	19 39
Coventry	{ M F	56,958 54,208	1,425 1,232	1,211 1,205	3,876 3,735	6,512 6,172	5,636 5,658	5,129 5,135	4,868 4,867	6,034 4,975	11,781 10,322	8,020 7,314	4,674 4,639	2,554 2,792	1,282 1,645	419 605	49 84
Croydon	{ M F	79,307 94,966	1,721 1,705	1,747 1,747	5,630 5,579	9,098 9,031	8,827 9,038	8,076 8,380	6,825 7,814	5,840 8,050	13,150 17,006	11,325 13,817	7,762 9,421	4,657 6,304	2,777 4,164	830 1,675	140 266
Derby	{ M F	60,532 64,012	1,445 1,296	1,233 1,312	4,007 4,002	6,685 6,610	6,141 6,230	5,967 5,885	5,436 6,115	4,931 5,815	10,209 11,037	8,486 8,592	6,072 6,353	4,109 4,136	1,927 2,366	532 783	37 90
Devonport	{ M F	45,399 37,768	937 836	774 818	2,557 2,413	4,268 4,067	3,790 3,867	3,242 3,354	6,048 3,002	5,998 3,239	9,577 6,962	5,644 5,210	3,435 3,703	1,972 2,216	1,010 1,444	369 595	46 109
Dudley	{ M F	25,161 26,229	624 580	570 593	1,818 1,942	3,012 3,115	2,889 3,050	2,814 2,786	2,461 2,559	2,146 2,393	4,113 4,112	3,122 3,170	2,158 2,184	1,467 1,543	749 957	210 327	20 33
Eastbourne	{ M F	22,284 31,446	400 393	413 397	1,344 1,220	2,157 2,010	2,241 2,141	2,584 2,444	2,068 3,290	1,822 3,187	3,535 5,946	2,886 4,703	2,265 3,535	1,552 2,244	860 1,352	261 513	53 81
Exeter	{ M F	22,527 26,333	451 478	418 400	1,369 1,272	2,238 2,150	2,136 2,060	2,285 2,213	2,295 2,445	1,906 2,567	3,427 4,175	2,912 3,577	2,391 2,916	1,586 2,091	972 1,445	334 577	45 117
Gateshead	{ M F	58,136 59,712	1,480 1,534	1,409 1,399	4,396 4,506	7,285 7,439	7,011 7,194	6,450 6,387	5,571 5,738	4,862 5,296	9,137 9,430	7,504 7,549	5,192 5,222	3,136 3,083	1,582 1,772	365 539	41 63

Gloucester ...	{ ... }	{ M F }	23,848 26,462	518 535	467 456	1,535 1,591	2,520 2,582	2,644 2,585	2,628 2,602	2,202 2,509	1,863 2,341	3,698 4,179	3,093 3,434	2,414 2,697	1,554 1,818	897 1,152	293 489	42 71
Great Yarmouth ...	{ ... }	{ M F }	25,919 30,594	622 575	550 565	1,815 1,745	2,987 2,885	2,892 3,020	2,641 2,633	2,422 2,836	1,867 2,841	3,789 4,770	3,186 3,844	2,538 3,046	1,867 2,266	1,225 1,659	434 691	71 103
Grimsby ...	{ ... }	{ M F }	38,410 37,775	932 882	879 867	2,677 2,668	4,488 4,417	3,792 3,899	3,579 3,490	3,444 3,496	3,678 3,531	6,818 6,577	5,186 5,014	3,768 3,568	2,241 2,112	1,070 1,169	307 434	39 68
Halifax ...	{ ... }	{ M F }	46,062 55,042	860 812	816 773	2,410 2,601	4,086 4,186	3,974 4,239	4,237 4,325	4,253 4,882	3,929 5,126	7,605 9,665	7,171 8,308	5,376 6,473	3,427 4,426	1,593 2,568	374 768	37 76
Hastings ...	{ ... }	{ M F }	24,721 35,844	417 422	427 416	1,359 1,433	2,203 2,271	2,371 2,450	2,514 2,692	2,222 3,183	1,785 3,080	3,528 5,603	3,280 5,186	2,774 4,435	2,070 3,444	1,438 2,344	466 964	70 192
Huddersfield ...	{ ... }	{ M F }	50,864 58,649	1,005 1,010	989 994	3,039 2,943	5,033 4,947	4,855 4,803	4,619 4,854	4,035 4,984	4,163 5,372	9,244 10,814	8,083 8,955	5,685 6,662	3,247 4,195	1,497 2,348	373 650	30 65
Ipswich ...	{ ... }	{ M F }	35,483 39,416	792 781	783 783	2,414 2,355	3,989 3,919	3,922 3,817	3,589 3,682	3,332 3,694	2,798 3,341	5,639 6,264	4,679 5,335	3,382 3,923	2,310 2,772	1,284 1,817	482 731	77 121
Kingston upon Hull ...	{ ... }	{ M F }	138,463 144,525	3,510 3,495	3,322 3,253	10,152 10,093	16,984 16,841	15,470 15,430	14,395 14,394	12,397 13,253	11,719 13,205	23,043 24,493	18,196 18,662	12,596 12,918	8,265 8,372	4,140 4,945	1,128 1,767	130 245
Leeds* ...	{ ... }	{ M F }	212,980 235,870	4,643 4,604	4,317 4,389	13,648 13,879	22,608 22,872	21,842 22,520	21,416 22,190	19,980 22,431	18,192 22,473	35,088 40,737	30,531 33,323	21,753 23,552	13,615 14,941	6,483 8,302	1,372 2,325	100 204
Leicester ...	{ ... }	{ M F }	106,825 122,469	2,348 2,368	2,247 2,155	6,920 7,002	11,515 11,525	11,128 11,418	10,951 11,251	9,986 12,160	8,866 12,220	17,540 21,365	14,796 16,667	10,766 12,005	6,793 7,796	3,427 4,389	968 1,478	89 195
Lincoln ...	{ ... }	{ M F }	29,148 29,263	635 608	604 579	1,777 1,761	3,016 2,948	2,595 2,567	2,434 2,472	2,552 2,558	2,761 2,703	5,484 5,383	4,081 3,891	2,807 2,969	2,019 2,069	1,097 1,214	264 415	38 74
Liverpool ...	{ ... }	{ M F }	360,425 391,596	9,949 9,563	8,884 8,659	27,296 27,383	46,129 45,605	41,402 41,884	37,526 37,687	33,067 35,567	30,012 35,655	58,523 67,828	47,961 52,192	32,835 35,739	20,304 22,015	10,269 13,341	2,205 3,640	192 443
Manchester ...	{ ... }	{ M F }	347,828 375,703	8,156 7,891	7,800 7,723	23,816 23,921	39,772 39,535	36,103 36,517	33,879 34,149	32,207 34,059	31,368 35,925	61,551 68,922	49,815 52,990	33,135 35,874	19,385 22,076	8,694 12,073	1,789 3,265	130 318
Merthyr Tydfil ...	{ ... }	{ M F }	43,819 38,729	1,131 1,074	1,057 1,063	3,221 3,138	5,409 5,275	4,879 4,859	4,135 4,148	4,049 3,694	4,089 3,447	7,669 6,171	6,213 4,854	3,816 3,013	2,264 1,847	1,041 1,077	233 303	22 41
Middlesbrough ...	{ ... }	{ M F }	54,441 52,109	1,454 1,377	1,270 1,265	3,948 4,131	6,672 6,773	6,157 5,939	5,372 5,586	4,811 4,864	4,756 4,735	9,640 8,889	7,511 6,622	4,914 4,375	2,899 2,604	1,398 1,349	288 330	23 43

* Population adjusted to be comparable with the births and deaths shown in this Report, changes in area having occurred during the year.

St. Helens ...	{	M	51,195	1,368	1,272	3,936	6,576	6,022	5,514	5,256	4,839	8,418	6,561	4,417	2,362	1,019	195	16
					46,964	1,321	1,289	3,773	6,383	5,857	5,415	4,545	4,084	7,325	5,654	3,904	2,334	1,147	300	16
Salford ...	{	M	112,319	2,742	2,631	8,136	13,509	12,241	11,242	10,663	10,039	19,422	15,521	10,366	5,965	2,738	565	48
					120,415	2,744	2,543	8,264	13,551	12,397	11,540	11,334	11,326	21,168	16,165	11,174	6,822	3,822	1,011	105
Sheffield* ...	{	M	229,253	5,600	5,240	16,655	27,495	25,140	22,876	21,168	18,683	39,662	32,613	21,393	12,929	5,876	1,315	103
					235,739	5,661	5,237	16,796	27,694	25,271	23,365	22,230	20,396	40,383	31,755	21,345	13,537	7,443	2,083	237
Smethwick	{	M	35,398	871	814	2,629	4,314	4,075	3,829	3,562	3,046	5,888	4,806	3,072	1,775	826	191	14
					37,435	915	912	2,719	4,546	4,301	3,948	3,710	3,300	6,183	4,924	3,152	1,949	1,090	306	26
Southampton	{	M	58,313	1,311	1,282	3,935	6,528	6,357	5,717	4,801	4,551	9,475	8,371	6,168	3,632	1,970	668	75
					62,578	1,239	1,194	3,769	6,202	6,456	5,814	5,432	5,501	10,301	8,701	6,266	4,007	2,633	1,072	193
Southport*...	{	M	26,829	460	482	1,553	2,495	2,557	2,613	2,460	2,133	4,203	3,706	2,923	2,019	1,259	419	42
					39,094	502	478	1,597	2,577	2,557	2,777	3,566	3,857	7,155	5,844	4,630	3,160	2,126	741	104
South Shields	{	M	53,696	1,538	1,332	4,294	7,164	6,874	6,078	5,192	4,516	8,141	6,504	4,528	2,893	1,481	302	23
					55,982	1,435	1,326	4,201	6,962	6,826	5,945	5,385	5,037	8,926	6,879	4,868	2,906	1,720	474	54
Stockport ...	{	M	51,924	1,209	1,128	3,393	5,730	5,189	5,222	4,838	4,476	8,883	7,415	5,226	3,115	1,454	351	25
					58,857	1,122	1,063	3,434	5,619	5,460	5,368	5,512	5,217	10,427	8,497	6,062	3,860	2,154	618	63
Stoke on Trent	{	M	116,043	3,142	2,872	8,851	14,865	13,855	12,332	11,422	10,084	18,469	15,548	10,255	5,782	2,773	616	42
					121,116	3,154	2,932	8,980	15,066	13,966	12,680	12,069	11,294	19,696	15,436	10,285	6,107	3,417	1,010	90
Sunderland	{	M	72,694	1,913	1,817	5,708	9,438	8,829	8,039	6,839	5,931	11,056	9,013	6,353	4,314	2,258	577	47
					79,138	1,913	1,714	5,735	9,362	9,002	8,177	7,764	7,362	12,737	9,555	7,005	4,579	2,678	830	87
Swansea ...	{	M	59,402	1,435	1,296	4,008	6,739	6,263	5,516	5,499	5,856	10,723	8,049	5,575	3,296	1,490	353	43
					57,926	1,419	1,280	3,957	6,656	6,139	5,539	5,710	5,668	9,929	7,352	5,066	3,149	1,985	641	92
Tynemouth	{	M	29,510	809	731	2,244	3,784	3,387	3,249	2,838	2,438	4,546	3,779	2,531	1,778	871	281	28
					30,293	671	693	2,148	3,512	3,354	3,099	2,911	2,775	5,077	3,927	2,623	1,642	1,007	321	45
Walsall ...	{	M	45,737	1,212	1,115	3,320	5,647	5,316	4,933	4,358	3,819	7,268	5,949	4,224	2,511	1,343	329	40
					47,131	1,073	1,119	3,397	5,589	5,194	4,928	4,562	4,379	7,717	5,917	4,118	2,600	1,584	486	57
Warrington	{	M	36,873	944	937	2,778	4,659	4,053	3,967	3,936	3,366	6,137	4,843	3,153	1,752	829	168	10
					36,342	977	923	2,803	4,703	4,255	4,023	3,607	3,378	5,880	4,380	3,030	1,796	986	274	30
West Bromwich	{	M	34,560	871	852	2,573	4,296	4,079	3,858	3,326	2,809	5,401	4,402	3,047	1,957	1,102	258	25
					34,190	832	812	2,631	4,275	3,928	3,642	3,082	2,965	5,354	4,278	2,965	1,977	1,277	394	53

* Population adjusted to be comparable with the births and deaths shown in this Report, changes in area having occurred during the year.

TABLE 4.—ESTIMATED POPULATION OF COUNTY BOROUGHs IN THE MIDDLE OF THE YEAR 1912—continued.

Area.	Sex.	All Ages.	0—1	1—2	2—5	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 Years and upwards.
West Ham ...	{ ... }	M 143,962 F 147,938	3,872 3,798	3,651 3,517	11,347 11,284	18,870 18,599	17,883 17,647	15,928 16,291	14,057 13,760	11,620 12,746	21,846 23,163	18,212 18,531	13,157 13,293	7,826 7,955	3,573 4,426	884 1,341	106 186
West Hartlepool ...	{ ... }	M 31,472 F 32,623	820 833	769 756	2,424 2,384	4,013 3,973	3,779 3,748	3,369 3,467	2,930 3,139	2,641 2,972	4,958 5,254	4,093 4,245	2,909 2,825	1,789 1,740	793 947	183 274	15 39
Wigan ...	{ ... }	M 44,001 F 46,041	1,121 1,088	1,046 1,062	3,138 3,233	5,305 5,383	5,021 5,147	4,630 4,924	4,571 4,871	4,063 4,475	7,290 7,634	5,709 5,787	3,873 3,869	2,298 2,364	1,045 1,270	179 294	17 23
Wolverhampton ...	{ ... }	M 46,425 F 49,054	1,002 1,043	971 990	3,105 3,184	5,078 5,217	5,169 5,178	4,963 4,968	4,485 4,699	3,883 4,455	7,509 7,918	6,240 6,344	4,537 4,777	2,808 3,067	1,342 1,762	384 600	27 69
Worcester ...	{ ... }	M 22,351 F 25,811	454 461	461 445	1,445 1,415	2,360 2,321	2,326 2,322	2,348 2,450	2,152 2,390	1,750 2,416	3,385 4,065	2,913 3,430	2,301 2,759	1,528 1,807	947 1,271	306 500	35 80
York ...	{ ... }	M 40,210 F 42,650	896 811	867 857	2,704 2,608	4,467 4,276	4,082 4,123	3,945 4,000	3,756 3,956	3,755 3,977	6,641 7,060	5,486 5,811	3,861 4,191	2,484 2,764	1,329 1,739	368 665	36 88

TABLE 5.—ENGLAND AND WALES.—MARRIAGES, BIRTHS, and DEATHS, 1863–1912.

Year.	Marriages.	Births.							Deaths.		
		Total.	Legitimate.			Illegitimate.			Persons.	Males.	Females.
			Total.	Males.	Females.	Total.	Males.	Females.			
1863	173,510	727,417	680,276	347,731	332,545	47,141	24,288	22,853	473,837	242,203	231,634
1864	180,387	740,275	692,827	353,479	339,348	47,448	24,240	23,208	495,531	253,619	241,912
1865	185,474	748,069	701,484	357,703	343,781	46,585	23,741	22,844	490,909	252,218	238,691
1866	187,776	753,870	708,369	361,670	346,699	45,501	23,285	22,216	500,689	256,402	244,287
1867	179,154	768,349	723,163	369,006	354,157	45,186	23,218	21,968	471,073	242,588	228,485
1868	176,962	786,858	740,520	376,686	363,834	46,338	23,697	22,641	480,622	247,107	233,515
1869	176,970	773,381	728,690	371,681	357,009	44,691	22,889	21,802	494,828	254,863	239,965
1870	181,655	792,787	748,050	381,396	366,654	44,737	22,909	21,828	515,329	265,586	249,743
1871	190,112	797,428	752,653	382,879	369,774	44,775	22,726	22,049	514,879	265,563	249,316
1872	201,267	825,907	781,141	398,401	382,740	44,766	22,906	21,860	492,265	255,135	237,130
1873	205,615	829,778	786,617	400,828	385,789	43,161	21,929	21,232	492,520	254,985	237,535
1874	202,010	854,956	811,853	413,304	398,549	43,103	21,875	21,228	526,632	272,178	254,454
1875	201,212	850,607	809,794	413,155	396,639	40,813	21,070	19,743	546,453	282,202	264,251
1876	201,874	887,968	846,374	431,155	415,219	41,594	21,123	20,471	510,315	265,076	245,239
1877	194,352	888,200	846,045	430,555	415,490	42,155	21,341	20,814	500,496	260,567	239,929
1878	190,054	891,906	849,806	433,511	416,295	42,100	21,537	20,563	539,872	278,772	261,100
1879	182,082	880,389	838,200	426,578	411,622	42,189	21,336	20,853	526,255	271,496	254,759
1880	191,965	881,643	839,101	427,067	412,034	42,542	21,642	20,900	528,624	273,442	255,182
1881	197,290	883,642	840,522	428,050	412,472	43,120	22,130	20,990	491,935	253,605	238,330
1882	204,405	889,014	845,859	430,823	415,036	43,155	21,929	21,226	516,654	265,767	250,887
1883	206,384	890,722	848,076	431,358	416,718	42,646	21,718	20,928	522,997	269,262	253,735
1884	204,301	906,750	864,083	440,769	423,314	42,667	21,712	20,955	530,828	273,522	257,306
1885	197,745	894,270	851,477	433,823	417,654	42,793	21,986	20,807	522,750	268,305	254,445
1886	196,071	903,760	860,922	438,487	422,435	42,838	21,881	20,957	537,276	275,874	261,402
1887	200,518	886,331	844,197	430,069	414,128	42,134	21,534	20,600	530,758	272,137	258,621
1888	203,821	879,868	839,138	426,312	412,826	40,730	20,860	19,870	510,971	263,294	247,677
1889	213,865	885,944	845,317	430,493	414,824	40,627	20,725	19,902	518,353	266,102	252,251
1890	223,028	869,937	831,525	422,505	409,020	38,412	19,565	18,847	562,248	290,448	271,800
1891	226,526	914,157	875,376	445,836	429,540	38,781	19,824	18,957	587,925	302,494	285,431
1892	227,135	897,957	860,376	437,318	423,058	37,581	19,304	18,277	559,684	286,062	273,622
1893	218,689	914,572	875,714	445,963	429,751	38,858	19,748	19,110	569,958	291,889	278,069
1894	226,449	890,289	851,946	433,425	418,521	38,343	19,591	18,752	498,827	256,015	242,812
1895	228,204	922,291	883,455	449,063	434,392	38,836	19,823	19,013	568,997	290,704	278,293
1896	242,764	915,331	876,602	445,935	430,667	38,729	19,725	19,004	526,727	270,575	256,152
1897	249,145	921,683	883,274	449,643	433,631	38,409	19,537	18,872	541,487	280,211	261,276
1898	255,379	923,165	884,831	449,261	435,570	38,334	19,659	18,675	552,141	283,981	268,160
1899	262,334	928,646	891,529	454,051	437,478	37,117	19,121	17,996	581,799	299,472	282,327
1900	257,480	927,062	890,248	452,444	437,804	36,814	18,600	18,214	587,830	303,823	284,007
1901	259,400	929,807	893,608	455,372	438,236	36,199	18,572	17,627	551,585	285,618	265,967
1902	261,750	940,509	903,835	460,550	443,285	36,674	18,594	18,080	535,538	277,216	258,322
1903	261,103	948,271	910,969	463,249	447,720	37,302	18,980	18,322	514,628	266,290	248,338
1904	257,856	945,389	907,715	462,150	445,565	37,674	19,172	18,502	549,784	283,206	266,578
1905	260,742	929,293	891,978	453,735	438,243	37,315	19,151	18,164	520,031	267,601	252,430
1906	270,038	935,081	897,691	458,008	439,683	37,390	18,931	18,459	531,281	274,233	257,048
1907	276,421	918,042	881,853	449,213	432,640	36,189	18,515	17,674	524,221	269,259	254,962
1908	264,940	940,383	902,852	459,385	443,467	37,531	19,025	18,506	520,456	268,714	251,742
1909	260,544	914,472	876,963	447,215	429,748	37,509	19,248	18,261	518,003	265,203	252,800
1910	267,721	896,962	860,327	438,568	421,759	36,635	18,698	17,937	483,247	249,016	234,231
1911	274,943	881,138	843,505	429,715	413,790	37,633	19,218	18,415	527,810	272,512	255,298
1912	283,834	872,737	835,209	425,884	409,325	37,528	19,120	18,408	486,939	250,232	236,707

TABLE 6.—ENGLAND and WALES.—ANNUAL MARRIAGE-, BIRTH-, and DEATH-RATES, and INFANTILE MORTALITY, 1838-1912.

YEAR.	MARRIAGES.				BIRTHS.							DEATHS.									
	Persons married per 1,000 living at all ages.	Males married per 1,000 single and widowed, aged 15 years and upwards.	Females married per 1,000 single and widowed, aged 15 years and upwards.	Per 1,000 living at all ages.	Legitimate.		Illegitimate.			Births of males per 1,000 births of females.	Crude rates per 1,000 living.			Standardized rates per 1,000 living.†			Ratio of Standardized Male to Female mortality the latter taken as 1,000.†	Deaths of Infants under 1 year per 1,000 births.			
					Per 1,000 total population.	Per 1,000 married women, aged 15-45.	Per 1,000 total population.	Per 1,000 single and widowed women, aged 15-45.	Illegitimate per 1,000 total births.		Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.‡	Illegitimate.§	
1838-1912	15.8	55.5*	46.9*	31.6	30.0†	260.5*	1.6†	12.5*	51†	1,040	20.1	21.1	19.1	19.4	20.3	18.5	1,098	146	—	—	
1841-1850	16.1	—	—	32.6	—	—	—	—	—	1,049	22.4	23.1	21.6	21.5	22.2	21.0	1,056	153	—	—	
1851-1860	16.9	59.3	51.7	34.1	31.9	281.0	2.2	18.3	65	1,046	22.2	23.1	21.4	21.2	21.9	20.6	1,063	154	—	—	
1861-1870	16.6	60.9	51.8	35.2	33.1	287.3	2.1	18.2	61	1,042	22.5	23.7	21.4	21.3	22.3	20.4	1,091	154	—	—	
1871-1880	16.2	59.7	50.7	35.4	33.6	295.5	1.8	15.1	50	1,038	21.4	22.7	20.1	20.4	21.5	19.3	1,116	149	—	—	
1881-1890	14.9	53.7	45.1	32.4	30.9	274.6	1.5	12.6	47	1,037	13.1	20.3	18.1	18.6	19.7	17.6	1,114	142	—	—	
1891-1900	15.6	53.6	44.9	29.9	28.7	250.3	1.2	9.6	42	1,036	18.2	19.3	17.1	18.1	19.2	17.0	1,126	153	—	—	
1901-1910	15.5	51.6	43.1	27.2	26.1	221.4	1.1	8.2	40	1,038	15.4	16.4	14.4	15.2	16.3	14.2	1,142	128	—	—	
1841-1845	15.7	—	—	32.3	—	—	—	—	—	1,052	21.4	22.1	20.6	20.6	21.3	20.1	1,058	148	—	—	
1846-1850	16.5	—	—	32.8	30.6	—	2.2	—	67	1,045	23.3	24.1	22.6	22.4	23.1	21.9	1,054	157	—	—	
1851-1855	17.1	59.2	52.1	33.9	31.7	281.3	2.2	18.1	66	1,046	22.7	23.5	21.8	21.7	22.4	21.0	1,065	156	—	—	
1856-1860	16.7	59.5	51.3	34.4	32.2	280.8	2.2	18.5	65	1,046	21.8	22.6	21.0	20.7	21.4	20.1	1,061	152	—	—	
1861-1865	16.8	61.3	52.2	35.1	32.9	285.1	2.2	18.8	64	1,043	22.6	23.7	21.5	21.4	22.3	20.6	1,083	151	—	—	
1866-1870	16.4	60.5	51.5	35.3	33.2	289.4	2.1	17.6	58	1,041	22.4	23.7	21.2	21.2	22.2	20.3	1,098	157	—	—	
1871-1875	17.1	63.1	53.6	35.5	33.7	294.6	1.8	15.9	52	1,039	22.0	23.3	20.7	20.9	22.0	19.8	1,113	153	—	—	
1876-1880	15.3	56.4	48.0	35.3	33.6	296.3	1.7	14.4	48	1,038	20.8	22.1	19.5	19.8	21.0	18.7	1,119	145	—	—	
1881-1885	15.2	55.1	46.7	33.5	31.9	282.4	1.6	13.5	48	1,038	19.4	20.5	18.3	18.7	19.7	17.8	1,110	139	—	—	
1886-1890	14.7	52.4	44.0	31.4	29.9	267.1	1.5	11.8	46	1,036	18.9	20.0	17.8	18.5	19.6	17.5	1,119	145	—	—	
1891-1895	15.1	52.6	44.0	30.5	29.2	258.3	1.3	10.1	42	1,036	18.7	19.8	17.7	18.5	19.6	17.5	1,118	151	—	—	
1896-1900	16.1	54.5	45.6	29.3	28.1	242.9	1.2	9.2	41	1,035	17.7	18.8	16.6	17.6	18.8	16.5	1,135	156	—	—	
1901-1905	15.6	52.3	43.7	28.2	27.1	230.5	1.1	8.4	39	1,037	16.0	17.1	15.0	16.0	17.1	14.9	1,144	138	—	—	
1906-1910	15.3	50.9	42.6	26.3	25.2	212.9	1.1	8.1	40	1,039	14.7	15.6	13.8	14.4	15.4	13.5	1,140	117	113	224	
1863	16.8	61.4	52.3	35.3	33.0	285.9	2.3	19.2	65	1,047	23.0	24.1	21.9	21.7	22.6	20.9	1,081	149	—	—	
1864	17.2	63.0	53.6	35.4	33.1	287.1	2.3	19.1	64	1,042	23.7	24.9	22.5	22.4	23.4	21.6	1,084	153	—	—	
1865	17.5	64.3	54.7	35.4	33.2	288.1	2.2	18.6	62	1,040	23.2	24.5	22.0	22.0	23.1	21.0	1,095	160	—	—	
1866	17.5	64.4	54.8	35.2	33.1	287.6	2.1	18.0	60	1,043	23.4	24.6	22.2	22.2	23.1	21.3	1,088	160	—	—	
1867	16.5	60.8	51.7	35.4	33.3	290.3	2.1	17.7	59	1,043	21.7	23.0	20.5	20.6	21.7	19.7	1,100	153	—	—	
1868	16.1	59.2	50.4	35.8	33.7	293.1	2.1	18.0	59	1,036	21.8	23.1	20.7	20.6	21.6	19.7	1,099	155	—	—	
1869	15.9	58.8	50.0	34.8	32.8	285.9	2.0	17.2	58	1,042	22.3	23.6	21.0	21.0	22.1	20.1	1,102	156	—	—	
1870	16.1	59.7	50.7	35.2	33.2	290.1	2.0	17.1	56	1,041	22.9	24.2	21.6	21.6	22.7	20.6	1,103	160	—	—	
1871	16.7	61.8	52.5	35.0	33.0	288.4	2.0	16.9	56	1,035	22.6	23.9	21.3	21.4	22.5	20.3	1,109	158	—	—	
1872	17.4	64.3	54.6	35.6	33.7	294.9	1.9	16.6	54	1,041	21.3	22.6	19.9	20.2	21.4	19.1	1,119	150	—	—	
1873	17.6	64.9	55.2	35.4	33.6	294.1	1.8	15.8	52	1,039	21.0	22.4	19.8	20.0	21.1	18.9	1,116	149	—	—	
1874	17.0	62.9	53.4	36.0	34.2	299.8	1.8	15.6	50	1,037	22.2	23.6	20.9	21.1	22.2	20.0	1,112	151	—	—	
1875	16.7	61.8	52.5	35.4	33.7	295.4	1.7	14.5	48	1,043	22.7	24.1	21.4	21.6	22.8	20.6	1,110	158	—	—	
1876	16.5	60.9	51.8	36.3	34.6	304.1	1.7	14.6	47	1,038	20.9	22.3	19.6	19.9	21.1	18.7	1,126	146	—	—	
1877	15.7	58.0	49.3	36.0	34.3	301.1	1.7	14.6	47	1,036	20.3	21.7	18.9	19.4	20.6	18.2	1,132	136	—	—	
1878	15.2	55.9	47.5	35.6	33.9	298.8	1.7	14.4	47	1,042	21.6	22.9	20.3	20.5	21.7	19.4	1,113	152	—	—	
1879	14.4	52.8	44.9	34.7	33.0	291.1	1.7	14.2	48	1,036	20.7	22.0	19.6	19.9	21.0	18.9	1,108	135	—	—	
1880	14.9	54.7	46.6	34.2	32.6	287.0	1.6	14.1	48	1,036	20.5	21.8	19.3	19.5	20.6	18.5	1,118	153	—	—	
1881	15.1	55.6	47.3	33.9	32.2	284.9	1.7	14.1	49	1,039	18.9	20.0	17.8	18.2	19.2	17.3	1,110	130	—	—	
1882	15.5	56.7	48.1	33.8	32.2	283.9	1.6	13.8	49	1,038	19.6	20.7	18.5	18.8	19.8	17.9	1,108	141	—	—	
1883	15.5	56.4	47.8	33.5	31.9	281.9	1.6	13.4	48	1,035	19.6	20.8	18.5	19.0	20.0	18.0	1,111	137	—	—	
1884	15.1	54.8	46.3	33.6	32.0	283.7	1.6	13.2	47	1,041	19.7	20.8	18.5	19.0	20.0	18.0	1,114	147	—	—	
1885	14.5	52.4	44.2	32.9	31.3	277.6	1.6	13.0	48	1,040	19.2	20.3	18.2	18.7	19.6	17.7	1,106	138	—	—	
1886	14.2	51.1	43.1	32.8	31.2	278.0	1.6	12.8	47	1,038	19.5	20.6	18.5	19.0	20.0	18.0	1,111	149	—	—	
1887	14.4	51.5	43.3	31.9	30.4	269.9	1.5	12.4	48	1,039	19.1	20.2	18.1	18.6	19.6	17.7	1,109	145	—	—	
1888	14.4	51.4	43.2	31.2	29.8	265.0	1.4	11.7	46	1,033	18.1	19.2	17.0	17.7	18.8	16.8	1,122	136	—	—	
1889	15.0	53.2	44.7	31.1	29.7	265.1	1.4	11.5	46	1,038	18.2	19.3	17.2	17.9	18.9	16.9	1,117	144	—	—	
1890	15.5	54.6	45.8	30.2	28.9	258.2	1.3	10.7	44	1,033	19.5	20.8	18.3	19.3	20.6	18.1	1,135	151	—	—	
1891	15.6	54.6	45.7	31.4	30.1	268.8	1.3	10.6	42	1,038	20.2	21.5	19.0	20.0	21.2	18.9	1,126	149	—	—	
1892	15.4	53.8	45.0	30.4	29.1	259.3	1.3	10.1	42	1,035	19.0	20.0	18.0	18.8	19.8	17.8	1,112	148	—	—	
1893	14.7	51.1	42.7	30.7	29.4	260.4	1.3	10.3	42	1,038	19.2	20.3	18.1	18.9	20.0	17.9	1,117	159	—	—	
1894	15.0	52.0	43.5	29.6	28.3	249.4	1.3	9.9	43	1,036	16.6	17.6	15.6	16.4	17.4	15.5	1,124	137	—	—	
1895	15.0	51.6	43.2	30.3	29.0	254.5	1.3	9.9	42	1,034	18.7	19.7	17.7	18.5	19.5	1					

TABLE 7.—ENGLAND AND WALES.—ANNUAL MARRIAGE-, BIRTH-, and CRUDE DEATH-RATES in each QUARTER, in GROUPS of YEARS, 1838-1912, and in each YEAR, 1903-1912.

Period.	Persons Married to 1,000 Living.				Births to 1,000 Living.				Deaths to 1,000 Living.			
	Quarter ended				Quarter ended				Quarter ended			
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
1838-1912	12·7	16·5	16·0	18·5	33·2	33·1	31·4	30·9	22·5	19·6	18·5	19·8
1841-50	13·3	16·4	15·2	19·2	34·2	33·7	31·2	31·2	24·7	22·0	21·0	21·7
1851-60	14·1	17·1	16·3	20·1	35·8	35·5	32·8	32·5	24·7	22·1	20·3	21·9
1861-70	13·8	16·9	16·2	19·6	36·6	36·3	34·0	33·9	25·2	21·8	21·0	22·1
1871-80	13·4	16·5	15·8	19·2	36·6	36·1	34·6	34·5	23·7	20·9	19·6	21·3
1881-90	11·9	15·4	14·9	17·6	33·4	33·2	31·9	31·5	21·6	18·7	17·3	19·1
1891-1900	11·7	16·6	16·4	17·7	30·5	30·5	29·7	28·9	20·7	17·6	17·0	17·7
1901-10	11·4	16·5	17·2	16·7	27·7	28·0	27·3	26·0	17·7	14·6	13·8	15·4
1903	11·1	17·6	17·1	16·8	28·6	29·1	28·8	27·4	16·8	14·9	13·9	16·2
1904	10·7	17·1	16·8	16·5	28·7	28·5	28·0	27·0	18·3	14·8	15·8	16·3
1905	10·8	16·7	17·0	16·8	28·4	27·9	27·5	25·6	17·7	14·5	14·1	14·9
1906	10·7	17·4	17·5	17·1	28·0	27·7	27·1	26·1	16·6	14·6	14·9	15·7
1907	12·4	16·1	18·1	17·0	26·8	27·6	26·4	25·1	18·7	14·7	12·2	14·9
1908	10·9	16·8	16·7	15·9	27·5	27·9	26·8	24·8	17·9	13·8	12·9	14·6
1909	10·3	16·3	16·5	15·6	26·2	26·9	25·6	24·6	18·4	14·2	11·7	14·3
1910	12·8	13·7	17·0	16·3	25·1	26·3	25·2	23·6	15·5	13·0	11·5	14·1
1911	10·0	16·8	17·1	16·8	25·1	25·0	24·4	23·0	16·1	13·3	15·5	13·6
1912	9·8	16·4	18·1	17·6	24·4	25·0	23·8	23·1	15·9	12·7	11·0	13·6

TABLE 8.—ENGLAND AND WALES.—CHURCHES and CHAPELS of the ESTABLISHED CHURCH, and REGISTERED BUILDINGS in which MARRIAGES could be legally SOLEMNIZED, 31ST DECEMBER, 1912.

Registration Division.	Registration County.		All Religious Denominations.	Established Church.	Other Religious Denominations.														
					All other Religious Denominations.	Roman Catholics.	Wesleyan Methodists.	Congregationalists.	Baptists.	Primitive Methodists.	United Methodist Church.	Calvinistic Methodists.	Presbyterians.	Unitarians.	New Jerusalem Church.	Catholic Apostolic Church.	Countess of Huntingdon's Connexion.	Salvation Army.	All Others.
I.	England and Wales	...	32,159	15,907	16,252	1,351	3,755	2,928	2,638	1,691	1,167	904	440	196	57	49	44	48	984
II.	London	...	1,409	633	776	110	107	145	162	45	31	10	50	16	6	7	1	6	80
	Surrey	...	552	270	282	32	57	63	65	15	3	—	12	2	1	—	1	2	29
	Kent	...	885	517	368	37	88	71	101	24	13	—	9	3	1	1	3	1	16
	Sussex	...	703	423	280	30	50	70	61	11	7	—	10	3	—	1	7	1	23
	Hampshire	...	824	457	367	27	74	76	59	46	27	—	8	4	—	1	2	—	43
III.	Berkshire	...	411	271	140	14	33	22	30	22	—	—	4	1	—	1	2	1	11
	Middlesex	...	463	194	269	33	43	51	63	19	5	2	17	1	1	2	2	1	29
	Hertfordshire	...	341	199	142	11	28	44	40	9	—	—	1	—	—	1	2	—	6
	Buckinghamshire	...	326	200	126	5	25	21	46	16	—	—	—	—	—	—	—	—	13
	Oxfordshire	...	389	270	119	12	39	23	28	8	3	—	1	—	—	1	—	—	4
IV.	Northamptonshire	...	519	324	195	8	47	44	62	14	3	—	—	1	1	—	—	1	14
	Huntingdonshire	...	129	80	49	2	14	6	22	3	—	—	—	—	—	—	—	—	2
	Bedfordshire	...	270	140	130	4	51	15	40	14	—	—	—	—	—	1	—	1	4
	Cambridgeshire	...	343	198	145	5	34	21	53	21	5	—	1	—	—	—	1	1	3
	Essex	...	851	458	393	33	66	120	71	26	16	—	8	6	2	3	2	2	38
V.	Suffolk	...	713	509	204	11	35	57	56	24	5	—	3	3	—	—	—	—	10
	Norfolk	...	960	713	247	13	52	34	45	69	18	—	2	2	1	1	2	—	8
	Wiltshire	...	546	332	214	10	41	46	59	37	6	—	1	—	—	—	—	—	14
	Dorsetshire	...	448	312	136	13	41	37	14	16	2	—	—	3	—	—	—	—	10
	Devonshire	...	1,009	558	451	24	120	92	67	9	81	—	5	8	—	1	—	2	42
VI.	Cornwall	...	559	256	363	11	141	19	8	7	110	—	—	—	—	—	2	—	5
	Somersetshire	...	930	562	368	18	114	81	60	21	38	—	3	4	1	1	1	1	25
	Gloucestershire	...	751	432	319	17	61	76	75	18	23	2	5	4	1	1	3	—	33
	Herefordshire	...	311	231	80	7	14	13	16	18	—	2	—	—	—	—	1	—	9
	Shropshire	...	531	320	211	14	42	47	18	61	11	11	2	—	—	1	—	—	4
VII.	Staffordshire	...	883	385	498	49	157	59	40	91	64	2	7	6	1	3	—	2	17
	Worcestershire	...	364	240	124	15	25	13	19	21	5	—	4	3	1	1	7	—	10
	Warwickshire	...	680	368	312	45	68	60	63	17	12	2	5	5	1	2	—	2	30
	Leicestershire	...	574	308	266	19	74	36	68	40	9	—	1	4	—	—	—	—	15
	Rutlandshire	...	77	56	21	2	4	4	7	3	—	—	—	—	—	—	—	—	1
VIII.	Lincolnshire	...	1,025	665	360	17	158	25	36	80	32	—	1	3	1	—	—	2	5
	Nottinghamshire	...	596	308	288	15	89	26	45	44	46	—	2	4	1	1	—	2	13
	Derbyshire	...	538	222	316	22	94	41	28	63	45	—	3	3	2	—	1	1	13
	Cheshire	...	739	272	467	37	128	73	34	64	38	18	33	10	2	2	—	—	28
	Lancashire	...	2,771	859	1,912	308	414	276	182	170	173	31	74	45	24	6	3	8	198
IX.	West Riding	...	2,132	739	1,393	85	442	205	136	188	203	—	10	17	6	7	1	2	91
	East Riding (with York)	...	459	256	203	18	74	23	10	54	10	—	6	1	1	1	—	—	5
	North Riding	...	535	280	255	30	115	27	14	47	6	1	4	4	—	—	—	—	6
	Durham	...	724	286	438	63	111	29	25	102	42	1	35	4	—	1	—	4	21
	Northumberland	...	491	193	298	42	54	19	11	47	37	—	76	1	1	1	—	1	8
X.	Cumberland	...	336	187	149	14	50	19	5	24	8	—	16	1	—	—	—	2	10
	Westmorland	...	143	85	58	3	25	8	5	9	2	—	1	1	—	—	—	—	4
	Monmouthshire	...	454	182	272	15	33	51	101	23	9	32	—	1	—	1	—	—	6
	Glamorganshire	...	1,001	253	748	22	61	220	205	10	14	184	5	9	1	—	—	1	16
	Cardiganshire	...	299	92	207	2	6	83	56	—	1	55	—	1	—	—	—	—	3
XI.	Pembrokeshire	...	270	135	135	5	9	46	45	1	—	29	—	—	—	—	—	—	—
	Cardiganshire	...	318	118	200	1	12	67	34	—	—	74	—	12	—	—	—	—	—
	Brecknockshire	...	208	104	104	3	8	35	28	2	—	28	—	—	—	—	—	—	—
	Radnorshire	...	72	34	38	—	3	4	21	4	—	—	6	—	—	—	—	—	—
	Montgomeryshire	...	207	76	131	1	26	29	17	5	—	53	—	—	—	—	—	—	—
XII.	Flintshire	...	134	38	96	5	18	20	4	5	2	37	5	—	—	—	—	—	—
	Denbighshire	...	253	86	167	4	23	33	20	4	2	75	5	—	—	—	—	—	1
	Merionethshire	...	233	61	172	1	20	42	20	—	—	89	—	—	—	—	—	—	—
	Carnarvonshire	...	355	106	249	6	31	53	25	—	—	128	4	—	—	—	—	—	—
	Anglesey	...	115	54	61	1	6	8	13	—	—	32	1	—	—	—	—	—	—

TABLE 9.—ENGLAND AND WALES and LONDON.—MARRIAGES.—MANNER of SOLEMNIZATION, 1863–1912.

Year.	Of 1,000 Marriages.																		
	England and Wales.												London.						
	With Religious Ceremonial.												Civil Marriages in Superintendent Registrar's Office.	According to the rites of the Established Church.	Not according to the rites of the Established Church.			Civil Marriages in Superintendent Registrar's Office.	
	According to the rites of the Established Church.						Not according to the rites of the Established Church.								Roman Catholics.	Other Christian Denominations.	Jews.		
	Total.	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	Total in Established Church.	In Registered Places.				Quakers.							Jews.
								Roman Catholics.	Other Christian Denominations.										
Before Registrar.									Before Authorised Person.										
1863	921	0·1	111	632	25	20	788	47	84		0·3	1·8	79	885	49	30·1	8·5	27	
1864	919	0·1	110	629	24	19	782	48	87		0·3	1·9	81	884	49	31·2	8·7	27	
1865	920	0·1	112	629	22	19	782	47	89		0·3	1·9	80	893	43	30·0	7·9	26	
1866	919	0·1	108	630	23	17	778	48	91		0·3	1·6	81	888	44	33·1	6·9	28	
1867	916	0·1	108	628	22	17	775	44	95		0·4	1·8	84	887	39	35·1	6·9	32	
1868	910	0·1	103	627	23	16	769	42	97		0·4	1·7	90	889	39	33·1	7·5	31	
1869	905	0·1	98	627	23	15	763	41	99		0·3	1·9	95	881	35	35·1	7·9	41	
1870	902	0·1	94	634	22	10	760	41	99		0·3	2·0	98	882	35	33·2	7·8	42	
1871	903	0·1	89	642	22	8	761	40	100		0·3	2·1	97	881	35	33·1	8·4	42	
1872	901	0·1	85	645	21	6	757	42	100		0·2	2·1	99	880	33	35·1	8·4	43	
1873	897	0·1	85	642	20	5	752	40	102		0·4	2·4	103	873	34	36·3	10·0	47	
1874	895	0·1	87	637	19	4	747	40	105		0·2	2·3	105	870	33	39·1	9·2	49	
1875	896	0·1	87	635	18	4	744	42	107		0·3	2·4	104	871	32	39·1	9·4	48	
1876	893	0·2	87	630	18	3	738	42	110		0·3	2·3	107	867	34	39·1	8·4	51	
1877	891	0·1	84	627	18	4	733	43	112		0·4	2·2	109	859	35	40·2	8·6	57	
1878	884	0·1	82	623	18	3	726	42	113		0·3	2·7	116	852	36	38·3	11·2	62	
1879	880	0·2	78	624	18	3	723	41	113		0·3	2·5	120	845	36	39·2	9·9	70	
1880	874	0·2	73	623	18	3	717	43	111		0·3	2·4	126	841	37	39·1	9·9	73	
1881	874	0·3	68	626	18	3	715	45	111		0·3	2·5	126	837	37	40·3	10·5	75	
1882	874	0·4	65	631	17	2	715	45	111		0·3	2·5	126	834	39	40·2	10·3	76	
1883	872	0·3	63	629	18	2	712	44	113		0·3	2·6	128	827	36	41·1	10·4	85	
1884	869	0·3	60	628	17	2	707	43	116		0·3	2·9	131	816	38	39·1	12·1	95	
1885	870	0·3	58	630	17	3	708	41	118		0·2	3·2	130	816	37	41·1	13·3	93	
1886	870	0·2	56	632	17	2	707	42	117		0·2	3·4	130	815	37	39·2	13·6	95	
1887	864	0·1	53	629	17	2	701	43	116		0·3	3·2	136	801	38	42·2	13·5	105	
1888	863	0·1	51	632	16	2	701	42	116		0·3	3·9	137	797	38	42·2	16·4	106	
1889	860	0·1	48	632	16	2	698	42	116		0·3	4·1	140	788	38	44·3	16·7	113	
1890	863	0·1	47	637	15	2	701	43	115		0·3	4·0	137	790	38	44·2	17·0	111	
1891	864	0·1	46	637	14	2	699	42	118		0·3	4·6	136	781	37	43·3	19·3	119	
1892	861	0·1	45	637	14	2	698	40	118		0·3	4·6	139	778	36	42·4	19·8	124	
1893	857	0·1	44	634	13	1	692	41	118		0·4	5·1	143	768	38	41·4	21·2	131	
1894	852	0·1	41	630	13	2	686	42	119		0·3	5·0	148	759	37	42·4	21·5	140	
1895	853	0·1	39	633	13	1	686	41	120		0·3	5·3	147	754	36	44·3	21·5	144	
1896	854	0·1	38	637	11	1	687	41	120		0·4	5·2	146	754	35	44·5	22·2	144	
1897	854	0·1	35	640	10	1	686	41	121		0·4	5·7	146	745	36	42·4	24·3	152	
1898	852	0·1	34	641	9	1	685	41	121		0·4	5·7	148	739	35	44·4	25·1	156	
1899	850	0·1	34	634	9	1	677	41	113	11	0·3	6·4	150	730	35	46·2	28·5	160	
1900	847	0·1	34	629	8·0	0·0	612	40	106	22	0·3	6·5	153	720	37	46·2	29·3	167	
1901	842	0·1	33	624	7·7	1·0	666	41	104	24	0·3	7·0	158	710	37	45·2	32·2	176	
1902	837	0·1	33	620	7·2	0·7	661	41	101	26	0·3	7·4	163	699	39	46·3	34·7	181	
1903	830	0·1	31	612	6·8	0·8	651	41	102	28	0·4	7·3	170	686	40	47·3	34·4	192	
1904	821	0·2	30	604	7·0	0·7	642	41	101	30	0·3	7·0	179	676	39	46·3	35·5	203	
1905	817	0·1	29	600	6·7	0·6	636	41	100	32	0·3	7·6	183	664	39	48·2	38·4	210	
1906	812	0·1	28	596	6·6	0·6	631	42	97	33	0·3	8·3	188	653	39	46·3	39·5	222	
1907	805	0·1	27	590	6·4	0·6	624	42	96	35	0·4	7·2	195	641	39	45·3	36·3	238	
1908	796	0·1	27	582	5·9	0·6	616	41	95	37	0·4	6·6	204	628	38	47·4	32·6	254	
1909	795	0·1	28	579	6·0	0·9	614	42	92	40	0·4	6·8	205	624	40	48·3	34·0	254	
1910	795	0·1	27	582	5·8	0·7	616	42	86	44	0·4	6·8	205	619	41	46·3	33·4	260	
1911	791	0·1	26	578	5·3	0·8	610	44	83	47	0·4	6·6	209	613	40	46·4	33·6	267	
1912	794	0·1	27	581	5·0	0·8	614	45	80	48	0·3	6·7	206	610	41	45·3	34·5	269	

TABLE 10.—ENGLAND AND WALES and LONDON.—FIRST MARRIAGES, RE-MARRIAGES, MARRIAGES of MINORS, and SIGNATURES by MARK, 1863–1912.

Year.	In 1,000 Marriages.																	
	England and Wales.									London.								
	Bachelors and		Widowers and		Under 21 years.		Signed by Mark.			Bachelors and		Widowers and		Under 21 years.		Signed by Mark.		
	Spinsters.	Widows.	Spinsters.	Widows.	Men.	Women.	Men.	Women.	Both.	Spinsters.	Widows.	Spinsters.	Widows.	Men.	Women.	Men.	Women.	Both.
1863	824	41	88	47	66	199	238	331	153	818	47	92	43	34	139	110	180	63
1864	820	42	89	49	66	201	233	324	147	816	46	92	46	33	143	109	174	59
1865	818	43	89	50	67	201	225	312	141	819	49	88	44	35	148	102	164	54
1866	818	43	88	51	67	200	216	300	134	816	47	90	47	35	143	98	151	49
1867	813	44	91	52	69	202	211	288	127	808	50	94	48	35	148	93	145	46
1868	817	43	89	51	72	210	201	278	119	813	48	91	48	36	153	91	142	43
1869	816	44	89	51	72	214	199	276	117	817	48	90	45	39	157	90	150	46
1870	819	45	85	51	75	216	198	273	116	816	50	88	46	39	150	88	145	43
1871	818	44	86	52	79	220	194	268	113	818	48	86	48	39	158	92	147	48
1872	818	45	84	53	80	223	194	263	111	814	48	90	48	41	160	88	139	43
1873	818	46	82	54	82	224	188	254	106	814	49	88	49	43	161	84	133	41
1874	816	46	82	56	84	227	179	242	98	814	48	87	51	46	166	81	131	39
1875	814	45	85	56	83	222	172	232	93	811	48	89	52	47	168	87	128	41
1876	814	45	83	58	83	220	163	221	86	814	48	86	52	49	172	81	118	37
1877	817	44	84	55	81	220	153	209	79	817	46	88	49	51	172	78	115	35
1878	822	43	81	54	78	216	146	198	73	817	47	86	50	51	175	75	110	34
1879	824	43	80	53	74	214	138	185	67	822	46	85	47	50	177	74	103	31
1880	826	43	79	52	73	215	140	186	68	828	44	82	46	52	181	71	103	30
1881	831	42	77	50	72	214	135	177	64	830	45	78	47	53	183	69	98	29
1882	835	40	76	49	76	220	132	171	62	828	42	84	46	55	189	68	96	29
1883	835	41	75	49	74	218	126	155	55	832	46	79	43	59	189	62	83	24
1884	833	40	77	50	73	213	117	142	48	831	42	82	45	55	191	63	80	25
1885	834	40	78	48	70	210	107	129	43	829	46	80	45	59	196	58	74	23
1886	838	38	77	47	67	206	96	115	37	835	43	78	44	58	193	52	70	22
1887	841	37	75	47	65	202	91	106	34	837	42	77	44	57	195	49	64	19
1888	843	38	74	45	63	199	83	97	29	844	40	74	42	52	190	47	58	17
1889	848	37	71	44	61	199	78	90	27	849	40	71	40	52	182	42	54	16
1890	849	37	70	44	60	195	72	83	24	846	41	71	42	52	183	42	56	16
1891	849	37	70	44	59	190	64	73	21	847	41	72	40	49	174	37	50	15
1892	847	38	71	44	59	187	56	66	19	846	43	70	41	52	177	36	49	16
1893	849	37	71	43	56	181	50	57	16	847	41	69	43	47	168	34	43	14
1894	852	36	70	42	55	181	46	54	14	848	42	69	41	47	168	30	42	11
1895	856	35	68	41	52	174	40	48	13	853	40	68	39	44	159	27	37	10
1896	863	34	64	39	53	174	37	43	11	858	39	64	39	49	161	25	32	9
1897	870	33	61	36	51	170	33	40	10	865	37	62	36	46	162	26	33	11
1898	872	33	60	35	51	168	31	36	10	872	36	58	34	48	163	25	32	11
1899	876	32	57	35	50	165	29	34	9	868	38	59	35	45	158	25	33	12
1900	873	33	59	35	51	163	28	32	9	865	39	59	37	45	155	25	32	12
1901	868	35	60	37	50	160	25	29	8	862	40	61	37	44	150	24	30	12
1902	875	34	57	34	47	154	23	26	7	870	39	59	32	40	140	24	30	13
1903	879	33	56	32	46	152	19	23	6	872	39	57	32	38	137	22	31	13
1904	883	33	54	30	46	153	18	21	5	878	39	53	30	37	139	18	26	10
1905	883	32	54	31	44	147	17	20	5	881	37	53	29	36	130	18	25	9
1906	885	32	53	30	43	146	15	19	5	881	35	54	30	35	129	17	25	9
1907	885	31	54	30	41	142	14	17	4	881	36	54	29	32	118	16	23	8
1908	881	33	55	31	40	140	13	15	4	875	38	56	31	29	113	13	19	6
1909	884	31	55	30	40	137	11	13	3	879	36	56	29	31	111	10	14	4
1910	884	32	54	30	38	133	11	12	3	879	38	54	29	29	108	9	13	3
1911	887	31	52	30	39	133	10	12	3	881	37	52	30	31	109	9	12	3
1912	886	32	52	30	39	135	9	11	2	882	37	51	30	31	112	8	11	3

TABLE 11.—ENGLAND AND WALES.—MARRIAGES.—MANNER of SOLEMNIZATION in REGISTRATION COUNTIES, 1912.

Registration Division.	Registration County.	Of 1,000 Marriages.													Civil Marriages in Registrar's Office.
		With Religious Ceremonial.													
		Total.	Special Licence.	According to the Rites of the Established Church.					Not according to the Rites of the Established Church.						
				Licence.	Banns.	Superintendent Registrar's Certificate.	Not Stated.	Total in Church.	In Registered Places.			Quakers.	Jews.		
									Roman Catholics.	Before Registrar.	Before Authorized Person.				
I.	England and Wales ...	794	0·1	27	581	5·0	0·8	614	45	80	48	0·3	6·7	206	
	London ...	731	0·4	25	584	0·2	0·2	610	41	33	12	0·3	34·5	269	
II.	Surrey ...	772	—	25	648	0·3	1·3	675	22	61	13	0·6	—	228	
	Kent ...	798	—	18	671	0·9	1·1	691	17	59	31	0·3	—	202	
	Sussex ...	804	—	29	673	0·2	2·0	704	19	68	13	0·2	—	196	
	Hampshire ...	763	—	25	615	1·7	0·6	642	26	74	20	0·1	1·2	237	
	Berkshire ...	817	0·5	25	694	0·5	3·8	724	15	61	17	—	—	183	
III.	Middlesex ...	731	—	20	603	0·2	0·6	624	25	53	28	—	0·7	269	
	Hertfordshire ...	861	—	17	723	1·1	1·1	742	10	82	26	0·5	—	139	
	Buckinghamshire ...	866	—	15	711	—	4·5	731	4	105	26	—	—	134	
	Oxfordshire ...	855	1·0	34	688	—	5·9	729	21	76	26	2·9	—	145	
	Northamptonshire ...	836	—	20	663	1·1	2·9	687	5	61	83	0·4	—	164	
	Huntingdonshire ...	919	—	25	761	3·1	—	789	—	111	19	—	—	81	
	Bedfordshire ...	852	—	16	675	0·7	0·7	692	10	108	41	0·7	—	148	
Cambridgeshire...	863	1·2	28	693	1·2	3·1	727	4	99	33	—	—	137		
IV.	Essex ...	797	—	13	664	0·3	0·8	678	24	62	32	0·3	0·8	203	
	Suffolk ...	857	—	20	711	0·4	3·6	735	6	87	29	—	—	143	
	Norfolk ...	837	—	22	711	0·3	5·6	739	9	48	40	0·9	—	163	
V.	Wiltshire ...	835	—	22	643	0·5	2·9	668	12	119	36	—	—	165	
	Dorsetshire ...	851	—	34	676	1·3	2·7	714	17	96	24	—	—	149	
	Devonshire ...	759	—	48	538	0·8	0·6	587	19	112	41	—	0·2	241	
	Cornwall ...	836	—	53	441	1·3	1·7	497	6	245	88	—	—	164	
	Somersetshire ...	893	—	35	654	2·3	2·9	694	12	136	50	1·2	—	107	
VI.	Gloucestershire...	764	0·2	24	590	0·2	2·9	617	17	89	39	0·6	1·2	236	
	Herefordshire ...	840	—	43	694	2·3	1·1	740	10	72	17	1·1	—	160	
	Shropshire ...	824	—	41	660	3·9	2·2	707	17	80	20	—	—	176	
	Staffordshire ...	866	—	15	713	1·5	0·2	730	37	51	48	—	0·4	134	
	Worcestershire ...	836	—	18	706	0·8	1·1	726	23	45	42	—	—	164	
	Warwickshire ...	801	—	12	678	0·9	0·3	691	30	49	27	1·1	3·2	199	
VII.	Leicestershire ...	793	—	17	602	0·5	1·3	621	20	78	74	—	0·3	207	
	Rutlandshire ...	900	—	21	815	—	7·1	843	7	43	7	—	—	100	
	Lincolnshire ...	853	—	29	668	1·2	4·0	702	7	73	71	—	—	147	
	Nottinghamshire ...	761	—	21	618	0·7	0·7	640	13	56	52	0·2	0·2	239	
	Derbyshire ...	842	—	33	611	3·0	0·9	648	22	97	75	—	—	158	
VIII.	Cheshire ...	862	—	43	590	2·2	0·3	636	57	86	82	0·1	0·4	138	
	Lancashire ...	867	—	31	527	17·4	0·4	576	114	86	85	0·4	5·4	133	
IX.	West Riding ...	852	—	17	615	6·8	0·2	639	43	72	94	0·4	4·0	148	
	East Riding (with York)	812	—	34	615	0·7	0·7	650	38	48	71	0·5	4·2	188	
	North Riding ...	832	—	51	567	1·6	1·0	621	74	84	51	1·0	1·0	168	
X.	Durham ...	736	—	24	469	23·0	—	516	87	66	65	0·5	1·3	264	
	Northumberland ...	716	—	42	464	3·6	—	510	79	92	32	0·4	2·7	284	
	Cumberland ...	842	—	83	519	26·6	—	629	76	80	57	—	—	158	
	Westmorland ...	918	—	87	655	2·3	2·3	747	14	124	33	—	—	82	
XI.	Monmouthshire ...	689	—	30	375	1·3	0·6	407	35	227	19	—	0·6	311	
	Glamorganshire ...	539	—	26	250	2·3	0·1	278	41	181	37	—	2·2	461	
	Carmarthenshire ...	578	—	38	163	10·3	—	211	9	282	76	—	—	422	
	Pembrokeshire ...	702	—	76	299	12·6	—	388	17	225	72	—	—	298	
	Cardiganshire ...	591	—	42	149	28·4	4·4	224	—	306	61	—	—	409	
	Brecknockshire ...	859	—	43	280	—	—	323	19	507	10	—	—	141	
	Radnorshire ...	965	—	97	452	—	—	519	—	381	35	—	—	35	
	Montgomeryshire ...	776	—	53	313	8·0	—	374	—	381	21	—	—	224	
	Flintshire ...	854	—	40	471	—	—	511	28	297	18	—	—	146	
	Denbighshire ...	678	—	39	288	5·5	—	332	16	307	23	—	—	322	
	Merionethshire ...	753	—	58	210	5·3	—	273	—	432	48	—	—	247	
	Carnarvonshire ...	642	—	63	201	10·6	1·2	276	15	323	27	—	1·2	358	
	Anglesey ...	819	—	74	139	—	—	213	79	495	32	—	—	181	

TABLE 12.—ENGLAND and WALES—MARRIAGE-RATES, PROPORTIONS of MARRIAGES of MINORS, and of SIGNATURES by MARK in REGISTRATION COUNTIES, 1902–1911 and 1912.

Registration Division.	Registration County.	In 1,000 Marriages.														
		Persons Married to 1,000 living.		Bachelors and		Widowers and		Under 21 years.				Signed by Mark.				
								Average of Ten Years 1902–1911.		1912.		Average of Ten Years 1902–1911.		1912.		
		Average of Ten Years 1902–1911.	1912.	Spinsters.	Widows.	Spinsters.	Widows.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Both.
I.	England and Wales ...	15·4	15·5	886	32	52	30	42	144	39	135	15	18	9	11	2
	London ...	17·5	18·7	882	37	51	30	34	123	31	112	16	22	8	11	3
II.	Surrey ...	13·3	13·1	898	28	56	18	26	103	21	91	9	6	8	5	1
	Kent ...	13·9	14·4	894	35	45	26	28	133	20	115	12	10	10	9	3
	Sussex ...	13·4	13·3	878	32	64	26	30	107	28	94	11	6	8	4	0
	Hampshire ...	15·0	14·8	881	43	48	28	24	127	20	120	11	7	7	7	2
	Berkshire ...	14·2	13·8	903	22	43	32	26	102	17	98	14	8	7	5	0
III.	Middlesex ...	13·4	13·7	899	27	50	24	32	115	28	102	9	7	4	4	0
	Hertfordshire ...	12·9	12·7	914	22	43	21	40	109	27	91	18	10	8	5	1
	Buckinghamshire ...	13·3	13·5	902	28	47	23	36	122	46	119	15	8	11	5	2
	Oxfordshire ...	14·2	13·6	887	26	61	26	33	99	23	98	16	10	12	8	4
	Northamptonshire ...	14·4	15·0	898	22	53	27	48	135	45	122	15	14	9	9	2
	Huntingdonshire ...	14·0	13·4	907	15	56	22	39	152	56	167	26	15	15	3	—
	Bedfordshire ...	14·1	15·3	902	22	54	22	62	139	43	134	16	14	16	12	5
IV.	Cambridgeshire ...	14·1	15·0	902	20	45	33	44	139	32	128	26	14	17	9	4
	Essex ...	13·8	14·3	889	32	48	31	34	131	30	119	13	11	7	7	1
IV.	Suffolk ...	13·7	14·4	888	30	50	32	38	134	33	114	23	11	20	8	4
	Norfolk ...	13·9	13·9	878	27	61	34	42	134	33	114	23	13	15	12	3
V.	Wiltshire ...	14·4	14·5	891	27	52	30	28	112	24	94	14	10	9	7	2
	Dorsetshire ...	13·9	13·3	889	23	54	34	31	113	20	118	17	10	7	5	1
	Devonshire ...	15·3	15·0	885	30	56	29	27	109	26	98	11	11	6	5	2
	Cornwall ...	14·0	14·1	885	31	64	20	37	120	40	130	23	21	16	10	3
	Somersetshire ...	13·7	14·0	897	20	59	24	33	98	25	78	18	12	11	7	1
VI.	Gloucestershire ...	15·1	15·1	885	24	58	33	32	102	26	90	16	13	11	10	2
	Herefordshire ...	12·9	15·5	896	39	46	19	19	88	30	103	24	16	19	19	9
	Shropshire ...	13·1	13·4	893	24	58	25	24	99	21	93	19	15	18	14	4
	Staffordshire ...	15·6	16·2	897	29	43	31	62	179	56	171	19	21	14	13	4
	Worcestershire ...	14·5	14·9	891	28	54	27	42	125	38	109	15	16	14	11	3
	Warwickshire ...	16·4	16·6	891	32	47	30	53	153	51	149	16	22	10	15	2
VII.	Leicestershire ...	15·4	15·3	894	25	52	29	60	152	55	126	11	13	7	5	1
	Rutlandshire ...	12·4	13·2	921	—	79	—	25	107	14	100	12	3	7	—	—
	Lincolnshire ...	15·4	15·1	892	30	53	25	44	166	38	160	14	11	9	10	2
	Nottinghamshire ...	16·2	15·1	889	30	46	35	73	212	74	197	15	18	12	13	3
	Derbyshire ...	15·4	15·4	892	27	50	31	55	188	46	168	11	14	8	10	3
VIII.	Cheshire ...	14·4	14·7	892	29	51	28	37	118	34	117	12	13	7	11	2
	Lancashire ...	16·3	16·2	875	36	55	34	48	134	46	128	14	22	8	13	2
IX.	West Riding ...	15·8	15·9	883	29	56	32	53	175	55	173	15	22	10	13	3
	East Riding (with York) ...	15·5	15·8	885	37	51	27	44	169	43	169	12	15	7	10	0
	North Riding ...	15·1	14·9	892	34	49	25	46	179	48	168	16	21	9	16	2
X.	Durham ...	16·1	16·2	893	33	45	29	57	227	56	221	18	23	12	17	3
	Northumberland ...	15·6	15·6	885	35	49	31	39	177	35	167	12	20	7	12	2
	Cumberland ...	14·7	14·5	911	22	50	17	42	135	42	145	11	14	8	12	4
	Westmorland ...	13·6	13·4	904	21	56	19	25	85	33	106	5	5	5	5	5
XI.	Monmouthshire ...	15·4	14·4	879	46	45	30	55	207	45	208	26	28	17	19	5
	Glamorganshire ...	16·1	15·6	885	39	43	33	47*	192*	43	194	22	27	10	16	2
	Carmarthenshire ...	14·8	15·1	898	20	66	16	40*	121*	45	148	16	28	9	9	2
	Pembrokeshire ...	14·7	14·4	882	30	69	19	38*	121*	41	123	17	22	11	9	—
	Cardiganshire ...	12·1	11·4	856	15	103	26	23*	44*	37	57	15	31	7	7	—
	Brecknockshire ...	15·6	14·7	917	26	38	19	25*	120*	22	139	27	28	10	12	—
	Radnorshire ...	12·6	13·2	885	35	71	9	19*	118*	18	89	14	12	9	9	—
	Montgomeryshire ...	13·0	12·1	895	19	51	35	15*	78*	16	77	33	23	13	16	—
	Flintshire ...	11·7	14·1	908	14	50	28	19*	86*	18	104	26	28	18	16	6
	Denbighshire ...	13·7	13·2	875	35	56	34	24*	93*	34	96	24	30	25	11	5
	Merionethshire ...	12·0	12·6	881	29	56	34	12*	61*	8	72	12	17	13	11	3
	Carnarvonshire ...	13·4	11·9	871	33	59	37	14*	58*	9	59	21	26	9	14	—
	Anglesey ...	12·3	12·2	870	28	56	46	19*	75*	23	83	37	34	42	14	9

* Average of nine years 1903–1911.

TABLE 13.—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES at TWELVE GROUPS of AGES, and INFANT MORTALITY, 1838-1912.*—MALES.

Year.	Deaths of Males per 1,000 living at subjoined Ages.													Deaths of Male Infants under 1 year of age per 1,000 Male Births.
	All Ages. (Standardized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1838-1912	20·3	65·4	6·6	3·7	5·2	7·0	8·4	12·2	18·5	33·0	67·7	145·9	304·0	160
1841-50	22·2	71·2	9·2	5·1	7·1	9·5	9·9	12·9	18·2	31·8	67·5	148·3	312·3	167
1851-60	21·9	72·4	8·5	4·9	6·7	8·8	9·6	12·5	18·0	30·9	65·3	146·7	308·2	168
1861-70	22·3	73·5	8·2	4·5	6·2	8·5	9·9	13·5	19·3	33·1	67·1	147·2	315·0	168
1871-80	21·5	68·4	6·7	3·7	5·3	7·4	9·3	13·8	20·1	34·9	69·7	150·8	327·4	163
1881-90	19·7	61·6	5·3	3·0	4·3	5·7	7·8	12·4	19·4	34·7	70·5	146·6	305·8	155
1891-1900	19·2	62·7	4·3	2·4	3·8	5·1	6·8	11·5	18·9	34·9	70·4	146·1	286·8	168
1901-10	16·3	50·0	3·5	2·1	3·1	4·2	5·6	9·2	16·2	31·8	64·8	137·7	279·2	140
1841-45	21·3	68·7	8·8	4·8	6·8	9·0	9·4	12·2	17·2	30·3	65·5	143·7	305·1	162
1846-50	23·1	73·8	9·5	5·4	7·3	10·0	10·5	13·6	19·2	33·2	69·5	153·0	319·5	172
1851-55	22·4	73·9	8·8	5·1	7·0	9·2	10·0	12·9	18·6	31·5	66·6	150·8	311·0	172
1856-60	21·4	71·5	8·3	4·6	6·4	8·4	9·2	12·2	17·4	30·4	64·3	142·6	305·4	166
1861-65	22·3	74·0	8·5	4·7	6·4	8·7	9·7	13·2	18·9	32·8	66·3	145·8	316·4	166
1866-70	22·2	72·9	7·9	4·3	6·0	8·3	10·1	13·8	19·6	33·5	67·8	148·7	313·6	170
1871-75	22·0	69·9	7·1	4·0	5·7	8·1	10·0	14·3	20·3	34·8	70·0	149·5	323·3	167
1876-80	21·0	67·0	6·3	3·4	4·9	6·7	8·7	13·4	19·8	34·9	69·4	152·2	331·6	159
1881-85	19·7	61·3	5·8	3·2	4·5	6·0	8·2	12·8	19·3	34·2	68·7	145·4	297·8	152
1886-90	19·6	61·9	4·9	2·8	4·1	5·5	7·4	12·0	19·4	35·2	72·1	147·9	313·8	159
1891-95	19·6	62·9	4·5	2·6	4·0	5·2	7·1	12·0	19·6	35·9	72·5	149·3	291·0	165
1896-1900	18·8	62·4	4·1	2·3	3·6	4·9	6·5	11·1	18·3	34·1	68·3	142·9	282·6	170
1901-05	17·1	54·7	3·7	2·1	3·2	4·4	5·9	9·7	17·0	32·4	65·3	137·6	274·6	151
1906-10	15·4	45·4	3·3	2·0	3·0	4·0	5·3	8·6	15·5	31·2	64·4	137·7	283·0	129
1863	22·6	77·8	10·3	5·0	6·4	8·5	9·4	12·8	18·2	31·7	63·9	139·4	309·7	163
1864	23·4	75·8	9·8	4·9	6·5	9·1	10·3	14·3	20·1	35·2	70·3	151·4	334·4	166
1865	23·1	75·0	8·1	4·7	6·4	9·2	10·6	14·2	20·5	34·7	68·6	151·8	325·6	174
1866	23·1	74·9	7·8	4·6	6·5	9·2	10·9	14·7	20·9	34·7	68·9	150·6	323·5	174
1867	21·7	69·3	6·5	4·0	6·0	8·4	10·0	13·6	19·1	33·5	68·3	152·5	332·4	167
1868	21·6	72·8	7·8	4·2	5·9	8·0	9·7	13·2	18·9	31·9	63·8	139·1	282·4	168
1869	22·1	72·5	8·3	4·3	5·7	7·9	9·9	13·5	19·3	33·3	63·4	149·1	308·9	169
1870	22·7	75·0	8·9	4·5	5·9	8·0	10·1	13·8	19·6	33·9	69·6	152·1	320·7	174
1871	22·5	71·7	8·3	4·4	6·4	9·2	11·1	14·4	20·0	33·9	67·5	145·2	312·8	172
1872	21·4	67·6	7·0	4·1	6·0	8·7	10·3	14·0	19·4	32·5	65·5	140·3	292·0	162
1873	21·1	66·4	6·0	3·7	5·3	7·5	9·5	13·6	19·8	34·1	70·9	150·6	324·9	164
1874	22·2	71·8	7·4	3·9	5·3	7·5	9·6	14·3	20·9	35·8	71·4	146·4	322·8	165
1875	22·8	71·9	6·9	3·8	5·6	7·6	9·7	15·0	21·5	37·7	74·7	165·0	363·8	173
1876	21·1	67·6	6·3	3·5	5·3	7·3	9·3	13·8	19·9	34·3	67·2	145·8	302·6	160
1877	20·6	63·9	6·1	3·5	4·9	7·0	9·1	13·7	19·7	34·7	68·2	145·8	324·9	150
1878	21·7	71·2	6·6	3·6	4·9	6·8	8·8	13·6	20·0	35·1	69·5	154·8	353·9	166
1879	21·0	63·3	6·3	3·3	4·7	6·4	8·6	13·3	20·4	36·8	74·0	168·7	365·5	150
1880	20·6	69·2	6·4	3·3	4·5	6·1	7·9	12·5	19·1	33·7	68·1	145·8	310·9	167
1881	19·2	56·5	5·8	3·2	4·5	6·1	8·3	13·0	19·3	34·0	67·7	144·8	293·5	143
1882	19·8	63·4	6·3	3·2	4·6	5·9	8·2	12·6	19·0	33·8	66·2	139·3	287·1	153
1883	20·0	61·0	6·2	3·3	4·7	6·2	8·3	13·0	19·7	35·1	70·1	149·1	302·2	151
1884	20·0	64·9	5·8	3·2	4·5	6·0	8·0	12·7	19·4	33·5	68·3	142·2	290·1	160
1885	19·6	60·6	5·1	2·9	4·3	5·8	8·0	12·6	19·3	34·4	71·3	151·5	316·2	151
1886	20·0	64·5	4·8	2·8	4·3	5·7	7·6	12·1	19·2	34·7	72·8	153·4	339·1	163
1887	19·6	62·5	5·1	2·9	4·2	5·4	7·3	11·9	18·7	35·0	72·1	149·4	310·1	158
1888	18·8	57·7	4·7	2·7	4·0	5·4	7·1	11·7	19·0	34·4	71·6	144·5	304·7	150
1889	18·9	61·8	4·7	2·6	3·9	5·1	7·0	11·3	18·3	33·4	68·5	138·9	298·6	157
1890	20·6	63·0	5·0	2·8	4·3	5·7	8·0	13·2	21·7	38·6	75·3	153·3	316·5	165
1891	21·2	64·6	4·7	2·6	4·2	5·6	7·9	13·4	22·4	41·0	81·3	167·9	327·1	164
1892	19·8	62·4	4·7	2·6	4·0	5·2	7·1	12·1	19·8	36·6	75·7	154·6	305·4	162
1893	20·0	65·6	5·0	2·8	4·3	5·4	7·3	12·5	19·9	35·6	71·4	142·5	272·8	173
1894	17·4	56·1	4·2	2·3	3·8	5·0	6·5	10·8	17·3	31·4	62·8	127·6	243·6	150
1895	19·5	66·0	4·0	2·5	3·8	5·0	6·6	11·0	18·5	34·9	71·3	154·1	306·1	176
1896	18·0	61·2	4·5	2·3	3·5	4·8	6·2	10·6	17·3	31·6	63·0	128·6	251·9	161
1897	18·5	62·5	3·9	2·4	3·6	4·8	6·4	10·8	17·7	32·9	65·8	141·7	272·0	170
1898	18·5	63·4	3·8	2·2	3·5	4·8	6·3	10·7	17·6	33·2	66·4	140·3	282·6	175
1899	19·4	63·4	4·1	2·3	3·6	5·0	6·7	11·6	19·2	35·5	72·0	150·3	302·1	177
1900	19·5	61·6	4·2	2·3	3·7	5·1	6·7	11·7	19·9	37·1	74·2	153·7	304·3	169
1901	18·1	59·0	4·0	2·3	3·5	4·7	6·2	10·6	18·0	33·5	67·8	139·8	276·5	166
1902	17·4	54·1	3·9	2·2	3·3	4·6	6·2	10·4	17·8	33·3	66·7	138·5	270·0	147
1903	16·5	52·5	3·5	2·0	3·0	4·2	5·8	9·4	16·6	31·6	63·3	132·8	260·3	145
1904	17·3	57·4	3·6	2·1	3·1	4·3	5·7	9·4	16·5	32·3	65·5	139·7	287·6	159
1905	16·2	50·3	3·4	2·1	3·1	4·2	5·6	9·0	16·1	31·5	63·3	137·2	278·2	141
1906	16·4	51·2	3·5	2·0	3·2	4·1	5·5	9·1	16·1	32·4	64·3	137·3	298·5	145
1907	15·8	46·8	3·4	2·0	3·0	4·0	5·5	9·0	16·1	32·3	65·2	138·8	291·7	130
1908	15·6	46·9	3·3	2·0	2·9	4·0	5·3	8·6	15·4	31·4	64·3	138·4	277·2	133
1909	15·2	42·8	3·4	2·0	3·0	3·9	5·2	8·5	15·6	31·1	66·4	142·5	289·9	120
1910	14·1	39·7	3·0	1·9	2·7	3·7	4·7	7·9	14·5	29·4	61·8	131·6	259·7	116
1911	15·3	47·3	3·5	2·0	3·0	3·9	5·0	8·1	14·7	29·6	63·4	135·7	270·7	142
1912	13·8	35·4	3·1	1·8	2·8	3·5	4·7	8·0	14·7	29·9	63·9	138·1	266·0	106

* For the purposes of this table, the populations shown in Table 1 have been distributed among the several groups of ages, according to the proportions found to prevail at the various Censuses.
† The death-rates in this column are standardized to the age-constitution of the male population as enumerated in 1901

TABLE 14.—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES at TWELVE GROUPS of AGES, and INFANT MORTALITY, 1838-1912.*—FEMALES.

Year.	Deaths of Females per 1000 living at subjoined Ages.													Deaths of Female Infants under 1 year of age per 1000 Female Births.
	All Ages. (Standardized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1838-1912	18.5	55.8	6.4	3.8	5.5	6.6	8.1	10.9	14.9	27.6	59.0	131.2	277.0	131
1841-50	21.0	61.1	8.9	5.4	7.9	9.1	10.6	12.9	16.0	28.4	61.0	135.9	293.3	137
1851-60	20.6	62.7	8.4	5.1	7.4	8.5	9.9	12.2	15.2	27.0	58.7	134.5	288.9	139
1861-70	20.4	63.7	7.8	4.5	6.6	8.0	9.7	12.1	15.6	27.9	59.1	134.9	285.1	139
1871-80	19.3	58.3	6.2	3.7	5.5	6.8	8.6	11.6	15.6	28.7	61.0	135.4	296.4	134
1881-90	17.6	51.9	5.3	3.1	4.4	5.5	7.4	10.6	15.1	28.5	60.4	130.6	270.8	128
1891-1900	17.0	52.8	4.4	2.6	3.7	4.5	6.1	9.6	14.7	28.4	60.7	130.6	261.4	138
1901-10	14.2	41.9	3.6	2.2	2.9	3.5	4.7	7.5	12.5	24.8	53.9	119.8	250.3	114
1841-45	20.1	58.6	8.6	5.2	7.7	8.6	9.9	12.2	15.1	27.2	59.1	131.8	288.6	133
1846-50	21.9	63.7	9.2	5.7	8.1	9.6	11.2	13.7	17.0	29.7	62.8	140.1	297.9	142
1851-55	21.0	63.8	8.5	5.3	7.8	8.9	10.3	12.6	15.8	27.8	59.6	137.1	292.0	141
1856-60	20.1	62.3	8.3	4.8	7.1	8.2	9.6	11.9	14.8	26.5	58.1	131.9	285.8	137
1861-65	20.6	64.1	8.3	4.8	6.9	8.2	9.8	12.1	15.5	27.9	59.1	133.7	287.7	136
1866-70	20.3	63.3	7.4	4.3	6.4	7.8	9.6	12.1	15.8	27.9	59.1	136.1	282.4	142
1871-75	19.8	60.0	6.6	4.0	5.9	7.4	9.2	12.0	15.9	28.7	61.2	135.3	293.8	138
1876-80	18.7	56.8	5.9	3.5	5.0	6.2	8.0	11.2	15.4	28.6	60.8	135.5	299.0	130
1881-85	17.8	51.9	5.7	3.3	4.7	5.9	7.9	11.0	15.2	28.1	59.0	128.9	265.4	125
1886-90	17.5	52.0	4.9	2.9	4.1	5.2	6.9	10.3	15.0	28.8	61.7	132.3	276.2	131
1891-95	17.5	52.8	4.6	2.8	4.0	4.8	6.6	10.2	15.2	29.5	63.1	134.4	264.2	135
1896-1900	16.5	52.7	4.2	2.4	3.3	4.1	5.6	9.1	14.3	27.4	58.4	126.8	258.5	141
1901-05	14.9	45.8	3.8	2.2	3.0	3.7	5.0	8.0	13.1	25.4	54.8	119.9	249.4	124
1906-10	13.5	38.0	3.4	2.1	2.8	3.3	4.5	7.1	12.0	24.3	53.1	119.6	250.9	105
1863	20.9	67.5	9.9	5.2	6.8	8.1	9.7	12.0	14.9	27.1	56.7	129.1	290.2	133
1864	21.6	65.8	9.4	5.1	7.0	8.4	10.3	12.6	16.5	29.8	63.4	141.1	302.3	138
1865	21.0	65.1	7.8	4.6	6.8	8.5	10.2	12.6	16.6	28.8	60.4	138.4	296.7	145
1866	21.3	65.6	7.2	4.5	6.9	8.6	10.5	13.2	16.9	29.3	61.3	139.8	295.7	145
1867	19.7	59.6	6.1	3.9	6.4	7.8	9.5	12.0	15.6	27.5	59.5	139.4	287.3	138
1868	19.7	63.9	7.4	4.1	6.3	7.7	9.4	11.5	14.9	26.4	55.0	125.8	261.5	142
1869	20.1	63.0	7.8	4.3	6.1	7.3	9.3	11.7	15.7	27.6	59.2	135.4	277.1	141
1870	20.6	64.2	8.3	4.5	6.4	7.6	9.5	11.9	15.8	28.8	60.6	140.2	290.3	145
1871	20.3	62.4	7.5	4.5	6.6	8.2	9.7	12.2	15.9	28.5	60.4	133.6	276.4	143
1872	19.1	58.5	6.5	4.0	6.2	7.6	9.3	11.8	15.1	26.6	56.6	124.7	269.0	136
1873	18.9	56.4	5.6	3.6	5.5	6.8	8.6	11.4	15.6	28.3	61.9	135.2	303.5	134
1874	20.0	61.4	7.1	3.9	5.7	7.3	9.2	12.2	15.9	29.2	61.6	134.0	290.0	136
1875	20.6	61.2	6.4	3.8	5.7	7.3	9.3	12.4	17.0	31.1	65.7	148.8	330.3	143
1876	18.7	57.3	5.9	3.6	5.2	6.7	8.3	11.7	15.4	27.9	58.4	128.7	287.0	132
1877	18.2	53.6	5.6	3.6	5.1	6.3	8.2	11.3	15.3	27.7	58.9	129.1	291.6	122
1878	19.4	61.1	6.1	3.6	5.2	6.3	8.0	11.3	15.4	29.2	61.7	140.5	312.7	138
1879	18.9	52.9	5.8	3.4	4.9	6.0	8.0	11.3	16.0	30.7	66.6	150.2	328.7	121
1880	18.5	59.2	6.0	3.3	4.8	5.9	7.6	10.6	14.7	27.5	58.2	129.1	274.9	138
1881	17.3	48.0	5.7	3.2	4.7	6.0	7.9	11.0	14.9	28.0	58.4	126.4	263.8	117
1882	17.9	54.4	6.0	3.3	4.7	5.9	7.9	11.0	15.0	27.6	56.9	124.1	256.0	128
1883	18.0	51.1	5.8	3.4	4.9	6.1	8.1	11.1	15.6	28.8	60.2	134.2	277.0	123
1884	18.0	54.9	5.8	3.4	4.7	5.9	7.8	10.9	15.3	27.5	57.7	126.8	247.4	133
1885	17.7	51.0	5.1	3.1	4.5	5.7	7.7	10.8	15.2	28.7	62.0	133.2	282.8	124
1886	18.0	54.2	4.8	3.1	4.4	5.3	7.2	10.4	15.0	29.1	63.2	136.5	302.1	135
1887	17.7	52.7	5.1	3.0	4.2	5.4	7.0	10.3	15.2	28.8	62.2	131.6	272.1	131
1888	16.8	48.0	4.7	2.9	4.0	5.1	6.9	9.9	14.5	27.9	60.1	130.0	270.1	122
1889	16.9	51.9	4.7	2.8	3.9	4.9	6.5	9.8	14.3	27.4	58.7	126.5	260.3	129
1890	18.1	53.3	5.0	2.9	4.2	5.1	7.1	10.9	15.9	30.7	64.2	136.9	276.6	136
1891	18.9	53.7	4.7	2.9	4.3	5.2	7.1	11.1	17.1	33.4	70.6	148.1	300.7	133
1892	17.8	52.5	4.6	2.7	4.0	4.7	6.7	10.3	15.5	30.4	66.0	140.9	274.4	132
1893	17.9	55.2	5.1	3.0	4.3	5.1	7.0	10.7	15.2	29.2	62.4	128.7	250.0	143
1894	15.5	47.4	4.3	2.6	3.7	4.5	6.0	9.2	13.5	25.1	53.7	113.6	219.6	124
1895	17.6	55.2	4.2	2.6	3.7	4.5	6.1	9.5	14.8	29.6	62.6	140.9	276.2	144
1896	16.0	52.3	4.5	2.4	3.4	4.2	5.7	8.9	13.6	25.8	53.4	113.9	233.4	134
1897	16.1	52.4	4.0	2.4	3.4	4.1	5.6	8.9	13.7	26.2	55.7	121.2	252.6	141
1898	16.4	53.5	3.9	2.3	3.3	4.1	5.5	8.9	13.9	26.7	57.5	126.0	259.6	145
1899	17.1	53.6	4.2	2.4	3.3	4.1	5.7	9.4	15.0	28.7	62.3	136.3	273.2	148
1900	17.0	51.8	4.2	2.5	3.3	4.2	5.7	9.3	15.3	29.6	63.2	136.8	273.9	139
1901	15.8	49.5	4.1	2.4	3.2	3.8	5.3	8.7	13.8	26.5	56.5	122.6	247.1	136
1902	15.1	45.0	4.2	2.3	3.1	3.9	5.3	8.4	13.4	25.9	55.7	122.1	252.3	118
1903	14.3	43.7	3.6	2.1	2.9	3.5	4.9	7.9	12.8	24.4	52.9	114.7	233.9	118
1904	15.2	48.5	3.6	2.2	3.0	3.5	4.9	7.7	12.8	25.6	55.1	123.2	256.1	131
1905	14.2	42.1	3.5	2.2	2.9	3.6	4.8	7.5	12.5	24.8	53.8	117.2	256.7	115
1906	14.3	43.1	3.7	2.3	2.9	3.5	4.7	7.5	12.4	24.8	52.5	119.6	258.7	120
1907	14.0	39.1	3.5	2.1	2.9	3.4	4.6	7.4	12.4	25.3	55.1	122.6	259.4	104
1908	13.6	39.0	3.4	2.0	2.7	3.4	4.4	6.9	12.1	24.2	52.7	119.4	248.8	107
1909	13.4	35.7	3.5	2.1	2.8	3.3	4.4	6.9	12.1	24.8	55.5	124.2	256.2	97
1910	12.3	33.1	3.1	2.0	2.6	3.1	4.1	6.5	11.1	22.4	49.8	112.3	232.8	94
1911	13.3	40.1	3.4	2.1	2.7	3.2	4.1	6.6	11.4	23.0	50.9	116.4	232.7	117
1912	12.1	29.4	3.0	2.0	2.7	3.1	3.9	6.4	11.2	22.7	51.7	118.9	245.6	84

* See Note * to Table 13.

† The death-rates in this column are standardized to the age-constitution of the female population as enumerated in 1901.

TABLE 15.—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES at TWELVE GROUPS of AGES, and INFANT MORTALITY, 1838-1912.*—PERSONS.

Year.	Deaths of Persons per 1,000 living at subjoined ages.														Deaths of Infants under 1 year of age per 1,000 births.
	All Ages (Standardized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up-wards.		
1838-1912	19.4	60.6	6.5	3.8	5.4	6.8	8.3	11.5	16.6	30.2	63.0	137.6	287.3	146	
1841-50	21.5	66.0	9.0	5.3	7.5	9.3	10.3	12.9	17.0	29.9	63.6	141.5	301.0	153	
1851-60	21.2	67.6	8.5	5.0	7.0	8.7	9.8	12.3	16.5	28.9	61.7	139.9	296.5	154	
1861-70	21.3	68.6	8.0	4.5	6.4	8.2	9.8	12.8	17.4	30.4	62.8	140.4	296.6	154	
1871-80	20.4	63.4	6.5	3.7	5.4	7.1	9.0	12.7	17.8	31.6	65.0	142.2	308.3	149	
1881-90	18.6	56.8	5.3	3.0	4.4	5.6	7.6	11.5	17.1	31.4	65.0	137.6	284.0	142	
1891-1900	18.1	57.7	4.3	2.5	3.7	4.7	6.4	10.5	16.8	31.5	65.0	137.2	270.8	153	
1901-10	15.2	46.0	3.6	2.1	3.0	3.8	5.1	8.3	14.3	28.1	58.8	127.2	260.8	128	
1841-45	20.6	63.7	8.7	5.0	7.2	8.8	9.7	12.1	16.1	28.7	62.0	137.1	295.3	148	
1846-50	22.4	68.7	9.4	5.6	7.7	9.8	10.9	13.6	18.1	31.4	65.9	145.8	306.6	157	
1851-55	21.7	68.9	8.6	5.2	7.4	9.0	10.1	12.7	17.2	29.6	62.9	143.2	299.5	156	
1856-60	20.7	66.9	8.3	4.7	6.7	8.3	9.4	12.0	16.1	28.4	60.9	136.6	293.4	152	
1861-65	21.4	69.1	8.4	4.7	6.6	8.4	9.8	12.6	17.1	30.2	62.4	139.1	298.8	151	
1866-70	21.2	68.1	7.6	4.3	6.2	8.0	9.9	12.9	17.6	30.6	63.2	141.7	294.3	157	
1871-75	20.9	64.9	6.9	4.0	5.8	7.7	9.6	13.1	18.0	31.6	65.3	141.6	305.2	153	
1876-80	19.8	61.9	6.1	3.5	4.9	6.5	8.4	12.3	17.5	31.6	64.7	142.9	311.5	145	
1881-85	13.7	56.6	5.7	3.2	4.6	6.0	8.0	11.8	17.2	31.0	63.5	136.1	277.7	139	
1886-90	18.5	56.9	4.9	2.8	4.1	5.3	7.2	11.1	17.1	31.8	66.3	139.0	290.3	145	
1891-95	18.5	57.8	4.6	2.6	4.0	5.0	6.8	11.0	17.3	32.5	67.3	140.8	274.1	151	
1896-1900	17.6	57.5	4.1	2.4	3.5	4.5	6.0	10.1	16.2	30.5	64.1	133.6	267.5	156	
1901-05	16.0	50.2	3.7	2.2	3.1	4.0	5.4	8.9	14.9	28.7	59.4	127.3	258.6	138	
1906-10	14.4	41.7	3.4	2.0	2.9	3.6	4.8	7.8	13.7	27.5	58.1	127.0	262.4	117	
1863	21.7	72.7	10.1	5.1	6.6	8.3	9.6	12.4	16.5	29.3	60.0	133.7	297.8	149	
1864	22.4	70.8	9.6	5.0	6.7	8.7	10.3	13.4	18.1	32.4	66.6	145.6	314.7	153	
1865	22.0	70.1	7.9	4.7	6.6	8.8	10.4	13.4	18.5	31.7	64.2	144.3	307.9	160	
1866	22.2	70.3	7.5	4.5	6.7	8.9	10.7	13.9	18.8	31.9	64.8	144.5	306.4	160	
1867	20.6	64.5	6.3	3.9	6.2	8.0	9.7	12.7	17.3	30.4	63.6	145.2	304.4	153	
1868	20.6	68.4	7.6	4.1	6.1	7.8	9.5	12.3	16.8	29.0	59.1	131.7	269.6	155	
1869	21.0	67.8	8.0	4.3	5.9	7.6	9.6	12.6	17.5	30.3	63.5	141.5	289.3	156	
1870	21.6	69.6	8.6	4.5	6.2	7.8	9.8	12.8	17.6	31.2	64.8	145.5	302.0	160	
1871	21.4	67.0	7.9	4.4	6.5	8.7	10.4	13.3	17.9	31.1	63.7	138.8	290.4	158	
1872	20.2	63.0	6.7	4.1	6.1	8.1	9.8	12.8	17.2	29.4	60.7	131.6	277.8	150	
1873	20.0	61.4	5.8	3.6	5.4	7.1	9.0	12.5	17.6	31.0	66.1	142.0	311.8	149	
1874	21.1	66.6	7.3	3.9	5.5	7.4	9.4	13.2	18.3	32.3	66.2	139.5	302.6	151	
1875	21.6	66.5	6.6	3.8	5.6	7.4	9.5	13.6	19.1	34.2	69.8	156.0	343.2	158	
1876	19.9	62.4	6.1	3.6	5.2	7.0	8.8	12.7	17.5	31.0	62.4	136.2	293.0	146	
1877	19.4	58.8	5.8	3.6	5.0	6.7	8.6	12.5	17.4	31.0	63.2	136.5	304.4	136	
1878	20.5	66.2	6.4	3.6	5.0	6.5	8.4	12.4	17.6	32.0	65.3	146.8	328.5	152	
1879	19.9	58.1	6.0	3.3	4.8	6.2	8.3	12.3	18.1	33.6	70.0	158.3	342.9	135	
1880	19.5	64.2	6.2	3.3	4.7	6.0	7.7	11.5	16.8	30.4	62.7	136.5	288.8	153	
1881	18.2	52.3	5.7	3.2	4.6	6.0	8.1	11.9	17.0	30.8	62.7	134.5	275.2	130	
1882	18.8	58.9	6.1	3.3	4.7	5.9	8.1	11.7	17.0	30.5	61.2	130.8	267.9	141	
1883	19.0	56.0	6.0	3.4	4.8	6.2	8.2	12.0	17.5	31.8	64.7	140.7	286.6	137	
1884	19.0	59.9	5.8	3.3	4.6	6.0	7.9	11.7	17.3	30.4	62.6	133.5	263.6	147	
1885	18.7	55.8	5.1	3.0	4.4	5.8	7.8	11.6	17.2	31.4	66.2	141.1	295.4	138	
1886	19.0	59.3	4.8	2.9	4.4	5.5	7.4	11.2	17.0	31.8	67.5	143.8	316.0	149	
1887	18.6	57.6	5.1	2.9	4.2	5.4	7.2	11.1	16.9	31.7	66.6	139.3	286.4	145	
1888	17.7	52.9	4.7	2.8	4.0	5.3	7.0	10.8	16.7	30.9	65.3	136.2	283.1	136	
1889	17.9	56.8	4.7	2.7	3.9	5.0	6.7	10.5	16.2	30.2	63.1	131.8	274.6	144	
1890	19.3	58.1	5.0	2.9	4.2	5.4	7.5	12.0	18.7	34.4	69.2	143.9	291.4	151	
1891	20.0	59.1	4.7	2.7	4.2	5.4	7.4	12.2	19.6	36.9	75.4	156.6	310.5	149	
1892	18.8	57.4	4.6	2.6	4.0	4.9	6.9	11.2	17.5	33.3	70.4	146.8	285.9	148	
1893	18.9	60.4	5.1	2.9	4.3	5.3	7.2	11.5	17.4	32.2	66.5	134.6	258.5	159	
1894	16.4	51.7	4.3	2.5	3.7	4.7	6.3	9.9	15.4	28.0	57.8	119.6	228.5	137	
1895	18.5	60.6	4.1	2.5	3.7	4.7	6.3	10.2	16.6	32.1	66.5	146.5	287.3	161	
1896	16.9	56.7	4.5	2.4	3.5	4.4	5.9	9.7	15.4	28.5	57.7	120.1	240.3	148	
1897	17.3	57.4	4.0	2.4	3.5	4.5	6.0	9.8	15.6	29.3	66.6	129.9	259.8	156	
1898	17.4	58.5	3.8	2.2	3.4	4.4	5.9	9.8	15.7	29.7	61.5	132.1	268.1	160	
1899	18.2	58.5	4.1	2.4	3.5	4.5	6.1	10.5	17.0	31.9	66.6	142.2	283.9	163	
1900	18.2	56.5	4.2	2.4	3.5	4.6	6.2	10.5	17.5	33.1	68.1	143.9	285.2	154	
1901	16.9	54.2	4.1	2.3	3.3	4.2	5.8	9.6	15.9	29.8	61.5	129.8	258.0	151	
1902	16.2	49.6	4.1	2.3	3.2	4.2	5.7	9.3	15.5	29.4	60.6	129.0	258.8	133	
1903	15.4	48.1	3.5	2.1	3.0	3.8	5.4	8.6	14.6	27.7	57.5	122.2	243.6	132	
1904	16.2	53.0	3.6	2.1	3.1	3.9	5.3	8.5	14.6	28.7	59.7	130.1	267.6	145	
1905	15.2	46.2	3.5	2.1	3.0	3.9	5.2	8.3	14.2	28.0	58.0	125.5	264.5	128	
1906	15.3	47.2	3.6	2.1	3.0	3.8	5.1	8.2	14.2	28.2	57.7	126.9	273.1	132	
1907	14.9	42.9	3.5	2.1	2.9	3.7	5.0	8.2	14.2	28.6	59.6	129.3	271.0	118	
1908	14.5	43.0	3.4	2.0	2.8	3.7	4.9	7.8	13.7	27.6	57.8	127.2	259.0	120	
1909	14.3	39.2	3.4	2.1	2.9	3.6	4.8	7.7	13.8	27.8	60.4	131.7	268.3	109	
1910	13.2	36.4	3.0	1.9	2.7	3.4	4.4	7.2	12.7	25.7	55.2	120.1	242.4	105	
1911	14.3	43.7	3.4	2.1	2.9	3.5	4.5	7.3	13.0	26.1	56.4	124.2	246.2	130	
1912	12.9	32.4	3.1	1.9	2.8	3.3	4.3	7.2	12.9	26.1	57.1	126.7	252.9	95	

* See note * to Table 13.

† The death-rates in this column are standardized to the sex- and age-constitution of the population as enumerated in 1901.

TABLE 16.—MORTALITY by SEX, AGE, and LOCALITY, 1912.*
(Deaths per 1,000 living at each Age.)

Age.	Class of Area.	Males.					Females.					Persons.				
		North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
ALL AGES.	Crude.															
	Standardized.															
	0—															
	5—															
	10—															
	15—															
	20—															
	25—															
	35—															
	45—															
85 and upwards.	55—															
	65—															
	75—															
	85 and upwards.															
	London ...	—	—	15.2	—	15.2	—	—	12.6	—	12.6	—	—	13.8	—	13.8
	County Boroughs ...	17.0	15.1	13.6	15.0	15.9	14.4	12.9	11.7	13.2	13.6	15.7	14.0	12.6	14.1	14.7
	Other Urban Districts ...	14.5	12.2	12.2	13.6	13.1	13.2	11.0	10.9	13.4	11.9	13.8	11.5	11.5	13.5	12.5
	Rural Districts ...	13.3	12.7	11.9	13.4	12.7	11.9	12.1	11.1	13.6	12.0	12.6	12.4	11.5	13.5	12.3
	All Areas ...	15.6	13.2	13.6	13.8	14.1	13.6	11.9	11.8	13.4	12.5	14.6	12.5	12.7	13.6	13.3
	London ...	—	—	15.2	—	15.2	—	—	12.4	—	12.4	—	—	13.8	—	13.8
	County Boroughs ...	17.9	15.2	12.8	15.9	16.4	15.3	13.1	10.4	14.0	14.0	16.6	14.1	11.5	14.9	15.2
	Other Urban Districts ...	15.1	11.9	11.2	14.4	13.1	13.7	10.6	9.4	13.7	11.7	14.4	11.2	10.3	14.1	12.4
	Rural Districts ...	12.5	10.5	9.7	12.1	10.9	11.0	9.8	8.9	12.1	10.2	12.0	10.1	9.3	12.1	10.5
	All Areas ...	16.0	12.5	12.7	13.9	13.8	14.2	11.1	10.7	13.2	12.1	15.1	11.8	11.7	13.6	12.9
0—	London ...	—	—	36.8	—	36.8	—	—	30.9	—	30.9	—	—	33.9	—	33.9
	County Boroughs ...	47.0	42.0	29.9	46.2	43.7	39.6	35.1	23.7	40.3	36.6	43.3	38.6	26.9	43.2	40.2
	Other Urban Districts ...	39.1	29.3	24.3	43.1	33.4	32.5	23.8	19.8	36.6	27.6	35.8	26.5	22.1	39.9	30.5
	Rural Districts ...	33.2	24.4	19.8	31.1	26.1	26.7	20.2	16.0	25.7	21.3	29.9	22.4	17.9	28.4	23.7
	All Areas ...	42.2	31.9	29.8	39.9	35.4	35.2	26.3	24.6	33.9	29.4	38.7	29.2	27.2	36.9	32.4
	London ...	—	—	3.1	—	3.1	—	—	2.9	—	2.9	—	—	3.0	—	3.0
	County Boroughs ...	4.0	3.3	3.3	3.6	3.7	4.0	3.4	3.5	3.6	3.7	4.0	3.4	3.4	3.6	3.7
	Other Urban Districts ...	3.4	2.7	2.8	3.1	3.0	3.6	2.4	2.5	2.8	2.9	3.5	2.6	2.6	3.0	3.0
	Rural Districts ...	2.8	2.1	2.0	2.7	2.3	2.8	2.4	2.0	3.0	2.4	2.8	2.2	2.0	2.9	2.4
	All Areas ...	3.6	2.7	2.8	3.1	3.1	3.7	2.7	2.7	3.0	3.0	3.7	2.7	2.7	3.0	3.1
5—	London ...	—	—	2.1	—	2.1	—	—	1.9	—	1.9	—	—	2.0	—	2.0
	County Boroughs ...	2.3	1.7	1.5	1.7	2.0	2.6	1.8	1.7	1.7	2.2	2.4	1.8	1.6	1.7	2.1
	Other Urban Districts ...	2.1	1.4	1.6	1.8	1.7	2.3	1.8	1.6	2.1	2.0	2.2	1.6	1.6	2.0	1.8
	Rural Districts ...	1.9	1.6	1.3	1.7	1.6	1.8	1.6	1.6	2.0	1.7	1.8	1.6	1.5	1.9	1.7
	All Areas ...	2.2	1.6	1.7	1.8	1.8	2.4	1.7	1.8	2.0	2.0	2.3	1.7	1.7	1.9	1.9
	London ...	—	—	2.7	—	2.7	—	—	2.3	—	2.3	—	—	2.5	—	2.5
	County Boroughs ...	3.4	2.9	2.5	3.4	3.1	3.2	2.6	2.1	3.4	2.9	3.3	2.8	2.3	3.4	3.0
	Other Urban Districts ...	3.3	2.6	2.5	2.8	2.8	3.0	2.6	2.1	2.6	2.6	3.2	2.6	2.3	2.7	2.7
	Rural Districts ...	3.0	2.2	2.1	2.9	2.4	2.7	2.2	2.2	3.6	2.7	2.9	2.4	2.2	3.2	2.6
	All Areas ...	3.3	2.6	2.5	3.0	2.8	3.1	2.6	2.2	3.1	2.7	3.2	2.6	2.4	3.0	2.8
15—	London ...	—	—	3.4	—	3.4	—	—	2.5	—	2.5	—	—	2.9	—	2.9
	County Boroughs ...	4.1	3.6	3.3	3.9	3.9	3.4	3.1	2.8	4.1	3.3	3.8	3.3	3.0	4.0	3.6
	Other Urban Districts ...	3.7	3.2	3.1	3.3	3.4	3.5	2.6	2.5	3.8	3.0	3.6	2.9	2.7	3.5	3.2
	Rural Districts ...	3.3	3.5	3.1	3.9	3.4	3.1	3.2	2.9	4.6	3.2	3.2	3.4	3.0	4.2	3.3
	All Areas ...	3.9	3.4	3.3	3.6	3.5	3.4	2.9	2.6	4.1	3.1	3.6	3.1	2.9	3.8	3.3
	London ...	—	—	5.2	—	5.2	—	—	3.7	—	3.7	—	—	4.4	—	4.4
	County Boroughs ...	5.9	5.0	4.8	5.4	5.5	4.6	3.9	3.4	5.3	4.3	5.2	4.4	4.0	5.3	4.8
	Other Urban Districts ...	4.4	3.9	4.0	4.2	4.2	4.2	3.5	3.1	4.9	3.8	4.3	3.7	3.5	4.6	4.0
	Rural Districts ...	4.2	3.9	4.1	4.5	4.1	4.3	3.8	3.4	5.3	4.0	4.2	3.9	3.7	4.9	4.0
	All Areas ...	5.1	4.3	4.7	4.5	4.7	4.4	3.7	3.5	5.1	3.9	4.7	4.0	4.0	4.8	4.3
20—	London ...	—	—	9.9	—	9.9	—	—	7.1	—	7.1	—	—	8.4	—	8.4
	County Boroughs ...	10.3	8.5	8.8	8.7	9.5	7.8	7.0	5.5	7.7	7.3	9.0	7.7	7.0	8.2	8.4
	Other Urban Districts ...	7.7	6.5	6.8	7.0	7.0	6.8	5.3	5.0	7.6	5.9	7.2	5.9	5.8	7.3	6.5
	Rural Districts ...	6.9	5.6	5.8	6.9	6.1	5.5	5.2	5.2	7.0	5.5	6.2	5.4	5.5	7.0	5.8
	All Areas ...	8.9	6.9	8.2	7.3	8.0	7.1	5.8	6.0	7.4	6.4	8.0	6.3	7.1	7.4	7.2
	London ...	—	—	18.7	—	18.7	—	—	13.0	—	13.0	—	—	15.7	—	15.7
	County Boroughs ...	20.3	15.8	13.6	16.8	18.0	14.0	12.3	9.7	12.6	12.9	17.0	14.0	11.4	14.8	15.3
	Other Urban Districts ...	15.1	12.0	12.4	13.5	13.3	12.0	9.7	9.3	12.9	10.7	13.5	10.8	10.7	13.2	11.9
	Rural Districts ...	10.7	10.0	9.9	10.7	10.2	9.4	8.2	8.4	10.5	8.7	10.0	9.1	9.2	10.6	9.5
	All Areas ...	17.0	12.5	14.7	13.2	14.7	12.7	10.1	10.7	12.0	11.2	14.8	11.2	12.6	12.6	12.9
25—	London ...	—	—	35.6	—	35.6	—	—	24.0	—	24.0	—	—	29.3	—	29.3
	County Boroughs ...	39.3	32.0	28.0	34.7	35.5	29.9	23.4	18.7	26.7	26.2	34.3	27.4	22.7	30.8	30.6
	Other Urban Districts ...	32.8	26.2	25.4	30.6	28.8	26.7	19.7	17.6	27.4	22.2	29.6	22.7	21.0	29.0	25.3
	Rural Districts ...	24.5	21.6	21.4	24.2	22.4	21.9	17.7	16.8	21.9	18.7	23.2	19.6	19.0	23.1	20.5
	All Areas ...	34.6	26.4	28.9	28.9	29.9	27.6	20.1	20.1	25.1	22.7	30.9	23.1	24.1	27.0	26.1
	London ...	—	—	68.1	—	68.1	—	—	51.4	—	51.4	—	—	58.5	—	58.5
	County Boroughs ...	83.0	69.2	59.4	67.1	74.7	66.7	54.0	45.4	53.5	59.0	73.7	60.6	51.1	59.8	65.8
	Other Urban Districts ...	75.7	59.9	56.1	67.8	64.8	62.0	48.4	41.1	54.6	51.3	68.1	53.4	47.3	60.6	57.2
	Rural Districts ...	58.5	50.5	48.4	57.1	52.0	51.6	42.9	40.5	52.7	44.7	55.0	46.5	44.2	54.7	48.2
	All Areas ...	76.0	58.6	58.8	62.9	63.9	62.7	48.0	45.4	53.6	51.7	68.6	52.8	51.2	57.9	57.1
35—	London ...	—	—	146.2	—	146.2	—	—	117.7	—	117.7	—	—	128.0	—	128.0
	County Boroughs ...	169.1	152.9	132.6	132.3	155.0	143.5	126.5	105.6	102.3	129.2	153.1	136.7	115.4	114.5	139.2
	Other Urban Districts ...	157.0	130.3	122.3	137.9	136.0	143.6	112.2	105.8	119.1	119.1	149.0	119.3	112.1	126.8	125.8
	Rural Districts ...	140.7	126.3	120.3	133.0	127.5	125.5	108.5	106.4	116.1	111.1	132.7	116.6	112.7	123.5	118.6
	All Areas ...	158.1	133.4	130.3	134.7	138.1	140.3	114.3	110.0	115.3	118.9	147.5	122.2	117.9	123.5	126.7
	London ...	—	—	254.4	—	254.4	—	—	252.8	—	252.8	—	—	253.2	—	253.2
	County Boroughs ...	294.4	273.8	244.1	279.5	274.2	267.1	247.5	232.8	216.8	249.9	276.0	256.2	236.3	239.4	257.8
	Other Urban Districts ...	290.5	251.1	247.5	211.8	255.7	254.1	243.7	239.0	209.0	242.1	266.9	246.3	241.8	210.0	246.8
	Rural Districts ...	303.3	288.1	254.3	234.2	275.0	255.7	253.0	230.6	242.1	245.5	276.6	266.9	240.3	239.0	257.5
	All Areas ...	295.6	272.9	251.2	232.4	266.0	260.0	248.4	240.7	227.2	245.6	272.9	257.3	244.2	229.1	252.9

* For Infantile Mortality in these areas, see Table 24, *et seq.*

TABLE 17.—ADMINISTRATIVE COUNTIES.—CRUDE DEATH-RATE at ALL AGES, DEATH-RATES at AGES including INFANT MORTALITY, together with CRUDE DEATH-RATE at ALL AGES in URBAN and RURAL AGGREGATES; 1912.—MALES and FEMALES.

		Sex.	Deaths per 1,000 living at subjoined ages.															Deaths under 1 per 1,000 Births.
			All Ages.			0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
			Admin. County.	Urban Aggregate.	Rural Aggregate.													
Anglesey	...	M	15.0	13.1	16.1	29.8	2.6	0.4	2.2	4.5	5.2	6.8	10.8	25.5	61.7	131.5	263.9	113
		F	13.8	13.3	14.1	23.1	2.8	2.9	3.5	4.6	6.9	6.1	8.8	19.6	46.6	98.9	212.6	83
Bedfordshire	...	M	12.3	11.9	13.0	25.1	2.5	1.5	2.0	3.3	3.9	6.2	10.8	23.4	53.0	123.0	261.3	89
		F	11.9	10.9	13.5	23.5	1.8	1.7	2.8	2.7	3.2	5.4	10.6	17.4	43.6	112.6	235.3	75
Berkshire	...	M	12.3	13.5	11.9	20.5	1.5	1.4	2.1	3.3	4.1	7.4	10.5	20.3	53.7	124.6	227.8	67
		F	11.1	11.3	11.1	16.4	1.6	1.9	2.5	2.6	4.0	4.9	7.2	16.8	42.7	108.4	224.6	60
Brecknockshire	...	M	13.0	14.1	12.6	36.5	2.4	2.4	3.4	1.9	3.1	7.8	12.1	25.2	47.5	126.3	140.6	120
		F	13.7	13.5	13.8	34.1	2.2	2.4	4.4	4.7	4.7	9.2	11.3	22.8	36.8	114.4	182.8	95
Buckinghamshire		M	12.5	11.6	12.9	22.5	2.5	1.2	2.1	3.1	4.2	5.2	11.4	23.8	55.0	131.0	261.2	84
		F	11.6	11.1	11.8	20.1	2.4	1.7	3.2	3.5	3.2	4.5	8.4	18.0	43.1	115.8	226.0	71
Cambridgeshire	...	M	14.1	15.1	13.4	25.6	5.1	1.9	3.0	2.8	4.4	6.9	12.3	22.2	49.8	133.7	335.6	75
		F	12.3	11.5	13.0	19.5	3.7	1.6	1.7	1.8	4.0	4.7	7.9	18.4	40.3	104.5	250.0	60
Cardiganshire	...	M	16.0	15.6	16.2	27.6	2.6	2.2	2.8	5.5	8.0	8.9	11.6	23.7	55.7	115.6	315.2	102
		F	17.6	13.8	19.1	20.0	3.0	2.5	5.2	6.2	8.0	6.8	13.1	19.5	57.5	135.1	205.9	65
Carmarthenshire		M	13.1	13.8	12.7	36.9	4.2	2.7	2.8	3.8	5.2	5.2	10.9	25.2	57.8	130.1	186.9	116
		F	14.7	15.0	14.4	29.3	3.8	2.9	3.4	4.6	6.0	8.7	10.8	28.4	54.3	121.1	269.6	91
Carnarvonshire	...	M	16.0	16.5	15.5	35.4	2.3	2.7	3.9	4.5	4.7	8.7	11.9	32.0	65.2	141.9	226.9	118
		F	15.3	13.8	16.7	31.9	2.5	3.2	4.2	4.5	4.8	8.0	10.3	23.0	52.9	131.1	280.8	109
Cheshire	...	M	13.7	14.2	12.6	31.4	2.6	2.1	2.9	3.5	4.1	8.1	14.5	28.5	69.1	156.0	306.8	101
		F	11.8	12.2	10.7	26.5	3.1	1.9	2.4	2.2	3.8	5.9	9.8	24.9	54.0	139.3	239.6	81
Cornwall	...	M	14.6	14.9	14.3	26.9	2.3	1.9	3.2	4.2	5.6	7.2	13.8	26.5	58.1	125.6	245.7	95
		F	13.5	13.7	13.3	22.3	2.5	1.4	2.2	3.4	3.7	5.4	9.9	17.9	45.4	113.6	260.6	75
Cumberland	...	M	16.0	16.9	14.6	43.0	2.8	2.5	2.3	4.2	5.3	9.2	13.4	30.6	69.5	142.3	331.4	122
		F	14.4	15.4	12.7	36.3	3.0	2.6	2.9	4.2	4.6	7.0	12.7	23.9	60.2	124.1	239.6	100
Denbighshire	...	M	14.1	15.9	13.3	37.7	3.7	1.5	2.2	1.6	3.6	6.4	12.2	24.8	71.0	156.0	308.6	126
		F	13.1	12.8	13.4	25.4	2.2	0.9	2.9	2.6	3.7	6.7	12.5	24.8	60.5	120.0	289.3	76
Derbyshire	...	M	12.3	12.2	12.4	32.9	2.5	1.9	2.6	2.9	3.2	5.9	10.0	26.9	64.9	154.2	330.8	107
		F	11.7	11.8	11.6	26.8	2.9	1.7	2.6	3.3	3.7	6.0	10.2	22.2	57.0	128.8	267.3	82
Devonshire	...	M	13.7	14.7	12.7	23.4	2.6	1.6	2.5	3.7	5.0	5.9	11.8	23.4	54.4	121.4	251.9	83
		F	12.7	12.9	12.4	19.9	2.9	1.4	2.4	2.6	4.0	5.5	9.4	17.6	43.2	108.1	243.7	66
Dorsetshire	...	M	11.0	10.5	11.6	20.8	2.4	1.5	1.6	1.9	3.8	5.2	8.9	20.9	49.3	119.2	257.7	67
		F	11.7	11.0	12.5	15.5	2.5	0.8	1.8	3.8	2.9	5.9	9.1	18.5	45.3	107.3	219.0	56
Durham	...	M	14.4	15.1	13.5	43.6	3.6	1.8	3.9	3.5	4.5	6.8	13.3	27.1	66.6	148.1	299.7	122
		F	13.1	13.5	12.6	33.7	3.4	1.9	3.2	3.9	5.0	7.7	12.8	26.2	60.6	137.7	305.1	90
Ely, Isle of	...	M	13.4	15.0	11.7	28.6	1.1	1.1	2.1	5.7	5.6	6.0	9.3	18.4	52.9	101.5	339.3	103
		F	12.0	11.9	12.2	21.9	1.8	0.9	3.3	4.3	2.2	6.0	5.1	16.3	37.1	111.2	253.2	80
Essex	...	M	11.1	10.6	12.6	23.1	2.5	1.3	2.8	3.5	3.8	6.4	11.1	24.3	52.2	116.7	255.2	81
		F	10.1	9.6	11.6	18.2	2.2	1.5	2.7	2.5	3.3	5.5	9.4	18.4	42.7	105.4	245.7	60
Flintshire	...	M	15.1	17.2	13.8	32.4	0.8	2.0	2.2	4.3	5.9	8.8	12.8	28.2	72.8	168.7	280.3	96
		F	13.0	12.6	13.2	22.4	2.4	2.7	1.4	3.6	3.9	7.6	9.1	23.8	56.9	122.2	206.1	67
Glamorganshire	...	M	12.8	13.2	11.8	41.6	3.1	1.8	2.9	3.6	4.1	6.9	13.5	30.3	64.2	135.7	189.8	123
		F	12.5	13.0	11.3	35.7	3.1	2.0	3.0	3.6	5.1	7.2	12.5	26.8	52.7	113.3	227.4	100
Gloucestershire	...	M	13.5	14.1	13.2	23.8	2.1	1.9	1.9	3.2	4.5	5.8	11.4	23.6	58.1	139.6	281.3	83
		F	11.9	11.3	12.1	17.3	1.6	2.2	3.3	3.5	3.5	5.0	8.2	16.8	45.0	107.7	247.4	61
Herefordshire	...	M	14.1	12.3	15.0	22.9	2.1	1.0	2.0	3.8	3.2	6.5	11.2	23.2	60.2	122.4	245.5	81
		F	12.8	12.6	13.0	17.6	2.1	1.6	2.7	2.2	4.3	4.3	7.6	23.6	47.1	108.1	212.1	61
Hertfordshire	...	M	11.1	11.4	10.8	19.1	2.5	1.5	2.4	2.5	3.8	6.3	11.0	21.7	53.7	128.4	227.9	72
		F	10.0	10.5	9.2	16.9	1.9	1.4	2.3	1.8	3.4	4.0	7.2	17.4	41.2	105.0	236.3	54
Huntingdonshire		M	12.3	12.1	12.4	23.4	1.7	1.0	2.3	5.8	3.1	4.4	9.4	20.3	42.5	123.9	220.9	70
		F	12.9	11.6	14.0	25.6	2.4	0.4	2.1	5.0	3.6	4.2	7.4	19.3	39.9	97.8	272.7	79
Kent	...	M	12.3	12.5	12.0	25.7	2.8	1.7	2.2	3.4	4.2	7.0	11.9	24.5	51.5	125.0	236.2	87
		F	10.7	10.8	10.4	20.3	2.4	1.8	2.0	2.4	3.1	5.7	9.7	16.9	39.4	102.2	228.3	65
Lancashire	...	M	14.5	14.7	12.8	38.6	3.4	2.2	2.8	3.7	4.5	8.1	15.3	35.1	78.4	158.8	300.0	117
		F	13.0	13.3	11.6	32.4	3.5	2.3	3.2	3.4	4.0	6.8	12.0	27.7	64.8	146.5	249.7	93
Leicestershire	...	M	12.3	13.0	11.8	26.2	2.2	1.8	2.5	3.4	4.0	6.2	11.0	25.0	51.8	116.0	284.6	91
		F	11.7	11.4	11.9	23.3	2.4	2.0	3.2	4.0	4.0	5.7	9.0	19.1	48.5	110.5	253.8	70
Lincolnshire : Holland		M	13.9	14.9	13.1	27.3	3.2	1.2	1.8	1.9	5.9	5.9	10.9	21.4	55.9	115.8	233.3	101
		F	12.6	13.8	11.6	24.5	3.1	1.9	3.2	3.0	4.5	4.8	7.6	17.8	38.6	104.8	227.5	81
Lincolnshire : Kesteven.		M	12.3	12.6	12.2	21.4	2.7	0.9	2.8	1.8	4.3	6.4	8.7	21.7	48.8	127.6	253.8	73
		F	12.1	11.1	12.9	18.1	3.2	1.3	2.5	3.7	3.9	4.9	8.6	14.9	43.9	109.2	267.8	68
Lincolnshire : Lindsey.		M	12.6	13.0	12.4	27.9	1.7	1.8	2.8	3.7	3.6	4.8	8.3	20.8	49.8	117.9	289.9	97
		F	12.4	12.4	12.4	24.2	2.2	1.1	2.6	3.1	4.6	6.2	6.8	18.7	42.6	111.7	268.2	81

TABLE 17.—ADMINISTRATIVE COUNTIES.—CRUDE DEATH-RATE at ALL AGES, DEATH-RATES at AGES including INFANT MORTALITY, together with CRUDE DEATH-RATE at ALL AGES in URBAN and RURAL AGGREGATES; 1912.—MALES and FEMALES—*cont.*

		Deaths per 1,000 living at subjoined ages.																	Deaths under 1 per 1,000 Births.
		Sex.	All Ages.			0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.		
			Admin. County.	Urban Aggregate.	Rural Aggregate.														
Merionethshire ...	M	16.0	15.5	16.4	29.3	3.3	0.4	4.0	4.1	7.7	5.0	13.4	28.5	69.5	141.1	333.3	98		
	F	16.5	18.1	15.3	26.5	2.3	1.7	2.5	7.0	9.2	9.0	14.1	26.6	54.6	115.3	243.6	93		
Middlesex ...	M	10.8	10.9	10.6	25.2	2.4	1.2	2.3	3.1	3.7	6.0	11.6	27.5	56.8	122.6	251.2	86		
	F	9.5	9.5	9.1	20.5	2.0	1.7	2.2	2.0	3.1	4.7	9.2	19.0	44.8	100.3	220.3	65		
Monmouthshire	M	13.0	12.9	13.8	42.8	2.9	1.3	2.2	3.2	3.2	6.9	11.6	28.6	63.5	124.3	185.4	112		
	F	13.0	13.5	10.3	37.8	2.9	1.5	2.4	4.8	4.4	7.1	14.0	24.7	48.2	111.3	175.9	97		
Montgomeryshire	M	13.6	15.8	12.4	25.5	2.6	0.7	3.5	3.1	5.3	6.6	10.9	19.1	49.4	126.1	166.7	90		
	F	13.4	13.8	13.2	22.1	1.1	2.2	2.8	5.2	4.7	5.7	10.9	17.6	58.0	98.8	229.2	73		
Norfolk ...	M	13.4	14.6	13.1	24.5	1.1	2.1	2.0	3.2	4.9	5.4	9.2	19.1	48.4	120.3	268.5	90		
	F	13.5	12.9	13.6	21.5	1.7	1.4	2.5	4.3	4.1	5.5	7.9	15.7	39.4	112.0	273.4	79		
Northamptonshire	M	12.7	11.9	13.4	25.5	3.0	2.0	2.6	4.4	4.0	5.8	10.4	23.5	50.0	130.9	291.1	92		
	F	11.5	9.9	12.7	20.0	3.3	2.6	2.9	3.3	3.2	5.0	9.2	15.6	42.5	107.6	275.9	69		
Northumberland	M	13.3	13.6	12.8	34.2	2.8	2.1	4.0	3.2	4.0	6.6	12.5	26.5	62.8	157.6	275.7	102		
	F	12.8	13.2	11.9	29.3	2.7	2.6	3.2	4.4	4.1	6.3	12.4	26.5	58.6	134.2	274.7	84		
Nottinghamshire	M	12.3	12.7	11.7	34.0	2.6	1.3	2.2	3.6	3.2	5.7	10.3	22.2	56.8	134.0	272.4	107		
	F	11.5	11.2	12.0	26.3	2.8	1.6	2.7	2.7	3.8	5.4	10.0	20.3	57.2	113.3	272.2	77		
Oxfordshire ...	M	13.2	13.3	13.2	23.8	2.3	1.4	2.6	2.9	3.2	5.7	10.6	19.2	49.2	140.7	253.9	82		
	F	12.2	11.5	12.5	16.6	2.3	1.3	2.4	2.7	3.2	5.4	10.8	19.2	43.4	96.6	221.9	55		
Pembrokeshire ...	M	13.7	13.7	13.6	23.4	2.2	2.0	5.0	4.4	6.2	8.3	11.9	24.9	54.2	128.7	210.9	72		
	F	14.1	13.3	14.8	22.7	3.6	2.1	3.0	3.4	4.7	7.6	8.4	25.5	58.5	118.3	218.9	76		
Peterborough, Soke of	M	15.1	13.7	19.0	39.0	5.1	1.4	4.9	2.8	3.5	8.5	9.1	19.3	56.0	140.8	440.0	132		
	F	13.1	13.0	13.4	31.9	3.6	1.8	1.8	3.1	2.0	5.9	11.0	15.3	50.2	112.9	247.3	91		
Radnorshire ...	M	12.3	9.9	13.1	33.6	2.6	1.8	1.9	1.1	3.2	4.8	3.6	14.2	43.0	115.4	343.8	103		
	F	12.6	10.8	13.4	23.4	1.8	0.9	3.6	5.1	2.9	3.4	10.0	23.7	60.9	108.6	136.4	65		
Rutlandshire ...	M	10.3	8.5	10.7	11.3	1.0	0.9	0.8	4.0	5.6	3.9	9.0	25.2	42.6	111.1	189.2	46		
	F	11.1	13.0	10.7	15.7	2.0	1.1	—	1.3	3.5	3.0	7.3	22.7	33.1	99.2	306.1	33		
Shropshire ...	M	13.5	14.0	13.1	24.8	2.2	1.2	1.7	3.3	3.7	5.6	12.0	25.8	58.3	139.0	231.9	86		
	F	12.7	13.6	12.0	19.6	2.0	1.6	2.6	3.3	4.1	6.7	9.1	19.3	48.7	112.5	240.3	60		
Somersetshire ...	M	13.2	13.4	13.1	21.2	1.7	1.5	2.8	3.1	4.1	6.5	10.8	27.7	56.4	127.2	285.2	79		
	F	12.3	12.0	12.6	17.0	2.2	1.6	2.6	3.4	3.7	4.7	9.7	20.4	44.3	109.9	223.0	56		
Southampton ...	M	10.9	10.7	11.1	21.3	2.5	1.8	2.1	3.0	4.3	7.4	11.7	21.8	50.2	112.3	268.0	78		
	F	10.4	10.1	10.6	17.0	2.1	1.5	2.2	2.8	3.2	5.0	8.2	16.8	40.3	111.8	230.2	59		
Staffordshire ...	M	14.3	14.8	13.3	39.5	3.1	1.6	2.8	3.4	4.9	7.1	13.8	26.2	64.3	144.9	305.6	121		
	F	13.3	13.9	12.0	31.8	3.3	2.1	3.1	2.6	4.3	5.9	10.8	23.4	58.6	138.1	278.1	91		
Suffolk, East ...	M	12.1	12.8	11.6	25.3	1.7	1.0	2.8	2.8	3.6	5.4	9.1	18.7	44.2	115.8	268.9	88		
	F	12.3	12.3	12.3	20.2	2.4	1.8	2.1	4.1	4.7	4.4	7.7	19.5	38.5	110.8	265.0	71		
Suffolk, West ...	M	13.6	13.6	13.6	21.8	1.5	1.2	1.9	4.5	5.0	7.6	12.4	22.9	56.8	101.3	310.2	82		
	F	13.7	13.4	14.0	18.3	2.0	2.2	2.5	4.6	5.4	7.1	10.4	17.2	45.6	103.9	261.2	61		
Surrey ...	M	10.1	10.3	9.8	20.0	2.3	1.1	2.1	2.5	2.9	5.5	9.9	22.0	46.9	113.1	234.8	75		
	F	8.9	9.3	8.0	16.2	2.5	1.7	2.4	2.0	2.5	4.3	7.8	15.7	36.3	99.0	217.1	56		
Sussex, East ...	M	11.9	12.4	11.5	16.0	2.5	1.1	3.0	2.8	3.4	5.9	10.1	21.1	53.3	126.2	266.0	59		
	F	10.0	10.3	9.8	14.3	1.7	2.1	1.6	2.5	2.7	4.0	8.2	17.8	37.9	96.0	256.5	55		
Sussex, West ...	M	12.5	13.1	12.0	21.4	2.7	1.0	2.3	2.9	4.2	5.0	13.2	20.0	49.9	106.4	234.2	78		
	F	10.5	11.2	9.9	14.6	2.4	0.9	1.4	2.5	2.7	5.2	8.0	14.2	38.6	104.9	218.7	51		
Warwickshire ...	M	12.8	12.1	13.3	28.7	2.1	1.5	2.0	3.6	3.5	6.1	12.1	24.9	55.9	139.2	258.5	92		
	F	11.7	11.6	11.7	24.0	3.2	1.7	2.7	2.4	4.0	5.0	9.8	17.1	46.7	104.8	227.2	67		
Westmorland ...	M	13.6	12.6	14.3	23.0	1.7	2.0	1.3	4.2	4.0	6.3	9.0	26.2	68.8	114.7	312.5	79		
	F	11.0	11.8	10.5	19.4	1.8	0.6	0.9	2.3	3.4	3.9	9.3	23.3	43.0	116.6	163.0	61		
Wight, Isle of ...	M	12.4	13.8	10.1	17.3	1.3	0.7	1.9	1.7	3.7	7.2	11.7	25.2	51.2	118.5	247.8	59		
	F	11.4	11.7	10.8	18.7	1.6	1.0	2.6	3.9	4.1	4.8	8.9	14.6	34.1	96.0	290.2	70		
Wiltshire ...	M	11.7	11.6	11.7	19.5	2.7	1.3	2.1	2.4	3.7	5.3	10.0	22.8	51.0	128.3	268.0	71		
	F	11.4	10.6	12.0	17.5	1.7	2.2	1.4	1.7	3.4	5.6	9.2	17.8	41.0	114.1	252.4	60		
Worcestershire ...	M	13.9	14.3	13.4	30.1	2.8	1.1	2.3	3.6	3.9	6.8	12.6	29.2	60.0	132.9	314.8	98		
	F	12.0	11.7	12.2	25.3	2.0	2.1	2.5	2.9	3.1	4.9	9.0	18.0	45.7	115.2	253.0	81		
Yorkshire: East Riding.	M	13.4	13.6	13.3	25.2	2.3	1.6	2.7	3.6	5.1	5.5	9.6	22.7	54.2	119.0	305.4	83		
	F	11.6	11.3	11.7	21.3	1.9	1.2	2.1	3.3	3.7	5.1	7.5	20.5	39.6	108.1	197.9	69		
Yorkshire: North Riding.	M	14.8	15.6	13.9	33.2	4.3	2.2	4.0	3.0	4.8	7.9	11.7	23.9	61.0	143.8	265.2	95		
	F	13.5	14.5	12.2	30.9	4.6	2.4	2.5	3.2	4.4	6.2	10.4	21.3	52.2	122.4	233.1	88		
Yorkshire: West Riding.	M	13.9	14.0	13.3	36.5	3.4	2.0	3.3	3.8	4.0	7.0	13.7	31.2	70.8	154.1	293.7	107		
	F	12.7	12.9	11.9	29.7	3.5	2.1	2.9	3.5	4.2	5.9	10.8	24.3	59.7	143.8	276.6	82		

TABLE 18.—COUNTY BOROUGH.—CRUDE DEATH-RATE at ALL AGES, DEATH-RATES at AGES including INFANT MORTALITY ; 1912.—MALES and FEMALES.

—	Sex.	Deaths per 1,000 living at subjoined Ages.													Deaths under 1 per 1,000 Births.
		All Ages.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards.	
Barrow in Furness {	M	14.9	39.5	5.6	2.8	3.2	7.1	3.9	11.9	12.7	37.8	67.2	181.3	222.2	108
	F	14.2	36.9	6.7	2.8	5.3	3.8	3.5	7.7	16.9	29.4	63.2	148.8	193.5	100
Bath ... {	M	14.8	29.2	2.7	1.9	2.2	4.9	4.3	7.4	11.7	31.0	64.1	126.8	272.7	87
	F	11.6	19.4	2.3	0.3	1.9	2.7	2.4	3.0	7.8	17.4	44.8	87.6	209.8	66
Birkenhead ... {	M	15.8	43.8	4.6	2.7	2.3	2.8	6.3	9.0	21.2	33.2	70.6	152.4	268.3	107
	F	13.8	36.1	5.2	2.4	2.7	2.9	4.2	7.3	14.3	26.0	62.9	111.0	280.7	88
Birmingham ... {	M	15.4	48.6	3.7	1.5	2.4	3.0	5.2	8.8	15.9	33.5	70.8	145.4	243.5	128
	F	13.2	40.2	4.0	2.0	2.3	2.7	3.6	7.6	12.9	25.4	56.4	122.9	231.8	94
Blackburn ... {	M	15.4	39.8	3.0	1.7	3.7	3.6	5.4	9.9	17.5	38.6	84.2	155.9	206.9	133
	F	13.8	36.2	1.5	1.8	2.9	2.9	4.7	8.0	12.3	33.5	73.6	149.8	301.9	106
Blackpool ... {	M	14.7	27.2	2.8	2.9	2.5	1.6	4.4	6.7	20.2	35.9	80.6	98.6	307.7	99
	F	11.0	22.1	0.4	1.9	1.1	1.7	4.2	6.7	8.4	21.6	50.9	119.4	304.3	77
Bolton ... {	M	15.1	35.4	3.2	2.5	3.5	3.5	4.7	8.4	21.8	41.9	92.4	185.1	176.5	110
	F	12.7	29.1	3.6	2.3	3.4	2.6	3.9	7.0	14.5	30.1	66.5	151.0	319.4	85
Bootle ... {	M	19.3	53.8	4.5	2.8	3.9	7.3	6.3	11.1	24.2	45.5	97.3	168.4	357.1	126
	F	14.6	43.5	2.7	1.9	4.6	5.0	4.9	9.3	16.5	31.5	58.0	136.0	214.3	97
Bournemouth ... {	M	11.5	20.2	0.7	—	1.8	1.5	4.0	7.8	10.2	22.0	44.5	121.2	153.8	73
	F	9.3	16.2	2.1	0.3	1.5	2.6	3.0	3.3	7.1	16.5	36.0	79.6	291.4	66
Bradford ... {	M	15.7	36.4	3.4	2.4	3.0	3.4	5.1	9.2	18.4	37.6	87.4	170.2	310.3	106
	F	13.8	31.6	3.0	3.3	3.0	3.8	4.6	7.2	11.1	30.1	67.5	145.3	335.3	91
Brighton ... {	M	14.4	25.3	3.2	1.6	2.2	3.0	5.8	8.3	14.1	30.0	61.0	126.9	317.1	79
	F	12.1	23.0	1.4	2.2	2.1	2.0	2.9	4.8	11.6	18.2	45.0	119.2	221.4	72
Bristol ... {	M	14.9	37.7	3.8	1.9	2.4	4.1	4.7	8.3	15.1	30.2	68.5	154.7	258.2	121
	F	12.4	30.2	3.2	1.7	3.0	2.3	3.8	6.3	10.2	21.9	48.6	121.5	236.2	83
Burnley ... {	M	15.8	51.6	3.1	2.2	2.5	3.0	4.2	6.1	15.3	37.1	89.9	215.5	230.8	170
	F	14.3	42.9	3.2	2.0	3.5	3.5	4.7	7.4	14.7	32.6	77.8	152.5	193.5	119
Burton upon Trent {	M	14.1	24.4	2.0	2.0	2.7	3.7	6.0	9.2	15.2	36.7	72.7	157.6	291.7	83
	F	11.5	18.4	2.5	2.0	5.3	5.7	4.9	9.0	8.4	18.7	50.0	110.4	234.0	58
Bury ... {	M	15.0	36.6	1.7	2.4	4.2	2.6	7.2	9.4	17.7	34.2	79.0	142.0	250.0	116
	F	13.6	36.6	3.4	1.6	3.4	3.6	3.1	6.1	10.8	31.6	62.4	140.4	291.7	107
Canterbury... {	M	12.9	24.6	2.7	—	1.6	4.6	3.4	9.2	15.8	26.6	46.0	126.4	200.0	69
	F	11.1	20.7	0.8	—	1.9	2.7	3.4	4.1	5.1	18.5	45.8	79.2	202.7	69
Cardiff ... {	M	15.4	45.1	3.1	1.7	4.0	3.5	5.1	9.4	19.2	36.2	66.1	151.4	269.8	119
	F	12.7	39.3	3.2	2.3	2.8	4.3	5.5	7.2	11.7	27.2	52.9	93.4	256.6	103
Chester ... {	M	15.8	46.1	2.6	1.7	2.3	2.5	4.5	11.3	17.0	31.3	92.1	100.0	210.5	105
	F	15.0	38.0	5.3	1.6	4.3	2.1	4.1	6.5	12.5	27.3	76.8	109.4	230.8	95
Coventry ... {	M	12.4	35.8	5.1	1.0	3.1	1.5	3.7	6.5	15.6	30.9	67.1	167.1	265.3	89
	F	11.3	25.4	5.3	1.6	2.7	3.8	3.0	6.7	11.6	24.4	49.8	127.3	321.4	62
Croydon ... {	M	11.8	27.5	3.1	1.4	3.1	3.9	3.9	5.9	12.5	25.3	54.0	116.9	171.4	89
	F	10.3	18.8	2.5	1.1	1.0	2.1	3.4	6.0	8.9	16.7	44.2	103.9	225.6	65
Derby ... {	M	12.4	28.4	2.4	0.5	2.4	3.7	4.3	6.6	12.7	28.2	68.5	139.1	378.4	88
	F	12.0	23.9	2.4	2.0	2.0	2.8	3.8	6.9	10.5	21.8	65.5	148.1	300.0	69
Devonport ... {	M	10.7	34.0	4.2	2.5	2.5	1.8	3.3	8.2	11.9	21.8	67.3	140.9	152.2	103
	F	13.1	22.4	2.1	3.3	2.0	4.0	5.6	8.1	12.4	26.6	53.3	122.7	266.1	69
Dudley ... {	M	15.1	37.5	2.1	1.8	3.7	4.7	3.9	9.9	13.0	34.8	93.5	176.2	200.0	114
	F	14.8	36.9	2.3	1.8	2.7	3.8	4.6	7.9	10.5	29.8	77.3	159.0	151.5	120
Eastbourne... {	M	12.0	30.1	3.6	1.5	1.0	3.3	4.5	9.0	11.0	18.7	55.8	114.9	169.8	89
	F	8.4	16.4	3.7	1.2	1.5	2.8	1.5	4.5	7.1	17.8	34.8	87.7	234.6	51
Exeter ... {	M	15.0	33.5	1.9	1.8	3.1	5.2	5.0	9.6	10.5	27.1	65.8	152.7	222.2	94
	F	13.7	31.6	1.5	3.6	2.5	2.7	3.1	5.9	8.2	17.2	54.7	102.3	307.7	96

TABLE 18.—COUNTY BOROUGHES.—CRUDE DEATH-RATE at ALL AGES, DEATH-RATES at AGES including INFANT MORTALITY; 1912.—MALES and FEMALES—*continued.*

	Sex.	Deaths per 1,000 living at subjoined Ages.														Deaths under 1 per 1,000 Births.
		All Ages.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards.		
Gateshead ...	M	16·7	45·7	3·6	2·0	4·7	4·5	6·9	11·5	15·8	34·8	82·2	186·3	317·1	113	
	F	15·2	41·9	3·9	3·9	4·2	6·0	5·2	8·5	15·1	30·2	61·5	133·6	317·5	98	
Gloucester ...	M	15·6	36·9	3·0	3·0	4·5	5·4	6·2	9·1	9·9	29·0	68·0	160·4	357·1	129	
	F	12·8	26·3	2·7	2·3	0·8	5·6	3·1	5·5	12·6	24·2	46·9	126·8	229·7	85	
Great Yarmouth ...	M	16·6	32·5	2·4	2·7	2·9	6·4	6·9	10·7	14·2	31·6	58·0	129·0	239·4	104	
	F	14·6	34·0	3·3	0·8	2·5	4·6	4·6	6·8	15·4	19·4	42·8	111·4	281·6	106	
Grimsby ...	M	13·3	38·1	2·6	1·7	1·7	3·0	3·7	7·7	14·3	31·2	67·3	120·5	256·4	105	
	F	12·1	37·8	3·3	0·9	2·3	3·4	4·7	5·0	8·4	24·1	46·2	96·8	294·1	105	
Halifax ...	M	15·7	28·9	3·5	1·2	3·5	4·6	5·8	7·0	20·3	40·0	81·6	187·2	351·4	87	
	F	14·3	24·8	2·4	2·5	2·0	2·7	3·6	6·3	12·5	29·6	71·3	177·1	276·3	77	
Hastings ...	M	14·4	21·3	3·4	2·0	1·8	5·6	4·8	9·5	11·9	25·1	50·1	133·0	228·6	72	
	F	12·2	16·3	2·0	1·1	1·9	2·3	3·4	4·8	7·4	17·7	43·9	101·7	218·8	66	
Huddersfield ...	M	14·6	30·8	3·7	2·8	4·5	2·6	4·3	10·0	16·0	40·3	73·5	179·6	200·0	100	
	F	13·4	30·7	2·3	2·1	2·6	3·4	3·3	8·5	13·1	27·4	66·0	141·5	338·5	92	
Ipswich ...	M	16·4	47·6	4·8	2·2	2·7	4·3	5·5	9·6	16·0	27·3	53·7	145·2	142·9	136	
	F	14·3	36·5	5·0	1·4	3·0	2·7	5·1	6·0	12·2	14·8	52·3	139·5	214·9	88	
Kingston upon Hull	M	15·7	39·2	2·5	1·9	2·3	3·6	5·6	9·7	19·1	35·6	71·5	184·4	223·1	115	
	F	13·5	33·5	3·8	2·1	3·3	3·0	4·7	7·2	12·8	27·7	54·4	128·5	277·6	87	
Leeds ...	M	15·7	41·2	4·2	2·0	3·3	4·3	6·5	9·9	16·3	33·9	83·9	156·7	350·0	113	
	F	13·3	32·8	4·5	2·3	3·5	3·6	4·2	6·4	12·5	27·6	65·6	155·7	328·4	91	
Leicester ...	M	14·7	38·7	2·3	1·7	3·9	3·9	5·4	8·3	15·2	33·4	63·9	151·9	280·9	114	
	F	12·7	35·0	4·1	1·8	3·9	4·2	3·6	6·7	11·9	22·2	56·5	126·5	220·5	105	
Lincoln ...	M	13·3	36·8	1·5	1·2	2·7	4·0	3·6	6·1	7·8	26·7	71·1	143·9	368·4	122	
	F	12·1	29·5	3·1	2·4	2·7	2·2	3·3	5·9	12·1	18·4	42·8	147·0	162·2	84	
Liverpool ...	M	20·4	59·4	4·6	2·3	3·7	4·4	7·3	13·6	25·0	46·6	81·7	156·5	244·8	138	
	F	16·8	50·6	4·4	2·7	3·1	3·1	5·5	9·5	17·4	32·5	71·4	139·8	246·0	113	
Manchester...	M	17·9	52·4	4·4	2·6	3·8	4·2	6·4	11·8	22·8	41·6	87·2	164·3	300·0	135	
	F	14·9	43·5	4·4	2·3	3·4	3·6	4·4	8·6	15·5	31·8	69·2	146·1	245·3	111	
Merthyr Tydfil ...	M	16·3	56·0	3·9	2·2	3·0	5·1	4·6	8·5	18·1	31·4	81·7	124·5	318·2	152	
	F	15·6	51·4	3·3	0·7	4·1	3·8	5·8	9·9	17·6	25·4	51·1	128·7	195·1	106	
Middlesbrough ...	M	19·7	64·3	4·2	3·4	5·0	5·0	5·5	12·6	23·8	43·8	78·0	170·1	130·4	157	
	F	15·8	48·4	5·6	3·4	2·3	4·2	3·8	11·8	13·0	35·3	69·7	151·5	162·8	94	
Newcastle on Tyne	M	15·9	43·2	4·7	2·3	3·1	5·5	5·8	8·7	19·9	33·7	76·1	171·1	407·0	118	
	F	13·1	43·5	4·1	2·1	3·1	3·7	4·4	7·4	13·7	31·5	57·8	134·8	225·8	86	
Newport (Mon.) ...	M	14·6	44·1	4·7	2·2	3·1	3·3	5·6	9·4	12·1	36·1	59·3	135·8	363·6	117	
	F	11·7	32·0	3·4	1·8	3·5	4·9	4·2	6·8	12·0	23·1	62·4	99·5	125·0	100	
Northampton ...	M	13·5	31·7	2·1	1·6	2·7	4·8	5·2	7·6	16·2	21·9	62·0	157·4	280·0	86	
	F	11·3	26·3	4·0	1·7	3·2	4·4	3·7	4·1	12·0	17·4	46·6	128·8	233·3	60	
Norwich ...	M	14·3	35·9	3·3	1·7	3·0	2·6	4·5	6·6	12·5	27·6	54·4	147·0	276·2	115	
	F	11·6	26·0	2·8	2·0	2·5	3·9	3·0	6·0	8·2	14·6	45·6	108·5	234·5	87	
Nottingham ...	M	16·0	45·5	3·0	1·3	2·8	3·8	5·0	10·1	17·5	28·9	65·4	165·5	258·1	125	
	F	13·5	40·0	2·9	1·3	3·0	2·6	4·7	6·7	13·4	22·2	53·3	142·2	270·4	110	
Oldham ...	M	17·4	46·3	4·1	2·0	3·8	3·9	5·5	10·7	23·4	41·3	86·2	215·2	300·0	127	
	F	15·7	39·4	4·6	2·9	3·0	4·5	5·0	8·3	16·0	33·8	82·9	163·9	240·0	109	
Oxford ...	M	12·8	26·4	0·9	1·3	3·5	2·5	3·9	8·1	15·2	21·8	52·1	131·7	311·1	77	
	F	11·0	19·3	0·8	0·4	1·7	2·7	3·6	4·0	9·2	16·6	40·7	120·5	277·2	62	
Plymouth ...	M	16·6	38·0	2·8	1·4	4·8	3·3	5·6	10·6	14·8	33·4	64·9	156·8	230·8	121	
	F	14·2	29·3	4·3	2·3	3·5	4·1	4·5	6·3	12·5	21·7	52·0	118·4	216·7	89	
Portsmouth ...	M	14·1	34·6	5·4	1·7	1·7	2·4	4·8	10·4	17·4	32·5	60·4	139·9	341·7	94	
	F	12·6	28·0	6·9	2·1	2·9	2·8	3·5	6·2	11·1	20·0	49·7	127·3	208·6	72	

TABLE 18.—COUNTY BOROUGH.—CRUDE DEATH-RATE at ALL AGES, DEATH-RATES at AGES including INFANT MORTALITY; 1912.—MALES and FEMALES—*continued.*

			Sex.	Deaths per 1,000 living at subjoined Ages.													Deaths under 1 per 1 000 Births.
				All Ages.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards.	
Preston	M F	18.8 15.4	53.1 43.3	5.5 6.4	1.8 2.9	4.5 3.7	4.4 3.2	5.7 3.8	9.8 8.6	22.6 12.0	42.8 32.3	97.4 78.7	170.2 159.1	558.8 267.9	137 109
Reading	M F	12.6 10.4	27.0 22.9	2.5 1.9	1.9 2.1	2.8 1.9	3.5 3.3	3.8 3.2	7.1 4.2	9.9 8.5	23.9 17.2	67.2 39.9	123.3 96.4	369.2 291.3	99 70
Rochdale	M F	15.4 14.8	38.2 36.6	2.7 2.9	2.6 3.1	3.9 4.0	3.2 4.5	4.7 5.1	8.0 7.2	20.4 11.9	40.9 28.0	99.7 77.6	157.7 171.7	266.7 205.9	117 108
Rotherham...	M F	16.8 15.1	53.7 45.8	6.6 4.9	1.8 2.6	2.0 2.3	2.2 3.5	5.7 5.7	8.4 7.2	13.6 13.9	35.8 24.7	77.1 67.6	172.7 118.5	190.5 200.0	135 106
St. Helens	M F	16.0 14.8	55.5 46.5	4.5 4.8	3.1 3.9	2.7 4.0	4.5 3.7	4.5 5.1	6.7 6.5	19.2 14.1	39.8 26.6	64.8 69.7	210.3 140.0	250.0 312.5	130 112
Salford	M F	18.9 16.0	58.3 47.7	3.8 3.8	1.9 3.0	3.4 3.0	4.7 3.6	7.6 4.6	11.1 9.2	22.1 14.1	45.6 34.7	93.1 74.6	166.4 162.2	375.0 257.1	146 114
Sheffield	M F	15.7 13.0	41.0 36.3	3.4 3.1	2.5 2.1	3.0 2.7	3.5 2.9	4.6 4.0	8.9 6.5	20.8 12.5	40.5 26.2	87.1 63.4	162.7 139.2	359.2 253.2	115 98
Smethwick...	M F	12.7 11.6	36.9 34.5	4.7 3.0	1.0 1.8	3.1 1.3	3.6 4.5	4.4 3.6	5.6 5.5	14.3 12.4	29.3 25.7	71.4 43.1	172.8 140.5	285.7 384.6	121 100
Southampton	M F	14.6 12.1	28.2 28.2	2.2 4.6	1.2 1.2	2.9 2.4	5.1 3.1	7.4 3.6	10.5 7.5	15.9 11.2	31.7 19.2	65.0 44.4	133.2 100.7	253.3 217.6	92 77
Southport	M F	14.8 11.3	21.6 18.6	2.3 2.7	3.4 2.2	1.6 1.4	1.9 1.3	5.5 3.2	8.1 5.3	13.7 9.9	28.7 19.0	69.9 41.4	167.1 125.5	261.9 269.2	74 69
South Shields	M F	17.0 15.5	44.5 40.5	3.6 4.4	1.2 2.2	5.0 3.5	4.7 5.4	6.1 5.5	9.4 10.3	21.9 13.6	38.4 30.3	81.0 77.9	221.9 154.0	217.4 240.7	111 103
Stockport	M F	16.2 14.1	44.7 37.2	3.3 2.9	2.7 2.2	2.9 2.5	2.9 2.7	5.4 4.9	8.0 7.4	20.3 13.5	40.1 29.5	88.0 64.1	153.8 168.3	280.0 238.1	117 102
Stoke on Trent	M F	17.7 14.5	50.5 38.6	3.7 3.4	1.6 3.5	3.8 3.5	4.2 3.5	6.0 4.7	10.1 10.2	23.0 15.9	46.2 32.9	92.0 67.6	173.7 138.6	381.0 222.2	145 108
Sunderland	M F	18.0 14.6	49.5 41.1	3.7 3.8	2.7 3.7	4.2 2.6	5.7 3.0	6.3 4.6	10.9 7.7	18.7 14.1	34.8 31.2	76.6 58.3	161.2 127.7	404.3 275.9	132 101
Swansea	M F	13.6 13.6	41.7 39.2	3.4 4.6	0.9 1.4	2.9 3.9	4.1 3.4	6.2 5.2	7.3 7.8	15.2 11.6	33.7 29.2	64.4 50.4	99.2 104.5	209.3 217.4	107 95
Tynemouth	M F	17.5 14.9	44.7 37.9	3.2 3.9	2.2 1.9	1.8 3.4	7.8 4.7	6.4 6.9	11.1 11.5	20.9 14.9	32.6 26.8	88.4 61.6	142.3 130.8	214.3 222.2	116 89
Walsall	M F	16.5 14.4	51.5 46.7	4.1 3.5	2.8 1.0	2.5 3.1	4.7 2.1	5.9 4.7	7.6 8.1	19.2 12.1	26.3 30.4	75.2 53.7	164.1 131.7	200.0 193.0	144 122
Warrington	M F	15.5 13.9	45.3 35.9	5.2 3.8	2.5 5.2	2.8 2.5	1.8 3.3	3.1 6.0	9.3 6.2	22.5 16.5	34.8 31.2	96.5 62.9	196.4 142.3	200.0 300.0	98 88
West Bromwich	M F	15.9 13.5	47.7 39.5	2.7 1.8	2.1 1.1	3.3 1.9	3.9 3.7	3.1 3.0	10.0 6.3	12.1 12.5	41.4 19.7	61.7 67.3	174.4 121.8	440.0 245.3	132 109
West Ham	M F	15.6 13.2	42.6 37.3	3.4 3.3	2.8 1.5	3.6 2.0	4.0 3.1	5.5 4.0	9.0 7.8	16.4 13.8	35.9 25.1	78.6 60.1	164.0 120.1	301.9 333.3	112 95
West Hartlepool	M F	16.7 13.3	45.6 36.5	5.3 4.5	2.4 2.9	2.4 2.5	4.2 3.4	4.8 4.9	10.3 4.9	16.5 16.3	34.1 25.9	87.0 53.9	251.4 146.0	466.7 384.6	131 87
Wigan	M F	17.4 15.0	51.6 42.5	6.0 3.9	2.4 2.2	2.8 4.5	5.7 4.5	5.8 6.3	11.6 8.6	20.4 15.0	47.4 32.1	77.5 78.7	212.3 170.1	58.8 304.3	143 109
Wolverhampton	M F	14.6 12.6	34.9 27.8	3.3 3.5	1.2 1.4	3.1 1.1	3.9 2.5	5.9 4.2	8.5 6.1	15.4 13.8	29.6 30.0	84.9 57.9	182.3 141.7	481.5 246.4	98 75
Worcester	M F	12.8 12.6	28.4 22.0	1.7 2.6	1.3 2.0	1.9 2.9	4.6 1.7	3.5 3.9	7.2 7.6	16.1 13.8	27.5 19.9	45.4 45.6	111.1 116.0	285.7 262.5	93 65
York	M F	14.4 13.2	34.7 30.4	3.9 3.9	1.8 3.0	1.6 3.8	4.0 2.3	4.2 3.3	10.0 6.2	13.5 15.7	32.6 22.1	71.5 54.1	152.2 123.3	361.1 238.6	106 86

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1898-1912.—
MALES, FEMALES, AND PERSONS.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.
All Causes	M	283981	299472	303823	285618	277216	266290	283206	267601	274233	269259	268714	265203	249016	272512	250232
	F	268160	282327	284007	265967	258322	248338	266578	252430	257048	254962	251742	252800	234231	255298	236707
	P	552141	581799	587830	551585	535538	514628	549784	520031	531281	524221	520456	518003	483247	527810	486939
PRINCIPAL SUM-MARIZED HEADINGS.																
Small-pox	M	141	103	50	201	1439	504	312	63	9	6	7	18	14	13	4
	F	112	71	35	155	1025	256	195	53	12	4	5	3	5	10	5
	P	253	174	85	356	2464	760	507	116	21	10	12	21	19	23	9
Diarrhoeal diseases... (104 and 105, 1911 list.)*	M	?	?	?	21183	10792	13425	20130	14731	21024	9390	14446	9444	9946	24848	6290
	F	?	?	?	18604	9477	11939	17723	12776	18748	7893	12433	8024	8217	21707	5096
	P	?	?	?	39787	20269	25364	37853	27507	39772	17283	26879	17468	18163	46555	11886
Venereal diseases	M	?	?	?	?	955	998	1034	1020	961	968	949	986	971	1060	1115
	F	?	?	?	?	769	847	837	825	801	725	788	738	703	820	787
	P	?	?	?	?	1724	1845	1871	1845	1762	1693	1737	1724	1674	1880	1902
Puerperal septic diseases...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1767	1973	2017	2079	2003	1668	1654	1734	1640	1465	1395	1429	1274	1339	1287
	P	1767	1973	2017	2079	2003	1668	1654	1734	1640	1465	1395	1429	1274	1339	1287
Pneumonia (all forms) ...	M	20134	23044	26147	21623	26526	22995	24219	25068	23626	26413	23671	25734	22541	21605	21323
	F	15328	16801	18153	15790	19905	17730	19153	19299	18199	20554	18108	20374	17219	16152	16101
	P	35462	39845	44300	37413	46431	40725	43372	44367	41825	46967	41779	46108	39760	37757	37424
Septicæmia, pyæmia	M	302	412	463	265	347	336	305	356	348	366	335	291	238	299	317
	F	206	243	272	164	237	226	216	257	285	238	225	199	180	164	187
	P	508	655	735	429	584	562	521	613	633	604	560	490	418	463	504
Phthisis (28 and 29A, 1911 list.)	M	23037	23906	24491	23454	23221	23022	23850	22226	22645	22647	22423	21936	20530	21575	21154
	F	18298	18502	18496	17770	17450	17110	18001	16724	17101	17192	17076	16703	15804	16819	16106
	P	41335	42408	42987	41224	40671	40132	41851	38950	39746	39839	39499	38639	36334	38394	37260
Tuberculosis (all forms) ...	M	33114	33671	34335	32881	31958	32464	33552	31005	31449	31166	31182	30216	28458	29207	27801
	F	27078	27049	27021	26049	25438	25643	26653	24754	25392	24935	24898	24209	22859	23881	22243
	P	60192	60720	61356	58930	57396	58107	60205	55759	56841	56101	56080	54425	51317	53088	50044
Cancer (all forms)... ..	M	9932	10337	10475	10891	11098	11799	12086	12470	13257	13199	13901	14263	14843	15589	16190
	F	15264	15988	16246	16596	16774	17290	17596	17751	18411	18546	18816	19790	19764	20313	21135
	P	25196	26325	26721	27487	27872	29089	29682	30221	31668	31745	32717	34053	34607	35902	37325
Diseases of nervous system (excluding cerebral hemorrhage, apoplexy, hemiplegia).	M	22405	22637	22708	23044	22330	21030	21378	19623	19636	18401	18456	17907	16624	16781	15164
	F	17937	18019	18228	18490	17747	16987	17071	16072	15778	15287	14851	14306	13487	13378	12050
	P	40342	40656	40936	41534	40077	38017	38449	35695	35414	33688	33307	32213	30111	30159	27214
Diseases of heart	M	?	?	?	22684	22966	22385	23297	22691	23376	24265	23918	24089	23355	23539	24544
	F	?	?	?	25538	25929	24515	26400	25625	25385	26703	25973	26829	25369	25933	27498
	P	?	?	?	48222	48195	46900	49697	48316	48761	50968	49891	50918	48724	49472	52042
Diseases of blood vessels (including cerebral hemorrhage, apoplexy, hemiplegia).	M	?	?	?	13524	13555	13195	13809	13719	14254	14814	15114	15665	15270	16308	17510
	F	?	?	?	14859	14794	14768	15254	14809	15797	16140	16222	16935	16458	17784	18722
	P	?	?	?	28383	28349	27963	29063	28528	30051	30354	31336	32600	31728	34092	36232
Diseases of respiratory sys- tem (including croup but excluding pneumonia.)	M	28407	31279	32850	27549	26218	22879	25129	23458	21814	24853	23031	23817	21013	21829	23140
	F	27797	30712	32395	27247	26157	21892	25118	23391	21543	25119	23124	24906	20339	21500	23233
	P	56204	61991	65245	54796	52375	44771	50247	46849	43357	49972	46155	48723	41352	43329	16378
Diseases of liver and gall bladder.	M	3932	4261	4126	3710	3406	3180	3113	3032	2999	2920	2806	2873	2564	2582	2586
	F	3691	3790	3915	3465	3124	3052	3035	3061	3013	3004	2759	2618	2543	2685	2595
	P	7673	8051	8041	7175	6530	6232	6148	6093	6012	5924	5565	5491	5107	5267	5181
Diseases of digestive sys- tem.†	M	19133	20976	18048	16529	13781	13990	14756	13625	15213	13435	14379	13942	13667	17148	13027
	F	18613	20603	17743	16283	13827	14045	14629	13911	14646	13266	14036	13035	13173	16218	12099
	P	37746	41579	35791	32812	27608	28035	29385	27536	29859	26701	28415	27037	26849	33366	25126
Nephritis and Bright's disease.	M	6115	6485	7098	6981	6632	6641	7129	6887	7214	7417	7349	7601	7427	7637	7823
	F	5230	5636	5816	5730	5580	5778	5999	5888	6138	6460	6411	6739	6520	6892	6967
	P	11345	12121	12914	12711	12212	12419	13128	12775	13352	13877	13760	14340	13947	14529	14790
Diseases of generative and mammary organs.	M	91	85	102	77	67	48	73	53	62	48	41	50	61	70	79
	F	1252	1307	1209	1167	1134	1137	1115	1194	1136	1114	1018	1015	950	1074	992
	P	1343	1392	1311	1244	1201	1185	1188	1247	1198	1162	1059	1065	1016	1144	1071
Diseases of pregnancy and childbirth (not septic).	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2307	2353	2438	2315	2202	2189	2013	2171	2117	2055	1966	1950	1917	1897	2012
	P	2307	2353	2438	2315	2202	2189	2013	2171	2117	2055	1966	1950	1917	1897	2012
All diseases of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4074	4326	4455	4394	4205	3857	3667	3905	3757	3520	3361	3379	3191	3236	3299
	P	4074	4326	4455	4394	4205	3857	3667	3905	3757	3520	3361	3379	3191	3236	3299
Causes ill-defined or not specified.‡	M	24879	26348	26694	25502	24072	23780	24490	23364	23906	23060	23307	23051	21499	22916	20087
	F	26960	28357	28369	26850	26098	25675	26959	25662	26623	25919	25912	26159	24452	25963	23242
	P	51839	54705	55063	52352	50170	49455	51449	49026	50529	48979	49219	49210	45951	48879	43329
Violent deaths	M	13709	14615	14239	14539	13567	13601	13618	13665	13670	13677	14017	13217	13125	14445	13922
	F	5827	6232	5884	6249	5821	5696	5799	5772	5903	5917	6109	5926	5598	6002	5989
	P	19536	20847	20123	20788	19388	19297	19417	19437	19573	19594	20126	19143	18723	20447	19911

* See note to Diarrhoea due to Food.

† Including some of the headings classed under Diarrhoeal diseases above, viz. :—Ulceration of intestines, Enteritis (not epidemic) and Gastro-enteritis. See also note to Hernia.

‡ See note to Hemorrhage.

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1898-1912.—
MALES, FEMALES, AND PERSONS—*continued.*
(List of Causes as in use prior to 1911.)

Causes of Death.		Sex.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.
DETAILED HEADINGS.																	
Small-pox	Vaccinated ...	M	62	4	4	78	525	98	56	13	—	2	—	4	3	1	4
		F	45	—	3	63	296	25	19	10	—	—	—	1	—	2	5
		P	107	4	7	141	821	123	75	23	—	2	—	5	3	3	9
	Not Vaccinated.	M	35	3	7	61	401	109	76	7	1	1	—	4	1	4	—
		F	24	2	10	50	390	65	48	13	—	1	—	2	1	5	—
		P	59	5	17	111	791	174	124	20	1	2	—	6	2	9	—
	Doubtful ...	M	44	96	39	62	513	297	180	43	8	3	7	10	10	8	—
		F	43	69	22	42	339	166	128	30	12	3	5	—	4	3	—
		P	87	165	61	104	852	463	308	73	20	6	12	10	14	11	—
Cow-pox and other effects of vaccination.	M	9	23	11	6	11	11	11	17	11	12	7	4	4	3	10	5
	F	17	11	14	11	11	11	15	11	15	17	5	9	7	5	4	5
	P	26	34	25	17	22	26	26	28	26	29	12	13	11	8	14	10
Chicken-pox ...	M	67	71	69	57	61	57	55	52	67	68	43	52	55	43	40	
	F	49	53	58	58	62	59	49	41	39	52	50	42	42	37	36	
	P	116	124	127	115	123	116	104	93	106	120	93	94	97	80	76	
Measles (Morbilli) ...	M	6783	5094	6506	4765	6633	4704	6313	5623	4748	6578	4135	6466	4305	6861	6652	
	F	6437	4904	6204	4254	6297	4446	5993	5453	4696	6047	3876	6152	3997	6267	6203	
	P	13220	9998	12710	9019	12930	9150	12306	11076	9444	12625	8011	12618	8302	13128	12855	
German measles ...	M	22	14	14	30	15	19	19	18	14	25	11	21	7	11	10	
	F	18	23	23	28	16	20	16	20	11	22	11	18	8	10	15	
	P	40	37	37	58	31	39	35	38	25	47	22	39	15	21	25	
Scarlet fever ...	M	1808	1864	1951	2188	2469	2121	1895	1917	1793	1644	1401	1662	1181	940	985	
	F	1740	1858	1893	2151	2406	2037	1875	1917	1682	1576	1426	1553	1189	952	1010	
	P	3548	3722	3844	4339	4875	4158	3770	3834	3475	3220	2827	3215	2370	1892	1995	
Typhus ...	M	27	17	14	21	37	33	20	19	5	13	8	11	5	4	7	
	F	20	12	15	16	24	36	17	19	4	11	5	4	—	6	5	
	P	47	29	29	37	61	69	37	38	9	24	13	15	5	10	12	
Plague ...	M	—	—	1	10	2	—	1	1	—	—	1	—	2	—	3	
	F	—	—	—	1	—	—	—	—	—	—	—	—	3	—	—	
	P	—	—	1	11	2	—	1	1	—	—	1	—	5	—	3	
Relapsing fever ...	M	1	—	4	2	1	—	—	1	1	—	2	—	1	—	—	
	F	2	—	—	3	4	—	2	2	—	1	1	—	1	—	—	
	P	3	—	4	5	5	—	2	3	1	1	3	—	2	—	—	
Influenza ...	M	5010	6085	7683	2912	3642	3067	2782	3387	3124	4431	4842	4300	3253	2224	2678	
	F	5395	6332	8562	2754	3724	3255	2912	3566	3186	4826	5270	4692	3251	2110	2674	
	P	10405	12417	16245	5666	7366	6322	5694	6953	6310	9257	10112	8992	6504	4334	5352	
Whooping cough ...	M	4495	4622	5157	4573	4474	4334	5260	3954	3717	4501	4339	3137	3862	3412	3729	
	F	5680	5507	6310	5632	5331	5188	6649	4755	4596	5754	5512	4045	4935	4432	4678	
	P	10175	10129	11467	10205	9805	9522	11909	8709	8313	10255	9851	7182	8797	7844	8407	
Mumps ...	M	31	42	42	44	51	44	50	52	53	54	49	45	55	44	25	
	F	28	30	52	46	42	42	58	46	57	64	64	48	59	47	21	
	P	59	72	94	90	93	86	108	98	110	118	113	93	114	91	46	
Diphtheria ...	M	3724	4453	4612	4374	3741	2947	2825	2626	2933	2785	2729	2521	2022	2429	2092	
	F	3937	4842	4733	4524	4061	3130	2938	2830	3175	2947	2840	2714	2262	2469	2197	
	P	7661	9295	9345	8898	7802	6077	5763	5456	6108	5732	5569	5235	4284	4898	4289	
Cerebro-spinal fever ...	M	7	15	8	29	40	29	43	71	34	101	67	63	70	81	80	
	F	4	6	1	30	20	39	38	56	37	60	49	67	62	53	62	
	P	11	21	9	59	60	68	81	127	71	161	116	130	132	134	142	
Pyrexia (origin uncertain)	M	69	50	54	50	41	33	30	23	10	19	10	8	5	8	7	
	F	67	63	59	51	52	43	37	30	19	20	16	5	7	6	6	
	P	136	113	113	101	93	76	67	53	29	39	26	13	12	14	13	
Enteric fever ...	M	3205	3561	3272	2925	2396	1929	1837	1750	1840	1373	1617	1270	1047	1419	926	
	F	2503	2743	2319	2146	1753	1418	1316	1302	1320	971	1034	872	842	997	674	
	P	5708	6304	5591	5071	4149	3347	3153	3052	3169	2344	2651	2142	1889	2416	1600	
Asiatic cholera ...	M	?	?	?	—	—	—	—	—	—	—	—	—	1	—	—	
	F	?	?	?	—	—	—	—	—	—	—	—	—	—	—	—	
	P	?	?	?	—	—	—	—	—	—	—	—	—	1	—	—	
Diarrhoea due to food * ...	M	26	37	30	35	51	54	58	111	173	125	159	152	137	?	?	
	F	31	32	38	30	43	35	47	100	131	92	137	122	114	?	?	
	P	57	69	68	65	94	89	105	211	304	217	296	274	251	?	?	

* Called Food, Ptomaine-poisoning previous to 1904. The increase since that date is partly due to the inclusion of deaths from diarrhoea in artificially fed children. From 1911 onwards the deaths are included under Infective enteritis, Epidemic diarrhoea.

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1898–1912.—
MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.
Infective enteritis, Epidemic diarrhoea.*					6261 5603 11864	2651 2264 4915	4183 3559 7742	8991 8003 16994	6279 5294 11573	9620 8531 18201	2751 2319 5070	5443 4729 10172	2618 2245 4863	2975 2432 5407	11334 9885 21219	1428 1191 2619
Diarrhoea (not otherwise defined).	M F P	15732 14334 30096	16178 14793 30971	12367 11096 23463	9586 8360 17946	4723 4161 8884	5424 4933 10357	6558 5804 12362	4523 4011 8534	6156 5606 11762	2790 2348 5138	4173 3555 7728	2628 2313 4941	2626 2220 4846	6383 5678 12061	1336 1213 2549
Dysentery					174 137 311	145 109 254	177 133 310	171 127 258	121 95 216	150 146 296	124 109 233	139 107 246	115 135 250	125 118 243	136 164 300	92 102 194
Tetanus†	M F P	17 12 29	17 7 24	52 14 66	44 13 57	151 50 201	187 70 257	192 65 257	188 60 248	200 54 254	176 50 226	139 41 180	167 63 230	153 44 197	158 45 203	145 47 192
Malaria	M F P	68 23 91	82 12 94	92 17 109	88 10 98	99 13 112	60 9 69	95 11 106	71 8 79	55 15 70	62 6 68	49 7 56	69 11 80	44 7 51	52 6 58	49 9 58
Rabies, Hydrophobia ..	M F P	1 1 2	— — —	— — —	— — —	2 — 2	— — —	— — —	— — —	— — —	— — —	— — —	— — —	1 — 1	1 — 1	— — —
Glanders	M F P	4 — 4	5 — 5	2 — 2	4 — 4	5 — 5	6 2 8	4 — 4	5 1 6	1 — 1	4 — 4	7 — 7	4 — 4	1 — 1	3 — 3	— — —
Anthrax (Splenic fever) ...	M F P	16 2 18	16 5 21	10 — 10	11 1 12	12 1 13	17 1 18	18 2 20	17 7 24	22 4 26	14 1 15	12 1 13	15 — 15	11 4 15	12 3 15	9 — 9
Syphilis	M F P	1007 794 1801	972 821 1793	990 852 1842	956 765 1721	935 758 1693	986 834 1820	1009 825 1834	1002 809 1811	937 781 1718	952 706 1658	939 763 1702	968 717 1685	957 682 1639	1052 798 1850	1093 768 1861
Gonorrhoea‡	M F P	326 9 335	334 10 344	354 13 367	350 6 356	20 11 31	12 13 25	25 12 37	18 16 34	24 20 44	16 19 35	10 25 35	18 21 39	14 21 35	8 22 30	22 19 41
Puerperal septicæmia, Puerperal septic intoxication.					— 1490 1490	— 1464 1464	— 1258 1258	— 1249 1249	— 1307 1307	— 1225 1225	— 1056 1056	— 1030 1030	— 1063 1063	— 967 967	— 1017 1017	— 922 922
Puerperal pyæmia	M F P	— 1767 1767	— 1973 1973	— 2017 2017	— 37 37	— 54 54	— 38 38	— 38 38	— 51 51	— 66 66	— 111 111	— 92 92	— 104 104	— 91 91	— 87 87	— 109 109
Phlegmasia alba dolens ...					74 74	95 95	87 87	94 94	103 103	102 102	84 84	83 83	72 72	55 55	72 72	64 64
Puerperal fever (not otherwise defined).					— 478 478	— 390 390	— 285 285	— 273 273	— 273 273	— 247 247	— 214 214	— 190 190	— 190 190	— 161 161	— 163 163	— 192 192
Infective endocarditis§ ...	M F P	? ? ?	? ? ?	? ? ?	173 200 373	190 189 379	180 209 389	203 199 402	208 217 425	230 230 460	212 261 473	251 270 521	253 273 526	246 276 522	267 323 590	308 316 624
Pneumonia {	M F P	20134 15328 35462	23044 16801 39845	26147 18153 44300	1437 809 2246	2184 1291 3475	2017 1191 3208	2345 1546 3891	2982 1905 4887	3117 1874 4991	3341 2044 5385	3030 1788 4818	3719 2353 6072	3373 1904 5277	4681 2802 7483	4870 2928 7798
					8022 6984 15006	9974 8634 18608	9269 8156 17425	10345 9100 19445	10022 8783 18805	9057 8219 17276	11237 10080 21317	10270 8764 19034	10349 9446 19795	9308 8239 17547	8910 7854 16764	9052 8311 17363
					54 40 94	7 3 10	3 4 7	— — —	3 1 4	4 2 6	2 4 6	3 1 4	9 2 11	6 3 9	? ? ?	? ? ?
					12110 7957 20067	14361 9977 24338	11706 8379 20085	11529 8507 20036	12061 8610 20671	11448 8104 19552	11833 8426 20259	10368 7555 17923	11657 8573 20230	9854 7073 16927	8014 5496 13510	7401 4862 12263
					607 551 1158	663 617 1280	561 521 1082	622 584 1206	646 609 1255	642 564 1206	541 492 1033	443 393 836	523 490 1013	433 393 826	480 491 971	486 410 896
					152 106 258	205 146 351	196 166 362	204 160 364	221 182 403	235 204 439	273 169 442	251 165 416	210 159 369	173 127 300	217 130 347	248 142 390
Septicæmia, Septic intoxication (not puerperal).	M F P	302 206 508	412 243 655	463 272 735	113 58 171	142 91 233	140 60 200	101 56 157	135 75 210	113 81 194	93 69 162	84 60 144	81 40 121	65 53 118	82 34 116	69 45 114
Pyæmia (not puerperal) ...					— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —

* Including deaths from Diarrhoea due to food from 1911 onwards.

† Owing to changes of classification the deaths included under Tetanus in 1902 and subsequent years are not comparable with those in earlier years.

‡ Includes deaths from Stricture of the Urethra previous to 1902. See also note to Other diseases of urinary system.

§ For years prior to 1901, deaths from Infective endocarditis are included under the heading Valvular disease, Endocarditis.

|| From 1911 onwards deaths from Epidemic Pneumonia are included under Lobar Pneumonia.

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1898-1912.—
MALES, FEMALES, AND PERSONS—continued.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.
Phlegmon, Carbuncle (not anthrax).	M	331	387	403	410	453	412	456	468	511	471	436	494	422	438	44
	F	232	253	290	298	338	289	257	310	325	302	261	325	275	280	25
	P	563	640	693	708	791	701	713	778	836	773	697	819	697	718	704
Phagedæna	M	25	17	16	24	18	19	14	27	11	19	10	14	3	—	1
	F	20	21	27	12	14	16	12	25	13	10	21	14	2	—	—
	P	45	38	43	36	32	35	26	52	24	29	31	28	5	—	1
Other infective processes...	M	?	?	?	99	36	55	78	104	130	136	131	151	145	158	113
	F	?	?	?	113	75	114	52	94	91	77	67	91	59	69	50
	P	?	?	?	212	111	169	130	198	221	213	198	242	204	227	163
Pulmonary tuberculosis (tuberculous phthisis).	M	23037	23906	24491	4333	6267	8293	9701	9981	10804	11299	11756	12111	11992	13335	14092
	F	18298	18502	18496	3229	4213	5545	6685	6961	7580	8069	8436	8545	8800	9937	10465
	P	41335	42408	42987	7562	10480	13838	16386	16942	18384	19368	20192	20656	20792	23272	24557
Phthisis (not otherwise defined).	M	14541	13237	11565	11316	9763	9521	9123	8640	8158	7004	6882	5641			
	F	14541	13237	11565	11316	9763	9521	9123	8640	8158	7004	6882	5641			
	P	41335	42408	42987	33662	30191	26294	25465	22008	21362	20471	19307	17983	15542	15122	12703
Tuberculous meningitis ...	M	3608	3452	3412	3134	3081	3406	3359	3187	3117	3090	3057	2955	2889	2705	2578
	F	3073	2927	2983	2820	2877	3070	3030	2896	2987	2795	2811	2819	2582	2540	2423
	P	6681	6449	6395	5954	5961	6476	6389	6083	6104	5885	5868	5774	5471	5245	5001
Tuberculous peritonitis ...	M				1475	1477	1788	1994	1798	1925	1787	1924	1833	1820	1718	1384
	F				1458	1480	1733	1921	1805	1932	1745	1859	1689	1734	1645	1348
	P				2933	2957	3521	3915	3603	3857	3532	3783	3522	3554	3363	2732
Tabes mesenterica	M	3344	3335	3164	1764	1311	1150	1064	784	660	531	554	488	424	421	269
	F	3013	2959	2812	1431	1035	912	834	613	578	438	440	389	367	368	245
	P	6357	6294	5976	3195	2346	2062	1898	1397	1238	969	994	877	791	789	514
Lupus	M	16	19	19	24	16	18	28	23	22	28	18	23	15	13	17
	F	37	42	35	41	56	44	38	57	62	50	38	56	46	43	44
	P	53	61	54	65	72	62	66	80	84	78	56	79	61	56	61
Tubercle of other organs...	M				666	663	842	957	935	1022	957	978	1060	1243	896	881
	F				480	515	626	705	713	787	752	646	808	945	772	643
	P				1146	1178	1468	1662	1648	1809	1709	1624	1868	2188	1668	1524
General tuberculosis ...	M	3109	2959	3249	2187	2116	2173	2253	2015	2033	2117	2209	1908	1523	1874	1515
	F	2657	2549	2695	1884	1932	2092	2062	1906	1921	1944	2022	1731	1361	1686	1427
	P	5766	5508	5944	4071	4048	4265	4315	3921	3954	4061	4231	3639	2884	3560	2942
Scrofula	M				177	70	65	47	37	25	9	19	13	14	5	3
	F				165	93	56	62	40	24	19	6	14	20	8	7
	P				342	163	121	109	77	49	28	25	27	34	13	10
Parasitic diseases	M	200	209	188	175	142	165	164	143	176	139	130	120	103	135	97
	F	203	180	177	173	135	149	145	102	128	102	116	102	75	120	96
	P	403	389	365	348	277	314	309	245	304	241	246	222	178	255	193
Starvation	M	23	28	24	11	16	19	17	17	14	15	11	11	22	14	16
	F	23	15	17	7	10	9	13	4	12	6	4	11	7	5	15
	P	46	43	41	18	26	28	30	21	26	21	15	22	29	19	31
Scurvy	M	17	23	18	15	15	22	21	21	26	21	25	26	25	22	9
	F	9	11	26	16	15	22	23	27	25	20	25	21	19	23	17
	P	26	34	44	31	30	44	44	48	51	41	50	47	44	45	26
Alcoholism, Delirium tremens.	M	1500	1735	2063	1778	1673	1475	1396	1297	1341	1328	1112	998	862	990	964
	F	964	1136	1575	1353	1111	1075	962	914	940	873	825	673	628	637	686
	P	2464	2871	3638	3131	2784	2550	2358	2211	2281	2201	1937	1671	1490	1627	1650
Opium, morphia habit ...	M	?	?	?	3	3	9	6	4	5	5	3	8	4	6	9
	F	?	?	?	6	11	7	4	9	4	7	7	13	6	7	5
	P	?	?	?	9	14	16	10	13	9	12	10	21	10	13	14
Industrial poisoning.	By Lead ...	M	112	91	105	96	80	88	83	76	70	89	102	88	80	106
		F	21	12	9	5	3	2	4	2	4	3	3	3	6	—
		P	133	103	114	101	83	90	87	78	74	92	105	91	86	106
	By Phosphorus.	M	?	?	?	—	1	—	—	—	—	1	—	—	—	—
		F	?	?	?	—	1	—	—	—	—	—	—	—	—	—
		P	?	?	?	—	2	—	1	—	—	1	—	—	—	—
	By Arsenic and other metals.	M	?	?	?	4	1	3	1	2	1	1	1	—	—	—
		F	?	?	?	—	—	—	—	—	—	—	—	—	—	—
		P	?	?	?	4	1	3	1	2	1	1	1	—	—	—
Rheumatic Fever, Acute Rheumatism.	M	1195	1302	1430	1108	1091	875	894	1016	1090	967	871	961	793	905	916
	F	1220	1445	1357	1062	1055	937	894	1105	1129	1057	934	1009	887	1060	1051
	P	2415	2647	2787	2170	2146	1812	1788	2121	2219	2024	1805	1970	1680	1965	1967
Rheumatism of heart ...	M				302	278	239	240	158	137	181	156	149	134	?	?
	F				313	351	331	346	196	196	234	207	208	184	?	?
	P				615	629	570	586	354	333	415	363	357	318	?	?

* Included under Valvular disease, Endocarditis (not infective) from 1911 onwards.

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1898–1912.—
MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.
Chronic rheumatism ...	M	405	405	392	335	198	205	222	165	146	172	195	167	140	152	147
	F	500	518	502	455	308	257	266	272	246	268	249	271	231	243	210
	P	905	923	894	790	506	462	488	437	392	440	444	438	371	395	357
Rheumatoid arthritis, Rheumatic gout.	M	?	?	?	290	289	273	275	253	259	299	245	295	294	309	318
	F	?	?	?	558	522	610	669	645	692	682	715	793	746	791	834
	P	?	?	?	848	811	883	944	898	951	981	960	1088	1040	1100	1152
Gout ...	M	421	428	383	416	386	364	405	326	366	362	333	320	307	324	275
	F	101	131	121	105	103	102	95	89	95	88	83	81	76	62	78
	P	522	559	504	521	489	466	500	415	461	450	416	401	383	386	353
Carcinoma* ...	M	?	?	?	4746	5071	5743	6128	6423	6963	6895	7476	7794	8370	9121	9956
	F	?	?	?	7947	8469	9070	9404	9656	10202	10715	10907	11719	11950	12472	13543
	P	?	?	?	12693	13540	14813	15532	16079	17165	17619	18383	19513	20320	21593	23499
Sarcoma ...	M	802	883	790	846	843	929	893	949	987	1034	1054	1073	1116	1223	1190
	F	749	823	821	830	847	860	860	833	908	813	842	901	957	923	971
	P	1551	1706	1611	1676	1690	1789	1753	1787	1895	1847	1896	1974	2073	2146	2161
Cancer, Malignant disease (not otherwise defined).*	M	9130	9454	9685	5299	5184	5127	5065	5098	5307	5270	5371	5396	5357	5245	5044
	F	14515	15165	15425	7819	7458	7360	7332	7257	7301	7018	7067	7170	6857	6918	6621
	P	23645	24619	25110	13118	12642	12487	12397	12355	12608	12288	12438	12566	12214	12163	11665
Rickets ...	M	803	750	730	820	780	987	1076	791	778	707	697	664	617	543	434
	F	593	585	563	564	589	663	746	607	599	552	492	454	444	439	318
	P	1396	1335	1293	1384	1369	1650	1822	1398	1377	1259	1189	1118	1061	982	752
Purpura ...	M				148	140	150	129	130	110	145	148	159	147	164	117
	F				154	158	155	164	130	140	157	145	153	155	150	133
	P				302	298	305	293	260	250	302	293	312	302	314	300
Hæmophilia, Hæmorrhagic diathesis.	M	186	177	168		49	59	49	59	47	46	57	58	62	69	78
	F	188	155	152		30	29	31	27	40	38	46	24	33	23	33
	P	374	332	320		79	88	80	86	87	84	103	81	91	102	122
Anæmia, Leucocythæmia ...	M	717	705	758	768	792	761	786	840	894	1004	968	997	1115	1038	1087
	F	1107	1161	1114	1143	1050	1032	1057	1090	1156	1186	1207	1219	1304	1312	1382
	P	1824	1866	1872	1911	1842	1793	1843	1930	2050	2190	2175	2216	2419	2350	2469
Diabetes mellitus ...	M	1437	1448	1455	1565	1462	1409	1612	1708	1736	1738	1842	1898	1932	1936	2064
	F	1148	1270	1312	1399	1307	1435	1521	1466	1606	1622	1768	1800	1955	1917	1987
	P	2585	2718	2767	2964	2769	2844	3133	3174	3342	3360	3610	3698	3937	3853	4051
Premature birth ...	M	10393	10400	10316	10445	10661	10804	11097	10422	10767	10206	10553	10207	9816	9939	9670
	F	7959	8148	8163	8119	8248	8277	8530	8449	8294	8013	8118	8003	7758	7770	7449
	P	18352	18548	18479	18564	18909	19081	19627	18871	19061	18219	18671	18210	17574	17709	17119
Congenital hydrocephalus †	M					252	270	252	245	211	179	223	203	175	182	182
	F					147	194	165	119	166	150	156	126	127	146	116
	P	1550	1564	1604	2253	399	464	417	364	377	329	379	329	302	328	298
Other congenital defects ‡	M	1200	1319	1388	1825											
	F	2750	2883	2992	4078	2277	2327	2391	2493	2579	2547	2661	2517	2538	2469	2468
	P					1682	1807	1923	1999	2084	1973	2075	2084	1953	1972	1899
Injury at birth ...	M	85	196	254	382	389	413	464	418	521	485	585	566	484	519	571
	F	77	137	194	221	262	276	308	291	345	331	357	390	362	385	366
	P	162	333	448	603	651	689	772	709	866	816	942	956	846	904	937
Atelectasis ...	M	662	701	726	695	769	750	753	830	856	915	916	874	874	854	858
	F	485	498	499	489	486	562	574	614	602	638	681	632	679	637	607
	P	1147	1199	1225	1184	1255	1312	1327	1444	1458	1553	1597	1506	1553	1491	1465
Want of breast milk ...	M	175	180	246	317	326	414	383	379	439	434	447	384	296	305	248
	F	143	152	213	228	248	303	311	282	322	322	331	285	245	248	154
	P	318	332	459	545	574	717	694	661	761	756	778	669	541	553	402
Teething ...	M	1904	1845	1979	1750	1775	1802	1593	1288	1201	1169	1078	994	896	774	664
	F	1638	1551	1622	1518	1433	1463	1382	1055	974	919	905	775	704	681	570
	P	3542	3396	3601	3268	3208	3265	2975	2343	2175	2088	1983	1769	1600	1455	1234
Meningitis, Inflammation of brain.	M	4035	4176	4105	3782	3528	3378	3404	3233	3301	2880	3016	2902	2653	2931	2228
	F	3521	3379	3531	3291	3044	2963	2897	2801	2696	2549	2500	2442	2353	2481	1925
	P	7556	7555	7636	7073	6572	6341	6301	6034	5997	5429	5516	5344	5006	5412	4153
Softening of brain ...	M	1345	1358	1189	1129	1118	1165	1209	1094	1156	1158	1183	1105	1075	951	792
	F	1238	1188	1072	1032	952	1009	1057	1088	1073	1121	1147	1023	1002	966	817
	P	2583	2546	2261	2161	2070	2174	2266	2182	2229	2279	2330	2128	2077	1917	1609
General paralysis of insane	M				1728	1681	1584	1802	1738	1772	1775	1713	1817	1723	1751	1799
	F				544	576	549	578	549	568	557	504	546	490	435	458
	P	2278	2435	2528	2272	2257	2133	2380	2287	2340	2332	2217	2363	2213	2186	2257
Insanity (not puerperal) ...	M	1304	1376	1654		607	781	715	866	888	952	960	941	995	940	1119
	F	3582	3811	4182		752	945	938	1060	1181	1200	1249	1227	1176	1151	1442
	P				1359	1726	1653	1926	2069	2152	2209	2168	2171	2091	2481	2561

* For the years 1897–1900, deaths from Carcinoma are included under Cancer, Malignant disease.

† Includes deaths of children under six months of age from "Hydrocephalus" for the year 1901 and subsequent years.

‡ Includes deaths of young children from Icterus for the year 1901 and subsequent years.

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1898-1912.—
 MALES, FEMALES, AND PERSONS—*continued*.
 (List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.
Chorea	M	38	40	43	57	55	41	33	36	37	38	41	38	31	37	38
	F	113	132	125	134	105	106	90	115	118	117	91	132	106	92	114
	P	151	172	168	191	160	147	123	151	155	155	132	170	137	129	152
Epilepsy	M	1347	1371	1546	1533	1593	1598	1557	1496	1482	1458	1382	1472	1396	1404	1434
	F	1311	1375	1451	1350	1412	1454	1357	1402	1315	1342	1304	1342	1286	1224	1323
	P	2658	2746	2997	2883	3005	3052	2914	2898	2797	2800	2686	2814	2682	2628	2757
Convulsions... ..	M	10304	10044	10388	9863	9427	8649	8419	7377	7101	6545	6568	5890	5315	5081	4453
	F	7861	7975	8114	7825	7127	6463	6288	5556	5427	5017	4936	4425	4081	3770	3174
	P	18165	18019	18502	17688	16554	15112	14767	12933	12528	11562	11504	10315	9396	8851	7627
Laryngismus stridulus ...	M	330	281	261	286	266	248	220	222	180	191	231	150	126	140	129
	F	172	154	175	182	173	187	178	142	125	124	112	120	110	103	53
	P	502	435	436	468	439	435	398	364	305	315	343	270	236	243	182
Locomotor Ataxy					341	409	418	411	448	463	461	477	496	485	529	542
					68	74	84	103	102	99	123	106	123	95	105	122
	M	1293	1472	1472	409	483	502	514	550	562	584	583	619	580	634	664
	F	957	944	940												
	P	2250	2416	2412	1268	1096	1139	1205	1115	1113	1030	1110	1156	1152	1122	999
Paraplegia, Diseases of cord					1013	960	948	988	960	962	953	1003	948	949	863	787
					2281	2056	2087	2193	2075	2075	1983	2118	2104	2101	1985	1786
Neuritis, Peripheral, Poly-					46	128	112	125	103	128	140	132	126	113	121	92
neuritis.					86	223	304	291	284	323	335	264	281	264	300	254
					132	351	416	416	387	451	475	396	407	377	421	346
Brain tumour (not specific)	M	1435	1460	1176	198	324	352	330	357	383	383	371	392	403	360	397
	F	1460	1496	1166	187	274	266	334	341	361	370	366	377	401	318	375
	P	2895	2956	2342	335	598	618	664	698	744	753	737	769	804	678	772
Other diseases of nervous system.					2206	1924	1631	1797	1516	1568	1382	1291	1368	1212	1294	1142
					2026	1882	1716	1850	1551	1511	1430	1286	1371	1199	1300	1206
					4232	3806	3347	3647	3067	3079	2812	2577	2739	2411	2594	2348
Otitis, Mastoid disease ...	M	486	496	589	491	483	564	618	624	648	601	578	647	579	601	581
	F	409	408	441	443	431	450	440	491	494	507	455	444	439	518	446
	P	895	904	1030	934	914	1014	1058	1115	1142	1108	1033	1091	1018	1119	1027
Epistaxis, Diseases of nose	M	42	44	37	42	49	36	49	41	41	27	38	40	35	51	54
	F	40	32	41	36	30	45	31	43	26	39	35	41	35	67	40
	P	82	76	78	78	79	81	80	84	67	66	73	81	70	118	94
Ophthalmia, Diseases of eye	M	32	29	48	45	36	42	27	29	38	26	23	33	25	48	42
	F	18	24	28	26	24	28	30	32	37	34	19	21	37	47	32
	P	50	53	76	71	60	70	57	61	75	60	42	54	62	95	74
Valvular disease, Endocarditis (not infective)*	M	5122	5639	5937	5724	6052	6164	6683	6816	7176	7454	7611	7799	7726	8310	9612
	F	5937	6479	6945	6770	6951	7251	7874	8031	8294	8872	8752	9236	9043	9948	11524
	P	11059	12118	12882	12494	13003	13415	14557	14847	15470	16326	16363	17035	16769	18258	21136
Pericarditis	M	318	332	369	337	231	219	226	230	237	273	237	224	247	309	269
	F	217	272	254	299	207	203	190	225	192	208	195	186	199	235	211
	P	535	604	623	636	438	422	416	455	429	481	432	410	446	544	480
Hypertrophy of heart† ...	M	104	140	138	121	164	155	149	137	152	149	181	135	141	?	?
	F	102	107	103	89	109	92	102	85	84	75	85	85	59	?	?
	P	206	247	241	210	273	247	251	222	236	224	266	220	200	?	?
Angina Pectoris	M	419	452	481	450	480	463	504	532	576	612	617	629	716	711	738
	F	223	246	255	225	248	237	249	307	313	330	312	328	294	349	352
	P	642	698	736	675	728	700	753	839	889	942	929	957	1010	1060	1090
Dilatation of heart† ...					1027	1276	1294	1430	1473	1551	1742	1670	1771	1586	?	?
					1172	1327	1308	1595	1573	1576	1778	1685	1778	1609	?	?
					2199	2603	2602	3025	3051	3127	3520	3355	3549	3195	?	?
Fatty degeneration of heart	M	16109	17221	17204	874	960	950	990	1037	1045	1124	1133	1069	1150	1217	1399
	F	18178	19292	19178	1068	1147	1113	1242	1231	1275	1359	1417	1424	1267	1469	1712
	P	34287	36513	36382	1942	2107	2063	2232	2268	2320	2483	2550	2493	2417	2686	3111
Syncope, Heart disease (not specified).‡					14151	13803	13140	13315	12461	12639	12911	12469	12462	11789	12992	12526
					15915	15240	14311	15148	14173	13651	14031	13527	13792	12893	13932	13699
					30066	29043	27451	8463	26634	26290	26992	25996	26254	24687	26924	26225
Cerebral hæmorrhage, Cerebral embolism.‡					4837	5521	5954	6487	6644	7007	7403	7891	7999	8017	8223	8724
	M	11083	11414	11629	10734	12016	13396	14275	14763	15781	16543	17420	17938	17886	18560	19705
	F	13192	13835	13585												
	P	24275	25249	25214	6037	5349	4606	4375	3980	3949	3847	3696	3609	3303	3669	3454
Apoplexy, Hemiplegia ...					7156	6134	5585	5533	4780	4881	4718	4473	4485	4081	4584	4355
					13193	11783	10191	9908	8760	8830	8565	8169	8094	7384	8253	7809

* For years prior to 1901, deaths from Infective endocarditis, and for 1911 and subsequent years, deaths from Rheumatism of heart are included under the heading Valvular disease, Endocarditis (not infective).

† For years prior to 1901, deaths from Other diseases of blood vessels, and for 1911 and subsequent years, those from Hypertrophy of heart and Dilatation of heart are included under the heading of Syncope, Heart disease (not specified).

‡ For years prior to 1901, deaths from Cerebral embolism and Cerebral thrombosis are included under the heading Embolism, thrombosis (not cerebral).

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1898–1912.—
MALES, FEMALES, AND PERSONS—*continued*.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.
Aneurysm*	M	707	723	697	773	842	854	869	898	882	941	867	946	898	935	962
	F	182	176	178	194	225	183	224	188	219	199	192	221	225	225	184
	P	889	899	875	967	1067	1037	1093	1086	1101	1140	1059	1167	1123	1160	1146
Senile gangrene	M	677	690	750	748	717	710	746	768	788	783	804	845	767	740	702
	F	580	588	693	658	676	635	657	619	630	662	652	706	640	654	577
	P	1257	1278	1443	1406	1393	1345	1403	1387	1418	1445	1456	1551	1407	1394	1279
Embolism, Thrombosis (not cerebral).†	M	548	603	693	257	231	185	174	171	187	231	192	203	171	181	185
	F	846	978	1007	329	280	233	270	241	258	285	281	269	230	269	243
	P	1394	1581	1700	586	511	418	444	412	445	516	473	472	401	450	428
Phlebitis	M	58	63	87	61	48	60	57	59	45	46	40	55	37	53	67
	F	103	117	107	102	99	111	91	91	82	84	85	93	99	77	106
	P	161	180	194	163	147	171	148	150	127	130	125	148	136	130	173
Varicose Veins	M	33	31	39	35	30	28	44	32	24	33	20	33	32	39	43
	F	64	53	82	75	73	66	77	79	87	70	67	79	74	89	107
	P	97	89	121	110	103	94	121	111	111	103	87	112	106	128	150
Other diseases of blood vessels.‡	M	?	?	?	776	817	798	1057	1167	1372	1530	1604	1975	2045	2468	3373
	F	?	?	?	448	512	513	614	692	866	982	943	1143	1240	1549	2169
	P	?	?	?	1224	1329	1311	1671	1859	2238	2512	2547	3118	3285	4017	5542
Laryngitis	M				722	690	613	624	579	578	633	512	566	485	538	481
	F				687	646	491	509	483	484	479	454	425	380	422	351
	P				1409	1336	1104	1133	1067	1062	1112	966	991	865	960	832
Membranous laryngitis(not diphtheritic).	M	677	752	732	19	21	13	25	21	25	18	15	17	11	10	6
	F	512	571	652	13	16	11	17	20	15	11	16	14	7	9	3
	P	1189	1323	1384	32	37	24	42	41	40	29	31	31	18	19	9
Croup (not spasmodic nor membranous).	M	469	553	465	447	343	236	259	260	259	196	167	130	49	43	28
	F	394	453	377	384	266	207	216	205	201	175	153	111	24	32	12
	P	863	1006	842	831	609	443	475	465	460	371	320	241	73	75	40
Other diseases of larynx and trachea.	M	80	77	82	37	17	20	29	28	40	22	24	15	11	25	15
	F	46	47	54	25	19	24	17	29	21	21	14	13	10	11	11
	P	126	124	136	62	36	44	46	57	61	43	38	28	21	36	26
Bronchitis	M	22970	25095	26717	21812	21341	18481	20578	18961	17429	20423	13859	19404	17072	17616	18912
	F	23651	26111	27863	22723	22304	18650	21610	19954	18285	21781	19843	21414	17391	18406	20133
	P	46621	51206	54580	44535	43645	37131	42188	38915	35714	42204	38702	40818	34463	36022	39045
Emphysema, Asthma ...	M	1392	1628	1569	1380	914	782	957	906	920	1041	985	1089	965	1109	1219
	F	962	1191	1046	963	672	520	658	656	613	681	685	837	660	767	835
	P	2354	2819	2615	2343	1586	1302	1615	1562	1533	1722	1670	1926	1625	1876	2054
Pleurisy	M	861	983	1136	958	758	747	696	827	738	733	709	815	760	832	866
	F	637	662	736	697	600	552	543	542	521	589	533	588	523	592	587
	P	1498	1645	1872	1655	1358	1299	1239	1369	1259	1322	1242	1403	1283	1424	1453
Fibroid disease of lung ...	M				476	507	467	413	411	408	490	415	420	339	253	239
	F				180	177	146	178	146	121	166	164	163	109	74	80
	P	1958	2191	2149	656	684	613	591	557	529	656	579	583	448	327	319
Other diseases of respiratory system.	M	1595	1677	1667	1698	1627	1520	1548	1465	1417	1297	1345	1361	1321	1403	1374
	F	3553	3368	3816	1575	1457	1291	1370	1351	1282	1216	1262	1341	1235	1187	1226
	P				3273	3084	2811	2918	2816	2699	2513	2607	2702	2556	2590	2600
Tonsillitis, Quinsy... ..	M				232	227	216	208	191	207	206	200	221	174	226	187
	F				224	189	161	191	200	166	185	163	164	146	204	191
	P	583	548	602	456	416	377	399	391	373	391	363	385	320	430	378
Diseases of mouth, Pharynx, Esophagus (not specific).§	M	496	527	528												
	F	1079	1075	1130	323	324	227	306	273	279	254	236	295	304	308	278
	P				286	256	202	283	285	276	260	276	263	319	250	264
Gastric ulcer	M				475	514	529	552	613	667	655	674	688	773	760	871
	F				1067	1167	1138	1197	1134	1078	1120	1039	1040	1052	1009	971
	P				1542	1681	1667	1749	1747	1745	1775	1713	1728	1825	1769	1842
Gastritis, Gastric catarrh...	M	2492	2537	2930						1664	1592	1630	1592	1613	1594	1412
	F	3053	3365	3696						1738	1675	1833	1666	1575	1631	1396
	P	5545	5902	6626	2661	2293	2254	2151	1928	3402	3267	3463	3258	3188	3223	2808
Other diseases of stomach (not malignant).	M				2854	2449	2382	2347								
	F				5515	4742	4636	4498	3989	291	232	269	252	328	315	359
	P									255	275	239	206	308	272	310
										546	557	508	458	636	587	669

* Since 1901, Aneurysm has been taken as the cause of death when occurring with certain other diseases.

† For years prior to 1901, deaths from Cerebral embolism and Cerebral thrombosis are included under the heading Embolism, thrombosis (not cerebral).

‡ For years prior to 1901, deaths from "Other diseases of blood vessels" are included under the heading of Syncope, Heart disease (not specified).

§ For years prior to 1901, deaths from Diseases of the Esophagus are included under the heading "Other diseases of digestive system."

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1898–1912.—
MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.
Ulceration of intestines* ...	M F P	193 172 365	181 164 345	171 199 370	3109 2697 5806	2188 2000 4188	2367 2127 4494	306 219 525	276 221 497	353 265 618	477 244 721	462 282 744	485 297 782	552 306 858	561 296 857	649 292 941
Enteritis (not epidemic)*								2110 4521	1900 3964	2360 5000	1910 3687	2332 4444	1994 3708	1961 3699	3078 5864	1450 2696
Gastro-enteritis ...	M F P	8483 7731 16214	10086 9167 19253	7017 6061 13078	2192 1914 4106	1179 1009 2188	1397 1285 2682	1806 1540 3346	1478 1250 2728	2082 1805 3887	1337 1113 2450	1877 1618 3495	1567 1333 2900	1695 1407 3102	3492 3062 6554	1421 1160 2581
Appendicitis, Perityphlitis					736 508 1244	901 584 1485	1016 713 1729	1124 763 1887	1096 850 1946	1287 857 2144	1161 808 1969	1236 900 2136	1279 997 2276	1336 1025 2361	1597 1132 2729	1322 1034 2356
Hernia† ...	M F P	617 708 1325	674 805 1479	677 710 1387	633 736 1369	694 819 1513	639 775 1414	665 826 1491	708 839 1547	738 816 1554	702 834 1536	652 758 1410	695 803 1501	642 835 1477	708 861 1569	710 803 1513
Intestinal obstruction ...	M F P	1381 1364 2745	1381 1435 2816	1287 1337 2624	1305 1342 2647	1197 1248 2445	1297 1277 2574	1270 1240 2510	1263 1314 2577	1336 1309 2645	1314 1249 2563	1301 1352 2653	1355 1262 2617	1205 1297 2502	1330 1350 2680	1232 1260 2492
Other diseases of intestines‡	M F P	? ? ?	? ? ?	? ? ?	111 97 208	154 137 291	155 134 289	137 108 245	131 127 258	128 110 238	131 137 268	149 120 269	147 151 298	179 175 354	237 204 441	228 221 449
Peritonitis (not puerperal)	M F P	1016 969 1985	984 1010 1994	905 991 1896	726 806 1532	506 609 1115	450 554 1004	435 531 966	383 460 843	391 454 845	308 389 697	345 368 713	282 333 615	223 331 554	236 374 610	197 262 459
Cirrhosis of liver ...	M F P	2318 1828 4146	2574 1958 4532	2527 2112 4639	2375 1933 4308	2296 1770 4066	2196 1720 3916	2207 1764 3971	2166 1842 4008	2117 1744 3861	2070 1833 3903	2060 1611 3671	2048 1481 3529	1827 1384 3211	1832 1457 3289	1898 1480 3378
Other diseases of liver and gall bladder.	M F P	1664 1863 3527	1687 1832 3519	1599 1803 3402	1335 1532 2867	1110 1354 2464	984 1332 2316	906 1271 2177	866 1219 2085	882 1269 2151	850 1171 2021	746 1148 1894	825 1137 1962	737 1159 1896	750 1228 1978	688 1115 1808
Other diseases of digestive system.‡	M F P	386 429 815	324 340 664	333 306 639	316 287 603	198 236 434	263 245 508	272 239 511	189 209 393	151 144 295	186 196 382	210 217 427	217 240 457	118 116 234	124 102 226	119 100 219
Diseases of spleen ...	M F P	26 32 58	29 24 53	24 21 45	39 34 73	25 32 57	21 25 46	23 25 48	20 36 56	27 26 53	21 29 50	22 17 39	24 31 55	15 23 38	17 12 29	12 23 35
Other diseases of lymphatic system.	M F P	211 105 316	192 118 310	196 138 334	198 150 348	223 134 357	214 143 357	210 143 353	242 149 391	240 160 400	227 153 380	241 156 397	258 167 425	320 191 511	295 212 507	326 209 535
Diseases of thyroid body§...	M F P	40 255 295	33 279 312	37 285 322	64 394 458	61 370 431	64 377 441	63 399 462	68 412 480	62 421 483	72 455 527	93 456 549	74 535 609	96 555 631	88 622 710	95 619 714
Diseases of supra renal capsules.	M F P	92 105 197	99 107 206	93 116 209	81 87 168	81 87 168	93 98 191	92 103 195	74 122 196	116 112 228	83 91 174	97 121 218	109 139 248	96 130 226	104 145 249	99 147 246
Acute nephritis, Uræmia...	M F P	1547 1261 2808	1555 1363 2918	1724 1330 3054	1746 1289 3035	1619 1372 2991	1567 1384 2951	1664 1458 3122	1630 1473 3153	1716 1554 3270	1844 1591 3435	1975 1723 3698	1974 1862 3836	1897 1698 3595	1920 1878 3798	1936 1760 3696
Chronic Bright's disease, Albuminuria.	M F P	4568 3969 8537	4930 4273 9203	5374 4486 9860	5235 4441 9676	5013 4203 9221	5074 4394 9468	5465 4541 10006	5207 4415 9622	5498 4584 10082	5573 4869 10442	5374 4688 10062	5627 4877 10504	5530 4822 10352	5717 5014 10731	5887 5207 11094
Calculus (not biliary) ...	M F P	197 72 269	188 57 245	174 75 249	185 59 244	182 67 249	156 61 217	176 86 262	177 72 249	187 77 264	198 80 278	161 74 235	155 86 211	159 80 239	196 73 269	181 89 270
Diseases of bladder and of prostate.	M F P	1995 211 2206	2111 210 2321	2075 243 2318	2131 222 2353	2201 235 2436	2268 225 2493	2258 241 2499	2237 232 2469	2403 238 2641	2203 238 2441	2256 249 2505	2203 239 2442	2189 221 2410	2514 257 2771	2372 246 2618
Other diseases of urinary system.	M F P	496 282 778	458 229 687	287 120 407	229 152 381	459 127 586	445 130 575	451 140 591	496 148 644	480 151 631	470 139 609	486 124 610	430 133 563	543 169 712	584 181 765	559 206 765
Ovarian tumour (not malignant).	M F P	— 447 447	— 446 446	— 406 406	348 318	373 373	374 374	350 350	389 389	375 375	357 357	292 292	307 307	291 291	314 314	288 288
Other diseases of ovary ...					69 69	48 48	64 64	46 46	40 40	46 46	51 51	31 31	33 33	23 23	24 24	12 12

* For the years 1901–3, deaths from Ulceration of intestines are included under the heading Enteritis (not epidemic).

† Since 1902, Hernia, when strangulated, has been taken as the cause of death when occurring with certain other diseases.

‡ For years prior to 1901, deaths from Diseases of the Oesophagus and from "Other diseases of intestines" are included under the heading "Other diseases of digestive" system.

§ Deaths from Cretinism and Myxœdema, which in the old tables were included with "Other Constitutional Diseases," have been classed under this heading since 1901.

|| From 1902 onwards, deaths from Stricture of the Urethra are included under this heading. See also note to Gonorrhœa.

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1898–1912.—
 MALES, FEMALES, AND PERSONS—*continued*.
 (List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.
Uterine tumour (not malignant).	M	—	—	—	339	334	359	353	376	353	327	358	293	312	324	326
	F	682	709	667	339	334	359	353	376	353	327	358	293	312	324	326
	P	682	709	667	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases of Uterus and vagina.	M	—	—	—	316	305	278	316	327	305	319	287	337	285	360	326
	F	—	—	—	316	305	278	316	327	305	319	287	337	285	360	326
	P	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Disorders of menstruation	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	65	88	92	76	58	56	36	42	39	50	36	33	26	31	20
	P	65	88	92	76	58	56	36	42	39	50	36	33	26	31	20
Other diseases of generative and mammary organs.	M	91	85	102	77	67	48	73	53	62	48	41	50	66	70	79
	F	58	64	44	19	16	6	14	20	18	10	14	12	13	21	20
	P	149	149	146	96	83	54	87	73	80	58	55	62	79	91	99
Abortion, miscarriage ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	187	179	218	152	148	152	141	151	143	102	83	85	78	89	118
	P	187	179	218	152	148	152	141	151	143	102	83	85	78	89	118
Puerperal mania ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	59	74	73	70	79	62	62	66	68	70	57	42	48	46	30
	P	59	74	73	70	79	62	62	66	68	70	57	42	48	46	30
Puerperal convulsions ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	386	347	387	376	400	409	395	467	438	449	426	462	439	457	457
	P	386	347	387	376	400	409	395	467	438	449	426	462	439	457	457
Placenta prævia, flooding	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	660	691	614	699	637	678	580	619	618	608	560	574	612	557	610
	P	660	691	614	699	637	678	580	619	618	608	560	574	612	557	610
Other accidents of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1015	1062	1146	1018	938	888	835	868	850	826	840	787	740	748	797
	P	1015	1062	1146	1018	938	888	835	868	850	826	840	787	740	748	797
Caries, Necrosis ...	M	448	445	434	418	408	364	305	283	262	205	198	106	43	—	—
	F	339	340	346	344	298	289	234	239	198	177	150	81	23	—	—
	P	787	785	780	762	706	653	539	522	460	382	348	187	66	—	—
Arthritis, Periostitis ...	M	153	162	175	107	137	119	133	133	111	139	164	154	128	400	422
	F	102	137	118	82	80	83	106	89	92	110	88	102	105	287	293
	P	255	299	293	189	217	202	239	222	203	249	252	256	233	687	715
Other diseases of locomotor system.	M	170	189	146	185	149	155	162	178	205	149	147	174	203	—	—
	F	183	184	148	164	137	129	114	137	186	105	116	127	147	—	—
	P	353	373	294	349	286	284	276	315	391	254	263	301	350	—	—
Ulcer, Bed-sore ...	M	174	173	192	160	132	153	136	140	157	144	129	152	149	145	144
	F	366	361	372	314	265	254	290	300	305	341	307	278	310	269	280
	P	540	534	564	474	397	407	426	440	462	485	436	430	459	414	424
Eczema ...	M	220	201	221	194	218	211	192	190	195	164	169	141	138	168	152
	F	177	153	150	173	144	137	134	130	103	123	117	107	107	101	93
	P	397	354	371	367	362	348	326	320	298	287	286	248	245	269	245
Pemphigus ...	M	78	83	100	96	81	98	104	140	134	123	135	113	113	66	68
	F	69	74	88	69	66	93	94	125	110	100	114	101	91	66	52
	P	147	157	188	165	147	191	198	265	244	223	249	214	204	132	120
Other diseases of the skin	M	108	108	142	130	103	103	92	119	110	129	111	111	113	124	124
	F	100	112	134	110	113	111	103	115	101	122	108	124	120	145	128
	P	208	220	276	240	221	214	195	234	211	251	219	235	233	269	252
Other specified diseases* ...	M	331	365	421	—	4	3	2	2	—	—	—	3	—	—	—
	F	605	721	753	—	1	—	—	—	—	—	—	2	—	—	—
	P	936	1036	1176	—	5	3	2	2	—	—	—	5	—	—	—
Atrophy, Debility ...	M	11263	11303	11383	11095	9389	9791	9761	9090	8902	8340	8460	7872	7359	7818	6258
	F	9092	9103	8989	8705	7819	7721	7785	6920	6998	6267	6460	6107	5686	6098	4644
	P	20355	20411	20372	19800	17708	17512	17546	16010	15900	14607	14920	13979	13045	13916	10902
Old age ...	M	12148	13522	13815	13117	13031	12979	13848	13441	14210	13917	14058	14497	13438	14483	13275
	F	16550	17955	17961	17126	17320	17111	18455	18018	18998	19001	18837	19478	18233	19388	18163
	P	28693	31477	31776	30243	30351	30090	32303	31459	33208	32918	32895	33975	31671	33871	31438
Dropsy, Ascites, Anasarca	M	139	139	125	85	74	69	48	44	36	60	36	23	16	24	18
	F	135	221	223	138	97	95	73	77	46	65	39	41	24	38	23
	P	324	360	348	223	171	164	121	121	82	125	75	64	40	62	41
Tumour ...	M	29	25	25	25	29	36	39	26	28	33	32	41	28	52	71
	F	53	56	48	58	53	50	50	54	40	60	52	56	48	68	72
	P	82	81	73	83	82	86	89	80	68	93	84	97	76	120	143
Abscess ...	M	133	172	177	173	182	184	162	129	140	151	208	137	131	119	154
	F	189	185	169	159	147	148	128	106	132	142	170	129	108	101	112
	P	372	357	346	332	329	332	290	235	272	293	378	266	239	220	266

* The figures for years prior to 1901 refer to deaths then classed either to "Other Miasmatic Diseases" or to "Other Constitutional Diseases."

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1898–1912.—
MALES, FEMALES, AND PERSONS—*continued.*
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.
Hæmorrhage*	M	60	74	63	16	31	29	20	19	17	16	19	16	26	39	25
	F	48	40	55	12	25	14	15	17	15	19	16	17	26	24	27
	P	108	114	118	28	56	43	35	36	32	35	35	33	52	63	46
Sudden death (cause un- ascertained).	M	109	129	134	114	94	89	25	18	16	11	4	8	8	7	3
	F	90	83	110	61	83	53	20	12	8	8	11	11	6	2	1
	P	199	212	244	175	177	142	45	30	24	19	15	19	14	9	4
Other ill-defined causes ...	M		49	24	205	406	457	435	468	461	421	402	386	391	278	205
	F		23	26	155	298	362	342	386	326	291	277	272	243	187	150
	P	948	72	50	360	704	819	777	854	787	712	679	658	634	465	355
Causes not specified ...	M	753														
	F	1701														
	P		935	948	672	336	146	152	129	96	111	88	71	102	96	78
			686	788	436	256	121	91	72	60	66	50	48	78	57	56
			1621	1736	1108	592	267	243	201	156	177	138	119	180	153	134
Violent Deaths :—																
In mines and quarries ...					1016	979	940	981	1113	1075	1084	1147	1367	1299	1491	1207
					1	—	1	—	—	2	—	—	—	—	—	—
					1017	979	941	981	1113	1077	1084	1147	1367	1299	1491	1207
Vehicles and horses ...					2308	2209	2139	2103	2069	2133	2197	2131	1913	1987	2289	2364
					382	324	330	337	355	377	349	356	346	409	462	473
					2690	2533	2469	2440	2424	2510	2546	2487	2259	2396	2751	2837
Ships, boats, and docks (not drowning).					332	266	294	286	280	268	246	275	263	252	301	337
					2	1	3	—	3	2	1	3	1	1	1	1
					334	267	297	286	283	270	247	278	264	253	302	338
Building operations ...					185	205	210	203	233	233	243	227	166	199	203	206
					—	—	—	—	—	—	—	—	—	—	—	—
					185	205	210	203	233	233	243	227	166	199	203	206
Machinery					204	251	245	242	204	227	237	217	205	198	249	225
					12	12	13	8	15	11	8	10	8	11	13	6
					216	263	258	250	219	238	245	227	213	209	262	231
Weapons and implements					131	109	103	109	104	103	79	91	99	78	81	102
					18	9	11	18	8	11	12	10	10	11	12	22
					149	118	114	127	112	114	91	101	109	89	93	124
Burns and scalds ...	M	11371	12337	11906	1224	1022	995	1014	1035	1079	1103	1067	1088	995	1052	972
	F	4971	5360	5013	1530	1457	1292	1369	1450	1527	1507	1583	1571	1330	1395	1412
	P	16342	17697	16919	2754	2479	2287	2383	2485	2606	2610	2650	2659	2325	2447	2384
Poisons,poisonous vapours					305	334	290	324	312	341	329	362	368	322	215	220
					210	161	168	196	198	198	216	188	189	196	135	122
					515	495	458	520	510	539	545	550	557	518	350	342
Drowning					2358	1871	2109	2020	2069	1970	1888	2063	1793	1871	2233	2053
					406	390	407	391	433	374	367	400	397	387	405	435
					2764	2261	2516	2411	2502	2344	2255	2463	2190	2258	2638	2488
Suffocation					1026	1089	1022	1112	1027	984	1039	936	822	788	755	801
					938	950	936	972	855	893	864	890	760	731	699	760
					1964	2039	1958	2084	1882	1877	1903	1826	1582	1519	1454	1561
Falls					1507	1504	1378	1380	1280	1372	1460	1392	1339	1282	1519	1604
					1303	1172	1171	1158	1106	1190	1270	1238	1271	1074	1313	1341
					2810	2676	2549	2538	2386	2562	2730	2630	2610	2356	2832	2945
Weather agencies ...					300	171	163	200	163	215	127	176	144	136	456	193
					137	66	34	84	68	89	27	58	52	31	204	56
					437	237	197	284	231	304	154	234	196	167	660	249
Otherwise or not stated...					1145	938	911	928	940	866	863	924	816	882	776	776
					332	306	299	292	250	288	268	280	272	383	302	286
					1477	1244	1210	1220	1190	1154	1131	1204	1088	1265	1078	1062
Battle	M	—	—	16	4	6	2	—	3	1	2	1	—	—	1	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	—	—	16	4	6	2	—	3	1	2	1	—	—	1	1
Homicide	M	162	143	139	161	131	137	176	133	140	139	152	132	140	153	145
	F	145	148	139	175	166	158	151	169	144	126	159	155	147	128	173
	P	307	291	278	336	297	295	327	302	284	265	311	287	287	281	318
Suicide	M	2166	2121	2166	2318	2460	2640	2523	2683	2655	2632	2844	2683	2680	2655	2706
	F	711	723	730	803	807	871	822	862	797	901	934	894	887	933	902
	P	2877	2844	2896	3121	3267	3511	3345	3545	3452	3533	3778	3577	3567	3588	3608
Execution	M	10	14	12	15	22	23	17	17	8	9	12	19	16	16	10
	F	—	1	2	—	—	2	1	—	—	1	—	—	—	—	—
	P	10	15	14	15	22	25	18	17	8	10	12	19	16	16	10

* Deaths from Rupture of blood vessels are included under this heading for years prior to 1901, and under "Other diseases of blood vessels" subsequently.

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1898–1912.—MALES, FEMALES, AND PERSONS.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.
Causes	M F P	18623 16483 17518	19419 17153 18249	19480 17055 18228	18112 15791 16014	17398 15180 16253	16540 14444 15457	17362 15303 16209	16281 14382 15300	16512 14495 15470	16046 14229 15108	15805 13867 14804	15480 13821 14623	14385 12674 13502	15580 13672 14595	14120 12512 13290
PRINCIPAL SUM- MARIZED HEADINGS.																
all-pox	M F P	9 7 8	6 4 5	3 2 3	13 9 10	90 60 75	31 15 23	19 11 15	4 4 4	0 1 1	0 0 0	0 0 0	1 0 0	1 0 0	1 1 1	0 0 0
Diarrhoeal diseases... (104 and 105, 1911 list.)*	M F P	— — —	— — —	— — —	1343 1105 1220	676 558 615	834 695 763	1235 1017 1122	897 720 809	1265 1057 1158	559 440 492	848 685 763	550 439 493	575 445 507	1421 1162 1288	355 269 311
Cerebral diseases	M F P	— — —	— — —	— — —	— — —	60 46 52	62 50 56	64 48 55	62 47 54	57 45 51	58 40 49	56 43 49	57 40 49	56 38 47	60 44 52	63 42 52
Periperal septic diseases ...	M F P	— 109 56	— 120 62	— 121 63	— 122 64	— 118 61	— 97 51	— 95 49	— 99 51	— 93 48	— 82 41	— 77 39	— 78 40	— 60 36	— 72 37	— 68 35
Pneumonia (all forms) ...	M F P	1320 942 1125	1494 1021 1250	1676 1000 1374	1371 937 1147	1664 1169 1409	1428 1030 1222	1485 1099 1285	1525 1100 1305	1422 1026 1217	1574 1147 1353	1392 997 1188	1502 1114 1301	1302 932 1110	1235 865 1045	1204 851 1022
Septicæmia, pyæmia	M F P	20 13 16	27 15 21	30 16 23	17 9 13	22 14 18	21 13 17	19 12 16	21 14 18	21 17 19	22 13 18	20 12 16	17 11 13	14 10 11	17 9 13	18 10 14
Erysipelas (28 and 29A, 1911 list.)	M F P	1511 1125 1311	1550 1124 1330	1570 1111 1333	1488 1055 1264	1457 1026 1234	1430 995 1206	1462 1034 1241	1352 953 1146	1364 964 1157	1349 959 1148	1318 941 1123	1280 913 1091	1186 855 1015	1233 901 1062	1194 852 1017
Tuberculosis (all forms) ...	M F P	2172 1664 1910	2183 1644 1904	2201 1623 1902	2087 1546 1807	2006 1495 1742	2016 1492 1747	2057 1530 1784	1886 1411 1639	1895 1430 1654	1857 1390 1617	1834 1371 1595	1762 1323 1537	1644 1237 1434	1669 1278 1468	1568 1174 1366
Cancer (all forms)... ..	M F P	652 938 799	670 971 826	672 975 829	691 985 842	696 986 846	733 1006 874	741 1010 879	759 1011 889	798 1038 922	787 1035 915	818 1036 931	833 1082 962	856 1070 967	891 1088 993	913 1117 1019
Diseases of nervous system (excluding cerebral hemorrhage, apoplexy, hemiplegia).	M F P	1469 1103 1280	1468 1095 1276	1455 1094 1271	1462 1097 1274	1401 1043 1215	1305 989 1142	1309 980 1140	1195 916 1049	1183 890 1032	1095 855 971	1085 820 947	1044 782 908	961 730 841	959 718 837	855 637 742
Diseases of heart	M F P	— — —	— — —	— — —	1438 1516 1479	1440 1482 1462	1391 1426 1409	1429 1516 1472	1380 1460 1423	1407 1436 1420	1445 1490 1468	1407 1431 1418	1405 1467 1437	1348 1373 1361	1347 1390 1368	1385 1453 1421
Diseases of blood vessels (including cerebral hemorrhage, apoplexy, hemiplegia).	M F P	— — —	— — —	— — —	857 883 871	850 860 860	820 860 839	847 875 862	835 843 839	858 892 874	883 901 893	887 894 890	914 925 919	882 890 886	931 952 943	987 990 989
Diseases of respiratory system (including croup but excluding pneumonia).	M F P	1861 1708 1784	2029 1866 1944	2107 1945 2022	1747 1618 1680	1645 1537 1590	1421 1273 1343	1542 1442 1491	1427 1333 1378	1313 1214 1263	1481 1403 1440	1354 1274 1312	1392 1362 1375	1215 1101 1156	1247 1153 1199	1306 1229 1267
Diseases of liver and gall bladder.	M F P	261 227 244	276 230 252	265 235 249	236 206 220	214 184 198	197 177 188	191 174 183	185 174 179	180 170 175	174 167 170	165 152 158	168 143 155	149 138 143	148 144 146	146 137 141
Diseases of digestive sys- tem.†	M F P	— — —	— — —	— — —	1049 907 1005	865 813 838	869 811 842	907 839 871	830 791 811	914 826 870	800 741 769	846 773 807	814 716 763	791 712 750	980 868 921	737 639 685
Nephritis and Bright's disease.	M F P	401 322 360	421 343 381	456 349 401	443 341 390	417 328 371	412 336 373	437 345 389	419 336 376	434 346 389	443 361 400	432 353 391	443 369 404	429 353 389	437 370 402	441 368 404
Diseases of generative and mammary organs.	M F P	6 77 43	6 79 44	7 73 42	5 70 38	4 67 36	3 66 36	4 64 34	3 67 36	4 64 36	3 63 32	2 57 30	3 56 31	4 51 29	4 57 33	4 52 30
Diseases of pregnancy and childbirth (not septic).	M F P	— 142 73	— 143 74	— 146 76	— 137 71	— 130 65	— 128 66	— 116 60	— 124 64	— 120 62	— 115 60	— 108 56	— 106 54	— 104 53	— 101 52	— 106 55
All diseases of pregnancy and childbirth.	M F P	— 251 129	— 263 130	— 267 139	— 259 135	— 248 126	— 225 117	— 211 109	— 223 115	— 213 110	— 197 101	— 185 95	— 184 94	— 173 89	— 173 89	— 174 90
Causes ill-defined or not specified.‡	M F P	1633 1658 1644	1705 1719 1713	1706 1707 1707	1615 1596 1608	1519 1528 1523	1477 1497 1484	1496 1550 1530	1424 1405 1445	1440 1500 1475	1375 1447 1415	1379 1430 1413	1348 1432 1391	1243 1326 1288	1314 1389 1348	1137 1233 1183
Violent deaths	M F P	900 359 619	948 380 652	914 352 624	922 371 636	850 343 589	844 331 580	836 332 574	830 329 571	823 332 571	816 329 565	822 336 572	773 324 543	759 325 522	826 322 505	787 316 542

* See note to Diarrhoea due to Food.

† Including some of the headings classed under Diarrhoeal Diseases above, viz. :—Ulceration of intestines, Enteritis (not epidemic) and Gastro-enteritis. See also note to Hernia.

‡ See note to Hemorrhage.

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES.
ALL AGES TO A MILLION LIVING, 1898–1912.—MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.
DETAILED HEADINGS.																
Small-pox	Vaccinated ...	M	4	0	0	5	33	6	3	1	—	0	—	0	0	0
		F	3	—	0	4	17	1	1	1	—	—	0	—	0	0
		P	3	0	0	4	25	4	2	1	—	0	—	0	0	0
	Not Vaccinated.	M	2	0	0	4	25	7	5	0	0	—	0	0	0	—
		F	1	0	1	3	23	4	3	1	—	0	—	0	0	0
		P	2	0	1	3	24	5	4	1	0	0	—	0	0	0
	Doubtful ...	M	3	6	3	4	32	18	11	3	0	0	1	1	0	—
		F	3	4	1	2	20	10	7	2	1	0	0	—	0	0
		P	3	5	2	3	26	14	9	2	1	0	0	0	0	0
Cow-pox and other effects of vaccination.	M	1	1	1	0	1	1	1	1	1	0	0	0	0	1	—
	F	1	1	1	1	1	1	1	1	1	0	0	0	0	0	0
	P	1	1	1	1	1	1	1	1	1	0	0	0	0	0	0
Chicken-pox ...	M	4	5	4	4	4	4	3	3	4	4	3	3	3	2	—
	F	3	3	3	3	4	3	3	2	2	3	3	2	2	2	—
	P	4	4	4	4	4	3	3	3	3	3	3	3	3	2	—
Measles (Morbilli) ...	M	445	330	417	302	416	292	387	342	286	392	243	377	249	392	3
	F	396	298	373	253	379	259	344	311	265	337	213	336	216	336	3
	P	419	314	394	277	392	275	365	326	275	364	228	356	232	363	3
German measles ...	M	1	1	1	2	1	1	1	1	1	1	1	1	0	1	—
	F	1	1	1	2	1	1	1	1	1	1	1	1	0	1	—
	P	1	1	1	2	1	1	1	1	1	1	1	1	0	1	—
Scarlet fever ...	M	119	121	125	139	155	132	116	117	108	98	82	97	68	54	—
	F	107	113	114	128	141	118	108	109	95	88	79	85	64	51	—
	P	113	117	119	133	148	125	112	113	101	93	80	91	66	52	—
Typhus ...	M	2	1	1	1	2	2	1	1	0	1	0	1	0	0	—
	F	1	1	1	1	1	2	1	1	0	1	0	0	—	0	—
	P	1	1	1	1	2	2	1	1	0	1	0	0	0	0	—
Plague ...	M	—	—	0	1	0	—	0	0	—	—	0	—	0	—	—
	F	—	—	—	0	—	—	—	—	—	—	—	—	0	—	—
	P	—	—	0	0	0	—	0	0	—	—	0	—	0	—	—
Relapsing fever ..	M	0	—	0	0	0	—	—	0	0	—	0	—	0	—	—
	F	0	—	—	0	0	—	0	0	—	0	0	—	0	—	—
	P	0	—	0	0	0	—	0	0	0	0	0	—	0	—	—
Influenza ...	M	329	395	493	185	229	190	171	206	188	264	285	251	188	127	1
	F	332	385	514	164	219	189	167	203	180	269	290	256	176	113	1
	P	330	389	504	174	224	190	169	205	184	267	288	254	182	120	1
Whooping cough ...	M	295	300	331	290	281	269	322	241	224	268	255	183	223	195	2
	F	349	335	379	334	313	302	382	271	259	321	304	221	267	237	2
	P	323	318	356	313	298	286	353	256	242	296	280	203	246	217	2
Mumps ...	M	2	3	3	3	3	3	3	3	3	3	3	3	3	3	—
	F	2	2	3	3	2	2	3	3	3	4	4	3	3	3	—
	P	2	2	3	3	3	3	3	3	3	3	3	3	3	3	—
Diphtheria ...	M	244	289	296	277	235	183	173	160	177	166	160	147	117	139	1
	F	242	294	284	269	239	182	169	161	179	164	156	148	122	132	1
	P	243	292	290	273	237	183	170	161	178	165	158	148	120	135	1
Cerebro-spinal fever ...	M	0	1	1	2	3	2	3	4	2	6	4	4	4	5	—
	F	0	0	0	2	1	2	2	3	2	3	3	4	3	3	—
	P	0	1	0	2	2	2	2	4	2	5	3	4	4	4	—
Pyrexia (origin uncertain)	M	5	3	3	3	3	2	2	1	1	1	1	0	0	0	—
	F	4	4	4	3	3	3	2	2	1	1	1	0	0	0	—
	P	4	4	4	3	3	2	2	2	1	1	1	0	0	0	—
Enteric fever ...	M	210	231	210	185	150	120	113	106	111	82	95	74	60	81	—
	F	154	167	139	127	103	82	76	74	75	54	57	48	46	53	—
	P	181	198	173	155	126	101	93	90	92	68	75	60	53	67	—
Asiatic cholera ...	M	?	?	?	—	—	—	—	—	—	—	—	0	—	—	—
	F	?	?	?	—	—	—	—	—	—	—	—	—	—	—	—
	P	?	?	?	—	—	—	—	—	—	—	—	0	—	—	—
Diarrhoea due to food ^a ...	M	2	2	2	2	3	3	4	7	10	7	9	9	8	?	?
	F	2	2	2	2	3	2	3	6	7	5	8	7	6	?	?
	P	2	2	2	2	3	3	3	6	9	6	8	8	7	?	?

^a Called Food, Ptomaine poisoning previous to 1904. The increase since that date is partly due to the inclusion of deaths from Diarrhoea in artificially fed children. From 1911 onwards the deaths are included under Infective enteritis, Epidemic diarrhoea.

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1898-1912.—MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.
Infective enteritis, Epidemic diarrhoea.*					397 333 364	166 133 149	260 207 233	551 459 504	382 302 340	579 484 530	164 129 146	320 260 289	153 123 137	172 132 151	648 529 587	81 63 71
Diarrhoea (not otherwise defined).	M F P	1034 881 955	1049 899 971	793 666 728	608 496 550	296 245 270	337 287 311	402 333 366	275 229 251	371 316 342	166 131 148	245 196 220	153 126 139	152 120 135	365 304 334	75 64 70
Enteritis					11 8 10	9 6 8	11 8 9	10 7 9	7 5 6	9 8 9	7 6 7	8 6 7	7 7 7	7 6 7	8 9 8	5 5 5
Tetanus†	M F P	1 1 1	1 0 1	3 1 2	3 1 2	9 3 6	12 4 8	12 4 8	11 3 7	12 3 7	10 3 7	8 2 5	10 3 6	9 2 6	9 2 6	8 2 5
Malaria	M F P	4 1 3	5 1 3	6 1 3	6 1 3	6 1 3	4 1 2	6 1 3	4 1 2	3 1 2	4 0 2	3 0 2	4 1 2	3 0 1	3 0 2	3 0 2
Rabies, Hydrophobia ...	M F P	0 0 0	— — —	— — —	— — —	0 — 0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0 — 0	0 — 0	— — —
Enders	M F P	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	— — —
Chrax (Splenic fever) ...	M F P	1 0 1	1 0 1	1 — 0	1 0 0	1 0 0	1 0 1	1 0 1	1 0 1	1 0 1	1 0 1	1 0 1	1 0 1	1 0 1	1 0 1	1 — 0
Chilias	M F P	66 49 57	63 50 56	63 51 57	61 45 53	59 45 51	61 49 55	62 47 54	61 46 53	56 44 50	57 39 48	55 42 48	56 39 48	55 37 46	60 43 51	62 41 51
Gonorrhoea‡	M F P	21 1 11	22 1 11	23 1 11	22 0 11	1 0 1	1 1 1	2 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
Puerperal septicaemia, Puer- peral septic intoxication.					88 46	86 44	73 38	72 37	74 38	69 36	59 30	57 29	58 30	52 27	54 28	49 25
Puerperal pyaemia	M F P	— 109 56	— 120 62	— 121 63	— 1 —	2 3 2	2 1 —	2 1 —	3 2 —	4 2 —	6 3 —	5 3 —	6 3 —	5 3 —	5 2 —	6 3 —
Ergasia alba dolens ...					4 2	6 3	5 3	5 3	6 3	6 3	5 2	5 2	4 2	3 2	4 2	3 2
Puerperal fever (not other- wise defined).					28 15	23 12	17 9	16 8	16 8	14 7	12 6	10 5	10 5	9 4	9 5	10 5
Infective endocarditis§ ...	M F P	? ? ?	? ? ?	? ? ?	11 12 11	12 11 12	11 12 12	12 11 12	13 12 13	14 13 13	13 15 14	15 15 15	15 15 15	14 15 15	15 17 16	17 17 17
Pneumonia {	M F P	1320 942 1125	1494 1021 1250	1676 1090 1374	91 48 69	137 76 105	125 69 96	144 89 115	181 109 144	188 106 145	199 114 155	178 98 137	217 129 171	195 103 147	268 150 207	275 155 213
					509 415 460	626 507 565	576 474 523	634 522 576	610 500 553	545 463 503	670 563 614	604 483 541	604 516 559	538 446 490	509 421 464	511 439 474
					3 2 3	0 0 0	0 0 0	— — —	0 0 0	0 0 0	0 0 0	0 0 0	1 0 0	0 0 0	? ? ?	? ? ?
					768 472 615	901 586 739	727 487 603	707 488 594	734 491 608	689 457 569	705 470 584	610 416 510	680 469 571	569 383 473	458 294 374	418 257 335
					10 6 8	13 9 11	12 10 11	13 9 11	13 10 12	14 12 13	16 9 13	15 9 12	12 9 10	10 7 8	12 7 10	14 8 11
Septicæmia (not puerperal).	M F P	20 13 16	27 15 21	30 16 23	7 3 5	9 5 7	9 3 6	6 3 5	8 4 6	7 5 6	6 4 5	5 3 4	5 2 3	4 3 3	5 2 3	4 2 3
Septicæmia (not puerperal) ...					10 6 8	13 9 11	12 10 11	13 9 11	13 10 12	14 12 13	16 9 13	15 9 12	12 9 10	10 7 8	12 7 10	14 8 11

* Including deaths from Diarrhoea due to food, from 1911 onwards.

† Owing to changes of classification the deaths included under Tetanus in 1902 and subsequent years are not comparable with those in earlier years.

‡ Includes deaths from Stricture of the Urethra previous to 1902. See also note to Other diseases of the Urinary system.

§ For years prior to 1901, deaths from Infective endocarditis are included under the heading Valvular disease, Endocarditis. From 1911 onwards, deaths from Epidemic pneumonia are included under Lobar pneumonia.

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES
ALL AGES TO A MILLION LIVING, 1898–1912.—MALES, FEMALES, AND PERSONS—*continued*
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.
Phlegmon, Carbuncle (not anthrax).	M F P	22 14 18	25 15 20	26 17 21	26 18 22	28 18 24	26 17 21	28 15 21	28 18 23	31 18 24	28 17 22	26 14 20	29 18 23	24 15 19	25 15 20	
Phagedæna ...	M F P	2 1 1	1 1 1	1 2 1	2 1 1	1 1 1	1 1 1	1 1 1	2 1 2	1 1 1	1 1 1	1 1 1	1 1 1	0 0 0	— — —	
Other infective processes...	M F P	? ? ?	? ? ?	? ? ?	6 7 7	2 4 3	3 5 5	5 3 4	6 5 6	8 5 6	8 4 6	8 4 6	9 5 7	8 3 6	9 4 6	
Pulmonary tuberculosis (tuberculous phthisis).	M F P	1511 1125 1311	1550 1124 1330	1570 1111 1333	275 192 232	393 248 318	515 322 416	595 384 486	607 397 498	651 427 535	673 450 558	691 465 574	707 467 583	693 476 581	762 532 644	
Phthisis (not otherwise defined).	M F P				1213 863 1032	1064 778 916	915 673 790	867 650 755	745 556 648	713 537 622	676 509 590	627 476 549	573 446 508	493 379 434	471 369 418	
Tuberculous meningitis ...	M F P	237 180 212	224 182 202	219 179 198	199 167 183	194 169 181	212 179 195	206 174 189	194 165 179	188 168 178	184 156 170	180 155 167	172 154 163	167 140 153	155 136 145	
Tuberculous peritonitis ...	M F P				94 87 90	93 87 90	111 101 106	122 110 116	109 103 106	116 109 112	106 97 102	113 102 108	107 92 99	105 94 99	98 88 93	
Tabes mesenterica ...	M F P				112 85 98	82 61 71	71 53 62	65 48 56	48 35 41	40 33 36	32 24 28	33 24 28	28 21 25	24 20 22	24 20 22	
Lupus ...	M F P	1 2 2	1 3 2	1 2 2	2 2 2	1 3 2	1 3 2	2 3 2	1 3 2	1 3 2	2 3 2	1 2 2	1 3 2	1 2 2	1 2 2	
Furuncle of other organs...	M F P				42 28 35	42 30 36	52 36 44	59 40 49	57 41 48	62 44 53	57 42 49	58 36 46	62 44 53	72 51 61	51 41 46	
General tuberculosis ...	M F P	204 163 183	192 155 173	208 162 184	139 112 125	133 114 123	135 122 128	138 118 128	123 109 115	122 108 115	126 108 117	130 111 120	111 95 103	88 74 81	107 90 98	
Scrofula ...	M F P				11 10 10	4 5 5	4 3 4	3 4 3	2 2 2	2 1 1	1 1 1	1 0 1	1 1 1	1 1 1	0 0 0	
Parasitic diseases ...	M F P	13 12 13	14 11 12	12 11 11	11 10 11	9 8 8	10 9 9	10 8 9	9 6 7	11 7 9	8 6 7	8 6 7	7 6 6	6 4 5	8 6 7	
Starvation ...	M F P	2 1 1	2 1 1	2 1 1	1 0 1	1 1 1	1 1 1	1 1 1	1 0 1	1 1 1	1 1 1	1 0 1	1 1 1	1 0 1	1 0 1	
Scurvy ...	M F P	1 1 1	1 1 1	1 2 1	1 1 1	1 1 1	1 1 1	1 1 1	1 2 1	2 1 1	1 1 1	1 1 1	2 1 1	1 1 1	1 1 1	
Alcoholism, Delirium tremens.	M F P	98 59 78	113 69 90	132 95 113	113 80 96	105 65 84	92 63 77	86 55 70	79 52 65	81 53 66	79 49 63	65 45 55	58 37 47	50 34 42	57 34 45	
Opium, morphia-habit ...	M F P	? ? ?	? ? ?	? ? ?	0 0 0	0 1 0	1 0 0	0 0 0	0 1 0	0 0 0	0 0 0	0 0 0	0 1 0	0 0 0	0 0 0	
Industrial poisoning.	By Lead ...	M F P	7 1 4	6 1 3	7 1 4	6 0 3	5 0 3	5 0 3	5 0 2	4 0 2	5 0 3	6 0 3	5 0 3	5 0 2	6 0 3	
	By Phosphorus.	M F P	? ? ?	? ? ?	? ? ?	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	
	By Arsenic and other metals.	M F P	? ? ?	? ? ?	? ? ?	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	
	Rheumatic Fever, Acute Rheumatism.	M F P	78 75 77	84 82 83	92 81 86	70 63 67	68 62 65	54 54 54	55 51 53	62 63 62	58 59 58	51 51 51	56 55 56	46 48 47	52 57 54	
	Rheumatism of heart*	M F P				19 19 19	17 21 19	15 20 17	15 20 17	10 11 10	8 11 12	11 11 10	9 11 10	8 10 9	? ? ?	

* Included under Valvular disease, Endocarditis (not infective) from 1911 onwards.

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1898-1912.—MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.
Chronic rheumatism ...	M F P	27 31 29	26 31 29	25 30 28	21 27 24	12 18 15	13 15 14	14 15 14	10 15 13	9 14 11	10 15 13	11 14 13	10 15 12	8 12 10	9 13 11	8 11 10
Rheumatoid arthritis, Rheumatic gout.	M F P	? ? ?	? ? ?	? ? ?	18 33 26	18 31 25	17 35 27	17 38 28	15 37 26	16 39 28	18 38 28	14 39 27	17 43 31	17 40 29	18 42 30	18 44 31
Gout ...	M F P	28 6 17	28 8 18	25 7 16	26 6 16	24 6 15	23 6 14	25 5 15	20 5 12	22 5 13	22 5 13	20 5 12	19 4 11	18 4 11	19 3 11	16 4 10
Carcinoma* ...	M F P	? ? ?	? ? ?	? ? ?	301 472 389	318 498 411	357 528 445	376 540 460	391 550 473	419 575 500	411 598 508	440 601 523	455 641 551	483 647 568	521 669 598	562 716 641
Sarcoma ...	M F P	53 46 49	57 50 54	51 49 50	54 49 51	53 50 51	58 50 54	55 49 52	58 48 53	59 51 55	62 45 53	62 46 54	63 49 56	64 52 58	70 49 59	67 51 59
Cancer, Malignant disease (not otherwise defined).*	M F P	599 892 750	613 921 772	621 926 779	336 464 402	325 438 384	318 428 375	310 421 367	310 413 363	320 412 367	314 392 354	316 389 354	315 392 355	309 371 341	300 370 336	284 350 319
Rickets ...	M F P	53 36 44	49 36 42	47 34 40	52 33 42	49 35 42	61 39 50	66 43 54	48 35 41	47 34 40	42 31 36	41 27 34	39 25 32	36 24 30	31 24 27	24 17 21
Purpura ...	M F P	12 12 12	11 9 10	11 9 10	9 9 3	9 9 2	9 9 2	8 9 3	8 7 3	7 8 3	9 8 3	9 8 3	9 8 3	8 8 3	9 8 3	7 10 3
Hæmophilia, Hæmorrhagic diathesis.	M F P	12 12 12	10 9 10	10 9 10	3 2 2	4 2 3	3 2 2	4 2 3	3 2 3	3 2 3	3 3 3	3 1 2	3 2 3	4 1 2	4 2 3	4 2 3
Anæmia, Leucocythæmia...	M F P	47 68 58	46 71 59	49 67 58	49 68 59	50 62 56	47 60 54	48 61 55	51 62 57	54 65 60	60 66 63	57 66 62	58 67 63	64 71 68	59 70 65	61 73 67
Diabetes mellitus ...	M F P	94 71 82	94 77 85	93 79 86	99 83 91	92 77 84	88 83 85	99 87 93	104 91 97	105 91 97	104 91 97	108 97 103	111 98 104	114 106 110	111 103 107	116 105 111
Premature birth ...	M F P	682 489 582	674 495 582	661 490 573	662 482 569	669 485 574	671 481 573	680 490 582	634 481 555	648 468 555	608 447 525	621 447 531	596 437 514	567 420 491	568 416 490	546 394 467
Congenital hydrocephalus†	M F P	101 74 87	102 80 91	103 84 93	143 108 125	16 9 12	17 11 14	15 9 12	15 7 11	13 9 11	11 8 9	13 9 11	12 7 9	10 7 8	10 8 9	10 6 8
Other congenital defects†	M F P	101 74 87	102 80 91	103 84 93	143 108 125	16 9 12	17 11 14	15 9 12	15 7 11	13 9 11	11 8 9	13 9 11	12 7 9	10 7 8	10 8 9	10 6 8
Injury at birth ...	M F P	6 5 5	13 8 10	16 12 14	24 13 18	24 15 20	26 16 21	28 18 23	25 17 21	31 19 25	29 18 24	34 20 27	33 21 27	28 20 24	30 21 25	32 19 26
Telectasis ...	M F P	43 30 36	45 30 38	47 30 38	44 29 36	48 29 38	47 33 39	46 33 39	50 35 42	52 34 42	55 36 45	54 38 45	51 35 43	50 37 43	49 34 41	48 32 40
Lactation of breast milk ...	M F P	11 9 10	12 9 10	16 13 14	20 14 17	20 15 17	26 18 22	23 18 21	23 16 19	26 18 22	26 18 22	26 18 22	22 16 19	17 13 15	17 13 15	14 8 11
Feething ...	M F P	125 101 112	120 97 107	127 97 112	111 90 100	111 84 97	112 85 98	98 79 88	78 60 69	72 55 63	70 51 60	63 50 56	58 42 50	52 38 45	44 36 40	37 30 34
Encephalitis, Inflammation of brain.	M F P	265 216 240	271 205 237	263 212 237	240 195 217	221 179 199	210 172 190	209 166 187	197 160 178	199 152 175	172 142 156	177 138 157	169 133 151	153 127 140	168 133 150	126 102 113
Softening of brain...	M F P	88 76 82	88 72 80	76 64 70	72 61 66	70 56 63	72 59 65	74 61 67	67 62 64	70 61 65	69 63 66	70 63 66	64 56 60	62 54 58	54 52 53	45 43 44
General paralysis of insane	M F P	149 80 114	158 84 120	162 99 130	110 32 70	105 34 68	98 32 64	110 33 71	106 31 67	107 32 68	106 31 67	101 28 63	106 30 67	100 27 62	100 23 60	102 24 62
Insanity (not puerperal) ...	M F P	149 80 114	158 84 120	162 99 130	110 32 70	105 34 68	98 32 64	110 33 71	106 31 67	107 32 68	106 31 67	101 28 63	106 30 67	100 27 62	100 23 60	102 24 62

* For the years 1897-1900, deaths from Carcinoma are included under Cancer, Malignant disease.

† Includes deaths of children under six months of age from "Hydrocephalus" for the year 1901 and subsequent years.

‡ Includes deaths of young children from Icterus for the year 1901 and subsequent years.

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1898-1912.—MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912
Chorea	M	2	3	3	4	3	3	2	2	2	2	2	2	2	2	2
	F	7	8	8	8	6	6	5	7	7	7	5	7	6	5	8
	P	5	5	5	6	5	4	4	4	5	4	4	5	4	4	4
Epilepsy	M	88	89	99	97	100	99	95	91	89	87	81	86	81	80	81
	F	81	84	87	80	83	85	78	80	74	75	72	73	70	66	70
	P	84	86	93	88	91	92	86	85	81	81	76	79	75	73	75
Convulsions... ..	M	676	651	666	625	592	537	516	449	428	390	386	344	307	290	251
	F	483	485	487	465	419	376	361	317	306	280	272	242	221	202	168
	P	576	565	574	542	502	454	436	380	365	333	327	291	262	245	208
Laryngismus stridulus ...	M	22	18	17	18	17	15	13	14	11	11	14	9	7	8	7
	F	11	9	11	11	10	11	10	8	7	7	6	7	6	6	3
	P	16	14	14	14	13	13	12	11	9	9	10	8	7	7	5
Locomotor ataxy	M				22	26	26	25	27	28	27	28	29	28	30	31
	F				4	4	5	6	6	6	7	6	7	5	6	6
	P				13	15	15	15	16	16	17	17	17	16	18	18
Paraplegia, Diseases of cord	M	85	95	94												
	F	59	57	56												
	P	71	76	75	80	69	71	74	68	67	61	65	67	67	64	56
Neuritis, Peripheral, Polyneuritis.	M				3	8	7	8	6	8	8	8	7	7	7	5
	F				5	13	18	17	16	18	19	15	15	14	16	13
	P				4	11	12	12	11	13	14	11	11	11	12	9
Brain tumour (not specific)	M	94	95	75	13	20	22	20	22	23	23	22	23	23	21	22
	F	90	91	70	11	16	15	19	19	20	21	20	21	22	17	20
	P	92	93	73	12	18	19	20	21	22	22	21	22	22	19	21
Other diseases of nervous system.	M				140	121	101	110	92	94	82	76	80	70	74	64
	F				120	111	100	106	88	85	80	71	75	65	70	64
	P				130	116	101	108	90	90	81	73	77	67	72	64
Otitis, Mastoid disease ...	M	32	32	38	31	30	35	38	38	39	36	34	38	33	34	33
	F	25	25	26	26	25	26	25	28	28	28	25	24	24	28	24
	P	28	28	32	29	28	30	31	33	33	32	29	31	28	31	28
Epistaxis, Diseases of nose	M	3	3	2	3	3	2	3	2	2	2	2	2	2	3	3
	F	2	2	2	2	2	3	2	2	1	2	2	2	2	4	2
	P	3	2	2	2	2	2	2	2	2	2	2	2	2	3	3
Ophthalmia, Diseases of eye	M	2	2	3	3	2	3	2	2	2	2	1	2	1	3	2
	F	1	1	2	2	1	2	2	2	2	2	1	1	2	3	2
	P	2	2	2	2	2	2	2	2	2	2	1	2	2	3	2
Valvular disease, Endocarditis (not infective).*	M	336	366	381	363	380	383	410	415	432	444	448	455	446	475	542
	F	365	394	417	402	408	422	452	458	468	495	482	505	489	533	609
	P	351	380	399	383	395	403	431	437	450	470	465	481	468	505	577
Pericarditis	M	21	22	24	21	14	14	14	14	14	16	14	13	14	18	15
	F	13	17	15	18	12	12	11	13	11	12	11	10	11	13	11
	P	17	19	19	20	13	13	12	13	12	14	12	12	12	15	13
Hypertrophy of heart† ...	M	7	9	9	8	10	10	9	8	9	9	11	8	8	?	?
	F	6	7	6	5	6	5	6	5	5	4	5	5	3	?	?
	P	7	8	7	6	8	7	7	7	7	6	8	6	6	?	?
Angina pectoris	M	27	29	31	29	30	29	31	32	35	36	36	37	41	41	42
	F	14	15	15	13	15	14	14	17	18	18	17	18	16	19	19
	P	20	22	23	21	22	21	22	25	26	27	26	27	28	29	30
Dilatation of heart† ...	M				65	80	80	88	90	93	104	98	103	92	?	?
	F				70	78	76	92	90	89	99	93	97	87	?	?
	P				67	79	78	90	90	91	101	95	100	89	?	?
Fatty degeneration of heart	M	1056	1117	1103	55	60	59	61	63	63	67	67	62	66	70	79
	F	1117	1172	1152	63	67	65	71	70	75	76	78	78	69	79	90
	P	1088	1145	1128	60	64	62	66	67	68	72	73	70	68	74	85
Syncope, Heart disease (not specified).†	M				897	866	816	816	758	761	769	733	727	681	743	707
	F				945	896	832	870	807	770	786	745	754	698	746	724
	P				922	881	825	844	784	766	778	739	741	690	745	716
Cerebral hæmorrhage, Cerebral embolism.‡	M				307	346	370	398	404	422	441	464	467	403	470	492
	F				350	382	433	447	462	495	510	525	543	534	554	580
	P				329	365	402	423	434	459	477	496	506	500	513	538
Apoplexy, Hemiplegia ...	M	727	740	746												
	F	811	841	816												
	P	770	792	782	383	336	286	268	242	238	229	217	211	191	210	195
					425	378	325	318	272	275	263	246	245	221	245	230
					405	358	306	294	258	257	247	232	228	206	228	213

* For years prior to 1901, deaths from Infective endocarditis, and for 1911 and subsequent years, deaths from Rheumatism of heart are included under the heading Valvular disease, Endocarditis (not infective).
† For years prior to 1901, deaths from Other diseases of blood vessels, and for 1911 and subsequent years, those from Hypertrophy of heart and Dilatation of heart are included under the heading Syncope, Heart disease (not specified).
‡ For years prior to 1901, deaths from Cerebral embolism and Cerebral thrombosis are included under the heading Embolism, thrombosis (not cerebral).

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES from VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1898-1912.—MALES, FEMALES, AND PERSONS—*continued*.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.
Aneurysm* ...	M F P	46 11 28	47 11 28	45 11 27	49 12 30	53 13 32	53 11 31	53 13 32	55 11 32	53 12 32	56 11 33	51 11 30	55 12 33	52 12 31	53 12 32	54 10 31
Infantile gangrene ...	M F P	44 36 40	45 36 40	48 42 45	47 39 43	45 40 42	44 37 40	46 38 42	47 35 41	47 36 41	47 37 42	47 36 41	49 39 44	44 35 39	42 35 39	40 30 35
Embolism, Thrombosis (not cerebral).†	M F P	36 52 44	39 59 50	44 60 53	16 20 18	14 16 16	11 14 13	11 15 13	10 14 12	11 15 13	14 16 15	11 15 13	12 15 13	10 12 11	10 14 12	10 13 12
Phlebitis ...	M F P	4 6 5	4 7 6	6 6 6	4 6 5	3 6 4	4 6 5	3 5 4	4 5 4	3 5 4	3 5 4	2 5 4	3 5 4	2 5 4	3 4 4	4 6 5
Varicose Veins ...	M F P	2 4 3	2 4 3	3 5 4	2 4 3	2 4 3	2 4 3	3 4 4	2 5 3	1 5 3	2 4 3	1 4 2	2 4 3	2 4 3	2 5 4	2 6 4
Other diseases of blood vessels.‡	M F P	? ? ?	? ? ?	? ? ?	49 27 38	51 30 40	50 30 39	65 35 50	71 39 55	83 49 65	91 55 72	94 52 72	115 62 88	118 67 92	141 83 111	190 115 151
Laryngitis ...	M F P	44 31 38	49 35 41	47 39 43	46 41 43	43 38 41	38 29 33	38 29 34	35 28 31	35 27 31	38 27 32	30 25 27	33 23 28	28 21 24	31 23 27	27 19 23
Membranous laryngitis (not diphtheritic).	M F P	31 24 27	36 28 32	30 23 26	28 23 25	22 16 18	15 12 13	16 12 14	16 12 14	16 11 13	12 10 11	10 8 9	8 6 7	3 1 2	2 2 2	2 1 1
Croup (not spasmodic nor membranous).	M F P	5 3 4	5 3 4	5 3 4	2 1 2	1 1 1	1 1 1	2 1 1	2 1 1	2 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
Other diseases of larynx and trachea.	M F P	1506 1454 1479	1627 1586 1606	1713 1673 1692	1383 1349 1366	1339 1311 1325	1148 1085 1115	1262 1241 1251	1154 1137 1145	1049 1031 1040	1217 1216 1216	1109 1093 1101	1133 1171 1152	986 941 963	1007 986 996	1067 1064 1066
Bronchitis ...	M F P	91 59 75	106 72 88	101 63 81	88 57 72	57 39 48	49 30 39	59 38 48	55 37 46	55 35 45	62 38 50	58 38 48	64 46 54	56 36 45	63 41 52	69 44 56
Emphysema, Asthma ...	M F P	56 39 48	64 40 52	73 44 58	61 41 51	48 35 41	46 32 39	43 31 37	50 31 40	44 29 37	44 33 38	42 29 35	48 32 40	44 28 36	48 32 39	49 31 40
Pleurisy ...	M F P	128 98 113	142 102 121	138 100 118	20 11 100	21 10 94	18 8 84	18 10 87	16 8 83	15 7 79	19 9 72	16 9 74	16 9 70	13 6 73	13 4 71	13 4 72
Fibroid disease of lung ...	M F P	128 98 113	142 102 121	138 100 118	20 11 100	21 10 94	18 8 84	18 10 87	16 8 83	15 7 79	19 9 72	16 9 74	16 9 70	13 6 73	13 4 71	13 4 72
Other diseases of respiratory system.	M F P	38 30 34	36 32 34	39 32 35	15 13 14	14 11 13	13 4 11	13 11 12	12 11 12	12 9 11	12 10 11	12 9 10	13 9 11	10 8 9	13 11 12	11 10 10
Tonsillitis, Quinsy ...	M F P	38 30 34	36 32 34	39 32 35	15 13 14	14 11 13	13 4 11	13 11 12	12 11 12	12 9 11	12 10 11	12 9 10	13 9 11	10 8 9	13 11 12	11 10 10
Diseases of mouth, Pharynx, (Esophagus (not specific).§	M F P	163 188 176	165 204 185	188 222 205	169 169 169	144 144 144	140 139 139	132 135 133	117 117 117	100 98 99	95 93 94	96 101 99	93 91 92	93 85 89	91 87 89	80 74 77
Gastritis, Gastric catarrh...	M F P	163 188 176	165 204 185	188 222 205	169 169 169	144 144 144	140 139 139	132 135 133	117 117 117	100 98 99	95 93 94	96 101 99	93 91 92	93 85 89	91 87 89	80 74 77
Other diseases of stomach, (not malignant).	M F P	163 188 176	165 204 185	188 222 205	169 169 169	144 144 144	140 139 139	132 135 133	117 117 117	100 98 99	95 93 94	96 101 99	93 91 92	93 85 89	91 87 89	80 74 77

* Since 1901, Aneurysm has been taken as the cause of death when occurring with certain other diseases.

† For years prior to 1901, deaths from Cerebral embolism and Cerebral thrombosis are included under the heading Embolism, thrombosis (not cerebral).

‡ For years prior to 1901, deaths from Other diseases of blood vessels are included under the heading Syncope, Heart disease (not specified).

§ For years prior to 1901, deaths from Diseases of the Esophagus are included under the heading Other diseases of digestive system.

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1898–1912.—MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.
Ulceration of intestines* ...	M F P	13 11 12	12 10 11	11 12 11	197 160 178	137 118 127	147 124 135	19 13 16	17 13 15	21 15 18	28 14 21	27 16 21	28 16 22	32 17 24	32 16 24	37 15 26
Enteritis (not epidemic)*																
Gastro-enteritis ...	M F P	556 475 514	654 557 604	450 364 406	139 114 126	74 59 66	87 75 81	111 88 99	90 71 80	125 102 113	80 62 71	110 89 99	91 73 82	98 76 87	200 164 181	80 61 70
Appendicitis, Perityphlitis					47 30 38	57 34 45	63 41 52	69 44 56	67 48 57	77 48 62	69 45 57	73 50 61	75 55 64	77 55 66	91 61 75	75 55 64
Hernia† ...	M F P	40 44 42	44 49 46	43 43 43	40 44 42	44 48 46	40 45 42	41 47 44	43 48 46	44 46 45	42 47 44	38 42 40	41 44 42	37 45 41	40 46 43	40 42 41
Intestinal obstruction ...	M F P	91 84 87	90 87 88	83 80 81	83 80 81	75 73 74	81 74 77	78 71 74	77 75 76	80 74 77	78 70 74	77 74 75	79 69 74	70 70 70	76 72 74	70 67 68
Other diseases of intestines‡	M F P	? ? ?	? ? ?	? ? ?	7 6 6	10 8 9	10 8 9	8 6 7	8 7 8	8 6 7	8 8 8	9 7 8	9 8 8	10 9 10	14 11 12	13 12 12
Peritonitis (not puerperal)	M F P	67 60 63	64 61 63	58 60 59	46 48 47	32 36 34	28 32 30	27 30 29	23 26 25	24 26 25	18 22 20	20 20 20	16 18 17	13 18 15	13 20 17	11 14 13
Cirrhosis of liver ...	M F P	152 112 132	167 119 142	162 127 144	151 115 132	144 104 123	136 100 118	135 101 118	132 105 118	127 98 112	123 102 112	121 89 104	120 81 100	106 75 90	105 78 91	107 78 92
Other diseases of liver and gall bladder.	M F P	109 115 112	109 111 110	103 108 105	85 91 88	70 80 75	61 77 70	56 73 65	53 69 61	53 72 63	51 65 58	44 63 54	48 62 55	43 63 53	43 66 55	39 59 49
Other diseases of digestive system.‡	M F P	25 26 26	21 21 21	21 18 20	20 17 18	12 14 13	16 14 15	17 14 15	11 12 12	9 8 9	11 11 11	12 12 12	13 13 13	7 6 7	7 5 6	7 5 6
Diseases of spleen ...	M F P	2 2 2	2 1 2	2 1 1	2 2 2	2 2 2	1 1 1	1 1 1	1 2 2	2 1 2	1 2 1	1 1 1	1 2 1	1 1 1	1 1 1	1 1 1
Other diseases of lymphatic system.	M F P	14 6 10	12 7 10	13 8 10	13 9 11	14 8 11	13 8 11	13 8 10	15 8 12	14 9 12	14 9 11	14 9 11	15 9 12	18 10 14	17 11 14	18 11 15
Diseases of thyroid body§	M F P	3 16 9	2 17 10	2 17 10	4 23 14	4 22 13	4 22 13	4 23 14	4 23 14	4 24 14	4 25 15	5 25 16	4 29 17	6 30 18	5 33 20	5 33 19
Diseases of supra renal capsules.	M F P	6 6 6	6 7 6	6 7 6	5 5 5	5 5 5	6 6 6	6 6 6	5 7 6	7 6 7	5 5 5	6 7 6	6 8 7	6 7 6	6 8 7	6 8 7
Acute nephritis, Uræmia...	M F P	101 78 89	101 83 92	111 80 95	111 77 93	102 81 91	97 80 89	102 84 93	102 84 93	103 88 95	111 89 99	116 95 105	115 102 108	110 92 100	110 101 105	109 93 101
Chronic Bright's disease, Albuminuria.	M F P	300 244 271	320 260 289	345 269 306	332 264 297	315 247 280	315 256 284	335 261 296	317 252 283	331 258 294	332 272 301	316 258 286	328 267 296	319 261 289	327 269 297	332 275 303
Calculus (not biliary) ...	M F P	13 4 9	12 3 8	11 5 8	12 4 7	11 4 8	10 4 7	11 5 8	11 4 7	11 4 8	12 4 8	9 4 7	9 5 7	9 4 7	11 4 7	10 5 7
Diseases of bladder and of prostate.	M F P	131 13 70	137 13 73	133 15 72	135 13 72	138 14 74	141 13 75	138 14 74	136 13 73	145 13 77	131 13 70	133 14 71	129 13 69	126 12 67	144 14 77	134 13 71
Other diseases of urinary system.	M F P	33 17 25	30 14 22	18 7 13	15 9 12	29 7 18	28 8 17	28 8 18	30 8 19	29 9 18	28 8 18	29 7 17	25 7 16	31 9 20	33 10 21	32 11 21
Ovarian tumour (not malignant).	M F P	— 27 14	— 27 14	— 24 13	— 21 11	— 22 11	— 22 11	— 20 10	— 22 11	— 21 11	— 20 10	— 16 8	— 17 9	— 16 8	— 17 9	— 15 8
Other diseases of ovary ...					4 2	3 1	4 2	3 1	2 1	3 1	3 1	2 1	2 1	1 1	1 1	1 0

* For the years 1901–3, deaths from Ulceration of intestines are included under the heading Enteritis (not epidemic).

† Since 1902, Hernia, when strangulated, has been taken as the cause of death when occurring with certain other diseases.

‡ For years prior to 1901, deaths from Diseases of the Oesophagus and from Other diseases of intestines are included under the heading Other diseases of digestive system.

§ Deaths from Cretinism and Myxoedema, which in the old tables were included with "Other Constitutional Diseases," have been classed under this heading since 1901.

|| From 1902 onwards, deaths from Stricture of the Urethra are included under this heading. See also note to Gonorrhoea.

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1898–1912.—MALES, FEMALES, AND PERSONS—*continued*.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.
Uterine tumour (not malignant).	M	—	—	—	20	20	21	20	21	20	18	20	16	17	17	17
	F	42	43	40	10	10	11	10	11	10	9	10	8	9	9	9
Other diseases of Uterus and vagina.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	22	22	21	10	18	16	18	19	17	18	16	18	15	19	17
	P	—	—	—	10	9	8	9	10	9	9	8	10	8	10	9
Disorders of menstruation	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	5	6	5	3	3	2	2	2	3	2	2	1	2	1
	P	2	3	3	2	2	2	1	1	1	1	1	1	1	1	1
Other diseases of generative and mammary organs.	M	6	6	7	5	4	3	4	3	4	3	2	3	4	4	4
	F	4	4	3	1	1	0	1	1	1	1	1	1	1	1	1
	P	5	5	5	3	3	2	3	2	2	2	2	2	2	3	3
Abortion, miscarriage ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	11	13	9	9	9	8	9	8	6	5	5	4	5	6
	P	6	6	7	5	4	5	4	4	4	3	2	2	2	2	3
Puerperal mania ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	4	4	4	5	4	4	4	4	4	3	2	3	2	2
	P	2	2	2	2	2	2	2	2	2	2	2	1	1	1	1
Puerperal convulsions ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	24	21	23	22	24	24	23	27	25	25	23	25	24	24	24
	P	12	11	12	12	12	12	12	14	13	13	12	13	12	13	12
Placenta prævia, flooding	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	41	42	37	42	37	39	33	35	35	34	31	31	33	30	32
	P	21	22	19	21	19	20	17	18	18	18	16	16	17	15	17
Other accidents of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	62	65	69	60	55	52	48	49	48	46	46	43	40	40	42
	P	32	33	36	31	28	27	25	26	25	24	24	22	21	21	22
Caries, Necrosis ...	M	29	29	28	27	26	23	19	17	16	12	12	6	2		
	F	21	21	21	20	18	17	13	14	11	10	8	4	1		
	P	25	25	24	23	21	20	16	15	13	11	10	5	2		
Arthritis, Periostitis ...	M	10	11	11	7	9	7	8	8	7	8	10	9	7	23	24
	F	6	8	7	5	5	5	6	5	5	6	5	6	6	15	15
	P	8	9	9	6	7	6	7	7	6	7	7	7	7	19	20
Other diseases of locomotor system.	M	11	12	9	12	9	10	10	11	12	9	9	10	12		
	F	11	11	9	10	8	8	7	8	10	6	6	7	8		
	P	11	12	9	11	9	9	8	9	11	7	7	8	10		
Ulcer, Bed-sore ...	M	11	11	12	10	8	10	8	9	9	9	8	9	9	8	8
	F	22	22	22	19	16	15	17	17	17	19	17	15	17	14	15
	P	17	17	17	15	12	12	13	13	13	14	12	12	13	11	12
Eczema ...	M	14	13	14	12	14	13	12	12	12	10	10	8	8	10	9
	F	11	9	9	10	8	8	8	7	6	7	6	6	6	5	5
	P	13	11	12	11	11	10	10	9	9	8	8	7	7	7	7
Scrophulous ...	M	5	5	6	6	5	6	6	9	8	7	8	7	7	4	4
	F	4	4	5	4	4	5	5	7	6	6	6	6	5	4	3
	P	5	5	6	5	4	6	6	8	7	6	7	6	6	4	3
Other diseases of the skin	M	7	7	9	8	7	6	6	7	7	8	7	6	7	7	7
	F	6	7	8	7	7	6	6	7	6	7	6	7	6	8	7
	P	7	7	9	7	7	6	6	7	6	7	6	7	7	7	7
Other specified diseases* ...	M	22	24	27	—	0	0	0	0	—	—	—	—	—	—	—
	F	37	44	45	—	0	—	—	—	—	—	—	0	—	—	—
	P	30	34	36	—	0	0	0	0	—	—	—	0	—	—	—
Atrophy, Debility ...	M	739	733	730	704	621	608	598	553	536	497	498	459	425	451	357
	F	559	553	540	517	459	449	447	394	395	350	356	334	308	321	244
	P	646	640	632	607	537	526	520	471	463	421	424	395	364	382	299
Old age ...	M	798	873	879	829	826	807	844	820	856	829	835	850	776	828	749
	F	1018	1089	1082	1019	1012	998	1062	1030	1071	1061	1040	1066	990	1043	965
	P	910	984	983	930	923	902	962	928	970	951	950	959	890	936	857
Dropsy, Ascites, Anasarca	M	9	9	8	5	5	4	3	3	2	4	2	1	1	1	1
	F	11	13	13	8	6	6	4	4	3	4	2	2	1	2	1
	P	10	11	11	7	5	5	4	4	2	4	2	2	1	2	1
Tumour ...	M	2	2	2	2	2	2	2	2	2	2	2	2	2	3	4
	F	3	3	3	3	3	3	3	3	2	3	3	3	3	4	4
	P	3	3	2	3	2	3	3	2	2	3	2	3	2	3	4
Abscess ...	M	12	11	11	11	11	11	10	8	8	9	12	8	8	7	9
	F	12	11	10	9	9	9	7	6	7	8	9	7	6	5	6
	P	12	11	11	10	10	10	9	7	8	8	11	8	7	6	7

* The figures for years prior to 1901 refer to deaths then classed either to "Other Miasmatic Diseases" or to "Other Constitutional Diseases."

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1898-1912.—MALES, FEMALES, AND PERSONS—*continued.*
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1898	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.
Hæmorrhage*	M	4	5	4	1	2	2	1	1	1	1	1	1	2	2	1
	F	3	2	3	1	1	1	1	1	1	1	1	1	1	1	1
	P	3	4	4	1	2	1	1	1	1	1	1	1	1	2	1
Sudden death (cause un- ascertained).	M	7	8	9	7	6	6	2	1	1	1	0	0	0	0	0
	F	6	5	7	4	5	3	1	1	0	0	1	1	0	0	0
	P	6	7	8	5	5	4	1	1	1	1	0	1	0	0	0
Other ill-defined causes ...	M		3	2	13	25	28	27	28	28	25	24	23	23	16	12
	F		1	2	9	18	21	20	22	18	16	15	15	13	10	8
	P	62	2	2	11	21	25	23	25	23	21	19	19	18	13	10
Causes not specified ...	M	46														
	F	54	61	61	43	21	9	9	8	6	7	5	4	6	6	4
	P		42	47	26	15	7	5	4	3	4	3	3	4	3	3
			51	54	34	18	8	7	6	5	5	4	3	5	4	4
Violent Deaths :—																
In mines and quarries ...	M				64	61	58	60	68	65	65	67	80	75	85	68
	F				0	0	0	0	0	0	0	0	0	0	0	0
	P				31	30	28	29	33	31	31	33	39	36	41	33
Vehicles and horses ...	M				146	139	133	129	126	128	131	125	112	115	131	133
	F				23	19	19	19	20	21	19	20	19	22	25	25
	P				82	77	74	72	71	73	73	71	64	67	76	77
Ships, boats, and docks (not drowning).	M				21	17	18	18	17	16	15	16	15	15	17	19
	F				0	0	0	0	0	0	0	0	0	0	0	0
	P				10	8	9	8	8	8	7	8	7	7	8	9
Building operations ...	M				12	13	13	12	14	14	14	13	10	11	12	12
	F				6	6	6	6	7	7	7	6	5	6	6	6
	P															
Machinery	M				13	16	15	15	12	14	14	13	12	11	14	13
	F				1	1	1	0	1	1	0	1	0	1	1	0
	P				7	8	8	7	6	7	7	6	6	6	7	6
Weapons and implements	M				8	7	6	7	6	6	5	5	6	5	5	6
	F				1	1	1	1	0	1	1	1	1	1	1	1
	P				5	4	3	4	3	3	3	3	3	2	3	3
Burns and scalds	M	746	800	764	78	64	62	62	63	65	66	63	64	57	60	55
	F	306	327	300	91	86	75	79	83	86	84	87	86	72	75	75
	P	518	554	525	84	75	69	71	73	76	75	75	75	65	68	65
Poisons,poisonous vapours	M				19	21	18	20	19	21	20	21	21	19	12	12
	F				12	9	10	11	11	11	12	10	10	11	7	6
	P				16	15	14	15	15	16	16	16	16	14	10	9
Drowning	M				150	117	131	124	126	119	112	121	105	108	128	116
	F				24	23	24	22	25	21	20	22	22	21	22	23
	P				85	69	76	71	74	68	65	70	62	63	73	68
Suffocation	M				65	68	63	68	62	59	62	55	48	46	43	45
	F				56	56	54	56	49	50	48	49	42	40	37	40
	P				60	62	59	62	55	55	55	52	45	42	40	43
Falls	M				96	94	86	85	78	83	87	82	78	74	87	91
	F				77	69	68	66	63	67	71	68	69	58	70	71
	P				86	81	77	75	70	75	79	75	74	66	78	80
Weather agencies	M				19	11	10	12	10	13	8	10	8	8	26	11
	F				8	4	2	5	4	5	2	3	3	2	11	3
	P				13	7	6	8	7	9	4	7	6	5	18	7
Otherwise or not stated	M				73	59	57	57	57	52	51	54	48	51	44	44
	F				20	18	17	17	14	16	15	15	15	21	16	15
	P				45	38	36	36	35	34	33	34	31	35	30	29
Battle	M	—	—	1	0	0	0	—	0	0	0	0	—	—	0	0
	F	—	—	0	0	0	0	—	0	0	0	0	—	—	0	0
	P	—	—	0	0	0	0	—	0	0	0	0	—	—	0	0
Homicide	M	11	9	9	10	8	9	11	8	8	8	9	8	8	9	8
	F	9	9	8	10	10	9	9	10	8	7	9	8	8	7	9
	P	10	9	9	10	9	9	10	9	8	8	9	8	8	8	9
Suicide	M	142	138	139	147	154	164	155	163	160	157	167	157	155	152	153
	F	44	44	44	48	47	51	47	49	45	50	51	49	48	50	48
	P	91	89	90	96	99	105	99	104	101	102	107	101	100	99	98
Execution	M	1	1	1	1	1	1	1	1	0	1	1	1	1	1	1
	F	—	0	0	—	—	—	0	—	—	0	—	—	—	—	—
	P	0	0	0	0	1	1	1	1	0	0	0	1	0	0	0

* Deaths from Rupture of blood vessels are included under this heading for years prior to 1901, and under " Other diseases of blood vessels " subsequently.

TABLE 21.—ENGLAND AND WALES.—CRUDE DEATH-RATES at ALL AGES from
VARIOUS CAUSES, 1912.

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.			International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.			Males.	Females.	Persons.
	All Causes ...	14,120	12,512	13,290	32	Tuberculosis of spinal column.	19	14	16
1	Enteric fever ...	52	36	44	33	Tuberculosis of joints	11	8	9
2	Typhus... ..	0	0	0	34	Tuberculosis of other organs.	21	14	18
3	Relapsing fever ...	—	—	—		A. Lupus	1	2	2
	A. Relapsing fever...	—	—	—		B. Scrofula	0	0	0
	B. Mediterranean fever.	—	—	—		C. Other tuberculosis included under 34.	20	12	16
4	Malaria	3	0	2		Disseminated tuberculosis.	62	54	58
5	Small-pox	0	0	0	35	Tuberculosis (All Forms)	1,569	1,175	1,366
6	Measles... ..	375	328	351	36	Rickets, Softening of bones.	25	19	22
7	Scarlet fever ...	56	53	54		A. Rickets	24	17	21
8	Whooping cough ...	210	247	229		B. Other forms of bone softening.	1	2	1
9	Diphtheria, Croup ...	120	117	118	37	Syphilis	62	41	51
	A. Diphtheria ...	118	116	117	38	Other venereal diseases	2	2	2
	B. Membranous laryngitis.	0	0	0		A. Soft chancre ...	—	—	—
	C. Croup	2	1	1		B. Gonococcus infection.	1	1	1
10	Influenza	151	141	146	39	C. Purulent ophthalmia.	1	1	1
11	Miliary fever ...	—	—	—	40	Cancer of the buccal cavity.	115	17	64
12	Asiatic cholera ...	—	—	—	41	Cancer of the stomach, liver, &c.	370	318	343
13	Cholera nostras ...	1	0	0	42	Cancer of the peritoneum, intestines, and rectum.	195	204	200
14	Dysentery	5	5	5	43	Cancer of the female genital organs.	—	246	127
15	Plague	0	—	0	44	Cancer of the breast ...	1	197	103
16	Yellow fever ...	—	—	—	45	Cancer of the skin ...	32	19	25
17	Leprosy	—	0	0		Cancer of other or unspecified organs.	200	116	157
18	Erysipelas	28	22	25	39-45	Cancer (All Sites) ...	913	1,117	1,019
19	Other epidemic diseases	4	3	4	46	Other tumours (situation undefined).	4	4	4
	A. Mumps	1	0	1		A. Angioma	—	0	0
	B. German measles	1	1	1		B. Adenoma	—	0	0
	C. Varicella... ..	2	2	2		C. Other tumours included under 46.	4	4	4
	D. Other diseases included under 19.	—	—	—	47	Rheumatic fever ...	52	56	54
20	Pyæmia, Septicæmia ...	21	10	16	48	Chronic rheumatism, Osteo-arthritis, Gout.	42	59	51
	A. Pyæmia	4	2	3		A. Chronic rheumatism.	8	11	10
	B. Septicæmia ...	17	8	13		B. Osteo-arthritis ...	18	44	31
	C. Vaccinia	0	0	0		C. Gout	16	4	10
21	Glanders	—	—	—	49	Scurvy	1	1	1
22	Anthrax (Splenic fever)	1	—	0	50	Diabetes	116	105	111
23	Rabies	—	—	—	51	Exophthalmic goitre ...	2	20	11
24	Tetanus	8	2	5	52	Addison's disease ...	6	8	7
25	Mycoses	1	0	1	53	Leucocythæmia, Lymphadenoma.	22	17	19
	A. Actinomycosis ...	1	0	1		A. Leucocythæmia (Leuchæmia).	12	11	11
	B. Other mycoses ...	0	0	0		B. Lymphadenoma ...	10	6	8
26	Pellagra	0	—	0	54	Anæmia, Chlorosis ...	49	63	56
27	Beri-beri	0	—	0	55	Other general diseases	14	14	14
28	Pulmonary tuberculosis (not acute).	1,108	777	937		A. Diabetes insipidus	1	1	1
	A. Pulmonary tuberculosis.	709	479	590		B. Purpura	7	10	8
	B. Phthisis (not defined as tuberculous).	399	298	347		C. Hæmophilia ...	4	2	3
29	Acute phthisis, Acute miliary tuberculosis.	109	96	102		D. Other diseases included under 55.	2	1	2
	A. Acute phthisis ...	86	75	80					
	B. Acute miliary tuberculosis.	23	21	22					
28-29	Phthisis	1,217	873	1,039					
30	Tuberculous meningitis	146	128	137					
31	Tuberculosis of peritoneum and intestines.	93	84	89					
	A. Tabes mesenterica	15	13	14					
	B. Other peritoneal and intestinal tubercle.	78	71	75					

TABLE 21.—ENGLAND AND WALES.—CRUDE DEATH-RATES at ALL AGES from
VARIOUS CAUSES, 1912—*continued*.

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.			International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.			Males.	Females.	Persons.
56	Alcoholism (acute or chronic).	19	11	15	72	Chorea... ..	2	6	4
57	Chronic lead poisoning	6	0	3	73	Hysteria, Neuralgia, Neuritis.	7	19	13
	A. Occupational lead poisoning.	6	—	3		A. Hysteria, Neuralgia, Sciatica.	1	2	1
	B. Non-occupational lead poisoning.	0	0	0		B. Neuritis... ..	6	17	12
58	Other chronic occupational poisonings.	0	0	0	74	Other diseases of the nervous system.	50	50	50
59	Other chronic poisonings.	1	0	0		A. Idiocy, Imbecility	6	5	6
60	Encephalitis	11	7	9		B. Cretinism	1	1	1
61	Meningitis	120	98	109		C. Cerebral tumour	22	20	21
	A. Cerebro-spinal fever.	5	3	4		D. Other diseases included under 74.	21	24	22
	B. Posterior basal meningitis.	6	5	5	75	Diseases of the eyes and annæa.	1	1	1
	C. Meningitis—other forms.	109	90	100	76	Diseases of the ears ...	33	24	28
62	Locomotor ataxy	31	6	18		A. Mastoid disease	8	6	7
63	Other diseases of the spinal cord.	81	61	71		B. Other diseases of the ears.	25	18	21
	A. Diseases formerly classed to "Other nervous affections."	29	23	26	77	Pericarditis	15	11	13
	B. Other diseases included under 63.	52	38	45	78	Acute endocarditis ...	44	50	46
64	Cerebral hæmorrhage, Apoplexy.	590	674	633		A. Acute myocarditis.	6	5	5
	A. Apoplexy	140	160	150		B. Infective endocarditis.	17	17	17
	B. Serous apoplexy and (Edema of brain.	4	4	4		C. Other acute endocarditis.	21	28	24
	C. Cerebral congestion.	3	3	3	79	Organic disease of the heart.	1,249	1,355	1,304
	D. Cerebral atheroma.	9	7	8		A. Valvular disease	522	582	553
	E. Cerebral hæmorrhage.	434	500	468		B. Fatty degeneration of the heart.	80	92	86
65	Softening of brain	45	43	44		C. Other organic disease of the heart.	647	681	665
66	Paralysis without specified cause.	68	83	76	80	Angina pectoris	42	19	30
	A. Hemiplegia	55	71	64	81	Diseases of the arteries, Atheroma, Aneurysm, &c.	236	118	174
	B. Paraplegia	5	4	4		A. Aneurysm	54	10	31
	C. Other forms of paralysis.	8	8	8		B. Arterial sclerosis	176	105	139
67	General paralysis of the insane.	102	25	62	82	C. Other diseases of arteries.	6	3	4
68	Other forms of mental alienation.	33	41	37		Embolism and thrombosis.	66	93	80
69	Epilepsy	81	70	75		A. Cerebral embolism and thrombosis.	59	83	71
70	Convulsions (non-puerperal; 5 years and over).	3	3	3	83	B. Other embolism and thrombosis.	7	10	9
	A. Epileptiform convulsions.	1	1	1		Diseases of the veins (Varices, Hæmorrhoids, Phlebitis &c.).	6	12	9
	B. Others included under 70.	2	2	2		A. Phlebitis	4	6	5
71	Infantile convulsions (under 5 years of age).	285	195	238	84	B. Varix	2	6	4
	A. Convulsions with teething.	36	29	32		C. Pylephlebitis ...	0	0	0
	B. Other infantile convulsions.	249	166	206		D. Varicocele	0	—	0
						Diseases of the lymphatic system (Lymphangitis, &c.)	8	5	6
						A. Status lymphaticus.	5	3	4
						B. Other diseases of the lymphatic system.	3	2	2

TABLE 21.—ENGLAND AND WALES.—CRUDE DEATH-RATES at ALL AGES from
VARIOUS CAUSES, 1912—*continued*.

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.			International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.			Males.	Females.	Persons.
85	Hæmorrhage; other diseases of the circulatory system.	6	5	5		C. Parotitis ...	0	1	1
	A. Functional disease of the heart.	4	3	3		D. Other diseases included under 99.	1	0	1
	B. Epistaxis ...	1	1	1	100	Diseases of the pharynx, Tonsillitis.	15	13	14
	C. Other diseases included under 85.	1	1	1		A. Tonsillitis ...	11	10	10
86	Diseases of the nasal fossæ.	2	2	2		B. Ludwig's angina	1	0	1
87	Diseases of the larynx	35	23	29	101	C. Other diseases of the pharynx.	3	3	3
	A. Laryngismus stridulus.	7	3	5		Diseases of the œsophagus.	2	2	2
	B. Laryngitis ...	27	19	23	102	Perforating ulcer of stomach.	49	51	50
	C. Other diseases of larynx.	1	1	1	103	Other diseases of the stomach.	102	91	96
88	Diseases of the thyroid body.	3	11	7		A. Inflammation of stomach.	81	74	77
89 & 90	Bronchitis ...	1,089	1,081	1,084		B. Other diseases included under 103.	21	17	19
	A. Bronchiectasis, Bronchial catarrh, &c.	21	16	18	104 & 105	Diarrhœa and enteritis	360	271	317
	B. Other bronchitis	1,068	1,065	1,066		A. Infective enteritis	78	60	69
91	Broncho-pneumonia...	511	439	474		B. Diarrhœa — Not returned as infective.	75	64	69
92	Pneumonia, lobar and undefined.	694	406	545		C. Enteritis — Not returned as infective.	82	66	74
	A. Lobarpneumonia	282	156	217		D. Gastro-enteritis—Not returned as infective.	80	61	71
	B. Pneumonia (type not stated).	412	250	328		E. Dyspepsia—under 2 years.	7	4	6
93	Pleurisy ...	49	31	40		F. Colic ...	2	1	2
	A. Empyema ...	15	7	11		G. Ulceration of intestines.	8	9	9
	B. Other Pleurisy...	34	24	29		H. Duodenal ulcer	28	6	17
94	Pulmonary congestion, Pulmonary apoplexy.	49	50	49	106	Ankylostomiasis ...	—	—	—
	A. Pulmonary apoplexy and infarction.	1	1	1	107	Other intestinal parasites.	0	1	0
	B. Pulmonary œdema and congestion.	42	42	42	108	Appendicitis ...	75	55	64
	C. Hypostatic pneumonia.	6	7	6	109	Hernia, Intestinal obstruction.	108	108	108
	D. Collapse of lung (3 months and over).	0	0	0		A. Hernia ...	40	42	41
95	Gangrene of the lung	4	1	3	110	B. Intestinal obstruction.	68	66	67
96	Asthma ...	52	37	44		Other diseases of the intestines.	13	12	12
97	Pulmonary emphysema.	17	7	12	111	Acute yellow atrophy of the liver.	1	2	2
98	Other diseases of the respiratory system.	25	9	17	112	Hydatid of liver ...	1	1	1
	A. Fibroid disease of lung.	14	4	9		Cirrhosis of the liver	118	87	103
	B. Other diseases included under 98.	11	5	8	113	A. Cirrhosis of the liver not returned as alcoholic.	107	78	92
99	Diseases of the mouth and annexa.	13	11	13		B. Cirrhosis of the liver returned as alcoholic.	8	7	8
	A. Diseases of the teeth and gums.	8	6	7		C. Diseases formerly classed to "Other diseases of liver and gall bladder."	3	2	3
	B. Thrush, Aphthous stomatitis.	4	4	4					

TABLE 21.—ENGLAND AND WALES.—CRUDE DEATH-RATES at ALL AGES from
VARIOUS CAUSES, 1912—*continued*.

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.			International List Numbers	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.			Males.	Females.	Persons.
114	Biliary calculi ...	13	30	22	131	Ovarian cyst, tumour (non cancerous).	—	15	8
115	Other diseases of the liver.	22	24	23	132	Other diseases of the female genital organs.	—	11	5
116	Diseases of the spleen	1	1	1		A. Diseases of ovary (excluding ovarian tu- mour).	—	1	0
	A. Infarction of spleen.	0	0	0		B. Other diseases in- cluded under 132).	—	10	5
	B. Other diseases of the spleen.	1	1	1					
117	Peritonitis (cause un- stated).	11	14	13	133	Non-puerperal diseases of the breast (non- cancerous).	0	1	1
118	Other diseases of the digestive system.	6	5	6	134	Accidents of preg- nancy.	—	18	8
	A. Abdominal ab- scess, Sub- phrenic abscess.	1	1	1		A. Abortion ...	—	6	3
	B. Other diseases in- cluded under 118.	5	4	5		B. Hæmorrhage of pregnancy.	—	5	2
119	Acute nephritis ...	59	46	52		C. Uncontrollable vomiting.	—	2	1
120	Bright's disease ...	382	313	346		D. Ectopic gestation	—	4	2
	A. Bright's disease as in 1901 list.	332	273	301		E. Other accidents of pregnancy.	—	1	0
	B. Nephritis (un- qualified), 10 years and over, and Uræmia.	50	40	45	135	Puerperal hæmorrhage	—	28	14
121	Chyluria ...	0	—	0	136	Other accidents of childbirth.	—	20	10
122	Other diseases of the kidney and annexa.	15	12	13	137	Puerperal fever ...	—	64	33
	A. Abscess of kidney	2	1	1	138	Puerperal albuminuria and convulsions.	—	33	17
	B. Cystic disease ...	1	1	1		A. Puerperal ne- phritis and uræmia.	—	7	4
	C. Suppression of urine.	0	0	0		B. Puerperal albu- minuria and Bright's disease.	—	2	1
	D. Other diseases in- cluded under 122.	12	10	11		C. Puerperal con- vulsions.	—	24	12
123	Calculi of the urinary passages.	10	5	7	139	Puerperal phlegmasia alba dolens, em- bolism, and sudden death.	—	19	10
124	Diseases of the bladder	56	13	34		A. Puerperal phleg- masia alba dolens and phlebitis.	—	3	2
125	Diseases of the urethra, Urinary abscess, &c.	21	0	10		B. Puerperal em- bolism and sudden death.	—	16	8
	A. Perineal abscess	2	—	1	140	Puerperal insanity ...	—	2	1
	B. Other diseases of urethra, &c.	19	0	9	141	Puerperal diseases of the breast.	—	0	0
126	Diseases of the pros- tate.	78	—	38	142	Gangrene ...	45	35	40
127	Non-venereal diseases of male genital organs.	2	—	1		A. Senile gangrene	40	30	35
128	Uterine hæmorrhage (non-puerperal).	—	0	0		B. Noma, Gangrene of mouth.	2	3	2
	A. Menorrhagia ...	—	0	0		C. Noma pudendi ...	1	0	1
	B. Other uterine hæmorrhage.	—	0	0		D. Other gangrene	2	2	2
129	Uterine tumour (non- cancerous).	—	17	9	143	Carbuncle, Boil ...	10	4	7
130	Other diseases of the uterus.	—	8	4	144	Phlegmon, Acute ab- scess.	20	15	18
	A. Disorders of men- struation (ex- cept menorr- hagia).	—	1	0		A. Phlegmon ...	14	10	12
	B. Other diseases in- cluded under 130.	—	7	4		B. Acute abscess ...	6	5	6

TABLE 21.—ENGLAND AND WALES.—CRUDE DEATH-RATES at ALL AGES from
VARIOUS CAUSES, 1912—*continued*.

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.			International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.			Males.	Females.	Persons.
145	Diseases of the integumentary system.	27	29	28	163	Other suicides ...	1	0	1
	A. Ulcer, Bedsore...	8	15	12	164	Poisoning by food ...	3	3	3
	B. Eczema ...	9	5	7	165	Other acute poisonings	8	4	6
	C. Pemphigus ...	4	3	3	166	Conflagration ...	3	3	3
	D. Other diseases of the integumentary system.	6	6	6	167	Burns (conflagration excepted).	52	72	62
146	Diseases of the bones	18	9	14	168	Absorption of deleterious gases (conflagration excepted).	45	39	42
147	Diseases of the joints	3	3	3	169	Accidental drowning	116	23	68
148	Amputations ...	0	—	0	170	Injury by firearms ...	4	1	2
149	Other diseases of locomotor system.	1	1	1	171	Injury by cutting or piercing instruments.	2	1	1
150	Congenital malformations.	113	82	98	172	Injury by fall ...	113	71	92
	A. Congenital hydrocephalus.	10	6	8	173	Injury in mines and quarries.	67	—	33
	B. Phimosis ...	1	—	1	174	Injury by machines ...	15	0	7
	C. Congenital malformation of heart.	46	31	39	175	Injury by other crushing (vehicles, railways, landslides, &c.).	148	26	85
	D. Other congenital malformations.	56	45	50	176	Injury by animals ...	6	1	3
151	Premature birth, Infantile debility, Icterus, and Sclerema.	916	640	774	177	Starvation ...	1	1	1
	A. Premature birth	546	394	467	178	Excessive cold ...	5	1	3
	B. Infantile atrophy, debility, and marasmus.	337	228	281	179	Effects of heat ...	5	2	3
	C. Icterus neonatorum.	25	14	19	180	Lightning ...	1	0	1
	D. Sclerema and œdema neonatorum.	1	0	1	181	Electricity (lightning excepted).	1	—	1
	E. Want of breast milk.	7	4	6	182	Homicide by firearms	1	1	1
152	Other diseases peculiar to early infancy.	93	60	77	183	Homicide by cutting or piercing instruments.	1	2	2
	A. Diseases of umbilicus, &c.	11	8	10	184	Homicide by other means.	6	6	6
	B. Atelectasis ...	48	32	40	185	Fractures (cause not specified).	4	1	2
	C. Injuries at birth	32	19	26	186	Other violence ...	24	8	16
	D. Cyanosis neonatorum.	2	1	1	187	Dropsy ...	1	1	1
153	Lack of care ...	7	7	7	188	Syncope, Sudden death	11	6	8
154	Old age ...	774	996	884		A. Syncope (aged 1 year and under 70 years).	11	6	8
	A. Senile dementia	25	30	27		B. Sudden death not otherwise defined.	0	0	0
	B. Senile decay ...	749	966	857	189	Ill-defined causes ...	78	60	69
155	Suicide by poison ...	18	12	15		A. Heart failure (aged 1 year and under 70 years).	43	31	37
156	Suicide by asphyxia ...	6	2	4		B. Atrophy, debility, marasmus (aged 1 year and under 70 years).	17	17	17
157	Suicide by hanging or strangulation.	42	8	25		C. Teething ...	2	1	1
158	Suicide by drowning	28	16	22		D. Pyrexia ...	0	0	0
159	Suicide by firearms ...	15	1	8		E. Other ill-defined deaths.	12	8	10
160	Suicide by cutting or piercing instruments.	30	5	17		F. Cause not specified.	4	3	4
161	Suicide by jumping from high place.	3	1	2					
162	Suicide by crushing...	10	2	6					

TABLE 22.—ENGLAND AND WALES.—ANNUAL DEATH-RATES from the PRINCIPAL EPIDEMIC DISEASES, 1838-1912.

Period.	Annual Mortality per Million Persons Living.													
	At All Ages.									At Ages under 15 Years.				
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Diphtheria and Croup.	Whooping Cough.	Typhus.	Enteric Fever.	Pyæmia. (Origin uncertain.)	Measles.	Scarlet Fever.	Diphtheria.	Diphtheria and Croup.	Whooping Cough.
1838-42 (5 years)	576	539	797		?	504	1,053			?	?		?	?
1847-50 (4 years)	292	403	884		?	480	1,246			1,115	2,385		?	1,345
1851-55	249	399	907		?	511	983			1,114	2,481		?	1,439
1856-60	195	425	806	246	520	498	842			1,185	2,201	609	1,379	1,398
1861-65	219	457	982	248	535	516	922			1,265	2,646	617	1,422	1,437
1866-70	105	428	960	127	335	545	850			1,180	2,589	314	891	1,511
1871-75	411	373	759	121	305	499	81	374	140	1,023	2,018	298	807	1,378
1876-80	78	385	680	122	276	527	34	277	69	1,051	1,806	302	726	1,450
1881-85	78	413	436	156	320	459	23	216	34	1,138	1,160	396	848	1,269
1886-90	14	468	241	170	295	444	7	179	17	1,313	656	445	799	1,250
1891-95	20	407	182	253	323	398	4	174	8	1,174	498	694	896	1,151
1896-1900	7	421	135	272	307	359	1	175	4	1,260	380	790	893	1,079
1901-05	25	327	126	205	222	301	1	113	2	1,016	366	616	668	940
1906-10	0	291	86	154	162	253	0	70	1	930	257	476	503	813
1863	286	550	1,478	315	652	547	874			1,525	3,966	797	1,740	1,528
1864	364	397	1,418	261	585	409	960			1,101	3,796	642	1,546	1,142
1865	301	405	837	196	476	409	1,089			1,122	2,243	484	1,265	1,140
1866	139	511	546	140	381	736	986			1,414	1,465	346	1,019	2,050
1867	114	304	567	120	322	548	778			838	1,529	298	861	1,523
1868	91	528	996	137	341	419	895			1,460	2,681	340	907	1,164
1869	67	464	1,244	117	319	493	193	390	239	1,277	3,334	290	849	1,369
1870	113	335	1,446	120	311	529	147	388	233	920	3,844	297	827	1,466
1871	1,012	408	815	111	292	455	121	371	186	1,121	2,147	273	773	1,258
1872	821	368	515	93	250	596	80	377	145	1,010	1,364	229	664	1,648
1873	98	316	562	108	291	411	70	376	132	869	1,504	269	774	1,135
1874	88	517	1,050	150	361	437	74	374	130	1,418	2,798	367	950	1,205
1875	35	257	851	142	331	594	62	371	108	704	2,255	348	869	1,637
1876	99	408	691	129	301	432	48	309	81	1,117	1,828	320	794	1,190
1877	173	366	585	111	269	460	45	279	78	1,001	1,553	274	709	1,265
1878	74	310	753	140	302	710	36	306	71	846	2,009	349	795	1,953
1879	21	362	694	120	261	503	21	231	58	987	1,845	296	683	1,379
1880	25	478	675	109	247	530	21	261	58	1,299	1,789	271	651	1,454
1881	119	280	548	121	259	415	21	212	44	764	1,450	300	679	1,141
1882	50	483	521	152	327	579	36	229	39	1,323	1,389	386	868	1,595
1883	36	350	475	158	330	393	33	228	36	962	1,270	401	878	1,086
1884	82	419	402	186	362	425	12	236	28	1,156	1,082	473	961	1,180
1885	103	533	233	164	320	481	12	175	24	1,475	623	418	852	1,342
1886	11	436	218	149	283	470	9	184	22	1,213	588	385	759	1,314
1887	19	602	282	160	303	404	8	185	18	1,684	764	414	815	1,135
1888	37	347	226	171	300	436	6	172	15	972	614	447	810	1,227
1889	1	518	235	189	303	430	5	176	15	1,457	646	503	825	1,216
1890	0	439	242	179	288	478	5	179	13	1,240	665	474	785	1,358
1891	2	436	170	173	264	468	5	168	11	1,237	465	460	719	1,335
1892	15	459	190	222	298	454	3	137	8	1,317	519	603	821	1,307
1893	49	373	235	318	389	342	5	229	9	1,075	629	869	1,074	991
1894	27	391	167	291	349	410	4	159	7	1,136	461	809	978	1,198
1895	7	377	149	259	313	315	2	175	5	1,106	418	729	889	927
1896	17	570	177	291	342	429	2	166	5	1,685	495	829	981	1,274
1897	0	408	147	246	281	367	2	156	4	1,214	414	700	805	1,097
1898	8	419	113	243	270	323	1	181	4	1,256	320	705	788	973
1899	5	314	117	292	324	318	1	198	4	948	334	857	953	965
1900	3	394	119	290	316	356	1	173	4	1,199	340	856	936	1,090
1901	10	277	133	273	298	313	1	155	3	850	380	809	888	965
1902	75	392	148	237	255	298	2	126	3	1,211	427	710	768	924
1903	23	275	125	183	196	286	2	101	2	854	364	550	592	893
1904	15	365	112	170	184	353	1	93	2	1,141	330	520	564	1,109
1905	4	326	113	161	175	256	1	90	2	1,025	333	489	532	809
1906	1	275	101	178	191	242	0	92	1	871	301	545	587	768
1907	0	364	93	165	176	296	1	68	1	1,157	275	507	541	944
1908	0	228	80	158	167	280	0	75	1	729	236	492	521	899
1909	0	356	91	148	155	203	0	60	0	1,145	273	462	484	654
1910	0	232	66	120	122	246	0	53	0	750	200	377	384	798
1911	1	363	52	135	137	217	0	67	0	1,177	159	426	435	707
1912	0	351	54	117	118	229	0	44	0	1,139	166	368	372	748

TABLE 23.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGHs : MORTALITY FROM THE principal EPIDEMIC DISEASES AND FROM certain OTHER CAUSES, 1911 and 1912.

Administrative Counties. and County Boroughs.	Mortality per Million Persons Living at All Ages.						Mortality per 100,000 Persons Living.						Mortality per 1,000 Births.														
	Small-pox.			Enteric Fever.			Tuberculosis, All Forms.			Phthisis.			At Ages under 5 Years.			At Ages under 15 Years.			Total Deaths under One Year.			Diarrhoea and Enteritis under Two Years.		Childbirth (Mothers).		Puerperal Fever.	
	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	
Measles.		Whooping cough.		Scarlet Fever.		Diphtheria and Croup.																					
1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.		
England and Wales	1	0	67	44	1,468	1,366	1,084	1,039	312	302	196	208	16	17	43	37	130	95	44·04	9·18	2·44	2·59	1·43	1·39			
<i>Administrative Counties.</i>	—	—	—	20	1,787	1,570	1,256	1,314	—	62	227	62	7	—	46	66	128	98	21·64	11·79	5·41	4·91	7·21	1·96			
Anglesey	—	—	72	25	1,214	1,007	902	810	142	161	74	224	4	12	40	19	114	82	43·97	5·66	1·91	1·72	1·19	0·98			
Bedfordshire...	—	—	31	5	965	1,056	720	759	148	106	148	138	2	4	39	30	79	64	21·00	3·44	2·56	1·59	1·28	1·06			
Berkshire	—	—	84	—	1,111	1,067	875	767	30	389	75	344	5	5	21	26	131	107	40·29	7·93	1·98	6·61	3·96	1·32			
Brecknockshire	—	—	41	9	999	984	750	764	170	86	92	114	3	1	29	27	90	78	26·20	6·16	1·31	1·83	1·09	0·91			
Buckinghamshire	—	—	31	31	1,167	1,167	801	904	341	33	58	223	8	38	79	167	98	68	27·14	4·58	1·55	0·76	1·94	0·76			
Cambridgeshire	—	—	33	33	2,623	2,294	2,072	1,926	103	83	165	62	25	32	32	26	128	84	14·95	7·61	1·87	10·47	0·93	4·76			
Cardiganshire	—	—	37	31	1,676	1,625	1,242	1,185	157	287	162	149	6	10	52	49	127	104	24·45	6·63	4·27	4·02	2·37	2·60			
Carmarthenshire	6	—	56	32	2,216	1,961	1,672	1,504	251	52	139	269	3	6	45	45	109	113	14·74	5·73	4·50	3·68	1·23	2·05			
Carnarvonshire	—	—	57	47	1,293	1,150	890	825	213	224	224	151	15	18	43	32	131	91	45·23	7·70	3·25	3·78	1·19	1·62			
Cheshire	1	—	34	30	1,669	1,520	1,267	1,238	49	72	351	125	4	4	65	29	132	85	40·14	5·96	4·34	2·75	1·50	1·07			
Cornwall	—	—	34	8	1,415	1,374	1,035	994	103	779	262	241	23	13	35	30	118	111	19·75	7·55	2·74	2·99	1·67	1·89			
Cumberland	—	—	34	14	1,509	1,071	1,047	771	26	346	336	128	4	9	70	17	129	102	30·79	7·54	3·61	4·35	2·22	1·16			
Denbighshire	—	—	52	51	1,105	1,021	730	718	209	193	140	200	17	23	60	27	136	95	40·49	7·13	2·69	2·13	0·96	1·65			
Derbyshire	—	—	76	52	1,374	1,048	1,070	830	349	42	98	157	2	5	44	43	96	74	21·31	4·65	3·13	2·27	1·16	2·50			
Devonshire	—	—	22	13	1,090	867	849	655	175	24	102	121	18	13	42	57	90	62	18·38	2·30	3·32	2·76	1·11	1·84			
Dorsetshire	9	—	171	67	1,527	1,420	921	893	318	365	295	204	21	27	48	43	159	107	51·84	8·77	2·73	3·14	1·38	1·05			
Durham	—	—	43	43	1,245	1,192	987	923	177	95	327	216	5	9	51	14	122	91	28·62	8·52	0·61	—	1·83	0·66			
Ely, Isle of	—	—	46	24	1,190	1,106	879	843	227	92	120	188	8	7	31	28	106	71	39·67	5·49	2·42	2·32	1·17	1·77			
Essex	1	—	65	11	1,387	1,189	1,075	934	89	195	395	205	54	13	57	27	108	82	21·60	4·73	1·30	—	0·43	1·72			
Flintshire	—	—	69	54	1,230	1,058	878	769	308	361	135	361	19	24	41	32	145	112	53·84	9·19	3·81	3·58	1·86	1·56			
Glamorganshire	—	—	24	6	1,145	970	890	782	189	98	189	154	8	7	17	29	94	72	20·37	6·70	2·20	4·21	0·88	0·78			
Gloucestershire	—	—	18	—	1,173	1,067	893	849	135	63	90	135	24	9	44	15	80	71	11·97	4·24	2·99	2·97	2·14	1·70			
Herefordshire	—	—	22	13	991	999	736	804	125	93	98	132	2	6	18	24	89	63	28·12	4·96	1·39	2·24	1·55	2·42			
Hertfordshire	—	—	108	18	1,241	1,255	971	1,022	35	176	141	317	—	—	23	17	88	74	15·00	1·61	2·50	1·61	—	2·42			
Huntingdonshire	—	—	63	47	1,227	1,193	932	908	307	79	129	202	6	7	35	49	108	76	41·67	6·14	1·95	1·81	1·25	1·09			
Kent	4	—	130	87	1,339	1,255	937	916	299	292	167	246	27	19	48	41	145	105	54·56	11·38	3·57	3·74	1·79	1·79			
Lancashire	—	—	40	44	1,364	1,196	980	895	135	159	105	170	27	20	33	28	110	80	36·56	2·96	2·20	3·14	1·35	1·05			
Leicestershire	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			

TABLE 23.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGH : MORTALITY from the principal EPIDEMIC DISEASES, &c., 1911 and 1912—continued.

Administrative Counties and County Boroughs.	Mortality per Million Persons Living at All Ages.						Mortality per 100,000 Persons Living.						Mortality per 1,000 Births.													
	Small- pox.			Enteric Fever.			Tuberculosis, All Forms.			Phthisis.			At Ages under 5 Years.			At Ages under 15 Years.			Total Deaths under One Year.		Diarrhea and Enteritis under Two Years.		Childbirth (Mothers).		Puerperal Fever.	
	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.
1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	1911.	1912.	
Norwich	—	—	—	74	73	1,751	1,519	1,241	1,119	323	128	412	32	66	36	55	57	101	12.22	0.74	1.11	1.10	1.11	1.10	1.11	
Nottingham	—	—	—	111	53	1,755	1,531	1,298	1,215	341	570	148	254	12	26	39	36	117	12.66	1.10	2.40	1.58	2.40	1.10	1.12	
Oldham	—	—	—	20	—	1,618	1,787	1,266	1,404	405	408	85	402	12	17	29	29	160	13.34	2.87	3.19	4.31	3.19	4.31	2.61	
Oxford	—	—	—	—	—	1,355	1,102	1,035	934	236	255	279	149	—	7	21	—	107	32.38	—	1.94	0.98	1.94	0.98	0.97	
Plymouth	9	—	—	89	80	1,694	1,456	1,257	1,181	769	45	45	252	—	3	44	59	143	11.26	1.89	1.61	0.76	1.61	0.76	2.81	
Portsmouth	—	—	—	121	97	1,425	1,559	1,081	1,149	99	354	155	203	32	42	109	185	83	10.67	1.90	1.42	1.21	1.42	1.21	1.42	
Preston	—	—	—	179	68	1,877	1,496	1,340	1,046	33	688	173	377	54	101	91	116	123	57.66	4.32	3.22	1.44	3.22	1.44	0.72	
Reading	—	—	—	117	23	1,375	1,151	1,063	880	131	158	263	79	13	8	80	19	85	8.99	1.87	1.06	3.12	1.06	3.12	1.59	
Rochdale	—	—	—	33	43	1,495	1,567	1,015	1,135	347	321	185	298	40	28	8	43	139	14.90	3.64	2.66	2.08	2.66	2.08	3.19	
Rotherham	—	—	—	207	157	1,451	1,510	925	1,054	626	1111	175	160	18	27	9	45	120	58.27	2.77	2.77	3.33	2.77	3.33	1.06	
St. Helens	—	—	—	248	82	1,734	1,620	1,105	1,060	485	417	281	363	40	50	20	45	121	60.02	1.23	1.26	2.15	1.26	2.15	0.63	
Salford	—	—	—	86	82	2,452	2,191	1,727	1,659	345	861	126	440	28	15	73	43	130	57.69	2.21	1.90	1.58	1.90	1.58	1.11	
Sheffield	—	—	—	70	90	1,610	1,665	1,231	1,271	1392	303	107	339	16	23	30	32	140	42.26	2.77	1.78	1.50	1.78	1.50	1.71	
Smethwick	—	—	—	42	—	1,504	1,414	1,012	1,030	220	135	127	282	12	20	25	32	141	53.22	3.04	3.19	0.51	3.19	0.51	0.53	
Southampton	—	—	—	25	66	2,052	1,704	1,600	1,332	103	110	135	275	11	5	57	49	135	55.40	1.40	2.83	1.05	2.83	1.05	1.77	
Southport	—	—	—	19	30	1,063	1,229	812	956	26	99	52	59	8	—	68	58	111	40.99	1.24	3.12	2.48	3.12	2.48	1.04	
South Shields	—	—	—	37	46	1,801	1,951	1,231	1,495	264	439	164	340	3	15	25	15	145	6.24	1.51	2.66	2.12	2.66	2.12	0.89	
Stockport	—	—	—	101	45	1,815	1,742	1,347	1,336	295	467	81	308	12	15	28	46	171	43.62	3.93	1.98	1.96	1.98	1.96	1.98	
Stoke on Trent	—	—	—	111	114	2,025	1,822	1,374	1,328	310	174	249	241	71	34	107	70	202	83.41	2.85	2.89	3.26	2.89	3.26	1.20	
Sunderland	—	—	—	46	26	1,824	1,917	1,289	1,291	256	346	454	229	13	4	46	42	152	17.32	2.85	3.13	0.89	3.13	0.89	2.08	
Swansea	—	—	—	9	17	2,205	1,713	1,840	1,389	251	530	122	246	3	16	133	95	137	39.08	2.89	3.37	1.20	3.37	1.20	0.31	
Tynemouth	—	—	—	85	67	2,017	2,191	1,220	1,706	125	439	250	219	—	10	35	20	102	29.06	1.21	4.04	1.21	4.04	1.21	1.15	
Walsall	—	—	—	54	11	1,777	1,701	1,290	1,228	161	116	340	667	6	—	32	13	160	13.85	3.02	3.31	3.40	3.31	3.40	1.10	
Warrington	—	—	—	69	123	2,031	1,735	1,492	1,147	130	865	357	85	16	39	35	51	147	63.85	0.98	3.31	3.40	3.31	3.40	1.10	
West Bromwich	—	—	—	44	73	1,535	1,251	1,067	931	340	82	23	455	4	4	29	21	140	13.36	0.98	3.34	2.46	3.34	2.46	0.95	
West Ham	—	—	—	90	65	1,657	1,569	1,236	1,185	573	627	186	334	6	16	46	33	141	9.89	1.49	1.48	1.49	1.48	1.49	2.47	
West Hartlepool	—	—	—	16	47	1,892	1,810	1,001	1,092	63	751	326	150	—	18	72	76	129	10.74	2.15	3.87	0.46	3.87	0.46	1.14	
Wigan	—	—	—	358	133	1,478	1,799	884	1,144	538	309	321	281	13	3	40	33	104	42.52	1.64	3.06	1.23	3.06	1.23	1.91	
Wolverhampton	—	—	—	31	—	1,584	1,131	1,143	817	603	87	68	204	13	23	13	39	126	15.70	3.72	2.02	1.24	2.02	1.24	2.83	
Worcester	—	—	—	21	—	1,749	1,246	1,395	955	429	235	300	21	7	7	85	50	86	58.26	0.94	2.02	—	2.02	—	2.83	
York ...	—	—	—	61	84	1,226	1,617	837	1,122	104	286	276	11	16	16	28	64	97	6.97	0.51	1.00	1.03	1.00	1.03	2.64	

TABLE 24.—MORTALITY from SEVERAL CAUSES, 1912.—ALL AREAS.

The mortality under one year of age is calculated per 1,000 births; that at other ages per 1,000 living at each age. Rates at 1-2 years must be used with caution. See note at head of Table 2.

		Males.									Females.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	North	15.56	117.66	41.32	11.41	2.93	3.56	6.80	23.81	96.34	13.63	93.88	37.68	11.38	3.03	3.24	5.61	18.50	85.07
	Midland	13.22	101.56	25.24	7.67	2.14	2.96	5.46	17.97	83.41	11.90	78.52	24.93	7.74	2.25	2.77	4.64	14.12	73.98
	South	13.62	90.96	25.47	7.24	2.29	2.87	6.29	20.33	82.21	11.79	72.68	23.45	6.92	2.23	2.41	4.62	14.50	71.65
	Wales	13.78	116.58	35.42	9.94	2.45	3.27	5.77	19.19	83.39	13.43	94.48	33.75	10.14	2.54	3.59	6.13	17.14	75.31
	E. & W.	14.12	105.63	31.56	8.99	2.46	3.15	6.16	20.61	86.42	12.51	83.64	29.65	8.93	2.52	2.87	5.04	15.79	76.13
1. Enteric fever	North	0.077	0.01	0.008	0.027	0.034	0.087	0.120	0.094	0.03	0.053	0.01	—	0.027	0.040	0.067	0.070	0.056	0.01
	Midland	0.035	—	—	0.013	0.012	0.040	0.061	0.042	0.01	0.027	—	—	0.013	0.016	0.035	0.040	0.025	0.01
	South	0.041	—	0.010	0.013	0.018	0.067	0.058	0.043	0.01	0.025	—	0.010	0.006	0.020	0.035	0.029	0.027	0.01
	Wales	0.055	—	—	—	0.042	0.124	0.053	0.042	0.02	0.037	—	—	0.023	0.054	0.055	0.029	0.039	—
	E. & W.	0.052	0.00	0.005	0.017	0.023	0.069	0.080	0.060	0.01	0.036	0.00	0.003	0.017	0.028	0.047	0.046	0.037	0.01
2. Small-pox	North	0.000	—	—	—	—	0.001	0.001	—	—	0.000	—	—	—	—	—	0.001	—	—
	Midland	0.000	—	—	—	—	—	—	0.001	—	0.001	—	0.017	—	—	—	0.001	—	—
	South	0.000	—	—	—	—	—	—	0.001	—	0.001	—	—	—	—	—	—	—	—
	Wales	—	—	—	—	—	—	—	—	—	0.001	—	—	—	—	0.005	—	—	—
	E. & W.	0.000	—	—	—	—	0.000	0.000	0.001	—	0.000	—	0.005	—	—	0.000	0.000	—	—
3. Measles ...	North	0.525	4.27	9.476	2.446	0.169	0.005	0.001	—	—	0.468	3.70	8.632	2.552	0.173	0.002	0.007	—	—
	Midland	0.276	2.23	4.619	1.379	0.122	0.003	0.004	0.001	—	0.246	1.72	4.623	1.390	0.122	0.003	0.002	—	0.00
	South	0.260	2.35	5.181	1.291	0.081	0.006	0.001	0.001	—	0.202	1.84	4.419	1.214	0.085	0.004	0.004	—	—
	Wales	0.569	4.43	9.520	2.804	0.160	0.013	0.003	0.005	0.02	0.580	4.26	8.795	2.850	0.233	0.009	0.009	0.006	—
	E. & W.	0.375	3.15	6.802	1.823	0.130	0.005	0.002	0.001	0.00	0.328	2.65	6.280	1.848	0.137	0.003	0.005	0.000	0.00
4. Scarlet fever	North	0.081	0.11	0.357	0.519	0.141	0.019	0.005	—	0.00	0.073	0.05	0.369	0.465	0.150	0.010	0.007	0.003	—
	Midland	0.050	0.08	0.183	0.335	0.081	0.009	0.006	0.001	—	0.055	0.08	0.246	0.387	0.105	0.010	0.003	—	—
	South	0.033	0.07	0.202	0.176	0.067	0.011	0.002	0.001	—	0.029	0.04	0.154	0.187	0.071	0.003	0.003	0.001	—
	Wales	0.054	0.15	0.350	0.296	0.091	0.004	0.003	0.005	—	0.058	0.06	0.320	0.388	0.080	0.014	0.003	—	—
	E. & W.	0.056	0.09	0.260	0.352	0.098	0.013	0.004	0.001	0.00	0.053	0.06	0.270	0.360	0.109	0.008	0.005	0.001	—
5. Whooping cough	North	0.228	3.99	3.047	0.719	0.030	—	—	—	0.00	0.278	5.18	3.871	0.994	0.047	—	—	0.001	—
	Midland	0.216	4.44	2.846	0.575	0.025	—	—	—	—	0.249	5.03	3.834	0.800	0.039	—	—	—	0.01
	South	0.165	3.66	2.307	0.428	0.022	—	—	—	0.01	0.185	4.12	3.342	0.629	0.032	0.001	—	—	—
	Wales	0.288	5.92	3.885	0.502	0.023	—	—	—	—	0.371	6.61	4.308	1.140	0.050	—	—	—	—
	E. & W.	0.210	4.19	2.846	0.578	0.025	—	—	—	0.00	0.247	4.97	3.754	0.845	0.040	0.000	—	0.000	0.00
6. Diphtheria and croup	North	0.135	0.20	0.874	0.839	0.232	0.017	0.005	0.003	0.00	0.134	0.20	0.707	0.817	0.287	0.009	0.009	0.006	0.00
	Midland	0.103	0.12	0.400	0.607	0.222	0.009	0.004	0.003	0.00	0.104	0.11	0.399	0.568	0.268	0.012	0.005	0.003	—
	South	0.122	0.33	0.718	0.719	0.257	0.009	0.003	0.006	0.00	0.108	0.23	0.472	0.684	0.294	0.008	0.005	0.003	0.01
	Wales	0.119	0.21	0.525	0.798	0.194	0.021	0.005	—	—	0.134	0.09	0.570	0.627	0.321	0.014	0.006	—	—
	E. & W.	0.120	0.21	0.655	0.729	0.232	0.012	0.004	0.004	0.00	0.117	0.17	0.538	0.687	0.284	0.010	0.006	0.004	0.00
7. Influenza ...	North	0.139	0.23	0.053	0.027	0.016	0.043	0.093	0.303	1.13	0.128	0.17	0.061	0.042	0.023	0.025	0.064	0.198	1.26
	Midland	0.159	0.39	0.133	0.061	0.020	0.043	0.085	0.282	1.20	0.140	0.21	0.068	0.043	0.027	0.035	0.057	0.202	1.14
	South	0.155	0.26	0.101	0.051	0.011	0.036	0.077	0.270	1.29	0.156	0.32	0.123	0.045	0.009	0.023	0.054	0.218	1.27
	Wales	0.163	0.26	0.210	0.057	0.023	0.043	0.109	0.356	1.20	0.161	0.34	0.249	0.023	0.038	0.050	0.081	0.237	1.35
	E. & W.	0.151	0.29	0.103	0.046	0.016	0.041	0.087	0.290	1.21	0.141	0.24	0.094	0.041	0.022	0.029	0.060	0.207	1.22
8. Erysipelas	North	0.027	0.24	—	—	0.003	0.008	0.013	0.054	0.15	0.021	0.16	0.015	0.010	0.002	0.003	0.012	0.030	0.14
	Midland	0.028	0.20	0.008	0.005	0.001	—	0.014	0.062	0.17	0.021	0.13	0.017	0.011	0.005	0.008	0.010	0.033	0.10
	South	0.031	0.14	0.020	0.003	0.001	0.007	0.016	0.063	0.20	0.025	0.21	0.031	0.013	0.003	0.010	0.011	0.030	0.13
	Wales	0.019	0.12	—	—	—	0.009	0.016	0.021	0.16	0.018	0.18	—	—	0.004	0.005	0.006	0.039	0.08
	E. & W.	0.028	0.19	0.008	0.003	0.002	0.005	0.014	0.057	0.17	0.022	0.16	0.019	0.010	0.003	0.007	0.011	0.032	0.12
9. Phthisis (Pulmonary tuberculosis.)	North	1.286	0.32	0.585	0.283	0.197	1.074	1.897	2.508	1.12	0.934	0.33	0.584	0.239	0.362	1.236	1.350	1.001	0.57
	Midland	1.068	0.26	0.433	0.146	0.116	0.992	1.755	1.823	0.90	0.799	0.26	0.314	0.144	0.220	1.099	1.234	0.920	0.44
	South	1.376	0.40	0.597	0.256	0.157	1.002	2.116	2.575	1.33	0.865	0.43	0.420	0.223	0.252	0.947	1.234	1.097	0.73
	Wales	0.975	0.53	0.490	0.262	0.156	0.955	1.370	1.742	1.24	0.989	0.12	0.605	0.285	0.268	1.327	1.572	1.200	0.56
	E. & W.	1.217	0.34	0.532	0.230	0.157	1.017	1.871	2.256	1.12	0.873	0.32	0.458	0.207	0.279	1.114	1.290	1.014	0.58
10. Tuberculous meningitis.	North	0.174	1.42	1.505	0.633	0.199	0.051	0.022	0.016	0.00	0.156	1.05	1.398	0.623	0.209	0.064	0.019	0.016	0.00
	Midland	0.124	0.98	1.090	0.447	0.146	0.042	0.021	0.007	0.00	0.112	0.88	1.086	0.416	0.143	0.049	0.016	0.008	0.00
	South	0.142	1.12	1.204	0.572	0.192	0.054	0.017	0.011	—	0.117	0.94	1.118	0.520	0.168	0.047	0.024	0.014	—
	Wales	0.129	0.94	1.085	0.331	0.175	0.060	0.021	0.016	—	0.122	0.82	0.427	0.342	0.149	0.109	0.040	0.011	—
	E. & W.	0.146	1.17	1.260	0.534	0.178	0.050	0.020	0.012	0.00	0.128	0.95	1.153	0.508	0.172	0.057	0.021	0.013	0.00
11. Other tuberculous diseases.	North	0.265	1.93	1.603	0.546	0.213	0.142	0.134	0.171	0.13	0.225	1.52	1.290	0.509	0.205	0.162	0.102	0.126	0.16
	Midland	0.176	1.45	0.882	0.288	0.126	0.120	0.110	0.103	0.11	0.161	1.16	0.721	0.325	0.131	0.121	0.102	0.092	0.12
	South	0.174	1.28	0.749	0.355	0.136	0.108	0.103	0.141	0.11	0.134	1.18	0.523	0.291	0.106	0.074	0.087	0.088	0.15
	Wales	0.194	1.47	0.735	0.239	0.141	0.107	0.143	0.175	0.06	0.173	0.91	0.890	0.251	0.111	0.119	0.141	0.101	0.18
	E. & W.	0.206	1.57	1.084	0.390	0.159	0.123	0.118	0.141	0.11	0.174	1.28	0.880	0.373	0.148	0.121	0.100	0.102	0.14
12. Cancer, malignant disease.	North	0.848	0.03	0.015	0.022	0.015	0.040	0.263	2.868	7.90	1.042	0.01	0.031	0.027	0.015	0.039	0.441	3.330	7.75
	Midland	0.922	0.01	0.042	0.043	0.016	0.047	0.235	2.663	8.19	1.128	0.02	0.025	0.037	0.009	0.027	0.424	3.095	7

TABLE 24.—MORTALITY from SEVERAL CAUSES, 1912.—ALL AREAS—*continued.*
(See note at head of Table.)

		Males.									Females.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
14. Meningitis	North	0.157	1.67	1.239	0.416	0.115	0.061	0.031	0.049	0.13	0.136	1.49	1.029	0.431	0.134	0.043	0.029	0.029	0.0
	Midlnd.	0.102	1.36	0.757	0.256	0.065	0.027	0.029	0.043	0.03	0.087	1.02	0.636	0.277	0.066	0.038	0.021	0.029	0.0
	South	0.092	1.14	0.678	0.224	0.077	0.039	0.026	0.043	0.04	0.067	0.87	0.554	0.191	0.067	0.038	0.017	0.020	0.0
	Wales	0.132	1.47	0.770	0.308	0.118	0.043	0.040	0.042	0.06	0.105	0.94	0.498	0.251	0.057	0.037	0.049	0.045	0.0
	E. & W.	0.120	1.42	0.902	0.307	0.089	0.043	0.030	0.045	0.06	0.098	1.14	0.741	0.305	0.089	0.043	0.024	0.027	0.0
15. Organic heart disease.	North	1.265	—	0.015	0.034	0.124	0.266	0.536	3.273	13.33	1.395	0.04	0.031	0.037	0.190	0.277	0.631	3.264	12.5
	Midlnd.	1.206	—	0.025	0.027	0.103	0.197	0.412	2.587	12.17	1.283	0.01	0.034	0.029	0.133	0.235	0.452	2.484	10.1
	South	1.306	0.03	0.051	0.026	0.132	0.198	0.469	2.704	12.54	1.390	0.02	—	0.026	0.187	0.209	0.451	2.383	11.1
	Wales	1.190	—	0.070	0.057	0.088	0.243	0.451	2.794	13.86	1.395	0.03	—	0.011	0.149	0.256	0.662	3.329	12.3
	E. & W.	1.249	0.01	0.032	0.031	0.116	0.223	0.472	2.854	12.68	1.355	0.02	0.022	0.030	0.168	0.243	0.524	2.747	11.6
16. Bronchitis	North	1.293	10.26	3.336	0.443	0.040	0.030	0.160	2.000	14.04	1.252	8.40	3.187	0.460	0.041	0.040	0.140	1.624	13.5
	Midlnd.	1.005	8.74	2.031	0.277	0.034	0.017	0.085	1.116	10.14	1.019	6.90	2.188	0.291	0.026	0.024	0.072	0.901	10.1
	South	0.983	6.34	1.740	0.237	0.025	0.027	0.127	1.153	10.43	0.980	5.00	1.692	0.223	0.025	0.011	0.083	0.917	9.7
	Wales	0.949	10.44	1.855	0.422	0.019	0.021	0.072	1.222	9.33	0.983	8.07	2.848	0.239	0.042	0.027	0.084	1.048	9.4
	E. & W.	1.089	8.78	2.388	0.333	0.032	0.025	0.121	1.422	11.25	1.081	7.02	2.456	0.327	0.032	0.026	0.099	1.146	10.8
17. Pneumonia (all forms)	North	1.526	11.91	9.575	1.971	0.312	0.346	0.829	2.009	4.47	1.040	9.87	8.394	1.971	0.260	0.161	0.373	0.990	3.1
	Midlnd.	1.002	10.32	6.092	1.312	0.159	0.215	0.453	1.162	2.73	0.720	7.78	5.505	1.331	0.165	0.125	0.228	0.571	2.2
	South	1.043	9.98	6.699	1.087	0.129	0.160	0.475	1.429	3.27	0.733	8.01	5.588	1.178	0.126	0.087	0.246	0.642	2.6
	Wales	1.253	14.28	8.680	1.630	0.160	0.175	0.490	1.370	3.40	0.993	10.96	8.759	1.801	0.195	0.123	0.276	0.586	2.6
	E. & W.	1.205	11.10	7.633	1.499	0.202	0.240	0.589	1.529	3.42	0.845	8.82	6.777	1.542	0.188	0.126	0.284	0.727	2.6
18. Other diseases of respiratory organs.	North	0.258	0.85	0.631	0.300	0.059	0.045	0.105	0.536	1.69	0.179	0.48	0.399	0.253	0.038	0.039	0.073	0.305	1.2
	Midlnd.	0.216	0.69	0.382	0.240	0.045	0.020	0.084	0.403	1.44	0.160	0.48	0.263	0.187	0.044	0.026	0.052	0.218	1.1
	South	0.231	0.57	0.364	0.169	0.036	0.031	0.086	0.425	1.73	0.172	0.49	0.205	0.158	0.031	0.024	0.060	0.237	1.2
	Wales	0.252	1.29	0.700	0.251	0.042	0.043	0.098	0.505	1.53	0.175	0.49	0.570	0.125	0.023	0.023	0.075	0.310	1.2
	E. & W.	0.236	0.76	0.487	0.242	0.047	0.033	0.093	0.459	1.60	0.171	0.48	0.318	0.197	0.037	0.029	0.063	0.257	1.1
19. Diarrhoea and enteritis.	North	0.439	9.73	2.660	0.317	0.046	0.029	0.079	0.227	0.71	0.329	7.39	2.235	0.285	0.043	0.017	0.046	0.160	0.7
	Midlnd.	0.303	7.55	1.165	0.152	0.022	0.020	0.054	0.172	0.59	0.222	5.01	1.255	0.163	0.024	0.018	0.038	0.104	0.6
	South	0.335	9.43	1.346	0.137	0.019	0.012	0.052	0.155	0.55	0.249	6.93	1.405	0.149	0.032	0.018	0.036	0.107	0.5
	Wales	0.367	8.24	1.575	0.148	0.053	0.021	0.061	0.212	0.81	0.335	7.22	1.211	0.182	0.027	0.032	0.072	0.180	0.7
	E. & W.	0.360	8.87	1.757	0.204	0.031	0.021	0.062	0.187	0.62	0.271	6.52	1.632	0.202	0.033	0.019	0.042	0.127	0.6
20. Appendicitis and typhlitis.	North	0.078	0.01	0.015	0.032	0.099	0.100	0.065	0.084	0.09	0.050	0.03	—	0.025	0.071	0.065	0.042	0.040	0.0
	Midlnd.	0.071	0.01	—	0.053	0.081	0.094	0.059	0.077	0.08	0.052	—	—	0.027	0.076	0.061	0.040	0.046	0.0
	South	0.078	—	—	0.058	0.104	0.083	0.049	0.107	0.13	0.064	0.04	0.021	0.039	0.078	0.063	0.048	0.076	0.1
	Wales	0.064	—	0.070	—	0.072	0.072	0.064	0.085	0.06	0.048	—	—	0.046	0.080	0.050	0.029	0.056	0.0
	E. & W.	0.075	0.01	0.011	0.043	0.093	0.091	0.059	0.088	0.10	0.055	0.02	0.005	0.030	0.075	0.062	0.042	0.054	0.0
21. Cirrhosis of liver.	North	0.117	0.01	0.008	—	0.001	0.002	0.071	0.450	0.63	0.075	0.01	0.008	—	0.003	0.002	0.042	0.293	0.3
	Midlnd.	0.115	0.01	0.008	0.005	0.003	0.003	0.057	0.417	0.61	0.087	0.01	—	—	0.001	0.003	0.059	0.283	0.3
	South	0.134	—	—	—	0.001	0.002	0.064	0.517	0.55	0.114	—	—	—	0.002	0.002	0.077	0.375	0.3
	Wales	0.079	0.03	—	—	0.004	—	0.050	0.308	0.39	0.044	—	—	—	—	0.005	0.017	0.203	0.1
	E. & W.	0.118	0.01	0.005	0.002	0.002	0.002	0.063	0.448	0.58	0.087	0.00	0.003	—	0.002	0.002	0.056	0.309	0.3
21A. Alcoholism	North	0.023	—	—	—	—	—	0.037	0.065	0.04	0.010	—	—	—	—	—	0.014	0.032	0.0
	Midlnd.	0.018	—	—	—	—	—	0.026	0.057	0.03	0.010	—	—	—	—	—	0.001	0.015	0.0
	South	0.019	—	—	—	—	—	0.032	0.048	0.04	0.013	—	—	—	—	—	0.018	0.038	0.0
	Wales	0.013	—	—	—	—	—	0.021	0.032	0.04	0.007	—	—	—	—	—	0.009	0.028	0.0
	E. & W.	0.019	—	—	—	—	—	0.031	0.055	0.03	0.011	—	—	—	—	—	0.000	0.015	0.0
22. Nephritis and Bright's disease.	North	0.468	0.20	0.220	0.121	0.084	0.105	0.278	1.308	3.22	0.398	0.18	0.284	0.098	0.072	0.039	0.248	1.062	2.2
	Midlnd.	0.385	0.18	0.092	0.061	0.053	0.078	0.197	0.945	2.81	0.309	0.08	0.102	0.056	0.042	0.051	0.179	0.709	1.8
	South	0.476	0.05	0.030	0.061	0.038	0.062	0.241	1.239	3.36	0.358	0.11	0.031	0.036	0.042	0.061	0.176	0.791	2.1
	Wales	0.438	0.12	0.105	0.103	0.080	0.068	0.225	1.227	3.54	0.405	0.09	—	0.148	0.042	0.114	0.331	0.963	2.4
	E. & W.	0.441	0.15	0.121	0.084	0.061	0.082	0.239	1.166	3.13	0.359	0.12	0.139	0.072	0.052	0.073	0.210	0.861	2.1
23. Puerperal fever.	North	—	—	—	—	—	—	—	—	—	0.067	—	—	—	—	0.083	0.168	0.002	—
	Midlnd.	—	—	—	—	—	—	—	—	—	0.061	—	—	—	—	0.064	0.167	0.004	—
	South	—	—	—	—	—	—	—	—	—	0.060	—	—	—	—	0.067	0.155	0.002	—
	Wales	—	—	—	—	—	—	—	—	—	0.085	—	—	—	—	0.105	0.230	—	—
	E. & W.	—	—	—	—	—	—	—	—	—	0.064	—	—	—	—	0.074	0.167	0.003	—
24. Other accidents of pregnancy and parturition.	North	—	—	—	—	—	—	—	—	—	0.150	—	—	—	—	0.125	0.404	0.021	—
	Midlnd.	—	—	—	—	—	—	—	—	—	0.103	—	—	—	—	0.093	0.288	0.009	—
	South	—	—	—	—	—	—	—	—	—	0.079	—	—	—	—	0.063	0.214	0.007	—</

TABLE 24.—MORTALITY from SEVERAL CAUSES, 1912.—ALL AREAS—continued.

(See note at head of Table.)

		Males.									Females.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
27. Homicide ...	North	0.158	—	—	—	0.002	0.068	0.195	0.438	0.48	0.050	—	—	—	0.002	0.042	0.067	0.118	0.06
	Midland	0.151	—	—	—	0.001	0.078	0.171	0.382	0.53	0.047	—	—	—	0.001	0.047	0.059	0.103	0.08
	South	0.163	—	—	—	0.001	0.056	0.209	0.403	0.46	0.048	—	—	—	0.001	0.031	0.068	0.097	0.06
	Wales	0.100	—	—	—	—	0.038	0.125	0.282	0.33	0.039	—	—	—	0.004	0.041	0.049	0.107	0.02
	E. & W.	0.153	—	—	—	0.001	0.065	0.186	0.398	0.48	0.047	—	—	—	0.002	0.040	0.064	0.106	0.06
28. Other defined diseases.	North	3.948	24.48	4.195	0.817	0.367	0.483	1.125	5.928	44.60	3.706	17.17	3.348	0.812	0.354	0.472	1.053	5.228	39.43
	Midland	3.749	18.45	2.580	0.626	0.328	0.471	1.026	4.578	39.80	3.606	13.38	2.273	0.635	0.334	0.438	0.936	3.837	35.39
	South	3.690	15.48	2.165	0.665	0.367	0.485	1.266	5.073	35.66	3.466	11.54	2.040	0.568	0.370	0.422	0.955	3.787	31.42
	Wales	3.615	27.95	2.905	0.661	0.282	0.448	1.039	4.759	38.59	3.735	21.56	2.208	0.741	0.352	0.534	1.068	4.833	35.94
	E. & W.	3.780	20.53	3.048	0.703	0.347	0.476	1.125	5.166	39.66	3.597	14.86	2.582	0.684	0.351	0.450	0.987	4.318	35.12
29. Diseases ill-defined or unknown.	North	0.117	0.20	0.933	0.086	0.014	0.007	0.043	0.283	0.58	0.093	0.17	0.943	0.074	0.011	0.006	0.037	0.210	0.30
	Midland	0.099	0.33	0.492	0.058	0.009	0.014	0.037	0.237	0.38	0.072	0.21	0.524	0.041	0.008	0.005	0.023	0.187	0.21
	South	0.048	0.18	0.285	0.012	0.006	0.005	0.022	0.094	0.17	0.038	0.23	0.438	0.034	0.006	0.004	0.009	0.073	0.08
	Wales	0.097	0.52	0.562	0.011	0.008	0.007	0.049	0.263	0.31	0.068	0.36	0.500	0.033	0.004	0.007	0.028	0.153	0.21
	E. & W.	0.089	0.26	0.593	0.049	0.011	0.011	0.036	0.211	0.39	0.072	0.22	0.646	0.051	0.007	0.005	0.024	0.154	0.21

TABLE 25.—MORTALITY from SEVERAL CAUSES, 1912.—LONDON.

(See note at head of Table 24.)

All Causes ...	15.23	100.32	35.43	9.34	2.60	3.08	7.33	25.12	89.26	12.59	82.14	32.47	9.17	2.40	2.42	5.19	17.25	76.68
1. Enteric fever ...	0.033	—	—	0.014	0.012	0.055	0.050	0.029	—	0.022	—	—	—	0.007	0.014	0.022	0.030	0.028
2. Small-pox ...	0.000	—	—	—	—	—	—	0.003	—	—	—	—	—	—	—	—	—	—
3. Measles ...	0.464	3.75	9.290	2.282	0.080	0.003	—	—	—	0.351	2.92	7.648	2.100	0.109	—	0.003	—	—
4. Scarlet fever ...	0.038	0.09	0.244	0.235	0.068	0.008	0.002	—	—	0.035	0.07	0.179	0.264	0.071	0.004	0.004	0.003	—
5. Whooping cough ...	0.203	3.69	2.711	0.592	0.034	—	—	—	0.01	0.231	4.20	4.149	0.886	0.038	—	—	—	—
6. Diphtheria and croup.	0.106	0.46	0.911	0.599	0.162	0.010	0.003	0.003	0.01	0.099	0.40	0.740	0.607	0.202	0.007	0.005	0.003	0.02
7. Influenza ...	0.121	0.19	0.089	0.036	0.005	0.026	0.073	0.237	0.87	0.122	0.26	0.045	0.036	0.005	0.022	0.050	0.213	1.05
8. Erysipelas ...	0.037	0.14	0.044	—	0.002	0.008	0.018	0.072	0.31	0.032	0.22	0.045	0.014	0.002	0.013	0.014	0.041	0.20
9. Pulmonary tuberculosis.	1.838	0.60	0.933	0.399	0.210	1.102	2.595	3.895	2.38	0.995	0.55	0.583	0.336	0.307	0.893	1.357	1.450	1.05
10. Tuberculous meningitis.	0.174	1.45	1.534	0.720	0.212	0.042	0.011	0.014	—	0.135	1.23	1.480	0.693	0.166	0.033	0.008	0.008	—
11. Other tuberculous diseases.	0.197	1.40	0.889	0.464	0.183	0.120	0.075	0.136	0.18	0.144	1.38	0.695	0.379	0.124	0.071	0.059	0.081	0.19
12. Cancer, malignant disease.	1.070	0.04	0.022	0.021	0.022	0.057	0.314	3.382	9.65	1.212	0.04	0.022	0.036	0.026	0.040	0.477	3.483	8.57
13. Rheumatic fever	0.049	—	—	0.043	0.039	0.034	0.032	0.061	0.08	0.048	0.02	—	0.029	0.083	0.044	0.040	0.046	0.05
14. Meningitis ...	0.099	1.23	0.733	0.250	0.058	0.031	0.024	0.049	0.04	0.072	1.05	0.695	0.214	0.059	0.031	0.010	0.018	0.01
15. Organic heart disease.	1.245	—	0.067	0.029	0.210	0.281	0.548	2.844	12.32	1.325	0.02	—	0.029	0.276	0.240	0.597	2.621	11.06
16. Bronchitis ...	1.238	6.81	1.956	0.228	0.027	0.044	0.206	1.871	14.69	1.220	5.53	1.861	0.229	0.031	0.016	0.125	1.523	13.59
17. Pneumonia (all forms).	1.456	11.96	9.846	1.576	0.179	0.195	0.694	2.172	4.37	0.984	10.61	7.939	1.707	0.131	0.091	0.336	0.978	3.39
18. Other diseases of respiratory organs.	0.246	0.60	0.400	0.171	0.022	0.034	0.096	0.498	2.13	0.185	0.57	0.269	0.150	0.026	0.022	0.076	0.264	1.48
19. Diarrhoea and enteritis.	0.467	12.24	1.934	0.185	0.022	0.008	0.070	0.211	0.54	0.337	9.31	2.153	0.200	0.031	0.011	0.040	0.119	0.61
20. Appendicitis and typhlitis.	0.081	—	—	0.050	0.116	0.096	0.055	0.093	0.15	0.062	0.02	0.045	0.057	0.074	0.051	0.043	0.099	0.08
21. Cirrhosis of liver	0.155	—	—	—	—	0.005	0.075	0.628	0.68	0.141	—	—	—	—	0.002	0.107	0.502	0.43
22. Alcoholism ...	0.020	—	—	—	—	—	0.033	0.043	0.06	0.015	—	—	—	—	—	0.024	0.046	—
23. Nephritis and Bright's disease.	0.523	0.07	0.022	0.057	0.039	0.049	0.257	1.543	4.03	0.406	0.09	0.045	0.050	0.052	0.091	0.223	0.978	2.58
24. Puerperal fever ...	—	—	—	—	—	—	—	—	—	0.070	—	—	—	—	0.071	0.176	0.003	—
25. Other accidents of pregnancy and parturition.	—	—	—	—	—	—	—	—	—	0.076	—	—	—	—	0.073	0.187	0.013	—
26. Congenital debility and malformation (including premature birth).	0.983	36.16	0.089	0.036	0.022	0.008	0.003	—	—	0.644	28.02	0.112	0.036	0.007	0.007	—	—	—
27. Violent deaths (excluding suicide).	0.671	3.33	1.000	0.642	0.439	0.300	0.476	0.927	1.92	0.352	3.53	0.830	0.507	0.143	0.096	0.115	0.324	1.70
28. Suicide ...	0.165	—	—	—	—	0.039	0.201	0.460	0.49	0.058	—	—	—	—	0.027	0.093	0.117	0.08
29. Other defined diseases.	3.527	16.07	2.378	0.692	0.388	0.521	1.407	5.870	34.27	3.201	11.99	2.445	0.579	0.416	0.438	0.984	4.271	30.50
30. Diseases — ill-defined or unknown.	0.023	0.04	0.334	0.016	0.003	0.006	0.009	0.033	0.08	0.019	0.11	0.494	0.028	0.003	—	0.004	0.013	0.03

TABLE 26.—MORTALITY from SEVERAL CAUSES, 1912.—COUNTY BOROUGHs.
(See note at head of Table 24.)

		Males.										Females.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
All Causes	North	16.98	124.23	49.53	13.30	3.19	3.73	7.84	27.53	101.81	14.43	100.46	44.80	13.17	3.29	3.31	6.01	20.11	87.76		
	Midlnd.	15.06	119.49	37.61	11.18	2.55	3.25	6.59	22.03	92.01	12.94	93.38	35.84	11.46	2.65	2.87	5.25	16.61	78.54		
	South	13.57	92.51	23.93	7.80	2.43	2.87	6.55	19.27	83.31	11.70	72.02	21.45	7.11	2.62	2.47	4.34	13.36	70.61		
	Wales	14.97	121.59	46.68	14.70	2.70	3.66	6.84	23.26	84.30	13.23	100.91	43.78	14.08	2.69	3.72	6.31	17.86	69.84		
	E. & W.	15.92	119.61	43.12	12.14	2.89	3.48	7.28	24.71	95.21	13.60	95.63	39.65	12.07	2.99	3.09	5.59	18.08	81.39		
1. Enteric fever	North	0.077	—	0.015	0.025	0.035	0.072	0.124	0.097	0.05	0.053	0.01	—	0.030	0.046	0.060	0.066	0.060	0.01		
	Midlnd.	0.049	—	—	0.034	0.020	0.063	0.085	0.038	—	0.031	—	—	0.017	0.014	0.037	0.050	0.031	0.01		
	South	0.077	—	0.084	0.026	0.043	0.110	0.099	0.093	—	0.049	—	—	0.027	0.068	0.065	0.042	0.056	0.02		
	Wales	0.059	—	—	—	0.021	0.135	0.055	0.084	—	0.047	—	—	—	0.101	0.066	0.015	0.062	—		
	E. & W.	0.068	—	0.017	0.027	0.030	0.077	0.106	0.078	0.02	0.045	0.01	—	0.024	0.040	0.053	0.056	0.051	0.01		
2. Small-pox	North	0.000	—	—	—	—	—	0.001	—	—	0.000	—	—	—	—	—	0.001	—	—		
	Midlnd.	0.001	—	—	—	—	—	—	0.004	—	0.002	—	0.054	—	—	—	0.002	—	—		
	South	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Wales	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	E. & W.	0.000	—	—	—	—	—	0.001	0.001	—	0.001	—	0.017	—	—	—	0.001	—	—		
3. Measles ...	North	0.673	4.93	12.052	3.293	0.196	0.002	—	—	—	0.579	4.52	10.614	3.269	0.205	—	0.006	—	—		
	Midlnd.	0.507	3.51	8.215	2.696	0.193	0.007	0.002	—	—	0.431	2.88	7.842	2.630	0.179	0.003	—	—	—		
	South	0.206	1.73	3.598	1.080	0.130	—	—	—	—	0.159	1.24	2.820	1.352	0.094	—	—	—	—		
	Wales	0.961	6.86	15.810	5.286	0.247	0.022	—	—	—	0.940	8.16	13.471	5.181	0.202	—	0.015	—	—		
	E. & W.	0.583	4.26	10.175	2.969	0.191	0.004	0.001	—	—	0.498	3.87	9.107	2.962	0.185	0.001	0.004	—	—		
4. Scarlet fever	North	0.084	0.10	0.400	0.542	0.140	0.017	0.007	—	—	0.075	0.04	0.419	0.492	0.153	0.005	0.008	0.004	—		
	Midlnd.	0.081	0.11	0.293	0.539	0.126	0.020	0.012	—	—	0.097	0.09	0.431	0.783	0.165	0.009	0.007	—	—		
	South	0.054	0.14	0.335	0.237	0.130	0.018	—	—	—	0.048	—	0.342	0.297	0.136	0.008	0.005	—	—		
	Wales	0.055	0.16	0.565	0.182	0.103	—	—	0.028	—	0.073	—	—	0.427	0.162	0.022	0.015	—	—		
	E. & W.	0.078	0.11	0.367	0.494	0.133	0.017	0.007	0.001	—	0.079	0.05	0.396	0.561	0.156	0.007	0.008	0.002	—		
5. Whooping cough	North	0.270	4.29	3.766	0.848	0.045	—	—	—	0.01	0.305	5.15	4.578	1.167	0.055	—	—	—	—		
	Midlnd.	0.295	4.95	4.428	0.813	0.028	—	—	—	—	0.327	5.91	5.255	1.089	0.055	—	—	—	—		
	South	0.158	3.31	2.594	0.448	—	—	—	—	—	0.152	3.01	3.675	0.487	0.034	0.008	—	—	—		
	Wales	0.345	6.08	5.458	0.790	0.021	—	—	—	—	0.438	7.52	5.800	1.402	0.020	—	—	—	—		
	E. & W.	0.268	4.48	3.931	0.794	0.034	—	—	—	0.00	0.299	5.29	4.756	1.085	0.052	0.001	—	—	—		
6. Diphtheria and croup	North	0.145	0.23	1.138	0.897	0.219	0.019	0.004	0.004	0.01	0.137	0.25	0.838	0.827	0.296	0.002	0.006	0.006	—		
	Midlnd.	0.133	0.18	0.533	0.830	0.271	0.007	—	0.004	—	0.124	0.14	0.566	0.774	0.284	0.014	0.005	—	—		
	South	0.199	0.14	0.669	1.396	0.469	—	0.006	0.010	—	0.167	—	0.427	1.055	0.571	0.024	—	0.008	—		
	Wales	0.181	0.16	0.565	1.276	0.309	0.045	0.014	—	—	0.193	—	0.935	0.792	0.546	—	—	—	—		
	E. & W.	0.149	0.20	0.876	0.943	0.265	0.014	0.004	0.005	0.00	0.139	0.18	0.717	0.831	0.331	0.008	0.005	0.004	—		
7. Influenza ...	North	0.127	0.15	0.015	0.025	0.015	0.048	0.079	0.318	1.01	0.111	0.19	0.093	0.025	0.021	0.029	0.057	0.163	1.12		
	Midlnd.	0.128	0.24	0.107	0.026	0.022	0.033	0.085	0.262	1.00	0.102	0.16	0.027	0.026	0.030	0.023	0.041	0.209	0.80		
	South	0.184	0.36	—	0.053	—	0.046	0.149	0.258	1.49	0.168	0.23	0.085	—	0.017	0.024	0.051	0.233	1.38		
	Wales	0.114	0.62	0.565	0.061	0.021	—	0.082	0.253	0.38	0.103	0.48	—	—	0.020	0.044	0.073	0.216	0.63		
	E. & W.	0.133	0.22	0.067	0.029	0.016	0.041	0.089	0.291	1.05	0.115	0.20	0.067	0.021	0.024	0.027	0.052	0.188	1.05		
8. Erysipelas	North	0.030	0.23	—	—	0.005	0.008	0.017	0.064	0.18	0.023	0.13	0.016	0.005	0.002	0.003	0.019	0.030	0.18		
	Midlnd.	0.035	0.15	—	—	—	—	0.018	0.088	0.29	0.022	0.20	0.027	0.017	0.003	0.003	0.013	0.031	0.11		
	South	0.032	0.14	—	0.026	—	0.009	0.006	0.093	0.16	0.029	0.23	0.085	—	—	0.016	0.018	0.040	0.10		
	Wales	0.025	—	—	—	—	—	0.041	—	0.38	0.017	0.32	—	—	—	—	—	0.062	—		
	E. & W.	0.031	0.19	—	0.003	0.003	0.005	0.017	0.072	0.22	0.023	0.17	0.025	0.008	0.002	0.005	0.016	0.033	0.14		
9. Pulmonary tuberculosis.	North	1.645	0.35	0.738	0.335	0.244	1.252	2.376	3.431	1.66	1.066	0.38	0.729	0.256	0.441	1.340	1.529	1.194	0.59		
	Midlnd.	1.438	0.33	0.854	0.214	0.162	1.202	2.290	2.623	1.41	0.961	0.32	0.458	0.230	0.254	1.159	1.465	1.250	0.47		
	South	1.296	0.22	0.418	0.132	0.139	1.207	2.146	1.937	1.10	0.869	0.16	0.256	0.135	0.239	1.144	1.239	1.022	0.54		
	Wales	1.386	0.16	0.565	0.547	0.226	1.347	1.785	2.756	2.04	1.116	0.16	1.497	0.305	0.242	1.320	1.803	1.386	0.52		
	E. & W.	1.531	0.32	0.735	0.286	0.207	1.236	2.299	2.983	1.51	1.012	0.33	0.632	0.238	0.352	1.260	1.485	1.195	0.54		
10. Tuberculous meningitis.	North	0.193	1.53	1.676	0.715	0.218	0.063	0.018	0.013	0.01	0.175	1.05	1.738	0.694	0.234	0.070	0.022	0.018	0.01		
	Midlnd.	0.151	1.25	1.387	0.650	0.117	0.050	0.022	0.008	—	0.124	1.04	1.078	0.613	0.135	0.040	0.005	0.010	0.01		
	South	0.141	0.79	1.172	0.737	0.174	0.073	0.011	0.010	—	0.109	0.85	0.940	0.406	0.205	0.049	0.023	0.024	—		
	Wales	0.147	0.94	1.884	0.365	0.185	0.067	—	0.028	—	0.124	0.80	0.561	0.427	0.121	0.132	0.029	—	—		
	E. & W.	0.172	1.34	1.544	0.682	0.180	0.060	0.017	0.012	0.00	0.149	1.02	1.400	0.628	0.195	0.061	0.018	0.016	0.01		
11. Other tuberculous diseases.	North	0.279	1.95	1.706	0.606	0.239	0.162	0.131	0.150	0.09	0.233	1.79	1.459	0.561	0.210	0.157	0.092	0.111	0.17		
	Midlnd.	0.209	1.78	1.227	0.342	0.140	0.133	0.099	0.127	0.18	0.169	1.45	1.078	0.417	0.152	0.089	0.063	0.094	0.12		
	South	0.211	1.87	0.920	0.342	0.130	0.101	0.121	0.258	0.10	0.155	1.77	0.769	0.243	0.128	0.073	0.097	0.113	0.15		
	Wales	0.219	2.03	0.565	0.425	0.206	0.067	0.150	0.141	—	0.180	1.12	2.058	0.244	0.121	0.022	0.116	0.154	—		
	E. &																				

TABLE 26.—MORTALITY from SEVERAL CAUSES, 1912.—COUNTY BOROUGH—*continued.*
(See note at head of Table 24.)

		Males.									Females.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
14. Meningitis.	North	0.167	1.69	1.276	0.419	0.129	0.053	0.031	0.060	0.24	0.142	1.62	1.024	0.463	0.137	0.043	0.022	0.028	0.12
	Midlnd.	0.141	2.02	1.147	0.317	0.059	0.030	0.038	0.046	0.06	0.118	1.36	0.943	0.391	0.066	0.052	0.025	0.042	0.08
	South	0.096	1.01	0.502	0.263	0.113	0.037	0.022	0.041	0.06	0.067	0.46	0.598	0.243	0.085	0.049	0.028	—	0.04
	Wales	0.143	1.87	1.318	0.365	0.103	—	0.041	0.028	—	0.120	1.44	0.374	0.305	0.040	0.132	0.029	0.062	—
	E. & W.	0.150	1.73	1.160	0.369	0.104	0.042	0.033	0.052	0.14	0.125	1.43	0.928	0.412	0.105	0.050	0.024	0.030	0.09
15. Organic heart disease.	North	1.255	—	—	0.039	0.145	0.287	0.629	3.559	12.25	1.404	0.04	0.047	0.034	0.194	0.311	0.685	3.404	12.41
	Midlnd.	1.142	—	0.027	0.043	0.123	0.253	0.531	2.966	11.16	1.217	—	0.027	0.026	0.163	0.289	0.541	2.807	10.33
	South	1.333	—	—	0.026	0.078	0.128	0.534	3.000	12.39	1.335	—	—	0.081	0.145	0.203	0.379	2.109	11.01
	Wales	1.285	—	—	0.182	0.082	0.382	0.559	3.628	14.18	1.107	—	—	—	0.162	0.308	0.654	3.048	9.59
	E. & W.	1.230	—	0.008	0.045	0.129	0.263	0.586	3.315	11.98	1.326	0.02	0.034	0.035	0.178	0.292	0.603	3.038	11.42
16. Bronchitis.	North	1.524	10.94	3.874	0.508	0.043	0.040	0.221	2.693	17.30	1.441	9.19	3.445	0.542	0.041	0.049	0.181	2.151	15.62
	Midlnd.	1.286	9.80	3.201	0.308	0.045	0.020	0.153	1.919	14.18	1.262	8.02	3.207	0.298	0.044	0.046	0.105	1.515	13.73
	South	0.969	7.06	2.008	0.263	0.026	—	0.143	1.071	10.13	0.944	5.71	1.795	0.324	0.017	0.008	0.092	0.725	8.92
	Wales	1.036	12.63	1.882	0.608	—	0.022	0.068	1.434	11.24	1.047	9.60	2.432	0.305	0.061	0.066	0.131	1.262	11.47
	E. & W.	1.368	10.29	3.389	0.425	0.040	0.029	0.185	2.216	14.99	1.312	8.54	3.162	0.433	0.040	0.044	0.145	1.738	13.77
17. Pneumonia (all forms).	North	1.814	13.39	11.498	2.450	0.363	0.386	1.043	2.432	5.15	1.197	10.75	10.087	2.432	0.322	0.172	0.429	1.150	3.65
	Midlnd.	1.321	13.11	9.229	1.866	0.201	0.256	0.569	1.512	3.46	0.935	9.99	7.815	2.119	0.212	0.155	0.269	0.751	2.62
	South	0.913	9.50	6.527	0.948	0.104	0.128	0.380	0.865	3.88	0.601	5.94	4.871	1.136	0.196	0.097	0.157	0.403	2.48
	Wales	1.453	16.84	9.223	2.127	0.144	0.180	0.709	1.575	3.83	1.086	12.63	10.851	2.133	0.141	0.066	0.305	0.647	3.02
	E. & W.	1.547	13.08	10.191	2.101	0.276	0.308	0.811	1.933	4.36	1.042	10.15	8.896	2.192	0.267	0.154	0.343	0.912	3.11
18. Other diseases of respiratory organs.	North	0.263	0.76	0.692	0.296	0.066	0.057	0.108	0.564	1.77	0.184	0.49	0.466	0.236	0.037	0.041	0.078	0.324	1.27
	Midlnd.	0.251	0.77	0.453	0.274	0.039	0.030	0.121	0.550	1.64	0.160	0.45	0.377	0.196	0.041	0.026	0.049	0.279	1.14
	South	0.226	0.21	0.167	0.290	0.069	0.037	0.088	0.453	1.52	0.165	0.77	0.171	0.189	0.026	0.008	0.037	0.250	1.07
	Wales	0.219	1.09	1.129	0.304	0.021	0.022	0.082	0.394	1.53	0.150	—	0.374	0.244	—	—	0.087	0.400	1.04
	E. & W.	0.253	0.73	0.586	0.289	0.056	0.045	0.109	0.540	1.68	0.173	0.49	0.405	0.219	0.036	0.031	0.065	0.303	1.19
19. Diarrhoea and Enteritis.	North	0.517	11.00	3.550	0.394	0.048	0.029	0.089	0.259	0.77	0.375	8.52	2.995	0.325	0.036	0.012	0.045	0.163	0.83
	Midlnd.	0.420	10.43	1.600	0.231	0.025	0.017	0.069	0.196	0.66	0.305	6.75	1.886	0.264	0.030	0.023	0.043	0.143	0.85
	South	0.317	9.14	1.339	0.079	0.017	0.027	0.050	0.072	0.71	0.239	7.41	1.282	0.108	0.017	0.016	0.028	0.097	0.58
	Wales	0.438	10.44	1.694	0.182	0.062	0.022	0.095	0.197	0.89	0.352	7.99	2.058	0.183	0.040	0.044	0.044	0.092	0.83
	E. & W.	0.461	10.62	2.638	0.302	0.038	0.024	0.079	0.215	0.73	0.337	7.83	2.437	0.278	0.032	0.017	0.042	0.146	0.79
20. Appendicitis and typhlitis.	North	0.073	—	0.015	0.035	0.091	0.084	0.069	0.075	0.10	0.047	0.01	—	0.020	0.068	0.053	0.041	0.042	0.06
	Midlnd.	0.065	0.02	—	0.043	0.087	0.077	0.057	0.069	0.03	0.052	—	—	0.026	0.085	0.057	0.041	0.035	0.08
	South	0.082	—	—	0.079	0.113	0.073	0.044	0.165	0.03	0.068	0.08	—	—	0.077	0.081	0.060	0.040	0.19
	Wales	0.076	—	0.188	—	0.062	0.112	0.055	0.113	0.13	0.039	—	—	0.061	0.081	0.022	0.015	—	0.21
	E. & W.	0.071	0.01	0.017	0.040	0.090	0.082	0.062	0.085	0.07	0.050	0.01	—	0.021	0.075	0.056	0.042	0.038	0.09
21. Cirrhosis of liver.	North	0.123	0.01	—	—	0.002	—	0.078	0.493	0.62	0.084	—	—	—	0.005	0.002	0.045	0.342	0.33
	Midlnd.	0.117	—	—	0.017	0.003	0.003	0.069	0.465	0.54	0.099	0.02	—	—	—	0.003	0.086	0.342	0.37
	South	0.136	—	—	—	—	—	0.066	0.525	0.58	0.135	—	—	—	0.009	—	0.097	0.427	0.37
	Wales	0.093	0.16	—	—	—	—	0.027	0.422	0.51	0.060	—	—	—	—	—	0.015	0.339	0.21
	E. & W.	0.121	0.01	—	0.005	0.002	0.001	0.072	0.485	0.58	0.094	0.01	—	—	0.003	0.002	0.063	0.353	0.35
21a. Alcoholism.	North	0.025	—	—	—	—	—	0.039	0.080	0.03	0.015	—	—	—	—	—	0.018	0.052	0.02
	Midlnd.	0.018	—	—	—	—	—	0.032	0.058	—	0.011	—	—	—	—	—	0.018	0.031	0.02
	South	0.022	—	—	—	—	—	0.033	0.062	0.03	0.012	—	—	—	—	—	0.009	0.032	0.04
	Wales	0.004	—	—	—	—	—	—	0.028	—	0.013	—	—	—	—	—	0.029	0.031	—
	E. & W.	0.022	—	—	—	—	—	0.034	0.069	0.02	0.013	—	—	—	—	—	0.018	0.043	0.02
22. Nephritis and Bright's disease.	North	0.484	0.16	0.154	0.113	0.074	0.114	0.295	1.424	3.47	0.421	0.14	0.341	0.079	0.075	0.089	0.258	1.182	2.42
	Midlnd.	0.421	0.22	0.080	0.068	0.061	0.080	0.240	1.146	3.27	0.338	0.09	0.135	0.068	0.061	0.072	0.229	0.796	2.17
	South	0.461	—	0.084	0.079	0.061	0.055	0.209	1.195	3.37	0.289	0.08	—	0.054	0.026	0.032	0.120	0.588	1.86
	Wales	0.455	—	0.188	0.061	0.124	0.090	0.245	1.406	3.58	0.330	0.16	—	0.305	0.040	0.044	0.305	0.985	1.46
	E. & W.	0.460	0.16	0.125	0.094	0.071	0.096	0.267	1.311	3.39	0.376	0.12	0.228	0.083	0.064	0.075	0.235	0.979	2.21
23. Puerperal fever.	North	—	—	—	—	—	—	—	—	—	0.064	—	—	—	—	0.072	0.163	0.002	—
	Midlnd.	—	—	—	—	—	—	—	—	—	0.062	—	—	—	—	0.063	0.166	—	—
	South	—	—	—	—	—	—	—	—	—	0.059	—	—	—	—	0.057	0.157	—	—
	Wales	—	—	—	—	—	—	—	—	—	0.082	—	—	—	—	0.088	0.218	—	—
	E. & W.	—	—	—	—	—	—	—	—	—	0.064	—	—	—	—	0.068	0.165	0.001	—
24. Other accidents of pregnancy and parturition.	North	—	—	—	—	—	—	—	—	—	0.136	—	—	—	—	0.114	0.362	0.014	—
	Midlnd.	—	—	—	—	—	—	—	—	—	0.103	—	—	—	—	0.086	0.285	0.007	—
	South	—	—	—	—	—	—	—	—	—	0.065	—	—	—	—	0.024	0.194	—	—
	Wales	—	—																

TABLE 26.—MORTALITY from SEVERAL CAUSES, 1912.—COUNTY BOROUGH—*continued.*

(See note at head of Table 24.)

		Males.										Females.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
27. Suicide ...	North	0·160	—	—	—	0·002	0·082	0·196	0·444	0·45	0·051	—	—	—	0·002	0·032	0·071	0·123	0·07		
	Midlnd.	0·142	—	—	—	—	0·070	0·145	0·427	0·51	0·049	—	—	—	—	0·043	0·063	0·105	0·11		
	South	0·164	—	—	—	—	0·037	0·231	0·381	0·49	0·045	—	—	—	0·009	0·016	0·060	0·097	0·06		
	Wales	0·097	—	—	—	—	—	0·123	0·309	0·38	0·047	—	—	—	—	0·066	0·029	0·185	—		
	E. & W.	0·152	—	—	—	0·001	0·069	0·181	0·426	0·47	0·049	—	—	—	0·002	0·035	0·066	0·116	0·08		
28. Other defined diseases.	North	4·068	25·85	4·688	0·848	0·411	0·502	1·299	6·692	45·54	3·692	18·37	3·616	0·871	0·368	0·451	1·090	5·490	39·19		
	Midlnd.	3·788	20·38	3·067	0·719	0·363	0·493	1·228	5·431	43·21	3·473	16·13	2·857	0·680	0·336	0·424	1·045	4·399	35·98		
	South	3·857	17·57	2·176	0·791	0·375	0·448	1·475	5·120	37·02	3·670	12·97	1·624	0·597	0·333	0·335	0·924	3·800	32·49		
	Wales	3·488	26·81	3·576	0·666	0·265	0·451	1·308	5·906	36·66	3·202	20·47	1·497	1·155	0·285	0·660	1·047	4·772	33·35		
	E. & W.	3·933	23·39	3·881	0·794	0·386	0·491	1·297	6·090	43·18	3·602	17·26	3·086	0·797	0·351	0·437	1·055	4·909	36·87		
29. Diseases—ill-defined or unknown.	North	0·126	0·27	1·263	0·082	0·017	0·008	0·043	0·284	0·67	0·102	0·24	1·254	0·102	0·015	0·009	0·044	0·206	0·34		
	Midlnd.	0·108	0·10	0·721	0·112	0·003	0·012	0·052	0·300	0·40	0·085	0·10	0·809	0·084	0·014	0·000	0·037	0·249	0·12		
	South	0·030	0·15	0·504	—	—	0·008	0·019	0·061	—	0·029	0·08	0·857	—	0·006	—	—	0·039	0·06		
	Wales	0·074	0·45	0·750	—	—	—	0·026	0·196	0·14	0·070	0·31	0·561	—	—	—	0·028	0·244	0·11		
	E. & W.	0·111	0·24	0·992	0·079	0·009	0·010	0·042	0·259	0·52	0·086	0·15	1·044	0·085	0·012	0·006	0·037	0·198	0·22		

TABLE 27.—MORTALITY from SEVERAL CAUSES, 1912.—OTHER URBAN DISTRICTS.

(See note at head of Table 24.)

All Causes	North Midland. South Wales E. & W.	14·53	112·65	36·67	10·29	2·80	3·50	5·90	21·93	95·72	13·16	88·84	33·42	10·63	2·96	3·27	5·33	17·81	84·96
		12·17	97·03	21·74	6·63	2·06	2·85	5·09	17·49	82·09	10·97	73·15	22·03	6·65	2·12	2·59	4·28	13·66	73·21
		12·22	82·81	16·65	5·78	2·20	2·76	5·29	17·57	79·61	10·94	63·19	16·86	5·41	2·08	2·26	3·98	12·69	68·41
		13·61	122·49	39·68	10·82	2·51	3·08	5·47	19·77	85·42	13·39	98·81	38·16	11·42	2·49	3·21	6·09	18·44	74·93
		13·15	103·24	28·11	8·20	2·39	3·09	5·45	19·30	86·00	11·94	80·07	26·99	8·34	2·44	2·82	4·74	15·23	75·59
1. Enteric fever.	North Midland. South Wales E. & W.	0·088	0·02	—	0·041	0·043	0·108	0·129	0·108	0·01	0·059	—	—	0·027	0·040	0·081	0·081	0·052	0·03
		0·033	—	—	—	0·008	0·039	0·058	0·041	0·02	0·027	—	—	0·007	0·013	0·044	0·038	0·026	0·01
		0·048	—	—	—	0·009	0·081	0·070	0·053	0·03	0·018	—	—	—	0·004	0·029	0·024	0·021	0·01
		0·064	—	—	—	0·063	0·149	0·053	0·047	—	0·044	—	—	0·046	0·039	0·058	0·049	0·051	—
		0·058	0·01	—	0·014	0·026	0·083	0·085	0·068	0·02	0·038	—	—	0·017	0·023	0·055	0·051	0·036	0·01
2. Small-pox	North Midland. South Wales E. & W.	0·000	—	—	—	—	0·003	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		0·000	—	—	—	—	0·001	—	—	—	—	—	—	—	—	—	—	—	—
3. Measles ...	North Midland. South Wales E. & W.	0·427	3·90	7·920	1·804	0·159	—	0·002	—	—	0·391	3·19	7·422	2·088	0·151	—	0·007	—	—
		0·223	2·01	3·739	0·984	0·098	—	0·002	—	—	0·192	1·46	3·754	0·984	0·102	0·005	—	—	0·01
		0·098	1·08	1·546	0·445	0·074	0·014	0·003	—	—	0·081	0·78	1·969	0·337	0·074	0·013	0·005	—	—
		0·675	5·20	11·179	3·130	0·157	0·009	0·005	—	—	0·656	4·15	9·681	3·197	0·229	—	—	—	—
		0·316	2·90	5·655	1·402	0·121	0·004	0·002	—	—	0·279	2·28	5·409	1·495	0·127	0·004	0·003	—	0·00
4. Scarlet fever.	North Midland. South Wales E. & W.	0·081	0·07	0·380	0·503	0·155	0·025	0·002	—	0·01	0·080	0·07	0·424	0·481	0·169	0·019	0·007	0·003	—
		0·037	0·04	0·163	0·252	0·065	0·003	0·003	—	—	0·034	0·07	0·144	0·222	0·069	0·007	0·001	—	—
		0·027	0·04	0·133	0·111	0·057	0·023	0·003	0·005	—	0·020	0·04	0·092	0·126	0·061	—	—	—	—
		0·066	0·12	0·414	0·414	0·094	0·009	0·005	—	—	0·070	0·12	0·565	0·411	0·087	0·010	—	—	—
		0·054	0·06	0·262	0·332	0·098	0·015	0·003	0·001	0·00	0·050	0·07	0·281	0·316	0·104	0·010	0·003	0·001	—
5. Whooping cough.	North Midland. South Wales E. & W.	0·209	3·99	2·632	0·661	0·018	—	—	—	—	0·261	5·32	3·414	0·941	0·038	—	—	0·003	—
		0·205	4·45	2·499	0·466	0·029	—	—	—	—	0·222	4·66	3·300	0·691	0·040	—	—	—	0·01
		0·139	3·70	1·811	0·361	0·013	—	—	—	—	0·140	4·07	2·565	0·379	0·017	—	—	—	—
		0·323	6·35	4·071	0·506	0·039	—	—	—	—	0·437	6·92	5·088	1·256	0·063	—	—	—	—
		0·206	4·38	2·618	0·520	0·023	—	—	—	—	0·238	5·06	3·411	0·785	0·037	—	—	0·001	0·01
6. Diphtheria and croup.	North Midland. South Wales E. & W.	0·135	0·20	0·676	0·840	0·265	0·013	0·006	—	—	0·131	0·19	0·615	0·831	0·277	0·014	0·011	—	0·01
		0·101	0·09	0·284	0·563	0·233	0·010	0·003	0·006	—	0·095	0·07	0·309	0·580	0·232	0·011	0·004	0·005	—
		0·152	0·36	0·530	0·945	0·365	0·014	—	0·011	—	0·115	0·12	0·321	0·801	0·358	0·008	0·002	—	—
		0·102	0·12	0·552	0·805	0·118	0·018	—	—	—	0·126	0·12	0·636	0·708	0·221	0·010	0·006	—	—
		0·123	0·18	0·494	0·751	0·256	0·012	0·003	0·004	—	0·114	0·13	0·456	0·720	0·269	0·012	0·006	0·002	0·00
7. Influenza ...	North Midland. South Wales E. & W.	0·134	0·20	0·063	0·021	0·011	0·028	0·100	0·284	1·14	0·141	0·17	0·042	0·048	0·024	0·019	0·074	0·241	1·34
		0·147	0·36	0·163	0·078	0·019	0·036	0·079	0·298	1·10	0·129	0·19	0·062	0·052	0·019	0·039	0·047	0·184	1·18
		0·151	0·20	—	0·069	0·017	0·059	0·058	0·238	1·30	0·176	0·29	0·183	0·070	0·017	0·021	0·068	0·227	1·32
		0·165	0·06	0·138	0·092	0·031	0·061	0·112	0·341	1·59	0·128	0·30	0·212	0·023	0·016	0·058	0·043	0·231	1·23
		0·145	0·24	0·097	0·058	0·017	0·040	0·086	0·285	1·20	0·143	0·21	0·091	0·051	0·020	0·030	0·060	0·217	1·27
8. Erysipelas	North Midland. South Wales E. & W.	0·025	0·31	—	—	0·002	0·010	0·012	0·053	0·07	0·021	0·24	0·021	0·014	0·002	0·005	0·006	0·033	0·12
		0·026	0·22	—	0·013	—	—	0·011	0·074	0·11	0·022	0·11	—	0·013	0·004	0·016	0·010	0·039	0·09
		0·027	0·20	—	—	0·009	0·015	0·048	0·15	0·017	0·21	—	—	0·014	—	0·004	—	0·021	0·11
		0·016	0·06	—	—	0·018	0·005	0·024	0·20	0·021	0·18	—	—	—	0·008	—	—	0·051	0·16
		0·025	0·23	—	0·005	0·001	0·007	0·011	0·057	0·12	0·020	0·18	0·008	0·012	0·003	0·008	0·005	0·034	0·11
9. Pulmonary tuberculosis.	North Midland. South Wales E. & W.	1·024	0·32	0·528	0·262	0·148	0·999	1·482	1·874	0·75	0·843	0·36	0·551	0·254	0·300	1·222	1·163	0·868	0·58
		1·006	0·20	0·214	0·149	0·103	0·920	1·629	1·824	0·89	0·732	0·28	0·289	0·117	0·209	0·996	1·101	0·847	0·45
		1·060	0·28	0·353	0·195	0·130	0·891	1·660	1·895	0·79	0·713	0·33	0·412	0·169	0·196	0·895	1·040	0·778	0·49
		0·810	0·52	0·621	0·230	0·134	0·754	1·129	1·504	1·04	0·878	0·18	0·495	0·343	0·252	1·113	1·441	1·050	0·40
		1·003	0·29	0·404	0·205	0·126	0·927	1·531	1·828	0·83	0·779	0·30	0·426	0·198	0·243	1·066	1·138	0·855	0·49

TABLE 27.—MORTALITY from SEVERAL CAUSES, 1912.—OTHER URBAN DISTRICTS—*continued*.
(See note at head of Table 24.)

		Males.										Females.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
10. Tuberculous meningitis.	North	0.172	1.56	1.584	0.606	0.193	0.028	0.029	0.023	—	0.150	1.24	1.145	0.652	0.200	0.057	0.016	0.011	—		
	Midland.	0.129	0.98	1.260	0.421	0.163	0.023	0.024	0.006	0.01	0.123	0.96	1.506	0.378	0.157	0.048	0.021	0.008	—		
	South	0.132	0.72	1.104	0.472	0.230	0.063	0.023	0.011	—	0.109	0.70	0.916	0.464	0.196	0.038	0.041	0.017	—		
	Wales	0.118	0.81	0.828	0.299	0.165	0.053	0.021	0.024	—	0.105	0.54	0.212	0.365	0.150	0.067	0.030	0.013	—		
	E. & W.	0.144	1.13	1.302	0.482	0.186	0.036	0.025	0.015	0.00	0.128	0.97	1.140	0.488	0.178	0.051	0.024	0.011	—		
11. Other tuberculous diseases.	North	0.264	1.87	1.605	0.503	0.202	0.136	0.137	0.202	0.19	0.225	1.39	1.209	0.515	0.229	0.173	0.099	0.141	0.12		
	Midland.	0.169	1.38	0.853	0.291	0.134	0.101	0.103	0.097	0.08	0.165	1.10	0.701	0.326	0.141	0.137	0.099	0.087	0.15		
	South	0.143	0.96	0.574	0.236	0.122	0.081	0.119	0.116	0.06	0.130	0.95	0.321	0.309	0.083	0.092	0.117	0.088	0.10		
	Wales	0.174	1.27	0.690	0.207	0.157	0.088	0.117	0.141	0.05	0.140	0.90	0.424	0.206	0.095	0.086	0.122	0.064	0.16		
	E. & W.	0.198	1.47	1.055	0.347	0.158	0.108	0.119	0.142	0.11	0.177	1.16	0.790	0.377	0.158	0.137	0.104	0.104	0.13		
12. Cancer, malignant disease.	North	0.801	0.02	0.021	0.041	0.016	0.040	0.260	2.650	7.53	1.057	0.04	0.064	0.041	0.009	0.040	0.401	3.330	8.05		
	Midland.	0.858	—	0.020	0.039	0.021	0.059	0.235	2.553	8.50	1.102	0.06	—	0.026	0.013	0.030	0.406	3.227	8.11		
	South	1.006	0.08	0.132	0.014	0.013	0.045	0.212	2.697	8.87	1.265	0.04	0.046	0.028	0.017	0.034	0.404	3.100	7.92		
	Wales	0.630	0.06	0.138	0.046	0.016	0.044	0.224	2.362	6.35	0.925	0.06	—	—	0.039	0.029	0.450	3.650	6.41		
	E. & W.	0.844	0.03	0.052	0.036	0.017	0.048	0.238	2.599	8.12	1.104	0.05	0.030	0.029	0.015	0.034	0.408	3.266	7.92		
13. Rheumatic fever	North	0.052	0.02	0.021	0.014	0.083	0.055	0.033	0.067	0.06	0.077	—	—	0.048	0.115	0.083	0.060	0.081	0.11		
	Midland.	0.046	0.02	—	0.019	0.069	0.051	0.035	0.059	0.03	0.053	—	—	0.020	0.094	0.057	0.038	0.050	0.05		
	South	0.044	—	0.044	—	0.061	0.050	0.044	0.021	0.11	0.041	—	—	0.028	0.074	0.042	0.032	0.038	0.04		
	Wales	0.046	0.06	—	—	0.086	0.044	0.032	0.047	0.05	0.065	0.06	—	0.023	0.079	0.125	0.061	0.026	—		
	E. & W.	0.048	0.02	0.015	0.012	0.074	0.052	0.036	0.053	0.06	0.060	0.01	—	0.031	0.097	0.069	0.046	0.056	0.06		
14. Meningitis	North	0.156	1.73	1.352	0.455	0.099	0.070	0.030	0.047	0.05	0.142	1.56	1.188	0.412	0.135	0.055	0.037	0.035	0.05		
	Midland.	0.091	1.07	0.650	0.272	0.065	0.021	0.026	0.032	0.01	0.078	0.99	0.619	0.241	0.056	0.032	0.016	0.029	0.04		
	South	0.109	1.31	0.928	0.236	0.100	0.036	0.044	0.042	0.03	0.073	0.91	0.550	0.225	0.100	0.038	0.017	0.021	0.03		
	Wales	0.142	1.85	0.759	0.276	0.118	0.035	0.027	0.059	0.10	0.101	0.84	0.636	0.251	0.055	0.038	0.061	0.026	0.04		
	E. & W.	0.122	1.44	0.957	0.330	0.088	0.043	0.031	0.042	0.03	0.102	1.16	0.813	0.300	0.092	0.042	0.027	0.029	0.04		
15. Organic heart disease.	North	1.291	—	0.042	0.028	0.121	0.269	0.466	3.273	14.45	1.433	0.06	—	0.055	0.226	0.256	0.625	3.290	12.89		
	Midland.	1.098	—	0.020	0.013	0.109	0.193	0.377	2.514	12.13	1.165	—	0.041	0.033	0.142	0.227	0.432	2.256	10.69		
	South	1.282	0.08	—	0.042	0.096	0.144	0.372	2.628	12.58	1.397	—	—	0.014	0.114	0.172	0.322	2.288	11.56		
	Wales	1.071	—	0.069	0.046	0.102	0.237	0.480	2.914	13.39	1.367	0.06	—	0.023	0.158	0.259	0.754	3.727	12.65		
	E. & W.	1.198	0.01	0.030	0.026	0.110	0.215	0.418	2.844	13.06	1.322	0.03	0.015	0.036	0.168	0.229	0.504	2.729	11.71		
16. Bronchitis	North	1.158	9.75	3.168	0.461	0.036	0.020	0.117	1.578	13.31	1.138	7.78	2.948	0.412	0.047	0.031	0.120	1.269	12.84		
	Midland.	0.890	8.67	1.443	0.298	0.031	0.018	0.064	0.983	9.87	0.912	6.48	1.856	0.306	0.017	0.018	0.071	0.763	9.93		
	South	0.741	6.09	1.546	0.222	0.026	0.005	0.041	0.570	8.25	0.774	4.28	1.557	0.197	0.026	0.008	0.099	0.455	7.74		
	Wales	1.048	11.20	2.415	0.437	0.024	0.026	0.075	1.551	11.75	1.019	9.51	3.816	0.274	0.024	0.019	0.061	1.306	9.63		
	E. & W.	0.972	8.92	2.177	0.356	0.031	0.017	0.079	1.164	10.70	0.972	6.93	2.408	0.321	0.030	0.021	0.081	0.910	10.21		
17. Pneumonia (all forms)	North	1.323	10.82	8.427	1.625	0.278	0.350	0.657	1.739	4.10	0.930	9.67	7.486	1.697	0.215	0.154	0.307	0.890	2.86		
	Midland.	0.936	9.68	5.201	1.184	0.161	0.226	0.424	1.130	2.76	0.653	6.89	4.909	1.056	0.161	0.092	0.216	0.547	2.38		
	South	0.727	8.72	3.976	0.695	0.087	0.149	0.282	0.940	2.52	0.542	5.68	3.481	0.773	0.131	0.092	0.188	0.387	2.38		
	Wales	1.372	16.46	10.420	1.956	0.220	0.184	0.458	1.351	3.12	1.109	12.22	10.600	2.261	0.213	0.115	0.298	0.499	2.19		
	E. & W.	1.075	10.70	6.702	1.334	0.195	0.250	0.484	1.330	3.15	0.767	8.30	6.207	1.360	0.180	0.116	0.249	0.627	2.51		
18. Other diseases of respiratory organs.	North	0.250	0.92	0.528	0.337	0.049	0.033	0.100	0.530	1.61	0.182	0.41	0.339	0.323	0.040	0.033	0.079	0.290	1.25		
	Midland.	0.204	0.63	0.406	0.188	0.038	0.013	0.070	0.387	1.69	0.157	0.26	0.268	0.189	0.054	0.027	0.052	0.197	1.25		
	South	0.227	0.80	0.442	0.181	0.052	0.023	0.075	0.359	1.72	0.165	0.29	0.183	0.197	0.039	0.021	0.054	0.210	1.12		
	Wales	0.252	1.21	0.621	0.322	0.031	0.026	0.101	0.635	1.44	0.175	0.78	0.707	0.137	0.024	0.010	0.073	0.346	1.11		
	E. & W.	0.229	0.83	0.479	0.253	0.044	0.023	0.085	0.455	1.65	0.169	0.38	0.327	0.232	0.044	0.027	0.064	0.243	1.21		
19. Diarrhoea and enteritis.	North	0.379	8.85	1.985	0.248	0.043	0.035	0.067	0.217	0.59	0.286	6.67	1.633	0.227	0.051	0.017	0.047	0.152	0.65		
	Midland.	0.270	6.57	1.036	0.123	0.017	0.023	0.052	0.174	0.55	0.197	4.68	1.155	0.150	0.019	0.018	0.036	0.082	0.53		
	South	0.231	6.93	0.619	0.097	0.013	0.014	0.035	0.127	0.51	0.186	4.61	0.824	0.155	0.039	0.021	0.029	0.122	0.53		
	Wales	0.372	8.20	1.725	0.161	0.047	0.026	0.043	0.247	0.69	0.362	7.52	1.201	0.251	0.008	0.029	0.073	0.243	0.76		
	E. & W.	0.311	7.64	1.376	0.166	0.028	0.026	0.052	0.186	0.56	0.240	5.71	1.276	0.188	0.033	0.019	0.041	0.127	0.58		
20. Appendicitis and typhlitis.	North	0.083	—	0.021	0.041	0.108	0.121	0.062	0.091	0.07	0.053	0.06	—	0.027	0.067	0.074	0.043	0.035	0.10		
	Midland.	0.081	0.02	—	0.071	0.080	0.111	0.062	0.109	0.08	0.048	—	—	0.033	0.067	0.053	0.029	0.061	0.08		
	South	0.086	—	—	0.097	0.109	0.086	0.052	0.116	0.14	0.066	0.04	—	0.028	0.083	0.076	0.049	0.067	0.11		
	Wales	0.056	—	—	—	0.063	0.061	0.064	0.071	0.05	0.051	—	—	0.023	0.103	0.038	0.030	0.077	—		
	E. & W.	0.080	0.01	0.007	0.058	0.093	0.104	0.061	0.101	0											

TABLE 27.—MORTALITY from SEVERAL CAUSES, 1912.—OTHER URBAN DISTRICTS—*continued*.
(See note at head of Table 24.)

		Males.									Females.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
23. Puerperal fever	North	—	—	—	—	—	—	—	—	0·074	—	—	—	—	0·097	0·184	—	—	
	Midlnd.	—	—	—	—	—	—	—	—	0·063	—	—	—	—	0·060	0·169	0·011	—	
	South	—	—	—	—	—	—	—	—	0·050	—	—	—	—	0·071	0·122	—	—	
	Wales	—	—	—	—	—	—	—	—	0·096	—	—	—	—	0·125	0·255	—	—	
	E. & W.	—	—	—	—	—	—	—	—	0·067	—	—	—	—	0·081	0·172	0·004	—	
24. Other acci- dents of pregnancy and par- turition.	North	—	—	—	—	—	—	—	—	0·164	—	—	—	—	0·135	0·441	0·027	—	
	Midlnd.	—	—	—	—	—	—	—	—	0·094	—	—	—	—	0·101	0·247	0·008	—	
	South	—	—	—	—	—	—	—	—	0·079	—	—	—	—	0·063	0·217	0·004	—	
	Wales	—	—	—	—	—	—	—	—	0·245	—	—	—	—	0·278	0·669	0·013	—	
	E. & W.	—	—	—	—	—	—	—	—	0·129	—	—	—	—	0·121	0·343	0·014	—	
25. Congenital debility and malforma- tion(includ- ing prema- ture birth).	North	1·122	43·35	0·190	0·021	0·018	0·005	0·002	—	0·785	33·33	0·276	0·027	0·018	0·005	—	—	—	
	Midlnd.	1·010	40·02	0·203	0·065	0·013	0·005	—	—	0·688	30·49	0·165	0·072	0·015	0·005	0·004	—	—	
	South	0·753	34·14	0·265	0·056	0·035	0·018	0·003	—	0·508	27·15	0·229	0·042	0·009	—	0·010	—	—	
	Wales	1·139	39·21	0·483	—	0·047	—	—	—	0·948	32·26	0·141	0·046	0·008	—	0·006	—	—	
	E. & W.	1·013	40·17	0·239	0·041	0·021	0·007	0·001	—	0·708	31·16	0·213	0·048	0·014	0·003	0·004	—	—	
26. Violent deaths(ex- cluding suicide).	North	0·673	1·19	0·739	0·792	0·316	0·524	0·600	1·066	1·61	0·237	1·29	0·467	0·543	0·178	0·064	0·074	0·220	1·23
	Midlnd.	0·492	1·85	0·650	0·473	0·256	0·365	0·409	0·641	1·34	0·209	1·39	0·433	0·437	0·119	0·073	0·077	0·195	0·90
	South	0·488	1·87	0·442	0·542	0·183	0·360	0·441	0·670	1·13	0·195	1·73	0·641	0·351	0·070	0·038	0·066	0·164	0·91
	Wales	0·927	0·98	0·966	1·036	0·432	0·745	1·033	1·340	1·93	0·236	0·96	0·707	0·685	0·166	0·048	0·049	0·218	1·11
	E. & W.	0·597	1·51	0·681	0·655	0·281	0·459	0·546	0·861	1·42	0·218	1·36	0·509	0·486	0·135	0·061	0·071	0·198	1·01
27. Suicide ...	North	0·162	—	—	—	0·002	0·058	0·200	0·442	0·53	0·050	—	—	—	0·002	0·040	0·074	0·111	0·04
	Midlnd.	0·145	—	—	—	—	0·059	0·167	0·387	0·57	0·047	—	—	—	0·002	0·053	0·052	0·108	0·07
	South	0·157	—	—	—	—	0·086	0·203	0·359	0·40	0·037	—	—	—	—	0·029	0·046	0·088	0·02
	Wales	0·089	—	—	—	—	0·044	0·133	0·212	0·30	0·040	—	—	—	0·008	0·058	0·049	0·102	—
	E. & W.	0·147	—	—	—	0·001	0·062	0·182	0·385	0·50	0·045	—	—	—	0·002	0·044	0·058	0·104	0·04
28. Other de- fined dis- eases.	North	3·789	23·16	3·759	0·764	0·319	0·451	0·978	5·601	45·02	3·704	15·56	3·308	0·790	0·357	0·482	1·031	5·226	39·91
	Midlnd.	3·391	18·31	2·418	0·563	0·293	0·499	0·956	4·512	38·35	3·314	12·70	2·001	0·645	0·324	0·401	0·865	3·693	31·76
	South	3·752	15·02	1·988	0·669	0·378	0·469	1·167	4·861	37·15	3·540	10·49	2·153	0·646	0·323	0·408	0·850	3·403	31·46
	Wales	3·360	28·30	2·898	0·759	0·283	0·360	1·017	4·971	38·97	3·523	20·82	2·332	0·708	0·379	0·487	1·143	5·161	36·41
	E. & W.	3·596	20·66	2·872	0·672	0·316	0·462	1·009	5·012	40·19	3·513	14·28	2·530	0·703	0·341	0·438	0·943	4·267	35·55
29. Diseases— ill-defined or un- known.	North	0·101	0·13	0·657	0·081	0·011	0·009	0·038	0·283	0·47	0·074	0·00	0·658	0·044	0·005	0·007	0·027	0·197	0·30
	Midlnd.	0·075	0·30	0·348	0·037	0·003	0·006	0·029	0·188	0·40	0·053	0·25	0·455	0·011	0·007	0·003	0·015	0·142	0·17
	South	0·049	0·19	0·178	—	0·008	—	0·022	0·135	0·23	0·055	0·36	0·366	0·044	0·013	0·009	0·016	0·130	0·14
	Wales	0·105	0·39	0·621	0·025	0·008	0·008	0·053	0·293	0·48	0·075	0·31	0·707	0·043	0·006	—	0·024	0·192	0·24
	E. & W.	0·084	0·24	0·456	0·047	0·009	0·006	0·037	0·221	0·39	0·063	0·18	0·540	0·033	0·008	0·004	0·023	0·160	0·23

TABLE 28.—MORTALITY from SEVERAL CAUSES, 1912.—RURAL DISTRICTS.
(See note at head of Table 24.)

All Causes	North	13·33	106·28	25·00	7·65	2·38	3·16	5·41	16·27	84·93	11·93	82·38	23·80	6·97	2·29	2·88	4·83	14·43	77·16
	Midlnd.	12·75	85·87	16·53	5·27	1·84	2·79	4·71	14·80	79·42	12·12	67·95	16·74	5·13	2·01	2·95	4·48	12·26	71·49
	South	11·93	73·83	13·51	3·87	1·68	2·56	4·88	14·65	75·31	11·09	58·87	11·33	3·44	1·81	2·56	4·25	11·91	68·01
	Wales	13·36	103·59	21·56	5·75	2·23	3·34	5·59	16·31	81·36	13·59	83·21	20·26	5·78	2·51	4·09	6·07	15·26	77·52
	E. & W.	12·73	90·15	18·37	5·53	1·96	2·87	5·01	15·22	79·40	11·95	71·10	17·46	5·21	2·07	2·96	4·66	12·88	71·99
1. Enteric fever	North	0·049	—	—	—	0·011	0·081	0·083	0·051	—	0·041	—	—	0·017	0·023	0·060	0·057	0·052	—
	Midlnd.	0·024	—	—	—	0·010	0·009	0·017	0·039	0·046	0·021	—	—	0·019	0·024	0·020	0·029	0·017	0·01
	South	0·029	—	—	—	0·016	0·024	0·049	0·033	0·033	0·025	—	0·052	—	0·020	0·054	0·026	0·015	0·01
	Wales	0·038	—	—	—	—	0·023	0·079	0·052	0·015	0·04	0·022	—	—	0·047	0·043	0·009	0·015	—
	E. & W.	0·032	—	—	—	0·008	0·015	0·046	0·049	0·040	0·00	0·026	—	0·013	0·012	0·025	0·040	0·032	0·023
2. Small-pox	North	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Midlnd.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	South	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Wales	—	—	—	—	—	—	—	—	—	0·002	—	—	—	—	0·014	—	—	—
	E. & W.	—	—	—	—	—	—	—	—	—	0·000	—	—	—	—	0·002	—	—	—
3. Measles ...	North	0·273	2·77	4·584	1·100	0·101	0·025	0·004	—	—	0·265	1·93	4·834	1·197	0·114	0·013	0·012	—	—
	Midlnd.	0·111	0·94	1·883	0·489	0·081	0·003	0·009	0·004	—	0·116	0·66	2·228	0·587	0·089	—	0·009	—	—
	South	0·051	0·44	0·832	0·175	0·067	0·005	—	0·005	—	0·043	0·60	0·721	0·130	0·039	0·006	0·007	—	—
	Wales	0·190	1·64	2·966	0·827	0·116	0·013	—	0·015	0·04	0·269	2·01	4·424	0·908	0·258	0·029	0·018	0·015	—
	E. & W.	0·139	1·35	2·393	0·589	0·085	0·010	0·005	0·004	0·00	0·144	1·11	2·711	0·650	0·100	0·008	0·010	0·001	—
4. Scarlet fever	North	0·070	0·23	0·156	0·481	0·112	0·012	0·008	—	—	0·046	0·05	0·054	0·330	0·092	0·007	0·004	—	—
	Midlnd.	0·034	0·11	0·090	0·230	0·058	0·007	0·005	0·004	—	0·039	0·06	0·186	0·163	0·092	0·016	0·002	—	—
	South	0·017	—	0·104	0·080	0·043	—	0·004	—	—	0·011	—	0·052	0·016	0·044	—	0·003	—	—
	Wales	0·036	0·19	0·114	0·180	0·081	—	—	—	—	0·032	—	0·116	0·327	0·023	0·014	—	—	—
	E. & W.	0·038	0·12	0·112	0·245	0·068	0·006	0·005	0·001	—	0·032	0·04	0·114	0·191	0·072	0·009	0·003	—	—
5. Whooping cough	North	0·136	2·86	1·511	0·412	0·011	—	—	—	—	0·221	4·93	2·578	0·520	0·040	—	—	—	—
	Midlnd.	0·149	3·79	1·584	0·470	0·015	—	—	—	—	0·200	4·49	3·002	0·635	0·021	—	—	—	—
	South	0·121	3·76	1·767	0·128	0·019	—	—	—	0·01	0·160	4·65	2·164	0·422	0·035	—	—	—	—
	Wales	0·204	5·11	2·624	0·324	—	—	—	—	—	0·242	5·52	2·096	0·799	0·047	—	—	—	—
	E. & W.	0·145	3·71	1·723	0·356	0·013	—	—	—	—	0·198	4·75	2·597	0·574	0·031	—	—	—	—

TABLE 28.—MORTALITY from SEVERAL CAUSES, 1912.—RURAL DISTRICTS—*continued.*

(See note at head of Table 24.)

		Males.									Females.								
		All Ages	0—	1—	2—	5—	15—	25—	45—	65—	All Ages	0—	1—	2—	5—	15—	25—	45—	65—
6. Diphtheria and croup	North	0.102	0.09	0.469	0.636	0.196	0.019	0.004	0.007	—	0.131	0.05	0.483	0.746	0.280	0.020	0.012	0.022	—
	Midland	0.074	0.08	0.419	0.422	0.157	0.010	0.005	—	0.01	0.096	0.12	0.340	0.318	0.302	0.008	0.007	0.003	—
	South	0.076	0.05	0.520	0.319	0.209	0.005	0.004	0.005	—	0.081	0.05	0.552	0.503	0.251	—	0.010	0.005	—
	Wales	0.108	0.39	0.456	0.503	0.243	0.013	0.009	—	—	0.112	0.10	0.233	0.400	0.341	0.029	0.009	—	—
	E. & W.	0.084	0.11	0.459	0.455	0.188	0.011	0.005	0.003	0.00	0.102	0.08	0.291	0.471	0.289	0.011	0.009	0.007	—
7. Influenza ...	North	0.195	0.60	0.156	0.052	0.034	0.068	0.125	0.297	1.38	0.153	0.10	—	0.087	0.029	0.027	0.066	0.209	1.49
	Midland	0.207	0.64	0.120	0.077	0.017	0.062	0.094	0.281	1.42	0.198	0.32	0.124	0.048	0.036	0.047	0.091	0.218	1.34
	South	0.215	0.44	0.312	0.064	0.024	0.022	0.065	0.280	1.73	0.197	0.60	0.258	0.065	0.005	0.030	0.049	0.209	1.44
	Wales	0.190	0.39	0.114	—	0.012	0.039	0.121	0.429	1.14	0.242	0.30	0.466	0.036	0.082	0.043	0.140	0.254	1.70
	E. & W.	0.205	0.55	0.174	0.059	0.022	0.051	0.096	0.299	1.47	0.192	0.33	0.165	0.060	0.031	0.037	0.079	0.217	1.44
8. Erysipelas	North	0.020	0.14	—	—	—	0.006	—	0.022	0.23	0.009	0.05	—	0.017	—	—	—	0.022	0.07
	Midland	0.024	0.25	0.030	—	0.003	—	0.014	0.025	0.14	0.018	0.06	0.031	—	0.009	—	0.007	0.028	0.10
	South	0.021	0.05	—	—	—	—	0.018	0.044	0.11	0.017	0.15	—	0.016	0.010	0.006	0.013	0.015	0.05
	Wales	0.019	0.29	—	—	—	—	0.017	0.030	0.04	0.015	0.10	—	—	—	0.014	0.018	0.015	0.04
	E. & W.	0.022	0.18	0.012	—	0.001	0.001	0.012	0.030	0.14	0.016	0.08	0.013	0.008	0.006	0.003	0.008	0.022	0.07
9. Pulmonary tubercu- losis.	North	0.727	0.18	0.208	0.155	0.157	0.676	1.247	1.050	0.59	0.688	0.10	0.161	0.139	0.246	0.871	1.173	0.648	0.47
	Midland	0.771	0.25	0.239	0.067	0.090	0.872	1.327	1.084	0.62	0.715	0.17	0.186	0.087	0.198	1.194	1.163	0.688	0.41
	South	0.826	0.15	0.208	0.080	0.090	0.805	1.523	1.116	0.63	0.758	0.40	0.155	0.081	0.207	1.022	1.178	0.822	0.61
	Wales	0.981	0.78	0.228	0.144	0.150	1.026	1.498	1.509	1.14	1.073	—	0.233	0.182	0.305	1.654	1.621	1.284	0.71
	E. & W.	0.798	0.27	0.223	0.099	0.111	0.827	1.379	1.129	0.66	0.758	0.19	0.177	0.108	0.222	1.124	1.216	0.777	0.51
10. Tubercu- lous men- ingitis.	North	0.110	0.65	0.729	0.412	0.151	0.068	0.017	0.007	—	0.101	0.58	0.860	0.295	0.143	0.060	0.012	0.022	—
	Midland	0.088	0.64	0.508	0.259	0.151	0.059	0.014	0.007	—	0.082	0.55	0.464	0.250	0.133	0.062	0.025	0.007	—
	South	0.088	0.88	0.572	0.255	0.119	0.059	0.029	0.006	—	0.088	0.50	0.618	0.259	0.118	0.096	0.040	0.015	—
	Wales	0.135	1.16	1.027	0.359	0.185	0.066	0.034	—	—	0.144	1.30	0.698	0.254	0.164	0.158	0.061	0.015	—
	E. & W.	0.098	0.76	0.632	0.304	0.146	0.062	0.021	0.006	—	0.094	0.63	0.621	0.263	0.135	0.081	0.030	0.013	—
11. Other tu- berculous diseases.	North	0.224	1.98	1.250	0.447	0.151	0.093	0.133	0.159	0.09	0.193	0.87	0.913	0.312	0.126	0.146	0.152	0.142	0.22
	Midland	0.153	1.16	0.538	0.221	0.099	0.134	0.135	0.089	0.10	0.146	0.86	0.340	0.221	0.089	0.137	0.154	0.097	0.10
	South	0.141	0.93	0.520	0.255	0.062	0.119	0.137	0.116	0.08	0.104	0.55	0.206	0.097	0.084	0.054	0.112	0.087	0.13
	Wales	0.207	1.45	0.913	0.180	0.081	0.158	0.181	0.237	0.08	0.215	0.80	0.931	0.327	0.129	0.230	0.184	0.119	0.25
	E. & W.	0.171	1.34	0.744	0.277	0.099	0.123	0.140	0.126	0.09	0.152	0.78	0.507	0.223	0.100	0.127	0.145	0.105	0.14
12. Cancer, ma- lignant disease.	North	0.792	0.09	—	—	0.011	0.031	0.195	2.187	7.31	0.992	—	—	0.017	0.006	0.040	0.377	2.988	7.27
	Midland	1.045	—	0.090	0.038	0.012	0.038	0.192	2.569	7.79	1.243	—	0.031	0.058	0.006	0.023	0.395	2.814	7.82
	South	1.031	—	0.016	0.019	0.038	0.228	2.370	7.70	1.195	—	—	0.032	0.015	0.054	0.356	2.817	7.04	—
	Wales	0.868	0.10	—	0.072	0.035	0.066	0.172	2.352	7.20	1.141	—	—	0.036	—	—	0.482	3.082	7.38
	E. & W.	0.968	0.03	0.037	0.028	0.016	0.039	0.200	2.414	7.63	1.166	—	0.013	0.040	0.007	0.033	0.389	2.870	7.46
13. Rheumatic fever	North	0.054	—	—	—	0.084	0.043	0.062	0.043	0.07	0.056	—	—	0.017	0.057	0.060	0.074	0.052	0.04
	Midland	0.051	—	—	0.058	0.081	0.052	0.039	0.043	0.05	0.044	—	—	0.048	0.062	0.070	0.033	0.031	0.02
	South	0.037	—	—	—	0.043	0.027	0.040	0.044	0.07	0.045	—	—	0.069	0.048	0.030	0.056	0.06	—
	Wales	0.070	—	—	0.036	0.116	0.079	0.060	0.059	0.04	0.064	—	—	0.047	0.115	0.061	0.075	0.07	—
	E. & W.	0.050	—	—	0.028	0.076	0.046	0.047	0.045	0.06	0.048	—	—	0.024	0.061	0.067	0.044	0.047	0.04
14. Meningitis	North	0.124	1.48	0.833	0.309	0.106	0.062	0.033	0.022	0.02	0.099	0.82	0.645	0.364	0.120	0.013	0.033	0.015	0.02
	Midland	0.079	0.97	0.478	0.163	0.073	0.031	0.025	0.053	0.02	0.064	0.63	0.310	0.202	0.080	0.031	0.025	0.017	0.01
	South	0.065	0.78	0.361	0.128	0.071	0.059	0.011	0.033	0.01	0.047	0.60	0.206	0.065	0.035	0.048	0.023	0.036	—
	Wales	0.111	0.58	0.456	0.324	0.127	0.079	0.060	0.030	0.04	0.100	0.80	0.349	0.218	0.070	0.129	0.044	0.060	—
	E. & W.	0.089	1.00	0.533	0.206	0.085	0.051	0.027	0.039	0.02	0.071	0.68	0.367	0.207	0.076	0.042	0.028	0.026	0.01
15. Organic heart disease.	North	1.234	—	—	0.034	0.056	0.186	0.383	2.332	13.70	1.258	—	0.054	—	0.086	0.206	0.435	2.675	11.88
	Midland	1.418	—	0.030	0.029	0.073	0.145	0.328	2.324	12.81	1.533	0.03	0.031	0.029	0.089	0.176	0.373	2.465	11.78
	South	1.446	0.05	0.104	—	0.048	0.130	0.358	2.359	12.83	1.567	0.05	—	—	0.108	0.185	0.310	2.195	12.91
	Wales	1.308	—	0.114	—	0.069	0.171	0.336	2.204	14.15	1.596	—	—	—	0.129	0.216	0.535	3.002	12.95
	E. & W.	1.374	0.01	0.050	0.020	0.062	0.153	0.349	2.323	13.10	1.489	0.02	0.025	0.012	0.097	0.190	0.386	2.481	12.24
16. Bronchitis	North	0.844	9.09	1.927	0.172	0.039	0.025	0.054	0.775	7.95	0.856	7.05	2.901	0.295	0.029	0.027	0.033	0.648	8.67
	Midland	0.873	7.52	1.584	0.211	0.026	0.014	0.039	0.533	7.96	0.904	6.12	1.517	0.260	0.021	0.004	0.031	0.474	7.85
	South	0.740	4.84	1.299	0.255	0.019	0.032	0.036	0.440	7.24	0.719	4.00	1.391	0.178	0.015	0.006	0.030	0.378	6.65
	Wales	0.753	7.81	0.913	0.288	0.023	0.013	0.069	0.695	6.65	0.897	4.72	1.514	0.145	0.059	0.014	0.088	0.642	8.66
	E. & W.	0.819	7.32	1.525	0.221	0.027	0.021	0.045	0.574	7.63	0.844	5.69	1.812	0.235	0.025	0.011	0.037	0.497	7.72
17. Pneumonia (all forms)	North	1.063	9.28	5.886	1.168	0.224	0.205	0.503	1.289										

TABLE 28.—MORTALITY from SEVERAL CAUSES, 1912.—RURAL DISTRICTS—*continued*.
(See note at head of Table 24.)

		Males.										Females.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
20. Appendici- tis and typhlitis.	North	0·079	0·05	—	—	0·106	0·099	0·058	0·094	0·11	0·058	—	—	0·035	0·092	0·086	0·045	0·045	0·02		
	Midlnd.	0·065	—	—	0·038	0·079	0·090	0·057	0·046	0·11	0·059	—	—	0·019	0·077	0·082	0·056	0·038	0·08		
	South	0·061	—	—	0·016	0·071	0·059	0·036	0·094	0·13	0·067	0·05	—	0·032	0·084	0·066	0·053	0·061	0·13		
	Wales	0·070	—	0·114	—	0·092	0·066	0·069	0·089	0·04	0·049	—	—	0·073	0·047	0·086	0·035	0·060	—		
	E. & W.	0·068	0·01	0·012	0·020	0·084	0·081	0·053	0·073	0·11	0·060	0·01	—	0·032	0·079	0·079	0·050	0·048	0·07		
21. Cirrhosis of liver.	North	0·113	—	0·052	—	—	0·006	0·054	0·442	0·48	0·059	—	—	—	—	—	0·029	0·216	0·30		
	Midlnd.	0·116	—	—	—	—	0·003	0·039	0·373	0·59	0·075	—	—	—	—	0·004	0·036	0·180	0·41		
	South	0·082	—	—	—	0·005	—	0·047	0·286	0·25	0·057	—	—	—	—	0·006	0·030	0·133	0·29		
	Wales	0·087	—	—	—	0·012	—	0·086	0·237	0·38	0·029	—	—	—	—	0·014	0·018	0·060	0·18		
	E. & W.	0·103	—	0·012	—	0·002	0·003	0·049	0·350	0·45	0·062	—	—	—	—	0·005	0·031	0·162	0·33		
21A. Alcoholism	North	0·019	—	—	—	—	—	0·042	0·022	0·07	0·006	—	—	—	—	—	0·012	0·007	0·02		
	Midlnd.	0·016	—	—	—	—	—	0·025	0·039	0·04	0·006	—	—	—	—	0·004	0·009	0·017	—		
	South	0·018	—	—	—	—	—	0·033	0·039	0·03	0·010	—	—	—	—	—	0·007	0·031	0·02		
	Wales	0·010	—	—	—	—	—	0·034	—	—	0·005	—	—	—	—	—	—	0·030	—		
	E. & W.	0·016	—	—	—	—	—	0·032	0·031	0·04	0·007	—	—	—	—	0·002	0·008	0·020	0·01		
22. Nephritis and Bright's disease.	North	0·345	0·14	0·208	0·103	0·062	0·062	0·191	0·840	2·29	0·304	0·19	0·322	0·069	0·086	0·053	0·156	0·693	1·92		
	Midlnd.	0·368	0·19	0·060	0·038	0·049	0·086	0·162	0·707	2·46	0·287	0·09	0·124	0·029	0·033	0·074	0·138	0·557	1·57		
	South	0·438	0·05	—	0·016	0·043	0·113	0·199	0·852	2·90	0·315	0·15	—	0·016	0·039	0·030	0·125	0·658	1·78		
	Wales	0·483	0·29	0·114	0·180	0·058	0·039	0·215	1·094	3·58	0·464	0·20	—	0·073	0·012	0·101	0·368	0·792	2·94		
	E. & W.	0·394	0·16	0·087	0·063	0·051	0·083	0·184	0·813	2·66	0·317	0·14	0·127	0·040	0·044	0·061	0·162	0·635	1·82		
23. Puerperal fever	North	—	—	—	—	—	—	—	—	—	0·058	—	—	—	—	0·086	0·143	0·007	—		
	Midlnd.	—	—	—	—	—	—	—	—	—	0·057	—	—	—	—	0·074	0·165	—	—		
	South	—	—	—	—	—	—	—	—	—	0·051	—	—	—	—	0·060	0·142	0·005	—		
	Wales	—	—	—	—	—	—	—	—	—	0·071	—	—	—	—	0·086	0·202	—	—		
	E. & W.	—	—	—	—	—	—	—	—	—	0·057	—	—	—	—	0·075	0·158	0·003	—		
24. Other acci- dents of pregnancy and par- turation.	North	—	—	—	—	—	—	—	—	—	0·163	—	—	—	—	0·140	0·463	0·030	—		
	Midlnd.	—	—	—	—	—	—	—	—	—	0·115	—	—	—	—	0·090	0·357	0·014	—		
	South	—	—	—	—	—	—	—	—	—	0·095	—	—	—	—	0·066	0·290	0·005	—		
	Wales	—	—	—	—	—	—	—	—	—	0·213	—	—	—	—	0·201	0·622	0·030	—		
	E. & W.	—	—	—	—	—	—	—	—	—	0·130	—	—	—	—	0·107	0·389	0·016	—		
25. Congenital debility and malforma- tion (includ- ing prema- ture birth).	North	1·141	44·67	0·260	0·052	0·017	0·012	—	—	—	0·871	35·08	0·107	—	0·017	0·020	0·004	0·007	—		
	Midlnd.	0·842	37·51	0·329	0·048	0·015	0·007	0·002	—	—	0·674	31·03	0·310	0·029	0·015	0·012	—	—	—		
	South	0·709	34·45	0·104	0·080	0·048	0·011	0·014	—	—	0·499	25·69	0·155	0·049	0·020	0·006	—	—	—		
	Wales	0·916	36·55	—	—	0·012	—	0·009	—	—	0·701	28·61	0·116	0·036	—	—	—	—	—		
	E. & W.	0·880	38·44	0·223	0·051	0·023	0·008	0·006	—	—	0·672	30·48	0·203	0·028	0·015	0·011	0·001	0·001	—		
26. Violent deaths (ex- cluding sui- cide).	North	0·822	0·69	0·677	0·739	0·286	0·775	0·936	1·093	1·90	0·207	0·58	0·484	0·330	0·155	0·106	0·082	0·156	1·10		
	Midlnd.	0·577	1·13	0·807	0·499	0·186	0·424	0·552	0·824	1·46	0·202	1·01	0·650	0·423	0·115	0·074	0·078	0·142	0·73		
	South	0·579	1·76	0·987	0·717	0·185	0·330	0·503	0·951	1·16	0·209	1·30	0·412	0·341	0·118	0·066	0·056	0·184	0·93		
	Wales	0·736	0·48	1·255	0·791	0·289	0·546	0·913	0·961	1·31	0·210	0·50	0·931	0·400	0·117	0·086	0·105	0·119	0·92		
	E. & W.	0·648	1·09	0·868	0·640	0·218	0·491	0·665	0·928	1·44	0·206	0·91	0·583	0·379	0·125	0·081	0·076	0·154	0·87		
27. Suicide ...	North	0·145	—	—	—	—	0·050	0·175	0·406	0·43	0·048	—	—	—	0·006	0·086	0·033	0·119	0·06		
	Midlnd.	0·167	—	—	—	0·003	0·110	0·208	0·334	0·49	0·045	—	—	—	—	0·043	0·065	0·093	0·06		
	South	0·166	—	—	—	0·005	0·065	0·221	0·352	0·46	0·038	—	—	—	—	0·054	0·043	0·066	0·06		
	Wales	0·118	—	—	—	—	0·053	0·112	0·355	0·34	0·032	—	—	—	—	—	0·061	0·075	0·04		
	E. & W.	0·157	—	—	—	0·002	0·079	0·193	0·356	0·46	0·043	—	—	—	—	0·001	0·051	0·051	0·089		
28. Other de- fined dis- eases.	North	3·940	22·80	3·594	0·842	0·342	0·496	0·877	4·236	41·63	3·767	16·86	2·525	0·659	0·298	0·525	0·968	4·262	39·00		
	Midlnd.	4·195	16·21	2·272	0·614	0·340	0·410	0·901	3·870	39·01	4·186	10·96	2·012	0·568	0·344	0·523	0·917	3·471	35·63		
	South	3·859	13·00	1·871	0·526	0·309	0·448	0·919	3·756	35·46	3·841	10·65	1·236	0·438	0·350	0·464	1·049	3·271	32·19		
	Wales	4·060	28·07	2·510	0·501	0·289	0·579	0·904	3·890	38·91	4·334	23·49	2·445	0·545	0·354	0·518	0·973	4·480	36·40		
	E. & W.	4·038	18·47	2·517	0·632	0·327	0·458	0·901	3·916	38·45	4·019	13·77	1·989	0·554	0·337	0·508	0·970	3·667	35·26		
29. Diseases— ill-defined or unknown	North	0·119	0·18	0·524	0·087	0·018	0·008	0·047	0·282	0·62	0·095	0·39	0·590	0·053	0·008	0·006	0·037	0·279	0·16		
	Midlnd.	0·110	0·57	0·447	0·028	0·020	0·019	0·030	0·230	0·41	0·082	0·29	0·308	0·029	—	0·006	0·025	0·183	0·32		
	South	0·096	0·62	0·155	0·030	0·016	0·017	0·054	0·182	0·35	0·063	0·48	0·153	0·065	0·009	—	0·020	0·139	0·21		
	Wales	0·104	0·76	0·341	—	0·009	0·014	0·061	0·250	0·26	0·060	0·41	0·117	0·036	—	0·032	0·034	0·059	0·28		
	E. & W.	0·105	0·54	0·384	0·038	0·022	0·015	0·041	0·231	0·42	0·079	0·41	0·316	0·043	0·007	0·007	0·029	0·178	0·25		

TABLE 29.—ENGLAND AND WALES.—INFANT MORTALITY by SEX, AGE, CAUSE, and LEGITIMACY, 1912.

Cause of Death.		Sex.	Proportion of Deaths to 1,000 Births.																
			All Infants.						Legitimate Infants.						Illegitimate Infants.				
			Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
ALL CAUSES ...	M	43·47	20·36	16·24	13·65	11·91	105·63	42·10	19·33	15·29	13·18	11·66	101·56	74·37	43·20	37·40	24·01	17·31	196·29
	F	33·21	14·80	13·34	11·27	11·02	83·64	31·80	13·93	12·61	10·83	10·78	79·95	64·53	34·17	29·61	21·02	16·41	165·74
	P	38·44	17·64	14·82	12·48	11·47	94·85	37·04	16·69	13·98	12·03	11·23	90·97	69·55	38·77	33·57	22·54	16·87	181·30
I. Common Infectious Diseases (5-9, 19C).	M	0·13	0·93	1·22	2·30	3·11	7·69	0·13	0·94	1·22	2·28	3·08	7·65	0·10	0·93	1·51	2·73	3·36	8·63
	F	0·17	1·06	1·33	2·16	3·12	7·89	0·16	1·07	1·35	2·13	3·12	7·83	0·26	0·97	2·06	2·71	3·01	9·01
	P	0·15	0·99	1·31	2·24	3·10	7·79	0·15	1·00	1·28	2·21	3·11	7·75	0·19	0·96	1·79	2·72	3·17	8·83
Tuberculous Diseases (28-35).	M	0·07	0·41	0·83	0·97	0·80	3·08	0·07	0·38	0·78	0·94	0·76	2·93	0·05	1·00	1·95	1·93	1·45	6·88
	F	0·02	0·28	0·74	0·74	0·77	2·55	0·01	0·27	0·67	0·72	0·74	2·41	0·21	0·75	1·96	1·53	1·09	5·54
	P	0·04	0·35	0·78	0·87	0·77	2·81	0·04	0·32	0·73	0·83	0·75	2·67	0·14	0·88	1·95	1·72	1·28	5·97
II. Diarrhoea and Enteritis (104).	M	0·99	2·50	2·75	1·56	1·07	8·87	0·95	2·36	2·53	1·47	1·02	8·33	1·83	5·65	7·69	3·61	2·04	20·82
	F	0·47	1·65	2·09	1·29	1·02	6·52	0·43	1·48	1·94	1·21	0·97	6·03	1·20	5·38	5·43	3·04	2·28	17·33
	P	0·73	2·08	2·44	1·43	1·04	7·72	0·70	1·93	2·24	1·34	0·99	7·20	1·52	5·52	6·58	3·33	2·16	19·11
V. Developmental and Wasting Diseases (150, 151, 152B).	M	31·96	6·37	2·48	1·04	0·53	42·38	31·25	5·94	2·25	0·94	0·50	40·88	47·59	16·01	7·80	3·14	1·25	75·79
	F	25·07	4·50	2·14	0·86	0·43	33·00	24·34	4·16	1·95	0·80	0·43	31·68	40·75	11·89	6·41	2·17	0·76	61·98
	P	28·58	5·45	2·32	0·94	0·49	37·78	27·89	5·06	2·10	0·87	0·46	36·38	44·21	14·00	7·12	2·66	1·02	69·01
V. Miscellaneous Diseases (Remainder)	M	10·32	10·15	8·96	7·78	6·40	43·61	9·70	9·71	8·51	7·55	6·30	41·77	24·80	19·61	18·45	12·60	9·21	84·67
	F	7·43	7·31	6·99	6·22	5·68	33·68	6·86	6·95	6·70	5·97	5·52	32·00	22·11	15·18	13·75	11·57	9·27	71·88
	P	8·94	8·77	7·97	7·00	6·07	38·75	8·26	8·38	7·63	6·78	5·92	36·97	23·49	17·41	16·13	12·11	9·24	78·38
Small-pox (5) ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chicken-pox (19C).	M	—	0·00	0·01	0·03	0·01	0·05	—	0·00	0·01	0·03	0·01	0·05	—	—	—	0·05	0·11	0·16
	F	0·00	0·00	0·01	0·02	0·01	0·04	0·00	0·00	0·01	0·02	0·01	0·04	—	—	0·11	0·05	—	0·16
	P	0·00	0·00	0·01	0·03	0·01	0·05	0·00	0·00	0·01	0·02	0·01	0·04	—	—	0·06	0·05	0·05	0·16
Measles (6) ...	M	0·02	0·07	0·20	1·07	1·79	3·15	0·02	0·07	0·20	1·06	1·78	3·13	—	0·10	0·31	1·26	1·94	3·61
	F	0·02	0·04	0·17	0·77	1·65	2·65	0·02	0·04	0·16	0·75	1·62	2·59	0·05	0·05	0·54	1·20	1·91	3·75
	P	0·02	0·06	0·19	0·92	1·71	2·90	0·02	0·06	0·18	0·91	1·70	2·87	0·03	0·08	0·43	1·23	1·91	3·63
Scarlet Fever (7)	M	0·00	0·01	0·01	0·02	0·05	0·09	0·00	0·01	0·01	0·02	0·05	0·09	—	—	—	—	0	0·10
	F	0·00	—	0·01	0·03	0·02	0·06	—	—	0·01	0·03	0·02	0·06	0·05	—	—	—	0·1	0·05
	P	0·00	0·00	0·01	0·03	0·04	0·08	0·00	0·00	0·01	0·03	0·04	0·08	0·03	—	—	—	0·05	0·08
Whooping Cough (8).	M	0·11	0·84	0·98	1·11	1·15	4·19	0·11	0·85	0·98	1·10	1·14	4·18	0·10	0·78	1·15	1·37	1·05	4·45
	F	0·14	1·01	1·16	1·31	1·35	4·97	0·13	1·02	1·15	1·30	1·37	4·97	0·16	0·87	1·36	1·41	1·03	4·83
	P	0·12	0·92	1·07	1·21	1·25	4·57	0·12	0·93	1·06	1·20	1·26	4·57	0·13	0·83	1·25	1·39	1·04	4·64
Diphtheria and Croup (9).	M	0·00	0·01	0·02	0·07	0·11	0·21	0·00	0·01	0·02	0·07	0·10	0·20	—	0·05	0·05	0·05	0·16	0·31
	F	0·01	0·01	0·03	0·03	0·09	0·17	0·01	0·01	0·02	0·03	0·10	0·17	—	0·05	0·05	0·05	0·07	0·22
	P	0·01	0·01	0·03	0·05	0·09	0·19	0·01	0·01	0·02	0·05	0·10	0·19	—	0·05	0·05	0·05	0·12	0·27
Erysipelas (18)...	M	0·04	0·09	0·03	0·02	0·01	0·19	0·04	0·09	0·03	0·02	0·01	0·19	—	0·10	0·11	—	—	0·21
	F	0·02	0·05	0·05	0·02	0·02	0·16	0·02	0·06	0·05	0·01	0·02	0·16	—	—	0·11	0·05	—	0·16
	P	0·03	0·08	0·04	0·02	0·01	0·18	0·03	0·07	0·04	0·02	0·02	0·18	—	0·05	0·11	0·03	—	0·19
Tuberculous meningitis (30).	M	0·01	0·10	0·29	0·40	0·37	1·17	0·01	0·08	0·28	0·39	0·36	1·12	—	0·37	0·58	0·58	0·56	2·09
	F	0·01	0·06	0·23	0·29	0·36	0·95	0·01	0·06	0·22	0·29	0·36	0·94	0·05	0·05	0·49	0·33	0·33	1·25
	P	0·01	0·08	0·26	0·35	0·36	1·06	0·01	0·07	0·25	0·34	0·36	1·03	0·03	0·21	0·54	0·45	0·45	1·68
Abdominal Tuberculosis (31).	M	0·04	0·22	0·34	0·30	0·22	1·12	0·04	0·21	0·31	0·29	0·20	1·05	0·05	0·47	1·11	0·52	0·52	2·67
	F	0·01	0·15	0·31	0·23	0·17	0·87	0·00	0·14	0·26	0·21	0·16	0·77	0·11	0·54	1·04	0·87	0·43	2·99
	P	0·02	0·19	0·32	0·27	0·19	0·99	0·02	0·17	0·29	0·25	0·18	0·91	0·08	0·51	1·06	0·69	0·48	2·82
Other Tuberculous Diseases (28, 29, 32-35).	M	0·02	0·09	0·20	0·27	0·21	0·79	0·02	0·09	0·19	0·26	0·20	0·76	—	0·16	0·26	0·33	0·37	1·62
	F	0·00	0·07	0·20	0·22	0·24	0·73	0·00	0·07	0·19	0·22	0·22	0·70	0·05	0·16	0·43	0·33	0·33	1·30
	P	0·01	0·08	0·20	0·25	0·22	0·76	0·01	0·08	0·19	0·24	0·21	0·73	0·03	0·16	0·35	0·38	0·35	1·47
Meningitis (not Tuberculous) (61).	M	0·07	0·21	0·38	0·43	0·33	1·42	0·07	0·21	0·38	0·43	0·33	1·42	0·10	0·21	0·37	0·42	0·26	1·36
	F	0·04	0·14	0·27	0·33	0·36	1·14	0·04	0·14	0·26	0·33	0·36	1·13	—	0·27	0·60	0·33	0·27	1·47
	P	0·05	0·18	0·33	0·38	0·34	1·28	0·06	0·17	0·32	0·39	0·34	1·28	0·05	0·24	0·48	0·37	0·27	1·41
Convulsions (71)	M	3·98	2·24	1·68	1·16	0·75	9·81	3·93	2·13	1·59	1·09	0·70	9·44	5·28	4·55	3·82	2·62	1·83	18·10
	F	2·60	1·59	1·31	0·99	0·64	7·13	2·45	1·51	1·27	0·92	0·62	6·77	5·59	3·42	2·17	2·72	1·09	14·99
	P	3·30	1·92	1·50	1·08	0·69	8·49	3·20	1·83	1·43	1·01	0·66	8·13	5·43	4·00	3·01	2·66	1·47	16·57
Laryngitis (87B)	M	0·01	0·02	0·03	0·08	0·06	0·20	0·01	0·02	0·03	0·07	0·06	0·19	—	0·10	—	0·17	0·10	0·37
	F	0·02	0·02	0·02	0·03	0·04	0·13	0·02	0·02	0·02	0·02	0·04	0·12	—					

TABLE 29.—ENGLAND AND WALES.—INFANT MORTALITY by SEX, AGE, CAUSE, and LEGITIMACY, 1912.—continued.

Cause of Death.		Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
Gastritis (103A)	M	0.26	0.63	0.42	0.18	0.12	1.61	0.23	0.60	0.39	0.16	0.12	1.50	0.73	1.61	0.89	0.58	0.16	3.97
	F	0.16	0.34	0.28	0.17	0.06	1.01	0.16	0.31	0.27	0.16	0.05	0.95	0.11	0.87	0.54	0.38	0.27	2.17
	P	0.21	0.49	0.35	0.17	0.09	1.31	0.20	0.45	0.33	0.16	0.09	1.23	0.43	1.25	0.72	0.48	0.21	3.09
Syphilis (37) ...	M	0.49	0.64	0.29	0.08	0.03	1.53	0.39	0.52	0.21	0.07	0.02	1.21	2.77	3.40	2.04	0.31	0.16	8.68
	F	0.35	0.43	0.24	0.08	0.04	1.14	0.30	0.32	0.19	0.06	0.02	0.89	1.47	2.97	1.47	0.60	0.33	6.84
	P	0.42	0.54	0.27	0.08	0.03	1.34	0.34	0.43	0.20	0.06	0.02	1.05	2.13	3.20	1.76	0.45	0.24	7.78
Rickets (36A) ...	M	0.61	0.02	0.07	0.15	0.16	0.41	0.01	0.02	0.07	0.14	0.15	0.39	0.05	0.10	0.05	0.48	0.21	0.89
	F	0.00	0.03	0.04	0.09	0.12	0.28	0.00	0.02	0.04	0.08	0.12	0.26	—	0.05	0.05	0.34	0.27	0.71
	P	0.01	0.03	0.05	0.12	0.13	0.34	0.00	0.02	0.06	0.11	0.13	0.32	0.03	0.08	0.05	0.40	0.24	0.80
Suffocation, over-lying (168 part).	M	0.56	0.60	0.29	0.05	0.02	1.52	0.50	0.59	0.28	0.05	0.02	1.44	1.73	0.94	0.52	—	—	3.19
	F	0.48	0.60	0.39	0.07	0.03	1.57	0.42	0.62	0.38	0.06	0.02	1.50	1.69	0.76	0.54	0.11	0.11	3.21
	P	0.51	0.60	0.34	0.06	0.03	1.54	0.46	0.60	0.33	0.06	0.02	1.47	1.72	0.85	0.53	0.05	0.05	3.20
Injury at Birth (152C).	M	1.24	0.04	—	—	0.00	1.28	1.18	0.04	—	—	0.00	1.22	2.77	—	—	—	—	2.77
	F	0.85	0.01	—	—	—	0.86	0.77	0.01	—	—	—	0.78	2.50	—	—	—	—	2.50
	P	1.04	0.03	—	—	0.00	1.07	0.97	0.03	—	—	0.00	1.00	2.64	—	—	—	—	2.64
Atelectasis (152B).	M	1.81	0.12	—	—	—	1.93	1.78	0.12	—	—	—	1.90	2.46	0.16	—	—	—	2.62
	F	1.35	0.07	—	—	—	1.42	1.32	0.07	—	—	—	1.39	1.96	0.05	—	—	—	2.01
	P	1.58	0.10	—	—	—	1.68	1.56	0.09	—	—	—	1.65	2.21	0.11	—	—	—	2.32
Congenital Malformations (150).	M	2.50	0.86	0.35	0.16	0.12	3.99	2.48	0.85	0.35	0.14	0.12	3.94	2.82	1.15	0.37	0.63	0.10	5.07
	F	2.16	0.56	0.33	0.12	0.07	3.24	2.14	0.55	0.32	0.13	0.08	3.22	2.34	0.65	0.60	—	0.05	3.64
	P	2.33	0.71	0.34	0.14	0.10	3.62	2.33	0.70	0.33	0.13	0.10	3.59	2.58	0.91	0.48	0.32	0.08	4.37
Premature Birth (151A).	M	19.85	1.65	0.18	0.04	0.01	21.73	19.46	1.59	0.17	0.03	0.01	21.26	23.82	2.88	0.42	0.10	0.05	32.27
	F	15.91	1.29	0.18	0.03	0.01	17.42	15.42	1.24	0.17	0.03	0.01	16.87	23.62	2.39	0.43	—	—	29.44
	P	17.93	1.47	0.18	0.03	0.01	19.62	17.48	1.42	0.17	0.03	0.01	19.11	27.73	2.64	0.43	0.05	0.03	30.88
Atrophy, Debility and Marasmus (151 B-E).	M	7.80	3.74	1.95	0.84	0.40	14.73	7.53	3.38	1.73	0.77	0.37	13.78	13.49	11.82	7.01	2.41	1.10	35.83
	F	5.65	2.58	1.63	0.71	0.35	10.92	5.46	2.30	1.46	0.64	0.34	10.20	9.83	8.80	5.38	2.17	0.71	26.39
	P	6.74	3.17	1.80	0.77	0.38	12.86	6.52	2.85	1.60	0.71	0.35	12.03	11.69	10.34	6.21	2.29	0.91	31.44
Other Causes ...	M	1.96	1.13	1.09	0.90	0.68	5.76	1.64	1.06	1.04	0.87	0.71	5.32	9.65	1.75	1.75	1.64	0.79	16.58
	F	1.68	0.74	0.79	0.69	0.52	4.42	1.39	0.66	0.77	0.68	0.51	4.01	9.50	1.83	1.43	1.17	0.74	14.67
	P	1.85	0.92	0.91	0.81	0.65	5.14	1.49	0.88	0.91	0.77	0.62	4.67	9.57	1.76	1.58	1.46	0.76	15.13

TABLE 30.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1912.—CLASSES OF ADMINISTRATIVE AREAS.

Proportion of Deaths to 1,000 Births.																			
Cause of Death.		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
All Causes	33·52	17·73	15·73	12·66	11·80	91·44	31·78	16·61	14·49	12·31	11·54	86·73	77·40	45·70	46·86	21·22	18·19	209·37	
	41·06	20·07	17·59	14·90	14·24	107·86	39·53	18·91	16·52	14·25	13·95	103·16	75·42	46·01	41·43	29·34	20·92	213·12	
	38·26	16·85	13·95	12·02	10·79	91·87	37·11	16·01	13·23	11·57	10·53	88·45	64·55	36·30	30·48	22·42	16·99	170·74	
	37·60	14·93	11·18	9·20	7·89	80·80	36·22	14·24	10·73	8·98	7·77	77·94	64·47	28·46	20·08	13·58	10·16	136·75	
I. Common Infectious Diseases (5-9, 19 C).	38·65	18·31	15·72	13·30	12·37	98·35	37·24	17·29	14·78	12·79	12·09	94·19	71·03	41·78	37·51	25·15	18·82	194·29	
	0·14	0·84	1·05	2·37	3·43	7·83	0·13	0·87	1·03	2·40	3·44	7·87	0·46	0·23	1·39	1·40	3·51	6·99	
	0·16	1·06	1·42	2·61	4·03	9·28	0·16	1·06	1·37	2·52	4·03	9·14	0·08	0·98	2·53	4·00	4·67	12·26	
	0·13	0·95	1·39	2·25	2·85	7·57	0·13	0·96	1·38	2·23	2·84	7·54	0·16	0·80	2·79	3·19	3·62	8·62	
II. Tuberculous Diseases (28-35).	0·19	1·07	1·14	1·51	1·76	5·67	0·18	1·05	1·15	1·50	1·82	5·70	0·24	1·54	1·07	1·41	0·82	5·08	
	0·15	0·98	1·34	2·42	3·42	8·31	0·15	0·99	1·32	2·37	3·40	8·23	0·16	0·79	2·00	3·09	3·87	9·91	
	0·06	0·36	0·91	1·06	0·92	3·31	0·05	0·32	0·80	1·03	0·92	3·12	0·23	1·17	3·26	1·87	1·16	7·69	
	0·04	0·42	0·92	1·01	0·89	3·28	0·04	0·40	0·85	0·93	0·87	3·09	0·16	0·98	2·46	2·62	1·47	7·69	
III. Diarrhoea and Enteritis (104).	0·05	0·31	0·79	0·79	0·72	2·66	0·05	0·28	0·75	0·77	0·69	2·54	0·16	0·96	1·67	1·27	1·60	5·66	
	0·04	0·26	0·48	0·65	0·56	1·99	0·04	0·25	0·47	0·62	0·56	1·94	—	0·47	0·94	1·06	0·60	3·07	
	0·05	0·36	0·86	0·92	0·83	3·02	0·05	0·34	0·81	0·87	0·79	2·86	0·16	1·00	2·24	1·94	1·48	5·82	
	0·72	2·60	3·95	2·16	1·38	10·81	0·88	2·35	3·52	2·02	1·29	9·86	1·63	8·86	14·69	5·60	3·73	34·51	
IV. Developmental and Wasting Diseases (150, 151, 152 B.)	0·87	2·31	2·92	1·72	1·44	9·26	0·80	2·11	2·70	1·58	1·37	8·56	2·37	6·95	7·92	4·66	3·02	24·92	
	0·73	2·00	2·00	1·19	0·77	6·69	0·73	1·87	1·88	1·12	0·73	6·33	0·80	4·94	4·87	2·71	1·60	14·92	
	0·52	1·51	1·40	0·90	0·64	4·97	0·48	1·45	1·32	0·88	0·63	4·76	1·30	2·60	3·07	1·18	0·94	9·09	
	0·79	2·22	2·69	1·56	1·14	8·40	0·75	2·05	2·48	1·45	1·08	7·81	1·58	6·37	7·60	3·96	2·51	22·02	
V. Miscellaneous Diseases (Remainder)	24·54	5·59	2·36	1·00	0·54	34·03	23·69	4·99	2·07	0·92	0·51	32·18	45·70	20·75	9·80	2·80	1·16	80·21	
	30·18	5·94	2·84	1·15	0·60	40·71	29·43	5·49	2·54	1·05	0·57	39·08	47·81	15·61	9·56	3·35	0·98	77·31	
	28·61	5·25	2·13	0·91	0·45	37·35	28·05	4·95	1·96	0·83	0·40	36·19	41·50	12·36	6·39	2·79	1·28	64·32	
	28·44	4·92	1·73	0·65	0·35	36·09	27·74	4·62	1·64	0·62	0·34	34·96	42·39	10·64	3·31	1·41	0·59	58·34	
VI. Miscellaneous Diseases (Remainder)	28·61	5·59	2·46	1·03	0·51	38·20	27·88	5·19	2·22	0·94	0·49	36·72	44·77	14·97	8·23	3·02	1·13	72·12	
	8·06	8·34	7·46	6·07	5·53	35·46	7·23	8·08	7·07	5·94	5·38	33·70	29·38	14·69	17·72	9·55	8·63	79·97	
	9·81	10·34	9·49	8·41	7·28	45·33	9·10	9·85	9·06	8·17	7·11	43·29	25·00	21·49	18·96	14·71	10·78	90·94	
	8·74	8·34	7·64	6·88	6·00	37·60	8·15	7·95	7·26	6·62	5·87	35·85	21·93	17·24	15·87	12·86	9·32	77·22	
VII. Miscellaneous Diseases (Remainder)	8·41	7·17	6·43	5·49	4·58	32·08	7·78	6·87	6·15	5·36	4·42	30·58	20·54	13·21	11·69	8·52	7·21	61·17	
	9·05	9·16	8·37	7·37	6·47	40·42	8·41	8·72	7·95	7·16	6·33	38·57	24·36	18·65	17·44	13·14	9·83	83·42	

TABLE 30.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1912.—CLASSES OF ADMINISTRATIVE AREAS—continued.

Cause of Death.		Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
Small-pox (5) ...	London ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	County Boroughs ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Urban Districts ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Rural Districts ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All Urban Districts ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chicken-pox (19 C) ...	London ...	—	—	—	—	—	0.04	—	—	—	—	—	0.04	—	—	—	—	—	—
	County Boroughs ...	—	—	—	—	—	0.04	—	—	—	—	—	0.04	—	—	—	—	—	—
	Other Urban Districts ...	0.00	0.01	0.01	0.03	0.01	0.06	—	0.01	0.01	0.01	0.01	0.04	—	—	0.08	0.08	—	0.33
	Rural Districts ...	—	0.01	0.01	0.01	0.01	0.04	0.00	0.01	0.01	0.01	0.01	0.05	—	—	0.08	—	—	0.16
	All Urban Districts ...	0.00	0.00	0.01	0.03	0.01	0.05	0.00	0.00	0.01	0.02	0.01	0.04	—	—	0.07	0.07	0.07	0.21
Measles (6) ...	London ...	0.04	0.05	0.15	1.06	2.04	3.34	0.04	0.06	0.15	1.07	2.04	3.36	0.23	—	0.23	0.70	1.87	3.03
	County Boroughs ...	0.03	0.07	0.27	1.23	2.47	4.07	0.03	0.07	0.23	1.21	2.46	4.00	—	0.08	0.98	1.72	2.86	5.64
	Other Urban Districts ...	0.01	0.05	0.19	0.85	1.49	2.59	0.01	0.05	0.19	0.84	1.47	2.56	—	0.08	0.16	1.20	2.07	3.51
	Rural Districts ...	0.01	0.03	0.08	0.45	0.66	1.23	0.01	0.03	0.08	0.43	0.68	1.23	—	0.12	0.12	0.83	0.35	1.42
	All Urban Districts ...	0.03	0.06	0.21	1.04	1.98	3.32	0.03	0.06	0.20	1.03	1.95	3.27	0.03	0.07	0.52	1.34	2.38	4.34
Scarlet Fever (7) ...	London ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	County Boroughs ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Urban Districts ...	0.00	0.01	0.01	0.02	0.04	0.08	—	0.01	0.01	0.02	0.04	0.08	—	—	—	—	—	0.16
	Rural Districts ...	0.01	—	0.02	0.03	0.02	0.07	—	0.01	0.01	0.03	0.02	0.07	0.08	—	—	—	—	0.08
	All Urban Districts ...	0.00	0.01	0.01	0.02	0.03	0.07	0.01	—	0.02	0.01	0.02	0.03	0.08	—	—	—	0.07	0.10
Whooping Cough (8) ...	London ...	0.08	0.77	0.77	1.16	1.16	3.94	0.07	0.79	0.76	1.18	1.15	3.95	0.23	0.23	0.93	0.70	1.64	3.73
	County Boroughs ...	0.12	0.96	1.12	1.27	1.41	4.88	0.12	0.96	1.11	1.22	1.42	4.83	0.08	0.90	1.47	2.20	1.23	5.88
	Other Urban Districts ...	0.12	0.89	1.16	1.29	1.25	4.71	0.12	0.90	1.15	1.28	1.26	4.71	0.08	0.64	1.44	1.43	1.04	4.63
	Rural Districts ...	0.16	1.01	1.02	1.01	1.02	4.22	0.15	1.00	1.03	1.03	1.06	4.27	0.24	1.30	0.83	0.47	0.47	3.31
	All Urban Districts ...	0.11	0.90	1.08	1.27	1.30	4.66	0.11	0.91	1.07	1.24	1.31	4.64	0.10	0.69	1.38	1.65	1.20	5.02
Diphtheria and Croup (9) ...	London ...	0.02	0.02	0.10	0.10	0.19	0.43	0.02	0.02	0.09	0.10	0.21	0.44	—	—	0.23	—	—	0.23
	County Boroughs ...	0.01	0.01	0.01	0.06	0.10	0.19	0.01	0.01	0.01	0.06	0.10	0.19	—	—	—	—	—	0.25
	Other Urban Districts ...	0.00	0.00	0.02	0.05	0.08	0.15	0.00	—	0.02	0.05	0.08	0.15	—	0.08	—	0.08	0.08	0.24
	Rural Districts ...	0.01	0.02	0.01	0.02	0.04	0.10	0.01	0.01	0.01	0.01	0.04	0.08	—	0.12	0.12	0.11	—	0.35
	All Urban Districts ...	0.01	0.01	0.03	0.06	0.10	0.21	0.01	0.01	0.03	0.06	0.10	0.21	—	0.03	0.03	0.03	0.15	0.24

Erysipela: (18)	...	{ London County Boroughs ... Other Urban Districts Rural Districts All Urban Districts ... }	0.01	0.09	0.02	0.03	0.03	0.18	0.01	0.08	0.02	0.03	0.17	—	0.47	—	0.47	
			0.05	0.04	0.06	0.02	0.01	0.18	0.05	0.04	0.06	0.02	0.01	0.18	—	—	—	0.16
			0.03	0.10	0.04	0.02	0.02	0.21	0.03	0.10	0.03	0.02	0.02	0.20	—	—	—	0.24
			0.03	0.05	0.03	0.01	0.01	0.13	0.04	0.04	0.04	0.01	0.01	0.14	—	—	—	—
Tuberculous Meningitis (30).	...	{ London County Boroughs ... Other Urban Districts Rural Districts All Urban Districts ... }	0.01	0.11	0.32	0.45	1.34	0.01	0.10	0.28	0.45	0.46	1.30	1.40	0.23	0.47	0.23	
			0.00	0.09	0.30	0.37	1.18	0.00	0.09	0.30	0.36	0.41	1.16	0.25	0.74	0.65	0.16	1.80
			0.02	0.07	0.28	0.35	1.05	0.02	0.05	0.25	0.36	0.33	1.01	0.87	0.24	0.48	0.71	2.07
			0.01	0.05	0.15	0.24	1.15	0.01	0.05	0.16	0.23	0.25	0.70	—	0.35	0.24	0.59	2.59
Abdominal Tuberculosis (31).	...	{ London County Boroughs ... Other Urban Districts Rural Districts All Urban Districts ... }	0.01	0.08	0.29	0.38	1.15	0.01	0.08	0.28	0.37	0.38	1.12	0.69	0.52	0.48	2.00	
			0.02	0.15	0.24	0.17	0.72	0.02	0.14	0.18	0.16	0.14	0.64	—	1.39	0.47	0.23	2.56
			0.03	0.22	0.41	0.37	1.26	0.03	0.20	0.34	0.34	0.22	1.13	1.88	0.90	0.49	0.71	4.17
			0.01	0.17	0.33	0.24	0.95	0.01	0.16	0.33	0.22	0.17	0.89	0.48	0.71	0.72	0.24	2.39
Other Tuberculous Diseases (28, 29, 32-35).	...	{ London County Boroughs ... Other Urban Districts Rural Districts All Urban Districts ... }	0.03	0.10	0.35	0.44	1.25	0.02	0.08	0.34	0.42	0.32	1.18	0.47	0.93	0.70	2.80	
			0.01	0.11	0.21	0.27	0.84	0.01	0.11	0.21	0.23	0.24	0.80	0.32	0.98	0.33	1.72	
			0.02	0.07	0.18	0.20	0.66	0.02	0.07	0.17	0.19	0.19	0.64	0.32	0.40	0.32	1.20	
			—	0.04	0.11	0.19	0.49	—	0.04	0.10	0.19	0.15	0.48	0.35	0.24	0.12	0.83	
Meningitis (not Tuberculous) (61).	...	{ London County Boroughs ... Other Urban Districts Rural Districts All Urban Districts ... }	0.02	0.09	0.22	0.26	0.83	0.02	0.09	0.22	0.24	0.22	0.79	0.34	0.70	0.41	1.65	
			0.03	0.14	0.29	0.38	1.14	0.03	0.14	0.25	0.39	0.30	1.11	1.18	0.23	0.23	0.23	1.87
			0.07	0.23	0.40	0.50	1.58	0.07	0.23	0.40	0.49	0.38	1.57	0.80	0.49	0.57	0.41	1.88
			0.07	0.18	0.31	0.36	1.30	0.07	0.18	0.30	0.36	0.39	1.30	0.64	0.48	0.40	0.16	1.44
Convulsions (71)	...	{ London County Boroughs ... Other Urban Districts Rural Districts All Urban Districts ... }	0.03	0.09	0.26	0.26	0.85	0.03	0.10	0.27	0.26	0.21	0.87	0.12	0.23	0.23	0.47	
			0.06	0.20	0.34	0.42	1.39	0.06	0.19	0.33	0.43	0.37	1.38	0.79	0.58	0.45	0.28	1.69
			1.86	0.94	0.65	0.39	4.11	1.84	0.91	0.63	0.38	0.26	4.02	2.33	1.63	1.17	0.70	6.30
			3.69	2.28	1.73	1.26	9.78	3.58	2.19	1.66	1.17	0.79	9.39	6.13	4.25	3.43	2.47	18.55
Laryngitis (87 B)	...	{ London County Boroughs ... Other Urban Districts Rural Districts All Urban Districts ... }	0.02	0.10	0.32	0.45	1.34	0.02	0.10	0.28	0.45	0.46	1.30	1.40	0.47	0.23	2.33	
			0.01	0.09	0.30	0.37	1.18	0.01	0.09	0.30	0.36	0.41	1.16	0.25	0.74	0.65	0.16	1.80
			0.02	0.07	0.28	0.35	1.05	0.02	0.05	0.25	0.36	0.33	1.01	0.87	0.24	0.48	0.71	2.07
			0.01	0.05	0.15	0.24	1.15	0.01	0.05	0.16	0.23	0.25	0.70	—	0.35	0.24	0.59	2.59
Bronchitis (89, 90)	...	{ London County Boroughs ... Other Urban Districts Rural Districts All Urban Districts ... }	0.01	0.08	0.29	0.38	1.15	0.01	0.08	0.28	0.37	0.38	1.12	0.69	0.52	0.48	2.00	
			0.02	0.15	0.24	0.17	0.72	0.02	0.14	0.18	0.16	0.14	0.64	—	1.39	0.47	0.23	2.56
			0.03	0.22	0.41	0.37	1.26	0.03	0.20	0.34	0.34	0.22	1.13	1.88	0.90	0.49	0.71	4.17
			0.01	0.17	0.33	0.24	0.95	0.01	0.16	0.33	0.22	0.17	0.89	0.48	0.71	0.72	0.24	2.39

TABLE 30.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1912.—CLASSES OF ADMINISTRATIVE AREAS—continued.

Proportion of Deaths to 1,000 Births.																								
Cause of Death.		All Infants.						Legitimate Infants.						Illegitimate Infants.										
		Total under 1 Year.						Total under 1 Year.						Total under 1 Year.										
		Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.		
Pneumonia (all forms) (91, 92).	London	0.75	2.05	2.68	2.81	3.01	11.30	0.75	2.03	2.56	2.72	2.93	10.99	0.93	2.56	5.60	4.90	5.13	19.12					
	County Boroughs	0.51	1.82	2.50	3.36	3.46	11.65	0.50	1.79	2.42	3.32	3.43	11.46	0.82	2.53	4.09	4.16	4.17	15.77					
	Other Urban Districts	0.47	1.67	2.15	2.60	2.63	9.52	0.46	1.65	2.08	2.58	2.58	9.35	0.56	2.07	3.75	3.19	3.91	13.48					
	Rural Districts	0.53	1.41	1.59	1.79	1.88	7.20	0.53	1.38	1.53	1.76	1.85	7.05	0.59	2.01	2.72	2.24	2.60	10.16					
	All Urban Districts	0.53	1.79	2.38	2.95	3.03	10.68	0.52	1.77	2.30	2.91	2.98	10.48	0.72	2.84	4.17	3.85	4.20	15.28					
Diarrhoea and Enteritis (104).	London	0.72	2.60	3.95	2.16	1.38	10.81	0.68	2.35	3.52	2.02	1.29	9.86	1.63	8.86	14.69	5.60	3.73	34.51					
	County Boroughs	0.87	2.31	2.92	1.72	1.44	9.26	0.80	2.11	2.70	1.58	1.37	8.56	2.37	6.95	7.92	4.66	3.02	24.92					
	Other Urban Districts	0.73	2.00	2.00	1.19	0.77	6.69	0.73	1.87	1.88	1.12	0.73	6.33	0.80	4.94	4.87	2.71	1.60	14.92					
	Rural Districts	0.52	1.51	1.40	0.90	0.64	4.97	0.48	1.45	1.32	0.88	0.63	4.76	1.30	2.60	3.07	1.18	0.94	9.09					
	All Urban Districts	0.79	2.22	2.69	1.56	1.14	8.40	0.75	2.05	2.48	1.45	1.08	7.81	1.58	6.37	7.60	3.96	2.51	22.02					
Gastritis (103 A)	London	0.16	0.30	0.21	0.10	0.05	0.82	0.14	0.28	0.20	0.09	0.05	0.76	0.70	0.47	0.70	0.23	0.23	2.33					
	County Boroughs	0.21	0.63	0.46	0.22	0.11	1.63	0.20	0.57	0.43	0.21	0.11	1.52	0.41	1.96	1.06	0.41	0.25	4.09					
	Other Urban Districts	0.24	0.49	0.28	0.16	0.10	1.27	0.24	0.46	0.27	0.14	0.09	1.20	0.24	1.03	0.64	0.64	0.32	2.87					
	Rural Districts	0.19	0.40	0.36	0.16	0.07	1.18	0.17	0.38	0.36	0.14	0.07	1.12	0.59	0.95	0.35	0.47	—	2.36					
	All Urban Districts	0.21	0.52	0.35	0.17	0.10	1.35	0.21	0.47	0.33	0.16	0.09	1.26	0.38	1.33	0.83	0.48	0.28	3.30					
Syphilis (37)	London	0.49	0.83	0.35	0.06	0.05	1.78	0.41	0.67	0.23	0.07	0.05	1.43	2.56	4.44	3.26	—	0.23	10.49					
	County Boroughs	0.68	0.76	0.42	0.13	0.03	2.02	0.55	0.60	0.32	0.10	0.02	1.59	3.60	4.48	2.62	0.74	0.25	11.69					
	Other Urban Districts	0.32	0.45	0.21	0.07	0.03	1.08	0.27	0.34	0.16	0.05	0.02	0.84	1.52	2.78	1.52	0.56	0.24	6.62					
	Rural Districts	0.11	0.19	0.05	0.03	0.02	0.40	0.08	0.13	0.05	0.02	0.01	0.29	0.71	1.29	0.12	0.12	0.24	2.48					
	All Urban Districts	0.50	0.64	0.32	0.09	0.03	1.58	0.41	0.49	0.24	0.07	0.03	1.24	2.55	3.75	2.24	0.55	0.24	9.33					
Rickets (36 A)...	London	0.01	0.03	0.02	0.13	0.13	0.32	0.01	0.02	0.02	0.12	0.13	0.30	—	0.23	—	0.70	—	0.93					
	County Boroughs	0.01	0.02	0.05	0.13	0.13	0.34	0.01	0.03	0.05	0.11	0.13	0.33	—	—	—	0.49	—	0.49					
	Other Urban Districts	0.01	0.03	0.06	0.11	0.15	0.36	0.00	0.02	0.06	0.10	0.14	0.32	0.08	0.16	0.08	0.48	0.56	1.36					
	Rural Districts	—	0.02	0.08	0.11	0.12	0.33	—	0.02	0.08	0.11	0.12	0.33	—	—	—	0.23	0.23	0.35					
	All Urban Districts	0.01	0.03	0.05	0.12	0.14	0.35	0.01	0.02	0.05	0.11	0.13	0.32	0.03	0.10	0.03	0.53	0.24	0.93					
Suffocation, overlying (168 part).	London	0.86	1.11	0.67	0.10	0.05	2.79	0.74	1.12	0.67	0.10	0.06	2.69	3.73	0.70	0.70	—	—	5.13					
	County Boroughs	0.69	0.90	0.50	0.08	0.03	2.20	0.60	0.88	0.49	0.09	0.03	2.09	2.70	1.31	0.57	—	—	4.58					
	Other Urban Districts	0.39	0.35	0.20	0.03	0.02	0.99	0.38	0.33	0.18	0.03	0.01	0.93	0.80	0.79	0.64	0.08	0.16	2.47					
	Rural Districts	0.22	0.26	0.11	0.03	0.01	0.63	0.21	0.26	0.10	0.02	0.01	0.60	0.59	0.35	0.24	0.12	—	1.30					
	All Urban Districts	0.59	0.69	0.40	0.06	0.03	1.77	0.53	0.67	0.39	0.07	0.03	1.69	2.03	1.00	0.62	0.03	0.07	3.75					

TABLE 31.—ENGLAND AND WALES.—NAMES ON THE REGISTERS, SEARCHES, and FEES RECEIVED, at the GENERAL REGISTER OFFICE, 1863–1912.

Year.			Names on the Registers at the end of each Year.				Searches in the Registers, including Non-Parochial.			
			Persons Married.	Births.	Deaths.	Total.	Number.*	Amount received for Searches and for Certificates.*		
								£	s.	d.
1863	7,761,702	15,719,673	10,515,760	33,997,135	8,825†	1,280	17	6†
1864	8,122,476	16,459,948	11,011,291	35,593,715	9,607	1,371	18	6
1865	8,493,424	17,208,017	11,502,200	37,203,641	10,182	1,487	12	0
1866	8,868,976	17,961,887	12,002,889	38,833,752	12,135	1,860	15	6
1867	9,227,284	18,730,236	12,473,962	40,431,482	12,343	1,906	16	6
1868	9,581,208	19,517,094	12,954,584	42,052,886	12,913†	2,031	11	0†
1869	9,935,148	20,290,475	13,449,412	43,675,035	14,260	2,247	7	6
1870	10,298,458	21,083,262	13,964,741	45,346,461	16,170	2,456	19	6
1871	10,678,682	21,880,690	14,479,620	47,038,992	17,910	2,705	7	0
1872	11,081,216	22,706,597	14,971,885	48,759,698	18,970	2,867	5	6
1873	11,492,446	23,536,375	15,464,405	50,493,226	20,941†	3,142	9	6†
1874	11,896,466	24,391,331	15,991,037	52,278,834	22,354	3,364	7	0
1875	12,298,890	25,241,938	16,537,490	54,078,318	26,356	3,879	15	6
1876	12,702,638	26,129,906	17,047,805	55,880,349	27,590	4,109	15	6
1877	13,091,342	27,018,106	17,548,301	57,657,749	27,721	4,211	13	6
1878	13,471,450	27,910,012	18,088,173	59,469,635	28,540	4,313	8	6
1879	13,835,614	28,790,401	18,614,428	61,240,443	29,690†	4,517	15	0†
1880	14,219,544	29,672,044	19,143,052	63,034,640	31,308	4,695	3	0
1881	14,614,124	30,555,686	19,634,987	64,804,797	32,305	4,976	12	6
1882	15,022,934	31,444,700	20,151,641	66,619,275	33,597	5,170	15	0
1883	15,435,702	32,335,422	20,674,638	68,445,762	34,810	5,356	0	0
1884	15,844,304	33,242,172	21,205,466	70,291,942	34,843†	5,177	15	0†
1885	16,239,794	34,136,442	21,728,216	72,104,452	36,450	5,317	13	6
1886	16,631,936	35,040,202	22,265,492	73,937,630	36,079	5,168	16	0
1887	17,032,972	35,926,533	22,796,250	75,755,755	37,750	5,347	5	0
1888	17,440,614	36,806,401	23,307,221	77,554,236	40,477	5,808	0	6
1889	17,868,344	37,692,345	23,825,574	79,386,263	41,002	5,884	2	6
1890	18,314,400	38,562,282	24,387,822	81,264,504	43,874†	6,178	4	0†
1891	18,767,452	39,476,439	24,975,747	83,219,638	46,500	6,458	10	6
1892	19,221,722	40,374,396	25,535,431	85,131,549	50,942	6,921	15	0
1893	19,659,100	41,288,968	26,105,389	87,053,457	50,626	6,845	6	6
1894	20,111,998	42,179,257	26,604,216	88,895,471	54,255	7,166	3	6
1895	20,568,406	43,101,548	27,173,213	90,843,167	53,289	7,200	12	6
1896	21,053,934	44,016,879	27,699,940	92,770,753	57,444†	7,600	0	6†
1897	21,552,224	44,938,562	28,241,427	94,732,213	58,664	7,686	8	6
1898	22,062,982	45,861,727	28,793,568	96,718,277	63,825	8,450	19	6
1899	22,587,650	46,790,373	29,375,367	98,753,390	57,670	8,551	19	6
1900	23,102,610	47,717,435	29,963,197	100,783,242	57,895	8,658	9	6
1901	23,621,410	48,647,242	30,514,782	102,783,434	58,445	8,645	10	0
1902	24,144,910	49,587,751	31,050,320	104,782,981	61,437†	9,177	15	0†
1903	24,667,116	50,536,022	31,564,948	106,768,086	63,519	9,437	9	6
1904	25,182,828	51,481,411	32,114,732	108,778,971	62,270	9,274	12	0
1905	25,704,312	52,410,704	32,634,763	110,749,779	65,142	9,611	9	0
1906	26,244,388	53,345,785	33,166,044	112,756,217	64,340	9,458	6	0
1907	26,797,230	54,263,827	33,690,265	114,751,322	69,249	10,194	9	0
1908	27,327,110	55,204,210	34,210,721	116,742,041	72,370†	10,550	8	0†
1909	27,848,198	56,118,682	34,728,724	118,695,604	73,543	10,568	8	0
1910	28,383,640	57,015,644	35,211,971	120,611,255	75,369	10,939	5	6
1911	28,933,526	57,896,782	35,739,781	122,570,089	75,005	10,875	6	0
1912	29,501,194	58,769,519	36,226,720	124,497,433	80,601	11,752	6	0

* The figures in these columns refer to periods of 52 weeks except those marked † which refer to periods of 53 weeks.

TABLE 32.—ISLANDS IN THE BRITISH SEAS. AREA and POPULATION; and BIRTHS and DEATHS, 1888–1912.

Year.	Islands in the British Seas.	Isle of Man.	Jersey.	Guernsey and adjacent Islands.				
Area in } Acres }	193,408	145,325	28,717	19,366				
Enumerated Population.								
1881	141,260	53,558	52,445	35,257				
1891	147,842	55,608	54,518	37,716				
1901	150,370	54,752	52,576	43,042				
1911	148,934	52,034	51,903	44,997				
—	Births.	Deaths.	Births.	Deaths.	Births.	Deaths.	Births.*	Deaths.
1888	3,810	2,663	1,564	1,078	1,523	1,025	723	560
1889	3,791	2,687	1,578	1,010	1,415	1,039	798	638
1890	3,607	3,040	1,458	1,159	1,375	1,156	774	725
1891	3,688	2,925	1,493	1,086	1,373	1,144	822	695
1892	3,382	3,031	1,331	1,131	1,269	1,262	782	638
1893	3,633	2,864	1,415	1,091	1,401	1,118	817	655
1894	3,305	2,700	1,336	1,091	1,227	987	742	622
1895	3,602	2,985	1,515	1,138	1,294	1,151	793	696
1896	3,538	2,602	1,437	1,073	1,307	998	794	531
1897	3,716	2,819	1,445	1,099	1,331	1,016	940	704
1898	3,585	2,760	1,400	1,008	1,259	1,020	926	732
1899	3,650	2,881	1,473	1,130	1,261	1,054	916	697
1900	3,375	2,894	1,376	1,143	1,151	1,054	848	697
1901	3,145	2,556	1,204	1,033	1,139	869	802	654
1902	3,289	2,466	1,256	979	1,137	864	896	623
1903	3,134	2,466	1,190	948	1,097	933	847	585
1904	3,536	2,649	1,227	1,027	1,068	903	1,241	719
1905	3,419	2,530	1,139	998	1,066	856	1,214	676
1906	3,310	2,397	1,123	894	1,007	878	1,180	625
1907	3,197	2,499	1,073	893	980	917	1,144	689
1908	3,162	2,391	1,044	901	1,039	815	1,079	675
1909	3,161	2,457	1,036	970	1,046	868	1,079	619
1910	3,125	2,246	1,023	841	1,038	765	1,064	640
1911	3,019	2,663	979	932	1,034	904	1,006	827
1912	2,963	2,249	921	847	993	751	1,049	651

NOTE.—The above numbers of births and deaths have been compiled from returns furnished to the Registrar-General by the Registrar-General of the Isle of Man, the Government Secretary of Jersey, and the Lieutenant-Governor of Guernsey and its Dependencies.

* Up to and including the year 1895 the figures in this column refer to the number of Baptisms.

TABLE 33.—BALANCE inward or outward on PASSENGER MOVEMENT into and out of the UNITED KINGDOM, 1895–1912.

Year.	Balance Outward on Movement to and from non-European Countries.				Balance Inward on Movement to and from European Countries.	Net Balance Outward on Total Movement to and from all Countries.
	British Subjects.	Foreigners.	Nationality not Distinguished.	Total.	(All Nationalities).*	(All Nationalities).*
1895	75,763	18,015	2,320	96,098	28,503	67,595
1896	60,183	19,506	2,350	82,039	38,956	43,083
1897	51,239	4,938	1,989	58,166	17,850	40,316
1898	49,396	14,189	2,240	65,825	29,897	35,928
1899	46,116	30,444	2,025	78,585	56,660	21,925
1900	71,188	50,041	1,585	122,814	79,433	43,381
1901	72,016	63,618	1,923	137,557	88,712	48,845
1902	101,547	112,132	2,226	215,905	137,313	78,592
1903	147,036	99,149	3,136	249,321	114,540	134,781
1904	126,854	82,182	2,945	211,981	84,389	127,592
1905	139,365	110,514	4,590	254,469	107,733	146,736
1906	194,671	133,878	977†	327,572	134,199	193,373
1907	235,092	109,857	3,633†	341,316	113,385	227,931
1908	91,156	47,667†	—	43,489	24,267†	67,756
1909	139,693	73,360	—	213,053	94,263	118,790
1910	233,709	86,371	—	320,080	112,664	207,416
1911	261,809	11,187	—	272,996	31,845	241,151
1912	268,485	47,654	—	316,139	74,405	241,734

* Prior to 1st January, 1908, no statutory returns were available with regard to the passenger movement between the United Kingdom and the Continent of Europe, and the returns furnished voluntarily were to some extent incomplete, and were not prepared on an absolutely uniform system. Hence the figures given above for the years 1895 to 1907 cannot be regarded as a complete statement of the passenger movement between the United Kingdom and other countries in those years.

† Balance inward.

‡ Balance outward.

TABLE 34.—ARMY.—STRENGTH and MORTALITY, 1873–1912.
(Regiments on Passage Out and Home are included with the Number Abroad.)

Year.	Strength.			Deaths.			Death-rate per 1000.		
	Total Army.	In United Kingdom.	Abroad.	Total Army.	In United Kingdom.	Abroad.	Total Army.	In United Kingdom.	Abroad.
1873 ...	188,379	100,583	87,796	2,139	931	1,208	11·4	9·3	13·8
1874 ...	186,389	97,635	88,754	2,136	1,007	1,129	11·5	10·3	12·7
1875 ...	184,669	97,193	87,476	2,269	1,061	1,208	12·3	10·9	13·8
1876 ...	184,433	97,146	87,287	2,102	930	1,172	11·4	9·6	13·4
1877 ...	190,502	101,904	88,598	1,801	856	945	9·5	8·4	10·7
1878 ...	200,758	109,201	91,557	2,249	778	1,471	11·2	7·1	16·1
1879 ...	191,290	88,215	103,075	4,239	796	3,443	22·2	9·0	33·4
1880 ...	188,986	91,887	97,099	3,333	756	2,577	17·6	8·2	26·5
1881 ...	188,798	91,946	96,852	2,650	844	1,806	14·0	9·2	18·6
1882 ...	189,229	94,295	94,934	2,224	806	1,418	11·8	8·5	14·9
1883 ...	181,971	90,071	91,900	1,783	672	1,111	9·8	7·5	12·1
1884 ...	183,004	89,994	93,010	1,611	523	1,088	8·8	5·8	11·7
1885 ...	198,064	91,579	106,485	2,730	735	1,995	13·8	8·0	18·7
1886 ...	203,805	98,057	105,748	2,813	703	2,110	13·8	7·2	20·0
1887 ...	209,574	106,767	102,807	2,006	568	1,438	9·6	5·3	14·0
1888 ...	211,105	106,913	104,192	2,041	731	1,310	9·7	6·8	12·6
1889 ...	210,298	105,956	104,342	1,961	525	1,436	9·3	5·0	13·8
1890 ...	209,221	105,668	103,553	1,813	631	1,182	8·7	6·0	11·4
1891 ...	209,699	104,860	104,839	1,869	562	1,307	8·9	5·4	12·5
1892 ...	213,540	106,115	107,425	1,950	502	1,448	9·1	4·7	13·5
1893 ...	217,279	106,074	111,205	1,803	586	1,217	8·3	5·5	10·9
1894 ...	219,121	105,749	113,372	1,871	447	1,424	8·5	4·2	12·6
1895 ...	220,309	107,636	112,673	1,839	491	1,348	8·3	4·6	12·0
1896 ...	220,742	106,408	114,334	1,862	431	1,431	8·4	4·1	12·5
1897 ...	219,283	102,155	117,128	2,188	403	1,785	10·0	3·9	15·2
1898 ...	225,027	102,202	122,825	2,699	452	2,247	12·0	4·4	18·3
1899 ...	238,739	107,504	131,235	2,516	486	2,030	10·5	4·5	15·5
1900 ...	383,037	117,041	265,996	10,554	958	9,596	27·6	8·2	36·1
1901 ...	412,949	126,797	286,152	6,237	780	5,457	15·1	6·2	19·1
1902 ...	379,048	126,992	252,056	4,029	625	3,404	10·6	4·9	13·5
1903 ...	295,589	137,755	157,834	2,067	703	1,364	7·0	5·1	8·6
1904 ...	283,691	134,345	149,346	1,715	444	1,271	6·0	3·3	8·5
1905 ...	274,158	132,141	142,017	1,526	385	1,141	5·6	2·9	8·0
1906 ...	263,834	129,421	134,413	1,445	399	1,046	5·5	3·1	7·8
1907 ...	249,890	123,668	126,222	1,186	382	804	4·7	3·1	6·4
1908 ...	247,277	124,422	122,855	1,178	329	849	4·8	2·6	6·9
1909 ...	252,105	130,098	122,007	985	400	585	3·9	3·1	4·8
1910 ...	250,942	129,131	121,811	844	319	525	3·4	2·5	4·3
1911 ...	243,414	128,405	115,009	822	320	502	3·4	2·5	4·4
1912 ...	254,001	128,918	125,083	773	302	471	3·0	2·3	3·8

TABLE 35.—ROYAL NAVY.—MORTALITY in the SERVICE AFLOAT, 1873–1912.
(From the Statistical Reports of the Health of the Navy.)

Year.	Death-rate per 1000.			Year.	Death-rate per 1000.		
	From All Causes.	From Disease.	From Violence.		From All Causes.	From Disease.	From Violence.
1873 ...	8·3	6·0	2·3	1893 ...	11·29	4·07	7·21
1874 ...	9·4	6·7	2·7	1894 ...	5·76	4·05	1·71
1875 ...	8·8	6·9	1·9	1895 ...	6·60	4·64	1·95
1876 ...	9·24	5·99	3·24	1896 ...	5·28	3·81	1·47
1877 ...	7·05	4·91	2·13	1897 ...	5·23	3·78	1·45
1878 ...	14·41	5·32	9·09	1898 ...	4·91	3·56	1·35
1879 ...	8·58	6·23	2·34	1899 ...	5·41	3·87	1·53
1880 ...	12·57	4·62	7·95	1900 ...	7·27	4·96	2·30
1881 ...	10·94	5·27	5·67	1901 ...	5·34	3·38	1·96
1882 ...	9·49	6·87	2·62	1902 ...	5·92	3·51	2·40
1883 ...	5·88	4·05	1·82	1903 ...	4·19	2·79	1·40
1884 ...	9·00	5·83	3·16	1904 ...	4·45	3·14	1·31
1885 ...	7·04	4·77	2·27	1905 ...	3·90	2·74	1·15
1886 ...	6·88	5·04	1·83	1906 ...	3·68	2·48	1·20
1887 ...	8·32	4·89	3·42	1907 ...	3·35	2·26	1·09
1888 ...	5·71	3·95	1·75	1908 ...	3·37	2·07	1·30
1889 ...	5·33	3·87	1·45	1909 ...	3·21	2·28	0·92
1890 ...	8·54	4·14	4·40	1910 ...	3·15	2·12	1·03
1891 ...	6·17	4·68	1·49	1911 ...	3·12	2·22	0·90
1892 ...	5·58	4·50	1·08	1912 ...	3·30	2·04	1·26

TABLE 36.—MERCHANT SERVICE. NUMBER and MORTALITY of MASTERS and SEAMEN employed in SEA-GOING VESSELS (excluding Fishing Vessels and Yachts) registered in the UNITED KINGDOM and the ISLE OF MAN, under the Merchant Shipping Act, reported to the Board of Trade during each of the Years ending 30th June, 1892–1893 to 1911–1912.

(Furnished to the Registrar-General by the Marine Department of the Board of Trade.)

Years.	No. of Masters and Seamen Employed.*	No. of Deaths Reported.				Death-rate per 1,000.			
		From All Causes.	From Disease, &c.†	From Wreck or Casualty.‡	From Accident other than Wreck or Casualty.	From All Causes.	From Disease, &c.†	From Wreck or Casualty.‡	From Accident other than Wreck or Casualty.
DEATHS IN SAILING VESSELS.									
1892-1893 ...	63,618	1,248	392	541	315	19·6	6·2	8·5	5·0
1893-1894 ...	61,327	1,344	374	613	357	21·9	6·1	10·0	5·8
1894-1895 ...	58,537	1,400	484	594	322	23·9	8·3	10·1	5·5
1895-1896 ...	56,095	1,370	410	637	323	24·4	7·3	11·4	5·8
1896-1897 ...	53,267	965	285	413	267	18·1	5·4	7·8	5·0
1897-1898 ...	49,858	781	295	255	231	15·7	5·9	5·1	4·6
1898-1899 ...	46,553	896	271	430	195	19·2	5·8	9·2	4·2
1899-1900 ...	43,356	754	256	307	191	17·4	5·9	7·1	4·4
1900-1901 ...	41,151	894	215	474	205	21·7	5·2	11·5	5·0
1901-1902 ...	38,400	686	207	294	185	17·9	5·4	7·7	4·8
1902-1903 ...	36,406	588	217	196	175	16·2	6·0	5·4	4·8
1903-1904 ...	34,748	652	175	300	177	18·8	5·0	8·6	5·1
1904-1905 ...	32,466	599	166	283	150	18·5	5·1	8·7	4·6
1905-1906 ...	30,204	576	146	287	143	19·1	4·8	9·5	4·7
1906-1907 ...	28,142	386	103	152	131	13·7	3·7	5·4	4·7
1907-1908 ...	25,821	462	105	226	131	17·9	4·1	8·8	5·1
1908-1909 ...	23,478	399	107	214	78	17·0	4·6	9·1	3·3
1909-1910 ...	21,470	283	66	134	83	13·2	3·1	6·2	3·9
1910-1911 ...	19,364	287	60	148	79	14·8	3·1	7·6	4·1
1911-1912 ...	15,086	228	36	131	61	15·1	2·4	8·7	4·0
DEATHS IN STEAM VESSELS.									
1892-1893 ...	155,942	1,430	667	429	334	9·2	4·3	2·8	2·1
1893-1894 ...	156,990	1,799	747	607	445	11·5	4·8	3·9	2·8
1894-1895 ...	159,257	1,538	733	363	442	9·7	4·6	2·3	2·8
1895-1896 ...	162,129	1,697	761	517	419	10·5	4·7	3·2	2·6
1896-1897 ...	165,966	1,668	717	486	465	10·1	4·3	2·9	2·8
1897-1898 ...	168,158	1,412	759	234	419	8·4	4·5	1·4	2·5
1898-1899 ...	172,830	1,961	843	651	467	11·3	4·9	3·8	2·7
1899-1900 ...	177,751	1,981	1,043	462	476	11·1	5·9	2·6	2·7
1900-1901 ...	183,394	1,887	1,052	370	465	10·3	5·7	2·0	2·5
1901-1902 ...	187,043	1,939	1,022	481	436	10·4	5·5	2·6	2·3
1902-1903 ...	193,755	1,797	1,024	305	468	9·3	5·3	1·6	2·4
1903-1904 ...	198,734	1,600	1,015	181	404	8·1	5·1	0·9	2·0
1904-1905 ...	202,111	1,704	993	327	384	8·4	4·9	1·6	1·9
1905-1906 ...	207,607	1,909	1,128	287	494	9·2	5·4	1·4	2·4
1906-1907 ...	214,828	1,924	1,141	347	436	9·0	5·3	1·6	2·0
1907-1908 ...	221,092	1,850	1,208	181	461	8·4	5·5	0·8	2·1
1908-1909 ...	219,711	1,744	1,048	273	423	7·9	4·8	1·2	1·9
1909-1910 ...	220,029	1,812	976	445	391	8·2	4·4	2·0	1·8
1910-1911 ...	223,423	1,917	1,103	404	410	8·6	4·9	1·8	1·8
1911-1912 ...	231,960	2,896§	1,127	1,292§	477	12·5	4·9	5·6	2·1
TOTAL.									
1892-1893 ...	219,560	2,678	1,059	970	649	12·2	4·8	4·4	3·0
1893-1894 ...	218,317	3,143	1,121	1,220	802	14·4	5·1	5·6	3·7
1894-1895 ...	217,794	2,938	1,217	957	764	13·5	5·6	4·4	3·5
1895-1896 ...	218,224	3,067	1,171	1,154	742	14·1	5·4	5·3	3·4
1896-1897 ...	219,233	2,633	1,002	899	732	12·0	4·6	4·1	3·3
1897-1898 ...	218,016	2,193	1,054	489	650	10·1	4·8	2·2	3·0
1898-1899 ...	219,383	2,857	1,114	1,081	662	13·0	5·1	4·9	3·0
1899-1900 ...	221,107	2,735	1,299	769	667	12·4	5·9	3·5	3·0
1900-1901 ...	224,545	2,781	1,267	844	670	12·4	5·6	3·8	3·0
1901-1902 ...	225,443	2,625	1,229	775	621	11·6	5·5	3·4	2·8
1902-1903 ...	230,161	2,385	1,241	501	643	10·4	5·4	2·2	2·8
1903-1904 ...	233,482	2,252	1,190	481	581	9·6	5·1	2·1	2·5
1904-1905 ...	234,577	2,303	1,159	610	534	9·8	4·9	2·6	2·3
1905-1906 ...	237,811	2,485	1,274	574	637	10·4	5·4	2·4	2·7
1906-1907 ...	242,970	2,310	1,244	499	567	9·5	5·1	2·1	2·3
1907-1908 ...	246,913	2,312	1,313	407	592	9·4	5·3	1·6	2·4
1908-1909 ...	243,189	2,143	1,155	487	501	8·8	4·7	2·0	2·1
1909-1910 ...	241,499	2,095	1,042	579	474	8·7	4·3	2·4	2·0
1910-1911 ...	242,787	2,204	1,163	552	489	9·1	4·8	2·3	2·0
1911-1912 ...	247,046	3,124§	1,163	1,423§	538	12·6	4·7	5·8	2·2

* The figures relating to employment are made up for the year ending in December, and are compared with the deaths in the year ending in the following June.

† These figures include cases of homicide, suicide, supposed suicide, missing at sea, and a few cases where the causes of the deaths were unknown.

‡ These figures include only deaths resulting from casualties to ships.

§ Of these deaths 673 were due to the loss of the s.s. "Titanic."

TABLE 37.—METEOROLOGICAL ELEMENTS,

Year.	Mean weekly Movement of the Air in Miles.	Departure from Average of 50 Years (1861-1910).	Fall of rain in Inches.	Departure from Average of 50 Years (1861-1910).	Mean Degree of Humidity of the Air. (Saturation = 100).	Departure from Average of 50 Years (1861-1910).	Mean Temperature of the Air.	Departure from Average of 50 Years (1861-1910).
	Miles.	Miles.	Inches.	Inches.	%	%	°	°
1861 ...	1666	— 285	20.8	— 3.2	84	+ 3	49.4	— 0.1
1862 ...	1680	— 271	26.2	+ 2.2	84	+ 3	49.5	0.0
1863 ...	1775	— 176	20.0	— 4.0	80	— 1	50.3	+ 0.8
1864 ...	1597	— 354	16.7	— 7.3	78	— 3	48.5	— 1.0
1865 ...	1553	— 398	29.0	+ 5.0	80	— 1	50.3	+ 0.8
1866 ...	1917	— 34	30.7	+ 6.7	82	+ 1	49.8	+ 0.3
1867 ...	1981	+ 30	28.4	+ 4.4	82	+ 1	48.6	— 0.9
1868 ...	2029	+ 78	25.2	+ 1.2	78	— 3	51.5	+ 2.0
1869 ...	2043	+ 92	24.0	0.0	81	0	49.5	0.0
1870 ...	1872	— 79	18.5	— 5.5	79	— 2	48.7	— 0.8
1871 ...	1749	— 202	22.3	— 1.7	81	0	48.5	— 0.8
1872 ...	1998	+ 47	30.0	+ 6.0	82	+ 1	50.7	+ 1.2
1873 ...	1940	— 11	23.4	— 0.6	82	+ 1	48.9	— 0.6
1874 ...	1915	— 36	20.0	— 4.0	82	+ 1	49.3	— 0.2
1875 ...	1942	— 9	28.2	+ 4.2	80	— 1	49.2	— 0.3
1876 ...	2036	+ 85	24.2	+ 0.2	80	— 1	50.1	+ 0.6
1877 ...	2184	+ 233	26.9	+ 2.9	79	— 2	49.4	— 0.1
1878 ...	1880	— 71	29.2	+ 5.2	81	0	49.6	+ 0.1
1879 ...	1873	— 78	31.3	+ 7.3	83	+ 2	46.2	— 3.3
1880 ...	1928	— 23	29.8	+ 5.8	84	+ 3	49.4	— 0.1
1881 ...	2030	+ 79	25.2	+ 1.2	81	0	48.7	— 0.8
1882 ...	2151	+ 200	25.2	+ 1.2	84	+ 3	49.7	+ 0.2
1883 ...	2058	+ 107	21.9	— 2.1	82	+ 1	49.4	— 0.1
1884 ...	2034	+ 83	18.1	— 5.9	80	— 1	50.7	+ 1.2
1885 ...	2008	+ 57	24.0	0.0	81	0	48.6	— 0.9
1886 ...	1962	+ 11	24.2	+ 0.2	81	0	48.7	— 0.8
1887 ...	1927	— 24	19.9	— 4.1	79	— 2	47.8	— 1.7
1888 ...	2049	+ 98	27.5	+ 3.5	82	+ 1	47.7	— 1.8
1889 ...	1934	— 17	23.3	— 0.7	83	+ 2	48.8	— 0.7
1890 ...	1946	— 5	21.9	— 2.1	81	0	48.6	— 0.9
1891 ...	1945	— 6	25.1	+ 1.1	82	+ 1	48.4	— 1.1
1892 ...	1863	— 88	22.3	— 1.7	80	— 1	48.1	— 1.4
1893 ...	1909	— 42	20.1	— 3.9	76	— 5	51.1	+ 1.6
1894 ...	2019	+ 68	26.9	+ 2.9	81	0	49.9	+ 0.4
1895 ...	1951	0	19.7	— 4.3	78	— 3	49.3	— 0.2
1896 ...	1932	— 19	22.4	— 1.6	79	— 2	50.2	+ 0.7
1897 ...	2033	+ 82	22.1	— 1.9	79	— 2	50.3	+ 0.8
1898 ...	1956	+ 5	18.9	— 5.1	78	— 3	51.3	+ 1.8
1899 ...	1911	— 40	22.3	— 1.7	77	— 4	50.6	+ 1.1
1900 ...	2050	+ 99	23.2	— 0.8	79	— 2	50.4	+ 0.9
1901 ...	1970	+ 19	20.3	— 3.7	78	— 3	49.2	— 0.3
1902 ...	1933	— 18	19.3	— 4.7	80	— 1	49.2	— 0.3
1903 ...	2226	+ 275	35.5	+ 11.5	80	— 1	50.1	+ 0.6
1904 ...	1913	— 38	20.7	— 3.3	82	+ 1	49.8	+ 0.3
1905 ...	2063	+ 112	23.0	— 1.0	81	0	49.9	+ 0.4
1906 ...	2093	+ 142	24.7	+ 0.7	79	— 2	50.7	+ 1.2
1907 ...	1977	+ 26	22.3	— 1.7	81	0	49.7	+ 0.2
1908 ...	1932	— 19	23.8	— 0.2	83	+ 2	50.1	+ 0.6
1909 ...	2041	+ 90	25.7	+ 1.7	83	+ 2	48.9	— 0.6
1910 ...	2155	+ 204	28.1	+ 4.1	84	+ 3	50.2	+ 0.7
1911 ...	2140	+ 189	23.7	— 0.3	79	— 2	51.8	+ 2.3
1912 ...	2085	+ 134	24.9	+ 0.9	83	+ 2	51.0	+ 1.5
Average 50 years (1861- 1910).	1951	—	24.0	—	81	—	49.5	—

Corresponding values for the years 1849-1860 are published

GREENWICH, 1861-1912.

Mean Temperature of the Air in the Quarters ended the last day of								Year.
March.	Departure from Average of 50 Years (1861-1910).	June.	Departure from Average of 50 Years (1861-1910).	September.	Departure from Average of 50 Years (1861-1910).	December.	Departure from Average of 50 Years (1861-1910).	
°	°	°	°	°	°	°	°	
39·9	— 0·1	51·8	— 1·2	60·4	— 0·1	45·5	+ 1·2	1861
41·0	+ 1·2	53·3	+ 0·3	58·8	— 1·7	45·0	+ 0·7	1862
42·6	+ 2·6	53·1	+ 0·1	58·8	— 1·7	46·8	+ 2·5	1863
37·9	— 2·1	53·1	+ 0·1	59·4	— 1·1	43·7	— 0·6	1864
36·5	— 3·5	56·2	+ 3·2	62·5	+ 2·0	46·0	+ 1·7	1865
41·2	+ 1·2	53·0	0·0	58·9	— 1·6	46·2	+ 1·9	1866
38·9	— 1·1	53·5	+ 0·5	59·7	— 0·8	42·5	— 1·8	1867
41·4	+ 1·4	55·8	+ 2·8	63·9	+ 3·4	45·1	+ 0·8	1868
41·3	+ 1·3	52·0	— 1·0	61·4	+ 0·9	43·3	— 1·0	1869
38·0	— 2·0	54·4	+ 1·4	60·7	+ 0·2	41·6	— 2·7	1870
40·2	+ 0·2	51·5	— 1·5	61·3	+ 0·8	41·8	— 2·5	1871
43·6	+ 3·6	52·8	— 0·2	61·1	+ 0·6	45·3	+ 1·0	1872
39·4	— 0·6	51·8	— 1·2	60·3	— 0·2	44·2	— 0·1	1873
41·4	+ 1·4	52·8	— 0·2	60·9	+ 0·4	42·3	— 2·0	1874
39·5	— 0·5	53·4	+ 0·4	60·7	+ 0·2	43·1	— 1·2	1875
39·5	— 0·5	51·7	— 1·3	61·8	+ 1·3	47·0	+ 2·7	1876
42·3	+ 2·3	51·9	— 1·1	58·5	— 2·0	45·0	+ 0·7	1877
41·5	+ 1·5	54·6	+ 1·6	60·8	+ 0·3	41·6	— 2·7	1878
37·1	— 2·9	49·5	— 3·5	58·1	— 2·4	39·9	— 4·4	1879
39·8	— 0·2	52·4	— 0·6	61·4	+ 0·9	44·0	— 0·3	1880
37·3	— 2·7	52·9	— 0·1	60·0	— 0·5	44·6	+ 0·3	1881
42·3	+ 2·3	53·0	0·0	58·1	— 2·4	44·7	+ 0·4	1882
40·0	0·0	53·0	0·0	59·5	— 1·0	44·9	+ 0·6	1883
43·4	+ 3·4	52·5	— 0·5	62·7	+ 2·2	44·1	— 0·2	1884
40·3	+ 0·3	52·4	— 0·6	59·1	— 1·4	42·8	— 1·5	1885
36·5	— 3·5	52·5	— 0·5	61·2	+ 0·7	44·6	+ 0·3	1886
37·3	— 2·7	51·6	— 1·4	61·0	+ 0·5	41·3	— 3·0	1887
36·9	— 3·1	51·6	— 1·4	57·6	— 2·9	44·6	+ 0·3	1888
38·2	— 1·8	54·5	+ 1·5	58·9	— 1·6	43·5	— 0·8	1889
41·4	+ 1·4	52·8	— 0·2	58·4	— 2·1	40·8	— 3·5	1890
37·6	— 2·4	51·6	— 1·4	59·3	— 1·2	45·0	+ 0·7	1891
37·5	— 2·5	53·4	+ 0·4	59·2	— 1·3	42·3	— 2·0	1892
40·9	+ 0·9	57·0	+ 4·0	61·9	+ 1·4	44·6	+ 0·3	1893
41·4	+ 1·4	53·3	+ 0·3	58·6	— 1·9	46·4	+ 2·1	1894
35·2	— 4·8	55·1	+ 2·1	62·3	+ 1·8	44·7	+ 0·4	1895
42·2	+ 2·2	55·6	+ 2·6	60·4	— 0·1	42·4	— 1·9	1896
41·1	+ 1·1	53·1	+ 0·1	60·9	+ 0·4	46·0	+ 1·7	1897
41·5	+ 1·5	52·4	— 0·6	62·7	+ 2·2	48·5	+ 4·2	1898
41·8	+ 1·8	52·8	— 0·2	63·0	+ 2·5	44·7	+ 0·4	1899
39·2	— 0·8	52·8	— 0·2	61·8	+ 1·3	47·6	+ 3·3	1900
37·8	— 2·2	53·4	+ 0·4	61·7	+ 1·2	43·9	— 0·4	1901
40·5	+ 0·5	51·0	— 2·0	59·6	— 0·9	45·2	+ 0·9	1902
43·9	+ 3·9	51·2	— 1·8	60·0	— 0·5	45·2	+ 0·9	1903
39·5	— 0·5	53·8	+ 0·8	61·5	+ 1·0	44·3	0·0	1904
41·9	+ 1·9	53·8	+ 0·8	61·7	+ 1·2	42·2	— 2·1	1905
41·1	+ 1·1	52·8	— 0·2	63·2	+ 2·7	45·8	+ 1·5	1906
40·0	0·0	52·9	— 0·1	60·1	— 0·4	45·8	+ 1·5	1907
39·5	— 0·5	53·8	+ 0·8	60·3	— 0·2	46·6	+ 2·3	1908
38·4	— 1·6	52·5	— 0·5	59·7	— 0·8	44·8	+ 0·5	1909
41·5	+ 1·5	54·2	+ 1·2	59·3	— 1·2	45·6	+ 1·3	1910
40·3	+ 0·3	54·9	+ 1·9	65·7	+ 5·2	46·2	+ 1·9	1911
43·6	+ 3·6	55·3	+ 2·3	58·9	— 1·6	45·9	+ 1·6	1912
40·0	—	53·0	—	60·5	—	44·3	—	Average 50 years (1861- 1910).

in the Annual Reports for 1909 and previous years.

TABLE 38.—QUARTERLY METEOROLOGICAL

Winter Spring Summer Autumn	Jan., Feb., March. April, May, June. July, Aug., Sept. Oct., Nov., Dec.	Temperature of								Elastic Force of Vapour.		Weight of Vapour in a Cubic Foot of Air.		
			Air.			Evaporation.		Dew Point.		Air— Daily Range.		Mean.	Diff. from Average of 60 years.	Mean.	Diff. from Average of 60 Years.
			Mean of Maximum and Minimum.	Diff. from Average of 130 years.	Diff. from Average of 60 years.	Mean.	Diff. from Average of 60 years.	Mean.	Diff. from Average of 60 years.	Mean.	Diff. from Average of 60 years.				
1912.			°	°	°	°	°	°	°	°	in.	in.	grs.	gr.	
Year.			51·0	+2·3	+1·6	47·3	+0·8	44·7	+1·2	15·1	−0·7	·301	+·008	3·4	0·0
Winter Quarter			43·6	+4·7	+3·8	41·1	+3·3	39·3	+4·1	10·6	−1·2	·240	+·033	2·8	+0·4
Spring do.			55·3	+2·9	+2·4	50·2	+1·1	46·2	+1·0	20·5	+0·6	·317	+·011	3·5	+0·1
Summer do.			58·9	−0·9	−1·5	54·4	−2·1	51·2	−1·8	17·1	−2·6	·380	−·022	4·2	−0·4
Autumn do.			45·9	+2·2	+1·5	43·6	+1·0	41·9	+1·3	12·2	+0·5	·266	+·009	3·0	−0·1

In this Table + and − respectively signify that the number in the preceding column is

ELEMENTS, GREENWICH, 1912.

Degree of Humidity.		Readings of Barometer, reduced to 32° F. and Lat. 45°.		Weight of a Cubic Foot of Air.		Rain.		Readings of Thermometer on Glass.						Jan., Feb., March. April, May, June. July, Aug., Sept. Oct., Nov., Dec.			
								Number of Nights it was									
Mean (Saturation=100).	Diff. from Average of 60 years.	Mean.	Diff. from Average of 60 years.	Mean.	Diff. from Average of 60 years.	Amount.	Diff. from Average of 60 years.	At or below 30°.	Between 30° and 40°.	Above 40°.	Lowest Reading at Night.		Highest Reading at Night.				
		ins.	in.	grs.	grs.	ins.		°	°	°	°	°	1912.				
83	+1	29·759	—·035	541	—1	24·87	+0·07	95	145	126	13·9	56·9	Year.				
88	+4	29·621	—·170	547	—5	7·34	+2·40	31	44	16	13·9	50·0	Winter Quarter.				
75	—2	29·831	+·029	538	0	3·68	—1·93	21	0	30	19·9	55·5	Spring do.				
79	+2	29·789	—·024	533	+3	7·62	+0·45	4	24	64	24·3	56·9	Summer do.				
89	0	29·795	+·025	547	0	6·23	—0·85	39	37	16	17·9	50·1	Autumn do.				

above or below the average to the amount of the quantities to which the signs are affixed.

TABLE 39.—METEOROLOGICAL TABLE for LONDON, 1912.

(Deduced from Observations at Greenwich, under the Superintendence of the Astronomer Royal.)

	Barometer.	Air Temperature.						Hygrometer.				Earth Temperature.		Bright Sunshine.				
		Mean of A Maximum. B Minimum.		Mean of A and B.	Difference from Normal.†	Absolute Maximum and Minimum.				Mean of Observations at 9 a.m. and 9 p.m.*				At 1 foot depth.	At 3 ft. 2 in. depth.	Daily mean.	Difference from Normal.†	Per cent. of Possible.
						Maximum.	Day of Month.	Minimum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.					
1912.																		
January	ins. 29.785	44.9	36.0	° 40.4	° +2.0	° 51	6	° 19	29	° 39.5	° 0.9	ins. .223	% 92	° 45.2	hrs. 0.89	hrs. -0.51	11	%
February	29.518	48.6	38.6	° 43.6	° +3.8	60	28	° 19	3	° 42.9	° 1.6	.241	88	° 42.8	1.33	-0.78	13	
March	29.560	53.3	40.5	° 46.9	° +4.4	62	25	° 31	21	° 45.5	° 2.1	.257	85	° 45.9	2.97	-0.39	25	
April...	29.999	59.8	39.4	° 49.6	° +1.5	71	21	° 32	11	° 48.4	° 4.0	.248	74	° 48.6	7.47	+2.44	54	
May ...	29.818	67.5	46.5	° 57.0	° +3.2	83	11	° 36	26	° 56.1	° 4.4	.330	74	° 53.6	6.15	-0.26	40	
June ...	29.675	69.5	49.3	° 59.4	° -0.9	84	19	° 42	3	° 58.5	° 4.1	.373	75	° 57.8	7.29	+0.81	44	
July ...	29.769	74.9	54.4	° 64.6	° +0.9	90	12	° 48	19	° 63.7	° 4.6	.436	76	° 62.1	5.34	-1.91	33	
August	29.603	66.7	50.1	° 58.4	° -4.5	73	4	° 42	28	° 56.9	° 3.1	.375	81	° 60.7	3.69	-3.09	25	
September	29.995	60.8	46.5	° 53.7	° -4.5	69	4	° 37	27	° 53.4	° 3.0	.329	80	° 57.5	3.96	-1.26	31	
October	29.778	57.1	39.3	° 48.2	° -2.2	66	13	° 29	9	° 46.2	° 1.3	.283	91	° 52.3	3.96	+0.88	37	
November	29.832	48.3	39.3	° 43.8	° +0.4	57	7	° 29	4	° 43.5	° 1.7	.246	87	° 49.0	0.89	-0.83	10	
December	29.776	50.6	40.7	° 45.7	° +6.1	57	14	° 26	1	° 45.7	° 1.6	.269	88	° 46.6	0.97	-0.12	12	
Year ...	29.759	58.5	43.4	51.0	+0.9	—	—	—	—	50.0	2.7	.301	83	51.8	3.74	-0.43	31	

* The hours of observation are 9 a.m. and 9 p.m. local time.

† The averages used are obtained from observations extending over 65 years for Rain and Temperature, and 15 years for Sunshine.

Wind Force.—Beaufort Scale (0-12) is used. The number of observations of moderate and strong wind (force 4-7), the number of observations of calm, and the number of days of gale (force 8 and above) are given in the table.

TABLE 39---continued.

1912.	Cloud.	Rain and other Forms of Precipitation.			Weather.					Wind.												
		Precipitation.			Number of days of					Number of Observations at 9 a.m. and 9 p.m.*												
		Mean of Observations of amount at 9 a.m. and 9 p.m.* (Scale 0-10).	Total Fall.	Difference from Normal,†	Most in a day.	Precipitation.	Snow.	Hail.	Thunderstorm.	Clear Sky,†	Overcast,†	Fog.	Wind force 8 and above.	Force (0-12).	Direction.							
													Moderate and Strong Wind. Force (4-7).	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	
January	8.2	ins. 3.03	ins. +1.15	ins. 0.49	17	18	3	1	0	2	22	11	0	6	9	3	5	8	5	11	11	2
February	7.9	ins. 1.73	+0.25	0.39	23	21	4	0	0	1	15	3	0	6	3	4	4	4	14	19	5	1
March	7.4	ins. 2.58	+1.06	0.56	4	19	1	0	2	1	15	2	0	17	4	1	1	2	26	7	8	3
April	4.2	ins. 0.04	-1.53	0.02	9	2	0	0	0	11	6	1	0	10	8	10	6	3	1	17	11	4
May	7.0	ins. 1.29	-0.63	0.36	15	12	0	1	1	2	13	0	0	2	8	5	4	5	2	7	14	1
June	6.0	ins. 2.35	+0.31	0.58	15	18	0	0	2	4	7	0	0	4	5	3	2	2	7	24	6	4
July	5.7	ins. 1.24	-1.16	0.30	2	11	0	0	0	5	10	0	0	2	7	7	7	2	5	15	17	1
August	7.0	ins. 4.27	+1.93	0.86	25	26	0	0	2	5	13	0	0	5	3	3	2	3	24	24	17	3
September	6.5	ins. 2.11	-0.04	1.18	30	5	0	0	0	5	14	1	0	4	5	9	1	6	5	5	7	4
October	4.2	ins. 1.88	-0.90	0.44	20	14	0	0	0	11	6	15	0	7	18	4	6	1	20	20	6	2
November	7.7	ins. 1.55	-0.67	0.34	28	16	0	0	0	0	15	16	0	8	7	12	0	0	14	14	17	6
December	7.2	ins. 2.80	+0.97	0.48	15	21	0	0	0	1	14	3	0	18	2	1	0	1	35	35	16	2
Year	6.6	ins. 24.87	+0.75	—	—	183	8	10	7	45	150	52	0	89	79	61	52	38	61	217	134	3

† A day is reckoned as a day of "clear sky" if the average of the estimates of the fraction of sky covered by cloud at 9 a.m. and 9 p.m. is less than .2, and as an "overcast" day if the average is greater than .8. Record is also kept of the days persistently cloudless and days persistently overcast from midnight to midnight. The number of such days for the period January to December, 1912, are 1—cloudless, 0, 0, 0, 0, 0, 0, 0, 3, 0, 0; and overcast, 4, 0, 0, 0, 1, 0, 1, 0, 1, 0, 0, 1, 0.

TABLE 40.—MEAN ANNUAL VALUES OF METEOROLOGICAL

1912.		Height of Barometer Cistern above M.S.L.	Baro- meter. Mean Pressure, at 32° F. at Level and Latitude of Station.	Air Temperature.								Earth Temperature.		Hygrometer.				Bright Sunshine.		
DISTRICTS AND STATIONS.	Hours of Observa- tion.			Mean of		Mean of A and B.	Difference from Normal.	Absolute Maximum and Minimum.			At 1 foot depth.	At 4 feet depth.	Mean of Observations at 9 a.m. and 9 p.m., or at 7 a.m.				Total Observed.	Difference from Normal.	Per cent. of Possible.	
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.			Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.				Humidity.
1. LONDON:—		Ft.	Ins.	°	°	°	°	°		°		°	°	°	In.	°.	Hrs.	Hrs.	°.	
<i>p</i> Tottenham	9, - , 9	55	9'862	57'3	44'9	51'1	+1'3	91	July 12	19	Feb. 3	—	52'3	50'5	2'0	332	87	1,251	—	28
<i>p</i> Hampstead	9, - , 9	453	9'452	53'8	43'3	49'6	—	88	July 12	15	Feb. 3	—	—	49'0	2'3	297	85	1,300	—	29
<i>a</i> Camden Square..	9, - , 9	123	9'804	58'7	43'8	51'3	+0'9	91	July 12	17	Feb. 3	50'5	50'6	50'7	2'6	312	83	1,178	—	27
<i>a</i> Westminster	9, 3, -	—	—	57'7	45'4	51'6	+1'5	87	July 12, 14	19	Feb. 3	—	—	51'2	2'7	316	83	1,172	+28	27
<i>p</i> Greenwich	9, - , 9	159	9'759	58'5	43'4	51'0	+0'9	90	July 12	19	Jan. 29, Feb. 3	—	51'8	50'0	2'7	301	83	1,370	-156	31
Kew	9, 3, 9	34	9'895	57'0	44'4	50'7	+1'2	87	July 12	18	Jan. 29	50'7	51'1	50'2	2'9	299	81	1,290	-177	29
District Value..	—	—	—	57'5	44'2	50'9	+1'2	91	—	15	—	50'6	51'5	—	—	—	—	1,260	-75	29
2. ENGLAND, CENT.:—																				
(a) East, (b) West.																				
<i>p</i> Huddersfield	9, 3, 9	411	9'429	53'7	41'9	47'8	—	80	July 15	13	Feb. 5	47'7	47'9	46'9	1'9	288	87	958	—	22
<i>p</i> Sheffield..	9, - , 9	450	9'403	54'2	43'0	48'6	+0'1	81	July 12	19	Feb. 5	47'8	48'1	48'0	2'0	297	86	1,072	-223	24
<i>p</i> Buxton	9, 3, 9	997	8'813	51'8	40'0	45'9	+0'6	81	July 15	11	Jan. 30	47'3	47'6	45'7	2'0	288	86	1,048	—	24
<i>p</i> Belvoir Castle..	9, - , 9	276	9'616	55'0	41'8	48'4	+0'3	84	July 12	16	Jan. 29, 30	49'0*	49'1	47'5	2'1	286	88	1,260	—	28
<i>a</i> Coventry	9, - , -	309	9'583	56'0	42'2	49'1	+0'2	85	July 15	18	Feb. 3	49'7	50'4	49'2	2'8	290	82	1,125	—	25
<i>a</i> Nottingham	7, 1, 9	85	9'799	55'5	41'2	48'4	0'0	84	July 12	16	Feb. 3	48'5	48'9	45'6	1'2	285	92	1,030	—	23
<i>p</i> Birmingham	9, - , 9	542	9'326	54'1	42'6	48'4	+0'3	82	July 15	13	Feb. 4	47'3	48'4	47'5	2'5	282	84	934	-231	21
<i>a</i> Oxford	8, - , 8	212	9'705	56'4	42'7	49'6	+0'6	87	July 15	18	Feb. 3, 5	—	—	47'5	2'0	289	87	1,295	-203	29
<i>a</i> Bath	7, - , 6	84	9'831	57'7	42'6	50'2	+0'4	88	July 15	17	Feb. 3	51'4	52'2	47'3	—	—	—	1,362	-122	31
<i>p</i> Shrewsbury	9, - , 9	212	9'674	56'3	40'9	48'6	-0'4	87	July 15	2	Feb. 3	—	—	43'1	2'0	300	87	—	—	—
<i>p</i> Winstanstown	9, - , 9	484	9'369	55'3	40'9	48'1	—	83	July 15	14	Jan. 29	—	—	47'6	2'0	289	86	—	—	—
<i>p</i> Cheltenham	9, - , 9	206	9'699	56'3	43'3	49'8	+1'2	87	July 15	15	Feb. 3	—	—	49'5	2'2	308	86	1,272	—	29
District Value..	—	—	—	55'5	41'5	48'2	+0'4	88	—	-4	—	48'5	49'0	—	—	—	—	1,127	-278	25
3. ENGLAND, S.E.:—																				
<i>p</i> Salisbury	9, - , 9	186	—	56'4	41'8	49'1	+0'1	89	July 15	16	Feb. 3	51'5	—	49'0	1'8	311	88	—	—	—
<i>a</i> Brighton..	9, - , -	48	9'896	56'4	45'9	51'2	+0'8	85	July 16	20	Feb. 3	—	52'4	51'5	2'9	315	82	1,481	-250	34
<i>a</i> Portsmouth	9, - , -	18	9'935	57'1	45'8	51'5	+1'2	90	July 15	20	Feb. 3	52'2	52'8	52'1	3'1	315	80	1,560	—	35
<i>p</i> Eastbourne	9, - , 9	36	9'909	56'4	46'1	51'3	+1'2	81	July 14	20	Feb. 3	52'3	52'9	51'4	2'3	333	86	1,638	-101	37
<i>p</i> Southampton	9, - , 9	84	9'863	57'3	44'6	51'0	+0'5	87	July 15	17	Feb. 3	—	—	50'4	2'3	319	85	1,375	-290	31
<i>a</i> Ventnor	9, 3, -	80	9'845	56'6	46'7	51'7	+0'4	80	July 17	21	Feb. 3	—	—	52'1	2'0	321	81	1,501	-222	34
District Value..	—	—	—	56'4	43'9	50'0	+0'5	90	—	5	—	51'1	51'5	—	—	—	—	1,453	-150	33
4. ENGLAND, E.:—																				
(a) North, (b) South.																				
<i>p</i> Lowestoft	9, 3, 9	77	9'834	54'6	44'4	49'5	+1'0	79	May 11	19	Feb. 2	50'5	50'9	49'8	2'1	313	86	1,499	-233	34
<i>p</i> Cromer	9, - , 9	139	9'753	55'1	43'0	49'1	—	85	July 12	21	Feb. 2	—	—	48'4	1'5	313	91	1,327	—	30
<i>a</i> Norwich	9, - , -	93	—	56'2	43'0	49'6	—	87	July 12	18	Feb. 3	50'0	—	—	—	—	—	1,373	—	31
<i>p</i> Cambridge	9, - , 9	43	9'861	57'1	42'3	49'7	+0'8	87	July 12	15	Jan. 29	50'6	51'4	49'0	2'2	306	86	1,367	-193	31
<i>a</i> Clacton	7, 1, 9	54	9'861	55'1	41'5	49'8	+0'2	81	July 13	18	Feb. 3	50'9	51'8	48'0	1'6	304	89	1,510	—	34
<i>p</i> Bennington	9, 3, 9	411	9'472	56'2	42'0	49'1	+0'8	87	July 12	16	Feb. 3	50'4	50'4	47'9	2'2	293	85	1,407	—	32
<i>p</i> Berkhamstead	9, - , 9	397	9'507	56'5	41'4	49'0	+0'6	87	July 15	14	Feb. 3	50'2	—	48'0	2'2	293	85	1,294	—	29
District Value..	—	—	—	56'1	43'3	49'5	+1'3	91	—	11	—	50'8	51'4	—	—	—	—	1,387	-194	31

* 3 feet.

ELEMENTS from OBSERVATIONS at SEVERAL STATIONS in the YEAR 1912.

Cloud (0-10).	Rain and other forms of Precipitation.				Weather. Number of days of								Wind.											
													No. of Observations reduced to a total of 1098 for the year.											
	Mean of Observations of amount at 9 a.m. and 9 p.m., or at 7 a.m.	Total Fall.	Difference from Normal.	Most in a day.		Precipitation.	Snow.	Hail.	Thunderstorm.	Clear sky. (See Note on p. 94.)	Overcast. (See Note on p. 94.)	Fog.	Wind force 8 and above.	Force (0-12).		Direction.								
				Amount.	Day of Month.									Moderate and Strong Wind. (Force 4-7).	Calm.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	
7 5	28'0	—	1'03	Sept. 29	139	4	9	13	17	181	16	0	60	30	107	91	68	58	93	348	153	150		
6'9	29'1	—	1'05	Sept. 29	191	11	8	13	27	151	36	0	116	280	39	118	57	43	94	291	135	41		
7'1	27'9	+ 2'7	1'04	Sept. 29	180	6	2	9	55	190	22	—	—	156	141	72	54	42	171	129	222	111		
—	24'3	- 0'1	1'00	Sept. 30	175	5	4	7	—	—	27	—	—	—	—	—	—	—	—	—	—	—		
6'6	24'9	+ 0'8	1'18	Sept. 30	183	8	10	7	45	150	52	0	134	118	92	78	79	56	92	325	200	58		
6'9	28'0	+ 4'0	0'99	Sept. 29	194	7	4	20	26	187	36	0	211	161	72	75	81	41	179	257	162	70		
7'0	26'7	+ 1'9	—	—	177	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7'0	43'8	—	1'50	Oct. 26	224	20	8	19	20	168	14	7	215	145	57	106	80	55	104	148	272	131		
7'4	39'1	+ 6'6	1'19	May 22	204	23	4	19	16	175	34	2	42	115	121	62	57	68	182	198	175	120		
7'0	54'4	+ 3'8	1'22	Oct. 26	232	25	5	12	24	164	0	0	47	41	39	82	92	104	88	224	219	209		
6'6	33'5	+ 8'2	1'31	May 22	212	16	15	32	35	143	73	9	253	237	96	52	17	60	138	209	188	121		
7'1	37'0	+11'3	1'10	Jan. 17	212	14	5	14	53	203	15	0	186	69	84	87	90	90	198	276	96	108		
7'4	30'1	+ 5'3	1'16	May 22	205	14	3	24	9	139	20	24	377	7	65	100	143	50	96	310	257	70		
6'8	36'0	+ 8'6	0'99	Jan. 17	206	11	5	15	34	141	15	0	71	202	64	76	74	66	164	199	131	122		
7'1	32'5	+ 7'4	1'04	Jan. 17	189	10	15	21	33	163	32	4	296	92	85	105	54	86	179	253	154	90		
7'3	37'3	+ 6'8	1'22	July 27	197	—	—	—	39	187	—	—	214	15	70	98	158	47	127	185	327	71		
6'5	27'9	—	1'03	Aug. 6	174	17	4	10	13	93	23	9	108	36	31	74	43	117	126	281	185	205		
7'1	37'2	—	1'22	Aug. 3	187	17	12	14	24	177	10	6	91	443	57	82	26	16	17	300	99	58		
6'5	34'7	+ 7'0	1'21	Oct. 26 Aug. 6	191	7	6	13	40	150	5	15	296	62	49	67	30	124	141	445	92	88		
6'9	34'6	+ 8'2	—	—	194	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6'5	47'9	+15'7	1'84	Jan. 17	234	4	1	7	34	133	31	4	223	1	117	69	34	62	98	276	198	243		
6'8	33'0	+ 5'5	1'33	Sept. 29	183	5	9	11	61	189	5	0	411	24	111	96	102	81	96	186	279	123		
5'9	32'0	+ 4'4	1'60	Sept. 29	174	3	5	9	89	143	8	0	651	0	108	81	69	114	90	165	219	252		
5'7	37'5	+ 6'6	1'41	Sept. 29	187	3	3	4	86	129	4	0	62	73	80	167	29	73	31	343	126	176		
5'9	37'3	+ 6'4	1'44	Sept. 29	189	4	10	12	59	112	29	3	183	0	20	196	13	168	2	389	52	258		
6'8	30'0	+ 0'4	1'08	June 12	189	5	4	9	44	169	2	7	327	41	118	48	135	87	142	262	199	66		
6'4	32'7	+ 5'6	—	—	193	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6'1	28'9	+ 5'2	2'04	Aug. 26	189	15	13	23	44	110	18	8	540	17	88	87	92	79	176	232	221	106		
7'4	32'3	—	5'50	Aug. 26	255	4	2	3	8	173	16	0	544	10	78	44	67	111	273	183	203	129		
—	35'0	—	6'31	Aug. 26	225	12	15	24	—	—	15	—	—	—	—	—	—	—	—	—	—	—		
6'6	27'3	+ 4'6	1'73	Aug. 26	182	14	12	21	34	149	33	6	195	115	144	34	22	139	162	257	154	71		
6'9	22'4	—	1'70	Aug. 26	170	10	4	11	14	114	12	1	303	24	55	74	93	112	182	206	223	129		
6'7	28'7	+ 2'7	1'25	Sept. 29	198	13	8	23	30	168	57	0	61	199	29	74	82	89	81	228	263	53		
7'1	32'8	+ 4'0	1'73	Sept. 29	198	17	16	22	32	168	30	0	15	282	26	50	64	52	165	143	225	91		
6'8	29'9	+ 6'2	—	—	200	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

TABLE 40.—MEAN ANNUAL VALUES of METEOROLOGICAL

1912.		Height of Barometer Cistern above M.S.L.	Baro- meter.	Air Temperature.								Earth Temperature.		Hygrometer.				Bright Sunshine.			
DISTRICTS AND STATIONS.	Hours of Observa- tion.			Mean Pressure, at 32° F. at Level and Latitude of Station.	Mean of		Mean of A and B.	Difference from Normal.	Absolute Maximum and Minimum.			At 1 foot depth.	At 4 feet depth.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Total Observed.	Difference from Normal.	Per cent. of Possible.	
					A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.										Day of Month.
5. ENGLAND, N.E.:—																					
(a) North, (b) South.																					
a	p Morpeth	9, -, 9	331	9'495	52'2	40'2	46'2	—	73	June 19	15	Feb. 4	45'9	46'9	46'0	1'8	279	87	1,114	-319	25
	a Shields ..	7, -, 6	117	9'731	53'1	40'8	47'0	-0'2	72	July 12	14	Feb. 4, 5	—	—	45'7	1'4	279	90	—	—	—
	p Durham	9, -, 9	352	9'479	52'7	40'2	46'5	-0'3	76	July 12	10	Feb. 4, 5	—	—	46'3	1'8	283	88	982	-335	22
	p York ..	9, -, 9	53	9'831	55'3	42'3	48'8	+0'7	83	July 12	12	Feb. 4	48'8	49'1	47'8	2'4	284	84	946	-330	21
b	a Spurn Head	7, 1, 6	28	9'836	53'0	43'1	48'1	-0'2	73	July 11, 26	23	Feb. 3	—	—	47'4	1'3	303	91	—	—	—
	a Lincoln ..	9, -, -	42	9'868	55'6	42'2	48'9	+0'5	86	July 12	15	Feb. 3	47'9	48'8	48'7	2'5	296	84	—	—	—
	p Hull ..	9, -, 9	12	9'883	55'2	42'6	48'9	+1'1	79	July 12	19	Jan. 29 Feb. 3	48'1	48'7	48'8	2'4	295	84	837	—	19
District Value..		—	—	—	53'9	41'6	47'6	+0'3	86	—	5	—	47'9	48'2	—	—	—	—	1,120	-333	25
6. ENGLAND, N.W.:—																					
a Southport ..		9, 3, 9	42	9'849	54'3	43'2	48'8	+0'6	78	July 16	17	Feb. 4, 5	48'9	49'7	48'4	2'1	294	86	1,302	-164	29
p Manchester (City)		9, -, 9	195	9'680	54'9	44'6	49'8	—	87	July 14	19	Feb. 3	48'5	50'1	49'2	2'6	298	83	779	—	18
p Aspatia ..		9, -, 9	254	9'583	53'8	41'4	47'6	+0'5	82	July 15	12	Nov. 30	48'8	48'8	47'2	2'1	287	85	1,209	—	27
p Stonyhurst		9, -, 9	363	9'491	53'2	42'4	47'8	+0'4	83	July 15	16	Feb. 3	—	—	47'6	2'6	279	81	927	-429	21
p Liverpool (Bid.)		9, -, 9	202	9'667	53'8	44'1	49'0	+0'1	75	July 16, 17	21	Feb. 4, 5	—	—	48'5	2'5	287	84	1,251	—	28
p Llandudno		9, -, 9	32	9'866	55'2	45'0	50'1	+0'2	74	July 16	21	Feb. 4, 5	—	—	50'3	2'7	304	83	1,370	-86	31
p Bettws-y-Coed		9, -, 9	125	9'753	55'5	42'2	48'9	-0'8	82	July 16	10	Feb. 4	48'5	49'2	50'1	2'6	303	83	1,097	—	25
District Value..		—	—	—	54'3	43'0	48'5	+0'3	89	—	3	—	48'8	49'2	—	—	—	—	1,204	-187	27
7. ENGLAND, S.W.:—																					
a Llangammarch		9, -, -	585	9'288	54'4	39'4	46'9	-0'9	84	July 15	9	Feb. 3	48'2	49'0	47'4	1'8	291	88	1,085	—	25
a Pembroke ..		7, 1, 9	150	9'724	54'4	46'6	50'5	+0'6	75	July 17	24	Feb. 4	—	—	49'2	1'3	320	91	1,138	-504	26
a Bristol (Clifton)		—	229	—	56'5	44'5	50'5	+0'6	88	July 15	18	Feb. 3	—	—	—	—	—	—	1,342	—	30
a Portland Bill		7, 1, 9	23	9'886	55'1	47'6	51'4	+0'4	79	July 17	24	Feb. 3	—	—	50'7	1'9	327	87	—	—	—
p Plymouth ..		9, 3, 9	116	9'803	56'6	46'2	51'4	+0'5	84	July 15	20	Feb. 3	52'4	—	51'4	2'2	329	86	1,352	-298	31
Falmouth ..		9, 3, 9	183	9'745	55'6	47'1	51'4	+0'4	76	July 15, 17	23	Feb. 3	—	—	51'1	2'3	323	85	1,466	-300	33
p Woolacombe ..		9, -, 9	120	9'809	56'0	46'7	51'4	-0'8	83	July 15	23	Feb. 3	—	—	51'6	2'3	338	84	1,332	-294	30
District Value..		—	—	—	55'4	44'1	49'6	+0'1	88	—	9	—	51'0	51'2	—	—	—	—	1,263	-304	29
8. ENGLISH CHAN.:—																					
a Scilly ..		7, 1, 9	152	9'746	56'1	48'0	52'1	-0'2	70	July 16	28	Feb. 3	—	—	51'2	1'2	347	92	1,462	-349	33
a Jersey ..		7, 1, 9	36	9'935	58'1	47'5	52'8	+0'7	82	July 16	27	Feb. 4	—	—	51'2	2'0	330	87	1,664	-263	38
p Guernsey (Brooklyn.)		9, -, 9	311	9'632	56'8	47'8	52'3	+0'5	75	May 10	29	Feb. 5	53'8	54'0	51'3	2'2	329	85	1,696	-210	38
District Value..		—	—	—	57'2	47'9	52'5	+0'4	82	—	27	—	53'8	54'0	—	—	—	—	1,607	-296	36

NOTES ON THE STATISTICAL TABLES.

The letters *a* and *p* indicate whether the readings of the maximum and minimum thermometers are taken at the hours of morning or evening observations. Local time is used except at the First Order Observatories and Telegraphic Reporting Stations where G.M.T. is used. The air temperature is obtained from thermometers placed in a louvered screen.

Barometer.—The correction for latitude has been applied to all the values.

Rainfall.—The amounts are those for the 24 hours commenced at the time of morning observation.

Hygrometer.—The values are obtained from the monthly means of the dry and wet bulb readings. At certain stations the vapour pressure and relative humidity are the results obtained from the daily values. These are entered in clarendon type.

Weather Phenomena.—The number of days of Precipitation, Snow, Hail, Thunderstorm, Fog and Gale, are counted irrespective of the hours at which the phenomena occur. Except for rainfall (see above) the day is the civil day. A day is reckoned as a day of "clear sky," if the mean of the estimates of the "amount of cloud" at the fixed hours of observation is less than 2, and as an "overcast" day if the mean is greater than 8.

Wind Summaries.—The results given under Wind (but not gales) are based on the observations at fixed hours. At Falmouth and Kew the wind observations are based on the records of a standard Robinson anemometer (factor 2'2). Velocities of between 13 and 38 miles in the hour have been entered as "fresh or strong winds," velocities of 39 miles in the hour, or above, as gales. (At Brighton and Southport the equivalent values are obtained from a Dines Pressure Tube Anemometer. At Greenwich a Robinson Anemometer is used.)

ELEMENTS from OBSERVATIONS at SEVERAL STATIONS in the YEAR 1912—continued.

Cloud (0-10).	Rain and other forms of Precipitation.				Weather. Number of days of									Wind. No. of Observations reduced to a total of 1095 for the year.									
	Total Fall.	Difference from Normal.	Most in a day.		Precipitation.	Snow.	Hail.	Thunderstorm.	Clear Sky. (See Note on p.)	Overcast. (See Note on p.)	Fog.	Wind force 8 and above.	Force (0-12).		Direction.								
			Amount.	Day of Month.									Moderate and Strong Wind. (Force 4-7.)	Calm.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	
Mean of Observations of amount at 8 a.m. and 9 p.m., or at 7 a.m.	Ins.	Ins.	Ins.																				
6.7	36.3	+ 6.2	1.27	May 20	242	23	4	18	7	106	7	15	263	48	58	94	55	133	72	138	326	174	
8.0	32.3	+ 7.3	1.05	May 20	217	20	11	10	3	227	25	4	174	65	132	52	86	116	178	181	181	102	
7.7	29.2	+ 2.0	0.72	Oct. 26	194	17	3	11	24	205	24	17	281	224	97	52	64	47	205	165	152	92	
6.7	33.0	+ 7.7	1.15	May 22	198	12	3	13	30	148	26	1	46	9	163	48	94	67	265	113	252	87	
7.3	29.0	+ 9.5	1.49	Aug. 26	197	16	7	20	3	117	69	56	791	5	112	83	96	149	166	196	179	112	
7.3	27.8	+ 4.4	1.20	Aug. 26	193	10	7	13	52	174	18	?	?	28	32	58	168	65	57	220	325	145	
6.5	33.2	+ 7.5	1.08	Aug. 26	205	23	10	16	40	141	12	1	46	280	92	79	74	44	55	236	141	97	
7.3	31.0	+ 6.1	—	—	207	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7.1	37.1	+ 4.2	1.79	July 31	212	12	25	15	23	146	21	18	575	35	69	65	117	178	139	139	214	142	
5.6	40.6	+ 5.5	1.39	July 31	233	13	9	13	19	40	10	0	128	1	77	85	113	168	182	190	176	106	
6.5	41.9	+ 2.9	1.19	Nov. 4	214	14	3	10	38	129	1	8	216	169	94	62	80	51	99	191	218	134	
7.4	54.1	+ 7.3	1.68	Oct. 26	231	23	27	38	25	181	4	0	160	254	44	126	74	35	102	175	223	65	
6.9	30.2	+ 1.4	1.03	July 31	209	16	21	17	27	140	15	2	261	10	54	63	131	203	97	196	236	108	
7.3	33.0	+ 2.2	1.58	July 31	200	5	5	4	34	197	1	7	204	26	30	52	211	22	188	121	406	42	
7.1	63.2	—	2.68	Dec. 13	218	8	9	7	7	110	8	27	358	0	91	116	69	95	63	398	102	164	
7.0	39.6	+ 4.6	—	—	212	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8.4	59.3	—	1.45	Mar. 4	251	7	8	6	24	267	18	1	176	240	60	63	102	36	108	186	183	120	
7.4	41.0	+ 6.0	0.80	July 28	220	3	2	0	3	88	31	28	597	21	100	88	80	109	154	211	217	118	
—	44.7	+10.1	1.25	Aug. 19	201	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6.3	29.0	—	1.10	Sept. 29	172	3	4	2	15	58	23	45	595	17	71	119	96	65	110	235	240	145	
7.0	47.0	+11.2	1.94	Aug. 5	219	2	4	4	13	168	50	—	—	113	114	54	104	97	114	205	142	155	
6.3	55.2	+ 9.8	1.91	Aug. 3	226	4	13	6	39	128	2	2	246	158	118	46	54	79	123	231	170	119	
6.3	46.4	+14.5	1.57	Aug. 9	220	2	14	8	51	142	19	1	506	28	46	147	126	144	90	259	81	177	
6.7	48.4	+ 9.5	—	—	217	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7.4	36.5	+ 2.8	2.02	Aug. 5	241	5	4	3	3	96	48	36	616	27	92	76	97	113	146	151	227	169	
7.5	43.3	+ 9.1	2.18	Aug. 12.	216	3	14	18	32	142	21	18	408	17	43	96	110	112	112	239	234	135	
6.4	46.5	+ 9.0	1.39	Sept. 29	237	2	8	18	35	123	59	47	453	101	43	99	83	97	134	204	223	114	
6.8	41.7	+ 8.8	—	—	226	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

Averages.—The normal averages used for stations are—Pressure, Temperature and Rainfall for the 35 years 1871-1905; Bright Sunshine for the 25 years 1881-1905. The values are published in Appendix III to the Weekly Weather Report for 1906. For Greenwich and Oxford, averages for longer periods are used. Monthly averages of pressure at telegraphic reporting stations for the epoch 7 a.m. are published in Appendix I. to the Daily Weather Report.

Royal Observatory, Greenwich.—The earth temperatures are taken at a depth of 3 ft. 2 in.
¶ § Mean Values for Districts.—Stations used in the Weekly Weather Report for computing “districts values” of rainfall and temperature, are distinguished by the sign ¶, those used for “district values of bright sunshine” by the sign §. These stations are distributed between Tables A, and B in the Monthly Weather Report of the Meteorological Office. The yearly mean values for districts given in this Report for maximum, minimum and mean temperature, sunshine and rainfall, are computed from the data for these “representative” stations. The mean temperature for districts is computed in the manner shown in the preface to the Weekly Weather Report. The yearly mean values for districts for “amount of cloud” are computed from the data for all stations. The averages for districts with which the current values are compared are for the 25 years 1881-1905, as in the Weekly Weather Report. The “district values” for Earth Temperature are obtained from the data for all stations.

Year.	BIRTHS (EXCLUDING STILLBORN) PER 1,000 LIVING.																										Year.			
Australian Commonwealth.	Austria.	Belgium.	Bulgaria.	Ceylon.	Chili.	Denmark.	England and Wales.	Finland.	France.	German Empire.	Hungary.	Ireland.	Italy.	Jamaica.	Japan.	The Netherlands.	New Zealand.	Norway.	Ontario, Province of.	Prussia.	Romania.	Russia (European).	Scotland.	Serbia.	Spain.	Sweden.	Switzerland.	United Kingdom.	United States (Registration Area).	
1887	35.6	38.6	26.7	32.7	29.1	31.7	31.9	36.2	23.5	36.9	44.2	23.1	38.9	34.7	27.1	33.7	32.1	31.2	21.7	37.6	41.0	47.5	31.7	46.3	36.1	29.7	27.9	30.7	—	1887
1888	35.5	38.3	29.4	31.8	31.8	31.5	31.2	34.9	23.1	36.6	43.8	22.8	37.5	39.1	29.6	33.7	31.2	31.2	21.8	37.4	42.4	49.9	31.3	45.7	36.4	28.8	27.7	30.1	—	1888
1889	34.7	38.3	26.4	27.7	37.7	31.2	31.1	33.4	23.0	36.4	43.7	22.7	38.3	35.3	30.2	33.2	30.2	30.1	22.6	37.1	40.6	48.8	30.9	44.1	36.4	27.7	27.6	30.0	—	1889
1890	35.0	36.8	29.0	34.9	31.9	37.6	30.5	32.9	21.8	35.7	40.3	22.3	35.8	38.4	28.3	32.9	29.4	30.3	22.0	36.6	38.5	48.2	30.4	40.2	34.4	28.0	26.6	29.2	—	1890
1891	34.5	38.6	30.0	31.9	30.0	31.0	31.4	34.3	22.6	37.0	40.3	23.1	37.2	38.2	26.7	33.7	29.0	30.9	22.4	37.7	42.3	48.8	31.2	45.0	35.3	28.3	28.2	30.4	—	1891
1892	33.7	36.3	28.9	30.2	39.1	29.6	30.4	31.5	22.6	35.7	40.3	22.5	36.2	37.3	29.4	33.7	27.8	29.6	19.7	36.2	39.0	47.2	30.7	42.4	35.8	27.0	27.7	29.8	—	1892
1893	32.8	38.2	29.5	34.9	31.3	38.9	30.7	29.9	22.8	36.8	42.6	23.0	36.5	40.6	28.5	33.8	27.5	29.6	19.7	37.4	40.5	47.0	30.7	42.5	35.6	27.4	27.9	29.8	—	1893
1894	30.8	37.0	28.0	33.2	40.7	30.4	29.6	30.8	22.3	35.9	41.5	23.0	35.5	37.2	28.9	32.7	27.3	29.6	19.1	36.5	40.9	48.7	29.9	42.4	34.8	27.1	27.3	28.8	—	1894
1895	30.4	38.1	28.5	31.8	38.7	30.3	30.3	32.6	21.7	36.1	41.8	23.3	34.9	38.8	29.5	32.8	26.8	30.5	18.8	36.9	42.3	49.4	30.0	44.0	35.0	27.5	27.3	29.4	—	1895
1896	28.4	38.0	29.0	32.0	37.0	30.5	29.6	32.1	22.5	36.3	40.5	23.7	34.8	38.5	30.0	32.7	26.3	20.6	20.6	36.9	40.7	49.4	30.4	41.2	35.9	27.2	28.1	29.0	—	1896
1897	28.2	37.5	29.0	32.2	37.7	30.0	29.8	31.9	22.3	36.0	40.3	23.5	34.7	39.8	30.9	32.8	26.3	29.9	20.8	36.5	42.9	49.5	30.0	42.6	34.1	26.7	28.3	28.9	—	1897
1898	27.2	36.3	28.6	39.1	38.8	36.8	30.2	34.0	21.8	36.1	37.7	23.3	33.5	38.1	31.3	31.9	25.7	30.1	20.2	36.7	36.7	48.7	30.1	35.1	33.3	27.1	28.5	28.7	—	1898
1899	27.3	37.3	28.9	38.5	37.0	29.7	29.1	33.2	21.9	35.8	39.3	23.1	33.9	42.2	31.4	32.1	25.1	30.7	19.2	36.3	42.0	49.0	29.8	39.3	34.2	26.4	29.0	28.5	—	1899
1900	27.3	37.3	28.9	42.2	38.6	37.8	29.7	32.0	21.4	35.6	39.3	22.7	33.0	35.7	31.7	31.6	25.6	29.9	19.6	36.1	38.8	49.4	29.6	42.0	33.8	27.0	28.6	28.2	—	1900
1901	27.2	36.9	29.4	37.5	37.5	38.6	29.7	32.5	22.0	35.7	37.8	22.7	32.6	40.9	32.7	32.3	26.3	29.6	20.7	36.2	39.3	49.4	29.5	38.0	34.9	27.0	28.0	28.0	—	1901
1902	26.7	37.1	28.4	38.8	38.5	38.4	29.2	31.5	21.7	35.1	38.9	23.0	33.4	39.3	32.9	31.8	25.9	28.9	21.3	35.5	39.0	49.1	29.3	38.0	35.5	26.5	28.5	28.0	—	1902
1903	25.3	35.3	27.5	40.9	37.7	28.7	28.5	30.4	21.1	33.9	36.9	23.1	31.7	39.9	32.0	31.6	26.6	28.8	21.7	34.4	40.1	48.1	29.4	40.9	36.3	25.7	27.4	28.0	—	1903
1904	26.2	35.6	27.1	42.4	38.5	37.6	28.9	31.8	20.9	34.1	37.4	23.6	32.9	36.1	30.6	31.4	26.9	28.1	22.3	34.7	40.1	48.5	29.1	39.8	34.3	25.8	27.3	27.7	—	1904
1905	26.2	33.9	26.1	43.5	38.7	37.8	28.4	27.3	20.6	33.0	36.3	23.4	32.7	38.8	30.6	30.8	27.2	27.4	23.0	33.5	38.6	44.8	28.6	37.3	35.2	25.7	26.9	27.1	—	1905
1906	26.6	35.0	25.7	44.0	36.5	36.0	28.5	27.2	20.3	33.1	36.5	23.5	32.1	38.1	30.4	27.1	26.7	22.9	22.9	33.7	40.5	46.8	28.6	41.3	34.0	25.7	26.9	27.0	—	1906
1907	26.8	34.0	25.3	43.7	33.6	33.8	28.2	30.2	19.7	32.3	36.7	23.2	31.7	35.0	33.0	30.0	27.3	26.4	24.1	33.0	41.7	46.6	27.7	40.0	33.6	25.5	26.2	26.3	—	1907
1908	26.6	33.4	24.9	40.5	31.9	33.3	26.5	30.7	20.1	32.1	36.9	23.3	33.7	37.6	33.9	29.7	27.4	26.3	25.6	32.7	40.8	44.3	28.1	36.8	34.0	25.7	26.4	26.8	—	1908
1909	26.7	33.4	23.7	40.7	37.5	38.6	28.2	31.2	19.5	31.1	37.7	23.4	32.7	37.8	34.2	29.1	27.3	26.3	24.3	31.7	41.7	44.0	27.3	36.5	33.5	25.5	25.7	26.5	—	1909
1910	26.7	32.5	23.7	37.9	38.0	27.5	25.8	30.1	18.6	29.8	35.7	23.3	33.3	38.6	33.9	28.6	26.2	26.1	24.9	30.5	39.8	—	26.2	38.5	33.1	24.7	25.0	25.0	—	1910
1911	27.2	31.4	22.9	37.9	38.6	26.7	24.4	29.1	18.7	28.6	35.0	23.2	31.5	39.0	—	27.8	26.0	25.9	22.6	29.4	43.0	—	25.6	36.2	31.2	24.0	24.1	24.4	—	1911
1912	28.7	31.3	—	—	33.3	26.7	23.8	29.1	19.0	—	36.3	23.0	32.4	38.8	—	28.1	26.5	25.4	22.4	28.9	43.4	—	25.9	38.0	32.6	23.7	—	23.9	—	1912

DEATHS (EXCLUDING STILLBORN) PER 1,000 LIVING.

1887	146	29.2	19.3	18.1	24.0	31.3	18.2	19.1	19.0	22.0	24.2	24.2	19.3	19.7	10.3	16.2	11.1	23.8	30.5	32.2	19.0	24.9	32.7	16.1	20.2	19.0	1887
1888	146	29.6	20.3	18.1	26.4	31.8	19.5	18.1	19.8	21.9	23.7	23.7	19.3	20.4	9.4	17.2	11.0	22.8	30.6	32.3	18.0	24.4	30.1	16.0	19.9	18.1	1888
1889	15.4	27.6	19.8	18.4	28.5	32.0	18.5	18.2	19.6	20.7	23.7	23.7	20.2	20.1	9.4	17.6	10.9	23.2	27.2	34.5	18.4	25.5	30.1	16.0	20.3	18.1	1889
1890	14.8	28.3	21.2	28.6	28.7	33.9	20.0	19.5	19.5	22.8	24.4	24.4	20.4	20.5	9.7	17.9	11.1	24.1	28.4	35.7	19.7	25.8	32.1	17.1	20.9	19.4	1890
1891	14.8	28.3	21.2	28.6	28.7	33.9	20.0	20.2	21.2	22.9	23.4	23.4	21.0	20.7	10.3	17.5	11.3	22.9	30.1	34.6	20.7	26.5	31.3	16.8	20.6	20.0	1891
1892	12.9	28.9	21.8	31.1	27.5	37.5	19.5	19.0	23.7	22.8	24.1	24.1	21.6	21.0	10.1	17.8	10.8	23.4	34.7	42.1	18.5	33.5	30.6	17.9	19.0	19.0	1892
1893	13.7	27.3	20.3	27.4	27.5	34.9	19.0	19.2	20.9	22.5	24.6	24.6	22.7	21.9	10.2	16.3	10.6	24.1	30.8	33.1	19.3	29.7	29.7	16.8	20.1	19.0	1893
1894	12.7	28.0	18.6	27.2	27.9	33.4	17.6	16.6	19.2	21.2	22.3	22.3	20.1	18.5	10.2	16.8	10.3	21.7	31.7	34.0	17.1	28.0	30.3	16.4	20.1	16.8	1894
1895	12.5	27.6	19.5	26.2	27.6	31.0	16.9	18.7	17.7	22.2	22.1	22.1	20.2	18.6	9.9	15.5	10.2	21.8	27.6	35.0	19.4	28.9	29.0	15.2	19.2	18.7	1895
1896	12.8	26.3	17.5	24.1	25.8	30.0	15.7	17.1	18.5	20.0	20.8	20.8	20.2	17.2	9.1	15.1	11.0	20.7	29.1	32.8	16.6	27.0	29.6	15.6	17.8	16.9	1896
1897	12.1	25.6	17.2	25.4	23.7	30.7	16.6	17.4	17.5	19.4	21.3	21.3	20.3	16.9	9.1	15.3	11.7	20.9	29.6	31.4	18.4	26.5	28.4	15.4	17.7	17.6	1897
1898	14.1	24.9	17.6	25.9	26.6	28.6	15.5	17.5	17.4	20.9	20.5	20.5	20.4	16.3	9.8	15.2	11.1	20.0	26.5	33.2	18.0	22.9	28.2	15.1	18.3	17.7	1898
1899	12.9	25.6	18.8	24.7	30.6	29.0	17.3	18.2	19.9	21.1	21.5	21.5	21.1	17.2	10.2	16.7	12.3	21.4	27.5	31.0	18.1	24.3	28.8	17.7	17.7	18.2	1899
1900	11.8	25.4	19.3	23.5	28.7	35.6	16.8	18.2	21.5	21.9	22.1	22.1	21.6	17.9	9.4	15.8	12.2	21.8	24.2	31.1	18.5	23.3	28.9	16.8	19.3	18.4	1900
1901	12.2	24.0	17.2	23.1	27.6	36.4	15.8	16.9	20.6	20.1	20.7	20.7	20.4	17.2	9.8	14.9	13.0	20.5	26.2	32.1	17.9	21.0	27.7	16.1	18.0	17.1	1901
1902	12.5	24.7	17.3	23.8	27.5	28.5	14.6	16.3	18.4	19.5	19.5	19.5	20.9	16.3	10.5	13.8	12.1	19.2	27.7	31.5	17.3	22.3	25.0	15.4	17.0	16.5	1902
1903	12.2	23.8	17.0	23.7	25.9	26.2	14.7	15.5	17.8	19.2	20.0	20.0	20.6	15.6	10.4	14.7	12.9	19.7	24.8	30.0	16.8	23.5	26.0	15.1	17.4	15.8	1903
1904	11.1	23.8	16.9	21.2	24.9	27.8	14.1	16.3	17.7	19.4	19.6	20.0	21.2	15.9	9.5	14.7	13.4	19.2	24.4	28.9	17.1	21.1	25.7	15.3	17.5	16.6	1904
1905	10.9	25.1	16.5	21.8	27.7	34.9	15.0	15.3	18.3	19.6	19.8	20.2	21.9	18.3	9.3	14.3	13.5	19.6	25.0	31.1	16.2	24.4	25.8	15.6	17.6	15.6	1905
1906	10.9	22.6	16.4	22.3	35.1	32.7	13.5	15.5	17.4	19.3	18.2	25.1	19.8	14.8	9.3	13.6	14.1	17.9	24.3	29.8	16.4	24.0	26.1	14.4	16.6	15.7	1906
1907	11.0	22.7	15.7	22.4	30.7	30.1	13.6	14.1	15.1	17.9	18.0	25.7	20.9	14.6	10.9	14.3	14.3	17.8	26.7	28.1	16.6	22.8	24.5	14.6	16.4	15.5	1907
1908	11.1	22.5	16.5	24.3	36.1	31.6	14.6	14.8	18.4	18.9	18.1	25.2	20.9	15.0	9.5	14.3	13.8	17.9	27.7	28.0	16.6	23.7	23.8	14.5	15.8	14.8	1908
1909	10.3	22.9	15.8	26.7	31.0	31.2	13.2	14.6	16.6	19.1	17.2	25.6	21.1	15.0	9.2	13.5	13.7	18.5	27.8	28.9	15.8	23.8	24.0	13.7	16.1	15.0	1909
1910	10.4	21.2	15.2	—	27.3	31.0	12.9	13.5	16.5	17.8	16.2	23.6	21.1	13.6	9.7	13.5	13.9	16.0	25.2	—	15.3	23.1	23.3	14.0	15.1	14.0	1910
1911	10.7	21.9	16.4	—	34.8	31.1	13.6	14.6	16.5	19.6	17.3	25.1	22.1	14.5	9.4	13.2	12.6	17.2	23.7	—	15.1	21.8	23.2	13.8	15.8	14.8	1911
1912	11.2	20.5	—	—	32.4	29.7	13.0	13.3	16.3	17.5	—	23.3	25.1	12.3	8.9	13.4	12.4	15.6	22.9	—	15.3	21.1	21.8	14.2	—	13.9	1912

TABLE 42.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS.—continued.

NOTE.—The diseases in the following section correspond with those of the same name in the Short Lists of Causes of Death of the International Institute and of the Registrar-General. (For contents of the several headings see pp. xxiii and xxv of the Manual of the International List.)

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Still-born.	The Total Deaths include :—											Year.
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.			

AUSTRALIA, COMMONWEALTH OF. (Furnished by the Commonwealth Statistician.)

* Census year.	1893	3,333,825	41,262	109,322	45,801	12.4	32.8	13.7	115	702	7	1,280	210	589	1,123	—	3,638	1,613	1893
	1894	3,394,328	41,250	104,660	42,958	12.2	30.8	12.7	103	997	3	335	214	591	1,028	—	3,587	1,681	1894
	1895	3,459,192	43,128	105,084	43,080	12.5	30.4	12.5	101	1,083	—	6	103	606	666	—	3,511	1,771	1895
	1896	3,522,362	46,136	100,134	45,202	13.1	28.4	12.8	113	1,495	—	8	99	278	546	—	3,403	1,904	1896
	1897	3,585,442	47,878	101,137	43,447	13.4	28.2	12.1	105	1,339	—	11	180	69	647	—	3,322	1,971	1897
	1898	3,641,251	48,944	98,845	51,406	13.4	27.2	14.1	127	1,615	2	1,452	234	572	805	—	3,622	2,145	1898
	1899	3,690,353	51,916	100,638	47,629	14.1	27.3	12.9	117	1,147	1	404	131	1,101	462	—	3,378	2,200	1899
	1900	3,746,665	54,202	102,221	44,060	14.5	27.3	11.8	100	986	—	132	41	311	376	—	3,434	2,341	1900
	1901*	3,790,710	55,506	102,945	46,330	14.6	27.2	12.2	104	839	5	138	24	597	442	—	3,557	2,401	1901*
	1902	3,847,998	55,852	102,776	48,078	14.5	26.7	12.5	107	903	1	416	104	551	309	—	3,552	2,467	1902
† Excluding croup in Western Australia for the years 1893-1896.	1903	3,893,329	51,954	98,443	47,293	13.8	25.3	12.2	111	1,145	19	89	193	493	403	—	3,526	2,396	1903
	1904	3,942,730	55,364	104,113	43,572	14.0	26.4	11.1	82	671	—	28	100	337	517	—	3,524	2,371	1904
	1905	4,001,117	58,008	104,941	43,514	14.5	26.2	10.9	82	626	—	133	44	42	324	—	3,231	2,539	1905
	1906	4,060,324	60,820	107,890	44,333	15.0	26.6	10.9	83	735	—	41	61	294	340	—	3,174	2,608	1906
	1907	4,123,729	64,940	110,347	45,305	15.7	26.8	11.0	81	564	—	147	37	1,070	403	—	3,166	2,940	1907
	1908	4,194,410	65,102	111,545	46,426	15.5	26.6	11.1	78	736	—	125	63	249	421	—	3,367	2,921	1908
	1909	4,274,617	67,550	114,071	44,172	15.8	26.7	10.3	72	661	1	31	74	257	435	—	3,119	3,092	1909
	1910	4,370,185	73,184	116,801	45,590	16.7	26.7	10.4	75	648	4	124	48	476	555	—	3,059	3,205	1910
	1911*	4,490,366	78,964	122,193	47,869	17.6	27.2	10.7	68	488	1	206	24	291	696	—	3,164	3,321	1911*
	1912	4,644,852	84,294	133,088	52,177	18.1	28.7	11.2	72	619	—	519	41	301	754	—	3,146	3,537	1912

AUSTRIA.† (Furnished by the President of the Central Statistical Commission, Austria.)

* Census year.	1893	24,152,635	386,470	923,420	660,081	16.0	33.2	27.3	232	11,123	5,821	7,503	12,695	15,429	28,531	920	83,885	14,352	1893
	1894	24,349,532	388,466	901,398	682,805	16.0	37.0	28.0	251	9,207	2,512	14,228	12,287	14,621	32,578	8,748	88,539	14,912	1894
	1895	24,731,121	399,522	941,184	682,899	16.2	38.1	27.6	241	8,901	1,164	8,577	13,547	19,016	29,874	459	91,663	16,757	1895
	1896	24,961,694	396,922	948,419	657,011	15.9	38.0	26.3	230	7,851	897	7,928	16,341	18,208	27,401	19	88,278	16,410	1896
	1897	25,212,994	407,686	944,764	646,019	16.2	37.5	25.6	228	7,382	1,450	9,229	14,316	12,956	23,347	—	86,278	17,109	1897
	1898	25,462,769	399,322	923,241	635,115	15.7	36.3	24.9	224	7,127	2,521	13,765	15,009	10,622	19,740	—	83,682	17,667	1898
	1899	25,714,019	427,502	960,205	658,269	16.6	37.3	25.6	219	6,290	1,899	11,556	14,614	12,307	18,198	—	88,251	17,961	1899
	1900*	25,975,976	428,428	967,939	658,680	16.5	37.3	25.4	231	6,229	369	5,731	10,422	13,452	13,723	—	92,196	18,423	1900*
	1901	26,278,933	427,514	961,501	631,377	16.3	36.6	24.0	209	5,878	96	8,166	12,551	12,123	13,152	—	87,897	19,154	1901
	1902	26,585,205	413,154	984,240	656,400	15.6	37.1	24.7	216	4,813	30	17,169	14,930	15,984	11,251	—	89,648	19,685	1902
† Civil population only, 1893-94.	1903	26,780,035	418,270	943,953	638,092	15.6	35.3	23.8	215	5,301	17	5,546	15,673	11,911	11,227	—	90,230	19,728	1903
	1904	27,021,055	420,292	961,430	642,333	15.6	35.6	23.8	210	5,237	17	8,260	9,767	9,704	11,961	—	89,830	20,231	1904
	1905	27,228,585	425,854	921,764	684,537	15.6	33.9	25.1	231	4,864	20	6,789	8,099	9,737	10,740	—	98,312	20,744	1905
	1906	27,447,933	434,634	961,258	619,063	15.8	35.0	22.6	202	4,127	39	9,107	10,554	13,255	9,228	—	86,754	21,391	1906
	1907	27,705,717	419,028	942,169	629,913	15.1	34.0	22.7	209	4,165	41	6,805	10,006	10,606	6,893	—	87,627	21,431	1907
	1908	27,949,768	427,340	941,375	627,771	15.3	33.7	22.5	199	4,201	14	7,923	14,965	8,972	8,009	—	84,947	21,788	1908
	1909	28,185,927	426,166	941,239	646,122	15.1	33.4	22.9	209	4,004	13	12,392	16,123	8,569	8,135	—	85,410	22,180	1909
	1910*	28,426,589	429,940	923,545	602,046	15.1	32.5	21.2	189	3,770	5	10,079	13,765	8,515	7,443	6	81,789	22,157	1910*
	1911	28,649,449	434,746	898,702	628,305	15.2	31.4	21.9	207	3,747	31	6,794	8,217	11,811	7,296	39	84,155	23,585	1911
	1912	28,879,295	424,374	903,407	592,426	14.7	31.3	20.5	180	3,516	26	6,865	6,612	9,169	5,956	—	81,825	23,511	1912

BELGIUM. (Furnished by the Director-General of the Statistical Department, Belgium.)

* Census year.	1893	6,262,272	94,130	183,062	125,530	15.2	29.5	20.3	165	2,150	2,103	4,187	847	3,487	3,331	452	9,982	Not available.	1893
	1894	6,341,958	95,470	181,466	118,213	15.0	29.0	18.6	152	1,775	537	2,766	816	3,071	3,237	1,228	7,478		1894
	1895	6,410,733	99,424	183,015	125,148	15.5	28.5	19.5	172	1,843	298	3,535	1,159	3,782	2,383	41	9,698		1895
	1896	6,495,886	105,170	188,533	113,748	16.2	29.0	17.5	142	1,584	130	3,134	1,003	3,290	1,982	27	9,524		1896
	1897	6,586,593	108,396	190,987	113,586	16.5	29.0	17.2	149	1,598	140	2,083	1,019	2,809	1,734	56	9,359		1897
	1898	6,669,732	110,888	190,921	117,457	16.6	28.6	17.6	160	1,491	158	2,364	1,726	2,734	1,682	84	9,311		1898
	1899	6,744,532	111,530	194,268	126,963	16.5	28.8	18.8	167	1,682	257	3,188	2,095	3,633	1,769	32	9,818		1899
	1900*	6,693,548	115,422	193,789	129,046	17.2	28.9	19.3	172	1,702	193	2,610	1,860	3,459	1,828	37	9,117		1900*
	1901	6,799,999	114,262	200,077	116,077	17.4	29.4	17.2	142	1,508	260	2,036	1,409	2,365	1,750	26	9,186		1901
	1902	6,896,079	112,314	195,871	119,330	16.2	28.4	17.3	144	1,228	652	3,305	992	2,651	1,817	17	9,077		1902
	1903	6,985,219	109,892	192,301	118,675	15.7	27.5	17.0	155	1,088	1,630	2,309	698	2,734	1,393	9	7,586		1903
	1904	7,074,910	113,480	191,721	119,506	16.0	27.1	16.9	152	1,051	656	2,758	726	2,918	1,289	6	7,716		1904
	1905	7,160,547	113,358	187,437	118,343	15.8	26.1	16.5	146	984	244	2,446	760	2,689	1,253	5	7,701		1905
	1906	7,288,622	116,776	186,271	118,884	16.1	25.7	16.4	153	890	41	2,459	785	2,544	1,198	39	7,647		1906
	1907	7,317,561	117,320	185,158	115,347	16.0	25.3	15.7	132	874	55	2,011	927	2,354	1,141	2	7,377		1907
	1908	7,386,444	115,128	183,834	121,934	15.6	24.9	16.5	147	824	42	2,982	1,203	2,676	1,228	—	7,463		1908
	1909	7,451,903	114,252	176,431	117,571	15.3	23.7	15.8	137	693	40	2,676	1,184	2,089	1,141	10	7,590		1909
	1910*	7,423,784	117,552	176,413	112,826	15.8	23.7	15.2	134	771	68	2,637	1,113	2,446	1,057	10	7,217		1910*
1911	7,490,411	118,740	171,802	122,843	15.9	22.9	16.4	167	786	46	1,666	1,240	2,085	962	—	7,588	1911		
1912	7,571,387	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7,590	1912	

TABLE 42.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—*continued.*

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths to 1,000 Births, exclusive of Still-born.	The Total Deaths include :—											Year.
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.			
BULGARIA. (Furnished by the Director of the Statistical Bureau, Bulgaria.)																				
1893*	3,336,276	43,934	116,319	91,829	13·2	34·9	27·5	147											1893*	
1894	3,387,995	53,280	127,516	92,037	15·8	37·6	27·2	142											1894	
1895	3,440,517	62,460	138,338	90,210	18·2	40·2	26·2	144											1895	
1896	3,493,852	58,398	143,255	84,076	16·8	41·0	24·1	134											1896	
1897	3,543,014	58,454	149,631	90,134	16·4	42·2	25·4	147											1897	
1898	3,603,017	56,464	141,046	82,725	15·6	39·1	23·0	143											1898	
1899	3,658,872	64,154	148,172	90,324	17·6	40·5	24·7	158											1899	
1900*	3,715,593	61,322	156,962	83,667	16·6	42·2	22·5	131											1900*	
1901	3,772,440	65,638	141,373	87,239	17·9	37·5	23·1	143											1901	
1902	3,829,391	72,082	148,719	91,093	18·8	38·8	23·8	143											1902	
1903	3,887,201	73,368	159,164	88,314	18·9	40·9	22·7	154											1903	
1904	3,945,885	89,236	167,263	83,731	22·6	42·4	21·2	142											1904	
1905*	4,005,455	86,482	174,189	87,304	21·6	43·5	21·8	159											1905*	
1906	4,064,797	77,532	178,989	90,870	19·1	44·0	22·3	154											1906	
1907	4,123,878	81,702	180,060	92,193	19·8	43·7	22·4	154											1907	
1908	4,183,819	74,102	169,632	101,804	17·7	40·5	24·3	169											1908	
1909†	4,244,632	77,854	172,571	113,203	18·3	40·7	26·7	171											1909†	
1910*	4,306,329	—	—	—	—	—	—	—											1910*	
1911	4,368,923	—	—	—	—	—	—	—											1911	
1912	4,432,427	—	—	—	—	—	—	—											1912	
NOTE.—The deaths from the several diseases are not tabulated for the whole of Bulgaria.																				
CEYLON. (Furnished by the Registrar-General, Ceylon.)																				
1893	3,121,093	34,654	97,800	92,422	11·9	31·3	29·6	177		37	254	—	65	153	645	2,575	235		1893	
1894	3,144,561	45,566	104,301	87,784	15·4	33·2	27·9	165		3	188	—	107	13	530	2,512	196		1894	
1895	3,193,821	61,382	101,480	88,301	20·4	31·8	27·6	169		5	372	—	50	7	589	2,445	207		1895	
1896	3,240,501	39,358	103,854	81,898	12·8	32·0	25·3	158		21	384	—	53	11	428	2,873	128		1896	
1897	3,315,768	43,638	125,019	78,538	14·0	37·7	23·7	140		25	566	—	61	6	104	2,782	177		1897	
1898	3,395,519	48,508	131,620	90,256	15·3	38·3	26·6	169		13	292	—	43	15	302	2,889	175		1898	
1899	3,429,745	64,988	132,190	104,983	20·1	38·5	30·6	197		96	188	—	65	14	—	3,167	191		1899	
1900	3,520,574	56,384	136,051	100,873	17·2	38·6	28·7	178		41	123	—	111	15	217	3,217	233		1900	
1901*	3,582,697	47,472	134,252	98,813	14·2	37·5	27·6	170		80	207	—	53	8	52	3,390	213		1901*	
1902	3,629,986	55,632	141,893	99,680	16·4	38·5	27·5	173		35	194	—	40	11	139	3,297	219		1902	
1903	3,703,615	47,068	148,027	96,084	13·7	40·0	25·9	164		6	158	—	63	18	6	3,383	212		1903	
1904	3,767,826	43,894	145,253	93,940	12·5	38·5	24·9	174		2	64	—	34	16	4	3,488	190		1904	
1905	3,901,471	42,376	150,785	108,160	11·7	38·7	27·7	176		112	211	—	167	8	1	3,733	207		1905	
1906	3,883,168	36,010	141,847	136,271	9·3	36·5	35·1	198		72	296	—	66	10	204	4,153	182		1906	
1907	3,885,967	37,966	130,403	119,377	9·8	33·6	30·7	186		27	89	—	34	8	77	4,096	148		1907	
1908	3,923,369	42,104	160,713	117,982	10·7	41·0	30·1	183		303	102	—	108	17	33	4,039	169		1908	
1909	3,969,629	40,242	148,891	122,969	10·9	37·5	31·0	202		82	232	—	82	22	8	4,195	158		1909	
1910	4,035,173	43,954	157,554	110,195	11·7	39·0	27·3	176		29	57	—	62	10	22	3,917	264		1910	
1911*	4,120,813	42,772	156,398	143,380	10·4	37·9	34·8	218	651	89	42	—	72	21	277	4,287	394		1911*	
1912	4,151,251	43,466	138,303	134,383	10·5	33·3	32·4	215	461	15	86	—	58	16	12	3,816	406		1912	
CHILI. (Furnished by the Director of the General Statistical Office, Chili.)																				
1893	2,664,190	27,486	103,710	90,712	10·2	38·9	34·9	322	1,164	3,803	872	72	1,979	1,122	—	7,698	455		1893	
1894	2,633,105	30,598	109,465	89,799	11·4	40·7	33·4	304	687	2,337	1,188	60	2,847	2,667	—	7,714	546		1894	
1895*	2,712,145	27,572	104,999	84,225	10·0	38·7	31·0	300	859	2,048	852	40	2,689	2,425	—	6,677	426		1895*	
1896	2,753,369	31,426	101,917	82,662	11·4	37·0	30·0	295	882	946	1,535	78	2,604	3,124	—	6,521	554		1896	
1897	2,795,220	26,908	109,057	85,956	9·6	39·0	30·7	287	—	—	—	—	—	—	—	—	—		1897	
1898	2,837,207	27,842	104,536	81,419	9·8	36·8	28·6	283	—	—	—	—	—	—	—	—	—		1898	
1899	2,880,332	27,006	106,787	83,778	9·2	37·0	29·0	285	—	—	—	—	—	—	—	—	—		1899	
1900	2,924,404	26,662	110,697	104,312	9·0	37·8	35·6	343	—	—	—	—	—	—	—	—	—		1900	
1901	2,968,854	35,480	115,745	108,199	11·8	38·0	36·4	340	—	—	—	—	—	—	—	—	—		1901	
1902	3,014,980	33,502	115,813	86,107	11·0	38·4	28·5	270	—	—	—	—	—	—	—	—	—		1902	
1903	3,060,807	31,824	115,524	80,300	10·2	37·7	26·2	264	1,437	445	131	2	1,534	830	—	7,859	894		1903	
1904	3,107,331	32,590	116,950	86,630	10·4	37·6	27·8	286	1,207	1,739	—	4	1,514	463	—	9,035	1,194		1904	
1905	3,154,561	34,440	119,650	110,276	10·8	37·8	34·9	249	2,963	8,786	2,625	184	2,052	495	—	6,904	954		1905	
1906	3,202,510	37,014	117,123	104,890	11·4	36·0	32·7	327	5,620	3,341	2,372	89	3,034	450	—	8,587	1,209		1906	
1907*	3,249,279	42,542	126,104	96,451	13·0	38·8	29·6	298	4,301	858	174	47	2,475	280	—	8,363	1,251		1907*	
1908	3,297,585	42,982	129,733	104,226	13·0	39·3	31·6	318	3,766	421	1,458	41	2,213	262	—	8,587	1,434		1908	
1909	3,347,124	39,274	129,333	104,707	11·6	38·6	31·2	315	5,719	3,172	1,038	94	2,228	369	—	8,657	1,369		1909	
1910	3,415,060	38,652	130,052	106,073	11·2	38·0	31·0	267	1,812	1,760	2,876	45	1,699	188	—	9,126	1,087		1910	
1911	3,459,951	39,628	133,468	107,816	11·4	38·5	31·1	332	1,444	4,473	1,705	67	1,809	369	—	8,613	1,031		1911	
1912	3,505,317	42,516	135,373	103,905	12·0	38·7	29·7	—	2,285	1,939	883	25	3,380	135	—	8,537	1,127		1912	

TABLE 42.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—continued.

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Still-born.	The Total Deaths include:—												Year.
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.				
DENMARK. (Furnished by the Director of the Statistical Bureau, Denmark.)																					
1893	2,226,000	31,478	68,530	42,295	14.2	30.8	19.0	150	101	—	80	132	370	976	—	1,551	936	1893			
1894	2,248,000	31,374	68,300	39,508	14.0	30.4	17.6	134	100	1	220	316	144	793	—	1,528	875	1894			
1895	2,276,000	32,294	68,871	38,573	14.2	30.3	16.9	137	122	—	215	127	383	393	—	1,591	933	1895			
1896	2,306,000	33,646	70,271	36,090	14.6	30.5	15.7	126	94	1	186	55	251	275	—	1,450	1,022	1896			
1897	2,338,000	34,928	69,576	38,744	15.0	29.8	16.6	129	87	—	166	31	151	282	—	1,511	1,054	1897			
1898	2,371,000	35,794	71,670	36,671	15.1	30.2	15.5	123	93	—	63	76	444	195	—	1,465	1,073	1898			
1899	2,403,000	35,874	71,355	41,477	15.0	29.7	17.3	154	102	—	142	173	358	250	—	1,467	1,063	1899			
1900	2,432,000	36,996	72,129	40,891	15.2	29.7	16.8	128	83	—	56	140	120	209	—	1,627	1,123	1900			
1901*	2,462,000	35,198	73,211	38,786	14.3	29.7	15.8	134	131	6	260	102	324	175	—	1,476	1,201	1901*			
1902	2,491,000	35,298	72,795	36,408	14.2	29.2	14.6	114	50	—	151	85	389	137	—	1,354	1,276	1902			
1903	2,519,000	35,852	72,348	36,945	14.2	28.7	14.7	116	59	—	81	65	279	127	—	1,428	1,229	1903			
1904	2,546,000	36,450	73,691	35,903	14.3	28.9	14.1	112	44	1	102	50	342	81	—	1,498	1,313	1904			
1905	2,574,000	36,958	73,082	38,598	14.3	28.4	15.0	121	49	—	184	56	247	123	—	1,543	1,338	1905			
1906*	2,603,000	38,716	74,216	35,231	14.9	28.5	13.5	109	35	—	131	20	227	94	—	1,404	1,344	1906*			
1907	2,635,000	40,206	74,327	37,275	15.3	28.2	14.1	106	38	1	151	15	437	111	—	1,377	1,438	1907			
1908	2,668,000	40,022	76,232	39,072	15.0	28.5	14.6	123	59	—	103	68	320	129	—	1,469	1,415	1908			
1909	2,702,000	39,888	76,301	35,837	14.7	28.2	13.2	98	45	3	125	112	280	99	1	1,281	1,515	1909			
1910	2,737,000	39,972	75,297	35,187	14.6	27.5	12.9	102	30	—	62	119	143	90	—	1,230	1,547	1910			
1911*	2,771,000	39,758	73,933	37,236	14.4	26.7	13.6	106	21	—	113	83	257	107	—	1,332	1,575	1911*			
1912	2,800,000	41,066	74,651	36,481	14.6	26.7	13.0	93	22	—	62	99	336	85	—	1,331	1,695	1912			
ENGLAND AND WALES.																					
1893	29,760,842	437,378	914,572	569,958	14.7	30.7	19.2	159	6,801	1,457	11,110	6,982	10,176	11,568	†	43,632	21,135	1893			
1894	30,104,201	452,898	890,289	498,827	15.0	29.6	16.6	137	4,781	820	11,757	5,032	12,354	10,516	—	41,641	21,422	1894			
1895	30,451,523	456,408	922,291	568,997	15.0	30.3	18.7	161	5,326	223	11,491	4,532	9,594	9,542	—	42,490	22,945	1895			
1896	30,802,858	485,528	915,331	526,727	15.7	29.6	17.1	148	5,125	541	17,618	5,476	13,266	10,571	—	40,251	23,521	1896			
1897	31,158,245	498,290	921,683	541,487	16.0	29.6	17.4	156	4,851	25	12,711	4,577	11,431	8,763	—	41,642	24,443	1897			
1898	31,517,725	510,758	923,165	552,141	16.2	29.3	17.5	160	5,708	253	13,220	3,548	10,175	8,524	—	41,335	25,196	1898			
1899	31,881,365	524,668	928,646	581,799	16.5	29.1	18.2	163	6,304	174	9,998	3,722	10,129	10,301	—	42,408	26,325	1899			
1900	32,249,187	514,960	927,062	587,830	16.0	28.7	18.2	154	5,591	85	12,710	3,844	11,467	10,187	—	42,987	26,721	1900			
1901*	32,612,022	518,800	929,807	551,585	15.9	28.5	16.9	151	5,071	356	9,019	4,339	10,205	9,761	—	41,224	27,487	1901*			
1902	32,950,909	523,500	940,509	535,538	15.9	28.5	16.3	133	4,149	2,464	12,930	4,875	9,805	8,448	—	40,671	27,872	1902			
1903	33,293,321	522,206	948,271	514,628	15.7	28.5	15.5	132	3,347	760	9,150	4,158	9,522	6,544	—	40,132	29,089	1903			
1904	33,639,287	515,712	945,389	549,784	15.3	28.0	16.3	145	3,153	507	12,306	3,770	11,909	6,280	—	41,851	29,682	1904			
1905	33,988,844	521,484	929,293	520,031	15.3	27.3	15.3	128	3,052	116	11,076	3,834	8,709	5,962	—	38,950	30,221	1905			
1906	34,342,040	540,076	935,081	531,281	15.7	27.2	15.5	132	3,169	21	9,444	3,475	8,313	6,608	—	39,746	31,668	1906			
1907	34,698,905	552,342	918,042	524,221	15.9	26.5	15.1	118	2,344	10	12,625	3,220	10,255	6,132	—	39,339	31,745	1907			
1908	35,059,484	529,880	940,333	520,456	15.1	26.7	14.8	120	2,651	12	8,011	2,827	9,851	5,920	—	39,499	32,717	1908			
1909	35,423,805	521,088	914,472	518,003	14.7	25.8	14.6	109	2,142	21	12,618	3,215	7,182	5,507	1	38,639	34,053	1909			
1910	35,791,902	535,442	896,962	483,247	15.0	25.1	13.5	105	1,889	19	8,302	2,370	8,797	4,375	—	36,334	34,607	1910			
1911*	36,163,833	549,886	881,138	527,810	15.2	24.4	14.6	130	2,416	23	13,128	1,892	7,844	4,992	—	39,232	35,902	1911*			
1912	36,539,636	567,668	872,737	486,939	15.5	23.8	13.3	95	1,600	9	12,855	1,995	8,407	4,338	—	38,083	37,325	1912			
FINLAND. (Furnished by the Director of the Central Statistical Bureau, Finland.)																					
1893	2,445,668	28,190	73,030	51,002	11.5	29.9	20.9	143	5,333	876	3,890	Included with pulmonary tuberculosis.			13	6,336	—	1893			
1894	2,472,341	32,226	76,206	47,467	13.0	30.8	19.2	140	4,703	255	3,287				29	6,383	—	1894			
1895	2,506,452	36,512	81,733	44,482	14.6	32.6	17.7	129	4,505	72	1,479				4	6,335	—	1895			
1896	2,543,583	38,378	81,656	47,061	15.1	32.1	18.5	143	4,836	56	1,692	Included with enteric fever.			—	6,765	—	1896			
1897	2,580,820	39,826	82,330	45,233	15.4	31.9	17.5	133	4,063	52	1,797				—	6,620	—	1897			
1898	2,622,679	41,222	89,106	45,751	15.7	34.0	17.4	128	4,016	77	2,414				—	6,687	—	1898			
1899	2,663,871	39,078	88,358	53,042	14.7	33.2	19.9	137	4,360	83	5,126				—	7,530	—	1899			
1900*	2,697,490	36,590	86,339	57,915	13.6	32.0	21.5	153	4,939	49	6,282				—	8,011	—	1900*			
1901	2,729,419	37,070	88,637	56,223	13.6	32.5	20.6	145	4,723	103	4,900	Included with enteric fever.			—	7,720	—	1901			
1902	2,764,971	35,016	87,082	50,999	12.7	31.5	18.4	129	4,479	72	3,283				—	8,090	—	1902			
1903	2,801,968	35,308	85,120	49,992	12.6	30.4	17.8	127	3,857	35	2,632				—	8,044	—	1903			
1904	2,841,303	37,292	90,253	50,227	13.1	31.8	17.7	120	4,202	36	1,398				—	8,490	—	1904			
1905	2,880,622	37,264	87,841	52,773	12.9	30.5	18.3	135	4,348	18	1,222				—	8,445	—	1905			
1906	2,920,255	39,874	91,401	50,857	13.7	31.3	17.4	119	4,579	29	2,258	Included with enteric fever.			—	7,858	—	1906			
1907	2,962,937	40,532	92,457	53,028	13.7	31.2	17.9	112	4,642	23	3,251				5	8,295	—	1907			
1908	3,003,758	40,182	92,146	55,305	13.4	30.7	18.4	125	5,254	24	2,773				5	8,713	—	1908			
1909	3,047,343	38,836	95,005	50,577	12.7	31.2	16.6	111	4,029	61	2,043				8	7,941	—	1909			
1910*	3,093,219	37,562	92,984	51,007	12.1	30.1	16.5	118	4,304	70	1,900				10	8,076	—	1910*			
1911	3,135,011	37,470	91,238	51,648	12.0	29.1	16.5	114	4,305	59	1,677	Included with enteric fever.			3	7,995	—	1911			
1912	3,175,598	37,306	92,275	51,645	11.7	29.1	16.3	109	4,385	9	882				3	8,452	—	1912			

TABLE 42.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—*continued.*

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Still-born.	Deaths from certain Diseases with Population of the Area to which they refer.									
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.		Population.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.
FRANCE. (Furnished by the Director of the Statistical Bureau, France.)																		
1903	38,380,000	574,588	874,672	867,526	14.9	22.8	22.5	173	12,223,548	4,512	1,336	4,662	801	1,741	6,231	—	31,025	11,442
1904	38,420,000	573,324	855,388	815,620	14.9	22.3	21.2	158	—	3,870	1,155	3,056	647	1,633	4,774	—	31,418	11,607
1905	38,460,000	575,830	834,173	851,986	14.7	21.7	22.2	180	—	3,367	1,082	2,095	675	1,660	2,263	—	33,076	11,955
1906*	38,520,000	580,302	865,586	771,886	15.1	22.5	20.0	148	12,869,412*	2,969	1,076	3,290	744	1,432	2,207	—	32,751	12,212
1907	38,680,000	582,924	859,107	751,019	15.1	22.2	19.4	152	—	3,182	190	2,831	412	1,259	1,550	—	31,316	12,631
1908	38,800,000	574,358	843,933	810,073	14.8	21.8	20.9	169	—	3,400	105	2,823	541	1,581	1,688	—	31,980	12,789
1909	38,900,000	591,504	847,627	816,233	15.3	21.9	21.1	163	—	4,501	670	3,046	796	1,775	1,775	—	33,282	13,161
1910	38,900,000	598,168	827,297	853,285	15.5	21.4	21.9	161	—	4,210	1,783	2,521	574	1,105	1,800	—	34,357	13,892
1911*	38,980,000	606,938	857,274	784,876	15.6	22.0	20.1	142	13,771,440*	2,868	1,017	1,937	550	1,504	2,269	—	37,160	12,885
1912	39,055,000	589,572	845,378	761,434	15.1	21.7	19.5	135	—	2,727	2,553	2,317	511	1,837	2,191	—	37,483	12,463
1913	39,124,000	591,992	826,712	753,606	15.1	21.1	19.2	137	—	2,773	2,350	2,163	496	1,254	1,578	—	37,512	12,912
1914	39,190,000	597,442	818,229	761,203	15.2	20.9	19.4	144	—	2,650	735	2,055	410	1,247	1,264	2	37,613	13,312
1915	39,222,000	605,246	807,291	770,171	15.4	20.6	19.6	136	—	2,168	292	1,783	308	1,053	1,161	—	37,642	13,793
1916*	39,282,000	612,974	806,847	780,196	15.6	20.6	19.9	143	39,282,000*	5,453	631	3,754	907	3,492	3,314	2	71,496	27,306
1917	39,279,000	628,122	772,681	791,752	16.0	19.7	20.2	131	39,279,000	5,133	2,679	3,763	1,623	3,534	3,637	—	74,746	29,284
1918	39,368,000	631,282	792,178	744,135	16.0	20.1	18.9	127	39,368,000	4,855	171	3,222	1,495	3,514	3,470	—	73,327	30,124
1919	39,421,000	615,374	769,565	754,957	15.6	19.5	19.1	118	39,421,000	3,857	87	2,881	1,557	2,619	3,502	—	70,223	30,645
1920	39,528,000	615,420	774,390	702,972	15.6	19.6	17.8	111	39,528,000	3,165	78	3,717	969	3,517	2,330	3	70,679	31,303
1921*	39,602,000	615,576	742,114	776,983	15.5	18.7	19.6	117	39,602,000*	—	—	—	—	—	—	—	—	—
1922	39,660,000	623,858	750,651	692,740	15.8	19.0	17.5	78	39,660,000	—	—	—	—	—	—	—	—	—

NOTE.—The deaths of Frenchmen abroad, civil or military, are registered in the books of the Commune in which they were last domiciled. The deaths from the several diseases relate to 567 towns for the years 1893–95, to 584 towns for the years 1896–1900, to 616 towns for the years 1901–5, and to the whole of France for 1906 and subsequent years.

* Census year.

GERMAN EMPIRE. (Furnished by the Presidents of the Statistical Department and the Imperial Health Office, German Empire.)

03	50,756,521	892,468	1,865,715	1,248,201	15.8	36.8	24.6	—	47,625,932	7,392	151	13,555	13,575	19,713	75,322	360	115,641	30,013
04	51,339,492	816,132	1,841,205	1,144,331	15.9	35.9	22.3	—	48,259,077	6,314	84	16,130	8,884	21,428	63,162	479	113,971	31,137
05*	52,001,060	828,436	1,877,278	1,151,488	15.9	36.1	22.1	—	48,818,672*	6,129	27	9,536	8,538	17,063	37,527	1	112,087	32,071
06	52,753,455	864,214	1,914,749	1,098,966	16.4	36.3	20.8	—	49,356,136	5,587	10	13,462	8,142	19,495	31,503	—	107,103	33,620
07	53,569,271	895,540	1,926,690	1,142,056	16.7	36.0	21.3	—	49,893,600	5,771	5	10,793	6,720	21,056	25,788	—	107,089	34,584
08	54,406,277	917,754	1,964,731	1,117,860	16.9	36.1	20.5	—	50,431,064	5,081	16	12,728	9,031	18,004	23,642	—	100,544	35,504
09	55,248,225	943,038	1,980,304	1,185,197	17.1	35.8	21.5	—	51,843,158	5,756	27	12,794	13,369	19,015	23,816	—	104,698	38,209
10*	56,045,886	952,982	1,996,139	1,236,382	17.0	35.6	22.1	—	52,624,706*	5,894	49	12,317	13,169	18,445	20,477	—	108,827	37,946
11	56,861,612	936,658	2,032,313	1,174,489	16.5	35.7	20.7	207	53,406,252	5,691	52	16,334	13,351	19,766	21,142	—	103,154	39,917
12	57,709,213	914,416	2,024,735	1,122,492	15.9	35.1	19.5	133	54,187,799	3,769	12	14,085	12,949	18,754	17,457	—	101,730	40,613
13	58,575,463	926,300	1,983,078	1,170,905	15.8	33.9	20.0	204	54,969,346	4,028	18	14,979	14,851	16,797	18,707	—	102,972	42,535
14	59,430,283	955,644	2,025,847	1,163,183	16.1	34.1	19.6	196	58,433,571	4,115	25	12,389	12,651	17,753	18,982	—	106,709	46,723
15*	60,285,103	971,812	1,987,153	1,194,314	16.1	33.0	19.8	205	59,413,982*	3,750	27	9,421	9,351	18,856	16,967	77	106,552	48,078
16	61,139,923	997,980	2,022,477	1,112,202	16.3	33.1	18.2	185	61,139,923	3,478	47	13,340	9,974	17,948	14,692	—	98,152	49,127
17	61,994,743	1,007,928	1,999,933	1,117,309	16.3	32.3	18.0	176	61,994,743	3,012	63	11,330	11,151	12,830	14,089	—	97,555	50,930
18	62,849,563	1,001,240	2,014,735	1,135,341	15.9	32.1	18.1	178	62,849,563	2,979	65	10,612	10,852	16,388	14,958	1	95,402	51,948
19	63,695,875	988,254	1,978,078	1,093,664	15.5	31.1	17.2	170	63,695,875	2,675	23	10,269	11,082	15,162	15,512	—	90,962	53,214
20*	64,568,951	992,792	1,924,817	1,045,488	15.4	29.8	16.2	162	64,568,951	2,585	34	11,245	7,123	14,133	14,888	—	89,327	56,092
21	65,425,851	1,025,638	1,870,164	1,130,638	15.7	28.6	17.3	192	65,425,851	3,224	37	8,380	6,933	11,990	16,409	—	88,613	57,519
22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—The causes of death for the whole of the German Empire are not available for years prior to 1906. The figures in this table for the years 1903–1908 relate to 10 of the Federated States, those for 1904 and 1905 to 23 States, those since 1906 to all 26 States, with the restrictions, however, that the deaths from measles, whooping cough, pulmonary tuberculosis, and cancer relate only to 24 States (population, 1906, 59,912,782; 1907, 61,260,509; 1908, 111,705; 1909, 62,954,673; 1910, 63,824,043; 1911, 64,677,362).

* Census year.

† Including Röteln.

‡ Including "New Growths."

TABLE 42.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—*continued.*

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Stillborn.	The Total Deaths include:—								Year.
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	

HUNGARY. (Furnished by the Director of the Central Statistical Office, Kingdom of Hungary.)

* Census year.	1893	17,779,476	333,022	758,222	554,941	18·8	42·6	31·2	239	—	—	—	—	—	—	—	—	—	1893
	1894	17,963,599	332,150	744,995	547,194	18·6	41·5	30·5	244	—	—	—	—	—	—	—	—	—	1894
† Tuberculosis, all forms.	1895	18,155,843	307,862	758,302	538,768	17·0	41·8	29·7	240	—	—	—	—	—	—	—	—	—	1895
	1896	18,355,347	294,954	742,936	530,368	16·2	40·5	28·9	226	—	—	—	—	—	—	—	—	—	1896
	1897	18,554,494	302,338	748,064	528,967	16·4	40·3	28·5	222	7,255	1,506	5,182	8,645	15,069	14,007	—	59,860	4,975	1897
	1898	18,738,579	312,416	706,893	524,390	16·8	37·7	28·0	222	8,224	1,656	9,111	11,666	12,433	14,005	—	68,511	5,458	1898
	1899	18,927,595	341,652	743,272	514,334	18·2	39·3	27·2	206	6,782	1,363	10,950	12,258	8,968	12,552	—	73,323	5,267	1899
	1900*	19,144,142	339,374	752,718	515,234	17·8	39·3	26·9	219	6,193	815	7,327	9,658	7,616	9,941	—	72,467	7,021	1900*
	1901	19,342,190	340,632	731,721	491,804	17·6	37·8	25·4	205	5,588	841	7,983	11,486	7,028	9,227	—	70,731	6,941	1901
	1902	19,513,336	338,058	759,739	528,058	17·3	38·9	27·1	216	5,338	322	10,103	14,135	12,817	9,038	—	75,145	7,461	1902
	1903	19,669,177	320,442	725,239	515,926	16·3	36·9	26·2	212	5,554	249	6,965	16,818	9,500	10,740	—	76,637	7,742	1903
	1904	19,831,663	364,340	740,799	495,836	18·4	37·4	25·0	195	5,089	445	5,969	14,467	5,860	9,013	—	77,923	8,112	1904
	1905	19,869,296	341,120	720,532	560,921	17·2	36·3	28·2	230	6,499	457	8,816	9,100	6,650	8,132	—	89,120	8,110	1905
	1906	20,099,028	353,652	733,953	504,790	17·6	36·5	25·1	205	5,509	232	9,894	8,829	8,103	7,150	—	78,225	8,229	1906
	1907	20,210,113	402,862	740,867	518,614	19·9	36·7	25·7	208	5,440	146	8,569	11,758	8,807	7,166	—	79,018	8,635	1907
	1908	20,458,762	377,296	755,888	516,128	18·4	36·9	25·2	199	5,058	121	9,299	13,598	6,369	9,288	—	76,940	9,022	1908
	1909	20,606,760	357,770	776,395	526,798	17·4	37·7	25·6	212	6,336	101	8,163	10,654	7,044	9,212	—	75,954	9,175	1909
	1910*	20,792,709	359,074	742,899	490,689	17·3	35·7	23·6	194	5,009	116	9,339	10,626	6,427	8,657	302	72,423	9,489	1910*
	1911	20,958,295	386,964	732,767	524,496	18·5	35·0	25·1	207	4,829	87	8,941	13,642	5,520	8,740	252	76,930	9,718	1911
	1912	21,134,862	364,366	765,891	491,722	17·2	36·3	23·3	186	4,057	81	6,007	10,203	6,577	6,514	1	73,702	9,970	1912

IRELAND. (Furnished by the Registrar-General, Ireland.)

* Census year.	1893	4,607,462	43,428	106,082	82,821	9·4	23·0	18·0	102	919	1	1,082	457	1,169	1,015	—	9,869	2,280	1893
	1894	4,589,260	43,204	105,354	83,528	9·4	23·0	18·2	102	783	72	1,215	599	1,242	924	—	9,626	2,375	1894
† Excluding acute miliary tuberculosis for years prior to 1911.	1895	4,559,936	46,240	106,113	84,395	10·1	23·3	18·5	104	760	146	301	590	1,047	754	—	9,768	2,296	1895
	1896	4,542,061	46,110	107,641	75,700	10·2	23·7	16·7	95	716	4	516	752	1,040	745	—	9,051	2,437	1896
	1897	4,529,917	45,782	106,664	83,839	10·1	23·5	18·5	109	998	3	1,070	522	1,851	790	—	9,748	2,635	1897
	1898	4,518,478	45,160	105,457	82,404	10·0	23·3	18·2	110	1,284	—	816	325	1,588	791	—	9,678	2,657	1898
	1899	4,502,401	44,622	103,900	79,699	9·9	23·1	17·7	108	890	1	1,532	205	988	759	—	9,480	2,654	1899
	1900	4,468,501	42,660	101,459	87,606	9·5	22·7	19·6	109	769	1	640	245	689	726	—	10,076	2,717	1900
	1901*	4,447,085	45,128	100,976	79,119	10·1	22·7	17·8	101	829	2	459	205	1,123	663	—	9,549	2,893	1901*
	1902	4,434,551	45,898	101,863	77,676	10·4	23·0	17·5	100	613	1	1,076	186	1,002	735	—	9,400	2,861	1902
	1903	4,417,757	45,984	101,831	77,358	10·4	23·1	17·5	96	480	40	686	210	1,062	670	—	9,559	3,043	1903
	1904	4,408,103	45,922	103,811	79,513	10·4	23·6	18·0	100	466	16	522	204	1,551	585	—	9,833	3,055	1904
	1905	4,399,308	46,156	102,832	75,071	10·5	23·4	17·1	95	502	5	809	170	581	558	—	9,216	3,291	1905
	1906	4,397,571	45,324	103,536	74,427	10·3	23·5	16·9	93	394	—	388	149	929	602	—	8,933	3,481	1906
	1907	4,388,451	45,018	101,742	77,334	10·3	23·2	17·6	92	362	1	584	99	809	432	—	8,828	3,338	1907
	1908	4,384,664	45,468	102,039	76,891	10·4	23·3	17·5	97	338	—	858	72	945	490	—	8,511	3,314	1908
	1909	4,386,601	45,300	102,759	74,973	10·3	23·4	17·1	92	305	—	443	129	1,175	529	—	8,051	3,502	1909
	1910	4,385,421	44,224	101,963	74,894	10·1	23·3	17·1	95	278	—	853	173	1,297	432	—	7,527	3,664	1910
	1911*	4,383,608	46,946	101,758	72,475	10·7	23·2	16·5	94	356	—	431	293	815	475	—	7,584	3,582	1911
	1912	4,384,710	46,566	101,035	72,187	10·6	23·0	16·5	86	232	—	813	308	1,045	436	—	7,452	3,734	1912

ITALY. (Furnished by the Director of the Statistical Department, Italy.)

Census year.	1893	30,875,678	456,206	1,126,296	776,713	14·8	36·5	25·2	180	15,065	2,638	12,953	6,596	6,847	17,783	3,040	38,380	13,234	1893
† Including	1894	31,085,694	463,162	1,102,935	776,372	14·9	35·5	25·0	184	13,639	2,606	9,001	4,511	8,261	15,585	20	40,169	13,841	1894
77,283 deaths	1895	31,295,710	456,304	1,092,102	783,813	14·6	34·9	25·0	187	15,590	2,998	11,322	3,314	8,678	11,466	—	41,624	15,089	1895
in the earth-	1896	31,506,302	445,206	1,095,505	758,129	14·1	34·8	24·1	177	16,397	2,033	11,499	3,234	6,660	9,286	—	41,069	15,482	1896
quake at	1897	31,716,318	458,082	1,101,848	695,602	14·4	34·7	21·9	165	15,557	1,003	6,156	3,907	7,938	8,881	—	38,670	15,967	1897
Messina and	1898	31,926,334	439,194	1,070,074	732,265	13·8	33·5	22·9	169	17,412	420	5,429	4,492	7,420	7,808	—	38,335	16,330	1898
Reggio (28th	1899	32,136,350	471,330	1,088,558	703,393	14·7	33·9	21·9	156	14,963	214	7,433	4,487	7,886	6,893	—	39,807	16,680	1899
Dec., 1908).	1900	32,346,366	465,262	1,067,376	768,917	14·4	33·0	23·8	172	15,060	316	8,827	1,483	6,565	5,790	—	41,733	16,873	1900
Excluding	1901*	32,475,253	469,638	1,057,763	715,036	14·5	32·6	22·0	165	11,748	3,396	5,562	1,185	6,916	5,444	—	38,512	17,141	1901*
these deaths	1902	32,699,510	475,026	1,093,074	727,181	14·5	33·4	22·2	175	11,358	2,413	9,961	1,338	7,202	4,514	—	35,722	17,634	1902
the death-rate	1903	32,839,509	474,422	1,042,090	736,311	14·4	31·7	22·4	168	11,671	6,049	7,283	1,991	6,521	4,064	—	36,924	17,774	1903
was 20·5.	1904	33,016,234	495,616	1,085,431	698,604	15·0	32·9	21·2	164	12,239	3,093	5,332	1,611	5,958	4,519	—	39,152	18,860	1904
† Including	1905	33,193,289	511,746	1,084,518	730,340	15·4	32·7	22·0	166	10,896	482	6,738	1,689	5,767	4,255	—	40,349	19,348	1905
general	1906	33,325,098	521,560	1,070,978	696,875	15·7	32·1	20·9	160	9,424	169	9,726	2,724	6,165	4,253	—	40,899	20,653	1906
tuberculosis.	1907	33,514,702	520,208	1,062,333	700,333	15·5	31·7	20·9	155	8,614	451	8,184	2,940	6,142	5,634	—	41,968	20,628	1907
	1908	33,826,688	566,320	1,138,813	770,054	16·7	33·7	22·8	153	9,287	559	11,740	3,464	5,545	5,921	—	41,587	21,828	1908
	1909	34,077,068	532,668	1,115,831	738,460	15·6	32·7	21·7	155	9,741	758	11,043	2,703	5,218	5,781	—	42,098	21,871	1909
	1910	34,376,610	538,048	1,144,410	682,459	15·7	33·3	19·9	142	8,948	413	9,897	2,903	5,416	4,828	805	40,451	22,555	1910
	1911*	34,671,377	520,396	1,093,545	742,811	15·0	31·5	21·4	153	9,537	4,828	8,573	2,515	6,833	3,682	6,145	42,281	23,172	1911*
	1912	35,026,486	529,348	1,133,985	635,788	15·1	32·4	18·2	—	7,743	3,337	7,277	2,965	6,721	3,872	41	37,598	22,656	1912

TABLE 42.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—*continued.*

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Still-born.	The Total Deaths include:—											Year.
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.				
JAMAICA. (Furnished by the Registrar-General, Jamaica.)																				
1893	667,554	7,468	27,365	14,885	11.1	40.6	22.1	168	49	—	1	—	13	13	—	1,040	96	1893		
1894	678,786	7,258	25,298	14,321	10.6	37.2	21.0	168	57	—	—	1	202	10	—	1,102	102	1894		
1895	690,667	6,484	26,842	15,716	9.3	38.8	22.7	178	75	—	9	—	326	16	—	1,182	115	1895		
1896	701,181	6,052	27,064	15,535	8.6	38.5	22.1	176	89	—	121	—	495	14	—	1,191	113	1896		
1897	713,384	5,322	28,447	16,474	7.4	39.8	23.0	177	117	—	19	—	311	12	—	1,168	97	1897		
1898	725,033	6,724	27,648	15,290	9.2	38.1	21.0	176	65	—	4	—	138	9	—	1,156	108	1898		
1899	740,171	7,534	31,259	16,880	10.1	42.2	22.8	170	90	—	23	—	25	14	—	1,187	129	1899		
1900	751,588	6,442	26,869	16,243	8.5	35.7	21.6	174	55	—	128	—	—	12	—	1,204	124	1900		
1901	763,545	6,404	31,268	16,756	8.3	40.9	21.9	163	71	—	33	—	2	7	—	1,148	118	1901		
1902	778,120	7,202	30,605	15,413	9.2	39.3	19.8	162	96	—	8	—	—	2	—	1,149	109	1902		
1903	794,053	7,152	31,687	19,593	9.0	39.9	24.6	187	89	—	—	1	292	3	—	1,232	125	1903		
1904	802,609	5,760	29,025	19,863	7.1	36.1	24.7	193	131	—	3	1	1,546	4	—	1,308	128	1904		
1905	814,800	6,232	31,618	17,871	7.6	38.8	21.9	165	69	—	—	—	40	12	—	1,240	153	1905		
1906	827,744	11,014	31,547	21,723	13.2	38.1	26.2	197	86	—	97	—	5	6	—	1,328	141	1906		
1907	834,012	12,502	29,210	23,672	14.8	35.0	28.3	223	223	—	150	1	2	4	—	1,451	126	1907		
1908	843,648	7,052	31,785	18,928	8.3	37.6	22.4	175	243	—	2	—	—	4	—	1,317	136	1908		
1909	856,785	7,086	32,402	18,636	8.2	37.8	21.7	174	244	—	—	—	—	5	—	1,232	157	1909		
1910	826,371	6,680	31,918	19,119	8.0	38.6	23.1	188	237	—	1	—	619	—	—	1,291	172	1910		
1911*	839,247	7,214	32,750	18,631	8.5	39.0	22.1	187	179	—	30	1	869	3	—	1,257	150	1911*		
1912	854,136	6,436	33,159	21,450	7.5	38.8	25.1	193	259	—	106	5	17	7	—	1,275	149	1912		

JAPAN. (Furnished by the Director of the General Statistical Bureau, Japan.)

1893	41,388,313	716,778	1,178,428	937,644	17.3	28.5	22.7	158	8,183	11,852	—	—	—	3,205	364	57,798	—	1893	* Census year.
1894	41,813,215	722,638	1,208,933	840,768	17.3	28.9	20.1	144	8,054	3,342	—	—	—	2,903	314	52,888	—	1894	
1895	42,270,620	731,266	1,246,427	852,422	17.3	29.5	20.2	141	8,401	268	—	—	—	3,025	40,164	58,992	—	1895	
1896	42,708,264	1,003,554	1,282,178	912,822	23.5	30.0	21.4	149	9,174	3,888	—	—	—	3,296	908	62,790	—	1896	* Census year.
1897	43,228,863	730,414	1,334,125	876,837	16.9	30.9	20.3	151	5,870	12,276	—	3	—	5,579	488	65,597	—	1897	
1898	43,763,855	942,596	1,369,688	894,524	21.5	31.3	20.4	154	5,697	362	—	7	—	6,453	374	72,708	—	1898	
1899	44,260,642	594,856	1,388,185	934,566	13.4	31.4	21.1	154	6,761	223	2,558	7	1,334	7,481	2	55,938	19,382	1899	* Census year.
1900	44,815,980	693,180	1,421,919	914,557	15.4	31.7	20.4	155	5,549	7	1,740	13	1,456	6,017	—	59,525	20,334	1900	
1901	45,437,032	757,274	1,503,361	928,578	16.6	32.7	20.4	151	5,882	7	3,643	6	1,450	4,987	—	62,002	22,149	1901	
1902	46,022,476	788,756	1,513,090	962,097	17.1	32.9	20.9	161	5,239	24	3,348	17	1,868	4,519	8,164	65,993	24,598	1902	* Census year.
1903	46,732,876	742,374	1,493,547	933,834	15.9	32.0	20.0	157	4,585	25	850	3	2,117	4,271	140	67,722	25,550	1903	
1904	47,215,630	798,436	1,444,307	999,621	16.9	30.6	21.2	151	5,100	154	1,434	15	2,533	3,846	51	69,107	25,993	1904	
1905	47,674,460	702,520	1,457,039	1,044,855	14.7	30.6	22.0	151	6,291	70	4,129	18	2,773	3,881	34	70,061	26,668	1905	* Census year.
1906	48,450,900	706,548	1,399,203	961,550	14.6	28.9	19.8	153	6,338	99	2,341	36	3,251	4,215	29	75,469	27,863	1906	
1907	49,092,000	867,054	1,621,973	1,024,286	17.7	33.0	20.9	151	5,974	211	2,107	70	3,289	4,256	1,702	75,544	28,451	1907	
1908*	49,318,300	923,880	1,672,627	1,038,110	18.7	33.9	21.0	157	5,824	4,274	2,742	126	4,044	5,088	297	76,589	30,440	1908*	* Census year.
1909	49,903,700	877,542	1,705,877	1,099,797	17.6	34.2	21.9	166	6,024	36	4,504	339	3,715	5,269	158	82,623	32,543	1909	
1910	50,504,000	884,996	1,726,522	1,073,732	17.5	33.9	21.1	160	8,053	15	2,707	488	4,115	5,435	1,656	82,652	32,741	1910	
1911	51,119,200	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1911	* Census year.
1912	51,748,600	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1912	

THE NETHERLANDS. (Furnished by the Director of The Netherlands Central Statistical Bureau.)

1893	4,701,243	68,622	159,005	90,372	14.6	33.8	19.2	164	566	190	795	233	1,521	1,741	113	8,647	3,798	1893	* Census year.
1894	4,764,279	68,940	154,722	87,970	14.4	32.7	18.5	152	496	625	737	128	1,269	1,583	53	9,010	3,859	1894	
1895	4,827,549	71,196	158,130	90,007	14.8	32.8	18.6	167	513	79	538	166	1,535	999	—	8,897	4,122	1895	
1896	4,894,055	72,980	160,247	84,291	15.0	32.7	17.2	148	481	34	1,171	202	1,477	960	—	8,429	4,329	1896	* Census year.
1897	4,966,431	73,592	161,441	83,856	14.8	32.5	16.9	148	447	1	538	162	1,094	853	—	8,631	4,487	1897	
1898	5,039,419	73,634	160,765	85,813	14.6	31.9	17.0	156	507	7	838	106	1,357	721	—	8,027	4,685	1898	
1899*	5,089,380	75,980	163,289	87,319	14.8	32.1	17.2	149	583	—	405	206	1,488	694	—	7,937	4,900	1899*	* Census year.
1900	5,141,633	78,838	162,611	92,043	15.2	31.6	17.9	155	544	6	1,326	152	1,180	695	—	8,451	4,733	1900	
1901	5,221,180	80,522	168,380	89,967	15.4	32.3	17.2	149	474	7	2,741	101	1,211	931	—	7,171	4,894	1901	
1902	5,305,211	79,889	168,728	86,248	15.2	31.8	16.3	130	454	5	2,430	128	1,053	835	—	7,028	5,040	1902	* Census year.
1903	5,389,066	79,415	170,108	83,933	14.9	31.6	15.6	135	457	22	1,223	132	860	683	—	7,225	5,331	1903	
1904	5,470,301	80,530	171,495	87,091	14.7	31.4	15.9	137	485	11	2,399	175	1,409	658	1	7,158	5,356	1904	
1905	5,550,535	80,766	170,767	85,016	14.6	30.8	15.3	131	461	13	1,182	191	1,226	558	—	7,021	5,618	1905	* Census year.
1906	5,631,821	83,739	170,952	83,259	14.9	30.4	14.8	127	453	6	1,400	155	1,002	470	—	7,617	5,673	1906	
1907	5,709,745	85,915	171,506	83,350	15.0	30.0	14.6	112	372	6	1,477	269	1,035	461	—	7,494	5,813	1907	
1908	5,786,232	83,066	171,861	86,936	14.4	29.7	15.0	125	363	1	1,576	302	1,325	469	—	7,002	5,947	1908	* Census year.
1909*	5,861,813	82,548	170,766	80,233	14.1	29.1	13.7	99	317	—	968	177	1,002	456	18	7,250	6,012	1909*	
1910	5,901,850	84,579	168,894	79,984	14.3	28.6	13.6	108	300	—	1,176	113	1,056	401	—	7,017	6,279	1910	
1911	5,984,000	85,583	166,527	86,782	14.3	27.8	14.5	137	317	—	1,243	113	1,104	430	—	7,095	6,501	1911	* Census year.
1912	6,068,389	91,320	170,269	74,647	15.0	28.1	12.3	87	212	1	1,163	201	1,176	449	—	6,695	6,636	1912	

TABLE 42.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—continued.

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Still-born.	The Total Deaths include:—											Year.
	Estimated Population in the middle of each Year.	Persons Married.	Births, Deaths.		Persons Married.	Births.	Deaths.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.			

NEW ZEALAND. (Furnished by the Registrar-General, New Zealand.)

* Census year.	1893	661,349	8,230	18,187	6,767	12.4	27.5	10.2	88	97	—	525	1	55	187	—	545	332	1893
	1894	679,196	8,356	18,528	6,918	12.3	27.3	10.2	81	115	—	14	5	190	147	—	576	408	1894
	1895	692,417	8,220	18,546	6,863	11.9	26.8	9.9	88	94	—	—	6	150	121	—	553	383	1895
	1896*	706,846	9,686	18,612	6,432	13.7	26.3	9.1	77	124	—	1	4	24	—	—	523	389	1896*
	1897	721,609	9,856	18,737	6,595	13.7	26.0	9.1	72	106	—	1	2	80	—	—	596	395	1897
	1898	736,260	10,182	18,955	7,244	13.8	25.7	9.8	80	120	—	57	2	6	85	—	597	471	1898
	1899	749,984	10,922	18,835	7,680	14.6	25.1	10.2	96	93	—	—	123	95	—	—	593	468	1899
	1900	763,594	11,720	19,546	7,200	15.3	25.6	9.4	75	68	—	9	10	90	91	—	577	430	1900
	1901*	777,968	12,190	20,491	7,634	15.7	26.3	9.8	71	95	—	7	17	9	72	—	596	515	1901*
	1902	797,793	12,788	20,655	8,375	16.0	25.9	10.5	83	53	—	134	39	83	69	—	617	536	1902
	1903	820,217	13,496	21,829	8,528	16.5	26.6	10.4	81	61	1	143	181	204	40	—	570	582	1903
	1904	845,022	13,966	22,766	8,087	16.5	26.9	9.5	71	73	—	10	13	35	39	—	598	571	1904
	1905	870,000	14,400	23,682	8,061	16.6	27.2	9.3	68	45	—	8	10	3	50	—	496	566	1905
	1906*	895,594	15,184	24,252	8,339	17.0	27.1	9.3	62	48	—	12	18	26	45	—	556	623	1906*
	1907	919,105	16,384	25,094	10,066	18.0	27.3	10.9	89	53	—	101	25	307	75	—	612	674	1907
	1908	945,063	16,678	25,940	9,043	18.0	27.4	9.5	68	90	—	19	60	42	49	—	663	657	1908
	1909	971,784	16,188	26,524	8,959	16.7	27.3	9.2	62	55	—	26	26	41	90	—	624	711	1909
	1910	992,802	16,472	25,984	9,639	16.6	26.2	9.7	68	62	—	1	13	148	82	—	582	742	1910
	1911*	1,014,896	17,650	26,354	9,534	17.4	26.0	9.4	56	67	—	41	9	17	74	—	584	809	1911*
	1912	1,039,016	18,296	27,508	9,214	17.6	26.5	8.9	51	46	—	15	7	10	51	—	567	812	1912

NORWAY. (Furnished by the Director of the Central Statistical Bureau, Norway.)

NOTE.—The deaths from the several diseases are incomplete; only about 62 per cent. of the causes were stated in 1892, against 85 per cent. in 1901, and 88 per cent. in 1910.	1893	2,021,400	25,948	61,918	32,915	12.8	30.6	16.3	89	137	1	125	195	170	1,469	—	3,559	1,405	1893
	1894	2,039,800	25,932	60,450	34,355	12.7	29.6	16.8	104	140	1	470	275	436	1,438	—	3,663	1,449	1894
	1895	2,065,900	26,078	62,932	32,189	12.9	30.5	15.5	95	141	3	146	242	462	520	—	3,837	1,464	1895
	1896	2,094,100	27,924	63,308	31,574	13.3	30.2	15.1	96	185	—	185	224	470	356	—	3,892	1,691	1896
	1897	2,123,700	28,440	63,417	32,389	13.4	29.9	15.3	97	145	3	240	162	296	349	—	4,123	1,802	1897
	1898	2,155,400	30,078	64,821	32,693	14.0	30.1	15.2	91	164	6	243	113	369	379	—	4,391	1,802	1898
	1899	2,185,300	31,060	67,018	36,563	14.2	30.7	16.7	105	172	—	214	127	450	283	—	4,773	1,931	1899
	1900*	2,211,300	30,444	66,149	34,932	13.8	29.9	15.8	90	133	—	216	177	365	181	—	4,888	2,008	1900*
	1901	2,235,000	29,520	66,207	33,295	13.2	29.6	14.9	93	174	—	103	118	338	156	—	4,337	2,126	1901
	1902	2,254,600	28,770	65,262	31,163	12.8	28.9	13.8	75	102	—	287	106	461	242	—	4,249	1,964	1902
	1903	2,265,900	27,132	65,155	33,667	12.0	28.8	14.7	79	140	—	300	120	440	334	—	4,488	2,112	1903
	1904	2,274,500	26,962	63,955	32,467	11.9	28.1	14.3	76	99	—	234	72	140	318	—	4,489	2,132	1904
	1905	2,284,400	26,538	62,698	33,793	11.6	27.4	14.7	81	86	6	87	130	468	444	—	4,652	2,248	1905
* Census year.	1906	2,293,800	27,180	61,316	31,214	11.8	26.7	13.6	69	126	—	42	80	428	477	—	4,539	2,239	1906
† The figures for the year 1912 are provisional.	1907	2,302,700	27,906	60,722	32,789	12.1	26.4	14.3	67	78	—	132	59	255	511	—	4,656	2,310	1907
	1908	2,318,400	28,306	60,866	33,181	12.2	26.3	14.3	76	79	19	293	85	225	555	—	4,376	2,252	1908
	1909	2,338,400	28,160	61,407	31,603	12.0	26.3	13.5	72	68	2	118	146	557	497	—	3,997	2,226	1909
	1910*	2,353,300	29,132	61,461	31,856	12.4	26.1	13.5	67	90	—	54	80	309	420	—	4,060	2,186	1910*
	1911	2,370,700	29,652	61,468	31,278	12.5	25.9	13.2	65	56	—	200	74	334	459	—	4,155	2,292	1911
	1912†	2,393,300	29,600	60,900	32,100	12.4	25.4	13.4	—	—	—	—	—	—	—	—	—	—	1912†

ONTARIO, PROVINCE OF. (Furnished by the Deputy Registrar-General, Ontario.)

* Census year.	1893	2,167,460	28,950	42,686	22,903	13.4	19.7	10.6	—	?	?	?	?	?	942	—	2,552	?	1893
† Census population.	1894	2,189,116	28,682	41,899	22,538	13.1	19.1	10.3	—	?	?	?	454	?	1,075	—	2,379	?	1894
	1895	2,211,101	27,974	41,474	22,461	12.7	18.8	10.2	—	588	?	?	?	?	942	—	2,472	?	1895
‡ Tuberculosis, all forms.	1896	2,263,492	29,808	46,680	24,857	13.2	20.6	11.0	—	552	—	136	99	187	932	—	2,922	?	1896
	1897	2,257,378	30,586	46,868	26,508	13.5	20.8	11.7	—	355	—	80	169	169	976	—	3,164	927	1897
	1898	2,279,929	30,750	46,067	25,409	13.5	20.2	11.1	—	405	—	115	222	126	634	—	3,291	975	1898
	1899	2,302,705	33,028	44,286	27,747	14.3	19.2	12.3	125	452	7	40	246	124	599	—	3,405	1,041	1899
	1900	2,325,712	34,214	45,549	28,543	14.7	19.6	12.2	133	682	11	143	170	185	738	—	3,484	1,055	1900
	1901*	2,184,144	36,070	45,281	28,500	16.4	20.7	13.0	121	500	7	181	268	166	772	—	3,243	1,094	1901*
	1902	2,205,965	36,144	46,973	26,713	16.4	21.3	12.1	104	392	7	143	346	204	676	—	2,694	1,048	1902
	1903	2,198,692	39,660	47,709	28,399	18.0	21.7	12.9	115	391	21	55	580	204	687	—	2,723	1,156	1903
	1904	2,203,968	39,578	49,158	29,600	17.8	22.3	13.4	107	482	3	30	163	109	608	—	2,877	1,253	1904
	1905	2,208,364	40,852	50,808	29,748	18.4	23.0	13.5	121	446	3	63	72	181	503	—	2,667	1,224	1905
	1906	2,214,116	39,692	50,621	31,244	17.8	22.9	14.1	137	891	4	128	64	240	423	—	2,911	1,411	1906
	1907	2,220,420	43,830	52,289	31,756	19.6	24.1	14.3	121	520	4	166	102	214	380	—	2,580	1,329	1907
	1908	2,226,860	42,116	54,878	30,947	18.0	25.6	13.8	124	662	2	38	163	246	450	—	2,511	1,348	1908
	1909	2,233,264	44,732	53,418	30,792	20.0	24.3	13.7	131	669	3	107	200	262	430	—	2,380	1,597	1909
	1910	2,239,621	48,072	54,755	31,332	21.4	24.9	13.9	123	706	2	304	237	186	435	—	2,287	1,587	1910
	1911*	2,523,274	51,614	56,096	31,878	20.4	22.6	12.6	117	637	3	169	290	169	423	—	2,353	1,602	1911*
	1912	2,582,500	57,690	58,870	32,150	22.2	22.4	12.4	110	483	2	111	152	419	371	—	2,250	1,778	1912

TABLE 42.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—continued.

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Still-born.	The Total Deaths include :—											Year.
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.			
PRUSSIA. (Furnished by the President of the Statistical Department, Prussia.)																				
1893	30,937,874	496,696	1,156,600	746,678	16.1	37.4	24.1	206	5,303	136	8,751	9,956	15,272	55,401	289	76,977	15,740	1893		
1894	31,317,425	501,920	1,143,359	679,936	16.0	36.5	21.7	196	4,772	77	9,706	6,779	14,755	46,026	478	74,656	16,480	1894		
1895*	31,696,976	507,458	1,168,253	689,799	16.0	36.9	21.8	212	4,697	24	6,184	7,067	12,329	28,717	—	73,752	16,850	1895*		
1896	32,160,485	529,644	1,185,538	666,797	16.5	36.9	20.7	191	4,328	7	10,116	6,892	14,846	24,251	—	70,373	17,643	1896		
1897	32,683,962	549,386	1,194,126	683,036	16.8	36.5	20.9	205	4,308	5	6,814	5,471	15,142	20,077	—	70,380	18,315	1897		
1898	33,207,439	560,788	1,219,607	665,147	16.9	36.7	20.0	193	3,729	12	9,040	7,708	12,748	18,147	—	65,560	18,695	1898		
1899	33,730,916	574,816	1,225,717	720,702	17.0	36.3	21.4	204	4,416	25	9,752	12,136	13,351	18,593	—	68,408	20,011	1899		
1900*	34,254,393	586,128	1,235,938	745,546	17.1	36.1	21.8	212	4,631	46	6,803	12,039	13,313	16,138	—	70,602	20,430	1900*		
1901	34,801,604	577,134	1,260,591	713,794	16.6	36.2	20.5	200	4,420	47	10,744	11,831	13,990	16,809	—	67,445	21,488	1901		
1902	35,365,767	563,064	1,255,940	677,433	15.9	35.5	19.2	172	2,846	13	10,080	11,134	13,284	14,175	—	66,726	21,876	1902		
1903	35,929,930	570,768	1,235,398	708,039	15.9	34.4	19.7	194	2,874	14	9,702	12,427	11,663	14,914	—	70,049	23,420	1903		
1904	36,494,093	589,464	1,264,761	702,260	16.2	34.7	19.2	185	2,867	17	7,367	10,202	12,051	14,162	—	69,326	25,050	1904		
1905*	37,058,256	599,976	1,241,893	726,874	16.2	33.5	19.6	198	2,730	10	6,292	7,446	13,327	12,005	77	70,323	25,704	1905*		
1906	37,628,385	619,844	1,269,815	673,772	16.5	33.7	17.9	177	2,419	31	9,107	7,770	11,749	10,025	—	64,459	26,498	1906		
1907	38,202,776	626,078	1,259,825	681,075	16.4	33.0	17.8	168	2,168	30	6,925	8,484	8,827	9,307	—	65,054	28,034	1907		
1908	38,777,107	622,262	1,269,591	694,154	16.0	32.7	17.9	173	2,065	61	7,379	8,482	10,672	9,797	1	63,320	28,531	1908		
1909	39,351,498	615,808	1,249,222	667,879	15.6	31.7	17.0	164	1,911	18	6,657	8,455	9,875	9,832	9	60,871	29,429	1909		
1910*	39,925,889	620,830	1,219,600	638,053	15.5	30.5	16.0	157	1,889	28	7,310	5,498	9,330	9,683	11	60,479	31,340	1910*		
1911	40,500,280	642,302	1,189,366	696,927	15.9	29.4	17.2	188	2,462	30	5,509	5,114	8,230	10,291	—	61,219	32,660	1911		
1912	41,074,671	656,680	1,186,243	636,303	16.0	28.9	15.5	146	1,580	19	6,011	4,290	9,477	8,367	—	59,911	33,463	1912		
ROUMANIA. (Furnished by the Director of the Statistical Department, Roumania.)																				
1893	5,485,739	81,054	222,115	169,132	14.8	40.5	30.8	217	734	289	875	1,620	613	907	872	—	—	1893		
1894	5,544,706	99,072	226,605	175,877	17.8	40.9	31.7	227	629	26	2,568	3,638	495	1,187	—	—	—	1894		
1895	5,635,434	82,964	238,191	155,702	14.8	42.3	27.6	201	573	638	729	2,080	488	1,092	—	—	—	1895		
1896	5,709,959	94,648	232,428	166,142	16.6	40.7	29.1	230	407	2,813	361	1,773	623	1,339	—	—	—	1896		
1897	5,795,235	83,216	248,845	171,808	14.4	42.9	29.6	216	972	1,512	452	889	1,178	2,297	—	—	—	1897		
1898	5,863,037	87,522	215,029	155,358	15.0	36.7	26.5	222	712	99	2,026	728	1,482	1,928	—	3,145	—	1898		
1899*	5,956,690	100,280	250,450	163,881	16.8	42.0	27.5	198	819	63	1,954	2,101	706	1,814	—	3,358	—	1899*		
1900	6,045,389	89,814	234,343	146,144	13.4	38.8	24.2	191	496	2	307	2,263	925	1,251	—	3,694	—	1900		
1901	6,125,742	87,500	240,704	160,351	14.2	39.3	26.2	205	671	1	1,176	3,036	600	1,293	—	3,341	—	1901		
1902	6,195,798	110,908	241,884	171,828	18.0	39.0	27.7	221	628	14	2,854	4,189	1,425	981	—	3,360	—	1902		
1903	6,292,032	109,576	252,242	156,008	17.4	40.1	24.8	201	914	2	2,028	3,760	1,358	829	—	3,213	—	1903		
1904	6,392,273	103,624	256,177	155,936	16.2	40.1	24.4	—	813	18	1,671	2,099	618	631	—	3,908	—	1904		
1905	6,480,300	102,382	247,959	159,932	15.8	38.6	25.0	—	932	—	319	1,152	1,013	477	—	4,387	—	1905		
1906	6,585,572	133,726	262,438	157,204	20.6	40.5	24.3	—	1,027	2	224	1,309	1,290	441	—	3,562	788	1906		
1907	6,684,265	140,526	274,487	175,794	21.3	41.7	26.7	—	1,160	—	1,433	2,362	1,102	376	—	3,401	709	1907		
1908	6,771,722	122,998	272,850	185,393	18.4	40.8	27.7	—	1,400	—	1,662	5,260	2,360	303	—	2,967	818	1908		
1909	6,865,739	126,424	282,342	188,325	18.7	41.7	27.8	—	1,982	1	705	7,392	1,081	358	—	3,547	765	1909		
1910	6,966,002	128,572	273,106	172,843	18.4	39.8	25.2	—	1,091	—	1,447	5,349	1,946	678	4	3,384	852	1910		
1911	7,086,796	149,082	299,870	179,076	21.0	43.0	25.7	197	1,489	11	2,022	3,022	1,294	1,025	149	3,282	813	1911		
1912*	7,230,418	124,800	314,090	165,616	17.2	43.4	22.9	186	851	10	642	2,196	1,671	1,134	—	3,023	938	1912*		
RUSSIA, EUROPEAN (50 Governments, excluding Finland and the Provinces of the Vistula and of the Caucasus). (Furnished by the Central Statistical Committee, Ministry of the Interior, Russia.)																				
1893	—	1,575,054	4,298,323	3,028,300	17.2	47.0	33.1	252										1893		
1894	93,292,955†	1,696,766	4,391,658	3,062,022	18.8	48.7	34.0	265										1894		
1895	—	1,685,262	4,539,176	3,213,841	18.4	49.4	35.0	280										1895		
1896	—	1,619,694	4,634,809	3,063,047	17.4	49.7	32.8	274										1896		
1897*	94,494,853	1,714,742	4,692,621	2,976,453	18.2	49.5	31.4	260										1897*		
1898	—	1,651,204	4,625,558	3,156,303	17.4	48.7	33.2	279										1898		
1899	97,143,469	1,796,404	4,764,678	3,013,114	18.4	49.0	31.0	240										1899		
1900	98,379,841	1,746,036	4,853,804	3,055,030	17.6	49.4	31.1	252										1900		
1901	100,172,597	1,724,816	4,801,190	3,218,501	17.2	47.9	32.1	272										1901		
1902	101,634,686	1,755,818	4,993,248	3,204,333	17.2	49.1	31.5	260										1902		
1903	103,423,601	1,838,164	4,978,305	3,103,213	17.8	48.1	30.0	256										1903		
1904	105,650,900†	1,605,050	5,124,544	3,153,146	15.2	48.5	29.9	232										1904		
1905	107,625,800†	1,679,972	4,819,155	3,410,569	15.6	44.8	31.1	258										1905		
1906	109,334,600†	2,096,278	5,116,919	3,253,590	19.2	46.8	29.8	243										1906		
1907	111,279,500†	1,971,398	5,221,369	3,151,738	17.6	46.6	28.1	233										1907		
1908	113,841,000†	1,804,012	5,043,114	3,189,324	15.8	44.3	28.0	247										1908		
1909	116,505,500†	1,834,574	5,123,976	3,374,915	15.8	44.0	28.9	248										1909		
1910	118,690,600†	—	—	—	—	—	—	—										1910		
1911	120,588,000†	—	—	—	—	—	—	—										1911		
1912	122,550,700†	—	—	—	—	—	—	—										1912		

NOTE.—The deaths from the several diseases are not tabulated for the whole of the Russian Empire.

TABLE 42.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—continued.

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths to 1,000 Births, exclu- sive of Still- born.	The Total Deaths include :—										Year.
	Estimated Popula- tion in the middle of each Year.	Persons Married.	Births	Deaths.	Persons Married.	Births.	Deaths.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.		
* SCOTLAND. (Furnished by the Registrar-General, Scotland.)																			
1892	4,122,029	54,290	127,110	79,670	13·2	30·8	19·3	136	982	68	3,639	882	2,026	1,679	—	6,921	2,816	1893	
1894	4,165,606	55,208	124,367	71,113	13·3	29·9	17·1	117	702	129	791	834	2,552	1,828	—	7,108	2,928	1894	
1895	4,209,645	56,844	126,494	81,852	13·5	30·0	19·4	133	730	47	2,063	782	1,948	1,260	—	7,688	2,993	1895	
1896	4,254,153	60,540	129,172	70,677	14·2	30·4	16·6	115	662	2	1,515	669	1,970	1,126	—	6,893	3,013	1896	
1897	4,299,132	62,100	128,877	79,144	14·4	30·0	18·4	138	655	10	2,066	716	2,877	812	—	7,200	3,212	1897	
1898	4,344,589	64,224	130,861	78,397	14·8	30·1	18·0	134	814	2	2,290	909	2,476	850	—	7,090	3,453	1898	
1899	4,390,530	65,956	130,733	79,593	15·0	29·8	18·1	131	803	1	1,599	831	1,894	856	—	7,275	3,572	1899	
1900	4,436,958	64,888	131,401	82,296	14·6	29·6	18·5	128	644	53	1,825	654	1,812	961	—	7,299	3,503	1900	
1901*	4,479,104	62,774	132,192	80,107	14·0	29·5	17·9	129	717	278	1,655	595	2,751	878	—	6,776	3,662	1901*	
1902	4,507,220	63,826	132,267	77,941	14·2	29·3	17·3	118	552	80	1,388	524	1,765	787	—	6,572	3,711	1902	
1903	4,535,513	64,702	133,525	76,002	14·3	29·4	16·8	118	552	41	1,133	407	1,946	715	—	6,630	3,798	1903	
1904	4,563,985	64,542	132,603	77,981	14·1	29·1	17·1	123	410	185	1,512	277	2,405	750	—	6,738	3,920	1904	
1905	4,592,636	62,540	131,410	74,536	13·6	28·6	16·2	116	373	4	1,662	211	2,243	721	—	6,374	4,132	1905	
1906	4,621,466	66,284	132,005	75,635	14·3	28·6	16·4	115	400	1	1,445	230	1,363	862	—	6,491	4,509	1906	
1907	4,650,478	66,596	128,840	77,296	14·3	27·7	16·6	110	367	1	1,153	233	2,485	729	—	6,415	4,551	1907	
1908	4,679,671	63,212	131,362	77,838	13·5	28·1	16·6	121	282	6	2,503	381	2,144	748	—	6,079	4,611	1908	
1909	4,709,048	60,216	128,669	74,632	12·8	27·3	15·8	108	296	—	890	555	2,215	917	—	6,000	4,782	1909	
1910	4,738,611	61,304	124,059	72,268	13·0	26·2	15·3	108	264	—	2,243	595	999	939	—	5,409	4,863	1910	
1911*	4,751,132	63,622	121,851	71,731	13·4	25·6	15·1	112	272	5	923	451	2,347	931	—	5,451	4,948	1911*	
1912†	4,788,300	65,020	122,716	72,337	13·7	25·9	15·3	—	—	—	—	—	—	—	—	—	—	1912†	

SERVIA. (Furnished by the Director of the State Statistical Bureau, Servia.)

* Census year.	1893	2,240,270	47,358	95,232	66,568	21·1	42·5	29·7	175	3,708	3,516	2,411	4,344	7,221	—	6,505	140	1893
	1894	2,272,927	49,926	96,488	63,766	22·0	42·4	28·0	163	3,292	4,233	1,804	4,227	9,934	—	5,482	156	1894
† Population at the end of each year.	1895*	2,312,484	41,198	101,676	62,184	17·8	44·0	26·9	158	2,678	2,865	612	5,643	11,653	—	5,055	128	1895*
	1896	2,345,837	41,682	96,752	63,399	17·8	41·2	27·0	167	2,471	5,567	386	5,174	11,572	—	5,109	154	1896
	1897	2,384,205	42,314	101,605	63,237	17·7	42·6	26·5	167	3,412	1,548	306	5,741	7,663	—	5,413	167	1897
	1898	2,413,694	45,042	84,789	55,300	18·7	35·1	22·9	161	2,726	2,693	420	5,745	3,401	—	5,228	178	1898
	1899	2,450,392	48,912	96,246	59,548	20·0	39·3	24·3	152	2,638	4,203	1,953	5,019	4,241	—	5,811	233	1899
	1900*	2,492,882	62,406	104,772	58,034	25·0	42·0	23·3	150	2,351	1,343	2,074	5,703	3,194	—	6,396	235	1900*
	1901	2,535,956	42,060	96,348	53,274	16·6	38·0	21·0	145	2,432	799	1,799	3,913	1,937	—	6,166	230	1901
	1902	2,576,517	53,036	98,000	57,439	20·6	38·0	22·3	151	2,179	1,654	2,635	5,214	1,875	—	6,843	248	1902
	1903	2,621,576	49,002	105,553	60,494	19·0	40·9	23·5	151	1,834	3,148	2,593	7,544	1,992	—	7,276	238	1903
	1904	2,671,505	61,098	106,259	56,330	22·9	39·8	21·1	135	1,964	1,067	2,498	4,642	1,366	—	7,400	275	1904
	1905*	2,688,747	53,216	100,242	56,276	19·8	37·3	24·4	165	435	2,607	2,418	4,408	1,433	—	8,940	279	1905*
	1906	2,735,147	55,956	112,973	65,851	20·4	41·3	24·0	144	451	4,778	4,696	4,166	1,415	—	7,861	290	1906
	1907	2,784,036	59,130	111,340	62,451	21·2	40·0	22·8	147	367	996	3,974	4,986	1,142	—	8,143	371	1907
	1908	2,821,015	51,780	103,903	66,924	18·4	36·8	23·7	158	371	1,722	3,987	5,856	915	—	8,799	355	1908
	1909	2,847,891	53,282	110,226	83,350	18·7	36·5	29·3	181	3,488	5,735	5,363	4,886	1,115	—	9,789	374	1909
	1910*	2,911,701	53,372	112,215	64,464	20·5	38·5	22·1	138	3,527	1,093	3,412	4,930	1,167	—	9,383	373	1910*
	1911	2,954,515	60,906	107,229	64,415	20·6	36·2	21·8	146	2,569	1,235	3,097	5,143	1,408	—	9,566	399	1911
	1912	3,005,414	26,578	114,257	63,358	8·8	38·0	21·1	—	—	—	—	—	—	—	—	—	1912

SPAIN. (Furnished by the Director General of the Geographical and Statistical Institute, Spain.)

1893	17,996,000	281,736	640,324	534,721	15·7	35·6	29·7	—	—	—	—	—	—	—	—	—	—	1893
1894	18,076,400	282,338	628,382	540,579	15·6	34·8	30·3	—	—	—	—	—	—	—	—	—	—	1894
1895	18,157,100	279,912	636,130	527,192	15·4	35·0	29·0	—	—	—	—	—	—	—	—	—	—	1895
1896	18,238,200	265,290	654,796	539,145	14·5	35·9	29·6	—	—	—	—	—	—	—	—	—	—	1896
1897	18,319,700	257,360	625,304	520,210	14·0	34·1	28·4	—	—	—	—	—	—	—	—	—	—	1897
1898	18,401,500	250,818	612,343	518,795	13·6	33·3	28·2	—	—	—	—	—	—	—	—	—	—	1898
1899	18,483,700	312,226	632,588	533,109	16·9	34·2	28·8	—	—	—	—	—	—	—	—	—	—	1899
1900*	18,566,200	322,402	627,848	536,716	17·4	33·8	28·9	204	11426†	6,497	12,010	1,237	4,750	8,489	—	23,026	7,294	1900*
1901	18,657,000	315,624	650,649	517,578	16·9	34·9	27·7	186	9,594	5,250	18,463	1,140	3,889	6,299	—	28,649	7,912	1901
1902	18,755,000	327,834	666,687	488,289	17·5	35·5	26·0	181	8,587	5,590	10,746	1,184	4,236	5,247	—	27,983	8,117	1902
1903	18,853,000	308,978	685,265	470,387	16·4	36·3	25·0	162	8,164	4,699	9,989	1,011	4,551	4,751	—	27,096	8,315	1903
1904	18,951,000	290,916	649,873	486,889	15·3	34·3	25·7	173	8,397	2,859	9,770	978	4,559	3,823	—	28,523	8,825	1904
1905	19,049,000	273,794	670,651	491,369	14·4	35·2	25·8	161	7,158	2,740	13,763	1,046	4,386	5,524	—	26,827	8,719	1905
1906	19,147,000	276,968	650,385	499,018	14·5	34·0	26·1	173	8,068	4,342	8,699	1,399	4,434	3,390	—	27,502	9,113	1906
1907	19,245,000	272,646	646,371	472,007	14·2	33·6	24·5	158	6,826	3,234	6,854	2,357	3,397	3,631	—	27,017	9,172	1907
1908†	19,343,000	282,092	657,701	460,940	14·6	34·0	23·8	—	6,319	2,802	7,188	2,201	4,337	3,932	—	26,651	9,947	1908†
1909†	19,442,000	259,056	650,415	466,645	13·3	33·5	24·0	—	5,367	3,965	7,735	1,735	3,537	4,263	—	24,762	9,914	1909†
1910*†	19,540,000	278,352	646,786	456,127	14·2	33·1	23·3	—	4,639	2,105	6,870	1,622	2,497	4,228	—	24,508	10,093	1910*†
1911†	19,993,360	284,238	625,172	463,679	14·2	31·2	23·2	—	5,332	1,512	7,498	766	2,549	3,795	43	24,461	10,282	1911†
1912†	19,562,568	285,794	637,901	426,269	14·6	32·6	21·8	—	4,488	2,515	5,333	669	2,492	5,458	—	23,558	10,899	1912†

TABLE 42.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—continued.

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Still-born.	The Total Deaths include :—												Year.
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.					
																	Exclusive of Stillborn.				

SWEDEN. (Furnished by the Director of the Central Statistical Bureau, Sweden.)																			
1893	4,815,508	54,438	131,729	81,027	11.3	27.4	16.8	101	950	25	159	1,657	841	3,804	1				1893
1894	4,848,667	55,702	131,409	79,444	11.5	27.1	16.4	101	905	21	302	1,115	874	3,582	5				1894
1895	4,896,221	57,456	134,599	74,368	11.7	27.5	15.2	95	761	—	463	788	577	2,220	—				1895
1896	4,940,914	58,752	134,308	77,259	11.9	27.2	15.6	103	809	2	665	654	1,109	1,871	—				1896
1897	4,986,100	60,442	132,999	76,558	12.1	26.7	15.4	99	752	1	620	415	1,038	1,701	—				1897
1898	5,036,275	61,800	136,523	75,949	12.3	27.1	15.1	91	710	1	324	271	1,047	1,881	—				1898
1899	5,080,160	63,420	133,882	89,678	12.5	26.4	17.7	112	803	1	786	414	1,092	2,974	—				1899
1900*	5,116,922	62,956	138,139	86,146	12.3	27.0	16.8	99	704	2	459	426	626	2,610	—				1900*
1901	5,155,835	62,556	139,370	82,772	12.1	27.0	16.1	103	647	—	378	485	884	2,617	—				1901
1902	5,186,990	61,792	137,364	79,722	11.9	26.5	15.4	86	539	1	638	486	1,084	1,754	—				1902
1903	5,210,022	60,176	133,896	78,610	11.6	25.7	15.1	93	275	2	807	352	953	1,382	—				1903
1904	5,241,051	61,306	134,952	80,152	11.7	25.8	15.3	84	266	1	173	437	885	1,346	—				1904
1905	5,277,848	61,776	135,409	82,443	11.7	25.7	15.6	88	517	3	142	624	765	1,710	—				1905
1906	5,315,970	65,166	136,620	76,366	12.3	25.7	14.4	81	334	—	198	387	881	1,146	—				1906
1907	5,357,384	66,502	136,793	78,149	12.4	25.5	14.6	77	339	—	440	221	630	834	—				1907
1908	5,403,657	66,168	138,874	80,568	12.2	25.7	14.9	85	478	1	490	252	962	643	—				1908
1909	5,453,021	65,092	139,505	74,538	11.9	25.6	13.7	72	239	—	221	270	750	722	—				1909
1910*	5,499,422	66,324	135,625	77,212	12.1	24.7	14.0	75	315	—	558	334	717	796	—				1910*
1911	5,542,101	65,222	137,297	76,462	11.8	24.0	13.8	72	—	—	—	—	—	—	—				1911
1912†	5,582,996	65,986	132,150	79,251	11.8	23.7	14.2	—	—	—	—	—	—	—	—				1912†

SWITZERLAND. (Furnished by the Director of the Federal Statistical Bureau, Switzerland.)

1893	3,039,472	43,768	84,897	61,059	14.4	27.9	20.1	152	380	15	870	138	377	1,599	—	5,756	3,653	1893	NOTE.—The tabulated causes of death relate only to those cases which were medically certified (except deaths from violence and deaths of newly-born infants); the proportion of such certified deaths was 93 per cent. in 1893 and 97 per cent. in 1911.	
1894	3,076,682	44,376	84,142	61,885	14.4	27.3	20.1	153	302	51	473	58	694	1,930	—	6,222	3,802	1894		
1895	3,113,891	45,364	84,973	59,747	14.6	27.3	19.2	159	305	1	185	62	581	999	—	6,377	3,923	1895		
1896	3,151,101	47,568	88,428	56,096	15.1	28.1	17.8	132	288	8	423	89	511	848	—	6,051	3,916	1896		
1897	3,188,310	49,908	90,078	56,399	15.7	28.3	17.7	141	261	1	272	47	476	760	—	6,106	4,088	1897		
1898	3,225,520	50,228	91,793	58,914	15.6	28.5	18.3	155	308	2	354	34	445	994	—	5,984	4,125	1898		
1899	3,262,729	50,824	94,472	57,591	15.6	29.0	17.7	186	269	3	264	38	601	1,106	—	5,823	4,130	1899		
1900*	3,299,939	51,074	94,316	63,606	15.5	28.6	19.3	150	220	30	809	34	695	981	—	6,692	4,285	1900*		
1901	3,340,984	50,756	97,028	60,018	15.2	29.0	18.0	137	240	37	829	71	846	1,052	—	6,241	4,271	1901		
1902	3,384,769	50,156	96,481	57,702	14.8	28.5	17.0	132	207	2	456	73	512	726	—	6,280	4,258	1902		
1903	3,428,554	50,566	93,824	59,626	14.7	27.4	17.4	133	169	4	545	162	561	540	—	6,381	4,447	1903		
1904	3,472,339	51,004	94,867	60,859	14.7	27.3	17.5	140	265	4	821	279	836	607	—	6,452	4,464	1904		
1905	3,516,124	52,538	94,653	61,800	14.9	26.9	17.6	129	174	36	657	312	654	668	—	6,630	4,555	1905		
1906	3,559,909	54,596	95,955	59,204	15.3	26.9	16.6	127	167	14	569	153	649	516	—	6,407	4,593	1906		
1907	3,603,634	55,320	94,508	59,252	15.4	26.2	16.4	121	176	8	613	140	453	528	—	6,063	4,414	1907		
1908	3,647,479	55,268	96,245	57,697	15.2	26.4	15.8	108	135	2	226	147	489	565	—	6,150	4,669	1908		
1909	3,691,264	54,940	94,112	59,416	14.9	25.5	16.1	115	113	3	373	170	846	580	—	6,008	4,676	1909		
1910*	3,735,049	54,602	93,514	56,498	14.6	25.0	15.1	105	152	2	352	100	741	455	—	6,011	4,612	1910*		
1911	3,781,430	55,618	91,320	59,619	14.8	24.1	15.8	123	182	11	344	129	394	502	—	5,872	4,673	1911	* Census year.	
1912	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1912		

UNITED KINGDOM.

1893	38,490,333	535,096	1,147,764	732,449	13.9	29.8	19.0	151	8,652	1,526	15,831	8,271	13,371	14,262	—	60,422	26,231	1893	* Census year.
1894	38,859,067	551,310	1,120,010	653,468	14.2	28.8	16.8	131	6,266	1,021	13,763	6,465	16,148	13,268	—	58,375	26,725	1894	
1895	39,221,109	559,492	1,154,898	735,244	14.3	29.4	18.7	152	6,816	416	13,855	5,904	12,589	11,556	—	59,946	28,234	1895	
1896	39,599,072	592,178	1,152,144	673,104	15.0	29.0	16.9	139	6,503	547	19,649	6,897	16,276	12,442	—	56,195	28,971	1896	† Deaths from Asiatic cholera were not separately tabulated in England and Wales for the years 1893-1900.
1897	39,987,294	606,172	1,157,224	704,470	15.2	28.9	17.6	150	6,504	38	15,837	5,815	16,159	10,355	—	58,590	30,290	1897	
1898	40,380,792	620,142	1,159,483	712,942	15.4	28.7	17.7	153	7,806	255	15,826	4,782	14,239	10,165	—	58,103	31,306	1898	
1899	40,774,296	635,246	1,163,279	741,091	15.6	28.5	18.2	154	7,997	176	13,129	4,758	13,011	11,916	—	59,163	32,551	1899	‡ Excluding acute military tuberculosis for years prior to 1911.
1900	41,154,646	622,508	1,159,922	757,732	15.1	28.2	18.4	147	7,004	139	15,175	4,743	13,968	11,874	—	60,362	32,941	1900	
1901*	41,538,211	626,702	1,162,975	710,811	15.1	28.0	17.1	144	6,617	636	11,133	5,139	14,079	11,302	—	57,549	34,042	1901*	
1902	41,892,680	633,224	1,174,639	691,155	15.1	28.0	16.5	128	5,314	2,545	15,394	5,585	12,572	9,970	—	56,643	34,444	1902	§ The figures for the year 1912 are provisional.
1903	42,246,591	632,892	1,183,627	667,988	15.0	28.0	15.8	127	4,379	841	10,969	4,775	12,530	7,929	—	56,321	35,935	1903	
1904	42,611,375	626,176	1,181,803	707,278	14.7	27.7	16.6	139	4,029	708	14,340	4,251	15,865	7,615	—	58,422	36,657	1904	
1905	42,980,788	630,180	1,163,535	669,638	14.7	27.1	15.6	124	3,927	125	13,547	4,215	11,533	7,241	—	54,540	37,644	1905	
1906	43,361,077	651,684	1,170,622	681,343	15.0	27.0	15.7	127	3,963	22	11,277	3,854	10,605	8,072	—	55,170	39,658	1906	
1907	43,737,834	664,456	1,148,624	678,851	15.2	26.3	15.5	114	3,073	12	14,362	3,552	13,549	7,293	—	55,082	39,634	1907	
1908	44,123,819	638,560	1,173,784	675,185	14.4	26.5	15.3	118	3,271	18	11,872	3,280	12,940	7,158	—	54,089	40,642	1908	
1909	44,519,454	626,604	1,145,900	667,608	14.1	25.7	15.0	107	2,743	21	13,951	3,899	10,572	6,953	1	52,690	42,337	1909	
1910	44,915,934	641,470	1,122,984	630,409	14.3	25.0	14.0	105	2,431	19	11,398	3,138	11,093	5,746	—	49,270	43,134	1910	
1911*	45,298,573	660,454	1,104,747	672,016	14.6	24.4	14.8	125	3,044	28	14,482	2,636	11,006	6,398	—	52,267	44,432	1911*	§ The figures for the year 1912 are provisional.
1912§	45,662,646	679,254	1,096,488	631,463	14.8	23.9	13.8	—	—	—	—	—	—	—	—	—	—	1912§	

TABLE 42.--POPULATION, MARRIAGES, BIRTHS, AND DEATHS--*continued.*

UNITED STATES OF AMERICA (REGISTRATION AREA). (Furnished by Chief Statistician for Vital Statistics Bureau of the Census, U.S.A.)

NOTE.—The following Table embodies the Mortality Statistics collected and tabulated by the Bureau of the Census since 1900 from those States and Cities whose registration laws are considered to be efficient by the Bureau. The Registration Area for the years 1900–05 includes the States of Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont; to which were added, for the years 1906–12, California, Colorado, Maryland, Pennsylvania; 1906–09, South Dakota; 1908–12, Washington and Wisconsin; 1909–12, Ohio; 1910–12, Minnesota, Montana, and Utah; and 1911–12, Kentucky, and Missouri. The District of Columbia (city of Washington) is treated as a separate city, and for 1910–12 all Municipalities of North Carolina of 1,000 population or over in 1900 (in addition to seven cities of 10,000 population and over) are included.

Year.	Estimated Population in the middle of each year.		The Registration Area includes:—		Deaths, excluding Still-births.	Death-rate per 1,000 persons living.	The Total Deaths include:—										Year.
	Total United States (Continental).	Total Registration Area.	States.	Cities (not included in preceding column).			Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).		
1900*	75,994,575	30,765,618	10	134	539,939	17.6	11,044	611	3,865	3,135	3,719	13,314	—	55,910	19,381	1900*	
1901	77,747,402	31,370,952	10	126	518,207	16.5	10,127	1,085	2,287	4,113	3,051	10,667	—	55,262	20,171	1901	
1902	79,365,396	32,029,815	10	125	508,640	15.9	10,980	2,111	3,033	4,041	3,854	9,859	—	52,620	20,847	1902	
1903	80,983,390	32,701,083	10	125	524,415	16.0	11,149	1,382	3,221	3,991	5,171	10,363	—	54,449	22,325	1903	
1904	82,601,384	33,345,163	10	124	551,354	16.5	10,557	709	3,659	3,610	2,183	9,444	—	59,333	23,395	1904	
1905	84,219,378	34,052,201	10	124	545,533	16.0	9,479	308	2,557	2,284	3,599	8,039	—	57,380	24,330	1905	
1906	85,837,372	41,983,419	15	78	658,105	15.7	13,160	95	5,087	3,227	6,324	10,793	—	65,986	29,020	1906	
1907	87,455,366	43,016,990	15	77	687,034	16.0	12,670	74	4,302	4,309	4,856	10,154	—	67,064	30,514	1907	
1908	89,073,360	46,789,913	17	75	691,574	14.8	11,375	92	4,611	5,577	4,969	10,052	—	68,074	33,465	1908	
1909	90,691,354	50,870,518	18	55	732,538	14.4	10,722	79	4,860	5,781	4,906	10,358	—	70,844	37,562	1909	
1910*	92,309,348	53,843,896	20	51	805,412	15.0	12,673	202	6,598	6,255	6,146	11,521	—	75,211	41,039	1910*	
1911	93,927,342	59,275,977	22	46	839,284	14.2	12,451	130	5,922	5,243	6,682	11,174	—	81,796	44,024	1911	
1912	95,545,336	60,427,133	22	55	838,251	13.9	9,987	165	4,240	4,038	5,619	11,013	—	78,465	46,531	1912	

* Census year.

MARRIAGES ; MODE OF SOLEMNIZATION ; SEASON ;

REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.*		AREA in Statute Acres.†	Enumerated POPULATION, 1911.	TOTAL MARRIAGES.	MARRIAGES.											Civil Marriages in Registrar's Office.
					With Religious Ceremonial.											
					According to the Rites of the Established Church.						Not according to the Rites of the Established Church.					
					Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	Total in Established Church.	In Registered Buildings.			Quakers.	Jews.	
											Roman Catholics.	Other Christian Deno- minations.				
ENGLAND AND WALES ...		37,337,537	36,070,492	283,834	24	7,555	165,128	1,411	239	174,357	12,715	22,707	13,692	92	1,904	58,367
I.—LONDON		74,816	4,521,685	42,268	19	1,048	24,719	10	7	25,803	1,753	1,379	516	12	1,454	11,351
1. LONDON		74,816	4,521,685	42,268	19	1,048	24,719	10	7	25,803	1,753	1,379	516	12	1,454	11,351
II.—SOUTH EASTERN DIV.		3,993,763	3,825,464	27,158	1	644	17,747	23	37	18,452	557	1,764	544	8	8	5,825
2. SURREY		463,553	920,016	6,202	—	152	4,026	2	8	4,188	136	381	80	4	—	1,413
3. KENT		968,975	1,019,801	7,412	—	135	4,972	7	8	5,122	124	437	231	2	—	1,496
4. SUSSEX		938,630	666,838	4,502	—	132	3,025	1	9	3,167	86	306	58	1	—	884
5. HAMPSHIRE		1,048,916	915,404	6,929	—	173	4,256	12	4	4,445	180	511	139	1	8	1,645
6. BERKSHIRE		573,689	303,405	2,113	1	52	1,468	1	8	1,530	31	129	36	—	—	387
III.—SOUTH MIDLAND DIV.		3,247,303	2,648,579	18,938	3	389	12,393	11	35	12,831	289	1,359	695	7	6	3,751
7. MIDDLESEX		178,607	1,144,520	8,159	—	160	4,931	2	5	5,098	203	433	227	—	6	2,192
8. HERTFORDSHIRE ..		446,424	286,963	1,860	—	31	1,348	2	2	1,383	18	152	48	1	—	258
9. BUCKINGHAMSHIRE ..		407,046	193,919	1,329	—	20	946	—	6	972	5	139	35	—	—	178
10. OXFORDSHIRE		491,421	198,491	1,363	1	46	939	—	8	994	28	104	35	4	—	198
11. NORTHAMPTONSHIRE ..		642,402	363,852	2,739	—	55	1,815	3	8	1,881	14	167	228	1	—	448
12. HUNTINGDONSHIRE ..		207,572	48,101	323	—	8	246	1	—	255	—	36	6	—	—	26
13. BEDFORDSHIRE		307,338	197,624	1,534	—	24	1,036	1	1	1,062	15	166	63	1	—	227
14. CAMBRIDGESHIRE ..		566,493	215,109	1,631	2	45	1,132	2	5	1,186	6	162	53	—	—	224
IV.—EASTERN DIVISION ..		3,126,362	2,200,875	15,913	—	254	10,858	5	37	11,154	277	1,008	530	6	8	2,930
15. ESSEX		904,386	1,329,246	9,734	—	124	6,465	3	8	6,600	229	602	315	3	8	1,977
16. SUFFOLK		939,631	382,732	2,773	—	56	1,973	1	10	2,040	16	241	79	—	—	397
17. NORFOLK		1,291,345	488,697	3,406	—	74	2,420	1	19	2,514	32	165	136	3	—	556
V.—SOUTH WESTERN DIV.		5,023,620	2,018,320	14,598	—	589	8,454	18	27	9,088	204	2,013	702	4	1	2,586
18. WILTSHIRE		809,216	279,340	2,037	—	45	1,308	1	6	1,360	24	243	74	—	—	336
19. DORSETSHIRE		624,375	220,494	1,487	—	51	1,006	2	4	1,063	25	142	35	—	—	222
20. DEVONSHIRE		1,633,467	701,944	5,300	—	252	2,850	4	3	3,109	100	592	219	—	1	1,279
21. CORNWALL		886,329	325,283	2,304	—	121	1,018	3	4	1,146	14	565	202	—	—	377
22. SOMERSETSHIRE		1,070,233	491,259	3,470	—	120	2,272	8	10	2,410	41	471	172	4	—	372
VI.—WEST MIDLAND DIV.		4,052,121	3,997,571	31,778	1	589	21,536	38	29	22,193	905	1,849	1,192	14	39	5,586
23. GLOUCESTERSHIRE ..		713,161	672,570	5,103	1	124	3,009	1	15	3,150	87	453	199	3	6	1,205
24. HEREFORDSHIRE ..		539,230	113,088	874	—	38	605	2	1	646	9	63	15	1	—	140
25. SHROPSHIRE		958,665	266,052	1,794	—	74	1,184	7	4	1,269	31	144	35	—	—	315
26. STAFFORDSHIRE‡ ..		784,263	1,379,656	11,142	—	171	7,928	17	2	8,118	413	573	538	—	4	1,496
27. WORCESTERSHIRE‡ ..		422,683	331,119	3,794	—	69	2,674	3	4	2,750	89	171	161	—	—	623
28. WARWICKSHIRE‡ ..		634,119	1,235,086	9,071	—	113	6,136	8	3	6,260	276	445	244	10	29	1,807

* The Registration or Union Counties consist of groups of Registration Districts which are generally co-extensive with the Poor Law Unions. The Counties are grouped in Registration Divisions, the County of Monmouth being by this arrangement included in the Welsh Division. The differences between Registration Counties and Administrative Counties are shown in Table 7, Vol. 2, of the Census of England and Wales, 1911.

† These areas are derived from those published in the Census Report for 1911. They do not include space occupied by foreshore or tidal waters of rivers and creeks.

‡ On the 1st October, 1912, the boundary between these Counties was altered. The marriages are shown in the county in which they were registered.

CIVIL CONDITION ; AGE ; SIGNATURE BY MARK IN REGISTER.

MARRIAGES.												Signed the Marriage Register with Marks.				REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.
Registered in the Quarter ended the last day in				Contracted between†				Of		Of Persons not of Full Age.		Men	Women	Cases in which		
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.			Both signed.	One signed.	
44,737	74,619	83,505	80,973	251,727	9,079	14,636	8,392	23,028	17,471	11,126	38,426	2,678	3,158	676	4,484	ENGLAND AND WALES.
6,743	10,719	12,919	11,887	37,299	1,572	2,135	1,262	3,397	2,834	1,300	4,720	331	471	109	584	I.—LONDON.
6,743	10,719	12,919	11,887	37,299	1,572	2,135	1,262	3,397	2,834	1,300	4,720	331	471	109	584	1 LONDON.
4,312	7,249	7,739	7,858	24,166	916	1,393	683	2,076	1,599	585	2,883	222	171	47	299	II.—SOUTH EASTERN.
957	1,646	1,956	1,643	5,572	172	345	113	458	285	132	567	47	30	6	65	2. SURREY.
1,174	1,948	1,946	2,344	6,630	256	335	191	526	447	151	855	74	66	23	94	3. KENT.
700	1,251	1,344	1,207	3,952	145	290	115	405	260	124	421	38	17	2	51	4. SUSSEX.
1,139	1,805	1,931	2,054	6,104	296	333	196	529	492	142	834	48	47	15	65	5. HAMPSHIRE.
342	599	562	610	1,908	47	90	68	158	115	36	206	15	11	1	24	6. BERKSHIRE.
2,637	5,054	5,724	5,523	17,062	461	948	467	1,415	928	631	2,093	162	120	30	222	III.—SOUTH MIDLAND.
1,147	2,118	2,606	2,288	7,343	219	404	193	597	412	229	829	34	35	2	65	7. MIDDLESEX.
266	484	622	488	1,701	40	80	39	119	79	51	169	14	9	2	19	8. HERTFORDSHIRE.
198	398	378	355	1,198	37	63	31	94	68	61	158	15	6	3	15	9. BUCKINGHAMSH.
196	391	395	381	1,209	35	83	36	119	71	32	134	17	11	5	18	10. OXFORDSHIRE.
345	773	770	851	2,463	59	144	73	217	132	122	335	24	24	5	38	11. NORTHAMPTONSH.
43	86	67	127	293	5	18	7	25	12	18	54	5	1	—	6	12. HUNTINGDONSH.
213	469	469	443	1,384	33	83	34	117	67	66	206	25	19	7	30	13. BEDFORDSHIRE.
229	395	417	590	1,471	33	73	54	127	87	52	208	28	15	6	31	14. CAMBRIDGESH.
2,364	4,083	4,418	5,048	14,107	485	811	510	1,321	995	500	1,866	178	133	34	243	IV.—EASTERN.
1,411	2,580	2,915	2,828	8,653	310	465	306	771	616	296	1,163	73	72	13	119	15. ESSEX.
431	682	660	1,060	2,463	84	138	88	226	172	92	315	55	21	11	54	16. SUFFOLK.
522	821	843	1,226	2,991	91	208	116	324	207	112	388	50	40	10	70	17. NORFOLK.
2,454	4,111	3,705	4,328	12,980	389	835	394	1,229	783	394	1,452	139	91	25	180	V.—SOUTH WESTERN.
278	561	556	642	1,816	55	105	61	166	116	49	191	19	14	4	25	18. WILTSHIRE.
246	455	363	423	1,322	34	81	50	131	84	29	176	11	7	1	16	19. DORSETSHIRE.
943	1,511	1,328	1,518	4,688	160	298	154	452	314	136	517	34	25	8	43	20. DEVONSHIRE.
420	577	560	747	2,038	72	147	47	194	119	92	299	36	22	7	44	21. CORNWALL.
567	1,007	898	998	3,116	68	204	82	286	150	88	269	39	23	5	52	22. SOMERSETSHIRE.
4,619	8,546	9,168	9,445	28,352	924	1,552	950	2,502	1,874	1,422	4,388	400	416	98	620	VI.—WEST MIDLAND.
735	1,418	1,491	1,459	4,518	125	294	166	460	291	131	461	56	50	9	88	23. GLOUCESTERSH.
159	243	215	257	783	34	40	17	57	51	26	90	17	17	8	18	24. HEREFORDSHIRE.
299	550	451	494	1,602	43	104	45	149	88	37	166	32	25	8	41	25. SHROPSHIRE.
1,564	2,874	3,252	3,452	9,985	327	482	348	830	675	625	1,904	151	147	39	220	26. STAFFORDSHIRE.
614	1,201	1,235	744	3,382	106	203	103	306	209	144	413	53	43	12	72	27. WORCESTERSHIRE.
1,248	2,260	2,524	3,039	8,082	289	429	271	700	560	459	1,354	91	134	22	181	28. WARWICKSHIRE.

† Divorced men and women who marry are classified in the Marriage Tables as bachelors and spinsters.

MARRIAGES; MODE OF SOLEMNIZATION; SEASON;

REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.	AREA in Statute Acres.	Enumerated POPULATION, 1911.	TOTAL MARRIAGES.	MARRIAGES.											
				With Religious Ceremonial.											
				According to the Rites of the Established Church.						Not according to the Rites of the Established Church.					
				Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	Total in Church.	In Registered Buildings.			Quakers.	Jews.	Civil Marriages in Superintendent Registrar's Office.
										Roman Catholics.	Before Registrar.	Other Christian Deno- minations. Before Authorized Person.			
VII.—NORTH MIDLAND DIV.	3,504,656	2,323,887	17,911	—	447	11,205	24	31	11,707	275	1,332	1,190	1	2	3,404
29. LEICESTERSHIRE ..	550,168	481,061	3,710	—	64	2,231	2	5	2,302	75*	291	275	—	1	766
30. RUTLANDSHIRE ..	108,700	21,167	140	—	3	114	—	1	118	1	6	1	—	—	14
31. LINCOLNSHIRE ..	1,668,603	557,485	4,231	—	124	2,856	5	17	3,002	31	312	305	—	—	631
32. NOTTINGHAMSHIRE ..	616,287	716,519	5,515	—	114	3,399	4	4	3,521	73†	311	288	1	1	1,320
33. DERBYSHIRE ..	560,898	547,655	4,265	—	142	2,605	13	4	2,764	95	412	321	—	—	673
VIII.—NORTH WESTERN DIV.	1,910,815	5,720,367	46,128	—	1,534	24,770	699	18	27,021	4,865	3,476	3,884	17	215	6,150
34. CHESHIRE ..	611,276	895,278	6,718	—	291	3,971	15	2	4,279	385	576	549	1	3	925
35. LANCASHIRE ..	1,299,539	4,825,089	39,410	—	1,243	20,799	684	16	22,742	4,480	3,400	3,335	16	212	5,225
IX.—YORKSHIRE DIVISION	3,720,621	3,968,664	31,729	—	718	19,347	174	11	20,250	1,445	2,236	2,755	15	118	4,910
36. WEST RIDING ..	1,751,064	3,044,608	24,525	—	420	15,065	166	5	15,656	1,058	1,777	2,307	10	98	3,619
37. EAST RIDING (with YORK)	693,171	507,038	4,062	—	139	2,497	3	3	2,642	156	196	287	2	17	762
38. NORTH RIDING ..	1,276,386	417,018	3,142	—	159	1,785	5	3	1,952	231	263	161	3	3	529
X.—NORTHERN DIVISION	3,537,147	2,403,239	19,221	—	707	9,164	332	1	10,204	1,573	1,464	1,035	8	30	4,907
39. DURHAM ..	766,591	1,377,025	11,331	—	277	5,313	260	—	5,850	985	743	736	6	15	2,996
40. NORTHUMBERLAND ..	1,291,515	696,893	5,543	—	235	2,573	20	—	2,828	436	514	175	2	15	1,573
41. CUMBERLAND ..	973,086	265,746	1,921	—	158	999	51	—	1,208	146	154	110	—	—	303
42. WESTMORLAND ..	505,955	63,575	426	—	37	279	1	1	318	6	53	14	—	—	35
XI.—WELSH DIVISION	5,146,313	2,442,041	18,192	—	636	4,935	77	6	5,654	572	4,327	649	—	23	6,967
43. MONMOUTHSHIRE ..	395,593	414,666	3,081	—	92	1,158	4	2	1,253	108	701	57	—	2	957
44. GLAMORGANSHIRE ..	576,540	1,130,668	9,090	—	236	2,267	21	1	2,525	376	1,643	335	—	20	4,191
45. CARMARTHENSHIRE ..	465,226	151,050	1,170	—	45	190	12	—	247	10	330	89	—	—	494
46. PEMBROKESHIRE ..	357,419	84,874	635	—	48	190	8	—	246	11	143	46	—	—	189
47. CARDIGANSHIRE ..	595,412	80,769	457	—	19	68	13	2	102	—	140	28	—	—	187
48. BRECKNOCKSHIRE ..	473,080	56,370	418	—	18	117	—	—	135	8	212	4	—	—	59
49. RADNORSHIRE ..	238,663	17,505	113	—	11	51	—	—	62	—	43	4	—	—	4
50. MONTGOMERYSHIRE ..	591,999	62,201	375	—	20	117	3	—	140	—	143	8	—	—	84
51. FLINTSHIRE ..	106,878	69,722	501	—	20	236	—	—	256	14	149	9	—	—	73
52. DENBIGHSHIRE ..	378,309	136,810	913	—	36	262	5	—	303	15	280	21	—	—	294
53. MERIONETHSHIRE ..	524,035	60,280	377	—	22	79	2	—	103	—	163	18	—	—	93
54. CARNAARVONSHIRE ..	322,742	141,767	846	—	53	170	9	1	233	13	273	23	—	1	303
55. ANGLESEY ..	120,417	35,359	216	—	16	90	—	—	46	17	107	7	—	—	39

* Of these 75 marriages 12 were solemnized before "Authorized person."

† Of these 73 marriages 1 was solemnized before "Authorized person."

CIVIL CONDITION ; AGE ; SIGNATURE BY MARK IN REGISTER—*continued.*

MARRIAGES.												Signed the Marriage Register with Marks.				REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.		
Registered in the Quarter ended the last day of				Contracted between*				Of		Of Persons not of Full Age.		Men.	Women.	Cases in which				
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.			Men.	Women.		Both signed.	One signed.
2,663	4,953	5,129	5,166	15,972	503	899	537	1,436	1,040	971	2,973	166	175	45	251	VII.—NORTH MIDLAND.		
491	1,060	1,140	1,019	3,317	93	192	108	300	201	203	467	27	20	5	37	29. LEICESTERSHIRE.		
16	46	42	36	129	—	11	—	11	—	2	14	1	—	—	1	30. RUTLANDSHIRE.		
678	1,315	1,090	1,198	3,819	128	227	107	334	235	164	687	38	41	8	63	31. LINCOLNSHIRE.		
798	1,405	1,577	1,735	4,903	167	254	191	445	358	406	1,087	65	70	18	99	32. NOTTINGHAMSH.		
680	1,127	1,280	1,178	3,804	115	215	131	346	246	196	718	35	44	14	51	33. DERBYSHIRE.		
7,512	12,632	14,491	11,493	40,495	1,596	2,521	1,516	4,037	3,112	2,039	5,819	361	600	100	761	VIII.—N. WESTERN.		
1,058	1,763	2,145	1,752	5,989	197	345	187	532	384	229	784	47	73	11	98	34. CHESHIRE.		
6,454	10,869	12,346	9,741	34,506	1,399	2,176	1,329	3,505	2,728	1,810	5,035	314	527	89	663	35. LANCASHIRE.		
4,862	8,239	9,395	9,233	28,053	959	1,736	961	2,717	1,940	1,668	5,464	294	417	88	535	IX.—YORKSHIRE.		
3,613	6,338	7,475	7,099	21,656	700	1,374	795	2,169	1,495	1,345	4,250	238	328	80	406	36. WEST RIDING.		
678	1,082	1,103	1,199	3,593	152	208	109	317	261	173	685	27	39	2	62	37. EAST RIDING (with YORK).		
571	819	817	935	2,804	107	154	77	231	184	150	529	29	50	6	67	38. NORTH RIDING.		
3,399	4,928	5,588	5,306	17,159	621	903	538	1,441	1,159	920	3,758	196	287	55	373	X.—NORTHERN.		
2,069	2,796	3,307	3,159	10,119	373	514	325	839	698	633	2,507	138	197	36	263	39. DURHAM.		
944	1,499	1,649	1,451	4,905	196	269	173	442	369	193	928	41	64	10	85	40. NORTHUMBERLD.		
326	490	507	598	1,750	43	96	32	128	75	80	278	15	24	7	25	41. CUMBERLAND.		
60	143	125	98	385	9	24	8	32	17	14	45	2	2	2	—	42. WESTMORLAND.		
3,172	4,105	5,229	5,686	16,082	653	903	554	1,457	1,207	696	3,010	229	277	45	416	XI.—WELSH.		
514	696	896	975	2,705	143	140	93	233	236	139	640	51	60	15	81	43. MONMOUTHSHIRE.		
1,604	1,906	2,783	2,797	8,045	355	393	297	690	652	388	1,761	94	149	17	209	44. GLAMORGANSH.		
210	259	304	397	1,051	23	77	19	96	42	53	173	10	10	2	16	45. CARMARTHENSH.		
95	141	175	224	560	19	44	12	56	31	26	78	7	6	—	13	46. PEMBROKESHIRE.		
73	96	100	188	391	7	47	12	59	19	17	26	3	3	—	6	47. CARDIGANSHIRE.		
75	109	115	119	383	11	16	8	24	19	9	58	4	5	—	9	48. BRECKNOCKSHIRE.		
22	38	27	26	100	4	8	1	9	5	2	10	1	1	—	2	49. RADNORSHIRE.		
66	141	88	80	336	7	19	13	32	20	6	29	5	6	—	11	50. MONTGOMERYSH.		
81	125	134	161	455	7	25	14	39	21	9	52	9	8	3	11	51. FLINTSHIRE.		
163	240	241	266	799	32	51	31	82	63	31	88	23	10	5	23	52. DENBIGHSHIRE.		
73	104	80	120	332	11	21	13	34	24	3	27	5	4	1	7	53. MERIONETHSHIRE.		
154	201	233	258	737	28	50	31	81	59	8	50	8	12	—	20	54. CARNARVONSH.		
42	49	53	72	188	6	12	10	22	16	5	18	9	3	2	8	55. ANGLESEY.		

* See note † on page 111.

ENGLAND, AND WALES.—AGES and CONDITIONS of

	MINORS.								FULL						
	14—	15—	16—	17—	18—	19—	20—	Age not stated.	21—	22—	23—	24—	25—	30—	35—
Men ...	—	1	6	67	699	2,935	7,417	1	19,128	21,210	24,181	26,127	100,008	39,052	16,888
Bachelors ...	—	1	6	67	699	2,935	7,416	1	19,116	21,178	24,134	26,046	98,747	36,554	13,438
Widowers ...	—	—	—	—	—	—	1	—	12	32	47	81	1,261	2,498	3,450
Bachelors who married :—															
Spinsters ...	—	1	6	66	699	2,927	7,392	1	19,012	21,044	23,946	25,786	96,840	34,410	11,657
Widows ...	—	—	—	1	—	8	24	—	104	154	188	260	1,907	2,144	1,781
Widowers who married :—															
Spinsters ...	—	—	—	—	—	—	1	—	12	30	44	77	1,153	2,152	2,623
Widows ...	—	—	—	—	—	—	—	—	—	2	3	4	108	346	827

ENGLAND and WALES.—AGES and CONDITIONS of

	MINORS.								FULL						
	14—	15—	16—	17—	18—	19—	20—	Age not stated.	21—	22—	23—	24—	25—	30—	35—
Women ...	2	13	178	1,230	5,775	12,388	18,837	3	30,088	25,980	25,999	24,845	80,419	28,082	12,447
Spinsters ...	2	13	178	1,230	5,775	12,386	18,827	3	30,052	25,926	25,905	24,691	78,756	25,184	9,039
Widows ...	—	—	—	—	—	2	10	—	36	54	94	154	1,663	2,898	3,408
Spinsters who married :—															
Bachelors ...	2	13	176	1,216	5,709	12,264	18,599	3	29,542	25,438	25,392	24,120	75,674	22,397	6,756
Widowers ...	—	—	2	14	66	122	228	—	510	488	513	571	3,082	2,787	2,283
Widows who married :—															
Bachelors ...	—	—	—	—	—	2	10	—	33	50	86	133	1,385	2,167	2,188
Widowers ...	—	—	—	—	—	—	—	—	3	4	8	21	278	731	1,220

the 283,834 MEN who MARRIED in the Year 1912.

AGE.											TOTALS.			—
40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wards.	Age not stated.	Minors.	Full Age.	All Ages.	
8,519	5,584	3,890	2,751	1,730	1,127	578	174	42	10	1,709	11,126	272,708	283,834	Men.
5,179	2,316	1,010	468	172	95	40	8	—	—	1,180	11,125	249,681	260,806	Bachelors.
3,340	3,268	2,880	2,283	1,558	1,032	538	166	42	10	529	1	23,027	23,028	Widowers.
														Bachelors who married :—
4,088	1,631	679	277	110	63	22	4	—	—	1,066	11,092	240,635	251,727	Spinsters.
1,091	685	331	191	62	32	18	4	—	—	114	33	9,046	9,079	Widows.
														Widowers who married :—
2,223	1,925	1,500	1,123	733	428	199	63	14	7	329	1	14,635	14,636	Spinsters.
1,117	1,343	1,380	1,160	825	604	339	103	28	3	200	—	8,392	8,392	Widows.

the 283,834 WOMEN who MARRIED in the Year 1912.

AGE.											TOTALS.			—
40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wards.	Age not stated.	Minors.	Full Age.	All Ages.	
6,558	4,161	2,300	1,274	716	370	186	37	5	—	1,941	38,426	245,408	283,834	Women.
3,652	1,816	785	337	120	68	23	2	—	—	1,593	38,414	227,949	266,363	Spinsters.
2,906	2,345	1,515	937	596	302	163	35	5	—	348	12	17,459	17,471	Widows.
														Spinsters who married :—
2,021	771	216	99	33	24	10	—	—	—	1,252	37,982	213,745	251,727	Bachelors.
1,631	1,045	569	238	87	44	13	2	—	—	341	432	14,204	14,636	Widowers.
														Widows who married :—
1,342	828	387	176	96	33	21	3	1	—	138	12	9,067	9,079	Bachelors.
1,564	1,517	1,128	761	500	269	142	32	4	—	210	—	8,392	8,392	Widowers.

ENGLAND AND WALES.—AGES of the 283,834 MEN and of the 283,834 WOMEN who intermarried in 1912.

[illegible]

The table read *vertically* shows the number of *Wives* at each age, with the ages of their *Husbands* at marriage:—Thus: Of 18,837 *Wives* at the age of 20 and under 21 years, *nine* married *Husbands* aged 17 and under 18 years, *ninety-one* married *Husbands* aged 18 and under 19 years, *five hundred and fourteen* married *husbands* aged 19 and under 20 years, &c.

Read *horizontally* the table shows the number of *Husbands* at each age, with the ages of their *Wives* at marriage:—Thus: Of 7,417 *Husbands* aged 20 and under 21 years, *three* married. *Wives* aged 15 and under 16 years, *twenty-two* married *Wives* aged 16 and under 17 years, *one hundred and seventy-six* married *Wives* aged 17 and under 18 years, &c.

ENGLAND AND WALES.—AGES OF THE 251,727 BACHELORS AND OF THE 251,727 SPINSTERS WHO INTERMARRIED IN 1912.

SPINSTERS UNDER AGE.										SPINSTERS OF FULL AGE.										Total Bachelors.	Spinsters.	
14—	15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—			65—
BACHELORS UNDER AGE.										BACHELORS OF FULL AGE.										Total Bachelors.	Spinsters.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—			70 and upwards.
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—												

ENGLAND AND WALES.—AGES of the 9,079 BACHELORS and of the 9,079 WIDOWS who intermarried in 1912.

[illegible]

For the method of reading this table, see explanatory note on page 116.

* Husband stated to be aged 17 years.

ENGLAND AND WALES.—AGES OF THE 14,636 WIDOWERS AND OF THE 14,636 SPINSTERS WHO INTERMARRIED IN 1912.

SPINSTERS UNDER AGE.										SPINSTERS OF FULL AGE.										Total Widowers.	Widowers.	Spinsters.		
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—				70 and upwards.	Not stated.
WIDOWERS UNDER AGE.	18—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	19—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Not stated.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	21—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	22—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	23—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	24—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
WIDOWERS OF FULL AGE.	30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	50—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	55—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	60—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	65—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	70—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	75—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	85 and upwards.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Not stated.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

For the method of reading this table, see explanatory note on page 116.

LONDON.—AGES and CONDITIONS of the 42,268

—	MINORS.								FULL						
	14—	15—	16—	17—	18—	19—	20—	Age not stated.	21—	22—	23—	24—	25—	30—	35—
Men ...	—	1	1	5	81	356	855	1	2,570	2,874	3,324	3,727	14,585	6,277	2,942
Bachelors ...	—	1	1	5	81	356	855	1	2,569	2,872	3,317	3,719	14,447	5,968	2,487
Widowers ...	—	—	—	—	—	—	—	—	1	2	7	8	138	309	455
Bachelors who married :—															
Spinsters ...	—	1	1	4	81	356	854	1	2,560	2,859	3,294	3,689	14,160	5,592	2,152
Widows ...	—	—	—	1	—	—	1	—	9	13	23	30	287	376	335
Widowers who married :—															
Spinsters ...	—	—	—	—	—	—	—	—	1	2	6	8	125	263	329
Widows ...	—	—	—	—	—	—	—	—	—	—	1	—	13	46	126

LONDON.—AGES and CONDITIONS of the 42,268

—	MINORS.								FULL						
	14—	15—	16—	17—	18—	19—	20—	Age not stated.	21—	22—	23—	24—	25—	30—	35—
Women ...	—	2	24	128	645	1,473	2,447	1	4,417	3,873	4,016	3,851	12,099	4,304	2,057
Spinsters ...	—	2	24	128	645	1,473	2,446	1	4,411	3,865	4,011	3,827	11,825	3,788	1,500
Widows ...	—	—	—	—	—	—	1	—	6	8	5	24	274	516	557
Spinsters who married :—															
Bachelors ...	—	2	23	125	636	1,461	2,416	1	4,348	3,788	3,934	3,746	11,373	3,375	1,152
Widowers ...	—	—	1	3	9	12	30	—	63	77	77	81	452	413	348
Widows who married :—															
Bachelors ...	—	—	—	—	—	—	1	—	5	7	5	22	228	390	357
Widowers ...	—	—	—	—	—	—	—	—	1	1	—	2	46	126	200

MEN who MARRIED in the Year 1912.

AGE.											TOTALS.			
40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wards	Age not stated.	Minors.	Full Age.	All Ages.	
1,522	982	737	472	284	205	111	25	6	4	321	1,300	40,968	42,268	Men.
1,025	476	230	106	56	31	17	3	—	—	248	1,300	37,571	38,871	Bachelors.
497	506	507	366	228	174	94	22	6	4	73	—	3,397	3,397	Widowers.
														Bachelors who married :—
833	341	167	64	33	24	8	2	—	—	223	1,298	36,001	37,299	Spinsters.
192	135	63	42	23	7	9	1	—	—	25	2	1,570	1,572	Widows.
														Widowers who married :—
322	298	286	178	115	88	53	8	4	3	46	—	2,135	2,135	Spinsters.
175	208	221	188	113	86	41	14	2	1	27	—	1,262	1,262	Widows.

WOMEN who MARRIED in the Year 1912.

AGE.											TOTALS.			
40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wards	Age not stated.	Minors.	Full Age.	All Ages.	
1,130	707	346	175	102	52	25	6	1	—	387	4,720	37,548	42,268	Women.
615	310	123	62	22	21	6	—	—	—	329	4,719	34,715	39,434	Spinsters.
515	397	223	113	80	31	19	6	1	—	58	1	2,833	2,834	Widows.
														Spinsters who married :—
393	154	48	24	8	10	5	—	—	—	277	4,664	32,635	37,299	Bachelors.
222	156	75	38	14	11	1	—	—	—	52	55	2,080	2,135	Widowers.
														Widows who married :—
235	163	59	31	22	8	6	2	—	—	31	1	1,571	1,572	Bachelors.
280	234	164	82	58	23	13	4	1	—	27	—	1,262	1,262	Widowers.

NUMBER of MARRIAGES in each REGISTRATION DISTRICT, 1912.

District.	Marriages.	District.	Marriages.	District.	Marriages.	District.	Marriages.
LONDON.		KENT—cont.		BERKSHIRE.		NORTHAMPTON- SHIRE—cont.	
Paddington ...	1591	Bridge ...	79	Newbury ...	165	Brixworth ...	89
Kensington ...	1629	Canterbury ...	157	Hungerford ...	99	Wellingborough ...	453
Fulham ...	2621	Blean ...	169	Faringdon ...	95	Kettering ...	362
Chelsea ...	635	Faversham ...	209	Abingdon ...	113	Thrapston ...	90
St. George, Hano- ver Square.	1371	Milton ...	195	Wantage... ..	118	Oundle ...	81
Westminster ...	424	Sheppey... ..	207	Wallingford ...	86	Peterborough ...	410
St. Marylebone ...	1455	Thanet ...	536	Bradfield ...	125		
Hampstead ...	646	Eastry ...	246	Reading ...	613	HUNTINGDON- SHIRE.	
St. Pancras ...	2237	Dover ...	472	Wokingham ...	133	Huntingdon ...	117
Islington ...	3091	Elham ...	395	Maidenhead ...	190	St. Ives ...	101
Hackney ...	2232	Romney Marsh... ..	42	Easthampstead ...	109	St. Neots ...	105
St. Giles ...	406			Windsor... ..	267		
Strand ...	322					BEDFORDSHIRE.	
Holborn ...	1125	SUSSEX.		MIDDLESEX.		Bedford ...	470
London City ...	475			Staines ...	254	Biggleswade ...	201
Shoreditch ...	1078	Rye ...	74	Uxbridge ...	386	Amptill ...	168
Bethnal Green ...	1085	Hastings ...	372	Brentford ...	1927	Leighton Buzzard	116
Whitechapel ...	522	Battle ...	173	Willesden ...	1147	Luton ...	579
St. George in the East.	259	Eastbourne ...	467	Hendon ...	570		
Stepney ...	427	Hailsham ...	94	Barnet ...	534	CAMBRIDGE- SHIRE.	
Mile End Old Town	1366	Ticehurst ...	124	Edmonton ...	3341	Caxton ...	48
Poplar ...	1545	Uckfield ...	180			Chesterton ...	281
Southwark ...	2074	East Grinstead ...	132	HERTFORDSHIRE.		Cambridge ...	335
St. Olave (Ber- mondsey).	1180	Cuckfield ...	163	Ware ...	127	Linton ...	82
Lambeth ...	2753	Lewes ..	157	Bishop Stortford	146	Newmarket ...	209
Wandsworth ...	3793	Newhaven ...	79	Royston ...	129	Ely ...	160
Camberwell ...	2262	Brighton ...	810	Hitchin ...	270	North Witchford	140
Greenwich ...	1452	Steyning ...	636	Hertford ...	124	Whittlesey ...	42
Lewisham ...	1143	Horsham ...	210	Hatfield ...	75	Wisbech... ..	334
Woolwich ...	1069	Petworth ...	55	St. Albans ...	275	ESSEX.	
		Thakeham ...	55	Watford... ..	427	West Ham ...	5572
		East Preston ...	319	Hemel Hempstead	165	Epping ...	202
		Westhampnett ...	170	Berkhampstead	122	Ongar ...	63
		Chichester ...	68			Romford ...	980
SURREY.		Midhurst ...	121	BUCKINGHAM- SHIRE.		Orsett ...	314
		Westbourne ...	43	Amersham ...	198	Billericay ...	144
Epsom ...	503			Eton ...	257	Chelmsford ...	272
Chertsey ...	296	HAMPSHIRE.		Wycombe ...	407	Rochford ...	688
Guildford ...	480	Havant ...	92	Aylesbury ...	179	Maldon ...	179
Farnham ...	535	Portsmouth ...	2083	Winslow ...	34	Tendring ...	341
Hambleton ...	164	Alverstoke ...	247	Newport Pagnell	184	Colchester ...	307
Dorking ...	106	Fareham ...	175	Buckingham ...	70	Lexden ...	137
Reigate ...	299	Isle of Wight ...	652			Halstead ...	111
Godstone ...	202	Lymington ...	102	OXFORDSHIRE.		Braintree ...	204
Croydon ...	1871	Christchurch ...	578	Henley ...	172	Dunmow ...	111
Kingston ...	1270	Ringwood ...	42	Thame ...	98	Saffron Walden...	109
Richmond ...	476	Fordingbridge ...	45	Headington ...	275		
		New Forest ...	96	Oxford ...	195	SUFFOLK.	
		Southampton ...	995	Bicester ...	88	Risbridge ...	124
KENT.		South Stoneham	407	Woodstock ...	71	Sudbury ...	179
Bromley ...	620	Romsey ...	75	Witney ...	162	Cosford ...	101
Dartford ...	686	Stockbridge ...	33	Chipping Norton	83	Bury St. Edmunds	196
Gravesend ...	270	Winchester ...	283	Banbury ...	219	Mildenhall ...	59
Strood ...	308	Droxford ...	74			Stow ...	140
Hoo ...	36	Catherington ...	27	NORTHAMPTON- SHIRE.		Hartismere ...	152
Medway ...	891	Petersfield ...	122	Brackley ...	89	Bosmere... ..	107
Malling ...	210	Alresford ...	46	Towcester ...	75	Samford... ..	79
Sevenoaks ...	229	Alton ...	128	Potterspury ...	98	Ipswich ..	596
Tonbridge ...	550	Hartley Wintney	210	Hardingstone ...	103	Woodbridge ...	197
Maidstone ...	403	Basingstoke ...	186	Northampton ...	783	Plomesgate ...	119
Hollingbourn ...	92	Whitchurch ...	51	Daventry ...	106	Blything ...	210
Cranbrook ...	80	Andover... ..	134			Wangford ...	116
Tenterden ...	63	Kingsclere ...	46			Mutford ...	398
West Ashford ...	169						
East Ashford ...	98						

NUMBER of MARRIAGES in each REGISTRATION DISTRICT, 1912—*continued*.

District.	Marriages.	District.	Marriages.	District.	Marriages.	District.	Marriages.
NORFOLK.		DEVONSHIRE— <i>cont.</i>		GLOUCESTER- SHIRE— <i>cont.</i>		WARWICKSHIRE.	
Yarmouth ...	458	Plymouth ...	1010	Winchcomb ...	49	Kings Norton : Oct. to Dec.	487
Flegg ...	88	East Stonehouse ...	112	Cheltenham ...	385	Birmingham ...	2210
Smallburgh ...	115	Devonport ...	667	Tewkesbury ...	79	Aston ...	3072
Erpingham ...	156	Tavistock ...	161	HEREFORDSHIRE.		Meriden ...	80
Aylsham ...	101	Okehampton ...	121	Ledbury ...	110	Atherstone ...	161
St. Faith's ...	64	Crediton ...	107	Ross ...	127	Nuneaton ...	304
Norwich ...	953	Tiverton ...	177	Hereford ...	339	Foleshill ...	146
Forehoe ...	68	South Molton ...	104	Weobley ...	61	Coventry ...	959
Henstead ...	84	Barnstaple ...	304	Bromyard ...	62	Rugby ...	311
Blofield ...	72	Torrington ...	93	Leominster ...	96	Solihull ...	416
Loddon ...	77	Bideford ...	163	Kington ...	79	Warwick ...	429
Depwade ...	142	Holsworthy ...	48	SHROPSHIRE.		Stratford on Avon	164
Wayland ...	90	CORNWALL.		Ludlow ...	123	Alcester ...	158
Mitford ...	150	Stratton ...	53	Clun ...	57	Shipston on Stour	105
Walsingham ...	119	Camelford ...	47	Church Stretton	36	Southam ...	69
Docking ...	109	Launceston ...	112	Cleobury Mor- timer	54	LEICESTERSHIRE.	
Freebridge Lynn	89	St. Germans ...	101	Bridgnorth ...	97	Lutterworth ...	77
King's Lynn ...	151	Liskeard ...	157	Shifnal ...	68	Market	133
Downham ...	127	Bodmin ...	108	Madeley ...	161	Harborough.	
Swaffham ...	62	St. Columb ...	119	Atcham ...	354	Billesdon ...	54
Thetford ...	131	St. Austell ...	273	Oswestry ...	211	Blaby ...	198
WILTSHIRE.		Truro ...	236	Ellesmere ...	95	Hinckley ...	231
Swindon ...	487	Falmouth ...	177	Wem ...	71	Market Bosworth	124
Cricklade ...	96	Helston ...	154	Whitechurch ...	91	Ashby de la Zouch	370
Malmesbury ...	75	Redruth ...	414	Market Drayton ...	84	Loughborough ...	298
Chippenham ...	179	Penzance ...	346	Wellington ...	180	Barrow upon Soar	186
Calne ...	55	Isles of Scilly ...	7	Newport ...	112	Leicester ...	1873
Marlborough ...	53	SOMERSETSHIRE.		STAFFORDSHIRE.		Melton Mowbray	166
Devizes ...	150	Williton ...	141	Stafford ...	299	RUTLANDSHIRE.	
Melksham ...	167	Dulverton ...	44	Stone ...	128	Oakham ...	72
Bradford on Avon	66	Wellington ...	113	Newcastle under	321	Uppingham ...	68
Westbury ...	73	Taunton ...	298	Lyme.		LINCOLNSHIRE.	
Warminster ...	78	Bridgwater ...	253	Wolstanton ...	900	Stamford ...	136
Pewsey ...	83	Langport ...	102	Stoke upon Trent	1465	Bourne ...	128
Amesbury ...	63	Chard ...	185	Leek ...	337	Spalding ...	189
Salisbury ...	255	Yeovil ...	224	Cheadle ...	183	Holbeach ...	146
Wilton ...	87	Wincanton ...	109	Uttoxeter ...	95	Boston ...	333
Tisbury ...	39	Frome ...	141	Burton upon Trent	676	Sleaford ...	203
Mere ...	31	Shepton Mallet ...	84	Tamworth ...	246	Grantham ...	259
DORSETSHIRE.		Wells ...	213	Lichfield ...	359	Lincoln ...	636
Shaftesbury ...	80	Axbridge ...	351	Cannock ...	413	Horncastle ..	123
Sturminster ...	70	Clutton ...	174	Wolverhampton	1578	Spilsby ...	191
Blandford ...	59	Bath ...	618	Walsall ...	1185	Louth ...	193
Wimborne ...	146	Keynsham ...	267	West Bromwich	1625	Grimsby ...	904
Poole ...	331	Long Ashton ...	153	Dudley ...	1332	Caistor ...	96
Wareham ...	121	GLOUCESTER- SHIRE.		WORCESTER- SHIRE.		Glanford Brigg ...	436
Weymouth ...	292	Bristol ...	2939	Stourbridge ...	866	Gainsborough ...	308
Dorchester ...	171	ChippingSodbury	115	Kidderminster ...	369	NOTTINGHAM- SHIRE.	
Sherborne ...	79	Thornbury ...	121	Tenbury ...	34	East Retford ...	180
Beaminster ...	52	Dursley ...	90	Martley ...	66	Worksop ...	412
Bridport ...	86	Westbury on Severn.	182	Worcester ...	404	Mansfield ...	912
DEVONSHIRE		Newent ...	57	Upton on Severn	159	Basford ...	1353
Axminster ...	116	Gloucester ...	483	Pershore ...	84	Nottingham ...	2225
Honiton ...	129	Wheatenhurst ...	42	Droitwich ...	106	Southwell ...	122
St. Thomas ...	402	Stroud ...	291	Bromsgrove ...	281	Newark ...	224
Exeter ...	354	Tetbury ...	33	Kings Norton : Jan. to Sept.	1276	Bingham ...	87
Newton Abbot ...	643	Cirencester ...	128				
Totnes ...	306	Northleach ...	47				
Kingsbridge ...	100	Stow on the Wold	62				
Plympton St. Mary	183						

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1912.

NOTE.—The populations marked * have been adjusted in order to make them comparable with the births and deaths shown in the tables. Changes in the boundaries of the areas affected having been made during the year. Births occurring in lying-in institutions have been transferred to the parents' area of residence where this differed from that in which the birth took place. Deaths, in this as in other tables, have been transferred to the area of residence in accordance with the rules referred to on page viii of the Annual Report for 1911. Non-transference of certain deaths owing to want of information may have caused overstatement of mortality in certain areas containing institutions for the sick or infirm. The areas chiefly so affected are marked † in the column giving total deaths.

Summary.

Administrative Area.	Estimated Population. (Middle, 1912.)	BIRTHS (exclusive of Still-born).						Deaths (exclusive of Still-born).				Deaths under one year.		
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	Natural Increase per 1,000 living.
		M.	F.	M.	F.									
All Areas	North ...	12,252,382	150,659	144,451	6,626	6,524	308,260	25.2	178,489	14.6	15.1	32,679	106	10.0
	Midlands ...	11,429,502	130,998	126,449	6,050	5,747	269,244	23.6	143,344	12.5	11.8	24,299	90	11.0
	South ...	10,382,793	111,486	106,926	5,087	4,803	228,302	22.0	131,431	12.7	11.7	18,724	82	9.0
	Wales ...	2,474,959	32,741	31,499	1,357	1,334	66,931	27.0	33,675	13.6	13.6	7,077	106	13.0
	England and Wales.	36,539,636	425,884	409,325	19,120	18,408	872,737	23.8	486,939	13.3	12.9	82,779	95	10.0
London ...		4,519,754	54,901	52,377	2,209	2,080	111,567	24.7	62,517	13.8	13.8	10,202	91	10.0
County Boroughs.	North ...	6,079,208	76,531	73,672	3,468	3,253	156,924	25.8	95,170	15.7	16.6	17,666	113	10.0
	Midlands ...	3,527,287	43,759	42,232	1,870	1,792	89,653	25.4	49,210	14.0	14.1	9,563	107	11.0
	South ...	1,287,064	13,174	12,240	716	714	26,844	20.9	16,172	12.6	11.5	2,218	83	8.0
	Wales ...	470,375	6,209	6,035	206	213	12,668	26.9	6,635	14.1	14.9	1,411	111	12.0
	England and Wales.	11,363,934	139,673	134,179	6,260	5,977	286,089	25.2	167,187	14.7	15.2	30,858	108	10.0
Urban Districts.	North ...	4,467,839	53,385	51,075	2,231	2,277	108,968	24.4	61,773	13.8	14.4	11,005	101	10.0
	Midlands ...	4,630,488	52,933	51,199	2,338	2,197	108,667	23.5	53,457	11.5	11.2	9,269	85	12.0
	South ...	2,495,975	23,941	23,198	1,165	1,111	49,415	19.8	28,812	11.5	10.3	3,615	73	8.0
	Wales ...	1,179,979	16,686	16,031	629	586	33,932	28.8	15,926	13.5	14.1	3,763	111	15.0
	England and Wales.	12,773,981	146,945	141,503	6,363	6,171	300,982	23.6	159,968	12.5	12.4	27,652	92	11.0
Rural Districts.	North ...	1,705,335	20,743	19,704	927	994	42,368	24.8	21,546	12.6	12.0	4,008	95	12.0
	Midlands ...	3,271,727	34,306	33,018	1,842	1,758	70,924	21.7	40,677	12.4	10.1	5,467	77	9.0
	South ...	2,080,000	19,470	19,111	997	898	40,476	19.5	23,930	11.5	9.3	2,689	66	8.0
	Wales ...	824,905	9,846	9,433	522	530	20,331	24.6	11,114	13.5	12.1	1,903	94	11.0
	England and Wales.	7,881,967	84,365	81,266	4,288	4,180	174,099	22.1	97,267	12.3	10.5	14,067	81	9.0

County Boroughs.

Administrative Area.	Estimated Population. (Middle, 1912.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	Natural Increase per 1,000 living.
		M.	F.	M.	F.									
Barrow-in-Furness ...	64,589	856	806	27	26	1,715	26.6	940	14.6	1.0683	15.6	178	104	12.0
Bath ...	69,599	564	548	32	32	1,176	16.9	901	12.9	.8648	11.2	90	77	4.0
Birkenhead ...	133,427	1,841	1,799	68	66	3,774	28.3	1,970	14.8	1.0324	15.3	368	98	13.5
Birmingham ...	850,947	11,067	10,677	355	326	22,425	26.4	12,140	14.3	1.0436	14.9	2,503	112	12.1
Blackburn ...	133,560	1,299	1,303	72	62	2,736	20.5	1,941	14.5	1.0849	15.7	328	120	6.0
Blackpool ...	59,831	448	431	45	48	972	16.2	755	12.6	1.0019	12.6	86	88	3.0
Bolton ...	182,524	1,975	2,012	93	86	4,166	22.8	2,517	13.8	1.0876	15.0	407	98	9.0
Bootle ...	71,153	1,053	1,034	25	27	2,139	30.1	1,206	16.9	1.0528	17.8	239	112	13.2
Bournemouth ...	81,178	592	541	39	38	1,210	14.9	825	10.2	.9142	9.3	84	69	4.7
Bradford ...	289,609	2,739	2,633	144	166	5,682	19.6	4,249	14.7	1.0550	15.5	561	99	4.9
Brighton ...	132,265	1,175	1,151	108	103	2,537	19.2	1,734	13.1	.9092	11.9	191	75	6.1
Bristol ...	359,432	3,864	3,621	117	115	7,717	21.5	4,866	13.5	.9835	13.3	791	103	8.0
Burnley ...	108,012	1,187	1,169	69	65	2,490	23.1	1,622	15.0	1.1051	16.6	361	145	8.1
Burton-upon-Trent ...	47,985	528	474	36	25	1,063	22.2	614	12.8	.9911	12.7	76	71	9.4
Bury ...	59,106	586	592	28	24	1,230	20.8	843	14.3	1.0622	15.2	137	111	6.5
Canterbury ...	24,590	240	243	20	17	520	21.1	294	12.0	.8764	10.5	36	69	9.1
Cardiff ...	184,633	2,257	2,227	84	88	4,656	25.2	2,594	14.0	1.0606	14.8	517	111	11.2
Chester ...	39,123	465	370	31	29	895	22.9	602	15.4	.9887	15.2	90	101	7.5
Coventry ...	111,166	1,448	1,466	29	39	2,982	26.8	1,323	11.9	1.0671	12.7	224	75	14.9
Croydon ...	174,273	1,907	1,743	102	107	3,859	22.1	1,910	11.0	.9650	10.6	300	78	11.1
Derby ...	124,544	1,436	1,373	59	56	2,924	23.5	1,521	12.2	1.0078	12.3	231	79	11.3
Devonport ...	83,167	961	892	29	27	1,909	23.0	978	11.8	1.0618	12.5	165	86	11.2
Dudley ...	51,390	697	668	33	23	1,421	27.7	767	14.9	1.0029	14.9	166	117	12.8
Eastbourne ...	53,730	436	378	38	35	887	16.5	532	9.9	1.0150	10.0	63	71	6.6
Exeter ...	48,860	496	444	36	33	1,009	20.7	698	14.3	.9062	13.0	96	95	6.4
Gateshead ...	117,848	1,559	1,552	83	67	3,261	27.7	1,877	15.9	1.0737	17.1	345	106	11.8
Gloucester ...	50,310	537	550	23	25	1,135	22.6	711	14.1	.9525	13.4	121	107	8.5
Great Yarmouth ...	56,513	637	624	38	36	1,335	23.6	875	15.5	.8703	13.5	140	105	8.1
Grimsby ...	76,185	996	937	59	68	2,060	27.0	968	12.7	1.0211	13.0	217	105	14.3
Halifax ...	101,104	862	867	59	52	1,840	18.2	1,511	14.9	1.0239	15.3	151	82	3.3
Hastings ...	60,565	443	411	31	30	915	15.1	796	13.1	.8410	11.0	63	69	2.0
Huddersfield ...	109,513	996	980	60	40	2,076	19.0	1,528	14.0	1.0493	14.7	200	96	5.0
Ipswich ...	74,899	829	817	59	45	1,750	23.4	1,144	15.3	.9324	14.3	197	113	8.1
Kingston-upon-Hull ...	282,988	3,874	3,692	173	176	7,915	28.0	4,124	14.6	1.0056	14.7	801	101	13.4

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population. (Middle, 1912).	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	Natural Increase per 1,000 living.
		M.	F.	M.	F.									
Leeds	448,850*	5,148	4,700	315	273	10,436	23·3	6,476	14·4	1·0594	15·3	1,073	103	8·9
Leicester	229,294	2,497	2,404	128	151	5,180	22·6	3,116	13·6	1·0286	14·0	567	109	9·0
Lincoln	58,411	661	645	36	37	1,379	23·6	741	12·7	·9787	12·4	142	103	10·9
Liverpool	752,021	10,983	10,641	449	376	22,449	29·9	13,941	18·5	1·0324	19·1	2,812	125	11·4
Manchester	723,531	9,029	8,547	360	375	18,311	25·3	11,834	16·4	1·0799	17·7	2,251	123	8·9
Merthyr Tydfil	82,548	1,150	1,160	51	51	2,412	29·2	1,317	16·0	1·0586	16·9	310	129	13·2
Middlesbrough	106,550	1,661	1,605	69	63	3,398	31·9	1,897	17·8	1·0721	19·1	428	126	14·1
Newcastle upon Tyne	269,196	3,535	3,384	170	162	7,251	26·9	3,905	14·5	1·0526	15·3	740	102	12·4
Newport (Mon.)	85,866	1,193	1,088	28	27	2,336	27·2	1,131	13·2	1·0635	14·0	254	109	14·0
Northampton	90,467	944	918	45	41	1,948	21·5	1,117	12·3	1·0133	12·5	143	73	9·2
Norwich	122,479	1,318	1,226	88	69	2,701	22·1	1,572	12·8	·9285	11·9	274	101	9·3
Nottingham	262,574	2,939	2,905	198	200	6,242	23·8	3,857	14·7	1·0090	14·8	733	117	9·1
Oldham	148,839	1,651	1,613	106	78	3,448	23·2	2,454	16·5	1·0783	17·8	409	119	6·7
Oxford	53,540	464	503	29	33	1,029	19·2	630	11·8	·9322	11·0	71	69	7·4
Plymouth	112,612	1,290	1,097	44	56	2,487	22·1	1,722	15·3	·9150	14·0	264	106	6·8
Portsmouth	236,731	2,764	2,611	133	113	5,621	23·7	3,162	13·4	·9885	13·2	467	83	10·3
Reading	117,631	1,325	1,328	75	66	2,794	23·8	1,995	17·0	1·0584	18·0	344	123	6·8
Rochdale	88,603	912	868	45	65	1,890	21·3	1,013	11·4	·9552	10·9	160	85	9·9
Rotherham	92,529	888	920	36	35	1,879	20·3	1,391	15·0	1·0619	15·9	211	112	5·3
St. Helens	63,560	894	893	47	45	1,879	29·6	1,016	16·0	1·0267	16·4	226	120	13·6
Stafford	98,159	1,606	1,476	52	38	3,172	32·3	1,514	15·4	1·0785	16·6	385	121	16·9
Stoke-on-Trent	232,734	3,170	2,924	114	97	6,305	27·1	4,048	17·4	1·0728	18·7	821	130	9·7
Sheffield	464,992*	6,177	6,154	274	290	12,895	27·7	6,665	14·3	1·0520	15·0	1,372	106	13·4
Southwick	72,833	952	875	34	21	1,882	25·8	884	12·1	1·0700	12·9	209	111	13·7
Southampton	120,891	1,394	1,313	59	58	2,824	23·4	1,607	13·3	·9574	12·7	239	85	10·1
Southport	65,923*	468	449	19	26	962	14·6	837	12·7	·9344	11·9	69	72	1·9
South Shields	109,678	1,668	1,574	69	75	3,386	30·9	1,776	16·2	1·0339	16·7	362	107	14·7
Stockport	110,781	1,268	1,168	41	45	2,522	22·8	1,673	15·1	1·0610	16·0	277	110	7·7
Stoke-on-Trent	237,159	3,644	3,436	216	210	7,506	31·6	3,815	16·1	1·0664	17·2	953	127	15·5
Sunderland	151,832	2,360	2,267	78	95	4,800	31·6	2,459	16·2	1·0108	16·4	560	117	15·4
Swansea	117,328	1,609	1,560	43	52	3,264	27·8	1,593	13·6	1·0497	14·3	330	101	14·2
Synemouth	59,803	815	847	40	31	1,733	29·0	968	16·2	1·0189	16·5	177	102	12·8
Walsall	92,868	1,345	1,274	49	51	2,719	29·3	1,434	15·4	1·0294	15·9	363	134	13·9
Warrington	73,215	1,071	979	21	25	2,096	28·6	1,074	14·7	1·0861	16·0	195	93	13·9
West Bromwich	68,750	987	963	32	41	2,023	29·4	1,012	14·7	1·0102	14·8	244	121	14·7
West Ham	291,900	4,307	4,223	121	105	8,756	30·0	4,196	14·4	1·0259	14·8	905	103	15·6
West Hartlepool	64,095	889	850	39	33	1,811	28·3	960	15·0	1·0350	15·5	189	104	13·3
Wigan	90,042	1,243	1,255	61	53	2,612	29·0	1,458	16·2	1·1149	18·1	330	126	12·8
Wolverhampton	95,479	1,175	1,200	48	48	2,471	25·9	1,296	13·6	1·0172	13·8	213	86	12·3
Worcester	48,162	487	453	38	27	1,005	20·9	611	12·7	·9282	11·8	80	80	8·2
York	82,860	942	858	56	38	1,894	22·9	1,144	13·8	·9934	13·7	183	97	9·1

Administrative Counties.

ANGLESEY.	50,971	481	457	43	37	1,018	20·0	734	14·4	·8426	12·1	100	98	5·6
Total Urban Districts ...	19,013	195	181	14	11	401	21·1	251	13·2	·9073	12·0	33	82	7·9
Total Rural Districts ...	31,958	286	276	29	26	617	19·3	483	15·1	·8090	12·2	67	109	4·2
Urban Districts.														
Amlwch	2,681	27	26	4	3	60	22·4	40	14·9	·7520	11·2	3	50	7·5
Beaumaris M.B.	2,218	22	21	1	1	45	20·3	30	13·5	·9546	12·9	1	22	6·8
Holyhead	10,710	113	109	7	5	234	21·8	134	12·5	·9809	12·3	22	94	9·3
Llangefni	1,774	19	10	2	1	32	18·0	29	16·3	·8407	13·7	6	188	1·7
Menai Bridge	1,630	14	15	—	1	30	18·4	18	11·0	·7874	8·7	1	33	7·4
Rural Districts.														
Aethwy	8,709	74	76	6	8	164	18·8	118	13·5	·8411	11·4	21	128	5·3
Dwyran	2,981	28	32	1	3	64	21·5	61	20·5	·7557	15·5	6	94	1·0
Twrcelyn	9,313	76	84	8	3	171	18·4	141	15·1	·7839	11·8	16	94	3·3
Valley	10,955	108	84	14	12	218	19·9	163	14·9	·8219	12·2	24	110	5·0
BEDFORDSHIRE.	197,618	1,932	1,917	113	102	4,064	20·6	2,393	12·1	·9064	11·0	335	82	8·5
Total Urban Districts ...	119,729	1,192	1,193	70	62	2,517	21·0	1,361	11·4	·9782	11·2	231	92	9·6
Total Rural Districts ...	77,889	740	724	43	40	1,547	19·9	1,032	13·3	·8150	10·8	104	67	6·6
Urban Districts.														
Amphill	2,282	14	20	3	3	40	17·5	27	11·8	·7229	8·5	1	25	5·7
Bedford M.B.	39,718	343	322	26	19	710	17·9	428	10·8	1·0052	10·9	60	85	7·1
Biggleswade	5,409	56	50	7	1	114	21·1	84	15·5	·8323	12·9	9	79	5·6
Dunstable M.B.	8,271	77	87	2	5	171	20·7	74	8·9	·9223	8·2	15	88	11·8
Kempston	5,431	60	59	3	4	126	23·2	71	13·1	·9982	13·1	13	103	10·1
Leighton Buzzard	6,842	72	71	3	4	150	21·9	100	14·6	·8144	11·9	14	93	7·3
Luton M.B.	51,776	570	584	26	26	1,206	23·3	577	11·1	1·0334	11·5	119	99	12·2
Rural Districts.														
Amphill	19,592	173	192	7	10	382	19·5	269	13·7	·7919	10·8	27	71	5·8
Bedford	19,261	171	166	14	8	359	18·6	265	13·8	·8027	11·1	23	64	4·8
Biggleswade	21,978	214	214	17	17	462	21·0	299	13·6	·8311	11·3	42	91	7·4
Eaton Bray	3,864	37	32	3	2	74	19·2	59	15·3	·7925	12·1	3	41	3·9
Eaton Socon	3,569	42	30	—	3	75	21·0	43	12·0	·7504	9·0	1	13	9·0
Luton	9,625	103	90	2	—	195	20·3	97	10·1	·8950	9·0	8	41	10·2

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population. (Middle, 1912.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	Natural Increase per 1,000 living.
		M.	F.	M.	F.									
BERKSHIRE.	195,068	1,867	1,688	141	85	3,781	19.4	2,288	11.7	.8740	10.2	241	64	7.7
Total Urban Districts ...	57,874	574	522	37	29	1,162	20.1	715	12.4	.8778	10.9	87	75	7.7
Total Rural Districts ...	137,194	1,293	1,166	104	56	2,619	19.1	1,573	11.5	.8723	10.0	154	59	7.6
Urban Districts.														
Abingdon M.B. ...	6,853	73	60	3	5	141	20.6	82	12.0	.8773	10.5	10	71	8.6
Maidenhead M.B. ...	15,515	175	162	14	10	361	23.3	185	11.9	.9295	11.1	37	102	11.4
Newbury M.B. ...	12,246	107	93	9	3	212	17.3	174	14.2	.8409	11.9	15	71	3.1
New Windsor M.B. ...	12,488	119	123	5	5	252	20.2	140	11.2	.9517	10.7	18	71	9.0
Wallingford M.B. ...	2,704	25	13	1	1	40	14.8	32	11.8	.7570	8.9	—	—	3.0
Wantage ...	3,610	43	36	3	—	82	22.7	35	9.7	.8363	8.1	2	24	13.0
Wokingham M.B. ...	4,458	32	35	2	5	74	16.6	67	15.0	.7651	11.5	5	68	1.6
Rural Districts.														
Abingdon ...	9,367	92	89	11	7	199	21.2	116	12.4	.8531	10.6	16	80	8.8
Bradfield ...	14,508	117	123	9	3	252	17.4	165	11.4	.8907	10.2	21	83	6.0
Cookham ...	12,541	114	93	9	4	220	17.5	118	9.4	.8956	8.4	10	45	8.1
Easthampstead ...	17,784	153	131	9	10	303	17.0	164	9.2	.9211	8.5	11	36	7.8
Faringdon (part of)†	11,159	121	109	11	6	247	22.1	130	11.6	.8271	9.6	14	57	10.5
Hungerford ...	9,078	96	87	13	4	200	22.0	115	12.7	.8222	10.4	9	45	9.3
Newbury ...	10,858	95	95	10	5	205	18.9	132	12.2	.8223	10.0	14	68	6.7
Wallingford ...	7,383	102	61	7	3	173	23.4	106‡	14.4	.8651	12.5	6	35	9.0
Wantage ...	12,049	116	114	12	6	248	20.6	165	13.7	.8254	11.3	15	60	6.9
Windsor ...	15,515	139	123	4	2	268	17.3	159	10.2	.9588	9.8	16	60	7.1
Wokingham ...	16,952	148	141	9	6	304	17.9	203	12.0	.8734	10.5	22	72	5.9
BRECKNOCKSHIRE.	59,959	695	746	31	42	1,514	25.3	800	13.3	.9304	12.4	162	107	12.0
Total Urban Districts ...	17,653	201	200	9	11	421	23.8	243	13.8	.9484	13.1	51	121	10.0
Total Rural Districts ...	42,306	494	546	22	31	1,093	25.8	557	13.2	.9233	12.2	111	102	12.6
Urban Districts.														
Brecknock§	5,912	45	51	1	3	100	16.9	79	13.4	.9148	12.3	15	150	3.5
Brynmaur ...	7,681	117	109	4	7	237	30.9	107	13.9	1.0694	14.9	28	118	17.0
Builth Wells ...	1,697	17	18	1	—	36	21.2	25	14.7	.8406	12.4	4	111	6.5
Hay ...	1,593	15	16	2	1	34	21.3	25	15.7	.7880	12.4	3	88	5.6
Llanwrtyd ...	770	7	6	1	—	14	18.2	7	9.1	.8410	7.7	1	71	9.1
Rural Districts.														
Brecknock ...	9,075	75	87	2	4	168	18.5	104	11.5	.8428	9.7	13	77	7.0
Builth ...	4,223	45	53	2	5	105	24.9	57	13.5	.8721	11.8	8	76	11.4
Crickhowell ...	7,799	78	87	5	2	172	22.1	114	14.6	.8923	13.0	20	116	7.5
Hay ...	3,624	26	30	3	3	62	17.1	54‡	14.9	.8346	12.4	7	113	2.2
Vaynor and Penderyn ...	5,627	80	84	—	5	169	30.0	84	14.9	.9899	14.7	22	130	15.1
Ystradgynlais ...	11,092	181	194	10	10	395	35.6	124	11.2	1.0660	11.9	37	94	24.4
Civil Parish of Llanwrthwl administered by Rural District Council of Khayader (Radnor).	411	4	4	—	1	9	21.9	7	17.0	.9755	16.6	1	111	4.9
Civil Parish of Ystradfellte administered by Rural District Council of Neath (Glam.).	637	5	7	—	1	13	20.4	13	20.4	.8985	18.3	3	231	—
BUCKINGHAMSHIRE.	222,531	2,155	2,031	99	97	4,382	19.7	2,668	12.0	.8942	10.7	341	78	7.7
Total Urban Districts ...	81,385	802	802	37	32	1,673	20.6	926	11.4	.9452	10.8	142	85	9.2
Total Rural Districts ...	141,146	1,353	1,229	62	65	2,709	19.2	1,742	12.3	.8680	10.7	199	73	6.9
Urban Districts.														
Aylesbury... ..	11,287	88	129	3	5	225	19.9	139	12.3	.8950	11.0	23	102	7.6
Beaconsfield ...	2,636	37	33	2	—	72	27.3	36	13.7	.9881	13.5	8	111	13.6
Bletchley ...	5,215	55	48	3	3	109	20.9	57	10.9	.9535	10.4	4	37	10.0
Buckingham M.B. ...	3,299	26	27	3	1	57	17.3	37	11.2	.8106	9.1	1	18	6.1
Chepping Wycombe M.B. ...	20,745	231	240	5	11	487	23.5	227	10.9	.9968	10.9	38	78	12.6
Chesham ...	8,331	85	76	3	2	166	19.9	104	12.5	.9564	12.0	17	102	7.4
Eton ...	3,178	19	13	1	—	33	10.4	21	6.6	1.3431	8.9	1	30	3.8
Linslade ...	2,276	19	15	1	—	35	15.4	26	11.4	.8655	9.9	3	86	4.0
Marlow ...	4,704	43	43	5	4	95	20.2	53	11.3	.8718	9.9	11	116	8.9
Newport Pagnell... ..	4,266	49	41	1	—	91	21.3	52	12.2	.8426	10.3	5	55	9.1
Slough ...	15,448	150	137	10	6	303	19.6	174	11.3	.9315	10.5	31	112	8.3
Rural Districts.														
Amersham ...	19,138	212	187	6	6	411	21.5	193	10.1	.9260	9.4	26	63	11.4
Aylesbury... ..	16,076	144	151	5	7	307	19.1	231‡	14.4	.7970	11.5	25	81	4.7
Buckingham ...	8,348	83	62	6	4	155	18.6	99	11.9	.7901	9.4	9	58	6.7
Eton ...	23,885	214	219	16	14	463	19.4	259	10.8	.9365	10.1	37	80	8.6
Hambleden ...	1,953	15	17	—	—	32	16.4	28	14.3	.9375	13.4	4	125	2.1
Long Crendon ...	4,215	39	34	3	4	80	19.0	81	19.2	.8122	15.6	2	25	—0.2
Newport Pagnell... ..	19,004	165	161	9	5	340	17.9	250	13.2	.8757	11.6	32	94	4.7
Stratford and Wolverton	10,697	91	84	1	2	178	16.6	125	11.7	.9669	11.3	14	79	4.9
Wing ...	6,065	52	51	5	3	111	18.3	81	13.4	.8200	11.0	7	63	4.9
Winslow ...	6,990	67	46	3	4	120	17.2	99	14.2	.7842	11.1	5	42	3.0
Wycombe... ..	24,775	271	217	8	16	512	20.7	296	11.9	.8588	10.2	38	74	8.8

† The remainder of Faringdon Rural District is in Gloucestershire; see page 142.

§ Brecknock U.D. includes Brecknock M.B. and the Civil Parishes of Castle Inn and Christ's College.

|| Enumerated Population 1911. The population in 1901 having been temporarily increased by a large number of workmen engaged in the construction of waterworks an estimate of population based upon the numbers enumerated in 1901 and 1911 would be untrustworthy.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population. (Middle, 1912.)	BIRTHS (exclusive of Still-born)						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	
		M.	F.	M.	F.									
CAMBRIDGESHIRE.	129,389	1,310	1,184	68	59	2,621	20·3	1,705	13·2	·8472	11·2	177	68	7·1
Total Urban Districts ...	55,414*	574	493	30	30	1,127	20·3	729	13·2	·9360	12·4	80	71	7·1
Total Rural Districts ...	73,975*	736	691	38	29	1,494	20·2	976	13·2	·7889	10·4	97	65	7·0
Urban Districts.														
Cambridge M.B. ...	52,507*	539	464	28	29	1,060	20·2	684	13·0	·9381	12·2	72	68	7·2
Chesterton† ...	2,907*	35	29	2	1	67	23·0	45	15·5	·8994	13·9	8	119	7·5
Rural Districts.														
Caxton and Arrington ...	7,769	75	55	6	5	141	18·1	97	12·5	·7610	9·5	5	35	5·6
Chesterton ...	24,555*	220	233	11	13	477	19·4	331†	13·5	·8054	10·9	38	80	5·9
Linton ...	10,546	105	108	7	5	225	21·3	137	13·0	·7811	10·2	15	67	8·3
Melbourn ...	8,536	84	74	5	4	167	19·6	128	15·0	·7441	11·2	11	66	4·6
Newmarket ...	19,970	225	199	8	2	434	21·7	249	12·5	·8246	10·3	26	60	9·2
Swavesey ...	2,599	27	22	1	—	50	19·2	34	13·1	·6959	9·1	2	40	6·1
CARDIGANSHIRE.	59,720	480	491	49	31	1,051	17·6	1,009	16·9	·8011	13·5	88	84	0·7
Total Urban Districts ...	16,391	105	135	11	7	258	15·7	238	14·5	·8887	12·9	22	85	1·2
Total Rural Districts ...	43,329	375	356	38	24	793	18·3	771	17·8	·7731	13·8	66	83	0·5
Urban Districts.														
Aberayron ...	1,343	7	10	4	1	22	16·4	31	23·1	·7522	17·4	4	182	—6·7
Aberystwyth M.B. ...	8,463	54	58	2	4	118	13·9	102	12·1	·9835	11·9	11	93	1·8
Cardigan M.B. ...	3,587	22	38	4	1	65	18·1	53	14·8	·8492	12·6	4	62	3·3
Lampeter M.B. ...	1,813	13	16	—	1	30	16·5	28	15·4	·8690	13·4	1	33	1·1
New Quay ...	1,185	9	13	1	—	23	19·4	24	20·3	·6827	13·9	2	87	—0·9
Rural Districts.														
Aberayron ...	7,671	64	66	7	7	144	18·8	133	17·3	·7407	12·8	11	76	1·5
Aberystwyth ...	13,020	112	108	14	5	239	18·4	253	19·4	·7768	15·1	18	75	—1·0
Cardigan ...	3,248	21	22	—	—	43	13·2	67	20·6	·8200	16·9	3	70	—7·4
Lampeter ...	3,543	30	27	3	4	64	18·1	66	18·6	·7749	14·4	7	109	—0·5
Llandysil ...	7,959	69	67	6	3	145	18·2	128	16·1	·7947	12·8	13	90	2·1
Tregaron ...	7,465	77	63	7	5	152	20·4	118	15·8	·7556	11·9	14	92	4·6
Civil Parish of Ysgubor y Coed administered by Rural District Council of Machynlleth (Montgomeryshire).	423	2	3	1	—	6	14·2	6	14·2	·7839	11·1	—	—	—
CARMARTHENSHIRE.	163,727	2,067	1,991	83	85	4,226	25·8	2,276	13·9	·9579	13·3	439	104	11·9
Total Urban Districts ...	66,355*	828	811	34	23	1,696	25·6	956	14·4	1·0118	14·6	185	109	11·2
Total Rural Districts ...	97,372*	1,239	1,180	49	62	2,530	26·0	1,320	13·6	·9238	12·6	254	100	12·4
Urban Districts.														
Ammanford ...	6,473	108	112	3	1	224	34·6	63	9·7	1·0842	10·5	15	67	24·9
Burry Port ...	4,697	78	43	3	4	128	27·3	66	14·1	·9649	13·6	17	133	13·2
Carmarthen M.B. ...	10,247	88	91	5	7	191	18·6	152†	14·8	·9541	14·1	14	73	3·8
Cwmammanŷ ...	4,001*	68	54	1	3	126	31·5	45	11·2	1·0865	12·2	15	119	20·3
Kidwelly M.B. ...	3,132	29	44	4	—	77	24·6	55	17·6	·9598	16·9	11	143	7·0
Llandilo ...	1,931	19	14	1	1	35	18·1	36	18·6	·9025	16·8	5	143	—0·5
Llandovery M.B. ...	2,017	19	20	2	1	42	20·8	39	19·3	·8930	17·2	6	143	1·5
Llanelly ...	32,926	409	427	14	6	856	26·0	480	14·6	1·0530	15·4	98	114	11·4
Newcastle Emlyn. ...	931	10	6	1	—	17	18·3	20	21·5	·7958	17·1	4	235	—3·2
Rural Districts.														
Carmarthen ...	24,317	294	288	16	17	615	25·3	336	13·8	·8813	12·2	59	96	11·5
Llandilo Fawr ...	22,134*	321	299	8	17	645	29·1	299	13·5	·9488	12·8	72	112	15·6
Llandovery ...	7,305	69	67	2	2	140	19·2	97	13·3	·8521	11·3	12	86	5·9
Llanelly ...	28,367	433	387	13	15	848	29·9	354	12·5	1·0135	12·7	88	104	17·4
Llanybyther ...	3,573	29	37	4	3	73	20·4	67	18·8	·7678	14·4	7	96	1·6
Newcastle in Emlyn ...	6,456	50	56	4	5	115	17·8	71	11·0	·9026	9·9	8	70	6·8
Whitland ...	5,220	43	46	2	3	94	18·0	96	18·4	·8817	16·2	8	85	—0·4
CARNARVONSHIRE.	124,963	1,106	1,152	92	93	2,443	19·5	1,953	15·6	·8943	14·0	277	113	3·9
Total Urban Districts ...	58,435	484	480	37	35	1,036	17·7	880	15·1	·9384	14·2	110	106	2·6
Total Rural Districts ...	66,528	622	672	55	58	1,407	21·1	1,073	16·1	·8591	13·8	167	119	5·0
Urban Districts.														
Bangor M.B. ...	11,233	81	92	6	1	180	16·0	159	14·2	·9923	14·1	20	111	1·8
Bethesda ...	4,641	43	53	2	5	103	22·2	103	22·2	·7753	17·2	15	146	—
Bettws y Coed ...	906	7	5	1	1	14	15·5	21	23·2	·9124	21·2	1	71	—7·7
Carnarvon M.B. ...	9,034	73	82	5	7	167	18·5	169	18·7	·9241	17·3	20	120	—0·2
Conway M.B. ...	5,316	47	42	3	4	96	18·1	73	13·7	·9818	13·5	10	104	4·4
Criccieth ...	1,372	8	2	—	—	10	7·3	16	11·7	·8394	9·8	—	—	—4·4
Llandudno ...	10,627	84	88	6	11	189	17·8	128	12·0	1·0326	12·4	22	116	5·8
Llanfairfechan ...	3,000	35	22	3	—	60	20·0	42	14·0	·8735	12·2	4	67	6·0
Penmaenmawr ...	4,113	32	31	—	1	64	15·6	53	12·9	·9777	12·6	6	94	2·7
Pwllheli M.B. ...	3,806	28	30	5	1	64	16·8	39	10·2	·9170	9·4	3	47	6·6
Ynyscynhaiarn ...	4,387	46	33	6	4	89	20·3	77	17·6	·8612	15·2	9	101	2·7
Rural Districts.														
Conway ...	7,271	68	93	4	5	170	23·4	78	10·7	·9391	10·0	11	65	12·7
Geirionydd ...	4,427	46	38	4	2	90	20·3	73	16·5	·9082	15·0	9	100	3·8
Glaslyn ...	3,298	26	46	5	3	80	24·3	59	17·9	·8790	15·7	5	63	6·4

† Abolished on 1st April, 1912.

§ Created on 1st April, 1912.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population. (Middle, 1912.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.			Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
CARNARVONSHIRE—cont.															
Gwyrfai	28,020	297	282	22	25	626	22·3	479	17·1	·8813	15·1	84	134	5·2	
Lley'n	16,842	133	161	18	17	329	19·5	284	16·9	·7837	13·2	40	122	2·6	
Ogwen	6,670	52	52	2	6	112	16·8	100	15·0	·8553	12·8	18	161	1·8	
CHESHIRE.															
Total Urban Districts ...	687,186	7,253	6,929	293	330	14,805	21·5	8,739	12·7	1·0085	12·8	1,346	91	8·8	
Total Rural Districts ...	501,285	5,406	5,206	207	253	11,072	22·1	6,584	13·1	1·0206	13·4	1,045	94	9·0	
Urban Districts.	185,901	1,847	1,723	86	77	3,733	20·1	2,155	11·6	·9770	11·3	301	81	8·5	
Alderley Edge	3,176	20	27	2	—	49	15·4	37	11·6	1·0633	12·3	4	82	3·8	
Alsager	2,762	24	24	—	—	48	17·4	29	10·5	·9178	9·6	1	21	6·9	
Altrincham	17,943	195	162	7	10	374	20·8	245	13·7	1·0363	14·2	34	91	7·1	
Ashton upon Mersey ...	7,455	78	71	5	7	161	21·6	77	10·3	1·0425	10·7	12	75	11·3	
Bollington	5,221	49	42	3	2	96	18·4	74	14·2	1·0226	14·5	3	31	4·2	
Bowdon	3,078	22	20	1	—	43	14·0	38	12·3	1·0162	12·5	3	70	1·7	
Bredbury and Romiley ...	8,881	96	73	4	4	177	19·9	103	11·6	1·0394	12·1	15	85	8·3	
Bromborough	1,985	23	25	1	—	49	24·7	17	8·6	1·0595	9·1	4	82	16·1	
Buglawton	1,436	17	17	—	2	36	25·1	26	18·1	·9256	16·8	4	111	7·0	
Cheadle and Gatley ...	10,177	95	65	—	2	162	15·9	114	11·2	1·0279	11·5	14	86	4·7	
Compstall	912	10	8	—	—	18	19·7	14	15·4	1·0068	15·5	1	56	4·3	
Congleton, M.B.	11,389	141	139	5	6	291	25·6	179	15·7	·9554	15·0	31	107	9·9	
Crewe, M.B.	45,342	504	460	21	31	1,016	22·4	574	12·7	1·0464	13·3	86	85	9·7	
Dukinfield, M.B.	19,488	248	238	11	3	500	25·7	321	16·5	1·0787	17·8	72	144	9·2	
Ellesmere Port and Whitby	11,173	207	230	4	4	445	39·8	132	11·8	1·0800	12·7	46	103	28·0	
Hale	8,853	68	71	—	2	141	15·9	66	7·5	1·0964	8·2	8	57	8·4	
Handforth	937	9	12	—	—	21	22·4	11	11·7	·9991	11·7	—	—	10·7	
Hazel Grove and Bramhall	9,856	87	91	3	2	183	18·6	118	12·0	1·0548	12·7	15	82	6·6	
Higher Bebington	1,709	37	16	1	—	54	31·6	22	12·9	·9329	12·0	3	56	18·7	
Hollingworth	2,598	24	30	—	1	55	21·2	49	18·9	·9605	18·2	9	164	2·3	
Hoole	6,007	72	53	1	2	128	21·3	71	11·8	1·0376	12·2	12	94	9·5	
Hoyle and West Kirby ...	14,442	117	107	2	2	228	15·8	127	8·8	1·0009	8·8	14	61	7·0	
Hyde, M.B.	33,526	379	334	8	10	731	21·8	526	15·7	1·0359	16·3	86	118	6·1	
Knutsford	5,837	43	46	3	4	96	16·4	69	11·8	·9743	11·5	9	94	4·6	
Lower Bebington	11,799	153	155	3	3	314	26·6	125	10·6	1·0919	11·6	23	73	16·0	
Lymm	5,026	51	50	3	1	105	20·9	68	13·5	·9485	12·8	14	133	7·4	
Macclesfield, M.B.	34,820	315	317	21	25	678	19·5	551	15·8	·9558	15·1	80	118	3·7	
Marple	6,601	49	43	2	3	97	14·7	81	12·3	1·0059	12·4	5	52	2·4	
Middlewich	4,941	46	71	1	4	122	24·7	49	9·9	1·0159	10·1	13	107	14·8	
Mottram in Longdendale ...	3,039	19	27	2	2	50	16·5	44	14·5	1·0292	14·9	4	80	2·0	
Nantwich	7,827	71	73	5	12	161	20·6	110	14·1	·9582	13·5	21	130	6·5	
Neston and Parkgate ...	4,655	67	48	3	—	118	25·3	55	11·8	1·0252	12·1	8	68	13·5	
Northwich	18,223	223	229	13	17	482	26·5	231	12·7	1·0323	13·1	43	89	13·8	
Runcorn	17,467	230	242	8	8	488	27·9	268	15·3	1·0138	15·5	53	109	12·6	
Sale	15,435	153	158	8	12	331	21·4	171	11·1	1·0193	11·3	18	54	10·3	
Sandbach	5,745	65	59	2	5	131	22·8	81	14·1	·8999	12·7	11	84	8·7	
Stalybridge, M.B.	26,359	273	273	15	16	577	21·9	441	16·7	1·0584	17·7	79	137	5·2	
Tarporley	2,599	20	28	2	4	54	20·8	31	11·9	·9093	10·8	3	56	8·9	
Wallasey, M.B.	81,805	888	837	28	38	1,791	21·9	954	11·7	1·0385	12·2	140	78	10·2	
Wilmslow	8,258	66	79	1	1	147	17·8	95	11·5	·9505	10·9	9	61	6·3	
Winsford	10,821	131	138	8	8	285	26·3	169	15·6	·9413	14·7	30	105	10·7	
Yeardsley cum Whaley ...	1,682	21	18	—	—	39	23·2	21	12·5	1·0040	12·5	5	128	10·7	
Rural Districts.															
Bucklow	23,262	199	194	8	9	410	17·6	251	10·8	1·0372	11·2	25	61	6·8	
Chester	12,651	108	104	5	5	222	17·5	125	9·9	1·0106	10·0	15	68	7·6	
Congleton	12,901	114	126	8	3	251	19·5	178	13·8	·8979	12·4	26	104	5·7	
Disley	2,975	37	39	1	1	78	26·2	37	12·4	1·0074	12·5	3	38	13·8	
Macclesfield	16,746	163	127	3	1	294	17·6	202	12·1	·9983	12·1	23	78	5·5	
Malpas	4,664	52	35	2	7	96	20·6	61	13·1	·8871	11·6	7	73	7·5	
Nantwich	25,232	248	250	28	15	541	21·4	321	12·7	·9278	11·8	50	92	8·7	
Northwich	23,429	268	241	11	12	532	22·7	293	12·5	·9979	12·5	50	94	10·2	
Runcorn	28,873	285	292	6	11	594	20·6	318	11·0	·9944	10·9	51	86	9·6	
Tarvin	13,263	129	127	7	10	273	20·6	154	11·6	·9214	10·7	20	73	9·0	
Tintwistle	2,205	26	17	—	—	43	19·5	31	14·1	·9885	13·9	5	116	5·4	
Wirral	19,700	218	171	7	3	399	20·3	184	9·3	1·0203	9·5	26	65	11·0	
CORNWALL.															
Total Urban Districts ...	328,861	3,132	3,062	174	180	6,548	19·9	4,597	14·0	·8543	12·0	556	85	5·9	
Total Rural Districts ...	145,242	1,337	1,327	81	80	2,825	19·5	2,068	14·2	·8695	12·3	257	91	5·3	
Urban Districts.	183,619	1,705	1,735	93	100	3,723	20·3	2,529	13·8	·8429	11·6	299	80	6·5	
Bodmin, M.B.	5,784	41	32	—	2	75	13·0	80	13·8	·8634	11·9	7	93	—0·8	
Callington	1,712	20	20	—	—	40	23·4	21	12·3	·9093	11·2	1	25	11·1	
Camborne	15,975	144	165	15	14	338	21·2	216	13·5	·9367	12·6	44	130	7·7	
Falmouth, M.B.	13,310	101	115	9	4	229	17·2	184	13·8	·8764	12·1	13	57	3·4	
Hayle	1,021	5	12	1	—	18	17·6	20	19·6	·8395	16·5	2	111	—2·0	

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population. (Middle, 1912.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.			Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
CORNWALL—cont.															
Helston V.B. ...	2,917	26	22	3	2	53	18.2	41	14.1	.7692	10.8	4	75	4.1	
Launceston M.B. ...	4,125	27	35	2	—	64	15.5	58	14.1	.8722	12.3	7	109	1.4	
Liskeard M.B. ...	4,419	35	42	—	5	82	18.6	54	12.2	.7942	9.7	5	61	6.4	
Looe ...	2,741	21	24	—	—	45	16.4	40	14.6	.8443	12.3	1	22	1.8	
Lostwithiel M.B. ...	1,379	12	11	1	1	25	18.1	21	15.2	.6952	10.6	2	80	2.9	
Ludgvan ...	2,205	13	22	1	4	40	18.1	37	16.8	.8846	14.9	3	75	1.3	
Madron ...	3,740	33	27	2	4	66	17.6	56	15.0	.8239	12.4	6	91	2.6	
Newquay ...	4,587	48	27	2	—	77	16.8	55	12.0	.9340	11.2	6	78	4.8	
Padstow ...	2,601	19	13	1	—	33	12.7	33	12.7	.9862	12.5	3	91	—	
Paul ...	5,972	53	67	3	2	125	20.9	72	12.1	.8404	10.2	5	40	8.8	
Penryn M.B. ...	3,079	29	25	2	2	58	18.8	45	14.6	.8042	11.7	6	103	4.2	
Penzance M.B. ...	13,524	111	107	8	10	236	17.5	185	13.7	.8649	11.8	18	76	3.8	
Phillack ...	3,575	40	36	2	2	80	22.4	54	15.1	.8491	12.8	9	113	7.3	
Redruth ...	10,862	116	124	4	11	255	23.5	194	17.9	.9131	16.3	31	122	5.6	
St. Austell ...	3,368	34	26	3	—	63	18.7	45	13.4	.8231	11.0	7	111	5.3	
St. Ives M.B. ...	7,232	80	72	5	2	159	22.0	109	15.1	.8282	12.5	17	107	6.9	
St. Just ...	5,767	79	64	4	2	149	25.8	101	17.5	.8567	15.0	15	101	8.3	
Saltash M.B. ...	4,232	34	38	3	—	75	17.7	41	9.7	.9491	9.2	4	53	8.0	
Stratton and Bude ...	3,064	28	26	—	3	57	18.6	32	10.4	.9059	9.4	2	35	8.2	
Torpoint ...	4,398	60	50	3	—	113	25.7	51	11.6	.8592	10.0	10	88	14.1	
Truro M.B. ...	11,294	107	104	5	10	226	20.0	188	16.6	.8936	14.8	26	115	3.4	
Wadebridge ...	2,359	21	21	2	—	44	18.7	35	14.8	.7966	11.8	3	68	3.9	
Rural Districts.															
Bodmin ...	10,352	85	107	3	8	203	19.6	148	14.3	.8337	11.9	20	99	5.3	
Calstock ...	4,748	39	33	4	—	76	16.0	77	16.2	.8690	14.1	4	53	0.2	
Camelford ...	7,411	61	65	8	6	140	18.9	97	13.1	.8479	11.1	12	86	5.8	
East Kerrier ...	7,985	75	60	4	8	147	18.4	113	14.2	.8051	11.4	7	48	4.2	
Helston ...	17,127	159	154	3	11	327	19.1	268	15.6	.8306	13.0	44	135	3.5	
Holsworthy (part of) † ...	324	4	3	—	—	7	21.6	2	6.2	1.0285	6.4	—	—	15.4	
Launceston ...	7,510	70	67	5	5	147	19.6	111	14.8	.8215	12.2	9	61	4.8	
Liskeard ...	15,306	157	161	8	6	332	21.7	209	13.7	.8082	11.1	16	48	8.0	
Redruth ...	17,952	213	188	11	13	425	23.7	288	16.0	.8711	13.9	51	120	7.7	
St. Austell ...	33,110	337	341	20	13	711	21.5	418	12.6	.9049	11.4	55	77	8.9	
St. Columb Major ...	11,330	111	116	4	5	236	20.8	131	11.6	.8507	9.9	13	55	9.2	
St. Germans ...	11,993	114	127	5	5	251	20.9	172	14.3	.8509	12.2	12	48	6.6	
Scilly, Isles of ...	2,098	14	16	—	1	31	14.8	24	11.4	.8775	10.0	—	—	3.4	
Stratton ...	4,913	48	50	3	3	104	21.2	64	13.0	.8519	11.1	11	106	8.2	
Truro ...	20,310	189	161	11	7	368	18.1	282	13.9	.7808	10.9	33	90	4.2	
West Penwith ...	11,150	119	86	4	9	218	19.6	125	11.2	.8494	9.5	12	55	8.4	
CUMBERLAND.															
Total Urban Districts ...	265,589	3,092	2,851	208	209	6,360	23.9	4,037	15.2	.9578	14.6	707	111	8.7	
Total Rural Districts ...	165,510*	2,034	1,873	138	121	4,166	25.2	2,669	16.1	.9893	15.9	486	117	9.1	
	100,079*	1,058	978	70	88	2,194	21.9	1,368	13.7	.9099	12.5	221	101	8.2	
Urban Districts.															
Arlecdon and Frizington ...	5,162	66	66	5	6	143	27.7	96	18.6	.9306	17.3	24	168	9.1	
Aspatria ...	3,399	37	37	3	3	80	23.5	36	10.6	.9624	10.2	6	75	12.9	
Carlisle M.B. ...	47,401*	544	524	48	22	1,138	24.0	802	16.9	1.0289	17.4	120	105	7.1	
Cleator Moor ...	8,325	126	126	2	7	261	31.4	145	17.4	1.0387	18.1	34	130	14.0	
Cockermouth ...	5,183	49	45	10	10	114	22.0	67	12.9	.9369	12.1	6	53	9.1	
Egremont ...	6,377	103	88	6	5	202	31.7	121	19.0	.9945	18.9	41	203	12.7	
Harrington ...	4,425	65	50	3	3	121	27.3	66	14.9	1.0216	15.2	19	157	12.4	
Holme Cultram ...	4,523	37	34	3	7	81	17.9	60	13.3	.8820	11.7	8	99	4.6	
Keswick ...	4,397	39	34	1	6	80	18.2	84	19.1	.8929	17.1	7	88	0.9	
Maryport ...	11,355	143	132	7	7	289	25.5	184	16.2	.9744	15.8	27	93	9.3	
Millom ...	8,372	87	85	8	5	185	22.1	133	15.9	.9741	15.5	21	114	6.2	
Penrith ...	8,945	84	77	6	13	180	20.1	110	12.3	.9278	11.4	11	61	7.8	
Whitehaven M.B. ...	19,007	277	267	19	10	573	30.1	315	16.6	.9813	16.3	68	119	13.5	
Wigton ...	3,686	39	36	3	4	82	22.2	51	13.8	.8486	11.7	7	85	8.4	
Workington M.B. ...	24,953	338	272	14	13	637	25.5	399	16.0	1.0528	16.8	87	137	9.5	
Rural Districts.															
Alston with Garrigill ...	3,067	39	30	1	4	74	24.1	56	18.3	.8763	16.0	6	81	5.8	
Bootle ...	5,643	49	49	2	2	102	18.1	58	10.3	.8934	9.2	2	20	7.8	
Brampton ...	7,876	68	57	7	6	138	17.5	120	15.2	.8333	12.7	11	80	2.3	
Carlisle ...	16,926*	142	123	11	13	289	17.1	236†	13.9	.9042	12.6	29	100	3.2	
Cockermouth ...	22,303	292	267	18	21	598	26.8	294	13.2	.9539	12.6	71	119	13.6	
Longtown ...	6,100	51	54	5	7	117	19.2	89	14.6	.8642	12.6	8	68	4.6	
Penrith ...	12,486	113	115	8	11	247	19.8	143	11.5	.8975	10.3	13	53	8.3	
Whitehaven ...	14,304	186	168	8	13	375	26.2	199	13.9	.9963	13.8	50	133	12.3	
Wigton ...	11,374	118	115	10	11	254	22.3	173	15.2	.8684	13.2	31	122	7.1	

† The remainder of Holsworthy Rural District is in Devonshire; see page 189.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population. (Middle, 1912)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
DENBIGHSHIRE.	146,531	1,690	1,553	107	100	3,450	23·5	1,997	13·6	·9507	12·9	351	102	9·9	
Total Urban Districts ...	49,651	490	463	37	30	1,020	20·5	705	14·2	·9624	13·7	104	102	6·3	
Total Rural Districts ...	96,880	1,200	1,090	70	70	2,430	25·1	1,292	13·3	·9447	12·6	247	102	11·8	
Urban Districts.															
Abergele and Pensarn ...	2,126	20	19	1	5	45	21·2	40	18·8	·8591	16·2	4	89	2·4	
Colwyn Bay and Colwyn	13,152	93	98	8	4	203	15·4	136	10·3	1·0018	10·3	11	54	5·0	
Denbigh M.B. ...	6,952	60	51	9	6	126	18·1	99	14·2	·8838	12·5	15	119	3·9	
Llangollen ...	3,242	34	20	1	2	57	17·6	57	17·6	·8860	15·6	8	140	—	
Llanrwst ...	2,502	27	24	6	1	58	23·2	38	15·2	·8599	13·1	13	224	8·0	
Ruthin M.B. ...	2,848	32	31	1	1	65	22·8	55	19·3	·8411	16·2	3	46	3·3	
Wrexham M.B. ...	18,829	224	220	11	11	466	24·7	280	14·9	1·0343	15·4	50	107	9·8	
Rural Districts.															
Chirk ...	4,565	54	47	4	3	108	23·7	63	13·8	·9805	13·5	14	130	9·9	
Llangollen ...	3,620	53	42	3	1	99	27·4	59	16·3	·9104	14·8	11	111	11·1	
Llanrwst ...	4,379	44	43	5	6	98	22·4	59	13·5	·8239	11·1	10	102	8·9	
Llansilin ...	3,189	23	29	1	7	60	18·8	46	14·4	·8762	12·6	9	150	4·4	
Ruthin ...	9,064	73	64	9	6	152	16·8	137	15·1	·8574	12·9	12	79	1·7	
St. Asaph (Denbigh) ...	6,684	69	79	5	6	159	23·8	105	15·7	·8894	14·0	13	82	8·1	
Uwchale ...	2,244	32	22	4	1	59	26·3	35	15·6	·8454	13·2	5	85	10·7	
Wrexham ...	61,404	826	747	37	39	1,649	26·9	755	12·3	·9889	12·2	167	101	14·6	
Civil Parishes of Llanllan- yn Rhôs and Llansant- ffraid Glan Conway administered by Rural District Council of Con- way (Carnarvonshire).	1,731	26	17	2	1	46	26·6	33	19·1	·8279	15·8	6	130	7·5	
DERBYSHIRE.															
Total Urban Districts ...	569,966	7,144	6,831	309	298	14,582	25·6	6,834	12·0	1·0025	12·0	1,385	95	13·6	
Total Rural Districts ...	292,599	3,648	3,571	170	156	7,545	25·8	3,505	12·0	1·0211	12·3	737	98	13·8	
Total ...	277,367	3,496	3,260	139	142	7,037	25·4	3,329	12·0	·9834	11·8	648	92	13·4	
Urban Districts.															
Alfreton ...	19,250	250	262	14	16	542	28·2	244	12·7	·9908	12·6	61	113	15·8	
Alvaston and Boulton ...	1,414	18	11	2	1	32	22·6	23	16·3	·8811	14·4	3	94	6·3	
Ashbourne ...	4,062	51	30	2	3	86	21·2	45	11·1	·9740	10·8	5	58	10·1	
Bakewell ...	3,105	34	19	—	—	53	17·1	40	12·9	·9204	11·9	2	38	4·2	
Baslow and Bubnell ...	866	6	5	2	—	13	15·0	25	28·9	·8095	23·4	—	—	13·9	
Belper ...	11,733	138	122	9	4	273	23·3	144	12·3	·9542	11·7	34	125	11·0	
Bolsover ...	11,793	165	203	5	10	383	32·5	123	10·4	1·0926	11·4	49	128	22·1	
Bonsall ...	1,233	16	15	1	2	34	27·6	21	17·0	·9293	15·8	2	59	10·6	
Brampton and Walton ...	2,119	18	28	—	—	46	21·7	28	13·2	·8771	11·6	6	130	8·8	
Buxton ...	10,003	71	68	3	2	144	14·4	84	8·4	1·0415	8·7	8	56	6·0	
Chesterfield M.B. ...	38,078	551	502	25	29	1,107	29·1	507	13·3	1·0589	14·1	105	95	15·8	
Clay Cross ...	8,366	124	123	9	10	266	31·8	130	15·5	1·0109	15·7	35	132	16·5	
Dronfield ...	3,961	42	53	1	—	96	24·2	54	13·6	·9417	12·8	9	94	10·6	
Fairfield ...	4,266	52	47	3	2	104	24·4	38	8·9	1·0161	9·0	3	29	15·5	
Glossop M.B. ...	21,709	201	173	7	9	390	18·0	313	14·4	1·0130	14·6	44	113	3·6	
Heage ...	3,551	54	48	4	2	108	30·4	31	8·7	·9938	8·6	6	56	21·7	
Heanor ...	20,328	292	285	11	9	597	29·4	209	10·3	1·0277	10·6	40	67	19·1	
Ilkeston M.B. ...	32,488	462	458	23	18	961	29·6	390	12·0	1·0723	12·9	105	109	17·6	
Long Eaton ...	20,023	192	221	5	3	421	21·0	185	9·2	1·1119	10·2	43	102	11·8	
Matlock ...	6,846	56	54	4	3	117	17·1	71	10·4	·9452	9·8	8	68	6·7	
Matlock Bath and Scar- thin Nick.	1,800	16	15	1	—	32	17·8	16	8·9	·9342	8·3	3	94	8·5	
New Mills ...	9,160	95	89	2	3	189	20·6	132	14·4	1·0223	14·7	20	106	6·2	
North Darley ...	3,391	40	36	1	—	77	22·7	31	9·1	1·0519	9·6	8	104	13·6	
Ripley ...	12,078	170	143	3	5	321	26·6	140	11·6	1·0032	11·6	28	87	15·0	
South Darley ...	812	7	7	1	—	15	18·5	5	6·2	·8970	5·6	—	—	12·3	
Swadlincote District ...	18,761	254	259	13	10	536	28·6	230	12·3	1·0149	12·5	61	114	16·3	
Whittington and Newbold	17,504	238	265	14	12	529	30·2	201	11·5	1·0359	11·9	44	83	18·7	
Wirksworth ...	3,899	35	30	5	3	73	18·7	45	11·5	·9030	10·4	5	68	7·2	
Rural Districts.															
Ashbourne ...	10,275	114	92	7	5	218	21·2	116	11·3	·8900	10·1	15	69	9·9	
Bakewell ...	20,470	233	198	7	8	446	21·8	266	13·0	·9010	11·7	31	70	8·8	
Belper ...	23,733	268	203	5	7	483	20·4	287	12·1	·9506	11·5	37	77	8·5	
Blackwell ...	40,704	633	654	31	32	1,350	33·2	521	12·8	1·0515	13·5	158	117	20·4	
Chapel en le Frith ...	16,985	167	146	9	7	329	19·4	173	10·2	·9976	10·2	24	73	9·2	
Chesterfield ...	73,329	1,039	988	41	41	2,109	28·8	896	12·2	1·0055	12·3	187	89	16·6	
Clowne ...	18,630	303	263	11	12	589	31·6	230	12·3	1·0469	12·9	74	126	19·3	
Glossop Dale ...	3,990	28	34	—	2	64	16·0	57	14·3	·9620	13·8	5	78	1·7	
Hartshorn and Seals ...	8,065	109	97	4	8	218	27·0	75	9·3	·9518	8·9	10	46	17·7	
Hayfield ...	5,347	52	40	4	—	96	18·0	64	12·0	1·0068	12·1	7	73	6·0	
Norton ...	3,995	39	35	2	1	77	19·3	40	10·0	·9922	9·9	4	52	9·3	
Repton ...	16,246	147	157	6	7	317	19·5	196	12·1	·9580	11·6	34	107	7·4	
Shardlow ...	31,466	333	319	11	12	675	21·5	368	11·7	·9610	11·2	61	90	9·8	
Sudbury ...	2,701	23	23	1	—	47	17·4	31	11·5	·8821	10·1	1	21	5·9	
Civil Parishes of Codnor Park and Shipley ad- ministered by Rural District Council of Basford (Nottingham- shire).	1,431	8	11	—	—	19	13·3	9	6·3	1·0103	6·4	—	—	7·0	

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population. (Middle, 1912.)	BIRTHS (exclusive of Still-born)						DEATHS (exclusive of Still-born).				Deaths under one year.		
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	Natural Increase per 1,000 living.
		M.	F.	M.	F.									
DEVONSHIRE.	460,032	3,992	3,991	210	191	8,384	18.2	6,036	13.1	8544	11.2	624	74	5.1
Total Urban Districts ...	233,180	1,999	1,940	114	101	4,154	17.8	3,197	13.7	8599	11.8	311	75	4.1
Total Rural Districts ...	226,852	1,993	2,051	96	90	4,230	18.6	2,839	12.5	8488	10.6	313	74	6.1
<i>Urban Districts.</i>														
Exeter ...	2,476	29	22	3	1	55	22.2	42	17.0	8381	14.2	4	73	5.2
Exmouth ...	1,561	13	19	—	—	32	20.5	30	19.2	8559	16.4	3	94	1.3
Exmouth M.B. ...	14,530	136	139	9	8	292	20.1	234	16.1	8453	13.6	24	82	4.0
Exmouth M.B. ...	9,121	84	102	8	7	201	22.0	112	12.3	8885	10.9	14	70	9.7
Exmouth ...	7,936	89	85	4	2	180	22.7	117	14.7	8806	12.9	9	50	8.0
Exmouth ...	2,418	16	21	—	1	38	15.7	40	16.5	9465	15.6	7	184	0.8
Exmouth ...	2,208	12	18	1	—	31	14.0	35	15.9	7374	11.7	1	32	1.9
Exmouth ...	3,596	22	30	—	1	53	14.7	67	18.6	7605	14.1	5	94	3.9
Exmouth M.B. ...	7,061	77	56	2	5	140	19.8	79	11.2	9807	11.0	12	86	8.6
Exmouth ...	4,112	39	36	2	1	78	19.0	71	17.3	7735	13.4	8	103	1.7
Exmouth ...	13,568	186	177	4	11	378	27.9	227	16.7	9837	16.4	36	95	11.2
Exmouth ...	12,158	87	76	—	—	163	13.4	147	12.1	8297	10.0	13	80	1.3
Exmouth ...	3,015	27	28	4	1	60	19.9	56	18.6	7937	14.8	4	67	1.3
Exmouth ...	11,403	106	75	5	3	189	16.6	115	10.1	9171	9.3	7	37	6.5
Exmouth ...	1,516	14	19	2	1	36	23.7	22	14.5	8592	12.5	2	56	9.2
Exmouth ...	3,180	28	16	—	—	44	13.8	45	14.2	8592	12.5	2	56	9.2
Exmouth ...	8,985	49	67	6	7	129	14.4	123	13.7	8386	11.9	5	114	0.4
Exmouth ...	1,751	18	10	2	3	33	18.8	27	15.4	9453	14.6	3	91	3.4
Exmouth ...	3,052	26	22	1	1	50	16.4	43	14.1	7850	11.1	1	20	2.3
Exmouth ...	1,787	11	13	3	—	27	15.1	20	11.2	9777	11.0	2	74	3.9
Exmouth ...	13,869	135	121	13	7	276	19.9	185	13.3	8970	11.9	18	65	6.6
Exmouth ...	5,519	56	44	3	5	108	19.6	67	12.1	8499	10.3	9	83	7.5
Exmouth ...	3,254	42	33	—	—	75	23.0	42	12.9	9454	12.2	2	27	10.1
Exmouth ...	3,726	26	38	3	—	67	18.0	56	15.0	7804	11.7	3	45	3.0
Exmouth ...	11,619	91	91	7	5	194	16.7	154	13.3	8499	11.3	17	88	3.4
Exmouth ...	2,075	23	15	1	—	39	18.8	30	14.5	7996	11.6	—	—	4.3
Exmouth ...	1,743	20	8	3	2	33	18.9	27	15.5	8843	13.7	2	61	3.4
Exmouth ...	5,799	41	29	1	2	73	12.6	69	11.9	8567	10.2	5	68	0.7
Exmouth ...	2,728	23	25	—	1	49	18.0	42	15.4	7685	11.8	3	61	2.6
Exmouth ...	4,348	31	34	3	3	71	16.3	68	15.6	7886	12.3	6	85	0.7
Exmouth ...	9,292	62	69	5	4	140	15.1	120	12.9	8072	10.4	7	50	2.2
Exmouth ...	10,182	82	86	6	4	178	17.5	134	13.2	8848	11.7	14	79	4.3
Exmouth ...	39,452	261	288	11	14	574	14.5	485	12.3	8730	10.7	52	91	2.2
Exmouth ...	4,140	37	28	2	1	68	16.4	66	15.9	7703	12.2	4	59	0.5
<i>Rural Districts.</i>														
Exmouth ...	12,356	117	130	5	1	253	20.5	161	13.0	8075	10.5	19	75	7.5
Exmouth ...	18,296	153	158	7	8	326	17.8	239	13.1	8275	10.8	19	58	4.7
Exmouth ...	6,337	53	61	4	3	121	19.1	84	13.3	8460	11.3	17	140	5.8
Exmouth ...	2,381	16	22	1	1	40	16.8	25	10.5	8986	9.4	7	175	6.3
Exmouth ...	10,832	85	95	3	4	187	17.3	161	14.9	8293	12.4	18	96	2.4
Exmouth ...	3,347	31	29	2	—	62	18.5	49	14.6	8429	12.3	3	48	3.9
Exmouth ...	7,027	67	77	5	3	152	21.6	91	13.0	8554	11.1	14	92	8.6
Exmouth ...	9,637	95	85	1	3	184	19.1	116	12.0	8347	10.0	13	71	7.1
Exmouth ...	11,678	107	81	6	10	204	17.5	161	13.8	8167	11.3	14	69	3.7
Exmouth ...	19,586	182	174	8	2	366	18.7	263	13.4	8579	11.5	21	57	5.3
Exmouth ...	13,655	110	125	8	8	251	18.4	156	11.4	8411	9.6	10	40	7.0
Exmouth ...	21,652	197	202	2	10	411	19.0	242	11.2	8931	10.0	33	80	7.8
Exmouth ...	26,565	240	232	12	9	493	18.6	358	13.5	8414	11.4	40	81	5.1
Exmouth ...	12,901	106	100	6	6	218	20.0	133	12.2	8594	10.5	17	78	7.8
Exmouth ...	16,218	120	126	5	5	256	15.8	178	11.0	8763	9.6	14	55	4.8
Exmouth ...	15,098	131	161	5	4	301	19.9	169	11.2	8834	9.9	21	70	8.7
Exmouth ...	8,932	87	86	8	9	190	21.3	105	11.8	8442	10.0	15	79	9.5
Exmouth ...	12,354	96	107	8	4	215	17.4	148	12.0	8464	10.2	18	84	5.4
<i>Dorsetshire.</i>														
Dorsetshire.	226,074	2,146	1,957	124	116	4,343	19.2	2,564	11.3	8935	10.1	268	62	7.9
Total Urban Districts ...	120,816	1,135	1,032	74	60	2,301	19.0	1,296	10.7	9526	10.2	158	69	8.3
Total Rural Districts ...	105,258	1,011	925	50	56	2,042	19.4	1,268	12.0	8343	10.0	110	54	7.4
<i>Urban Districts.</i>														
Blandford Forum M.B. ...	3,454	30	31	2	1	64	18.5	43	12.5	7978	10.0	2	31	6.0
Briport M.B. ...	5,913	50	56	6	—	112	18.9	86	14.5	7929	11.5	4	36	4.4
Dorchester M.B. ...	9,893	94	72	8	8	182	18.4	90	9.1	9565	8.7	10	55	9.3
Lyme Regis M.B. ...	2,862	19	14	1	1	35	12.2	32	11.2	9548	10.7	1	29	1.0
Poole M.B. ...	40,385	433	425	33	26	917	22.7	460	11.4	9374	10.7	81	88	11.3
Portland ...	17,250	122	100	6	5	233	13.5	123	7.1	83272	9.4	10	43	6.4
Shaftesbury M.B. ...	1,853	16	21	1	—	38	20.5	21	11.3	8468	9.6	—	—	9.2
Sherborne ...	5,979	60	42	1	4	107	17.9	71	11.9	9227	11.0	10	93	6.0
Swanage ...	4,859	31	34	1	3	69	14.2	48	9.9	9484	9.4	4	58	4.3
Wareham M.B. ...	2,002	15	19	3	1	38	19.0	25	12.5	7778	9.7	3	79	6.5
Weymouth and Melcombe Regis M.B. ...	22,653	238	184	11	9	442	19.5	256	11.3	9319	10.5	30	68	8.2
Wimborne Minster ...	3,713	27	34	1	2	64	17.2	41	11.0	8439	9.3	3	47	6.2

† The remainder of Holsworthy Rural District is in Cornwall; see page 137.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population. (Middle, 1912.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	Natural Increase per 1,000 living.
		M.	F.	M.	F.									
DORSETSHIRE—cont.														
Rural Districts														
Beaminstert	9,217	106	77	4	4	191	20.7	129	14.0	.7902	11.1	14	73	6.7
Blandford	8,764	83	64	1	6	154	17.6	90	10.3	.8284	8.5	3	19	7.8
Bridport	6,729	58	54	1	2	115	17.1	89	13.2	.8333	11.0	4	35	3.8
Cerne	4,895	37	36	5	2	80	16.3	60	12.3	.8323	10.2	4	50	4.0
Dorchester	9,632	65	85	—	4	154	16.0	104	10.8	.8722	9.4	7	45	5.2
Poole	6,507	54	75	5	4	138	21.2	87	13.4	.8513	11.4	10	72	7.8
Shaftesbury	10,908	104	90	6	3	203	18.6	136	12.5	.8014	10.0	14	69	6.1
Sherborne	5,944	50	55	4	3	112	18.8	81	13.6	.8694	11.8	7	63	5.2
Sturminster	8,464	86	63	2	3	154	18.2	107	12.6	.8244	10.4	4	26	5.6
Wareham and Purbeck ...	10,564	121	93	13	5	232	22.0	127	12.0	.8382	10.1	14	60	10.0
Weymouth	8,466	86	80	6	4	176	20.8	106	12.5	.8737	10.9	10	57	8.3
Wimborne and Cranborne	15,168	161	153	3	16	333	22.0	152	10.0	.8450	8.5	19	57	12.0
DURHAM.														
Total Urban Districts ...	950,558	14,683	13,861	548	568	29,660	31.2	13,088	13.8	1.0210	14.1	3,162	107	17.4
Total Rural Districts ...	538,183	8,276	7,815	310	304	16,705	31.0	7,686	14.3	1.0249	14.7	1,742	104	16.7
Urban Districts.	412,375	6,407	6,046	238	264	12,955	31.4	5,402	13.1	1.0158	13.3	1,420	110	18.3
Annfield Plain	17,091	309	292	6	14	621	36.3	188	11.0	1.0287	11.3	47	76	25.3
Barnard Castle	4,801	55	46	7	2	110	22.9	66	13.7	.9558	13.1	4	36	9.2
Benfieldside	8,474	112	120	8	5	245	28.9	110	13.0	1.0576	13.7	17	69	15.9
Bishop Auckland	14,081	177	168	8	11	364	25.9	211	15.0	.9843	14.8	38	104	10.9
Blaydon	32,641	547	500	23	20	1,090	33.4	447	13.7	1.0608	14.5	141	129	19.7
Brandon and Byshottles...	17,944	285	277	9	9	580	32.3	207	11.5	1.0434	12.0	52	90	20.8
Chester le Street	15,104	222	221	13	10	466	30.9	197	13.0	1.0126	13.2	53	114	17.9
Consett	11,407	166	181	7	9	363	31.8	148	13.0	1.0713	13.9	24	66	18.8
Crook	12,419	174	165	5	6	350	28.2	175	14.1	1.0211	14.4	36	103	14.1
Darlington, M.B.	57,104	757	655	37	34	1,483	26.0	717	12.6	1.0066	12.7	125	84	13.4
Durham, M.B.	17,735	200	196	10	11	417	23.5	256	14.4	.9929	14.3	45	108	9.1
Felling	25,365	385	355	11	12	763	30.1	406	16.0	1.0135	16.2	92	121	14.1
Hartlepool, M.B....	20,336	311	312	14	10	647	31.8	360	17.7	1.0206	18.1	68	105	14.1
Hebburn	21,877	348	397	15	9	769	35.2	403	18.4	1.0470	19.3	120	156	16.8
Hetton	15,944	283	250	6	8	547	34.3	212	13.3	.9989	13.3	62	113	21.0
Houghton le Spring ...	10,004	197	146	2	4	349	34.9	143	14.3	.9818	14.0	46	132	20.6
Jarrow, M.B.	33,651	559	521	13	20	1,113	33.1	579	17.2	1.0180	17.5	128	115	15.9
Leadgate	5,034	75	69	2	4	150	29.8	85	16.9	1.0039	17.0	16	107	12.9
Ryton	13,543	211	207	4	4	426	31.5	150	11.1	1.0066	11.2	42	99	20.4
Seaham Harbour...	16,498	310	289	7	3	609	36.9	246	14.9	1.0277	15.3	77	126	22.0
Shildon	13,717	188	194	7	6	395	28.8	207	15.1	.9951	15.0	34	86	13.7
Southwick on Wear ...	13,935	241	226	4	11	482	34.6	186	13.3	1.0324	13.7	31	64	21.3
Spennymoor	18,073	287	286	9	7	589	32.6	269	14.9	1.0094	15.0	61	104	17.7
Stanhope	2,016	14	13	1	4	32	15.9	30	14.9	.9280	13.8	2	63	1.0
Stanley	24,584	427	402	16	20	865	35.2	331	13.5	1.0755	14.5	109	126	21.7
Stockton on Tees, M.B....	52,244	778	754	43	27	1,602	30.7	818	15.7	1.0248	16.1	148	92	15.0
Tanfield	10,343	162	136	9	3	310	30.0	148	14.3	1.0318	14.8	38	123	15.7
Tow Law	4,318	65	58	3	2	128	29.6	44	10.2	1.0058	10.3	9	70	19.4
Whickham	19,057	295	268	4	13	580	30.4	242	12.7	1.0637	13.5	50	86	17.7
Willington	8,843	136	111	7	6	260	29.4	105	11.9	1.0163	12.1	27	104	17.5
Rural Districts.														
Auckland	59,243	940	887	36	46	1,909	32.2	775	13.1	1.0112	13.2	204	107	19.1
Barnard Castle	11,781	127	132	13	5	277	23.5	163	13.8	.9499	13.1	31	112	9.7
Chester le Street	65,874	1,113	1,028	44	42	2,227	33.8	884	13.4	1.0359	13.9	267	120	20.4
Darlington	11,089	127	134	5	8	274	24.7	130	11.7	.9084	10.6	28	102	13.0
Durham	31,293	511	452	22	22	1,007	32.2	433	13.8	.9882	13.6	119	118	18.4
Easington... ..	62,619	1,094	1,061	28	47	2,230	35.6	899	14.4	1.0477	15.1	266	119	21.2
Hartlepool	3,417	38	26	4	—	68	19.9	32	9.4	.9615	9.0	10	147	10.5
Houghton le Spring ...	26,350	466	416	14	22	918	34.8	358	13.6	.9965	13.6	111	121	21.2
Lanchester	32,918	510	474	22	20	1,026	31.2	413	12.5	1.0369	13.0	95	93	18.7
Sedgefield	35,464	534	507	16	21	1,078	30.4	386	10.9	1.0534	11.5	112	104	19.5
South Shields	14,970	177	189	8	5	379	25.3	202	13.5	1.0261	13.9	40	106	11.8
Stockton	17,889	246	199	5	8	458	25.6	203	11.3	.9973	11.3	34	74	14.3
Sunderland	29,825	424	440	13	13	890	29.8	388	13.0	1.0219	13.3	90	101	16.8
Weardale	9,643	100	101	8	5	214	22.2	136	14.1	.9594	13.5	13	61	8.1
ELY, ISLE OF.														
Total Urban Districts ...	70,448	718	714	41	52	1,525	21.6	896	12.7	.8385	10.6	139	91	8.9
Total Rural Districts ...	36,989	356	339	28	35	758	20.5	496	13.4	.8400	11.3	76	100	7.1
Urban Districts.	33,459	362	375	13	17	767	22.9	400	12.0	.8364	10.0	63	82	10.9
Chatteris	5,332	60	51	4	5	120	22.5	69	12.9	.8498	11.0	7	58	9.6
Ely	7,944	66	61	1	8	136	17.1	108	13.6	.8392	11.4	15	110	3.5
March	8,514	85	88	7	8	188	22.1	109	12.8	.8989	11.5	27	144	9.3
Whittlesey	4,246	46	41	1	5	93	21.9	58	13.7	.7998	11.0	8	86	8.2
Wisbech, M.B.	10,953	99	98	15	9	221	20.2	152	13.9	.8130	11.3	19	86	6.3

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population. (Middle, 1912.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
ELY, ISLE OF—cont.															
Rural Districts.															
ly	12,986	141	145	4	4	294	22·6	165	12·7	·8233	10·5	25	85	9·9	
orth Witchford ...	5,281	56	40	1	2	99	18·7	56	10·6	·8083	8·6	8	81	8·1	
horney	1,916	22	28	2	1	53	27·7	16	8·4	·9290	7·8	3	57	19·3	
Whittlesey	3,405	39	40	2	3	84	24·7	32	9·4	·8791	8·3	6	71	15·3	
Visbech	9,871	104	122	4	7	237	24·0	131	13·3	·8427	11·2	21	89	10·7	
ESSEX.															
Total Urban Districts ...	830,165*	9,126	8,698	280	260	18,364	22·1	8,375	10·1	1·0225	10·3	1,684	71	11·0	
Total Rural Districts ...	264,158*	2,616	2,458	139	113	5,326	20·2	3,194	12·1	·8464	10·2	357	67	8·1	
Urban Districts.															
arking Town	32,585	487	444	16	19	966	29·7	330	10·1	1·0470	10·6	94	97	19·6	
raintree	6,279	66	59	2	3	130	20·7	92	14·7	·8898	13·1	8	62	6·0	
rentwood	7,187	54	53	1	5	113	15·7	46	6·4	1·0142	6·5	1	9	9·3	
rightlingsea	4,390	36	40	2	3	81	18·5	65	14·8	·8247	12·2	2	25	3·7	
uckhurst Hill	4,899	32	32	2	3	69	14·1	45	9·2	1·0003	9·2	4	58	4·9	
urnham on Crouch ...	3,226	34	22	—	3	59	18·3	45	13·9	·8326	11·6	3	51	4·4	
helford M.B.	18,331	171	176	2	6	355	19·4	188	10·3	·9273	9·6	23	65	9·1	
hingford... ..	8,689	102	85	2	—	189	21·8	86	9·9	1·0334	10·2	16	85	11·9	
lacton	10,084	68	99	2	2	171	17·0	90	8·9	·9625	8·6	16	94	8·1	
olchester M.B.	44,125	405	427	23	24	879	19·9	475	10·8	1·0097	10·9	57	65	9·1	
ast Ham M.B.	138,450	1,753	1,673	46	45	3,517	25·4	1,476	10·7	1·0536	11·3	253	72	14·7	
pping	4,314	30	28	2	2	62	14·4	39	9·0	·8126	7·3	3	48	5·4	
rinton on Sea	1,624	8	17	—	—	25	15·4	13	8·0	1·1189	9·0	1	40	7·4	
rays Thurrock	16,285	199	197	7	4	407	25·0	161	9·9	1·0762	10·7	35	86	15·1	
Halstead	6,289	46	48	2	6	102	16·2	69	11·0	·8697	9·6	4	39	5·2	
Harwich M.B.	14,092	171	177	1	2	351	24·9	154	10·9	1·1101	12·1	25	71	14·0	
lford	83,080	749	708	17	18	1,492	18·0	633†	7·6	1·0637	8·1	94	63	10·4	
leigh on Sea	8,249	72	67	—	2	141	17·1	92	11·2	·9580	10·7	11	78	5·9	
eyton	128,155	1,387	1,388	34	32	2,841	22·2	1,356	10·6	1·0217	10·8	224	79	11·6	
oughton	5,526	56	45	3	1	105	19·0	59	10·7	1·0138	10·8	6	57	8·3	
Maldon M.B.	6,344	56	55	2	—	113	17·8	95	15·0	·8281	12·4	8	71	2·8	
Romford	17,409	194	191	16	5	406	23·3	190	10·9	·9491	10·3	34	84	12·4	
Saffron Walden M.B. ...	6,366	64	40	3	3	110	17·3	63	9·9	·8063	8·0	5	45	7·4	
Shoeburyness	5,126	82	87	1	1	171	33·4	48	9·4	1·0398	9·8	11	64	24·0	
Southend on Sea M.B. ...	67,196	667	573	39	31	1,310	19·5	649	9·7	1·0088	9·8	74	56	9·8	
Tilbury†	4,966*	66	61	1	2	130	26·2	56	11·3	1·1022	12·5	6	46	14·9	
Waltham Holy Cross ...	6,828	57	57	3	5	122	17·9	81	11·9	1·0139	12·1	10	82	6·0	
Walthamstow	128,480	1,616	1,506	44	25	3,191	24·8	1,288	10·0	1·0646	10·6	249	78	14·8	
Walton on the Naze ...	2,193	25	18	—	—	43	19·6	24	10·9	·9139	10·0	4	93	8·7	
Wanstead... ..	14,446	126	129	2	1	258	17·9	107	7·4	1·0790	8·0	12	47	10·5	
Witham	3,483	38	24	—	5	67	19·2	51	14·6	·9005	13·1	3	45	4·6	
Wivenhoe	2,351	19	21	1	—	41	17·4	31	13·2	·8370	11·0	3	73	4·2	
Woodford... ..	19,118	190	151	4	2	347	18·2	178	9·3	1·0246	9·5	28	81	8·9	
Rural Districts.															
Belchamp... ..	4,653	41	40	4	3	88	18·9	65	14·0	·7492	10·5	6	68	4·9	
Billericay	22,091	195	182	5	2	384	17·4	244†	11·0	·9322	10·3	18	47	6·4	
Braintree	18,510	147	158	3	5	313	16·9	277	15·0	·7900	11·9	25	80	1·9	
Bumpstead	2,601	31	26	1	2	60	23·1	45	17·3	·7803	13·5	4	67	5·8	
Chelmsford	23,065	270	217	14	11	512	22·2	276	12·6	·8243	9·9	38	74	10·2	
Dunmow	16,134	156	145	13	7	321	19·9	219	13·6	·7791	10·6	22	62	6·3	
Epping	14,115	145	126	8	4	283	20·0	168	11·9	·8920	10·6	12	42	8·1	
Halstead	10,353	100	86	6	4	196	18·9	127	12·3	·8086	9·9	13	66	6·6	
Lexden and Winstree ...	19,832	193	180	19	17	409	20·6	238	12·0	·8150	9·8	19	46	8·6	
Maldon	16,367	156	164	12	4	336	20·5	229	14·0	·8024	11·2	23	68	6·5	
Ongar	10,723	99	98	6	6	209	19·5	105	9·8	·8953	8·8	13	62	9·7	
Orsett	20,563*	245	214	11	5	475	23·1	212	10·3	·9601	9·9	35	74	12·8	
Rochford	18,880	181	169	5	15	370	19·6	195	10·3	·8740	9·0	24	65	9·3	
Romford	26,194	265	318	11	7	601	22·9	276	10·5	·9617	10·1	42	70	12·4	
Saffron Walden	10,816	108	83	7	5	203	18·8	158	14·6	·7812	11·4	12	59	4·2	
Stansted	7,090	74	50	2	4	130	18·3	90	12·7	·8212	10·4	9	69	5·6	
Tendring	22,171	210	202	12	12	436	19·7	270	12·2	·8219	10·0	42	96	7·5	
FLINTSHIRE.															
Total Urban Districts ...	94,191	1,141	1,055	71	57	2,324	24·7	1,318	14·0	·9243	12·9	190	82	10·7	
Total Rural Districts ...	35,449	449	421	27	24	921	26·0	525	14·8	·9545	14·1	81	88	11·2	
<i>Urban Districts.</i>	58,742	692	634	44	33	1,403	23·9	793	13·5	·9070	12·2	109	78	10·4	
Buckley	6,406	92	95	2	4	193	30·1	83	13·0	·9478	12·3	12	62	17·1	
Connah's Quay	4,755	83	70	1	2	156	32·8	52	10·9	1·0282	11·2	15	96	21·9	
Flint M.B.	5,584	102	80	9	3	194	34·7	84	15·0	·9478	14·2	22	113	19·7	
Holywell	2,535	26	25	3	3	57	22·5	46	18·1	·9398	17·0	5	88	4·4	
Mold	4,954	58	62	3	4	127	25·6	88	17·8	·9370	16·7	15	118	7·8	
Prestatyn	2,139	9	13	1	1	24	11·2	22	10·3	·8761	9·0	—	—	0·9	
Rhyl	9,076	79	76	8	7	170	18·7	150	16·5	·9626	15·9	12	71	2·2	

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population. (Middle, 1912.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
FLINTSHIRE—cont.															
Rural Districts.															
Hawarden... ..	21,200	297	248	12	14	571	26·9	236	11·1	·9832	10·9	39	68	15	
Holywell	25,503	280	283	16	12	591	23·2	414	16·2	·8800	14·3	57	96	17	
Overton	5,192	60	52	7	6	125	24·1	51	9·8	·8975	8·8	8	64	13	
St. Asaph (Flint) ...	6,847	55	51	9	1	116	16·9	92	13·4	·8176	11·0	5	43	3	
GLAMORGANSHIRE.															
Total Urban Districts ...	770,962	11,658	11,365	366	331	23,720	30·8	9,774	12·7	1·0659	13·5	2,648	112	18	
Total Rural Districts ...	556,932	8,565	8,413	268	250	17,496	31·4	7,295	13·1	1·0836	14·2	2,064	118	18	
Urban Districts.	214,030	3,093	2,952	98	81	6,224	29·1	2,479	11·6	1·0218	11·9	584	94	17	
Rural Districts.															
Aberavon M.B.	10,896	182	173	9	4	368	33·8	141	12·9	1·0603	13·7	38	103	20	
Aberdare	51,819	731	743	20	28	1,522	29·4	719	13·9	1·0580	14·7	175	115	15	
Barry	34,655	374	429	12	8	823	23·7	370	10·7	1·1124	11·9	70	85	13	
Bridgend	8,249	106	109	5	5	225	27·3	90	10·9	1·0335	11·3	15	67	16	
Briton Ferry	8,671	114	110	2	1	227	26·2	115	13·3	1·0609	14·1	24	106	12	
Caerphilly	35,096	614	534	24	15	1,187	33·8	456	13·0	1·1003	14·3	154	130	20	
Cowbridge M.B.	1,162	4	10	—	—	14	12·0	16	13·8	·9330	12·9	—	—	—	
Gelligaer	37,942	694	686	18	26	1,424	37·5	518	13·7	1·1011	15·1	162	114	23	
Glyncorwg	8,984	139	155	4	4	302	33·6	117	13·0	1·1044	14·4	38	126	20	
Maesteg	26,297	437	407	7	6	857	32·6	322	12·2	1·0725	13·1	105	123	20	
Margam	15,468	212	205	6	5	428	27·7	165	10·7	1·0745	11·5	45	105	17	
Mountain Ash	43,723	730	680	27	24	1,461	33·4	572	13·1	1·0948	14·3	165	113	20	
Neath M.B.	18,097	233	244	5	5	487	26·9	278	15·4	1·0306	15·9	69	142	11	
Ogmore and Garw	27,646	450	477	7	18	952	34·4	361	13·1	1·0911	14·3	107	112	21	
Oystermouth	6,315	72	60	7	2	141	22·3	73	11·6	·9081	10·5	8	57	10	
Penarth	15,654	125	155	2	5	287	18·3	168	10·7	1·0757	11·5	26	91	7	
Pontypridd	44,654	742	666	25	18	1,451	32·5	580	13·0	1·0984	14·3	183	126	19	
Porthcawl... ..	3,652	40	33	3	1	77	21·1	39	10·7	·9927	10·6	8	104	10	
Rhondda	157,952	2,566	2,537	85	75	5,263	33·3	2,195	13·9	1·1005	15·3	672	128	19	
Rural Districts.															
Cowbridge	8,081	97	115	9	5	226	28·0	87	10·8	·9329	10·1	20	88	17	
Gower	8,802	112	115	5	4	236	26·8	99	11·2	·8934	10·0	20	85	15	
Llandaff and Dinas Powis	34,545	402	390	6	5	803	23·2	352	10·2	1·0145	10·3	50	62	13	
Llantrisant and Llantwitfardre.	18,228	304	279	6	5	594	32·6	239	13·1	1·0198	13·4	72	121	19	
Neath	43,378	714	626	13	20	1,373	31·7	520	12·0	1·0514	12·6	123	90	19	
Penybont	23,118	341	325	17	11	694	30·0	261	11·3	1·0067	11·4	61	88	18	
Pontardawe	32,897	510	482	19	15	1,026	31·2	382	11·6	1·0486	12·2	90	88	19	
Swansea	44,981	613	620	23	16	1,272	28·3	539	12·0	1·0436	12·5	148	116	16	
GLOUCESTERSHIRE.															
Total Urban Districts ...	330,017	3,088	3,051	137	139	6,415	19·4	4,164	12·6	·8715	11·0	464	72	6	
Total Rural Districts ...	100,421	814	856	34	47	1,751	17·4	1,261	12·6	·8861	11·2	124	71	4	
Urban Districts.	229,596	2,274	2,195	103	92	4,664	20·3	2,903	12·6	·8653	10·9	340	73	7	
Rural Districts.															
Awre	1,067	7	8	—	1	16	15·0	8	7·5	·8980	6·7	1	63	7	
Charlton Kings	4,586	40	47	—	2	89	19·4	51	11·1	·8742	9·7	6	67	8	
Cheltenham M.B.	48,876	332	399	23	30	784	16·0	659	13·5	·8709	11·8	53	68	2	
Cirencester	7,644	83	65	1	2	151	19·8	100	13·1	·8979	11·8	11	73	6	
Coleford	2,612	31	31	—	2	64	24·5	37	14·2	·8434	12·0	10	156	10	
Kingswood	12,798	130	121	2	3	256	20·0	126	9·8	1·0765	10·5	21	82	10	
Nailsworth	3,031	21	21	1	2	45	14·8	27	8·9	·8736	7·8	2	44	5	
Newnham	999	14	11	—	—	25	25·0	15	15·0	·8475	12·7	5	200	10	
Stow on the Wold	1,290	10	12	2	—	24	18·6	11	8·5	·8862	7·5	—	—	10	
Stroud	8,716	67	63	4	2	136	15·6	113	13·0	·8831	11·5	8	59	2	
Tetbury	1,727	13	15	—	1	29	16·8	36	20·8	·7901	16·4	1	34	4	
Tewkesbury M.B.	5,270	47	51	—	2	100	19·0	56	10·6	·8710	9·2	5	50	8	
Westbury on Severn	1,805	19	12	1	—	32	17·7	22	12·2	·7039	8·6	1	31	5	
Rural Districts.															
Campden	5,618	67	50	4	3	124	22·1	76	13·5	·8206	11·1	9	73	8	
Cheltenham	5,336	43	50	4	2	99	18·6	64	12·0	·8877	10·7	7	71	6	
Chipping Sodbury	20,804	205	213	11	7	436	21·0	260	12·5	·8568	10·7	32	73	8	
Cirencester	12,834	127	114	6	11	258	20·1	143	11·1	·8488	9·4	11	43	9	
Dursley	12,312	120	133	5	6	264	21·4	164	13·3	·8599	11·4	17	64	8	
East Dean and United Parishes.	19,945	265	248	6	8	527	26·4	260	13·0	·8938	11·6	48	91	13	
Faringdon (part of)† ...	1,165	11	14	—	—	25	21·5	19	16·3	·8522	13·9	3	120	5	
Gloucester	12,858	109	109	4	4	226	17·6	141	11·0	·8848	9·7	18	80	6	
Lydney	9,052	103	95	1	—	199	22·0	116	12·8	·9236	11·8	13	65	9	
Marston Sicca	1,625	15	15	1	1	32	19·7	19	11·7	·7638	8·9	3	94	8	
Newent	6,950	62	58	6	—	126	18·1	99	14·2	·7778	11·0	12	95	3	
Northleach	8,050	75	86	3	5	169	21·0	110	13·7	·7977	10·9	11	65	7	
Pebworth... ..	3,278	30	46	5	2	83	25·3	46	14·0	·8052	11·3	6	72	11	
Stow on the Wold (part of)§	6,846	60	65	2	2	129	18·8	90	13·1	·8029	10·5	7	54	5	
Stroud	28,105	232	215	8	11	466	16·6	372	13·2	·8706	11·5	33	71	3	

† The remainder of Faringdon Rural District is in Berkshire; see page 134.
§ The remainder of Stow on the Wold Rural District is in Worcestershire; see page 159.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population. (Middle, 1912.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born)				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
LOUCESTERSHIRE—cont.															
Abbury (part of)† ...	3,928	26	39	—	—	65	16.5	47	12.0	.9331	11.2	2	31	4.5	
Bucklesbury (part of)§ ...	5,085	48	43	2	2	95	18.7	72	14.2	.7987	11.3	15	158	4.5	
Donbury ...	19,157	190	141	12	9	352	18.4	242	12.6	.8690	10.9	23	65	5.8	
Hamley ...	17,353	180	158	7	1	346	19.9	208	12.0	.9826	11.8	30	87	7.9	
West Dean ...	13,564	167	183	9	13	372	27.4	168	12.4	.9087	11.3	23	62	15.0	
Wheatenhurst ...	6,091	52	47	3	3	105	17.2	82	13.5	.8055	10.9	9	86	3.7	
Winchcomb (part of)§ ...	9,640	87	73	4	2	166	17.2	105	10.9	.8344	9.1	8	48	6.3	
HEREFORDSHIRE.	114,288	1,147	1,068	70	73	2,358	20.6	1,535	13.4	.8229	11.0	168	71	7.2	
Total Urban Districts ...	40,037	405	354	29	16	804	20.1	499	12.5	.8701	10.9	58	72	7.6	
Total Rural Districts ...	74,251	742	714	41	57	1,554	20.9	1,036	14.0	.7997	11.2	110	71	6.9	
Urban Districts.															
Abbury ...	1,708	14	17	—	2	33	19.3	15	8.8	.8537	7.5	2	61	10.5	
Hereford M.B. ...	22,725	234	178	16	7	435	19.1	287	12.6	.9068	11.4	35	80	6.5	
Kingston ...	1,802	20	19	1	1	41	22.8	19	10.5	.7783	8.2	—	—	12.3	
Abbury ...	3,371	35	32	5	1	73	21.7	41	12.2	.8307	10.1	3	41	9.5	
Hereford M.B. ...	5,726	61	55	5	4	125	21.8	71	12.4	.8494	10.5	10	80	9.4	
Loss ...	4,705	41	53	2	1	97	20.6	66	14.0	.8558	12.0	8	82	6.6	
Rural Districts.															
Redwardine ...	1,982	13	23	—	1	37	18.7	32	16.1	.8212	13.2	—	—	2.6	
Abbury ...	7,890	80	93	8	12	193	24.5	114	14.4	.7833	11.3	13	67	10.1	
Loss ...	6,458	58	57	3	5	123	19.0	82	12.7	.8095	10.3	9	73	6.3	
Hereford ...	13,639	103	124	7	9	243	17.8	193†	14.2	.8143	11.6	15	62	3.6	
Kingston ...	4,962	66	55	1	2	124	25.0	74	14.9	.7712	11.5	7	56	10.1	
Abbury ...	9,058	93	88	5	7	193	21.3	102	11.3	.8473	9.6	16	83	10.0	
Hereford ...	7,916	88	62	7	7	164	20.7	131	16.5	.7792	12.9	15	91	4.2	
Hereford M.B. ...	10,434	106	96	2	6	210	20.1	138	13.2	.8097	10.7	20	95	6.9	
Loss ...	6,666	71	74	6	4	155	23.3	92	13.8	.7726	10.7	9	58	9.5	
Veobley ...	1,523	20	14	1	3	38	25.0	22	14.4	.7938	11.4	2	53	10.6	
Whitchurch ...	3,723	44	28	1	1	74	19.9	56	15.0	.7936	11.9	4	54	4.9	
Vigmore ...															
HERTFORDSHIRE.	318,284	3,003	3,004	119	127	6,253	19.6	3,357	10.5	.9392	9.9	394	63	9.1	
Total Urban Districts ...	198,551	1,918	1,901	84	78	3,981	20.1	2,162	10.9	.9434	10.3	259	65	9.2	
Total Rural Districts ...	119,733	1,085	1,103	35	49	2,272	19.0	1,195	10.0	.9251	9.3	135	59	9.0	
Urban Districts.															
Baldock ...	2,099	18	20	3	2	43	20.5	34	16.2	.8393	13.6	4	93	4.3	
Barnet ...	10,716	86	116	1	4	207	19.3	129	12.0	.9571	11.5	18	87	7.3	
Bishop's Stortford ...	8,907	91	79	3	3	176	19.8	94	10.6	.9018	9.6	16	91	9.2	
Bushey ...	7,298	58	65	6	2	131	18.0	82	11.2	1.0750	12.0	9	69	6.8	
Cheshunt ...	13,042	146	160	5	1	312	23.9	138	10.6	.9712	10.3	19	61	13.3	
East Barnet Valley ...	12,684	117	104	6	5	232	18.3	119	9.4	.9935	9.3	15	65	8.9	
Great Berkhamstead ...	7,425	58	51	3	—	112	15.1	84	11.3	.9772	11.0	6	54	3.8	
Harpenden ...	6,364	42	51	1	2	96	15.1	65	10.2	.9715	9.9	6	63	4.9	
Hemel Hempstead M.B. ...	13,102	136	138	5	4	283	21.6	148	11.3	.9327	10.5	18	64	10.3	
Hertford M.B. ...	10,524	102	106	8	6	222	21.1	118	11.2	.9594	10.7	10	45	9.9	
Hitchin ...	12,148	120	122	6	5	253	20.8	154	12.7	.8640	11.0	15	59	8.1	
Hoddesdon ...	5,260	48	49	2	2	101	19.2	42	8.0	.8819	7.1	4	40	11.2	
Rickmansworth ...	6,376	67	73	4	1	145	22.7	77	12.1	1.0033	12.1	8	55	10.6	
Royston ...	4,047	25	41	4	1	71	17.5	44	10.9	.8018	8.7	4	56	6.6	
St. Albans M.B. ...	18,412	187	156	6	4	353	19.2	216	11.7	.9491	11.1	28	79	7.5	
Sawbridgeworth ...	2,333	21	14	—	—	35	15.0	17	7.3	.8951	6.5	2	57	7.7	
Stevenage ...	4,975	45	44	2	6	97	19.5	56	11.3	.8984	10.2	4	41	8.2	
Ting ...	4,498	39	32	3	2	76	16.9	72	16.0	.8508	13.6	5	66	0.9	
Ware ...	5,878	77	57	3	4	141	24.0	79	13.4	.9074	12.2	13	92	10.6	
Watford ...	42,463	435	423	13	24	895	21.1	394	9.3	1.0171	9.5	55	61	11.8	
Rural Districts.															
Ashwell ...	3,947	38	21	1	3	63	16.0	46	11.7	.7708	9.0	5	79	4.3	
Barnet ...	5,077	43	53	1	1	98	19.3	37	7.3	.9984	7.3	5	51	12.0	
Berkhamstead ...	4,707	33	49	3	3	88	18.7	65	13.8	.8915	12.3	8	91	4.9	
Buntingford ...	5,019	51	46	3	1	101	20.1	57	11.4	.7709	8.8	2	20	8.7	
Hadham ...	5,873	45	44	2	4	95	16.2	64	10.9	.8083	8.8	7	74	5.3	
Hatfield ...	8,730	83	81	2	4	170	19.5	85	9.7	.9604	9.3	12	71	9.8	
Hemel Hempstead ...	6,638	66	61	3	5	135	20.3	89	13.4	.8694	11.6	3	22	6.9	
Hertford ...	7,669	67	72	3	1	143	18.6	80	10.4	.8637	9.0	11	77	8.2	
Hitchin ...	19,439	208	207	8	9	432	22.2	183	9.4	.9197	8.6	27	63	12.8	
St. Albans ...	20,417	191	212	3	8	414	20.3	168†	8.2	1.0032	8.2	20	48	12.1	
Ware ...	11,540	107	101	4	4	216	18.7	118	10.2	.9317	9.5	13	60	8.5	
Watford ...	18,234	124	135	1	3	263	14.4	174	9.5	1.0454	9.9	20	76	4.9	
Welwyn ...	2,443	29	21	1	3	54	22.1	29	11.9	.9350	11.1	2	37	10.2	

† The remainder of Tetbury Rural District is in Wiltshire; see page 159.

§ The remaining parts of Tewkesbury and Winchcomb Rural Districts are in Worcestershire; see page 159.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population. (Middle, 1912.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	
		M.	F.	M.	F.									
HUNTINGDONSHIRE.	55,769	615	558	32	34	1,239	22·2	703	12·6	·8239	10·4	92	74	9·6
Total Urban Districts ...	23,808	266	226	18	14	524	22·0	282	11·8	·8799	10·4	48	92	10·2
Total Rural Districts ...	31,961	349	332	14	20	715	22·4	421	13·2	·7868	10·4	44	62	9·2
Urban Districts.														
Godmanchester, M.B. ...	2,145	23	21	1	1	46	21·4	20	9·3	·7815	7·3	4	87	12·1
Huntingdon, M.B. ...	3,969	39	24	4	1	68	17·1	52	13·1	·8284	10·9	9	132	4·0
Old Fletton ...	5,061	58	52	4	7	121	23·9	44	8·7	1·0030	8·7	10	83	15·2
Ramsey ...	5,394	68	55	4	1	128	23·7	68	12·6	·9043	11·4	16	125	11·1
St. Ives, M.B. ...	3,029	31	29	2	—	62	20·5	40	13·2	·8357	11·0	2	32	7·3
St. Neots ...	4,210	47	45	3	4	99	23·5	58	13·8	·8573	11·8	7	71	9·7
Rural Districts.														
Huntingdon ...	6,931	88	70	3	2	163	23·5	85	12·3	·8057	9·9	5	31	11·2
Norman Cross ...	5,630	55	74	3	3	135	24·0	62	11·0	·8500	9·4	11	81	13·0
Oundle (part of)† ...	1,128	14	10	2	3	29	25·7	17	15·1	·7731	11·7	1	34	10·6
St. Ives ...	9,740	98	103	2	7	210	21·6	129	13·2	·7655	10·1	18	86	8·4
St. Neots ...	7,225	79	66	3	4	152	21·0	106	14·7	·7623	11·2	7	46	6·3
Thrapston (part of)‡ ...	874	9	6	1	1	17	19·5	18	20·6	·7124	14·7	2	118	—1·1
Civil Parish of Sibson cum Stibbington administered by Rural District Council of Barnack (Soke of Peterborough).	433	6	3	—	—	9	20·8	4	9·2	·7720	7·1	—	—	11·6
KENT.	1,032,184	10,256	9,949	495	478	21,178	20·5	11,837	11·5	·9318	10·7	1,618	76	9·0
Total Urban Districts ...	717,665*	7,329	7,006	334	328	14,997	20·9	8,321	11·6	·9638	11·2	1,173	78	9·3
Total Rural Districts ...	314,519*	2,927	2,943	161	150	6,181	19·7	3,516	11·2	·8660	9·7	445	72	8·5
Urban Districts.														
Ashford ...	13,782	124	124	6	6	260	18·9	167	12·1	·9066	11·0	13	50	6·8
Beckenham ...	32,408	333	269	13	8	623	19·2	302	9·3	1·0056	9·4	48	77	9·9
Bexley ...	16,215	188	201	10	8	407	25·1	182	11·2	·9258	10·4	31	76	13·9
Broadstairs and St. Peter's	9,255	51	48	4	—	103	11·1	74	8·0	1·0183	8·1	2	19	3·1
Bromley, M.B. ...	34,474	312	332	12	20	676	19·6	320	9·3	·9926	9·2	42	62	10·3
Chatham, M.B. ...	42,938	502	515	20	29	1,066	24·8	565	13·2	1·0055	13·3	123	115	11·6
Cheriton ...	7,641	114	89	6	3	212	27·7	61	8·0	1·1890	9·5	13	61	19·7
Chislehurst ...	8,830	76	66	4	4	150	17·0	68†	7·7	1·0196	7·9	7	47	9·3
Dartford ...	24,267	261	227	8	10	506	20·9	228	9·4	1·0421	9·8	38	75	11·5
Deal, M.B. ...	11,390	118	109	7	9	243	21·3	157	13·8	·8885	12·3	15	62	7·5
Dover, M.B. ...	43,774	496	446	18	17	977	22·3	558	12·7	·9519	12·1	86	88	9·6
Erith ...	28,075	324	328	11	7	670	23·9	334	11·9	1·0028	11·9	46	69	12·0
Faversham, M.B. ...	10,530	99	109	4	7	219	20·8	143	13·6	·8612	11·7	17	78	7·2
Folkestone, M.B.§ ...	33,395	273	281	19	26	599	17·9	409	12·2	·9653	11·8	39	65	5·7
Foots Cray ...	8,701	67	65	2	7	141	16·2	58	6·7	1·0288	6·9	5	35	9·5
Gillingham, M.B. ...	53,511	649	570	11	13	1,243	23·2	534	10·0	1·0620	10·6	91	73	13·2
Gravesend, M.B. ...	28,237	295	301	16	5	617	21·9	368	13·0	·9413	12·2	44	71	8·9
Herne Bay ...	7,920	61	77	6	2	146	18·4	97	12·2	·9001	11·0	10	68	6·2
Hythe, M.B. ...	6,497	79	56	2	3	140	21·5	75	11·5	·9050	10·4	10	71	10·0
Lydd, M.B. ...	2,900	23	25	3	—	51	17·6	35†	12·1	1·0013	12·1	4	78	5·5
Maidstone, M.B. ...	35,734	316	331	18	17	682	19·1	453	12·7	·9261	11·8	51	75	6·4
Margate, M.B. ...	27,610	226	202	11	9	448	16·2	311	11·3	1·0284	11·6	49	109	4·9
Milton Regis ...	7,527	73	92	4	9	178	23·6	103	13·7	·8622	11·8	24	135	9·9
New Romney, M.B. ...	1,334	11	14	1	1	27	20·2	17	12·7	·7848	10·0	3	111	7·5
Northfleet... ..	14,353	177	170	12	9	368	25·6	173	12·1	·9636	11·7	28	76	13·5
Penge ...	22,312	210	184	12	12	418	18·7	263	11·8	·9244	10·9	30	72	6·9
Queenborough, M.B. ...	2,635*	33	33	—	1	67	25·4	25	9·5	1·1191	10·6	3	45	15·9
Ramsgate, M.B. ...	29,851	318	294	19	10	641	21·5	435	14·6	·8829	12·9	72	112	6·9
Rochester, M.B. ...	31,489	371	337	16	16	740	23·5	400	12·7	·9627	12·2	62	84	10·8
Sandgate ...	2,898	13	14	1	2	30	10·4	25	8·6	1·3132	11·3	3	100	1·8
Sandwich, M.B. ...	3,023	32	21	—	4	57	18·9	45	14·9	·8396	12·5	6	105	4·0
Sevenoaks... ..	9,324	89	92	3	8	192	20·6	89	9·5	·9666	9·2	10	52	11·1
Sheerness ...	17,394	200	211	5	4	420	24·1	212	12·2	1·0150	12·4	35	83	11·9
Sittingbourne ...	8,305	98	105	9	4	216	26·0	99	11·9	·9278	11·0	14	65	14·1
Southborough ...	7,004	64	77	6	2	149	21·3	107	15·3	·8225	12·6	16	107	6·0
Tenterden, M.B. ...	3,397	43	32	4	—	79	23·3	43	12·7	·7730	9·8	2	25	10·6
Tonbridge ...	15,069	147	143	6	7	303	20·1	170	11·3	·9776	11·0	27	89	8·8
Tunbridge Wells, M.B. ...	36,005	281	258	19	23	581	16·1	402	11·2	·8683	9·7	25	43	4·9
Walmer ...	5,312	52	41	1	1	95	17·9	46	8·7	1·0631	9·2	7	74	9·2
Whitstable ...	8,101	73	69	4	2	148	18·3	114	14·1	·7899	11·1	13	88	4·2
Wrotham ...	4,248	57	48	1	3	109	25·7	54	12·7	·9286	11·8	9	83	13·0
Rural Districts.														
Blean ...	7,669	50	66	2	3	121	15·8	88†	11·5	·8178	9·4	8	66	4·3
Bridge ...	11,224	105	102	6	8	221	19·7	148	13·2	·8078	10·7	9	41	6·5
Bromley ...	22,375	214	209	14	8	445	19·9	242	10·8	·9510	10·3	26	58	9·1
Cranbrook ...	13,788	89	122	5	6	222	16·1	165	12·0	·8515	10·2	28	126	4·1
Dartford ...	40,223	366	400	16	23	805	20·0	384	9·5	·9950	9·5	61	76	10·5
Dover ...	8,568	87	67	5	3	162	18·9	91	10·6	·9895	10·5	11	68	8·3
East Ashford ...	13,683	121	139	4	2	266	19·4	167	12·2	·8111	9·9	23	86	7·2
Eastry ...	13,293	134	122	2	3	261	19·6	141	10·6	·8247	8·7	18	69	9·0

† The remaining parts of Oundle and Thrapston Rural Districts are in Northamptonshire; see page 151.
§ Excluding C.P. of Folkestone next Sandgate. || Including C.P. of Folkestone next Sandgate.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area	Estimated Population. (Middle, 1912.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
KENT—cont.															
Elham	7,524	50	52	2	5	109	14.5	76	10.1	.7852	7.9	3	28	4.4	
Faversham	13,996	157	136	5	5	303	21.6	158	11.3	.8258	9.3	22	73	10.3	
Hollingbourne	12,885	136	112	6	7	261	20.3	155	12.0	.8106	9.7	21	80	8.3	
Hoo	3,926	52	40	4	1	97	24.7	72	18.3	.8716	16.0	12	124	6.4	
Isle of Thanet	13,165	103	107	10	6	226	17.2	135	10.3	.9396	9.7	22	97	6.9	
Maidstone... ..	16,508	155	152	12	9	328	19.9	219	13.3	.8443	11.2	36	110	6.6	
Malling	24,167	255	254	18	12	539	22.3	284	11.8	.8608	10.2	32	59	10.5	
Milton	12,492	122	131	3	3	259	20.7	121	9.7	.8618	8.4	14	54	11.0	
Romney Marsh	2,828	32	29	1	—	62	21.9	26	9.2	.8618	7.9	1	16	12.7	
Sevenoaks... ..	24,206	193	213	11	18	435	18.0	266	11.0	.8793	9.7	23	53	7.0	
Sheppey	4,630*	42	41	3	1	87	18.8	43	9.3	.9014	8.4	7	80	9.5	
Strood	15,475	169	177	9	8	363	23.5	178	11.5	.9370	10.8	26	72	12.0	
Tenterden	6,064	54	55	7	6	122	20.1	71	11.7	.7798	9.1	9	74	8.4	
Tonbridge	17,838	169	161	13	12	355	19.9	199	11.2	.8864	9.9	26	73	8.7	
West Ashford	7,992	72	56	3	1	132	16.5	87	10.9	.8130	8.9	7	53	5.6	
LANCASHIRE.															
Total Urban Districts ...	1,746,018*	18,779	18,283	709	708	38,479	22.0	23,958	13.7	1.0570	14.5	4,040	105	8.3	
Total Rural Districts ...	1,503,055*	16,320	15,911	627	607	33,465	22.3	20,996	14.0	1.0692	15.0	3,593	107	8.3	
Urban Districts.	242,963	2,459	2,372	82	101	5,014	20.6	2,962	12.2	.9864	12.0	447	89	8.4	
Abram	6,971	99	90	4	5	198	28.4	94	13.5	1.1456	15.5	29	146	14.9	
Accrington M.B.	45,282	430	390	13	14	847	18.7	532	11.7	1.0833	12.7	65	77	7.0	
Adlington	4,448	51	63	1	1	116	26.1	55	12.4	1.0729	13.3	8	69	13.7	
Allerton	1,340	10	13	—	—	23	17.2	12	9.0	1.1011	9.9	5	217	8.2	
Ashton in Makerfield ...	21,921	347	336	8	8	699	31.9	277	12.6	1.0937	13.8	74	106	19.3	
Ashton under Lyne M.B.	45,342	500	485	35	25	1,045	23.0	767	16.9	1.0765	18.2	132	126	6.1	
Aspull	8,261	115	126	3	12	256	31.0	135	16.3	1.0745	17.5	38	148	14.7	
Atherton	19,349	246	239	6	15	506	26.2	228	11.8	1.1161	13.2	52	103	14.4	
Audenshaw	8,078	87	86	3	6	182	22.5	105	13.0	1.0790	14.0	26	143	9.5	
Bacup M.B.	22,293	201	244	13	10	468	21.0	367	16.5	1.0491	17.3	56	120	4.5	
Barrowford	5,602	51	45	—	1	97	17.3	72	12.9	1.0695	13.8	16	165	4.4	
Billinge	4,992	65	71	1	1	138	27.6	59	11.8	.9812	11.6	15	109	15.8	
Birkdale†	4,521*	41	34	3	2	80	17.7	66	14.6	.9641	14.1	10	125	3.1	
Bispham with Norbreck...	2,411	15	11	1	1	28	11.6	27	11.2	.9313	10.4	2	71	0.4	
Blackrod	3,899	60	44	2	2	108	27.7	53	13.6	1.0839	14.7	12	111	14.1	
Brierfield	8,388	80	90	3	3	176	21.0	113	13.5	1.1252	15.2	20	114	7.5	
Carnforth	3,154	26	41	4	1	72	22.8	32	10.1	1.0283	10.4	2	28	12.7	
Chadderton	28,750	331	352	9	9	701	24.4	487	16.9	1.0874	18.4	88	126	7.5	
Childwall	195	—	—	—	—	—	—	4	20.5	1.0025	20.6	—	—	20.5	
Chorley M.B.	30,774	350	318	15	13	696	22.6	496	16.1	1.0919	17.6	95	136	6.5	
Church	6,944	73	50	—	2	125	18.0	82	11.8	1.0956	12.9	11	88	6.2	
Clayton le Moors	8,963	112	111	3	5	231	25.8	131	14.6	1.1069	16.2	24	104	11.2	
Clitheroe M.B.	12,644	129	118	4	4	255	20.2	165	13.0	1.0046	13.1	24	94	7.2	
Colne M.B.	26,045	252	257	11	10	530	20.3	376	14.4	1.1004	15.8	70	132	5.9	
Crompton	14,925	170	135	11	7	323	21.6	242	16.2	1.1075	17.9	49	152	5.4	
Croston	2,033	18	16	—	—	34	16.7	35	17.2	.9598	16.5	3	88	0.5	
Dalton in Furness	10,464	171	134	15	10	330	31.5	200	19.1	.9033	17.3	32	97	12.4	
Darwen M.B.	40,613	355	316	11	7	689	17.0	564	13.9	1.1206	15.6	88	128	3.1	
Denton	17,134	163	185	6	8	362	21.1	250	14.6	1.0659	15.6	54	149	6.5	
Droylsden	13,547	162	155	4	4	325	24.0	201	14.8	1.0881	16.1	38	117	9.2	
Eccles M.B.	42,947	480	450	8	20	958	22.3	587	13.7	1.0766	14.7	94	98	8.6	
Failsworth	16,242	200	193	6	11	410	25.2	241	14.8	1.1011	16.3	44	107	10.4	
Farnworth	28,423	309	318	11	10	648	22.8	387	13.6	1.0926	14.9	72	111	9.2	
Fleetwood	16,377	244	222	11	8	485	29.6	230	14.0	1.0698	15.0	60	124	15.6	
Formby	5,987	50	42	4	1	97	16.2	62	10.4	1.0173	10.6	4	41	5.8	
Fulwood	6,755	45	40	—	—	85	12.6	102	15.1	1.0942	16.5	6	71	2.5	
Golborne	6,950	93	103	1	3	200	28.8	110	15.8	1.0549	16.7	31	155	13.0	
Grange	2,264	13	9	—	1	23	10.2	14	6.2	.9188	5.7	—	—	4.0	
Great Crosby	12,898	125	119	1	3	248	19.2	171	13.3	1.0789	14.3	20	81	5.9	
Great Harwood	14,053	135	161	6	6	308	21.9	156	11.1	1.1492	12.8	16	52	10.8	
Haslingden M.B.	18,742	188	150	10	1	349	18.6	294	15.7	1.0978	17.2	32	92	2.9	
Haydock	9,791	139	142	7	8	296	30.2	127	13.0	1.0857	14.1	36	122	17.2	
Heaton Norris	11,485	68	59	2	1	130	11.3	114	9.9	1.0436	10.3	8	62	1.4	
Heysham	3,346	28	23	1	3	55	16.4	53	15.8	.8881	14.0	5	91	0.6	
Heywood M.B.	26,861	269	315	19	16	619	23.0	431	16.0	1.0692	17.1	71	115	7.0	
Hindley	24,179	350	307	14	16	687	28.4	431	17.8	1.1142	19.8	114	166	10.6	
Horwich	16,444	176	161	5	6	348	21.2	222	13.5	1.1400	15.4	26	75	7.7	
Hurst	7,952	80	106	3	4	193	24.3	125	15.7	1.0619	16.7	23	119	8.6	
Huyton with Roby	4,545	41	37	3	3	84	18.5	59	13.0	1.0573	13.7	9	107	5.5	
Ince in Makerfield	22,136	341	350	23	11	725	32.8	405	18.3	1.1021	20.2	87	120	14.5	
Irlam	6,569	82	85	4	—	171	26.0	72	11.0	1.0901	12.0	12	70	15.0	
Kearsley	9,729	92	104	3	2	201	20.7	120	12.3	1.0952	13.5	23	114	8.4	
Kirkham	3,806	36	40	3	5	84	22.1	56	14.7	1.0073	14.8	16	190	7.4	
Lancaster M.B.	41,553	409	403	17	20	849	20.4	501	12.1	1.0442	12.6	81	95	8.3	

† Abolished 1st April, 1912.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population. (Middle, 1912.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
LANCASHIRE—cont.															
Lathom and Burscough...	7,251	84	82	3	—	169	23·3	82	11·3	·9804	11·1	12	71	12·0	
Lees ...	3,654	40	45	4	1	90	24·6	58	15·9	·9918	15·8	10	111	8·7	
Leigh M.B. ...	44,646	586	610	16	13	1,225	27·4	675	15·1	1·0948	16·5	166	136	12·3	
Leyland ...	8,250	78	87	1	6	172	20·8	118	14·3	1·0510	15·0	13	76	6·5	
Litherland ...	15,352	259	226	6	4	495	32·2	185	12·1	1·0433	12·6	34	69	20·1	
Littleborough ...	11,767	117	114	3	4	238	20·2	183	15·6	1·0582	16·5	21	88	4·6	
Little Crosby ...	881	6	9	—	—	15	17·0	13	14·8	1·1982	17·7	1	67	2·2	
Little Hulton ...	8,210	100	95	2	3	200	24·4	105	12·8	1·0931	14·0	15	75	11·6	
Little Lever ...	5,204	50	49	4	—	103	19·8	80	15·4	1·0436	16·1	19	184	4·4	
Little Woolton ...	1,103	8	12	1	—	21	19·0	17	15·4	1·0595	16·3	2	95	3·6	
Longridge ...	4,345	51	31	1	1	84	19·3	65	15·0	1·0034	15·1	11	131	4·3	
Lytham ...	9,765	75	58	1	5	139	14·2	119	12·2	·9739	11·9	13	94	2·0	
Middleton M.B. ...	28,351	270	309	20	8	607	21·4	428	15·1	1·0744	16·2	71	117	6·3	
Milnrow ...	8,629	67	79	1	6	153	17·7	129	14·9	1·0179	15·2	15	98	2·8	
Morecambe M.B....	12,175	96	82	5	5	188	15·4	203	16·7	·8817	14·7	22	117	—1·3	
Mossley M.B. ...	13,172	117	120	7	3	247	18·8	208	15·8	1·0105	16·0	24	97	3·0	
Much Woolton ...	4,266	51	42	2	—	95	22·3	64	15·0	1·0269	15·4	10	105	7·3	
Nelson M.B. ...	40,361	320	314	16	10	660	16·4	476	11·8	1·1919	14·1	64	97	4·6	
Newton in Makerfield	18,683	259	230	9	9	507	27·1	245	13·1	1·0580	13·9	54	107	14·0	
Norden ...	3,782	33	28	1	1	63	16·7	50	13·2	·9927	13·1	5	79	3·5	
Ormskirk ...	7,480	76	89	2	4	171	22·9	98	13·1	·9886	13·0	14	82	9·8	
Orrell ...	6,435	73	73	3	3	152	23·6	89	13·8	1·0918	15·1	23	151	9·8	
Oswaldtwistle ...	15,916	183	156	3	6	348	21·9	196	12·3	1·0964	13·5	38	109	9·6	
Padiham ...	13,824	141	142	8	9	300	21·7	196	14·2	1·0855	15·4	34	113	7·5	
Poulton le Fylde...	2,451	15	24	—	—	39	15·9	32	13·1	·9069	11·9	—	—	2·8	
Preesall ...	1,757	19	19	2	1	41	23·3	12	6·8	·9524	6·5	2	49	16·5	
Prescot ...	8,194	118	119	2	3	242	29·5	115	14·0	1·0356	14·5	25	103	15·5	
Prestwich ...	17,782	159	146	5	7	317	17·8	197+	11·1	1·0808	12·0	25	79	6·7	
Radcliffe ...	25,803	244	244	9	13	510	19·8	350	13·6	1·1102	15·1	48	94	6·2	
Rainford ...	3,522	42	36	1	—	79	22·4	46	13·1	1·0021	13·1	5	63	9·3	
Ramsbottom ...	15,044	138	123	2	4	267	17·7	214	14·2	1·0583	15·0	28	105	3·5	
Rawtenstall M.B.	30,445	290	263	10	9	572	18·8	438	14·4	1·0705	15·4	55	96	4·4	
Rishton ...	7,495	66	75	1	—	142	18·9	82	10·9	1·1417	12·4	10	70	8·0	
Royton ...	17,359	212	219	12	15	458	26·4	253	14·6	1·0812	15·8	37	81	11·8	
St. Anne's on the Sea	10,234	44	56	2	2	104	10·2	100	9·8	1·0508	10·3	11	106	0·4	
Skelsmersdale ...	6,971	94	99	4	5	202	29·0	102	14·6	1·0478	15·3	24	119	14·4	
Standish with Langtree...	7,409	100	95	5	5	205	27·7	82	11·1	1·0778	12·0	17	83	16·6	
Stretford ...	44,093	399	342	11	12	764	17·3	493	11·2	1·1097	12·4	61	80	6·1	
Swinton and Pendlebury	31,256	368	357	14	10	749	24·0	426	13·6	1·1332	15·4	69	92	10·4	
Thornton...	4,876	55	51	3	4	113	23·2	71	14·6	·9558	14·0	11	97	8·6	
Tottington ...	6,855	52	52	1	1	106	15·5	76	11·1	1·0375	11·5	11	104	4·4	
Trawden ...	3,006	27	39	—	2	68	22·6	44	14·6	1·0716	15·6	5	74	8·0	
Turton ...	12,687	114	118	1	6	239	18·8	128	10·1	1·0615	10·7	14	59	8·7	
Tyldesley with Shakerley	15,680	198	206	9	5	418	26·7	225	14·3	1·1091	15·9	44	105	12·4	
Ulverston...	9,484	117	84	5	6	212	22·4	137	14·4	·9271	13·4	11	52	8·0	
Upholland ...	5,294	68	70	3	3	144	27·2	87	16·4	1·0024	16·4	18	125	10·8	
Urmston ...	8,087	79	66	3	—	148	18·3	90	11·1	1·0798	12·0	13	88	7·2	
Walton le Dale ...	12,493	134	132	1	1	268	21·5	164	13·1	1·0469	13·7	23	86	8·4	
Wardle ...	4,759	29	35	2	2	68	14·3	73	15·3	1·0301	15·8	8	118	—1·0	
Waterloo with Seaforth...	26,832	340	285	10	17	652	24·3	326	12·1	1·0190	12·3	52	80	12·2	
Westhoughton ...	15,135	175	214	8	6	403	26·6	227	15·0	1·0725	16·1	51	127	11·6	
Whitefield ...	7,017	86	49	3	—	138	19·7	91	13·0	1·0821	14·1	16	116	6·7	
Whitworth ...	8,779	74	96	7	3	180	20·5	175	19·9	1·0520	20·9	27	150	0·6	
Widnes M.B. ...	31,933	459	470	17	14	960	30·1	558	17·5	1·0547	18·5	117	122	12·6	
Withnell ...	3,406	33	24	—	2	59	17·3	35	10·3	1·0756	11·1	6	102	7·0	
Worsley ...	14,098	129	127	4	3	263	18·7	168	11·9	1·1100	13·2	30	114	6·8	
Rural Districts.															
Barton upon Irwell ...	9,429	104	93	2	2	201	21·3	113	12·0	1·0196	12·2	6	30	9·3	
Blackburn...	9,594	83	79	1	5	168	17·5	120	12·5	1·0427	13·0	18	107	5·0	
Burnley ...	20,203	220	184	7	5	416	20·6	242	12·0	1·0724	12·9	39	94	8·6	
Bury ...	9,169	96	84	5	—	185	20·2	108	11·8	1·0430	12·3	18	97	8·4	
Chorley ...	21,781	256	221	10	10	497	22·8	299	13·7	1·0431	14·3	57	115	9·1	
Clitheroe ...	6,409	64	61	1	2	128	20·0	82	12·8	·9672	12·4	9	70	7·2	
Fylde ...	11,756	96	123	4	5	228	19·4	126	10·7	·9949	10·6	20	88	8·7	
Garstang ...	10,725	107	88	3	13	211	19·7	129	12·0	·9072	10·9	24	114	7·7	
Lancaster ...	9,118	89	94	5	8	196	21·5	125	13·7	·8944	12·3	17	87	7·8	
Leigh ...	10,298	157	121	3	5	286	27·8	136	13·2	1·0463	13·8	33	115	14·6	
Limehurst ...	10,596	108	136	3	4	251	23·7	158	14·9	1·0497	15·6	20	80	8·8	
Lunesdale...	6,873	70	68	1	4	143	20·8	73	10·6	·9317	9·9	9	63	10·2	
Preston ...	21,264	176	204	3	5	388	18·2	269+	12·7	·9813	12·5	33	85	5·5	
Sefton ...	5,971	48	44	1	1	94	15·7	59	9·9	1·0126	10·0	4	43	5·8	
Ulverston ..	16,927	139	142	5	7	293	17·3	230	13·6	·8731	11·9	20	68	3·7	
Warrington ...	14,175	144	136	5	4	289	20·4	169+	11·9	1·0409	12·4	39	135	8·5	
West Lancashire...	20,815	207	198	10	8	423	20·3	217	10·4	·9812	10·2	30	71	9·9	
Whiston ...	21,496	213	212	11	8	444	20·7	228+	10·6	1·0010	10·6	38	86	10·1	
Wigan ...	6,364	82	84	2	5	173	27·2	79	12·4	1·0001	12·4	13	75	14·8	

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population. (Middle, 1912.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	
		M.	F.	M.	F.									
LEICESTERSHIRE.	252,432	2,715	2,806	109	108	5,738	22·7	3,024	12·0	·9342	11·2	461	80	10·7
Total Urban Districts ...	100,000*	1,135	1,171	45	41	2,392	23·9	1,218	12·2	·9936	12·1	211	88	11·7
Total Rural Districts ...	152,432*	1,580	1,635	64	67	3,346	22·0	1,806	11·8	·8987	10·6	250	75	10·2
Urban Districts.														
Ashby de la Zouch ...	4,954	59	41	3	4	107	21·6	66	13·3	·8836	11·8	10	93	8·3
Ashby Woulds ...	2,781	31	35	—	2	68	24·5	18	6·5	1·0412	6·8	5	74	18·0
Coalville ...	19,124*	273	272	8	2	555	29·0	224	11·7	1·0305	12·1	60	108	17·3
Hinckley ...	13,039	165	163	4	6	338	25·9	174	13·3	1·0114	13·5	28	83	12·6
Loughborough M.B. ...	23,186	246	268	13	7	534	23·0	266	11·5	1·0032	11·5	47	88	11·5
Market Harborough ...	9,001	86	89	1	3	179	19·9	103	11·4	·9866	11·2	10	56	8·5
Melton Mowbray ...	9,433	104	109	8	8	229	24·3	136	14·4	·9633	13·9	17	74	9·9
Quorndon ...	2,388	23	18	1	1	43	18·0	31	13·0	·9299	12·1	4	93	5·0
Shepshed ...	5,575	59	71	4	3	137	24·6	77	13·8	·9676	13·4	10	73	10·8
Thurmaston ...	1,836	21	23	1	3	48	26·1	36	19·6	·9114	17·9	7	146	6·5
Wigston Magna ...	8,633	68	82	2	2	154	17·7	87	10·0	1·0461	10·5	13	84	7·7
Rural Districts.														
Ashby de la Zouch ...	16,351*	199	226	8	9	442	27·0	179	10·9	·9399	10·2	46	104	16·1
Barrow upon Soar ...	24,042	244	262	8	6	520	21·6	310	12·9	·9340	12·0	45	87	8·7
Belvoir ...	3,228	34	28	4	3	69	21·4	44	13·6	·7358	10·0	5	72	7·8
Billesdon ...	7,011	70	58	4	5	137	19·5	73	10·4	·8404	8·7	10	73	9·1
Blaby ...	19,461	172	166	7	7	352	18·1	208†	10·7	·9310	10·0	20	57	7·4
Castle Donington ...	6,442	67	73	2	3	145	22·5	85	13·2	·8876	11·7	9	62	9·3
Hallaton ...	1,859	18	16	—	1	35	18·8	19	10·2	·8057	8·2	1	29	8·6
Hinckley ...	13,982	150	160	5	2	317	22·7	156	11·2	·9929	11·1	19	60	11·5
Loughborough ...	4,604	46	43	1	2	92	20·0	58	12·6	·8576	10·8	6	65	7·4
Lutterworth ...	9,995	87	83	5	5	180	18·0	144	14·4	·7961	11·5	16	89	3·6
Market Bosworth ...	22,286	281	300	7	11	599	26·9	256	11·5	·9363	10·8	46	77	15·4
Market Harborough ...	7,839	67	69	2	2	140	17·9	86	11·0	·8602	9·5	8	57	6·9
Melton Mowbray ...	15,332	145	151	11	11	318	20·7	188	12·3	·8466	10·4	19	60	8·4
LINCOLNSHIRE														
(PARTS OF HOLLAND).	83,543	933	916	68	63	1,980	23·7	1,107	13·3	·8307	11·0	180	91	10·4
Total Urban Districts ...	37,603	396	391	26	32	845	22·5	540	14·4	·8440	12·2	82	97	8·1
Total Rural Districts ...	45,940	537	525	42	31	1,135	24·7	567	12·3	·8203	10·1	98	86	12·4
Urban Districts.														
Boston M.B. ...	16,806	171	169	12	15	367	21·8	236	14·0	·8647	12·1	33	90	7·8
Holbeach ...	5,326	59	60	4	3	126	23·7	75	14·1	·8480	12·0	9	71	9·6
Long Sutton ...	2,878	26	34	1	2	63	21·9	48	16·7	·7878	13·2	7	111	5·2
Spalding ...	10,430	112	106	7	7	232	22·2	151	14·5	·8396	12·2	28	121	7·7
Sutton Bridge ...	2,163	28	22	2	5	57	26·4	30	13·9	·7891	11·0	5	88	12·5
Rural Districts.														
Boston ...	21,224	255	248	20	19	542	25·5	272	12·8	·8212	10·5	48	89	12·7
Crowland ...	2,675	29	22	4	1	56	20·9	37	13·8	·7898	10·9	4	71	7·1
East Elloe... ..	8,751	108	89	9	6	212	24·2	110	12·6	·7990	10·1	15	71	11·6
Spalding ...	13,290	145	166	9	5	325	24·5	148	11·1	·8409	9·3	31	95	13·4
(PARTS OF KESTIVEN).														
Total Urban Districts ...	112,299	1,169	1,089	62	76	2,396	21·3	1,373	12·2	·8533	10·4	169	71	9·1
Total Rural Districts ...	44,695	466	453	18	26	963	21·5	528	11·8	·9088	10·7	52	54	9·7
Total Rural Districts ...	67,604	703	636	44	50	1,433	21·2	845	12·5	·8205	10·3	117	82	8·7
Urban Districts.														
Bourne ...	4,341	31	47	5	5	88	20·3	51	11·7	·7987	9·3	5	57	8·6
Bracebridge ...	2,351	30	34	1	2	67	28·5	25	10·6	1·0072	10·7	1	15	17·9
Grantham M.B. ...	20,398	223	214	4	12	453	22·2	224	11·0	·9611	10·6	23	51	11·2
Ruskington ...	1,216	5	10	—	—	15	12·3	29	23·8	·7881	18·8	—	—	11·5
Sleaford ...	6,554	64	58	4	4	130	19·8	80†	12·2	·8452	10·3	7	54	7·6
Stamford M.B. ...	9,835	113	90	4	3	210	21·4	119	12·1	·9176	11·1	16	76	9·3
Rural Districts.														
Bourne ...	13,415	141	136	10	8	295	22·0	187	13·9	·7915	11·0	22	75	8·1
Branston ...	15,179	156	123	8	7	294	19·4	164†	10·8	·8603	9·3	20	68	8·6
Claypole ...	7,945	76	76	3	5	160	20·1	108	13·6	·7665	10·4	11	69	6·5
Grantham... ..	12,232	130	124	13	12	279	22·8	158	12·9	·8413	10·9	29	104	9·9
Sleaford ...	17,296	186	162	8	18	374	21·6	210	12·1	·8192	9·9	34	91	9·5
Uffington ...	1,537	14	15	2	—	31	20·2	18	11·7	·8986	10·5	1	32	8·5
(PARTS OF LINDSEY).														
Total Urban Districts ...	241,990	2,847	2,718	197	182	5,944	24·6	3,030	12·5	·8628	10·8	528	89	12·1
Total Urban Districts ...	98,762	1,251	1,130	84	87	2,552	25·8	1,254	12·7	·9313	11·8	252	99	13·1
Total Rural Districts ...	143,228	1,596	1,588	113	95	3,392	23·7	1,776	12·4	·8216	10·2	276	81	11·3
Urban Districts.														
Alford ...	2,383	23	28	8	4	63	26·4	31	13·0	·7467	9·7	8	127	13·4
Barton upon Humber ...	6,806	89	78	5	2	174	25·6	91	13·4	·8776	11·8	11	63	12·2
Brigg ...	3,370	39	33	3	3	78	23·2	41	12·2	·8549	10·4	5	64	11·0
Broughton ...	1,392	17	17	—	1	35	25·1	9	6·5	·8493	5·5	—	—	18·6
Brumby and Frodingham	3,018	48	35	4	3	90	29·8	46	15·2	1·0188	15·5	12	133	14·6
Cleethorpe with Thrunscoe.	22,588	343	300	13	16	672	29·8	263	11·6	1·0414	12·1	77	115	18·2

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population. (Middle, 1912.)	BIRTHS (exclusive of Still-born).					DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.		Rate per 1,000 Births.
		M.	F.	M.	F.									
LINCOLNSHIRE—cont.														
Crowle	2,864	40	25	3	5	73	25·5	49	17·1	·7670	13·1	10	137	8·4
Gainsborough	20,975	271	266	19	21	577	27·5	227	10·8	1·0330	11·2	52	90	16·7
Horncastle	3,882	34	32	3	2	71	18·3	58	14·9	·7405	11·0	4	56	3·4
Louth M.B.	9,927	78	74	5	7	164	16·5	177	17·8	·7657	13·6	23	140	-1·3
Mablethorpe	1,271	8	13	1	—	22	17·3	11	8·7	·8317	7·2	1	45	8·6
Market Rasen	2,310	29	21	3	3	56	24·2	41	17·7	·7944	14·1	5	89	6·5
Roxby cum Risby	377	9	5	—	—	14	37·1	6	15·9	·9732	15·5	5	357	21·2
Scunthorpe	10,622	171	154	12	14	351	33·0	113	10·6	1·0603	11·2	34	97	22·4
Skegness	3,992	18	30	3	5	56	14·0	41	10·3	1·0149	10·5	5	89	2·7
Winterton	1,435	21	11	—	—	32	22·3	26	18·1	·7521	13·6	—	—	4·2
Woodhall Spa	1,550	13	8	2	1	24	15·5	24	15·5	·9201	14·3	—	—	—
Rural Districts.														
Caistor	13,127	136	123	6	11	276	21·0	191	14·6	·8039	11·7	23	83	6·4
Gainsborough	14,769	169	145	12	11	337	22·8	189	12·8	·8111	10·4	27	80	10·0
Glanford Brigg	30,698	397	414	23	21	855	27·9	352	11·5	·8681	10·0	68	80	16·4
Grimsby	11,317	135	137	8	9	289	25·5	122	10·8	·9279	10·0	21	73	14·7
Horncastle	13,054	141	152	12	4	309	23·7	162	12·4	·8123	10·1	19	61	11·3
Isle of Axholme	6,833	77	71	2	3	153	22·4	112	16·4	·7939	13·0	17	111	6·0
Louth	18,256	177	181	11	10	379	20·8	216	11·8	·8000	9·4	29	77	9·0
Sibsey	2,999	40	38	2	3	83	27·7	44	14·7	·7997	11·8	7	84	13·0
Spilsby	21,079	211	208	24	11	454	21·5	268	12·7	·7724	9·8	42	93	8·8
Welton	11,096	113	119	13	12	257	23·2	120	10·8	·8241	8·9	23	89	12·4
LONDON.														
Metropolitan Boroughs.														
City of London	18,695	95	85	4	4	188	10·1	268	14·3	1·0419	14·9	15	80	-4·2
Battersea	167,589	2,121	2,017	77	74	4,289	25·6	2,083	12·4	1·0098	12·5	363	85	13·2
Bermondsey	125,260	1,943	1,902	50	38	3,933	31·4	2,135	17·0	·9976	17·0	435	111	14·4
Bethnal Green	127,985	1,947	1,918	38	31	3,934	30·7	1,987	15·5	1·0397	16·1	379	96	15·2
Camberwell	261,591	3,199	3,084	101	94	6,478	24·8	3,435	13·1	·9883	12·9	542	84	11·7
Chelsea	65,397	616	550	42	37	1,245	19·0	988	15·1	·9513	14·4	86	69	3·9
Deptford	109,377	1,398	1,437	44	51	2,930	26·8	1,513	13·8	·9879	13·6	277	95	13·0
Finsbury	86,130	1,278	1,239	47	45	2,609	30·3	1,604	18·6	·9887	18·4	294	113	11·7
Fulham	155,402	2,051	1,997	115	98	4,261	27·4	2,033	13·1	1·0340	13·5	398	93	14·3
Greenwich	95,994	1,219	1,129	31	34	2,413	25·1	1,182	12·3	·9837	12·1	179	74	12·8
Hackney	222,986	2,720	2,480	78	62	5,340	23·9	2,759	12·4	1·0066	12·5	425	80	11·5
Hammersmith	122,750	1,414	1,354	77	72	2,917	23·8	1,651	13·5	·9884	13·3	268	92	10·3
Hampstead	85,966	629	573	46	41	1,289	15·0	875	10·2	1·0572	10·8	80	62	4·8
Holborn	48,026	431	412	33	37	913	19·0	769	16·0	1·0034	16·1	76	83	3·0
Islington	326,398	4,139	3,819	172	168	8,298	25·4	4,746	14·5	·9749	14·1	722	87	10·9
Kensington	171,746	1,615	1,564	97	89	3,365	19·6	2,313	13·5	·9957	13·4	305	91	6·1
Lambeth	297,550	3,400	3,251	184	199	7,034	23·6	4,040	13·6	·9804	13·3	613	87	10·0
Lewisham	165,249	1,666	1,620	63	44	3,393	20·5	1,783	10·8	·9826	10·6	243	72	9·7
Paddington	142,362	1,463	1,392	106	92	3,053	21·4	1,796	12·6	·9941	12·5	299	98	8·8
Poplar	161,597	2,630	2,379	57	40	5,106	31·6	2,672	16·5	·9898	16·3	551	108	15·1
St. Marylebone	116,155	1,085	1,008	96	91	2,280	19·6	1,656	14·3	1·0198	14·6	213	93	5·3
St. Pancras	216,145	2,600	2,564	140	129	5,433	25·1	3,217	14·9	·9971	14·9	475	87	10·2
Shoreditch	110,430	1,782	1,711	51	61	3,605	32·6	2,036	18·4	1·0331	19·0	448	124	14·2
Southwark	190,017	2,846	2,600	110	107	5,663	29·8	3,221	17·0	1·0060	17·1	598	106	12·8
Stepney	277,315	4,269	4,145	98	91	8,603	31·0	4,284	15·4	1·0433	16·1	913	106	15·6
Stoke Newington	50,581	515	499	12	12	1,038	20·5	625†	12·4	·9512	11·8	75	72	8·1
Wandsworth	321,881	3,341	3,233	137	108	6,819	21·2	3,366	10·5	1·0045	10·5	522	77	10·7
Westminster	157,248	1,133	1,067	76	86	2,362	15·0	2,024	12·9	1·0540	13·6	200	85	2·1
Woolwich	121,932	1,356	1,348	27	45	2,776	22·8	1,456	11·9	1·0249	12·2	208	75	10·9
MERIONETHSHIRE.														
Total Urban Districts	45,130	393	375	36	44	848	18·8	735	16·3	·8682	14·1	81	96	2·5
Total Rural Districts	19,884	176	182	17	16	391	19·7	335	16·8	·8959	15·1	38	97	2·9
Total	25,246	217	193	19	28	457	18·1	400	15·8	·8466	13·4	43	94	2·3
Urban Districts.														
Bala	1,536	6	13	3	4	26	16·9	36	23·4	·8079	18·9	2	77	-6·5
Barmouth	2,092	15	12	3	2	32	15·3	36	17·2	·9037	15·5	4	125	-1·9
Dolgelly	2,123	14	25	—	—	39	18·4	38	17·9	·8162	14·6	4	103	0·5
Ffestiniog	9,441	105	108	8	8	229	24·3	161	17·1	·9493	16·2	21	92	7·2
Mallwyd	740	7	5	1	—	13	17·6	6	8·1	·7142	5·8	—	—	9·5
Towyn	3,952	29	19	2	2	52	13·2	58	14·7	·8868	13·0	7	135	-1·5
Rural Districts.														
Deudraeth	7,760	65	56	4	10	135	17·4	106	13·7	·8628	11·8	15	111	3·7
Dolgelly	7,878	60	61	7	7	135	17·1	126	16·0	·8471	13·6	6	44	1·1
Edeirnion	5,132	47	45	5	7	104	20·3	92	17·9	·8501	15·2	13	125	2·4
Penllyn	4,057	42	27	3	4	76	18·7	67	16·5	·8182	13·5	8	105	2·2
Civil Parish of Pennal administered by Rural District Council of Machynlleth (Montgomeryshire).	419	3	4	—	—	7	16·7	9	21·5	·8165	17·6	1	143	-4·8

† Standardized by the "Direct" method.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population. (Middle 1912)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	
		M.	F.	M.	F.									
MIDDLESEX.	1,170,694	13,677	13,056	511	479	27,723	23·7	11,845	10·1	1·0198	10·3	2,104	76	13·6
Total Urban Districts ...	1,121,123	13,089	12,574	494	452	26,609	23·7	11,358	10·1	1·0232	10·3	2,022	76	13·6
Total Rural Districts ...	49,571	588	482	17	27	1,114	22·5	487	9·8	·9580	9·4	82	74	12·7
Urban Districts.														
Acton ...	60,113	741	710	42	30	1,523	25·3	644	10·7	1·0464	11·2	106	70	14·6
Brentford ...	16,701*	227	225	8	9	469	28·1	202	12·1	1·0261	12·4	42	90	16·0
Chiswick ...	39,929*	451	429	14	21	915	22·9	427	10·7	1·0204	10·9	70	77	12·2
Ealing M.B. ...	64,955	658	619	33	26	1,336	20·6	637	9·8	·9933	9·7	94	70	10·8
Edmonton ...	67,167	888	835	18	24	1,765	26·3	679	10·1	1·0716	10·8	151	86	16·2
Enfield ...	58,139	652	700	23	26	1,401	24·1	578	9·9	1·0348	10·2	105	75	14·2
Feltham ...	5,215	60	72	1	2	135	25·9	62	11·9	·9478	11·3	18	133	14·0
Finchley ...	41,709	473	479	9	18	979	23·5	387	9·3	1·0160	9·4	62	63	14·2
Friern Barnet ...	15,369	167	187	3	2	359	23·4	137†	8·9	1·0136	9·0	20	56	14·5
Greenford ...	1,096	17	15	—	1	33	30·1	16	14·6	·8979	13·1	3	91	15·5
Hampton ...	9,539	86	79	4	1	170	17·8	93	9·7	·9699	9·4	11	65	8·1
Hampton Wick ...	2,392	17	12	3	—	32	13·4	30	12·5	·9487	11·9	1	31	0·9
Hanwell ...	20,280	241	252	18	18	529	26·1	185	9·1	1·0486	9·5	37	70	17·0
Harrow on the Hill ...	17,982	186	183	7	3	379	21·1	142	7·9	1·0655	8·4	18	47	13·2
Hayes ...	4,482	52	51	2	1	106	23·7	55	12·3	·9353	11·5	9	85	11·4
Hendon ...	40,972	500	478	14	19	1,011	24·7	363	8·9	1·0569	9·4	54	53	15·8
Heston and Isleworth ...	44,962	507	460	23	30	1,020	22·7	492	10·9	·9409	10·3	91	89	11·8
Hornsey M.B. ...	86,252	716	666	18	17	1,417	16·4	842	9·8	1·0255	10·0	105	74	6·6
Kingsbury ...	829	10	8	—	—	18	21·7	6	7·2	1·0659	7·7	—	—	14·5
Ruislip Northwood ...	6,568	66	64	3	—	133	20·2	62	9·4	1·0635	10·0	14	105	10·8
Southall Norwood ...	28,061	339	306	16	9	670	23·9	250†	8·9	1·0370	9·2	72	107	15·0
Southgate... ..	36,078	410	333	7	6	756	21·0	297	8·2	1·0288	8·4	49	65	12·8
Staines ...	6,764	61	58	3	5	127	18·8	66	9·8	·9626	9·4	15	118	9·0
Sunbury on Thames ...	4,615	43	45	1	1	90	19·5	54	11·7	·9343	10·9	8	89	7·8
Teddington ...	18,352	202	171	10	12	395	21·5	207	11·3	·9593	10·8	38	96	10·2
Tottenham ...	142,015	1,915	1,812	69	56	3,852	27·1	1,618	11·4	1·0227	11·7	308	80	15·7
Twickenham ...	30,476	349	315	24	17	705	23·1	311	10·2	·9839	10·0	49	70	12·9
Uxbridge ...	10,611	122	117	6	4	249	23·5	126	11·9	·9391	11·2	19	76	11·6
Wealdstone ...	12,720	145	160	5	6	316	24·8	104	8·2	1·0930	9·0	21	66	16·6
Wembley ...	11,514	142	139	4	3	288	25·0	76	6·6	1·0442	6·9	18	63	18·4
Willesden... ..	159,432	1,990	1,967	76	64	4,097	25·7	1,655	10·4	1·0500	10·9	335	82	15·3
Wood Green ...	51,373	580	564	27	19	1,190	23·2	499	9·7	1·0158	9·9	67	56	13·5
Yiewsley ...	4,461	76	63	3	2	144	32·3	56	12·6	1·0037	12·6	12	83	19·7
Rural Districts.														
Hendon ...	14,890	174	149	5	5	333	22·4	118	7·9	1·0632	8·4	20	60	14·5
South Mimms ...	2,823	35	25	2	—	62	22·0	28	9·9	·9183	9·1	5	81	12·1
Staines ...	22,433	278	239	9	17	543	24·2	238	10·6	·9293	9·9	41	76	13·6
Uxbridge ...	9,425	101	69	1	5	176	18·7	103	10·9	·9181	10·0	16	91	7·8
MONMOUTHSHIRE.	322,784	4,975	4,572	158	160	9,865	30·6	4,194	13·0	1·0173	13·2	1,033	105	17·6
Total Urban Districts ...	276,004*	4,497	4,067	142	135	8,841	32·0	3,630	13·2	1·0418	13·7	953	108	18·8
Total Rural Districts ...	46,780*	478	505	16	25	1,024	21·9	564	12·1	·8975	10·9	80	78	9·8
Urban Districts.														
Abercarn ...	16,953	319	308	9	9	645	38·0	244	14·4	1·0851	15·6	82	127	23·6
Abergavenny M.B. ...	8,606	97	88	5	10	200	23·2	134	15·6	·9079	14·2	20	100	7·6
Abersychan ...	25,568	426	338	8	11	783	30·6	274	10·7	1·0527	11·3	69	88	19·9
Abertillery ...	37,199	733	591	17	13	1,354	36·4	450	12·1	1·1165	13·5	157	116	24·3
Bedwas and Machen† ...	1,297*	18	24	1	—	43	33·2	13	10·0	1·0064	10·1	1	23	23·2
Bedwellty... ..	24,210	396	396	14	14	820	33·9	311	12·8	1·1001	14·1	104	127	21·1
Blaenavon ...	12,161	186	139	6	6	337	27·7	212	17·4	1·0141	17·6	40	119	10·3
Caerleon ...	2,136	19	16	—	—	35	16·4	20	9·4	·9163	8·6	3	86	7·0
Chepstow ...	2,938	31	25	1	5	62	21·1	47	16·0	·7996	12·8	3	48	5·1
Ebbw Vale ...	31,805	513	482	24	13	1,032	32·4	491	15·4	1·0590	16·3	137	133	17·0
Llanfrechfa Upper ...	4,665	70	78	1	1	150	32·2	55	11·8	1·0457	12·3	17	113	20·4
Llantarnam ...	7,293	116	116	3	3	238	32·6	91	12·5	1·0095	12·6	24	101	20·1
Monmouth M.B. ...	5,292	41	38	3	6	88	16·6	71	13·4	·8390	11·2	7	80	3·2
Mynyddislwyn ...	10,860	193	181	4	4	382	35·2	144	13·3	1·0646	14·2	50	131	21·9
Nantyglo and Blaina ...	15,647	243	250	11	10	514	32·8	158	10·1	1·0781	10·9	32	62	22·7
Panteg ...	10,444	159	134	1	4	298	28·5	102	9·8	1·0291	10·1	24	81	18·7
Pontypool ...	6,495	93	92	8	3	196	30·2	82	12·6	1·0504	13·2	14	71	17·6
Rhymney ...	11,917	192	166	8	5	371	31·1	177	14·9	1·0624	15·7	48	129	16·2
Risca ...	14,743	242	200	4	5	451	30·6	174	11·8	1·0698	12·6	41	91	18·8
Tredegar ...	24,277	398	387	14	12	811	33·4	355	14·6	1·0250	15·0	79	97	18·8
Usk ...	1,498	12	18	—	1	31	20·7	25	16·7	·8701	14·5	1	32	4·0
Rural Districts.														
Abergavenny ...	8,811	83	86	2	5	176	20·0	117†	13·3	·8625	11·5	16	91	6·7
Chepstow ...	8,029	82	96	6	4	188	23·4	91	11·3	·8761	9·9	12	64	12·1
Magor ...	4,905	45	50	1	1	97	19·8	53	10·8	·8874	9·6	8	82	9·0
Monmouth ...	6,533	65	64	3	4	136	20·8	91	13·9	·8380	11·6	10	74	6·9
Pontypool ...	5,115	43	49	1	1	94	18·4	63	12·3	·8415	10·4	4	43	6·1
St. Mellons ...	13,387*	160	160	3	10	333	24·9	149	11·1	1·0078	11·2	30	90	13·8

† Created 1st October, 1912.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population, (Middle, 1912.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	
		M.	F.	M.	F.									
MONTGOMERYSHIRE.	52,914	545	477	43	41	1,106	20.9	714	13.5	.8358	11.3	91	82	7.4
Total Urban Districts ...	19,013	171	155	13	9	348	18.3	280	14.7	.8674	12.8	27	78	3.6
Total Rural Districts ...	33,901	374	322	30	32	758	22.4	434	12.8	.8404	10.8	64	84	9.6
Urban Districts.														
Llanfyllin M.B. ...	1,633	16	11	2	1	30	18.4	20	12.2	.7976	9.7	1	33	6.2
Llanidloes M.B. ...	2,571	24	19	1	1	45	17.5	41	15.9	.8698	13.8	9	200	1.6
Machynlleth ...	1,933	7	18	—	—	25	12.9	22	11.4	.9592	10.9	3	120	1.5
Montgomery M.B. ...	976	9	6	—	—	15	15.4	21	21.5	.7697	16.5	1	67	—6.1
Newtown and Llanllwchaearn.	6,010	63	57	8	3	131	21.8	72	12.0	.9144	11.0	8	61	9.8
Welshpool M.B. ...	5,890	52	44	2	4	102	17.3	104	17.7	.8299	14.7	5	49	—0.4
Rural Districts.														
Forden ...	5,731	71	50	3	2	126	22.0	68	11.9	.7879	9.4	8	63	10.1
Llanfyllin... ..	12,466	116	111	14	16	257	20.6	165	13.2	.8087	10.7	27	105	7.4
Machynlleth ...	4,101	54	29	4	6	93	22.7	76	18.5	.8076	14.9	10	108	4.2
Newtown and Llanidloes	11,603	133	132	9	8	282	24.3	125	10.8	.8366	9.0	19	67	13.5
NORFOLK.	323,113	3,138	3,002	258	223	6,621	20.5	4,334	13.4	.8020	10.7	561	85	7.1
Total Urban Districts ...	61,294	581	552	47	44	1,224	20.0	840	13.7	.8574	11.7	114	93	6.3
Total Rural Districts ...	261,819	2,557	2,450	211	179	5,397	20.6	3,494	13.3	.7900	10.5	447	83	7.3
Urban Districts.														
Cromer ...	4,112	35	30	1	3	69	16.8	37	9.0	1.0277	9.2	6	87	7.8
Diss ...	3,772	41	26	3	3	73	19.4	55	14.6	.8419	12.3	9	123	4.8
Downham Market ...	2,500	30	20	1	—	51	20.4	47	18.8	.7252	13.6	9	176	1.6
East Dereham ...	5,754	52	53	6	4	115	20.0	79	13.7	.8400	11.5	10	87	6.3
King's Lynn M.B. ...	20,189	197	210	16	14	437	21.6	312	15.5	.8782	13.6	42	96	6.1
New Hunstanton ...	2,593	16	15	2	2	35	13.5	20	7.7	1.0144	7.8	3	86	5.8
North Walsham ...	4,290	38	44	1	5	88	20.5	55	12.8	.8768	11.2	5	57	7.7
Sheringham ...	3,510	35	26	2	2	65	18.5	47	13.4	.9125	12.2	8	123	5.1
Swaffham... ..	3,216	26	18	3	3	50	15.6	30	9.3	.7477	7.0	2	40	6.3
Thetford M.B. ...	4,800	36	46	4	—	86	17.9	61	12.7	.8192	10.4	7	81	5.2
Walsoken ...	3,984	43	35	5	7	90	22.6	57	14.3	.8682	12.4	8	89	8.3
Wells ...	2,574	32	29	3	1	65	25.3	40	15.5	.7256	11.2	5	77	9.8
Rural Districts.														
Aylsham ...	17,383	187	148	16	11	362	20.8	236	13.6	.7862	10.7	27	75	7.2
Blofield ...	12,201	110	96	12	5	223	18.3	163+	13.4	.8000	10.7	12	54	4.9
Depwade ...	19,909	166	175	18	12	371	18.6	276	13.9	.7704	10.7	28	75	4.7
Docking ...	17,101	175	134	13	13	335	19.6	210	12.3	.7803	9.6	30	90	7.3
Downham... ..	15,618	159	169	18	10	356	22.8	235	15.0	.8020	12.0	38	107	7.8
East and West Flegg ...	10,027	124	108	2	4	238	23.7	118	11.8	.8018	9.5	20	84	11.9
Erpingham ...	17,272	178	172	15	8	373	21.6	204	11.8	.8196	9.7	33	88	9.8
Forehoe ...	11,390	123	96	12	10	241	21.2	161	14.1	.7709	10.9	20	83	7.1
Freebridge Lynn... ..	12,140	107	108	14	6	235	19.4	163	13.4	.7906	10.6	23	98	6.0
Henstead ...	10,275	79	92	5	7	183	17.8	133	12.9	.7874	10.2	12	66	4.9
King's Lynn ...	971	12	8	—	1	21	21.6	9	9.3	.9532	8.9	2	95	12.3
Loddon and Clavering ...	12,571	119	136	13	3	271	21.6	167	13.3	.7731	10.3	24	89	8.3
Marshland ...	12,518	158	137	9	13	317	25.3	187	14.9	.8311	12.4	50	158	10.4
Mitford and Launditch ...	18,733	157	180	11	18	366	19.5	242	12.9	.7608	9.8	28	77	6.6
St. Faith's... ..	10,864	103	101	7	6	217	20.0	138	12.7	.8257	10.5	14	65	7.3
Smallburgh ...	13,434	125	135	15	12	287	21.4	185	13.8	.7712	10.6	17	59	7.6
Swaffham ...	7,561	78	72	5	4	159	21.0	117	15.5	.7792	12.1	10	63	5.5
Thetford ...	10,076	113	104	11	7	235	23.3	150	14.9	.8151	12.1	17	72	8.4
Walsingham ...	17,266	158	136	10	12	316	18.3	214	12.4	.8425	10.4	25	79	5.9
Wayland ...	14,509	126	143	5	17	291	20.1	186	12.8	.7491	9.6	17	58	7.3
NORTHAMPTONSHIRE.	214,560	2,048	2,045	91	102	4,286	20.0	2,597	12.1	.9042	10.9	346	81	7.9
Total Urban Districts ...	96,128	932	911	31	48	1,922	20.0	1,049	10.9	1.0200	11.1	178	93	9.1
Total Rural Districts ...	118,432	1,116	1,134	60	54	2,364	20.0	1,548	13.1	.8276	10.8	168	71	6.9
Urban Districts.														
Brackley M.B. ...	2,655	29	23	—	1	53	20.0	20	7.5	.9301	7.0	3	57	12.5
Daventry M.B. ...	3,481	39	31	1	3	74	21.3	44	12.6	.7843	9.9	6	81	8.7
Desborough ...	4,161	49	41	1	—	91	21.9	37	8.9	1.0140	9.0	7	77	13.0
Finedon ...	3,736	39	33	3	1	76	20.3	61	16.3	.9754	15.9	9	118	4.0
Higham Ferrers M.B. ...	2,751	21	17	1	3	42	15.3	27	9.8	1.0224	10.0	5	119	5.5
Irtlingborough ...	4,672	50	33	1	4	88	18.8	57	12.2	1.0560	12.9	11	125	6.6
Kettering ...	30,147	281	296	13	14	604	20.0	331	11.0	1.0818	11.9	58	96	9.0
Oundle ...	2,795	20	29	—	1	50	17.9	37	13.2	.8791	11.6	5	100	4.7
Raunds ...	3,881	36	38	—	2	76	19.6	35	9.0	.9474	8.5	4	53	10.6
Rothwell ...	4,446	43	57	2	1	103	23.2	57	12.8	1.0241	13.1	6	58	10.4
Rushden ...	13,473	140	140	3	5	288	21.4	126	9.4	1.1441	10.8	26	90	12.0
Wellingborough ...	19,930	185	173	6	13	377	18.9	217	10.9	.9825	10.7	38	101	8.0
Rural Districts.														
Brackley ...	7,210	54	62	1	4	121	16.8	94	13.0	.7731	10.0	12	99	3.8
Brixworth... ..	11,834	108	123	10	5	246	20.8	151	12.8	.8329	10.7	17	69	8.0
Crick ...	2,350	24	26	1	—	51	21.7	39	16.6	.7618	12.6	2	39	5.1

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population. (Middle, 1912.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
NORTHAMPTONSHIRE— <i>cont.</i>															
Daventry ...	13,859	128	130	5	12	275	19·8	182	13·1	·8340	10·9	17	62	6·7	
Easton on the Hill ...	1,553	14	11	—	—	25	16·1	15	9·7	·7887	7·7	—	—	6·4	
Gretton ...	1,527	10	18	1	—	29	19·0	12	7·9	·8189	6·5	—	—	11·1	
Hardingstone ...	7,531	67	69	5	1	133	17·7	93	12·3	·8147	10·0	9	68	5·4	
Kettering ...	13,056	134	128	7	7	276	21·1	180	13·8	·8981	12·4	29	105	7·3	
Middleton Cheney ...	2,595	28	26	1	—	55	21·2	43	16·6	·7931	13·2	7	127	4·6	
Northampton ...	6,736	66	58	1	—	125	18·6	76†	11·3	·8514	9·6	6	48	7·3	
Oundle (part of)‡	7,072	75	70	2	3	150	21·2	100	14·1	·7746	10·9	8	53	7·1	
Oxendon ...	4,286	42	38	1	1	82	19·1	50	11·7	·7816	9·1	3	37	7·4	
Potterspury ...	5,165	52	55	4	3	114	22·1	71	13·7	·8126	11·1	4	35	8·4	
Thrapston (part of)‡	10,689	114	115	9	8	246	23·0	138	12·9	·8287	10·7	23	93	10·1	
Towcester ...	10,450	84	110	6	4	204	19·5	145	13·9	·7933	11·0	15	74	5·6	
Wellingborough ...	12,519	116	104	6	6	232	18·5	159	12·7	·8990	11·4	16	69	5·8	
NORTHUMBERLAND.															
Total Urban Districts ...	380,313	5,054	4,815	229	236	10,334	27·2	4,972	13·1	·9933	13·0	966	93	14·1	
Total Rural Districts ...	272,016*	3,911	3,742	166	168	7,987	29·4	3,636	13·4	1·0179	13·6	778	97	16·0	
<i>Urban Districts.</i>	108,297*	1,143	1,073	63	68	2,347	21·7	1,336	12·3	·9330	11·5	188	80	9·4	
Alnwick ...	7,084	82	69	5	8	164	23·2	98	13·8	·9064	12·5	17	104	9·4	
Amble ...	4,941	75	64	2	1	142	28·7	68	13·8	·9807	13·5	13	92	14·9	
Ashington ...	25,988	482	439	20	21	962	37·0	321	12·4	1·1051	13·7	97	101	24·6	
Bedlingtonshire ...	26,324	396	372	23	10	801	30·4	366	13·9	1·0160	14·1	78	97	16·5	
Berwick upon Tweed M.B.	13,027	141	135	12	9	297	22·8	185	14·2	·9111	12·9	19	64	8·6	
Blyth ...	30,705*	448	516	27	22	1,013	33·0	471	15·3	1·0343	15·8	119	117	17·7	
Cramlington ...	7,758*	103	113	5	6	227	29·3	98	12·6	1·0060	12·7	23	101	16·7	
Earsdon ...	10,773	185	170	4	4	363	33·7	142	13·2	1·0083	13·3	30	83	20·5	
Gosforth ...	16,137	166	169	4	15	354	21·9	148	9·2	1·0717	9·9	39	110	12·7	
Hexham ...	8,595	83	86	5	6	180	20·9	130	15·1	·9387	14·2	9	50	5·8	
Longbenton§	9,763*	160	134	2	1	297	30·4	127	13·0	1·0140	13·2	32	108	17·4	
Morpeth M.B.	7,602	97	72	5	5	179	23·5	126	16·6	·9927	16·5	21	117	6·9	
Newbiggin by the Sea ...	3,618	63	63	3	1	130	35·9	61	16·9	·9896	16·7	12	92	19·0	
Newburn ...	17,772	272	242	7	15	536	30·2	243	13·7	1·0571	14·5	64	119	16·5	
Prudhoe ...	8,370	128	119	3	6	256	30·6	81	9·7	1·0011	9·7	15	59	20·9	
Rothbury ...	1,126	10	7	4	—	21	18·7	12	10·7	·8180	8·8	2	95	8·0	
Seaton Delaval§	5,441*	77	76	5	2	160	29·4	74	13·6	·9943	13·5	16	100	15·8	
Seghill ...	2,027	19	25	1	1	46	22·7	36	17·8	1·0205	18·2	7	152	4·9	
Wallsend M.B.	42,767	685	632	23	25	1,365	31·9	561	13·1	1·0425	13·7	129	95	18·8	
Weetslade...	6,865	111	115	4	5	235	34·2	100	14·6	·9786	14·3	27	115	19·6	
Whitley and Monkseaton	15,333*	128	124	2	5	259	16·9	188	12·3	1·0497	12·9	9	35	4·6	
<i>Rural Districts.</i>															
Alnwick ...	12,112	136	117	5	8	266	22·0	151	12·5	·9040	11·3	17	64	9·5	
Belford ...	4,981	47	39	5	2	93	18·7	62	12·4	·9042	11·2	6	65	6·3	
Bellingham ...	5,671	46	42	4	6	98	17·3	87	15·3	·8672	13·3	10	102	2·0	
Castle Ward ...	12,274	125	121	6	6	258	21·0	118	9·6	1·0202	9·8	18	70	11·4	
Glendale ...	8,554	78	67	5	5	155	18·1	128	15·0	·8799	13·2	11	71	3·1	
Haltwhistle ...	8,551	101	98	4	9	212	24·8	109	12·7	·9232	11·7	15	71	12·1	
Hexham ...	22,054	204	216	19	14	453	20·5	274	12·4	·9373	11·6	34	75	8·1	
Moot Hall and precincts	8	—	—	—	—	—	—	—	—	—	—	—	—	—	
Morpeth ...	17,675	222	193	7	7	429	24·3	207†	11·7	1·0004	11·7	42	98	12·6	
Norham and Islandshires	5,800	52	55	1	1	109	18·8	71	12·2	·8882	10·8	8	73	6·6	
Rothbury ...	4,595	53	42	3	3	101	22·0	56	12·2	·8913	10·9	11	109	9·8	
Tynemouth¶	6,022*	79	83	4	7	173	28·7	73	12·1	1·0035	12·1	16	92	16·6	
NOTTINGHAMSHIRE.															
Total Urban Districts ...	353,395	4,524	4,318	240	199	9,281	26·3	4,213	11·9	·9704	11·5	856	92	14·4	
Total Rural Districts ...	222,676	3,050	2,917	171	135	6,273	28·2	2,661	12·0	1·0233	12·3	594	95	16·2	
<i>Urban Districts.</i>	130,719	1,474	1,401	69	64	3,008	23·0	1,552	11·9	·8931	10·6	262	87	11·1	
Arnold ...	11,462	137	132	7	9	285	24·9	135	11·8	1·0236	12·1	27	95	13·1	
Beeston ...	11,651	147	167	12	8	334	28·7	133	11·4	1·0225	11·7	20	60	17·3	
Carlton ...	16,315	200	192	9	7	408	25·0	151	9·3	1·0362	9·6	27	66	15·7	
East Retford M.B.	13,523	141	144	14	10	309	22·9	180	13·3	·9335	12·4	27	87	9·6	
Eastwood ...	4,676	63	59	7	7	136	29·1	80	17·1	1·0182	17·4	16	118	12·0	
Hucknall Torkard ...	15,952	201	203	6	10	420	26·3	191	12·0	1·0163	12·2	40	95	14·3	
Huthwaite ...	5,384	79	79	7	7	172	31·9	69	12·8	1·0148	13·0	17	99	19·1	
Kirkby in Ashfield ...	16,048	228	230	9	10	477	29·7	196	12·2	1·0447	12·7	58	122	17·5	
Mansfield M.B. ...	38,933	608	573	33	18	1,232	31·6	454	11·7	1·0721	12·5	111	90	19·9	
Mansfield Woodhouse ...	11,828	199	184	9	4	396	33·5	132	11·2	1·0922	12·2	48	121	22·3	
Newark M.B. ...	16,595	192	194	13	9	408	24·6	222	13·4	·9441	12·7	35	86	11·2	
Sutton in Ashfield ...	22,615	341	323	24	20	708	31·3	314	13·9	1·0523	14·6	93	131	17·4	
Warsop ...	4,498	104	81	4	3	192	42·7	55	12·2	·9759	11·9	15	78	30·5	
West Bridgford ...	12,243	112	89	3	1	205	16·7	106	8·7	1·1043	9·6	10	49	8·0	
Worksop ...	20,953	298	267	14	12	591	28·2	243	11·6	1·0158	11·8	50	85	16·6	
<i>Rural Districts.</i>															
Basford ...	42,437	505	503	29	19	1,056	24·9	498	11·7	·9611	11·2	101	96	13·2	
Bingham ...	14,723	133	128	11	9	281	19·1	168†	11·4	·8221	9·4	17	60	7·7	

† The remaining parts of Oundle and Thrapston Rural Districts are in Huntingdonshire; see page 144.
‡ Included with the Rural Districts for convenience.

§ Created 1st April, 1912.
¶ Abolished 1st April, 1912.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population, (Middle, 1912.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	
		M.	F.	M.	F.									
NOTTINGHAMSHIRE—cont.														
Blyth and Cuckney ...	5,008	48	53	—	1	102	20·4	62	12·4	·9070	11·2	4	39	8·0
East Retford ...	14,845	161	139	12	10	322	21·7	163	11·0	·8349	9·2	22	68	10·7
Leake ...	3,721	36	42	1	—	79	21·2	50	13·4	·8359	11·2	8	101	7·8
Misterton ...	4,068	52	39	—	1	92	22·6	33	8·1	·8763	7·1	7	76	14·5
Newark ...	8,414	95	98	—	3	196	23·3	107	12·7	·8642	11·0	21	107	10·6
Skegby ...	7,190	125	104	2	7	238	33·1	87	12·1	1·0249	12·4	25	105	21·0
Southwell ...	19,634	186	163	7	10	366	18·6	256	13·0	·8166	10·6	21	57	5·6
Stapleford ...	10,290	127	127	7	4	265	25·8	125	12·1	·9871	11·9	35	132	13·7
Civil Parishes of Kingston upon Soar and Ratcliffe upon Soar administered by Rural District Council of Shardlow (Derbyshire).	389	6	5	—	—	11	28·3	3	7·7	·9161	7·1	1	91	20·6
OXFORDSHIRE.														
Total Urban Districts ...	137,205	1,296	1,289	104	79	2,768	20·2	1,747	12·7	·8315	10·6	190	69	7·5
Total Rural Districts ...	36,518	304	363	29	17	713	19·5	452	12·4	·8552	10·6	49	69	7·1
Urban Districts.	100,687	992	926	75	62	2,055	20·4	1,295	12·9	·8231	10·6	141	69	7·5
Banbury M.B. ...	13,523	117	129	10	7	263	19·4	177	13·1	·8927	11·7	25	95	6·3
Bicester ...	3,433	22	31	5	1	59	17·2	46	13·4	·8123	10·9	2	34	3·8
Chipping Norton M.B. ...	3,997	37	34	4	1	76	19·0	50	12·5	1·0491	13·1	4	53	6·5
Henley on Thames M.B.	6,519	52	73	3	4	132	20·2	73	11·2	·8748	9·8	3	23	9·0
Thame ...	2,963	23	27	2	—	52	17·5	29	9·8	·8197	8·0	5	96	7·7
Wheatley ...	978	5	10	—	—	15	15·3	14	14·3	·7975	11·4	2	133	1·0
Witney ...	3,523	34	41	4	2	81	23·0	43	12·2	·8468	10·3	6	74	10·8
Woodstock M.B. ...	1,582	14	18	1	2	35	22·1	20	12·6	·8071	10·2	2	57	9·5
Rural Districts.														
Banbury ...	11,431	126	108	8	8	250	21·9	168	14·7	·7852	11·5	23	92	7·2
Bicester ...	9,631	82	88	9	2	181	18·8	112	11·6	·7829	9·1	11	61	7·2
Chipping Norton ...	11,367	110	93	5	11	219	19·3	152	13·4	·8491	11·4	12	55	5·9
Crowmarsh ...	5,046	59	43	6	5	113	22·4	68	13·5	·7836	10·6	6	53	8·9
Culham ...	2,640	31	20	3	1	55	20·8	34	12·9	·9045	11·7	8	145	7·9
Goring ...	3,222	27	19	3	2	51	15·8	34	10·6	·8959	9·5	4	78	5·2
Headington ...	13,450	158	132	11	10	311	23·1	161	12·0	·8965	10·8	18	58	11·1
Henley ...	10,365	91	99	8	6	204	19·7	126	12·2	·8831	10·8	15	74	7·5
Thame ...	5,509	57	40	4	2	103	18·7	77	14·0	·7570	10·6	8	78	4·7
Witney ...	17,272	151	179	8	9	347	20·1	221	12·8	·7954	10·2	21	61	7·3
Woodstock ...	10,754	100	105	10	6	221	20·6	142	13·2	·8188	10·8	15	68	7·4
PEMBROKESHIRE.														
Total Urban Districts ...	90,234	1,036	1,005	55	73	2,169	24·0	1,255	13·9	·8884	12·3	161	74	10·1
Total Rural Districts ...	39,015	468	466	14	31	979	25·1	527	13·5	·9419	12·7	87	89	11·6
Urban Districts.	51,219	568	539	41	42	1,190	23·2	728	14·2	·8519	12·1	74	62	9·0
Fishguard ...	3,045	34	42	2	—	78	25·6	50	16·4	·9387	15·4	8	103	9·2
Haverfordwest M.B. ...	5,907	64	56	4	9	133	22·5	92	15·6	·8902	13·9	9	68	6·9
Milford Haven ...	6,571	113	120	4	5	242	36·8	76	11·6	1·0452	12·1	30	124	25·2
Narberth ...	1,110	9	5	1	—	15	13·5	14	12·6	·8742	11·0	—	—	0·9
Neyland ...	2,369	31	35	—	2	68	28·7	34	14·4	·9486	13·7	7	103	14·3
Pembroke M.B. ...	15,649	173	172	1	13	359	22·9	190	12·1	·9504	11·5	22	61	10·8
Tenby M.B. ...	4,364	44	36	2	2	84	19·2	71	16·3	·8800	14·3	11	131	2·9
Rural Districts.														
Haverfordwest ...	21,504	270	261	16	18	565	26·3	275	12·8	·8834	11·3	33	58	13·5
Llanfyrnach ...	2,415	20	20	2	1	43	17·8	33	13·7	·8556	11·7	2	47	4·1
Narberth ...	10,987	121	103	9	11	244	22·2	159	14·5	·8472	12·3	11	45	7·7
Pembroke ...	8,473	88	88	10	7	193	22·8	120	14·2	·8899	12·6	16	83	8·6
St. Dogmells ...	7,840	69	67	4	5	145	18·5	141	18·0	·7503	13·5	12	83	0·5
PETERBOROUGH, SOKE OF.														
Urban District ...	45,194	429	447	24	34	934	20·7	635	14·1	·8946	12·6	104	111	6·6
Total Rural Districts ...	33,932	316	340	17	28	701	20·7	452	13·3	·9292	12·4	74	106	7·4
Urban District.	11,262	113	107	7	6	233	20·7	183	16·2	·8162	13·2	30	129	4·5
Peterborough M.B. ...	33,932	316	340	17	28	701	20·7	452	13·3	·9292	12·4	74	106	7·4
Rural Districts.														
Barnack ...	2,113	19	24	1	2	46	21·8	35	16·6	·8210	13·6	5	109	5·2
Peterborough ...	9,149	94	83	6	4	187	20·4	148	16·2	·8132	13·2	25	134	4·2
RADNORSHIRE.														
Total Urban Districts ...	22,498	265	225	17	22	529	23·5	281	12·5	·8602	10·8	45	85	11·0
Total Rural Districts ...	5,884	37	57	6	4	124	21·1	61	10·4	·9260	9·6	8	65	10·7
Urban Districts.	16,614	208	168	11	18	405	24·4	220	13·2	·8121	10·7	37	91	11·2
Knighton ...	1,852	21	22	1	1	45	24·3	26	14·0	·8025	11·2	2	44	10·3
Llandrindod Wells ...	2,905	29	23	3	3	58	20·0	22	7·6	1·1257	8·6	3	52	12·4
Presteigne ...	1,127	7	12	2	—	21	18·6	13	11·5	·7950	9·1	3	143	7·1

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population. (Middle, 1912.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
RADNORSHIRE—cont.															
Rural Districts.															
Colwyn	2,075	23	18	2	2	45	21·7	20	9·6	·9195	8·8	3	67	12·1	
Knighton	4,388	64	49	4	7	124	28·3	59	13·4	·8575	11·5	15	121	14·9	
New Radnor	2,733	36	29	1	3	69	25·2	33	12·1	·8362	10·1	2	29	13·1	
Paincastle	2,332	27	25	1	2	55	23·6	39	16·7	·8299	13·9	6	109	6·9	
Rhayader	5,086	58	47	3	4	112	22·0	69	13·6	·8057	11·0	11	98	8·4	
RUTLANDSHIRE.															
Urban District	20,430	182	202	12	10	406	19·9	219	10·7	·8533	9·1	16	39	9·2	
Total Rural Districts	3,717	30	38	3	2	73	19·6	40	10·8	·9237	10·0	3	41	8·8	
Urban District.	16,713	152	164	9	8	333	19·9	179	10·7	·8392	9·0	13	39	9·2	
Oakham	3,717	30	38	3	2	73	19·6	40	10·8	·9237	10·0	3	41	8·8	
Rural Districts.															
Ketton	2,954	32	29	1	2	64	21·7	30	10·2	·8739	8·9	1	16	11·5	
Oakham	7,034	63	76	2	3	144	20·5	78	11·1	·8444	9·4	6	42	9·4	
Uppingham	6,725	57	59	6	3	125	18·6	71	10·6	·8197	8·7	6	48	8·0	
SHROPSHIRE.															
Total Urban Districts	247,171	2,514	2,504	198	182	5,398	21·8	3,236	13·1	·8660	11·3	392	73	8·7	
Total Rural Districts	110,085	1,125	1,147	98	90	2,460	22·3	1,521	13·8	·8988	12·4	181	74	8·5	
Urban Districts.	137,086	1,389	1,357	100	92	2,938	21·4	1,715	12·5	·8410	10·5	211	72	8·9	
Bishop's Castle, M.B.	1,413	10	16	3	1	30	21·2	27	19·1	·7432	14·2	2	67	2·1	
Bridgnorth, M.B.	5,730	55	65	7	2	129	22·5	83	14·5	·8913	12·9	11	85	8·0	
Church Stretton	1,540	12	11	—	—	23	14·9	22	14·3	·9365	13·4	2	87	0·6	
Dawley	7,725	96	87	9	8	200	25·9	133	17·2	·8998	15·5	15	75	8·7	
Ellesmere	1,946	17	16	1	2	36	18·5	20	10·3	·8303	8·6	2	56	8·2	
Ludlow, M.B.	5,867	61	64	6	6	137	23·4	74	12·6	·8389	10·6	7	51	10·8	
Newport	3,251	21	23	4	2	50	15·4	31	9·5	·8526	8·1	3	60	5·9	
Oakengates	11,855	141	160	7	9	317	26·7	134	11·3	·9330	10·5	24	76	15·4	
Oswestry, M.B.	10,046	74	88	13	8	183	18·2	138	13·7	·9231	12·6	18	98	4·5	
Shrewsbury, M.B.	29,521	312	307	24	29	672	22·8	405	13·7	·9381	12·9	48	71	9·1	
Wellington	7,913	99	73	8	7	187	23·6	102	12·9	·8985	11·6	15	80	10·7	
Wem	2,289	20	13	—	2	35	15·3	25	10·9	·8719	9·5	—	—	4·4	
Wenlock, M.B.	15,161	157	163	12	11	343	22·6	234	15·4	·8420	13·0	24	70	7·2	
Whitchurch	5,828	50	61	4	3	118	20·2	93	16·0	·8851	14·2	10	85	4·2	
Rural Districts.															
Atcham	21,886	196	212	15	15	438	20·0	293	13·4	·8224	11·0	34	78	6·6	
Bridgnorth	9,198	86	103	3	4	196	21·3	111	12·1	·8599	10·4	15	77	9·2	
Burford	1,318	15	15	2	1	33	25·0	19	14·4	·8110	11·7	5	152	10·6	
Chirbury	3,273	41	21	4	3	69	21·1	46	14·1	·8004	11·3	4	58	7·0	
Church Stretton	4,839	42	34	4	2	82	16·9	57	11·8	·7920	9·3	2	24	5·1	
Cleobury Mortimer	7,010	82	91	4	5	182	26·0	75	10·7	·8615	9·2	12	66	15·3	
Clun	6,531	68	76	7	5	156	23·9	85	13·0	·7933	10·3	8	51	10·9	
Drayton	12,424	114	101	13	13	241	19·4	150	12·1	·8512	10·3	18	75	7·3	
Ellesmere	8,425	60	86	3	4	153	18·2	92	10·9	·8973	9·8	12	78	7·3	
Ludlow	9,419	110	104	7	8	229	24·3	102	10·8	·8938	9·7	11	48	13·5	
Newport	6,001	77	37	5	5	124	20·7	57	9·5	·8622	8·2	7	56	11·2	
Oswestry	15,538	175	153	8	4	340	21·9	211	13·6	·8502	11·6	33	97	8·3	
Shifnal	8,173	79	86	4	8	177	21·7	121	14·8	·8253	12·2	13	73	6·9	
Teme	1,617	24	23	—	2	49	30·3	10	6·2	·7828	4·9	—	—	24·1	
Wellington	11,111	117	122	11	8	258	23·2	147	13·2	·8578	11·3	21	81	10·0	
Wem	8,387	86	77	7	3	173	20·6	124	14·8	·8335	12·3	13	75	5·8	
Whitchurch	1,936	17	16	3	2	38	19·6	15	7·7	·8696	6·7	3	79	11·9	
SOMERSETSHIRE.															
Total Urban Districts	391,482	3,666	3,560	157	150	7,533	19·2	4,991	12·7	·8699	11·0	511	68	6·5	
Total Rural Districts	159,224	1,461	1,408	61	59	2,989	18·8	2,006	12·6	·9164	11·5	209	69	6·2	
Urban Districts.	232,258	2,205	2,152	96	91	4,544	19·6	2,985	12·9	·8408	10·8	302	66	6·7	
Bridgwater, M.B....	17,014	182	183	5	4	374	22·0	211	12·4	9164	11·4	29	78	9·6	
Burnham	4,087	36	27	3	1	67	16·4	48	11·7	·9100	10·6	7	104	4·7	
Chard, M.B.	4,585	49	40	1	2	92	20·1	48	10·5	·8761	9·2	7	76	9·6	
Clevedon	6,139	37	40	2	3	82	13·4	86	14·0	·8051	11·3	8	98	—0·6	
Crewkerne	3,901	50	38	1	2	91	23·3	47	12·0	·9262	11·1	3	33	11·3	
Frome	10,880	93	79	7	1	180	16·5	150	13·8	·8860	12·2	13	72	2·7	
Glastonbury, M.B.	4,281	49	40	—	1	90	21·0	58	13·5	·8929	12·1	5	56	7·5	
Highbridge	2,358	19	21	1	1	42	17·8	26	11·0	·9465	10·4	—	—	6·8	
Ilminster	2,491	18	24	—	2	44	17·7	29	11·6	·8674	10·1	2	45	6·1	
Midsomer Norton	7,496	88	88	1	1	178	23·7	63	8·4	1·0116	8·5	7	39	15·3	
Minehead	3,583	31	28	1	1	61	17·0	42	11·7	·9763	11·4	3	49	5·3	
Portishead	3,433	34	17	1	—	52	15·1	48	14·0	·9434	13·2	4	77	1·1	
Radstock	3,734	41	43	—	1	85	22·8	35	9·4	·9129	8·6	6	71	13·4	
Shepton Mallet	4,981	46	39	2	5	92	18·5	63	12·6	·8749	11·0	7	76	5·9	

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population. (Middle, 1912.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
SOMERSETSHIRE—cont.															
Street	4,264	43	46	1	1	91	21·3	45	10·6	·9703	10·3	6	66	10·7	
Taunton M.B.	22,756	214	219	19	11	463	20·3	282	12·4	·9665	12·0	41	89	7·9	
Watchet	1,841	20	13	—	1	34	18·5	25	13·6	·8846	12·0	1	29	4·9	
Wellington	7,679	66	70	—	3	139	18·1	121	15·8	·9023	14·3	8	58	2·3	
Wells M.B.	4,629	35	26	·1	4	66	14·3	53	11·4	·8260	9·4	6	91	2·9	
Weston super Mare	23,684	158	167	10	9	344	14·5	340	14·4	·8952	12·9	27	78	0·1	
Wiveliscombe	1,303	10	9	—	—	19	14·6	20	15·3	·8506	13·0	—	—	—0·7	
Yeovil M.B.	14,105	142	151	5	5	303	21·5	166	11·8	·9905	11·7	19	63	9·7	
Rural Districts.															
Axbridge	23,079	207	223	10	8	448	19·4	306	13·3	·8326	11·1	30	67	6·1	
Bath	13,131*	130	136	4	4	274	20·9	170	12·9	·9167	11·8	16	58	8·0	
Bridgwater	18,170	175	160	7	7	349	19·2	233	12·8	·8156	10·4	20	57	6·4	
Chard	13,401	129	128	12	3	272	20·3	165	12·3	·8571	10·5	28	103	8·0	
Clutton	18,084*	212	188	4	8	412	22·8	206	11·4	·8716	9·9	31	75	11·4	
Dulverton... ..	4,867	55	47	—	4	106	21·8	75	15·4	·8416	13·0	5	47	6·4	
Frome	11,178	108	117	3	4	232	20·8	125	11·2	·8455	9·5	17	73	9·6	
Keynsham	10,389	99	97	5	3	204	19·6	104	10·0	·8818	8·8	11	54	9·6	
Langport	13,332	137	117	4	3	261	19·6	215	16·1	·7991	12·9	16	61	3·5	
Long Ashton	16,264	148	145	6	3	302	18·6	205	12·6	·8669	10·9	25	83	6·0	
Shepton Mallet	10,229	132	102	3	5	242	23·7	115	11·2	·8490	9·5	15	62	12·5	
Taunton	17,869	134	138	8	8	288	16·1	239†	13·4	·8425	11·3	24	83	2·7	
Wellington	6,047	47	57	5	1	110	18·2	84	13·9	·8187	11·4	8	73	4·3	
Wells	10,615	98	85	4	7	194	18·3	139	13·1	·8270	10·8	11	57	5·2	
Williton	12,671	104	96	6	7	213	16·8	163	12·9	·8071	10·4	15	70	3·9	
Wincanton	16,444	137	157	9	7	310	18·9	220	13·4	·8388	11·2	13	42	5·5	
Yeovil	16,488	153	159	6	9	327	19·8	221	13·4	·8302	11·1	17	52	6·4	
SOUTHAMPTON.															
Total Urban Districts	442,825	4,453	4,456	188	193	9,290	21·0	4,720	10·7	·9456	10·1	635	68	10·3	
Total Rural Districts	209,692*	2,281	2,297	92	84	4,754	22·7	2,191	10·4	1·0036	10·4	351	74	12·3	
Urban Districts.	233,133*	2,172	2,159	96	109	4,536	19·5	2,529	10·8	·8991	9·7	284	63	8·7	
Aldershot	35,731	419	439	23	18	899	25·2	303	8·5	1·2819	10·9	78	87	16·7	
Alton	5,565	46	53	1	3	103	18·5	73	13·1	·7953	10·4	8	78	5·4	
Andover M.B.	7,740	84	74	7	3	168	21·7	104	13·4	·8585	11·5	13	77	8·3	
Basingstoke M.B.	11,771	118	106	2	4	230	19·5	116	9·9	·9653	9·6	19	83	9·6	
Christchurch M.B.	5,966*	59	56	4	3	122	20·4	58	9·7	·8852	8·6	8	66	10·7	
Eastleigh and Bishopstoke	16,033	193	161	6	6	366	22·8	111	6·9	1·0732	7·4	16	44	15·9	
Fareham	9,863	112	104	3	4	223	22·6	146†	14·8	·8735	12·9	22	99	7·8	
Farnborough	14,557	153	156	1	3	313	21·5	120	8·2	1·3024	10·7	26	83	13·3	
Fleet	3,448	23	29	2	3	57	16·5	38	11·0	·8774	9·7	2	35	5·5	
Gosport and Alverstoke...	33,885	417	439	13	13	882	26·0	373	11·0	·9883	10·9	57	65	15·0	
Havant	4,151	44	39	3	1	87	21·0	45	10·8	·8562	9·2	9	103	10·2	
Itchen	20,330	280	281	7	7	575	28·3	224	11·0	·9816	10·8	35	61	17·3	
Lymington M.B.... ..	4,351	37	46	2	3	88	20·2	56	12·9	·7764	10·0	7	80	7·3	
Petersfield	4,037	34	49	1	2	86	21·3	34	8·4	·9295	7·8	6	70	12·2	
Romsey M.B.	4,709	44	49	2	4	99	21·0	55	11·7	·8921	10·4	5	51	9·3	
Warblington	3,853	37	41	2	1	81	21·0	58	15·1	·8474	12·8	6	74	5·9	
Winchester M.B.... ..	23,702	181	175	13	6	375	15·8	277	11·7	·9567	11·2	34	91	4·1	
Rural Districts.															
Alresford	7,604	74	63	7	6	150	19·7	90	11·8	·8556	10·1	16	107	7·9	
Alton	19,268	178	175	7	5	365	18·9	170	8·8	1·0149	8·9	21	58	10·1	
Andover	14,958	121	142	3	6	272	18·2	157	10·5	1·0510	11·0	22	81	7·7	
Basingstoke	12,431	111	119	6	10	246	19·8	154	12·4	·8359	10·4	20	81	7·4	
Catherington	3,747	31	21	—	2	54	14·4	46	12·3	·8170	10·0	1	19	2·1	
Christchurch	6,000*	52	53	—	1	106	17·7	60	10·0	·9056	9·1	5	47	7·7	
Droxford	13,055	133	110	6	6	255	19·5	154	11·8	·8175	9·6	16	63	7·7	
Fareham	14,491	173	137	5	5	320	22·1	172	11·9	·9484	11·3	24	75	10·2	
Fordingbridge	6,485	52	61	3	6	122	18·8	71	10·9	·8309	9·1	5	41	7·9	
Hartley Wintney	18,861	189	188	9	14	400	21·2	192	10·2	·8863	9·0	24	60	11·0	
Havant	5,981	52	42	3	2	99	16·6	53	8·9	·8489	7·6	2	20	7·7	
Hursley	4,487	37	45	—	4	86	19·2	57	12·7	·8838	11·2	11	128	6·5	
Kingsclere	8,887	77	85	7	3	172	19·4	89	10·0	·8281	8·3	11	64	9·4	
Lymington	12,239	119	124	4	3	250	20·4	139	11·4	·9087	10·4	16	64	9·0	
New Forest	16,608	157	157	2	10	326	19·6	190	11·4	·8829	10·1	12	37	8·2	
Petersfield	12,392	94	111	7	1	213	17·2	110	8·9	·9894	8·8	16	75	8·3	
Ringwood... ..	7,277	76	54	8	6	144	19·8	74	10·2	·8762	8·9	8	56	9·6	
Romsey	6,872	66	61	—	4	131	19·1	79	11·5	·8709	10·0	9	69	7·6	
South Stoneham	18,032	170	186	5	8	369	20·5	198	11·0	·9344	10·3	13	35	9·5	
Stockbridge	6,531	65	61	5	3	134	20·5	91	13·9	·8326	11·6	8	60	6·6	
Whitechurch	6,160	62	68	3	1	134	21·8	70	11·4	·8407	9·6	8	60	10·4	
Winchester	10,767	83	96	6	3	188	17·5	113	10·5	·9037	9·5	16	85	7·0	

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population. (Middle, 1912)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	Natural Increase per 1,000 living.
		M.	F.	M.	F.									
STAFFORDSHIRE.	677,241	9,061	8,721	405	379	18,566	27.4	9,357	13.8	.9716	13.4	1,977	106	13.6
Total Urban Districts ...	466,371	6,607	6,395	282	248	13,532	29.0	6,689	14.3	.9934	14.2	1,512	112	14.7
Total Rural Districts ...	210,870	2,454	2,326	123	131	5,034	23.9	2,668	12.7	.9262	11.8	465	92	11.2
<i>Urban Districts.</i>														
Amblecote ...	3,159	29	35	—	1	65	20.6	42	13.3	.9881	13.1	3	46	7.3
Andley ...	14,921	209	206	14	9	438	29.4	184	12.3	1.0133	12.5	35	80	17.1
Biddulph ...	7,578	109	112	6	3	230	30.4	110	14.5	.9855	14.3	25	109	15.9
Bilston ...	25,899	394	378	19	19	810	31.3	456	17.6	.9888	17.4	121	149	13.7
Brierley Hill ...	12,292	165	165	8	4	342	27.8	189	15.4	.9898	15.2	47	137	12.4
Brownhills ...	17,063	279	253	9	11	552	32.4	258	15.1	1.0174	15.4	69	125	17.3
Cannock ...	29,197	430	427	20	10	887	30.4	393	13.5	.9913	13.4	111	125	16.9
Coseley ...	22,915	284	307	10	15	616	26.9	313	13.7	.9886	13.5	57	93	13.2
Darlaston ...	17,333	289	265	7	7	568	32.8	300	17.3	1.0202	17.6	80	141	15.5
Heathtown or Wednesfield Heath.	12,651	171	167	2	8	348	27.5	141	11.1	1.0082	11.2	28	80	16.4
Kidsgrove... ..	9,104	130	151	2	5	288	31.6	132	14.5	.9970	14.5	26	90	17.1
Leek ...	16,819	163	150	14	8	335	19.9	280	16.6	1.0028	16.6	30	90	3.3
Lichfield, M.B. ...	8,711	92	74	8	4	178	20.4	140	16.1	.8873	14.3	12	67	4.3
Newcastle under Lyme, M.B.	20,239	300	276	21	8	605	29.9	291	14.4	.9887	14.2	58	96	15.5
Perry Barr ...	2,410	19	27	2	—	48	19.9	35	14.5	1.0642	15.4	8	167	5.4
Quarry Bank ...	7,457	102	114	6	1	223	29.9	114	15.3	.9991	15.3	26	117	14.6
Rowley Regis ...	37,309	542	567	14	10	1,133	30.4	508	13.6	1.0209	13.9	136	120	16.8
Rugeley ...	4,512	59	52	1	1	113	25.0	57	12.6	.9134	11.5	6	53	12.4
Sedgley ...	16,603	253	206	12	9	480	28.9	224	13.5	.9906	13.4	64	133	15.4
Short Heath ...	4,147	78	61	2	2	143	34.5	58	14.0	.9523	13.3	12	84	20.5
Smallthorne ...	13,901	209	233	10	10	462	33.2	180	12.9	1.0308	13.3	53	115	20.3
Stafford, M.B. ...	23,712	304	260	16	11	591	24.9	290†	12.2	1.0278	12.5	47	80	12.7
Stone ...	5,689	60	50	5	8	123	21.6	74	13.0	.8798	11.4	9	73	8.6
Tamworth, M.B....	7,800	81	83	2	3	169	21.7	112	14.4	.9564	13.8	17	101	7.3
Tettenhall ...	5,387	48	43	1	5	97	18.0	77	14.3	.9002	12.9	9	93	3.7
Tipton ...	31,917	535	510	18	24	1,087	34.1	478	15.0	.9735	14.6	135	124	19.1
Uttoxeter ...	5,794	79	73	3	3	158	27.3	86	14.8	.9543	14.1	17	108	12.5
Wednesbury, M.B.	28,308	391	413	19	19	842	29.7	428	15.1	1.0071	15.2	90	107	14.6
Wednesfield ...	6,701	103	93	4	5	205	30.6	83	12.4	.9747	12.1	23	112	18.2
Willenhall ...	18,887	292	270	14	10	586	31.0	290	15.4	1.0304	15.9	77	131	15.6
Wolstanton United	27,956	408	374	13	15	810	29.0	366	13.1	1.0365	13.6	81	100	15.9
<i>Rural Districts.</i>														
Blore Heath ...	2,306	18	28	3	2	51	22.1	36	15.6	.8432	13.2	2	39	6.5
Cannock ...	20,041	258	237	9	10	514	25.6	263	13.1	.9419	12.3	52	101	12.5
Cheadle ...	26,977	323	312	13	25	673	24.9	297†	11.0	.9539	10.5	50	74	13.9
Dudley ...	12	—	—	—	—	—	—	—	—	—	—	—	—	—
Gnosall ...	4,774	50	43	5	5	103	21.6	74	15.5	.8188	12.7	5	49	6.1
Kingswinford ...	20,971	264	283	14	14	575	27.4	344	16.4	.9253	15.2	85	148	11.0
Leek ...	15,630	168	175	11	10	364	23.3	195	12.5	.9313	11.6	40	110	10.8
Lichfield ...	28,994	338	302	21	12	673	23.2	339†	11.7	.9706	11.4	60	89	11.5
Mayfield ...	3,897	43	32	2	6	83	21.3	60	15.4	.8569	13.2	5	60	5.9
Newcastle under Lyme ...	6,396	76	68	2	5	151	23.6	76	11.9	.9426	11.2	15	99	11.7
Seisdon ...	15,362	134	149	8	6	297	19.3	185	12.0	.8773	10.5	25	84	7.3
Stafford ...	11,958	146	132	5	6	289	24.2	126	10.5	.9194	9.7	15	52	13.7
Stoke upon Trent ...	4,840	77	59	4	3	143	29.5	57	11.8	.9773	11.5	8	56	17.7
Stone ...	14,444	141	125	5	8	279	19.3	170	11.8	.8990	10.6	24	86	7.5
Tamworth (part of)†	5,154	70	62	4	3	139	27.0	68	13.2	.8927	11.8	10	72	13.8
Tutbury ...	9,080	95	92	9	6	202	22.2	132	14.5	.9221	13.4	26	129	7.7
Uttoxeter ...	8,155	78	77	3	5	163	20.0	84	10.3	.9186	9.5	10	61	9.7
Walsall ...	11,084	169	144	5	5	323	29.1	157	14.2	.9746	13.8	33	102	14.9
Civil Parishes of Blymhill and Weston under Lizard administered by Rural District Council of Shifnal (Shropshire).	795	6	6	—	—	12	15.1	5	6.3	.8190	5.2	—	—	8.8
SUFFOLK, EAST.	205,084	2,122	2,039	129	116	4,406	21.5	2,498	12.2	.8526	10.4	350	79	9.3
Total Urban Districts ...	82,166	928	881	43	50	1,902	23.1	1,032	12.6	.9194	11.6	173	91	10.5
Total Rural Districts ...	122,918	1,194	1,158	86	66	2,504	20.4	1,466	11.9	.8132	9.7	177	71	8.5
<i>Urban Districts.</i>														
Aldeburgh, M.B....	2,370	20	21	4	1	46	19.4	40	16.9	.8838	14.9	4	87	2.5
Becles, M.B. ...	7,171	71	72	2	6	151	21.1	98	13.7	.9007	12.3	15	99	7.4
Bungay ...	3,365	40	35	1	4	80	23.8	37	11.0	.8561	9.4	3	38	12.8
Eye, M.B....	1,999	23	18	—	3	44	22.0	34	17.0	.7098	12.1	2	45	5.0
Felixstowe and Walton ...	9,043	71	76	1	10	158	17.5	77	8.5	1.0590	9.0	13	82	9.0
Halesworth ...	2,260	25	23	3	3	54	23.9	21	9.3	.8386	7.8	3	56	14.6
Leiston cum Sizewell ...	4,505	56	49	4	—	109	24.2	36	8.0	.9897	7.9	2	18	16.2
Lowestoft, M.B. ...	34,297	443	412	24	9	888	25.9	452	13.2	.9340	12.3	95	107	12.7
Oulton Broad ...	4,262	62	49	1	4	116	27.2	56	13.1	.9344	12.2	13	112	14.1
Saxmundham ...	1,398	11	23	—	1	35	25.0	23	16.5	.8497	14.0	3	86	8.5
Southwold, M.B....	2,636	20	22	—	3	45	17.1	36	13.7	.8544	11.7	5	111	3.4

† The remainder of Tamworth Rural District is in Warwickshire; see page 153.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population. (Middle, 1912.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
SUFFOLK, EAST—cont.															
Stowmarket	4,239	50	38	1	1	90	21·2	58	13·7	·8556	11·7	6	67	7·5	
Woodbridge	4,621	36	43	2	5	86	18·6	64	13·8	8242	11·4	9	105	4·8	
Rural Districts.															
Blything	18,311	168	157	18	9	352	19·2	246	13·4	·7799	10·5	21	60	5·8	
Bosmere and Claydon ...	14,066	137	121	10	13	281	20·0	156	11·1	·7889	8·8	23	82	8·9	
East Stow	6,262	64	82	4	2	152	24·3	57	9·1	·8248	7·5	9	59	15·2	
Hartismere	11,482	121	108	7	8	244	21·3	141	12·3	·8021	9·9	12	49	9·0	
Hoxne	10,433	116	101	12	8	237	22·7	139	13·3	·7937	10·6	25	105	9·4	
Mutford and Lothingland	11,270	127	123	4	4	258	22·9	127	11·3	·8430	9·5	27	105	11·6	
Plomesgate	15,702	149	147	8	8	312	19·9	196	12·5	·8141	10·2	22	71	7·4	
Samford	14,082	128	121	5	7	261	18·5	145	10·3	·9033	9·3	8	31	8·2	
Wangford... ..	4,839	47	53	7	4	111	22·9	57	11·8	·7890	9·3	12	108	11·1	
Woodbridge	16,471	137	145	11	3	296	18·0	202+	12·3	·8365	10·3	18	61	5·7	
SUFFOLK, WEST.															
Total Urban Districts ...	116,820	1,093	1,048	64	77	2,282	19·5	1,599	13·7	·8262	11·3	164	72	5·8	
Total Rural Districts ...	43,818	402	357	21	28	808	18·4	593	13·5	·8929	12·1	70	87	4·9	
Urban Districts.	73,002	691	691	43	49	1,474	20·2	1,006	13·8	·7909	10·9	94	64	6·4	
Bury St. Edmunds M.B.	16,855	152	144	6	13	315	18·7	237	14·1	·8865	12·5	23	73	4·6	
Glensford	1,436	19	9	—	—	28	19·5	28	19·5	·7206	14·1	4	143	—	
Hadleigh	3,194	31	22	1	3	57	17·8	59	18·5	·8281	15·3	6	105	—0·7	
Haverhill	4,733	37	43	6	4	90	19·0	50	10·6	·9826	10·4	11	122	8·4	
Newmarket	10,455	102	86	5	1	194	18·6	114	10·9	·9673	10·5	17	88	7·7	
Sudbury M.B.	7,145	61	53	3	7	124	17·4	105	14·7	8299	12·2	9	73	2·7	
Rural Districts.															
Brandon	5,869	65	63	6	5	139	23·7	68	11·6	·7963	9·2	11	79	12·1	
Clare	8,557	72	65	6	11	154	18·0	128	15·0	·7553	11·3	7	45	3·0	
Cosford	11,833	96	120	7	4	227	19·2	145	12·3	·7905	9·7	13	57	6·9	
Melford	12,749	99	111	7	10	227	17·8	197	15·5	·7803	12·1	15	66	2·3	
Mildenhall	8,314	86	83	1	5	175	21·0	108	13·0	·7925	10·3	12	69	8·0	
Moulton	2,242	28	28	2	1	59	26·3	25	11·2	·8375	9·4	3	51	15·1	
Thedwastre	9,010	95	94	6	4	199	22·1	105	11·7	·7992	9·4	9	45	10·4	
Thingoe	14,428	150	127	8	9	294	20·4	230	15·9	·8081	12·8	24	82	4·5	
SURREY.															
Total Urban Districts ...	696,720	6,631	6,542	269	264	13,706	19·7	6,588	9·5	·9763	9·3	900	66	10·2	
Total Rural Districts ...	465,437	4,407	4,374	182	200	9,163	19·7	4,547	9·8	·9761	9·6	628	69	9·9	
Urban Districts.	231,283	2,224	2,168	87	64	4,543	19·6	2,041	8·8	·9768	8·6	272	60	10·8	
Barnes	32,040	352	318	7	23	700	21·8	295	9·2	1·0060	9·3	41	59	12·6	
Carshalton	12,281	128	128	4	4	264	21·5	110	9·0	1·0190	9·2	15	57	12·5	
Caterham... ..	11,020	87	102	7	1	197	17·9	86	7·8	·9772	7·6	9	46	10·1	
Chertsey	13,956	139	133	4	6	282	20·2	143	10·2	·9077	9·3	19	67	10·0	
Dorking	7,872	55	72	2	3	132	16·8	88	11·2	·8601	9·6	9	68	5·6	
East and West Molesey...	6,553	66	64	2	1	133	20·3	65	9·9	·9455	9·4	10	75	10·4	
Egham	12,638	138	120	8	3	269	21·3	147	11·6	·9712	11·3	18	67	9·7	
Epsom	20,246	143	130	6	7	286	14·1	118+	5·8	·9829	5·7	19	66	8·3	
Esher and the Dittons	12,919	128	124	3	3	258	20·0	136	10·5	·9945	10·4	27	105	9·5	
Farnham	7,493	51	86	4	3	144	19·2	84	11·2	·8762	9·8	10	69	8·0	
Frimley	14,370	154	104	4	6	268	18·6	114	7·9	1·1354	9·0	24	90	10·7	
Godalming M.B.	8,859	84	79	1	3	167	18·9	97	10·9	1·0384	11·3	5	30	8·0	
Guildford M.B.	24,241	254	223	10	11	498	20·5	255	10·5	·9612	10·1	30	60	10·0	
Ham	1,432	14	16	2	—	32	22·3	18	12·6	·9276	11·7	5	156	9·7	
Kingston on Thames M.B.	38,452	391	426	12	21	850	22·1	499	13·0	·9652	12·5	84	99	9·1	
Leatherhead	5,597	58	57	1	1	117	20·9	45	8·0	1·0452	8·4	8	68	12·9	
Merton	14,054	178	168	5	4	355	25·3	112	8·0	1·0327	8·3	24	68	17·3	
Reigate M.B.	28,834	224	243	13	14	494	17·1	310	10·8	·9279	10·0	30	61	6·3	
Richmond M.B.	33,426	278	290	12	10	590	17·7	414	12·4	·9296	11·5	39	66	5·3	
Surbiton	18,074	179	137	10	11	337	18·6	199	11·0	·9826	10·8	33	98	7·6	
Sutton	21,806	171	203	12	6	392	18·0	171	7·8	·9359	7·3	29	74	10·2	
The Maldens and Coombe	12,919	136	165	6	2	309	23·9	107	8·3	1·0126	8·4	16	52	15·6	
Walton upon Thames ...	13,191	120	122	8	4	254	19·3	106	8·0	1·0108	8·1	9	35	11·3	
Weybridge	6,413	40	43	1	3	87	13·6	58	9·0	1·0062	9·1	7	80	4·6	
Wimbledon M.B.	56,729	531	532	29	28	1,120	19·7	529	9·3	1·0196	9·5	76	68	10·4	
Windlesham	4,359	44	46	—	2	92	21·1	46	10·6	·9548	10·1	6	65	10·5	
Woking	25,663	264	243	9	20	536	20·9	195+	7·6	1·0407	7·9	26	49	13·3	
Rural Districts.															
Chertsey	9,744	91	110	3	1	205	21·0	87	8·9	1·0210	9·1	13	63	12·1	
Croydon	69,300	753	754	23	16	1,546	22·3	556+	8·0	1·0399	8·3	103	67	14·3	
Dorking	10,686	94	85	5	4	188	17·6	103	9·6	·8958	8·6	8	43	8·0	
Epsom	30,693	263	236	11	12	522	17·0	244+	7·9	1·0386	8·2	29	56	9·1	
Farnham	20,735	254	221	8	5	488	23·5	217	10·5	·9253	9·7	28	57	13·0	
Godstone	23,971	205	215	10	4	434	18·1	202	8·4	·9427	7·9	20	46	9·7	
Guildford... ..	18,510	178	156	12	11	357	19·3	164	8·9	·9381	8·3	18	50	10·4	

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population. (Middle-1912.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
SURREY—cont.															
Hambledon	25,860	213	226	11	8	458	17·7	253	9·8	·9210	9·0	26	57	7·9	
Reigate	21,784	173	165	4	3	345	15·8	215†	9·9	·9551	9·5	27	78	5·9	
SUSSEX, EAST															
Total Urban Districts ...	245,291	2,102	1,974	131	104	4,311	17·6	2,671	10·9	·8980	9·8	245	57	6·7	
Total Rural Districts ...	117,721	965	895	57	56	1,973	16·8	1,315	11·2	·9092	10·2	105	53	5·6	
Urban Districts.	127,570	1,137	1,079	74	48	2,338	18·3	1,356	10·6	·8875	9·4	140	60	7·7	
Battle	2,914	25	26	—	1	52	17·8	22	7·5	·8003	6·0	1	19	10·3	
Bexhill M.B.	15,743	125	111	10	8	254	16·1	159	10·1	·9913	10·0	18	71	6·0	
Burgess Hill	5,155	45	39	4	2	90	17·5	46	8·9	·8460	7·5	4	44	8·6	
Cuckfield	1,910	14	4	—	—	18	9·4	19	9·9	·7713	7·6	—	—	—0·5	
East Grinstead	7,221	59	61	1	4	125	17·3	61	8·4	·9331	7·8	5	40	8·9	
Hayward's Heath	5,001	32	46	2	4	84	16·8	58	11·6	·9632	11·2	2	24	5·2	
Hove M.B.	42,920	291	278	24	20	613	14·3	518	12·1	·8784	10·6	39	64	2·2	
Lewes M.B.	10,935	91	83	8	3	185	16·9	142	13·0	·9127	11·9	9	49	3·9	
Newhaven... ..	6,651	88	65	1	1	155	23·3	72	10·8	·9916	10·7	4	26	12·5	
Portslade by Sea... ..	6,618	75	90	3	5	173	26·1	81	12·2	·9390	11·5	10	58	13·9	
Rye M.B.	4,273	38	30	1	2	71	16·6	51	11·9	·8788	10·5	5	70	4·7	
Seaford	4,977	50	30	2	4	86	17·3	46	9·2	1·0741	9·9	3	35	8·1	
Uckfield	3,403	32	32	1	2	67	19·7	40	11·8	·7999	9·4	5	75	7·9	
Rural Districts.															
Battle	6,614	73	55	2	2	132	20·0	79	11·9	·8478	10·1	13	98	8·1	
Chailley	12,842	97	101	12	3	213	16·6	117	9·1	·8492	7·7	10	47	7·5	
Cuckfield	17,011	145	119	9	2	275	16·2	182	10·7	·9202	9·8	16	58	5·5	
Eastbourne	5,401	44	53	4	4	105	19·4	50	9·3	·9005	8·4	4	38	10·1	
East Grinstead	13,153	121	134	5	4	264	20·1	129	9·8	·8900	8·7	14	53	10·3	
Hailsham	18,351	155	177	19	11	362	19·7	217†	11·8	·8532	10·1	25	69	7·9	
Hastings	1,744	17	13	—	—	30	17·2	20	11·5	·8089	9·3	3	100	5·7	
Newhaven... ..	5,089	36	35	1	—	72	14·1	49	9·6	1·1259	10·8	7	97	4·5	
Rye	7,145	76	63	2	7	148	20·7	105	14·7	·7871	11·6	8	54	6·0	
Steyning East	2,969	15	12	—	—	27	9·1	25	8·4	1·0260	8·6	3	111	0·7	
Ticehurst	13,603	151	112	12	4	279	20·5	146	10·7	·8594	9·2	11	39	9·8	
Uckfield	23,648	207	205	8	11	431	18·2	237	10·0	·9248	9·2	26	60	8·2	
SUSSEX, WEST.															
Total Urban Districts ...	179,623	1,611	1,513	87	76	3,287	18·3	2,060	11·5	·8584	9·9	213	65	6·8	
Total Rural Districts ...	85,360	713	684	49	44	1,490	17·5	1,026	12·0	·8650	10·4	88	59	5·5	
Urban Districts.	94,263	898	829	38	32	1,797	19·1	1,034	11·0	·8521	9·4	125	70	8·1	
Arundel M.B.	2,813	19	22	2	2	45	16·0	34	12·1	·8583	10·4	4	89	3·9	
Bognor	8,402	60	62	6	4	132	15·7	114	13·6	·9492	12·9	16	121	2·1	
Chichester M.B.	12,636	115	92	7	9	223	17·6	149†	11·8	·8740	10·3	13	58	5·8	
Horsham	11,385	115	111	4	3	233	20·5	146	12·8	·8542	10·9	14	60	7·7	
Littlehampton	8,482	87	70	11	3	171	20·2	97	11·4	·9067	10·3	7	41	8·8	
Shoreham by Sea	5,872	45	61	3	1	110	18·7	75	12·8	·9050	11·6	4	36	5·9	
Southwick	4,440	37	45	4	4	90	20·3	54	12·2	·8499	10·4	10	111	8·1	
Worthing M.B.	31,330	235	221	12	18	486	15·5	357	11·4	·8302	9·5	20	41	4·1	
Rural Districts.															
East Preston	6,975	71	60	4	3	138	19·8	74	10·6	·8337	8·8	9	65	9·2	
Horsham	21,243	181	169	7	8	365	17·2	204	9·6	·9243	8·9	17	47	7·6	
Midhurst	15,501	152	135	6	6	299	19·3	165	10·6	·8819	9·3	18	60	8·7	
Petworth	8,809	77	94	4	3	178	20·2	124	14·1	·8065	11·4	11	62	6·1	
Steyning West	8,969	76	72	4	2	154	17·2	90	10·0	·8551	8·6	10	65	7·2	
Thakeham	8,471	78	80	2	4	164	19·4	89	10·5	·8258	8·7	19	116	8·9	
Westbourne	8,532	90	78	5	3	176	20·6	111	13·0	·7934	10·3	17	97	7·6	
Westhampnett	15,763	173	141	6	3	323	20·5	177	11·2	·8438	9·5	24	74	9·3	
WARWICKSHIRE.															
Total Urban Districts ...	307,070	3,464	3,403	151	137	7,155	23·3	3,744	12·2	·9247	11·3	568	79	11·1	
Total Rural Districts ...	136,911	1,436	1,425	72	59	2,992	21·9	1,622	11·8	·9543	11·3	258	86	10·1	
Urban Districts.	170,159	2,028	1,978	79	78	4,163	24·5	2,122	12·5	·9018	11·3	310	74	12·0	
Bulkington	1,875	24	22	1	1	48	25·6	29	15·5	·8405	13·0	3	63	10·1	
Kenilworth	5,939	59	73	3	7	142	23·9	72	12·1	·8818	10·7	8	56	11·8	
Nuneaton M.B.	38,672	565	560	22	10	1,157	29·9	438	11·3	1·0564	11·9	122	105	18·6	
Royal Leamington Spa M.B.	26,690	223	204	13	19	459	17·2	394	14·8	·8310	12·3	37	81	2·4	
Rugby	22,411	180	193	10	7	390	17·4	223	10·0	1·0690	10·7	27	69	7·4	
Stratford on Avon M.B.	8,560	88	67	9	1	165	19·3	116	13·6	·8709	11·8	14	85	5·7	
Sutton Coldfield M.B. ...	20,909	176	163	7	3	349	16·7	187	8·9	·9984	8·9	18	52	7·8	
Warwick M.B.	11,855	121	143	7	11	282	23·8	163	13·7	·8715	11·9	29	103	10·1	

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population. (Middle, 1912.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.			Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
WARWICKSHIRE—cont.															
Rural Districts.															
Alcester	11,929	108	98	8	5	219	18·4	159	13·3	·8632	11·5	14	64	5·1	
Atherstone	19,501	309	250	7	13	579	29·7	273	14·0	·9812	13·7	60	104	15·7	
Brailes	6,009	60	51	3	4	118	19·6	78	13·0	·7491	9·7	4	34	6·6	
Castle Bromwich†	672*	6	5	—	—	11	16·4	10	14·9	·9538	14·2	—	—	1·5	
Coventry	617	15	13	2	—	30	48·6	6	9·7	1·0914	10·6	2	67	38·9	
Farnborough	1,474	8	9	1	1	19	12·9	13	8·8	·8069	7·1	—	—	4·1	
Foleshill	23,793	365	429	12	4	810	34·0	318	13·4	·9833	13·2	65	80	20·6	
Meriden	14,900 ^c	152	153	2	7	314	21·1	174	11·7	·8748	10·2	12	38	9·4	
Monks Kirby	1,550	13	9	1	—	23	14·8	14	9·0	·8056	7·3	1	43	5·8	
Nuneaton	2,628	41	37	1	—	79	30·1	47	17·9	·8974	16·1	12	152	12·2	
Rugby	17,636	214	223	10	9	456	25·9	240	13·6	·9115	12·4	36	79	12·3	
Solihull	19,302	183	174	2	5	364	18·9	209	10·8	·9134	9·9	21	58	8·1	
Southam	9,996	121	103	8	8	240	24·0	146	14·6	·7750	11·3	19	79	9·4	
Stratford on Avon	11,141	100	120	7	11	238	21·4	124	11·1	·8044	8·9	11	46	10·3	
Tamworth (part of)§	16,491	242	199	8	8	457	27·7	177	10·7	1·0111	10·8	39	85	17·0	
Warwick	12,520	91	105	7	3	206	16·5	134†	10·7	·8917	9·5	14	68	5·8	
WESTMORLAND.															
Total Urban Districts ...	63,465	592	603	44	40	1,279	20·2	778	12·3	·8970	11·0	89	70	7·9	
Total Rural Districts ...	26,833	241	249	18	23	531	19·8	326	12·1	·9303	11·3	36	68	7·7	
	36,632	351	354	26	17	748	20·4	452	12·3	·8730	10·7	53	71	8·1	
Urban Districts.															
Ambleside... ..	2,555	11	18	1	3	33	12·9	32	12·5	·9768	12·2	1	30	0·4	
Appleby M.B.	1,732	12	13	—	1	26	15·0	15	8·7	·8761	7·6	—	—	6·3	
Grasmere	889	10	10	1	—	21	23·6	10	11·2	·7920	8·9	1	48	12·4	
Kendal M.B.	14,013	147	139	11	14	311	22·2	187	13·3	·9415	12·5	25	80	8·9	
Kirkby Lonsdale ...	1,509	8	11	2	2	23	15·2	8	5·3	·9410	5·0	2	87	9·9	
Shap	977	10	10	—	—	20	20·5	15	15·4	·8350	12·9	1	50	5·1	
Windermere	5,158	43	48	3	3	97	18·8	59	11·4	·9477	10·8	6	62	7·4	
Rural Districts.															
East Westmorland ...	11,111	121	129	10	11	271	24·4	144	13·0	·8440	11·0	21	77	11·4	
South Westmorland ...	19,095	173	171	10	4	358	18·7	211	11·1	·9004	10·0	16	45	7·6	
West Ward	6,426	57	54	6	2	119	18·5	97	15·1	·8497	12·8	16	134	3·4	
WIGHT, ISLE OF.															
Total Urban Districts ...	88,950	727	738	47	33	1,545	17·4	1,056	11·9	·8570	10·2	100	65	5·5	
Rural District	57,560	500	493	32	20	1,045	18·2	729	12·7	·8544	10·9	71	68	5·5	
	31,390	227	245	15	13	500	15·9	327	10·4	·8626	9·0	29	58	5·5	
Urban Districts.															
Cowes	9,765	96	97	4	7	204	20·9	134	13·7	·9292	12·7	15	74	7·2	
East Cowes	4,853	51	62	2	2	117	24·1	46	9·5	·9668	9·2	11	94	14·6	
Newport M.B.	11,186	127	139	7	6	279	24·9	151	13·5	·8802	11·9	22	79	11·4	
Ryde M.B.	10,550	71	62	3	1	137	13·0	154	14·6	·7655	11·2	5	36	—1·6	
St. Helens	5,026	50	30	2	—	82	16·3	64	12·7	·8409	10·7	2	24	3·6	
Sandown	5,623	47	37	5	1	90	16·0	54	9·6	·8398	8·1	5	56	6·4	
Shanklin	4,780	19	31	1	1	52	10·9	45	9·4	·8109	7·6	3	58	1·5	
Ventnor	5,777	39	35	8	2	84	14·5	81	14·0	·8593	12·0	8	95	0·5	
Rural District.															
Isle of Wight	31,390	227	245	15	13	500	15·9	327†	10·4	·8626	9·0	29	58	5·5	
WILTSHIRE.															
Total Urban Districts ...	288,865	2,828	2,879	139	139	5,985	20·7	3,334	11·5	·8841	10·2	393	66	9·2	
Total Rural Districts ...	126,204	1,240	1,220	52	50	2,562	20·3	1,401	11·1	·9449	10·5	177	69	9·2	
	162,661	1,588	1,659	87	89	3,423	21·0	1,933	11·9	·8421	10·0	216	63	9·1	
Urban Districts.															
Bradford on Avon ...	4,499	46	37	2	1	86	19·1	58	12·9	·8368	10·8	4	47	6·2	
Calne M.B.	3,549	33	21	—	4	58	16·3	60	16·9	·7880	13·3	6	103	—0·6	
Chippenham M.B. ...	5,366	57	45	3	1	106	19·8	49	9·1	·9374	8·5	8	75	10·7	
Devizes M.B.	6,766	66	74	3	1	144	21·3	82	12·1	·8624	10·4	11	76	9·2	
Malmesbury M.B. ...	2,630	21	19	1	2	43	16·3	30	11·4	·8319	9·5	2	47	4·9	
Marlborough M.B. ...	4,440	31	33	—	4	68	15·3	42	9·5	1·0144	9·6	2	29	5·8	
Melksham... ..	3,187	20	24	1	—	45	14·1	35	11·0	·9365	10·3	2	44	3·1	
Salisbury M.B.	21,354	185	185	14	14	398	18·6	227	10·6	·9547	10·1	22	55	8·0	
Swindon M.B.	51,512	577	599	26	16	1,218	23·6	537	10·4	1·0266	10·7	95	78	13·2	
Trowbridge	11,852	114	102	1	5	222	18·7	153	12·9	·8628	11·1	16	72	5·8	
Warminster	5,485	36	41	—	2	79	14·4	68	12·4	·8627	10·7	3	38	2·0	
Westbury... ..	3,450	38	26	—	—	64	18·6	34	9·9	·8493	8·4	4	63	8·7	
Wilton M.B.	2,114	16	14	1	—	31	14·7	26	12·3	·8294	10·2	2	65	2·4	
Rural Districts.															
Amesbury	11,541	122	147	3	4	276	23·9	135	11·7	1·0071	11·8	28	101	12·2	
Bradford on Avon ...	5,345	48	40	2	3	93	17·4	62	11·6	·8697	10·1	4	43	5·8	
Calne	4,597	44	57	2	1	104	22·6	46	10·0	·8030	8·0	6	58	12·6	
Chippenham	18,283	185	175	5	5	370	20·2	199	10·9	·8544	9·3	16	43	9·3	
Cricklade and Wootton Bassett	10,955	101	124	4	8	237	21·6	144	13·1	·8343	10·9	13	55	8·5	

† Abolished 1st April, 1912.

§ The remainder of Tamworth Rural District is in Staffordshire; see page 155.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population. (Middle, 1912.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
WILTSHIRE—cont.															
Devizes ...	12,825	113	112	13	8	246	19·2	164†	12·8	·8333	10·7	16	65	6·4	
Highworth ...	15,253	159	169	8	13	349	22·9	169	11·1	·8663	9·6	24	69	11·8	
Malmesbury ...	9,300	97	73	5	4	179	19·2	91	9·8	·8079	7·9	4	22	9·4	
Marlborough ...	4,516	39	58	1	1	99	21·9	55	12·2	·8369	10·2	9	91	9·7	
Melksham ...	5,050	40	53	2	2	97	19·2	62	12·3	·8403	10·3	4	41	6·9	
Mere ...	5,168	46	43	1	1	91	17·6	64	12·4	·7994	9·9	3	33	5·2	
Pewsey ...	13,580	146	147	7	8	308	22·7	176	13·0	·8805	11·4	26	84	9·7	
Ramsbury ...	7,111	71	69	3	9	152	21·4	100	14·1	·7780	11·0	13	86	7·3	
Salisbury ...	10,229	98	99	11	4	212	20·7	121	11·8	·8434	10·0	15	71	8·9	
Tetbury (part of)†	375	7	6	1	—	14	37·3	6	16·0	·8993	14·4	2	143	21·3	
Tisbury ...	7,815	77	76	4	3	160	20·5	86	11·0	·8220	9·0	6	38	9·5	
Warminster ...	5,920	41	51	3	5	100	16·9	81	13·7	·7721	10·6	2	20	3·2	
Westbury and Whorwells-down.	6,638	59	75	3	6	143	21·5	82	12·4	·8104	10·0	11	77	9·1	
Wilton ...	8,160	95	85	9	4	193	23·7	90	11·0	·8320	9·2	14	73	12·7	
WORCESTERSHIRE.															
Total Urban Districts ...	291,341	3,173	3,100	150	155	6,578	22·6	3,752	12·9	·9159	11·8	591	90	9·7	
Total Rural Districts ...	155,591*	1,784	1,721	77	80	3,662	23·5	2,012	12·9	·9660	12·5	362	99	10·6	
Urban Districts.	135,750*	1,389	1,379	73	75	2,916	21·5	1,740	12·8	·8648	11·1	229	79	8·7	
Bewdley M.B. ...	2,729	28	22	3	1	54	19·8	41	15·0	·8615	12·9	5	93	4·8	
Bromsgrove ...	8,993	95	86	6	8	195	21·7	128	14·2	·8839	12·6	11	56	7·5	
Droitwich M.B. ...	4,139	45	37	1	4	87	21·0	39	9·4	·8287	7·8	7	80	11·6	
Evesham M.B. ...	8,504	84	112	3	5	204	24·0	99	11·6	·9843	11·4	17	83	12·4	
Kidderminster M.B. ...	24,762*	270	255	17	16	558	22·5	328	13·2	·9658	12·7	57	102	9·3	
Lye and Wollescote ...	11,778	180	138	2	8	328	27·8	168	14·3	1·0113	14·5	37	113	13·5	
Malvern ...	16,521	97	118	6	4	225	13·6	211	12·8	·9297	11·9	12	53	0·8	
North Bromsgrove ...	7,412	74	63	6	3	146	19·7	64†	8·6	·9167	7·9	11	75	11·1	
Oldbury ...	33,164	511	507	20	19	1,057	31·9	453	13·7	1·0249	14·0	136	129	18·2	
Redditch ...	15,724	154	153	5	4	316	20·1	183	11·6	1·0257	11·9	20	63	8·5	
Stourbridge ...	17,446	203	189	7	8	407	23·3	235	13·5	·9502	12·8	39	96	9·8	
Stourport ...	4,419	43	41	1	—	85	19·2	63	14·3	·9311	13·3	10	118	4·9	
Rural Districts.	15,160	154	135	8	7	304	20·1	167	11·0	·8832	9·7	19	63	9·1	
Bromsgrove ...	12,986	114	128	11	15	268	20·6	190	14·6	8295	12·1	21	78	6·0	
Droitwich ...	9,295	99	103	2	2	206	22·2	107	11·5	·8602	9·9	16	78	10·7	
Evesham ...	5,446	42	47	5	1	95	17·4	65	11·9	·8553	10·2	5	53	5·5	
Feckenham ...	26,221	379	344	8	12	743	28·3	342	13·0	1·0297	13·4	96	129	15·3	
Halesowen ...	10,069*	92	94	4	1	191	19·0	131	13·0	·8885	11·6	12	63	6·0	
Kidderminster ...	13,079	131	123	9	10	273	20·9	161	12·3	·8220	10·1	13	48	8·6	
Martley ...	13,290	114	148	5	9	276	20·8	181	13·6	·8209	11·2	17	62	7·2	
Pershore ...	2,199	18	25	—	—	43	19·6	34	15·5	·7452	11·6	3	70	4·1	
Rock ...	4,712	49	43	2	7	101	21·4	68	14·4	·7317	10·5	5	50	7·0	
Shipston on Stour ...	314	3	2	—	—	5	15·9	4	12·7	·7268	9·2	—	—	3·2	
Stow on the Wold (part of)†	4,712	33	46	8	3	90	19·1	79	16·8	·8538	14·3	7	78	2·3	
Tenbury ...	2,319	24	14	1	1	40	17·2	27	11·6	·8128	9·4	—	—	5·6	
Tewkesbury (part of)†	14,639	130	112	10	6	258	17·6	170†	11·6	·8169	9·5	15	58	6·0	
Upton on Severn ...	116	—	4	—	—	4	34·5	2	17·2	·8009	13·8	—	—	17·3	
Winchcomb (part of)†	1,193	7	11	—	1	19	15·9	12	10·1	·7482	7·6	—	—	5·8	
Civil Parishes of Redmarley d'Abitot and Staunton administered by Rural District Council of Newent (Gloucestershire).															
YORKSHIRE, EAST RIDING.															
Total Urban Districts ...	156,095	1,637	1,497	129	135	3,398	21·8	1,946	12·5	·8660	10·8	259	76	9·3	
Total Rural Districts ...	60,886	611	600	45	44	1,300	21·4	753	12·4	·8757	10·9	84	65	9·0	
Urban Districts.	95,209	1026	897	84	91	2,098	22·0	1,193	12·5	·8598	10·7	175	83	9·5	
Beverley M.B. ...	13,717	149	147	16	10	322	23·5	211	15·4	·8497	13·1	28	87	8·1	
Bridlington M.B. ...	14,579	130	120	11	9	270	18·5	174	11·9	·8883	10·6	16	59	6·6	
Cottingham ...	4,767	44	51	2	1	98	20·6	49	10·3	·9217	9·5	6	61	10·3	
Filey ...	3,258	38	26	2	5	71	21·8	40	12·3	·8883	10·9	9	127	9·5	
Great Driffield ...	5,664	51	54	5	3	113	20·0	70	12·4	·8028	10·0	6	53	7·6	
Hedon M.B. ...	1,192	14	13	1	3	31	26·0	17	14·3	·7802	11·2	3	97	11·7	
Hessle ...	5,526	56	75	1	2	134	24·2	50	9·0	·9360	8·4	4	30	15·2	
Hornsea ...	3,109	28	23	2	—	53	17·0	41	13·2	·9280	12·2	2	38	3·8	
Norton ...	4,010	42	43	1	6	92	22·9	42	10·5	·9239	9·7	5	54	12·4	
Pocklington ...	2,556	32	25	4	4	65	25·4	32	12·5	·8089	10·1	3	46	12·9	
Withernsea ...	2,508	27	23	—	1	51	20·3	27	10·8	·9252	10·0	2	39	9·5	
Rural Districts.	11,674	102	105	10	8	225	19·3	124†	10·6	·8922	9·5	20	89	8·7	
Beverley ...	7,742	76	75	11	11	173	22·3	120	15·5	·8863	13·7	20	116	6·8	

† The remaining parts of Tetbury, Stow on the Wold, Tewkesbury, and Winchcomb Rural Districts are in Gloucestershire; see pages 142 and 143.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population. (Middle, 1912.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.			Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
YORKSHIRE, EAST RIDING															
—cont.															
Driffield	12,126	145	98	13	14	270	22·3	161	13·3	·8535	11·4	25	93	9·0	
Escrick	5,959	57	44	4	3	108	18·1	73	12·3	·9159	11·3	12	111	5·8	
Howden	12,685	128	129	13	17	287	22·6	170	13·4	·8360	11·2	29	101	9·2	
Norton	5,824	65	52	8	9	134	23·0	72	12·4	·8885	11·0	8	60	10·6	
Pattingham	7,125	77	74	4	5	160	22·5	98	13·8	·7986	11·0	18	113	8·7	
Pocklington	11,293	137	109	11	8	265	23·5	140	12·4	·8493	10·5	15	57	11·1	
Riccall	3,300	57	43	2	3	105	31·8	50	15·2	·7802	11·9	7	67	16·6	
Sculcoates... ..	8,032	82	70	2	3	157	19·5	75	9·3	·9093	8·5	7	45	10·2	
Sherburn	2,263	26	20	—	2	48	21·2	26	11·5	·9511	10·9	4	83	9·7	
Skirlaugh	7,186	74	78	6	8	166	23·1	84	11·7	·8388	9·8	10	60	11·4	
YORKSHIRE, NORTH RIDING.															
Total Urban Districts ...	181,471	2,312	2,200	111	137	4,760	26·2	2,726	15·0	·9526	14·3	462	97	11·2	
Total Rural Districts ...	137,114	1,355	1,269	79	92	2,795	20·4	1,785	13·0	·8630	11·2	227	81	7·4	
Urban Districts.															
Eston	12,136	184	191	8	9	392	32·3	186	15·3	1·0043	15·4	45	115	17·0	
Guisborough	7,249	93	97	7	6	203	28·0	92	12·7	·9238	11·7	23	113	15·3	
Hinderwell	2,564	29	24	1	—	54	21·1	32	12·5	·9389	11·7	1	19	8·6	
Kirklington cum Upsland	243	2	4	—	—	6	24·7	2	8·2	·9503	7·8	—	—	16·5	
Loftus	9,185	148	118	7	10	283	30·8	111	12·1	1·0072	12·2	25	88	18·7	
Malton	4,830	52	41	6	5	104	21·5	66	13·7	·8638	11·8	9	87	7·8	
Masham	3,263	33	40	1	1	75	23·0	47	14·4	·9392	13·5	4	53	8·6	
Northallerton	4,912	50	59	1	5	115	23·4	60	12·2	·9682	11·8	11	96	11·2	
Ormesby	15,257	271	248	3	7	529	34·7	270	17·7	1·0493	18·6	64	121	17·0	
Pickering	3,698	30	34	2	5	71	19·2	52	14·1	·8231	11·6	8	113	5·1	
Redcar	10,881	128	137	3	7	275	25·3	148	13·6	·9817	13·4	17	62	11·7	
Richmond, M.B. ...	3,947	40	36	4	2	82	20·8	51	12·9	·9396	12·1	8	98	7·9	
Saltburn by the Sea ...	3,421	33	20	—	2	55	16·1	49	14·3	·9612	13·7	5	91	1·8	
Scalby	1,679	9	9	—	—	18	10·7	22	13·1	1·0360	13·6	1	56	—2·4	
Scarborough, M.B. ...	37,074	287	274	30	26	617	16·6	587	15·8	·8864	14·0	49	79	0·8	
Skelton and Brotton ...	15,453	228	211	12	16	467	30·2	204	13·2	·9846	13·0	52	111	17·0	
South Bank in Normanby	15,682	271	238	8	13	530	33·8	248	15·8	1·0696	16·9	53	100	18·0	
Thornaby on Tees, M.B.	18,940	312	305	10	15	642	33·9	322	17·0	1·0370	17·6	66	103	16·9	
Whitby	11,057	112	114	8	8	242	21·9	177	16·0	·8507	13·6	21	87	5·9	
Rural Districts.															
Aysgarth	4,230	33	37	5	5	80	18·9	66	15·6	·8713	13·6	6	75	3·3	
Bedale	6,958	84	59	4	1	148	21·3	89	12·8	·8507	10·9	9	61	8·5	
Croft	2,253	23	28	1	—	52	23·1	30	13·3	·9205	12·2	5	96	9·8	
Easingwold	10,253	99	91	9	9	208	20·3	144	14·0	·8234	11·5	21	101	6·3	
Flaxton	8,674	80	68	4	4	156	18·0	85†	9·8	·9663	9·5	10	64	8·2	
Guisborough	7,860	112	85	8	4	209	26·6	122	15·5	·9065	14·1	28	134	11·1	
Helmsley	5,151	51	52	3	6	112	21·7	68	13·2	·8886	11·7	9	80	8·5	
Kirkby Moorside	4,880	56	30	3	5	94	19·3	78	16·0	·8275	13·2	8	85	3·3	
Leyburn	6,319	57	58	—	3	118	18·7	92	14·6	·8421	12·3	7	59	4·1	
Malton	6,195	60	52	6	5	123	19·9	77	12·4	·8504	10·5	13	106	7·5	
Middlesbrough	2,642	11	24	—	2	37	14·0	17	6·4	1·0628	6·8	2	54	7·6	
Northallerton	7,767	88	83	5	2	178	22·9	98	12·6	·8439	10·6	14	79	10·3	
Pickering	6,454	46	72	8	9	135	20·9	77	11·9	·8059	9·6	9	67	9·0	
Reeth	2,380	23	24	2	2	51	21·4	28	11·8	·8290	9·8	—	—	9·6	
Richmond	8,108	83	84	1	5	173	21·3	113	13·9	·8467	11·8	14	81	7·4	
Scarborough	6,296	49	55	5	3	112	17·8	60	9·5	·8712	8·3	3	27	8·3	
Startforth	4,918	42	40	2	1	85	17·3	65	13·2	·9097	12·0	5	59	4·1	
Stokesley	12,228	116	107	3	5	231	18·9	170	13·9	·8855	12·3	17	74	5·0	
Thirsk	12,803	132	126	9	16	283	22·1	171	13·4	·8448	11·3	28	99	8·7	
Wath	2,184	23	22	—	1	46	21·1	26	11·9	·8579	10·2	4	87	9·2	
Whitby	8,561	87	72	1	4	164	19·2	109	12·7	·8353	10·6	15	91	6·5	
YORKSHIRE, WEST RIDING.															
Total Urban Districts ...	1,605,365*	19,371	18,471	808	816	39,466	24·6	21,290	13·3	1·0147	13·5	3,755	95	11·3	
Total Rural Districts ...	1,218,600	14,274	13,479	609	620	28,982	23·8	16,397	13·5	1·0290	13·9	2,779	96	10·3	
Urban Districts.															
Altofts	4,777	67	73	3	2	145	30·4	59	12·4	1·0219	12·7	11	76	18·0	
Ardley	6,955	122	106	9	4	241	34·6	105	15·1	1·1055	16·7	23	95	19·5	
Ardley East and West ...	8,205	106	91	1	—	198	24·1	107	13·0	1·0688	13·9	23	116	11·1	
Baildon	6,074	52	44	—	1	97	16·0	76	12·5	1·0441	13·1	5	52	3·5	
Balby with Hexthorpe ...	12,204	157	159	5	3	324	26·5	133	10·9	1·0203	11·1	33	102	15·6	
Barkisland	1,616	20	14	1	—	35	21·7	22	13·6	·9628	13·1	2	57	8·1	
Barnoldswick	10,143	91	93	4	9	197	19·4	144	14·2	1·1277	16·0	30	152	5·2	
Barnsley, M.B.	51,876	759	720	44	42	1,565	30·2	740	14·3	1·0490	15·0	156	100	15·9	
Batley, M.B.	36,602	413	388	23	23	847	23·1	514	14·0	1·0470	14·7	101	119	9·1	
Bentley with Arksey ...	7,039	178	158	5	2	343	48·7	84	11·9	1·0786	12·8	24	70	36·8	
Bingley	18,801	161	145	8	5	319	17·0	257	13·7	1·0126	13·9	23	72	3·3	
Birkeenshaw	2,552	29	26	—	2	57	22·3	39	15·3	·9768	14·9	5	88	7·0	

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population. (Middle, 1912.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
YORKSHIRE, WEST RIDING															
—cont.															
Birstal ...	7,190	68	89	7	1	165	22·9	100	13·9	1·0055	14·0	17	103	9·0	
Bolton upon Dearne ...	9,311	195	190	7	10	402	43·2	117	12·6	1·1011	13·9	39	97	30·6	
Brighouse M.B. ...	20,725	179	167	8	6	360	17·4	300	14·5	1·0446	15·1	29	81	2·9	
Burley in Wharfedale ...	3,820	31	33	—	1	65	17·0	38†	9·9	1·0030	9·9	7	108	7·1	
Calverley ...	3,040	20	31	—	—	51	16·8	37	12·2	·9836	12·0	3	59	4·6	
Castleford ...	23,845	408	392	13	15	828	34·7	346	14·5	1·0690	15·5	96	116	20·2	
Clayton ...	4,829	24	26	1	1	52	10·8	50	10·4	·9089	9·5	2	38	0·4	
Clayton West ...	1,919	23	18	—	—	41	21·4	23	12·0	1·0633	12·8	3	73	9·4	
Cleckheaton ...	12,911	119	105	1	5	230	17·8	168	13·0	1·0621	13·8	27	117	4·8	
Cudworth ...	7,276	137	127	6	5	275	37·8	94	12·9	1·1039	14·2	33	120	24·9	
Darfield ...	5,590	97	90	2	1	190	34·0	74	13·2	1·0330	13·6	22	116	20·8	
Darton ...	9,570	185	148	5	7	345	36·1	99	10·3	1·0000	10·3	23	67	25·8	
Denby and Cumberworth	3,733	38	38	4	2	82	22·0	40	10·7	1·0316	11·0	5	61	11·3	
Denholme ...	2,979	26	22	1	—	49	16·4	51	17·1	·9811	16·8	6	122	—0·7	
Dewsbury M.B. ...	53,630	612	528	33	31	1,204	22·5	834	15·6	1·0576	16·5	127	105	6·9	
Dodworth ...	3,319	45	50	2	3	100	30·1	45	13·6	1·0180	13·8	11	110	16·5	
Doncaster M.B. ...	30,726	332	303	24	21	680	22·1	455	14·8	1·0018	14·8	77	113	7·3	
Drighlington ...	4,114	43	43	1	1	88	21·4	68	16·5	·9964	16·4	7	80	4·9	
Earby ...	6,285	79	58	3	7	147	23·4	93	14·8	1·1229	16·6	15	102	8·6	
Elland ...	10,711	77	83	3	5	168	15·7	154	14·4	1·0362	14·9	16	95	1·3	
Emley ...	1,648	24	17	1	—	42	25·5	16	9·7	·9975	9·7	—	—	15·8	
Farnley Tyas ...	478	4	3	—	—	7	14·6	4	8·4	·8460	7·1	1	143	6·2	
Farsley ...	6,048	47	55	1	4	107	17·7	81	13·4	1·0228	13·7	11	103	4·3	
Featherstone ...	14,677	222	243	11	12	488	33·2	225	15·3	1·0323	15·8	68	139	17·9	
Flockton ...	1,396	20	18	—	—	38	27·2	14	10·0	·9928	9·9	3	79	17·2	
Garforth ...	4,080	48	46	4	3	101	24·8	52	12·7	1·0178	12·9	12	119	12·1	
Gildersome ...	2,969	39	36	2	—	77	25·9	51	17·2	·9887	17·0	7	91	8·7	
Golcar ...	10,222	120	94	2	5	221	21·6	139	13·6	1·0613	14·4	13	59	8·0	
Gomersal ...	3,825	32	34	2	3	71	18·6	49	12·8	1·0011	12·8	7	99	5·8	
Goole ...	20,829	323	278	7	23	631	30·3	288	13·8	·9867	13·6	51	81	16·5	
Greasbrough ...	3,134	32	42	3	2	79	25·2	42	13·4	·9637	12·9	7	89	11·8	
Greetland ...	4,493	31	38	1	2	72	16·0	66	14·7	·9986	14·7	6	83	1·3	
Guiseley ...	4,974	53	49	1	2	105	21·1	68	13·7	1·0333	14·2	9	86	7·4	
Gunthwaite and Ingbirchworth.	386	5	2	—	—	7	18·1	5	13·0	·9783	12·7	—	—	5·1	
Handsworth ...	14,304	213	190	6	9	418	29·2	173	12·1	1·0202	12·3	41	98	17·1	
Harrogate M.B. ...	34,402	277	197	24	11	509	14·8	329	9·6	1·0029	9·6	34	67	5·2	
Haworth ...	6,374	64	57	4	2	127	19·9	81	12·7	1·0423	13·2	7	55	7·2	
Hebden Bridge ...	7,124	53	47	—	2	102	14·3	107	15·0	1·0629	15·9	12	118	—0·7	
Heckmondwike ...	8,957	80	94	4	4	182	20·3	165	18·4	1·0305	19·0	26	143	1·9	
Hipperholme ...	4,469	38	38	1	1	78	17·5	49	11·0	1·0452	11·5	4	51	6·5	
Holme ...	385	—	6	—	—	6	15·6	5	13·0	·8819	11·5	—	—	2·6	
Holmfirth ...	10,298*	91	87	2	3	183	17·8	131	12·7	·9573	12·2	7	38	5·1	
Honley ...	4,780*	44	41	1	2	88	18·4	67	14·0	1·0168	14·2	4	45	4·4	
Horbury ...	7,611	77	78	2	2	159	20·9	100	13·1	1·0445	13·7	12	75	7·8	
Horsforth ...	9,325	78	86	4	3	171	18·3	110	11·8	1·0088	11·9	12	70	6·5	
Hoyland Nether ...	14,927	234	214	14	14	476	31·9	189	12·7	1·0318	13·1	36	76	19·2	
Hoyland Swaine ...	606	13	6	2	—	21	34·7	10	16·5	·9190	15·2	1	48	18·2	
Hunsworth ...	1,323	10	9	1	—	20	15·1	15	11·3	1·0173	11·5	3	150	3·8	
Ilkley ...	8,063	56	45	1	1	103	12·8	71	8·8	·9854	8·7	7	68	4·0	
Keighley M.B. ...	43,742	417	464	11	23	915	20·9	616	14·1	1·0759	15·2	93	102	6·8	
Kirkburton ...	3,466	43	35	1	1	80	23·1	53	15·3	·9752	14·9	7	88	7·8	
Kirkheaton ...	2,638	35	24	—	1	60	22·7	36	13·6	·9195	12·5	3	50	9·1	
Knaresborough ...	5,343	55	46	10	10	121	22·6	88	16·5	·8612	14·2	13	107	6·1	
Knottingley ...	6,795	119	92	3	8	222	32·7	125	18·4	1·0086	18·6	29	131	14·3	
Lepton ...	3,029	31	17	—	1	49	16·2	42	13·9	1·0260	14·3	5	102	2·3	
Linthwaite ...	9,237	89	107	5	—	201	21·8	111	12·0	1·0803	13·0	15	75	9·8	
Liversedge ...	14,748	143	167	4	10	324	22·0	212	14·4	1·0458	15·1	39	120	7·6	
Luddenden Foot ...	2,843	24	26	—	1	51	17·9	45	15·8	1·0306	16·3	5	98	2·1	
Marsden ...	5,941	61	63	—	1	125	21·0	85	14·3	1·0945	15·7	13	104	6·7	
Meltham ...	5,180	37	30	1	2	70	13·5	65	12·5	·9845	12·3	4	57	1·0	
Methley ...	4,334	64	60	6	2	132	30·5	53	12·2	·9810	12·0	10	76	18·3	
Mexborough ...	14,927	257	215	12	14	498	33·4	201	13·5	1·0492	14·2	44	88	19·9	
Midgley ...	2,114	19	8	1	2	30	14·2	22	10·4	1·0078	10·5	1	33	3·8	
Mirfield ...	11,761	100	88	6	5	199	16·9	148	12·6	1·0367	13·1	17	85	4·3	
Monk Bretton ...	4,893	83	86	7	5	181	37·0	68	13·9	1·0439	14·5	22	122	23·1	
Morley M.B. ...	24,368	221	236	13	9	479	19·7	312	12·8	1·0583	13·5	63	132	6·9	
Mytholmroyd ...	4,150	23	29	—	—	52	12·5	70	16·9	·9482	16·0	5	96	—4·4	
Netherthong†	219*	2	3	—	—	5	22·8	1	4·6	·9684	4·5	—	—	18·2	
New Mill ...	4,560	53	43	2	2	100	21·9	60	13·2	1·0310	13·6	11	110	8·7	
Normanton ...	15,388	242	241	4	1	488	31·7	203	13·2	1·0493	13·9	62	127	18·5	
Oakworth ...	4,281	38	35	1	2	76	17·8	47	11·0	·9701	10·7	3	39	6·8	
Ossett M.B. ...	14,234	155	155	7	2	319	22·4	199	14·0	1·0519	14·7	26	82	8·4	
Otley ...	9,864	93	85	5	2	185	18·8	107	10·8	·9982	10·8	23	124	8·0	
Oxenhope ...	2,414	14	15	1	—	30	12·4	35	14·5	1·0090	14·6	3	100	—2·1	

† Abolished 1st April, 1912.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1912—continued.

Administrative Area.	Estimated Population. (Middle, 1912.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.			Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
YORKSHIRE, WEST RIDING															
—cont.															
Penistone ...	3,452	35	42	1	5	83	24·0	50	14·5	1·0032	14·5	4	48	9·5	
Pontefract M.B. ...	16,284	248	227	10	7	492	30·2	271	16·6	·9986	16·6	61	124	13·6	
Pudsey M.B. ...	13,906	127	111	9	6	253	18·2	210	15·1	·9898	14·9	25	99	3·1	
Queensbury ...	6,086	34	40	—	1	75	12·3	86	14·1	1·0349	14·6	6	80	—1·1	
Rawdon ...	3,200	28	29	—	—	57	17·8	44	13·8	·9894	13·7	3	53	4·0	
Rawmarsh ...	17,530	273	248	14	17	552	31·5	254	14·5	1·0355	15·0	79	143	17·0	
Ripon M.B. ...	8,216	78	72	4	10	164	20·0	106	12·9	·8853	11·4	8	49	7·1	
Rishworth ...	937	13	8	—	—	21	22·4	16	17·1	1·0998	18·8	2	95	5·3	
Rothwell ...	14,618	193	191	7	7	398	27·2	163	11·2	1·0352	11·6	23	58	16·0	
Royston ...	6,481	119	116	5	—	240	37·0	83	12·8	1·0890	13·9	26	108	24·2	
Saddleworth ...	12,640	124	117	7	1	249	19·7	162	12·8	·9822	12·6	8	32	6·9	
Scammonden ...	338	3	2	—	—	5	14·8	4	11·8	·8093	9·5	—	—	3·0	
Selby ...	9,215	92	121	5	6	224	24·3	118	12·8	·9433	12·1	18	80	11·5	
Shelf ...	2,312	19	13	—	—	32	13·8	24	10·4	·9281	9·7	2	63	3·4	
Shelley ...	1,781	17	8	2	—	27	15·2	16	9·0	·9790	8·8	1	37	6·2	
Shepley ...	1,900	14	15	—	1	30	15·8	18	9·5	1·1106	10·6	3	100	6·3	
Shipley ...	27,988	269	231	13	11	524	18·7	382	13·6	1·0564	14·4	46	88	5·1	
Silsden ...	5,047	47	41	2	—	90	17·8	76	15·1	1·0567	16·0	7	78	2·7	
Skelmanthorpe ...	3,881	51	57	—	2	110	28·3	55	14·2	1·0466	14·9	10	91	14·1	
Skipton ...	13,108	123	106	7	5	241	18·4	154	11·7	1·0626	12·4	18	75	6·7	
Slaithwaite ...	5,675	60	54	—	—	114	20·1	75	13·2	1·0277	13·6	9	79	6·9	
South Crosland ...	3,144	31	18	1	1	51	16·2	53	16·9	·9744	16·5	2	39	—0·7	
Southowram ...	2,733	20	29	1	—	50	18·3	45	16·5	1·0450	17·2	8	160	1·8	
Sowerby ...	3,176	22	22	—	1	45	14·2	40	12·6	·9281	11·7	2	44	1·6	
Sowerby Bridge ...	11,333	90	83	1	2	176	15·5	166	14·6	1·0610	15·5	18	102	0·9	
Soyland ...	2,907	18	17	—	—	35	12·0	35	12·0	·9668	11·6	2	57	—	
Springhead ...	5,098	67	51	1	3	122	23·9	71	13·9	1·0257	14·3	15	123	10·0	
Stainland with Old Lindley	4,440	28	25	1	—	54	12·2	55	12·4	·9808	12·2	3	56	—0·2	
Stanley ...	13,758	208	196	3	10	417	30·3	166	12·1	1·0201	12·3	36	86	18·2	
Stocksbridge ...	7,155	99	104	3	1	207	28·9	85	11·9	1·0983	13·1	21	101	17·0	
Swinton ...	13,844	220	214	8	6	448	32·4	171	12·4	1·0355	12·8	41	92	20·0	
Thurlstone ...	2,829	35	26	—	1	62	21·9	29	10·3	·9877	10·2	4	65	11·6	
Thurnscoe ...	4,301	69	60	4	1	134	31·2	32	7·4	1·0934	8·1	8	60	23·8	
Thurstonland ...	2,197	9	9	—	1	19	8·6	27†	12·3	1·0163	12·5	—	—	—3·7	
Tickhill ...	1,838	22	20	1	3	46	25·0	26	14·1	·8140	11·5	4	87	10·9	
Todmorden M.B. ...	25,402	223	212	7	6	448	17·6	370	14·6	1·0230	14·9	49	109	3·0	
Wakefield M.B. ...	51,942	551	551	26	26	1,154	22·2	737†	14·2	1·0460	14·9	104	90	8·0	
Wath upon Dearne ...	12,261	185	187	11	10	393	32·1	167	13·6	1·0728	14·6	37	94	18·5	
Wheatley ...	5,599	61	55	2	2	120	21·4	50	8·9	1·0351	9·2	12	100	12·5	
Whitley Upper ...	839	8	10	—	—	18	21·5	11	13·1	1·0869	14·2	—	—	8·4	
Whitwood ...	5,602	114	96	5	11	226	40·3	77	13·7	1·0158	13·9	21	93	26·6	
Wombwell ...	18,104	302	299	14	17	632	34·9	210	11·6	1·0537	12·2	70	111	22·3	
Worsborough ...	13,070	230	196	7	9	442	33·8	143	10·9	1·0497	11·4	32	72	22·9	
Yeadon ...	7,490	56	72	2	1	131	17·5	92	12·3	1·0632	13·1	13	99	5·2	
Rural Districts.															
Barnsley ...	4,135	70	63	1	4	138	33·4	44	10·6	1·0120	10·7	14	101	22·8	
Bishopthorpe ...	2,108	18	24	2	1	45	21·3	18	8·5	·9538	8·1	3	67	12·8	
Bowland ...	5,373	54	40	—	1	95	17·7	50	9·3	·8932	8·3	5	53	8·4	
Boncaster ...	39,488	666	594	21	13	1,294	32·8	561	14·2	·9995	14·2	126	97	18·6	
Goole ...	8,593	99	98	7	9	213	24·8	114	13·3	·8746	11·6	27	127	11·5	
Great Ouseburn ...	10,812	103	112	1	8	224	20·7	118	10·9	·8754	9·5	10	45	9·8	
Halifax ...	6,175	55	58	2	1	116	18·8	78	12·6	1·0400	13·1	7	60	6·2	
Hemsworth ...	42,316	797	774	31	33	1,635	38·6	542	12·8	1·0378	13·3	189	116	25·8	
Hunslet ...	7,926	101	88	1	2	192	24·2	79	10·0	1·0108	10·1	6	31	14·2	
Keighley ...	6,714	50	43	—	1	94	14·0	81	12·1	1·0079	12·2	3	32	1·9	
Kiveton Park ...	14,316	211	253	10	5	479	33·5	158	11·0	1·0375	11·4	43	90	22·5	
Knaresborough ...	8,297	77	85	3	7	172	20·7	89	10·7	·9449	10·1	12	70	10·0	
Leeds (Roundhay and Seacroft).†	3,788	14	22	—	—	36	9·5	37	9·8	1·0989	10·8	2	56	—0·3	
Pateley Bridge ...	7,715	61	61	3	3	128	16·6	91	11·8	·9052	10·7	8	63	4·8	
Penistone ...	5,417	81	69	1	1	152	28·1	83	15·3	·9199	14·1	14	92	12·8	
Pontefract ...	15,642	276	264	13	15	568	36·3	252	16·1	·9672	15·6	72	127	20·2	
Ripon ...	5,396	42	46	2	1	91	16·9	62	11·5	·8161	9·4	5	55	5·4	
Rotherham ...	30,704*	484	528	13	26	1,051	34·2	450	14·7	1·0468	15·4	119	113	19·5	
Sedbergh ...	3,711	36	26	1	2	65	17·5	36	9·7	·9185	8·9	3	46	7·8	
Selby ...	5,935	74	67	7	3	151	25·4	80	13·5	·8245	11·1	12	79	11·9	
Settle ...	14,978	130	128	6	4	268	17·9	153	10·2	·9447	9·6	21	78	7·7	
Skipton ...	18,589	174	159	2	5	340	18·3	234	12·6	·9433	11·9	17	50	5·7	
Tadcaster ...	29,159*	392	389	22	13	816	28·0	382	13·1	·9740	12·8	82	100	14·9	
Thorne ...	8,987	108	103	9	7	227	25·3	132	14·7	·8052	11·8	23	101	10·6	
Todmorden ...	4,559	40	47	3	1	91	20·0	66	14·5	·9411	13·6	10	110	5·5	
Wakefield ...	17,087	255	220	7	10	492	28·8	183	10·7	1·0152	10·9	41	83	18·1	
Wetherby ...	16,146*	132	150	9	7	298	18·5	187	11·6	·8957	10·4	17	57	6·9	
Wharfedale ...	9,480	72	74	2	2	150	15·8	115†	12·1	1·0100	12·2	7	47	3·7	
Wortley ...	33,219	425	407	20	11	863	26·0	418†	12·6	1·0230	12·9	78	90	13·4	

† Abolished 9th November, 1912.

DEATHS and POPULATIONS used in calculating STANDARDIZING FACTORS on
pages 132-162.

The “adjusted populations” in the second column of the table are the census populations modified where necessary to allow for the presence of large institutions, a portion or the whole of the deaths in which are transferred to other areas. Thus, if a workhouse situated in a rural district serves as well an adjoining urban district with twice the population, two-thirds of the inmates and of the deaths calculated to occur amongst them have been transferred to the urban district in calculating the “index death-rates” of the two areas. These populations have also been adjusted where required to allow for changes in boundary since the census, and refer to the census population of the area as constituted at the end of 1912, showing in addition, where changes of boundary have occurred since the census, the corresponding figure for the earlier period. In obtaining the factor to be applied to the crude death-rate of 1912 in such cases those figures have been used which were applicable to the district during the larger portion of the year.

This table will be supplemented in later reports by one referring only to areas in which changes have occurred during the year.

NOTE.—The “calculated deaths” in this table are those referred to in the foot-note on page xxxvi and represent the deaths that would have occurred in a year had the mortality of each sex and age-group been the same as that prevailing in England and Wales as a whole during 1901-1910.

County Boroughs.*

Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.
Barrow-in-Furness	63,770	906·7	Great Yarmouth	55,905	975·7	Rotherham ...	62,245	920·9
Bath :			Grimsby ...	74,499	1,108·3	St. Helens ...	96,515	1,359·3
Before 9th Nov., 1911.	50,314	916·9	Halifax ...	101,063	1,499·3	Salford ...	231,357	3,275·9
After 9th Nov., 1911.	68,766	1,207·9	Hastings ...	61,145	1,104·5	Sheffield :		
Birkenhead ...	130,303	1,917·2	Huddersfield ...	107,808	1,560·6	Before 1st April, 1912.	454,528	6,568·9
Birmingham :			Ipswich ...	73,809	1,202·4	After 1st April, 1912.	459,812	6,639·5
Before 9th Nov., 1911.	529,066	7,747·5	Kingston - upon - Hull.	278,260	4,203·4	Smethwick ...	71,073	1,009·0
After 9th Nov., 1911.	840,295	12,230·7	Leeds :			Southampton ...	119,012	1,888·3
Blackburn ...	132,610	1,856·7	Before 9th Nov., 1912.	446,280	6,398·8	Southport :		
Blackpool ...	58,494	886·8	After 9th Nov., 1912.	453,274	6,500·0	Before 1st April, 1912.	51,991	854·2
Bolton ...	181,723	2,538·0	Leicester ...	227,706	3,362·7	After 1st April, 1912.	69,991	1,137·8
Bootle ...	70,436	1,016·3	Lincoln ...	57,180	887·5	South Shields ...	109,389	1,607·1
Bournemouth ...	78,612	1,306·2	Liverpool ...	745,161	10,963·8	Stockport ...	108,222	1,549·8
Bradford ...	288,636	4,155·7	Manchester ...	714,949	10,056·5	Stoke on Trent ...	234,534	3,340·9
Brighton ...	132,270	2,209·8	Merthyr Tydfil ...	80,701	1,158·0	Sunderland ...	151,287	2,273·5
Bristol ...	357,048	5,514·6	Middlesbrough ...	104,754	1,484·2	Swansea ...	114,663	1,659·3
Burnley ...	105,863	1,455·1	Newcastle - upon - Tyne.	267,741	3,863·8	Tynemouth ...	58,299	869·1
Burton - upon - Trent.	47,969	735·2	Newport (Mon.)	83,737	1,196·0	Walsall ...	91,897	1,356·0
Bury ...	58,132	831·3	Northampton ...	89,684	1,344·4	Warrington ...	71,931	1,006·0
Canterbury ...	24,626	426·8	Norwich ...	121,973	1,995·5	West Bromwich ...	67,739	1,018·6
Cardiff ...	182,912	2,619·7	Nottingham ...	259,503	3,906·5	West Ham ...	290,790	4,305·8
Chester ...	39,347	604·5	Oldham ...	146,890	2,069·2	West Hartlepool ...	64,539	947·2
Coventry ...	106,349	1,513·8	Oxford ...	53,048	864·4	Wigan ...	88,921	1,211·5
Croydon ...	169,735	2,671·9	Plymouth ...	112,455	1,866·8	Wolverhampton ...	96,050	1,434·3
Derby ...	123,410	1,860·1	Portsmouth ...	231,141	3,551·8	Worcester ...	47,982	785·2
Devonport ...	81,678	1,168·5	Preston ...	117,583	1,687·5	York ...	82,342	1,259·1
Dudley ...	51,283	776·7	Reading :					
Eastbourne ...	52,494	785·6	Before 9th Nov., 1911.	75,198	1,196·6			
Exeter ...	48,849	818·8	After 9th Nov., 1911.	87,693	1,394·6			
Gateshead ...	116,529	1,648·5	Rochdale ...	92,101	1,317·5			
Gloucester ...	49,966	796·8						

Urban and Rural Districts arranged under Administrative Counties.*

ANGLESEY.			ANGLESEY—cont.			ANGLESEY—cont.		
Urban Districts.			Llangefni ...	1,771	32·0	Dwyran ...	2,990	60·1
Amlwch ...	2,718	54·9	Menai Bridge ...	1,638	31·6	Twrcelyn ...	9,336	180·9
Beaumaris M.B.	2,231	35·5	Rural Districts.			Valley ...	10,898	201·4
Holyhead ...	10,636	164·7	Aethwy ...	8,710	157·3			

* For Counties and for County Aggregates of Urban and Rural Districts, see p. 610.

DEATHS and POPULATIONS used in calculating STANDARDIZING FACTORS—*continued.*

Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.
BEDFORDSHIRE.			BUCKINGHAMSHIRE.			CARMARTHENSHIRE.		
<i>Urban Districts.</i>			<i>Urban Districts.</i>			<i>Urban Districts.</i>		
Amptill... ..	2,270	47·7	Aylesbury ...	11,048	187·5	Ammanford ...	6,074	85·1
Bedford M.B. ...	39,076	590·5	Beaconsfield ...	2,511	38·6	Burry Port ...	4,599	72·4
Biggleswade ...	5,375	98·1	Bletchley ...	5,166	82·3	Carmarthen M.B.	9,535	151·8
Dunstable M.B....	8,057	132·7	Buckingham M.B.	3,282	61·5	Cwmamman (cre-	4,971	69·5
Kempston ...	5,349	81·4	Chepping Wy-	20,481	312·1	ated 1st April,		
Leighton Buzzard	6,782	126·5	combe M.B.			1912).		
Luton M.B. ...	49,978	734·6	Chesham ...	8,204	130·3	Kidwelly M.B. ...	3,033	48·0
<i>Rural Districts.</i>			Eton	3,192	36·1	Llandilo ...	1,931	32·5
Amptill... ..	19,540	374·8	Linslade ...	2,262	39·7	Llandovery M.B.	1,993	33·9
Bedford ...	19,213	363·6	Marlow ...	4,683	81·6	Llanelli ...	31,901	460·2
Biggleswade ...	20,927	382·5	Newport Pagnell	4,238	76·4	Newcastle Emlyn	922	17·6
Eaton Bray ...	3,892	74·6	Slough ...	14,982	244·3	<i>Rural Districts.</i>		
Eaton Socon ...	3,542	71·7	<i>Rural Districts.</i>			Carmarthen ...	24,206	417·2
Luton ...	9,474	160·8	Amersham ...	18,514	303·7	Llandilo Fawr :		
BERKSHIRE.			Aylesbury ...	15,336	292·3	Before 1st April,	25,266	394·2
<i>Urban Districts.</i>			Buckingham ...	8,322	160·0	1912.		
Abingdon M.B. ...	6,809	117·9	Eton ...	23,435	380·1	After 1st April,	20,295	324·9
Maidenhead M.B.	15,219	248·7	Hambleden ...	1,975	32·0	1912.		
Newbury M.B. ...	12,107	218·7	Long Crendon ...	4,235	79·2	Llandovery ...	7,360	131·2
New Windsor M.B.	12,681	202·4	Newport Pagnell	19,024	330·0	Llanelli ...	27,430	411·1
Wallingford M.B.	2,716	54·5	Stratford and	10,427	163·8	Llanybyther ...	3,599	71·2
Wantage... ..	3,628	65·9	Wolverton.			Newcastle in Em-	6,477	109·0
Wokingham M.B.	4,352	86·4	Wing ...	6,089	112·8	lyn.		
<i>Rural Districts.</i>			Winslow ...	6,995	135·5	Whitland ...	5,224	90·0
Abingdon ...	9,250	164·7	Wycombe ...	24,440	432·3	CARNARVONSHIRE.		
Bradfield :			CAMBRIDGESHIRE.			<i>Urban Districts.</i>		
Before 9th Nov.,	17,059	291·0	<i>Urban Districts.</i>			Bangor M.B. ...	11,236	172·0
1911.			Cambridge M.B. :			Bethesda... ..	4,716	92·4
After 9th Nov.,	14,349	244·7	Before 1st April,	40,027	645·0	Bettws y Coed ...	925	15·4
1911.			1912.			Carnarvon M.B...	9,119	149·9
Cookham ...	12,311	208·8	After 1st April,	55,812	903·7	Conway M.B. ...	5,242	81·1
Easthampstead ...	17,548	289·4	1912.			Criccieth... ..	1,376	24·9
Faringdon (part	11,075	203·4	Chesterton (abo-	11,534	194·8	Llandudno ...	10,469	154·0
of).*			lished 1st April,			Llanfairfechan ...	2,973	51·7
Hungerford ...	9,007	166·4	1912).			Penmaenmawr ...	4,042	62·8
Newbury... ..	10,757	198·7	<i>Rural Districts.</i>			Pwllheli M.B. ...	3,791	62·8
Wallingford ...	6,487	113·9	Caxton and Ar-	7,775	155·2	Ynyscynhaiarn ...	4,445	78·4
Wantage... ..	12,025	221·3	rington.			<i>Rural Districts.</i>		
Windsor ...	15,370	243·5	Chesterton :			Conway ...	7,165	115·9
Wokingham ...	16,652	289·6	Before 1st April,	26,828	489·9	Geirionydd ...	4,478	74·9
BRECKNOCKSHIRE.			1912.			Glaslyn ...	3,333	57·6
<i>Urban Districts.</i>			After 1st April,	22,577	425·8	Gwyrfaï ...	28,233	486·6
Brecknock† ...	5,908	98·1	1912.			Lleyn ...	16,839	326·4
Brynmaur ...	7,582	107·7	Linton ...	10,567	205·5	Ogwen ...	6,661	118·3
Builth Wells ...	1,710	30·9	Melbourn ...	8,538	174·3	CHESHIRE.		
Hay ...	1,603	30·9	Newmarket ...	19,864	365·9	<i>Urban Districts.</i>		
Llanwrtyd ...	753	13·6	Swavesey ...	2,584	56·4	Alderley Edge ...	3,143	44·9
<i>Rural Districts.</i>			CARDIGANSHIRE.			Alsager ...	2,743	45·4
Brecknock ...	9,155	165·0	<i>Urban Districts.</i>			Altrincham ...	17,813	261·1
Builth ...	4,237	73·8	Aberayron ...	1,342	27·1	Ashton upon Mer-	7,234	105·4
Crickhowell ...	7,719	131·4	Aberystwyth M.B.	8,411	129·9	sey.		
Hay ...	3,269	59·5	Cardigan M.B. ...	3,578	64·0	Bollington ...	5,224	77·6
Vaynor and Pen-	5,526	84·8	Lampeter M.B....	1,802	31·5	Bowdon ...	3,044	45·5
deryn.			New Quay ...	1,191	26·5	Bredbury and	8,683	126·9
Ystradgynlais ...	10,471	149·2	<i>Rural Districts.</i>			Romiley.		
Civil Parish of	411	6·4	Aberayron ...	7,729	158·5	Bromborough ...	1,974	28·3
Llanwrthwl ad-			Aberystwyth ...	13,071	255·6	Buglawton ...	1,438	23·6
ministered by			Cardigan... ..	3,266	60·5	Cheadle and Gat-	9,575	141·5
Rural District			Lampeter ...	3,566	69·9	ley.		
Council of Rha-			Llandyssil ...	7,984	152·6	Compstall ...	908	13·7
yader (Radnor).			Tregaron ...	7,521	151·2	Congleton M.B....	11,309	179·8
Civil Parish of	627	10·6	Civil Parish of	418	8·1	Crewe M.B. ...	45,185	655·9
Ystradfellte ad-			Ysgubor y coed			Dukinfield M.B.	19,422	273·5
ministered by			administered by			Ellesmere Port	10,366	145·8
Rural District			administered by			and Whitby.		
Council of			Council of Mac-			Hale ...	8,351	115·7
Neath (Glamor-			hynlleth (Mont-			Handforth ...	934	14·2
ganshire).			gomeryshire).			Hazel Grove and	9,631	138·7
						Bramhall.		

* The remainder of Faringdon R.D. is in Gloucestershire, see page 167.

† Brecknock U.D. includes Brecknock M.B. and the Civil Parishes of Castle Inn and Christ's College

DEATHS and POPULATIONS used in calculating STANDARDIZING FACTORS—*continued.*

Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.
DEVONSHIRE.			DORSETSHIRE—			ELY, ISLE OF.		
<i>Urban Districts.</i>			<i>cont.</i>			<i>Urban Districts.</i>		
Ashburton ...	2,494	45·2	Weymouth and Melcombe Regis M.B.	22,226	362·3	Chatteris ...	5,259	94·0
Bampton ...	1,572	27·9	WimborneMinster	3,711	66·8	Ely ...	7,917	143·3
Barnstaple M.B.	14,485	260·3	<i>Rural Districts.</i>			March ...	8,403	142·0
Bideford M.B. ...	9,078	155·2	Beaminster ...	9,213	177·1	Whittlesey ...	4,207	79·9
Brixham ...	7,954	137·2	Blandford ...	8,769	160·8	Wisbech M.B. ...	10,822	202·2
Buckfastleigh ...	2,430	39·0	Bridport... ..	6,731	122·7	<i>Rural Districts.</i>		
Budleigh Salterton	2,170	44·7	Cerne	4,915	89·7	Ely	12,916	238·3
Crediton	3,640	72·7	Dorchester ...	8,733	152·1	North Witchford	5,215	98·0
Dartmouth M.B.	7,005	108·5	Poole	6,305	112·5	Thorney	1,902	31·1
Dawlish	4,099	80·5	Shaftesbury ...	10,910	206·8	Whittlesey ...	3,380	58·4
East Stonehouse	13,748	212·3	Sherborne ...	5,918	103·4	Wisbech	9,731	175·4
Exmouth	11,962	219·0	Sturminster ...	8,504	156·7	ESSEX.		
Great Torrington M.B.	3,041	58·2	Wareham and Purbeck.	10,567	191·5	<i>Urban Districts.</i>		
Heavitree	10,590	175·4	Weymouth ...	8,398	146·0	Barking Town ...	31,402	455·6
Holsworthy	1,499	26·5	Wimborne and Cranborne.	14,964	269·0	Braintree	6,168	105·3
Honiton M.B. ...	3,191	57·8	DURHAM.			Brentwood	6,363	95·3
Ilfracombe	8,935	162·3	<i>Urban Districts.</i>			Brightlingsea ...	4,403	81·1
Ivybridge	1,730	27·8	Annfield Plain ...	16,552	244·4	Buckhurst Hill ...	4,886	74·2
Kingsbridge ...	3,049	59·0	Barnard Castle ...	4,757	75·6	Burnham on Crouch.	3,190	58·2
Lynton	1,770	27·5	Benfieldside ...	8,355	120·0	Chelmsford M.B.	18,008	295·0
Newton Abbot ...	13,358	226·2	Bishop Auckland	13,834	213·5	Chingford	8,184	120·3
Northam	5,500	98·3	Blaydon	31,278	447·9	Clacton	9,777	154·3
Okehampton M.B.	3,174	51·0	Brandon and Byshottles.	17,667	257·2	Colchester M.B....	43,151	649·2
Ottery St. Mary	3,699	72·0	Chester le Street	14,712	220·7	East Ham M.B. ...	134,229	1935·2
Paignton	11,241	200·9	Consett	11,207	158·9	Epping	4,253	79·5
Salcombe	2,032	38·6	Crook	12,308	183·1	Frinton on Sea ...	1,510	20·5
Seaton	1,694	29·1	Darlington M.B.	55,576	838·7	Grays Thurrock	15,998	225·8
Sidmouth	5,612	99·5	Durham M.B. ...	17,550	268·5	Halstead	6,264	109·4
South Molton M.B.	2,742	54·2	Felling	25,147	376·9	Harwich M.B. ...	13,622	186·4
Tavistock	4,392	84·6	Hartlepool M.B.	20,835	310·1	Ilford	75,130	1072·9
Teignmouth ...	9,215	173·4	Hebburn	21,918	318·0	Leigh on Sea ...	7,713	122·3
Tiverton M.B. ...	10,205	175·2	Hetton	15,678	238·4	Leyton	121,875	1811·9
Torquay M.B. ...	38,947	677·7	Houghton le Spring.	9,753	150·9	Loughton	5,433	81·4
Totnes M.B. ...	4,128	81·4	Jarrow M.B. ...	33,932	506·3	Maldon M.B. ...	6,253	114·7
<i>Rural Districts.</i>			Leadgate	4,990	75·5	Remford	16,482	263·8
Axminster	12,338	232·1	Ryton	12,948	195·4	Saffron Walden M.B.	6,311	118·9
Barnstaple	18,229	334·6	Seaham Harbour	15,757	232·9	Shoeburyness ...	5,004	73·1
Bideford... ..	6,355	114·1	Shildon	13,488	205·9	Southend on Sea M.B.	62,894	947·0
Broadwood Widger.	2,390	40·4	Southwick on Wear.	13,784	202·8	Tilbury (created 1st April, 1912).	6,429	88·6
Crediton	10,919	200·0	Spennymoor ...	17,909	269·5	Waltham Holy Cross.	6,795	101·8
Culmstock	3,346	60·3	Stanhope	2,010	32·9	Walthamstow ...	125,198	1786·4
Holsworthy (part of)*.	7,022	124·7	Stanley	23,357	329·9	Walton on the Naze.	2,172	36·1
Honiton	9,600	174·7	Stockton on Tees M.B.	52,082	772·0	Wanstead	13,830	194·7
Kingsbridge ...	11,645	216·6	Tanfield	10,101	148·7	Witham	3,480	58·7
Newton Abbot ...	19,507	345·4	Tow Law	4,324	65·3	Wivenhoe	2,375	43·1
Okehampton ...	13,600	245·6	Whickham	18,332	261·8	Woodford	18,496	274·2
Plympton St. Mary.	21,436	364·6	Willington ...	8,731	130·5	<i>Rural Districts.</i>		
St. Thomas	24,881	449·2	<i>Rural Districts.</i>			Belchamp	4,676	94·8
South Molton ...	10,908	192·8	Auckland	58,338	876·3	Billericay	19,754	321·9
Tavistock	16,228	281·3	Barnard Castle ...	11,681	186·8	Braintree	18,463	355·0
Tiverton... ..	15,126	260·1	Chester le Street	63,878	936·7	Bumpstead	2,594	50·5
Torrington	8,970	161·4	Darlington	10,914	182·5	Chelmsford	22,791	420·0
Totnes	11,868	213·0	Durham	30,790	473·3	Dunmow... ..	16,084	313·6
DORSETSHIRE.			Easington	60,040	870·5	Epping	13,959	237·7
<i>Urban Districts.</i>			Hartlepool	2,475	39·1	Halstead... ..	10,332	194·1
Blandford Forum M.B.	3,477	66·2	Houghton le Spring.	25,527	389·1	Lexden and Winstree.	19,686	366·9
Bridport M.B. ...	5,919	113·4	Lanchester	32,016	469·0	Maldon	16,164	306·0
Dorchester M.B.	9,842	156·3	Sedgefield	32,248	465·0	Ongar	10,644	180·6
Lyme Regis M.B.	2,772	44·1	South Shields ...	13,368	197·9	Orsett : Before 1st April, 1912.	24,872	389·8
Poole M.B.	38,853	629·6	Stockton... ..	17,530	267·0	After 1st April, 1912.	18,443	291·8
Portland... ..	17,011	194·7	Sunderland	28,606	425·2	Rochford	18,158	315·6
Shaftesbury M.B.	1,873	33·6	Weardale	9,651	152·8			
Sherborne	5,953	98·0						
Swanage... ..	4,689	75·1						
Wareham M.B....	2,002	39·1						

* The remainder of Holsworthy Rural District is in Cornwall, see page 165.

DEATHS and POPULATIONS used in calculating STANDARDIZING FACTORS—*continued.*

Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.
ESSEX—cont.			GLOUCESTERSHIRE—cont.			HERTFORDSHIRE—cont.		
Romford... ..	25,356	400·5	<i>Rural Districts.</i>			St. Albans M.B.	18,133	290·2
Saffron Walden... ..	10,810	210·2	Campden ...	5,597	103·6	Sawbridgeworth	2,304	39·1
Stansted	7,066	130·7	Cheltenham ...	5,254	89·9	Stevenage ...	4,856	82·1
Tendring	21,957	405·8	Chipping Sodbury	20,955	371·5	Tring	4,481	80·0
FLINTSHIRE.			Cirencester ...	12,746	228·1	Ware	5,842	97·8
<i>Urban Districts.</i>			Dursley	12,233	216·1	Watford	40,791	609·2
Buckley	6,333	101·5	East Dean and	19,952	339·1	<i>Rural Districts.</i>		
Connah's Quay ...	4,596	67·9	United Parishes.			Ashwell	3,948	77·8
Flint M.B.	5,472	87·7	Faringdon (part	1,167	20·8	Barnet	4,969	75·6
Holywell... ..	2,549	41·2	of)*			Berkhampstead...	4,707	80·2
Mold	4,873	79·0	Gloucester ...	11,306	194·1	Buntingford ...	5,019	98·9
Prestatyn	2,036	35·3	Lydney	9,005	148·1	Hadham	5,795	108·9
Rhyl	9,005	142·1	Marston Sicca ...	1,609	32·0	Hatfield	8,592	135·9
<i>Rural Districts.</i>			Newent	6,964	136·0	Hemel Hempstead	6,565	114·7
Hawarden	20,571	317·8	Northleach ...	8,056	153·4	Hertford... ..	7,659	134·7
Holywell	25,328	437·2	Pebworth	3,239	61·1	Hitchin	18,666	308·3
Overton	5,176	87·6	Stow on the Wold	6,803	128·7	St. Albans ...	17,403	263·5
St. Asaph (Flint)	6,766	125·7	(part of)†			Ware	11,464	186·9
GLAMORGANSHIRE.			Stroud	28,068	489·7	Watford... ..	15,753	228·9
<i>Urban Districts.</i>			Tetbury (part of)‡	3,913	63·7	Welwyn	2,419	39·3
Aberavon M.B. ...	10,505	150·5	Tewkesbury (part	5,074	96·5	HUNTINGDONSHIRE.		
Aberdare	51,004	732·3	of)†			<i>Urban Districts.</i>		
Barry	33,965	463·8	Thornbury ...	19,079	333·5	Godmanchester,	2,130	41·4
Bridgend	7,641	112·3	Warmley	17,188	265·7	M.B.		
Briton Ferry ...	8,472	121·3	West Dean ...	13,454	224·9	Huntingdon M.B.	4,003	73·4
Caerphilly	32,929	454·6	Wheatenhurst ...	6,093	114·9	Old Fletton ...	5,005	75·8
Cowbridge M.B.	1,167	19·0	Winchcomb (part	9,531	173·5	Ramsey	5,328	89·5
Gelligaer	35,637	491·6	of)†			St. Ives M.B. ...	3,015	54·8
Glyncoirwg	8,688	119·5	HEREFORDSHIRE.			St. Neots... ..	4,171	73·9
Maesteg	25,072	355·1	<i>Urban Districts.</i>			<i>Rural Districts.</i>		
Margam	14,713	208·0	Bromyard	1,703	30·3	Huntingdon ...	6,938	130·8
Mountain Ash ...	42,356	587·7	Hereford M.B. ...	22,457	376·2	Norman Cross ...	5,624	100·5
Neath M.B.	17,586	259·2	Kington	1,819	35·5	Oundle (part of)§	1,140	22·4
Ogmore and Garw	26,836	373·6	Ledbury	3,358	61·4	St. Ives	9,701	192·5
Oystermouth ...	6,098	102·0	Leominster M.B.	5,737	102·6	St. Neots... ..	7,227	144·0
Penarth	15,488	218·7	Ross	4,682	83·1	Thrapston (part	863	18·4
Pontypridd	42,954	594·0	<i>Rural Districts.</i>			of)§		
Porthcawl	3,444	52·7	Bredwardine ...	1,995	36·9	Civil Parish of	432	8·5
Rhondda... ..	153,026	2112·2	Bromyard	7,931	153·8	Sibson cum		
<i>Rural Districts.</i>			Dore	6,491	121·8	Stibbington ad-		
Cowbridge	7,935	129·2	Hereford	13,091	244·2	ministered by		
Gower	8,622	146·6	Kington	4,996	98·4	Rural District		
Llandaff and	32,104	480·7	Ledbury	9,059	162·4	Council of Bar-		
Dinas Powis.			Leominster ...	7,915	154·3	nack (Soke of		
Llantrisant and	17,267	257·2	Ross	10,421	195·5	Peterborough).		
Llantwitfardre...			Weobley... ..	6,699	131·7	KENT.		
Neath	41,613	601·2	Whitchurch ...	1,526	29·2	<i>Urban Districts.</i>		
Penybont	20,670	311·9	Wigmore	3,772	72·2	Ashford	13,668	229·0
Pontardawe ...	31,498	456·3	HERTFORDSHIRE.			Beckenham ...	31,875	481·5
Swansea	43,228	629·2	<i>Urban Districts.</i>			Bexley	15,895	260·8
GLOUCESTERSHIRE.			Baldock	2,094	37·9	Broadstairs and	8,929	133·2
<i>Urban Districts.</i>			Barnet	10,144	161·0	St. Peter's.		
Awre	1,070	18·1	Bishop's Stortford	8,721	146·9	Bromley M.B. ...	33,850	518·1
Charlton Kings...	4,495	78·1	Bushey	6,978	98·6	Chattham M.B. ...	41,855	632·3
Cheltenham M.B.	48,852	852·1	Cheshunt	12,954	202·6	Cheriton	7,577	96·8
Cirencester	7,631	129·1	East Barnet	12,381	189·3	Chislehurst ...	8,666	129·1
Coleford	2,604	46·9	Valley.			Dartford... ..	20,828	303·6
Kingswood	12,700	179·2	Great Berkham-	7,302	113·5	Deal M.B.	11,295	193·1
Nailsworth	3,031	52·7	stead.			Dover M.B. ...	43,541	694·9
Newnham	1,021	18·3	Harpenden ...	6,172	96·5	Erith	27,924	423·0
Stow on the Wold	1,301	22·3	Hemel Hemp-	12,888	209·9	Faversham M.B.	10,619	187·3
Stroud	8,767	150·8	stead M.B.			Folkestone M.B.	33,292	523·9
Tetbury	1,758	33·8	Hertford M.B. ...	10,383	164·4	Foots Cray ...	8,493	125·4
Tewkesbury M.B.	5,287	92·2	Hitchin	11,905	209·3	Gillingham M.B.	52,581	752·1
Westbury on	1,812	39·1	Hoddesdon ...	5,196	89·5	Gravesend M.B.	28,115	453·7
Severn.			Rickmansworth...	6,288	95·2	Herne Bay ...	7,780	131·3
			Royston	3,985	75·5			

* The remainder of Faringdon Rural District is in Berkshire, *see* page 164.† The remaining parts of Stow on the Wold, Tewkesbury and Winchcomb Rural Districts are in Worcestershire, *see* page 173.‡ The remainder of Tetbury Rural District is in Wiltshire, *see* page 173.§ The remaining parts of Oundle and Thrapston Rural Districts are in Northamptonshire *see* page 170.

|| The civil parish of Folkestone next Sandgate is included in Sandgate U.D.

DEATHS and POPULATIONS used in calculating STANDARDIZING FACTORS—*continued.*

Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.
KENT— <i>cont.</i>			LANCASHIRE— <i>cont.</i>			LANCASHIRE— <i>cont.</i>		
Hythe M.B. ...	6,387	107·2	Bacup M.B. ...	22,397	324·3	Padiham ...	13,635	190·8
Lydd M.B. ...	2,874	43·6	Barrowford ...	5,527	78·5	Poulton le Fylde	2,424	40·6
Maidstone M.B. ...	34,092	559·2	Billinge ...	4,903	75·9	Preesall ...	1,718	27·4
Margate M.B. ...	27,263	402·7	Birkdale (abolished 1st April, 1912).	18,000	283·6	Prescot ...	8,154	119·6
Milton Regis ...	7,475	131·7	Bispham with Norbreck.	2,244	36·6	Prestwich ...	14,522	204·1
New Romney M.B. ...	1,333	25·8	Blackrod ...	3,896	54·6	Radcliffe ...	26,084	356·9
Northfleet ...	14,184	223·6	Brierfield ...	8,259	111·5	Rainford ...	3,503	53·1
Penge ...	22,425	368·5	Carnforth ...	3,141	46·4	Ramsbottom ...	15,146	217·4
Queenborough M.B. :			Chadderton ...	28,484	397·9	Rawtenstall M.B.	30,241	423·1
Before 9th Nov., 1912.	2,468	33·5	Childwall ...	198	3·0	Rishton ...	7,441	99·0
After 9th Nov., 1912.	2,738	37·2	Chorley M.B. ...	30,162	419·6	Royston ...	17,069	239·8
Ramsgate M.B. ...	29,781	512·4	Church ...	6,888	95·5	St. Anne's on the Sea.	9,837	142·2
Rochester M.B. ...	31,239	492·9	Clayton le Moors	8,868	121·7	Skelmersdale ...	6,822	98·9
Sandgate* ...	2,827	32·7	Clitheroe M.B. ...	12,500	189·0	Standish with Langtree.	7,280	102·6
Sandwich M.B. ...	3,040	55·0	Colne M.B. ...	25,804	356·2	Stretford ...	42,635	583·6
Sevenoaks ...	9,182	144·3	Crompton ...	14,750	202·3	Swinton and Pendlebury.	30,825	413·2
Sheerness ...	17,487	261·7	Croston ...	2,041	32·3	Thornton ...	4,669	74·2
Sittingbourne ...	8,380	137·2	Dalton in Furness	10,763	181·0	Tottington ...	6,769	99·1
Southborough ...	7,001	129·3	Darwen M.B. ...	40,515	549·2	Trawden ...	2,963	42·0
Tenterden M.B. ...	3,379	66·4	Denton ...	16,877	240·5	Turton ...	12,648	181·0
Tonbridge ...	14,796	229·9	Droylsden ...	13,259	185·1	Tyldesley with Shakerley.	15,582	213·4
Tunbridge Wells M.B. ...	35,963	629·1	Eccles M.B. ...	41,620	587·2	Ulverston ...	9,552	156·5
Walmer ...	5,347	76·4	Failsworth ...	15,998	220·7	Upholland ...	5,233	79·3
Whitstable ...	7,982	153·5	Farnworth ...	27,010	375·5	Urmston ...	7,912	111·3
Wrotham ...	4,169	68·2	Fleetwood ...	15,875	225·4	Walton le Dale ...	12,350	179·2
<i>Rural Districts.</i>			Formby ...	5,947	88·8	Wardle ...	3,879	57·2
Blean ...	7,597	141·1	Fulwood ...	5,871	81·5	Waterloo with Seaforth.	26,598	396·5
Bridge ...	10,163	191·1	Golborne ...	6,931	99·8	Westhoughton ...	15,046	213·1
Bromley ...	21,469	342·9	Grange ...	2,232	36·9	Whitefield ...	6,967	97·8
Cranbrook ...	13,689	244·2	Great Crosby ...	12,273	172·8	Whitworth ...	8,872	128·1
Dartford ...	37,135	566·9	Great Harwood ...	13,815	182·6	Widnes M.B. ...	31,800	458·0
Dover ...	8,299	127·4	Haslingden M.B.	18,719	259·0	Withnell ...	3,399	48·0
East Ashford ...	13,616	255·0	Haydock ...	9,649	135·0	Worsley ...	13,906	190·3
Eastry ...	13,161	242·4	Heaton Norris ...	11,240	163·6	<i>Rural Districts.</i>		
Elham ...	7,077	136·9	Heysham ...	3,350	57·3	Barton upon Irwell	9,270	138·1
Faversham ...	14,129	259·9	Heywood M.B. ...	26,840	381·3	Blackburn ...	9,157	133·4
Hollingbourne ...	12,845	240·7	Hindley ...	24,148	329·2	Burnley ...	20,291	287·4
Hoo ...	3,965	69·1	Horwich ...	16,285	217·0	Burny ...	9,043	131·7
Isle of Thanet ...	12,501	202·1	Hurst ...	7,858	112·4	Chorley ...	21,493	313·0
Maidstone ...	16,196	291·4	Huyton with Roby	4,559	65·5	Clitheroe ...	6,342	99·6
Malling ...	24,233	427·6	Ince in Makerfield	22,034	303·7	Falder ...	11,357	173·4
Milton ...	12,453	219·5	Irlam ...	6,308	87·9	Garstang ...	10,691	179·0
Romney Marsh ...	2,797	49·3	Kearsley ...	9,669	134·1	Lancaster ...	9,085	154·3
Sevenoaks ...	24,029	415·1	Kirkham ...	3,793	57·2	Leigh ...	10,077	146·3
Sheppey :			Lancaster M.B. ...	38,276	556·8	Limehurst ...	10,566	152·9
Before 9th Nov., 1912.	4,427	74·6	Lathom and Burscough.	7,235	112·1	Lunesdale ...	6,882	112·2
After 9th Nov., 1912.	4,157	70·7	Lees ...	3,650	55·9	Preston ...	18,844	291·7
Strood ...	15,354	248·9	Leigh M.B. ...	44,334	615·1	Sefton ...	5,953	89·3
Tenterden ...	6,001	116·9	Leyland ...	8,088	116·9	Ulverston ...	17,019	296·1
Tonbridge ...	17,343	297·2	Litherland ...	14,795	215·4	Warrington ...	11,582	168·9
West Ashford ...	7,964	148·8	Littleborough ...	11,697	167·9	West Lancashire	20,683	320·2
LANCASHIRE.			Little Crosby ...	844	10·7	Whiston ...	18,847	286·0
<i>Urban Districts.</i>			Little Hulton ...	8,103	112·6	Wigan ...	6,327	96·1
Abram ...	6,893	91·4	Little Lever ...	5,194	75·6	LEICESTERSHIRE.		
Accrington M.B. ...	45,186	633·6	Little Woolton ...	1,102	15·8	<i>Urban Districts.</i>		
Adlington ...	4,457	63·1	Longridge ...	4,340	65·7	Ashby de la Zouch	4,927	84·7
Allerton ...	1,312	18·1	Lytham ...	9,463	147·6	Ashby Wolds ...	2,783	40·6
Ashton in Makerfield.	21,543	299·2	Middleton M.B. ...	28,165	398·2	Coalville ...	18,548	273·4
Ashton under Lyne M.B.	44,433	627·0	Milnrow ...	8,584	128·1	Hinckley ...	12,837	192·8
Aspull ...	8,276	117·0	Morecambe M.B.	12,131	209·0	Loughborough M.B.	22,910	346·9
Atherton ...	18,612	253·3	Mossley M.B. ...	13,205	198·5	Market Harborough.	8,853	136·3
Audenshaw ...	7,977	112·3	Much Woolton ...	4,320	63·9	Melton Mowbray	9,202	145·1
			Nelson M.B. ...	39,632	505·0	Quorndon ...	2,363	38·6
			Newton in Makerfield.	18,451	264·9			
			Norden ...	3,797	58·1			
			Ormskirk ...	6,827	104·9			
			Orrell ...	6,318	87·9			
			Oswaldtwistle ...	15,714	217·7			

* Including the civil parish of Folkestone next Sandgate.

DEATHS and POPULATIONS used in calculating STANDARDIZING FACTORS—*continued.*

Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.
LEICESTERSHIRE— <i>cont.</i>			LINCOLNSHIRE— <i>cont.</i>			MIDDLESEX— <i>cont.</i>		
Shepshed ...	5,542	87·0	Winterton ...	1,426	28·8	Ealing M.B. ...	61,322	937·8
Thurmaston ...	1,824	30·4	Woodhall Spa ...	1,484	24·5	Edmonton ...	62,907	891·7
Wigston Magna...	8,650	125·6	<i>Rural Districts.</i>			Enfield ...	56,306	826·5
<i>Rural Districts.</i>			Caistor ...	13,146	248·4	Feltham ...	5,135	82·3
Ashby de la Zouch	16,255	262·7	Gainsborough ...	14,743	276·1	Finchley ...	39,583	591·8
Barrow upon Soar	23,758	386·4	Glanford Brigg...	29,895	523·1	Hiern Barnet ...	12,472	186·9
Belvoir ...	3,255	67·2	Grimsby ...	10,629	174·0	Greenford ...	1,064	18·0
Billesdon ...	6,429	116·2	Horncastle ...	13,102	245·0	Hampton ...	9,220	144·4
Blaby ...	18,454	301·1	Isle of Axholme	6,815	130·4	Hampton Wick...	2,417	38·7
Castle Donington	6,416	109·8	Louth ...	18,285	347·2	Hanwell ...	19,129	277·1
Hallaton ...	1,867	35·2	Sibsey ...	2,985	56·7	Harrow on the Hill.	17,074	243·4
Hinckley ...	13,825	211·5	Spilsby ...	21,012	413·2	Hayes ...	4,261	69·2
Loughborough ...	4,579	81·1	Welton ...	11,111	204·8	Hendon ...	38,331	550·9
Lutterworth ...	9,931	189·5				Heston and Isleworth.	42,993	694·1
Market Bosworth	21,858	354·6	LONDON.			Hornsey M.B. ...	84,892	1,257·5
Market Harborough.	7,770	137·2	<i>Metropolitan Boroughs.</i>			Kingsbury ...	821	11·7
Melton Mowbray	15,271	274·0	City of London...	20,818	303·5	Ruislip Northwood.	6,217	88·8
LINCOLNSHIRE.			Battersea ...	167,308	2,516·7	Southall Norwood	23,915	350·3
(PARTS OF HOLLAND.)			Bermondsey ...	126,730	1,929·7	Southgate ...	33,404	493·2
<i>Urban Districts.</i>			Bethnal Green ...	127,905	1,868·7	Staines ...	6,755	106·6
Boston M.B. ...	16,673	292·9	Camberwell ...	259,848	3,993·7	Sunbury on Thames.	4,607	74·9
Holbeach ...	5,259	94·2	Chelsea ...	64,175	1,024·7	Teddington ...	17,847	282·6
Long Sutton ...	2,837	54·7	Deptford ...	110,676	1,701·8	Tottenham ...	137,454	2,041·5
Spalding... 10,308	186·5		Finsbury ...	89,623	1,376·9	Twickenham ...	29,407	454·0
Sutton Bridge ...	2,156	41·5	Fulham ...	153,284	2,251·8	Uxbridge ...	10,374	167·8
<i>Rural Districts.</i>			Greenwich ...	95,524	1,475·1	Wealdstone ...	11,923	165·7
Boston ...	21,057	389·5	Hackney ...	222,046	3,350·6	Wembley ...	10,696	155·6
Crowland ...	2,683	51·6	Hammersmith ...	120,168	1,846·8	Willesden ...	154,214	2,230·9
East Elloe ...	8,690	165·2	Hampstead ...	85,495	1,228·4	Wood Green ...	49,520	740·5
Spalding ...	13,186	238·2	Holborn ...	50,493	764·4	Yiewsley... 4,315	65·3	
(PARTS OF KESTOVEN.)			Islington ...	324,842	5,061·5	<i>Rural Districts.</i>		
<i>Urban Districts.</i>			Kensington ...	171,688	2,619·3	Hendon ...	14,160	202·3
Bourne ...	4,343	82·6	Lambeth... 297,520	4,609·9	South Mimms ...	2,805	46·4	
Bracebridge ...	2,281	34·4	Lewisham ...	159,422	2,464·6	Staines ...	21,926	358·4
Grantham M.B....	20,007	316·2	Paddington ...	142,551	2,178·3	Uxbridge ...	9,127	151·0
Ruskington ...	1,214	23·4	Poplar ...	162,063	2,487·0			
Sleaford ...	5,987	107·6	St. Marylebone	118,789	1,769·3			
Stamford M.B. ...	9,647	159·7	St. Pancras ...	218,557	3,329·6			
<i>Rural Districts.</i>			Shoreditch ...	110,305	1,621·8			
Bourne ...	13,391	257·0	Southwark ...	192,456	2,906·1			
Branston ...	14,006	247·3	Stepney ...	280,747	4,087·7	MONMOUTHSHIRE.		
Claypole ...	7,968	157·9	Stoke Newington	50,978	814·1	<i>Urban Districts.</i>		
Grantham ...	12,257	221·3	Wandsworth ...	307,850	4,655·3	Abercarn ...	16,445	230·2
Sleaford ...	17,269	320·2	Westminster ...	163,596	2,357·7	Abergavenny M.B.	8,511	142·4
Uffington ...	1,544	26·1	Woolwich ...	121,225	1,796·6	Abersychan ...	24,749	357·1
(PARTS OF LINCOLNSHIRE.)						Abertillery ...	35,553	483·7
<i>Urban Districts.</i>						Bedwas and Machen:	4,936	74·5
Alford ...	2,394	48·7				(Created 1st Oct., 1912).		
Barton upon Humber.	6,673	115·5				Bedwellty ...	22,646	312·7
Brigg ...	3,343	59·4				Elaenavon ...	12,010	179·9
Broughton ...	1,381	24·7				Caerleon... 1,677	27·8	
Brumby and Frodingham.	2,931	43·7				Chepstow ...	2,953	56·1
Cleethorpe with Thrunscoe.	21,513	313·8				Ebbw Vale ...	30,640	439·5
Crowle ...	2,853	56·5				Llanfrechfa Upper	4,468	64·9
Gainsborough ...	20,518	301·7				Llantarnam ...	7,058	106·2
Horncastle ...	3,900	80·0				Monmouth M.B.	5,269	95·4
Louth M.B. ...	9,880	196·0				Mynyddislwyn ...	9,980	142·4
Mablethorpe ...	1,232	22·5				Nantyglo and Blaina.	15,395	216·9
Market Rasen ...	2,296	43·9				Panteg ...	9,912	146·3
Roxby cum Risby	378	5·9				Pontypool ...	6,452	93·3
Scunthorpe ...	10,170	145·7				Rhymney ...	11,449	163·7
Skegness ...	3,775	56·5				Risca ...	14,149	200·9
						Tredegar... 23,207	343·9	
						Usk ...	1,495	26·1
						<i>Rural Districts.</i>		
						Abergavenny ...	7,858	138·4
						Chepstow ...	7,971	138·2
						Magor ...	4,849	83·0
						Monmouth ...	6,521	118·2

DEATHS and POPULATIONS used in calculating STANDARDIZING FACTORS—*continued.*

Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.
MONMOUTHSHIRE— <i>cont.</i>			NORTHAMPTONSHIRE— <i>cont.</i>			NORTHUMBERLAND— <i>cont.</i>		
Pontypool ...	5,047	91.1	Kettering ...	29,868	419.4	Haltwhistle ...	8,545	140.6
St. Mellons : ...			Oundle ...	2,749	47.5	Hexham ...	21,887	354.7
(Before 1st Oct., 1912.)	14,311	215.7	Raunds ...	3,873	62.1	Morpeth ...	16,505	250.6
(After 1st Oct., 1912.)	9,375	141.1	Rothwell ...	4,416	65.5	Norham and Islandshires.	5,830	99.7
			Rushden ...	13,354	177.3	Rothbury ...	4,606	78.5
MONTGOMERYSHIRE.			Wellingborough Rural Districts.	19,753	305.4	Tynemouth ...	23,703	358.8
<i>Urban Districts.</i>			Brackley ...	7,207	141.6	(Abolished 1st April, 1912).		
Llanfyllin M.B. ...	1,633	31.1	Brixworth ...	11,833	215.8	NOTTINGHAMSHIRE.		
Llanidloes M.B. ...	2,594	45.3	Crick ...	2,342	46.7	<i>Urban Districts.</i>		
Machynlleth ...	1,945	30.8	Daventry ...	13,809	251.5	Arnold ...	11,146	165.4
Montgomery M.B. ...	983	19.4	Easton on the Hill	1,542	29.7	Beeston ...	11,336	168.4
Newtown and Llanllwchaearn.	6,068	100.8	Gretton ...	1,531	28.4	Carlton ...	15,581	228.4
Welshpool M.B. ...	5,917	108.3	Hardingstone ...	7,568	141.1	East Retford M.B.	13,385	217.8
<i>Rural Districts.</i>			Kettering ...	12,895	218.1	Eastwood ...	4,692	70.0
Forden ...	5,737	110.6	Middleton Cheney	2,574	49.3	Hucknall Torkard	15,870	237.2
Llanfyllin ...	12,506	234.9	Oundle (part of)*	5,773	103.0	Huthwaite ...	5,231	78.3
Machynlleth ...	4,131	77.7	Oxendon ...	4,276	83.1	Kirkby in Ashfield	15,378	223.6
Newtown and Llanidloes.	11,632	211.2	Pottersbury ...	5,189	97.0	Mansfield M.B. ...	36,644	519.2
			Thrapston (part of)*	10,649	195.2	Mansfield Woodhouse.	11,015	153.2
			Towcester ...	10,482	200.7	Newark M.B. ...	16,408	264.0
			Wellingborough	12,594	212.8	Sutton in Ashfield	21,766	314.2
NORFOLK.						Warsop ...	4,221	65.7
<i>Urban Districts.</i>			NORTHUMBERLAND.			West Bridgford ...	11,632	160.0
Cromer ...	4,073	60.2	<i>Urban Districts.</i>			Worksop ...	20,276	303.2
Diss ...	3,769	68.0	Alnwick ...	7,041	118.0	<i>Rural Districts.</i>		
Downham Market	2,497	52.3	Amble ...	4,881	75.6	Basford ...	41,961	663.2
East Dereham ...	5,729	103.6	Ashington ...	24,627	338.5	Bingham ...	14,099	260.5
King's Lynn M.B.	20,201	349.4	Bedlingtonshire ...	25,484	381.0	Blyth and Cuckney	4,956	83.0
New Hunstanton	2,511	37.6	Berwick upon Tweed M.B.	13,075	218.0	East Retford ...	14,774	268.8
North Walsham	4,254	73.7	Blyth :			Leake ...	3,720	67.6
Sheringham ...	3,376	56.2	Before 1st April, 1912.	28,386	413.5	Misterton ...	4,015	69.6
Swaffham ...	3,234	65.7	After 1st April, 1912.	30,696	450.8	Newark ...	8,335	146.5
Thetford M.B. ...	4,778	88.6	Cramlington :			Skegby ...	6,990	103.6
Walsoken ...	3,898	68.2	Before 1st April, 1912.	6,376	97.9	Southwell ...	19,573	364.1
Wells ...	2,565	53.7	After 1st April, 1912.	8,093	122.2	Stapleford ...	10,007	154.0
<i>Rural Districts.</i>						Civil Parishes of	392	6.5
Aylsham ...	17,344	335.1				Kingston upon Soar and Ratcliffe upon Soar administered by Rural District Council of Shardlow (Derbyshire).		
Blofield ...	11,128	211.3				OXFORDSHIRE.		
Depwade ...	19,933	393.0				<i>Urban Districts.</i>		
Docking ...	16,942	329.8				Banbury M.B. ...	13,458	229.0
Downham ...	15,527	294.1				Bicester ...	3,385	63.3
East and West Flegg.	9,929	188.1				Caversham ...	9,858	153.1
Erpingham ...	17,137	317.6				(Abolished 9th Nov., 1911).		
Forehoe ...	11,383	224.3				Chipping Norton M.B.	3,972	73.4
Freebridge Lynn	12,106	232.6				Henley on Thames M.B.	6,456	112.1
Henstead ...	10,285	198.4				Thame ...	2,957	54.8
King's Lynn ...	935	14.9				Wheatley ...	966	18.4
Loddon and Clavering.	12,550	246.6				Witney ...	3,529	63.3
Marshland ...	12,382	226.3				Woodstock M.B.	1,594	30.0
Mitford and Launditch.	18,698	373.3				<i>Rural Districts.</i>		
St. Faith's ...	10,312	189.7				Banbury ...	11,455	221.6
Smallburgh ...	13,424	264.4				Bicester ...	9,638	187.0
Swaffham ...	7,571	147.6				Chipping Norton	11,353	203.1
Thetford ...	10,061	187.5				Crowmarsh ...	5,014	97.2
Walsingham ...	17,250	311.0				Culham ...	2,614	43.9
Wayland ...	14,425	292.5				Goring ...	3,179	53.9
						Headington ...	12,512	212.0
						Henley ...	10,156	174.7
NORTHAMPTONSHIRE.								
<i>Urban Districts.</i>								
Brackley M.B. ...	2,633	43.0						
Daventry M.B. ...	3,516	68.1						
Desborough ...	4,092	61.3						
Finedon ...	3,782	58.9						
Higham Ferrers M.B.	2,726	40.5						
Irthlingborough	4,630	66.6						

* The remaining parts of Oundle and Thrapston Rural Districts are in Huntingdonshire, see page 167.

DEATHS and POPULATIONS used in calculating STANDARDIZING FACTORS—*continued.*

Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.
OXFORDSHIRE— <i>cont.</i>			SHROPSHIRE— <i>cont.</i>			SOUTHAMPTON— <i>cont.</i>		
Thame ...	5,552	111.4	Cleobury	6,976	123.0	Christchurch M.B. Before 1st April, 1912.	4,838	83.7
Witney ...	17,170	327.9	Mortimer.			After 1st April, 1912.	5,787	99.3
Woodstock ...	10,711	198.7	Clun ...	6,565	125.7	Eastleigh and Bishopstoke.	15,247	215.8
PEMBROKESHIRE.			Drayton ...	12,340	220.2	Fareham ...	8,493	147.7
<i>Urban Districts.</i>			Ellesmere ...	8,365	141.6	Farnborough ...	14,199	165.6
Fishguard ...	2,892	46.8	Ludlow ...	9,438	160.4	Fleet ...	3,281	56.8
Haverfordwest M.B.	5,919	101.0	Newport ...	6,005	105.8	Gosport and Alverstoke.	33,300	511.8
Milford Haven ...	6,399	93.0	Oswestry ...	15,443	275.9	Havant ...	4,092	72.6
Narberth ...	1,105	19.2	Shifnal ...	8,155	150.1	Itchen ...	19,484	301.5
Neyland ...	2,423	38.8	Teme ...	1,644	31.9	Lymington M.B.	4,329	84.7
Pembroke M.B. ...	15,673	250.5	Wellington ...	11,091	196.4	Petersfield ...	3,947	64.5
Tenby M.B. ...	4,368	75.4	Wem ...	8,373	152.6	Romsey M.B. ...	4,669	79.5
<i>Rural Districts.</i>			Whitchurch ...	1,935	33.8	Warblington ...	3,771	67.6
Haverfordwest ...	21,360	367.3	SOMERSETSHIRE.			Winchester M.B.	23,273	369.5
Llanfyrnach ...	2,422	43.0	<i>Urban Districts.</i>			<i>Rural Districts.</i>		
Narberth ...	10,993	197.1	Bridgwater M.B.	16,802	278.5	Alresford ...	7,531	133.7
Pembroke ...	8,518	145.4	Burnham ...	3,948	65.9	Alton ...	18,286	273.7
St. Dogmells ...	7,888	159.7	Chard M.B. ...	4,568	79.2	Andover ...	14,295	206.6
PETERBOROUGH, SOKE OF.			Clevedon ...	6,111	115.3	Basingstoke ...	12,371	224.8
<i>Urban District.</i>			Crewkerne ...	3,939	64.6	Catherington ...	3,668	68.2
Peterborough M.B.	33,493	547.5	Frome ...	10,901	186.9	Christchurch : Before 1st April, 1912.	6,583	110.1
<i>Rural Districts.</i>			Glastonbury M.B.	4,250	72.3	After 1st April, 1912.	5,634	94.5
Barnack ...	2,097	38.8	Highbridge ...	2,343	37.6	Droxford ...	12,906	239.8
Peterborough ...	9,047	169.0	Ilminster ...	2,467	43.2	Fareham ...	14,216	227.7
RADNORSHIRE.			Midsomer Norton	7,299	109.6	Fordingbridge ...	6,444	117.8
<i>Urban Districts.</i>			Minehead ...	3,458	53.8	Hartley Wintney	18,642	319.5
Knighton ...	1,886	35.7	Portishead ...	3,329	53.6	Havant ...	5,795	103.7
Llandrindod Wells	2,779	37.5	Radstock ...	3,690	61.4	Hursley ...	4,393	75.5
Presteigne ...	1,141	21.8	Shepton Mallet ...	5,011	87.0	Kingsclere ...	8,842	162.2
<i>Rural Districts.</i>			Street ...	4,235	66.3	Lymington ...	11,905	199.0
Colwyn ...	2,052	33.9	Taunton M.B. ...	22,468	353.1	New Forest ...	16,373	281.7
Knighton ...	4,443	78.7	Watchet ...	1,846	31.7	Petersfield ...	12,030	184.7
New Radnor ...	2,758	50.1	Wellington ...	7,633	128.5	Ringwood ...	7,153	124.0
Painscastle ...	2,333	42.7	Wells M.B. ...	4,655	85.6	Romsey ...	6,800	118.6
Rhayader ...	5,198	98.0	Weston super Mare.	23,314	395.6	South Stoneham	17,821	289.7
RUTLANDSHIRE.			Wiveliscombe ...	1,316	23.5	Stockbridge ...	6,484	118.3
<i>Urban District.</i>			Yeovil M.B. ...	13,759	211.0	Whitchurch ...	6,121	110.6
Oakham ...	3,667	60.3	<i>Rural Districts.</i>			Winchester ...	10,566	177.6
<i>Rural Districts.</i>			Axbridge ...	22,945	418.6	STAFFORDSHIRE.		
Ketton ...	2,940	51.1	Bath : Before 9th Nov. 1911.	30,860	497.0	<i>Urban Districts.</i>		
Oakham ...	7,004	126.0	After 9th Nov. 1911.	12,408	205.6	Amblecote ...	3,155	48.5
Uppingham ...	6,735	124.8	After 1st Oct. 1912.	14,794	246.3	Audley ...	14,776	221.5
SHROPSHIRE.			Bridgwater ...	18,202	339.0	Biddulph ...	7,422	114.4
<i>Urban Districts.</i>			Chard ...	13,389	237.3	Bilston ...	25,882	397.6
Bishop's Castle M.B.	1,409	28.8	Clutton : Before 1st Oct., 1912.	18,460	321.7	Brierley Hill ...	12,263	188.2
Bridgnorth M.B.	5,768	98.3	After 1st Oct., 1912.	16,074	281.0	Brownhills ...	16,852	251.6
Church Stretton	1,455	23.6	Dulverton ...	4,837	87.3	Cannock ...	28,453	436.0
Dawley ...	7,701	130.0	Frome ...	11,171	200.7	Coseley ...	22,921	352.2
Ellesmere ...	1,946	35.6	Keynsham ...	10,141	174.7	Darlaston ...	17,107	254.7
Ludlow M.B. ...	5,926	107.3	Langport ...	13,347	253.7	Handsworth (abolished 9th Nov., 1911).	68,907	999.8
Newport ...	3,250	57.9	Long Ashton ...	16,197	283.8	Heathtown or Wednesfield Heath.		
Oakengates ...	11,744	191.2	Shepton Mallet ...	10,183	182.2	Kids Grove ...	9,012	137.3
Oswestry M.B. ...	9,991	164.4	Taunton ...	17,117	308.6	Leek ...	16,663	252.4
Shrewsbury M.B.	29,562	478.7	Wellington ...	6,074	112.7	Lichfield M.B. ...	8,616	147.5
Wellington ...	7,820	132.2	Wells ...	9,795	179.9	Newcastle under Lyne M.B.	2,403	34.3
Wem ...	2,273	39.6	Williton ...	12,661	238.3	Perry Barr ...	7,393	112.4
Wenlock M.B. ...	15,244	275.0	Wincanton ...	16,439	297.7	Quarry Bank ...	37,153	552.8
Whitchurch ...	5,757	98.8	Yeovil ...	16,457	301.1	Rugeley ...	4,504	74.9
<i>Rural Districts.</i>			SOUTHAMPTON.			Sedgley ...	15,977	245.0
Atcham ...	20,806	384.3	<i>Urban Districts.</i>					
Bridgnorth ...	9,125	161.2	Aldershot ...	35,393	419.4			
Burford ...	1,308	24.5	Alton ...	5,555	106.1			
Chirbury ...	3,304	62.7	Andover M.B. ...	7,596	134.4			
Church Stretton	4,797	92.0	Basingstoke M.B.	11,540	181.6			

DEATHS and POPULATIONS used in calculating STANDARDIZING FACTORS—*continued.*

Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.
STAFFORDSHIRE— <i>cont.</i>			SUFFOLK, WEST. <i>Urban Districts.</i>			SUSSEX, EAST— <i>cont.</i>		
Short Heath ...	4,075	65·0	Bury St. Edmunds ...	16,785	287·6	Portslade by Sea ...	6,454	104·4
Smallthorne ...	13,559	199·8	M.B.			Rye M.B. ...	4,229	73·1
Stafford M.B. ...	22,430	331·5	Glemsford ...	1,499	31·6	Seaford ...	4,787	67·7
Stone ...	5,688	98·2	Hadleigh... ..	3,200	58·7	Uckfield ...	3,344	63·5
Tamworth M.B. ...	7,738	122·9	Haverhill ...	4,748	73·4	<i>Rural Districts.</i>		
Tettenhall ...	5,381	90·8	Newmarket ...	10,482	164·6	Battle ...	6,636	118·9
Tipton ...	31,878	497·4	Sudbury M.B. ...	7,141	130·7	Chailey ...	11,924	213·3
Uttoxeter ...	5,717	91·0	<i>Rural Districts.</i>			Cuckfield ...	16,853	278·2
Wednesbury M.B. ...	28,230	425·8	Brandon ...	5,861	111·8	Ea-tbourne ...	5,347	90·2
W-dn-sfield ...	6,070	94·6	Clare ...	8,567	172·3	East Grinstead ...	13,007	222·0
Willenhall ...	18,844	277·8	Cosford ...	11,808	226·9	Hailsham ...	16,935	301·5
Wolstanton ...	27,335	400·6	Melford ...	12,791	249·0	Hastings... ..	1,768	33·2
<i>United.</i>			Mildenhall ...	8,311	159·3	Newhaven ...	5,033	67·9
<i>Rural Districts.</i>			Moulton ...	2,255	40·9	Rye ...	7,146	137·9
Blore Heath ...	2,287	41·2	Thedwastre ...	9,018	171·4	Steyning East ...	2,891	42·8
Cannock ...	19,786	319·1	Thingoe ...	14,439	271·4	Ticehurst ...	13,505	238·7
Cheadle ...	25,654	408·5	<i>SURREY.</i>			Uckfield ...	23,305	382·8
Dudley ...	12	0·1	<i>Urban Districts.</i>			<i>SUSSEX, WEST.</i>		
Gnosall ...	4,765	88·4	Barnes ...	30,623	462·4	<i>Urban Districts.</i>		
Kingswinford ...	20,699	339·8	Carshalton ...	10,847	161·7	Arundel M.B. ...	2,842	50·3
Leek ...	15,487	252·6	Caterham ...	8,820	137·1	Bognor ...	8,142	130·3
Lichfield... ..	27,808	435·2	Chertsey... ..	13,816	231·2	Chichester M.B. ...	11,939	207·5
Mayfield... ..	3,915	69·4	Dorking ...	7,848	138·6	Horsham ...	11,314	201·2
Newcastle under Lyne.	6,410	103·3	East and West Molesey.	6,492	104·3	Littlehampton ...	8,351	139·9
Seisdon ...	15,074	261·0	Egham ...	12,193	190·7	Shoreham by Sea ...	5,106	85·7
Stafford ...	11,658	192·6	Epsom ...	13,439	207·7	Southwick ...	4,314	77·1
Stoke upon Trent	4,774	74·2	Esher and the Dit-	12,518	191·2	Worthing M.B. ...	30,498	558·0
Stone ...	14,387	243·1	tons.			<i>Rural Districts.</i>		
Tamworth (part of).*	5,113	87·0	Farnham... ..	7,147	123·9	East Preston ...	6,542	119·2
Tutbury... ..	9,087	149·7	Frimley ...	13,522	180·9	Horsham... ..	20,792	341·7
Uttoxeter ...	8,152	134·8	Godalming M.B....	8,846	129·4	Midhurst ...	15,280	263·2
Walsall ...	10,991	171·3	Guildford M.B....	23,488	371·2	Petworth ...	8,776	165·3
Civil Parishes of Blymhill and Weston under Lizard administered by Rural District Council of Shifnal (Shropshire).	798	14·8	Ham ...	1,435	23·5	Steyning West ...	8,804	156·4
<i>SUFFOLK, EAST.</i>			Kingston on Thames M.B.	37,407	588·7	Thakeham ...	8,334	153·3
<i>Urban Districts.</i>			Leatherhead ...	5,491	79·8	Westbourne ...	8,331	159·5
Aldeburgh M.B. ...	2,374	40·8	Merton ...	12,938	190·3	Westhampnett ...	15,548	279·9
Beccles M.B. ...	7,139	120·4	Reigate M.B. ...	27,935	457·3	<i>WARWICKSHIRE.</i>		
Bungay ...	3,359	59·6	Richmond M.B....	32,975	538·8	<i>Urban Districts.</i>		
Eye M.B. ...	2,000	42·8	Surbiton... ..	17,717	273·9	Aston Manor M.B. ...	75,029	1071·4
Felixstowe and Walton.	8,666	124·3	Sutton ...	19,857	322·3	(abolished 9th Nov., 1911).		
Halesworth ...	2,258	40·9	The Maldens and Coombe.	11,933	179·0	Bulkington ...	1,837	33·2
Leiston cum Sizewell.	4,359	66·9	Walton upon Thames.	12,856	193·2	Erdington ...	31,157	459·5
Lowestoft M.B....	33,972	552·5	Weybridge ...	6,286	94·9	(abolished 9th Nov., 1911).		
Oulton Broad ...	4,109	66·8	Wimbledon M.B.	55,309	824·0	Kenilworth ...	5,776	99·5
Saxmundham ...	1,404	25·1	Windlesham ...	4,249	67·6	Nuneaton M.B. ...	37,073	533·1
Southwold M.B....	2,655	47·2	Woking ...	23,855	348·2	Royal Leamington Spa M.B.	26,900	491·7
Stowmarket ...	4,230	75·1	<i>Rural Districts.</i>			Rugby ...	21,689	308·2
Woodbridge ...	4,623	85·2	Chertsey ...	9,383	139·6	Stratford on Avon M.B.	8,531	148·8
<i>Rural Districts.</i>			Croydon ...	62,109	907·2	Sutton Coldfield M.B.	20,132	306·3
Blything... ..	18,190	354·3	Dorking ...	10,580	179·4	Warwick M.B. ...	11,670	203·4
Bosmere and Claydon.	14,070	270·9	Epsom ...	27,267	398·8	<i>Rural Districts.</i>		
East Stow ...	6,223	114·6	Farnham... ..	20,260	332·6	Alcester ...	11,866	208·8
Hartismere ...	11,485	217·5	Godstone ...	22,447	361·7	Atherstone ...	19,133	296·2
Hoxne ...	10,408	199·2	Guildford ...	18,274	295·9	Brailes ...	6,046	122·6
Mutford and Lothingland.	10,989	198·0	Hambledon ...	25,369	418·4	Castle Bromwich (abolished 1st Apr., 1912.)	2,725	43·4
Plome-gate ...	15,708	293·1	Reigate ...	20,360	323·8	Coventry... ..	582	8·1
Samford ...	13,868	233·2	<i>SUSSEX, EAST.</i>			Farnborough ...	1,482	27·9
Wangford ...	4,820	92·8	<i>Urban Districts.</i>			Foleshill ...	22,999	355·3
Woodbridge ...	15,497	281·4	Battle ...	2,924	55·5	Meriden : Before 1st Apr., 1912.	12,203	216·1
			Bexhill M.B. ...	15,330	234·2	After 1st Apr., 1912.	14,928	259·2
			Burgess Hill ...	5,124	92·0	Monks Kirby ...	1,554	29·3
			Cuckfield... ..	1,899	37·4			
			East Grinstead ...	7,989	115·4			
			Hayward's Heath	4,851	76·5			
			Hove M.B. ...	42,423	733·6			
			Lewes M.B. ...	10,972	182·6			
			Newhaven ...	6,665	102·1			

* The remainder of Tamworth Rural District is in Warwickshire, see page 173.

DEATHS and POPULATIONS used in calculating STANDARDIZING FACTORS—*continued.*

Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.
WARWICKSHIRE— <i>cont.</i>			WILTSHIRE— <i>cont.</i>			YORKSHIRE, EAST RIDING— <i>cont.</i>		
Nuneaton ...	2,505	42·4	Westbury and Whorwellsdown.	6,610	123·9	Cottingham ...	4,648	76·6
Rugby ...	17,353	289·2	Wilton ...	8,079	147·5	Filey ...	3,228	55·2
Solihull ...	18,634	309·9				Great Driffield ...	5,676	107·4
Southam ...	9,985	195·7	WORCESTERSHIRE.			Hedon M.B. ...	1,171	22·8
Stratford on Avon	11,079	209·2	<i>Urban Districts.</i>			Hessle ...	5,250	85·2
Tamworth (part of)*.	16,035	240·9	Bewdley M.B. ...	2,745	48·4	Hornsea ...	3,024	49·5
Warwick, ...	11,312	192·7	Bromsgrove ...	8,926	153·4	Norton ...	3,990	65·6
			Droitwich M.B. ...	4,146	76·0	Pocklington ...	2,556	48·0
			Evesham M.B. ...	8,340	128·7	Withernsea ...	2,278	37·4
			Kidderminster M.B.:			<i>Rural Districts.</i>		
WESTMORLAND.			Before 9th Nov.,	24,200	380·6	Beverley ...	11,036	187·9
<i>Urban Districts.</i>			1912.			Bridlington ...	7,743	132·7
Ambleside ...	2,553	39·7	After 9th Nov.,	27,411	429·8	Driffield ...	12,109	215·5
Appleby M.B. ...	1,736	30·1	1912.			Escrick ...	5,511	91·4
Grasmere ...	876	16·8	King's Norton and Northfield (abolished 9th Nov., 1911).	79,186	1144·7	Howden ...	12,636	229·6
Kendal M.B. ...	14,033	226·4				Norton ...	5,814	99·4
Kirkby Lonsdale	1,524	24·6				Patrington ...	7,234	137·6
Shap ...	1,006	18·3				Pocklington ...	11,277	201·7
Windermere ...	5,147	82·5				Riccall ...	3,277	63·8
<i>Rural Districts.</i>						Sculcoates ...	7,273	121·5
East Westmorland	11,151	200·7	Lye and Wollescote.	11,684	175·5	Sherburn ...	2,254	36·0
South Westmorland.	19,116	322·5	Malvern ...	16,513	269·8	Skirlaugh ...	7,162	129·7
West Ward ...	6,433	115·0	North Bromsgrove	6,687	110·8			
			Oldbury ...	32,359	479·6	YORKSHIRE, NORTH RIDING.		
WIGHT, ISLE OF.			Redditch ...	15,463	229·0	<i>Urban Districts.</i>		
<i>Urban Districts.</i>			Stourbridge ...	17,416	278·4	Eston ...	12,026	181·9
Cowes ...	9,635	157·5	Stourport ...	4,432	72·3	Guisborough ...	7,061	116·1
East Cowes ...	4,659	73·2	<i>Rural Districts.</i>			Hinderwell ...	2,491	40·3
Newport M.B. ...	11,154	192·5	Bromsgrove:			Kirklington cum Upsland.	244	3·9
Ryde M.B. ...	10,608	210·5	Before 9th Nov.,	13,132	223·3			
St. Helens ...	4,982	90·0	1911.			Loftus ...	8,872	133·8
Sandown ...	5,551	100·4	After 9th Nov.,	15,007	258·1	Malton ...	4,822	84·8
Shanklin ...	4,751	89·0	1911.			Masham ...	3,110	50·3
Ventnor ...	5,787	102·3	Droitwich ...	12,975	237·6	Northallerton ...	4,806	75·4
<i>Rural District.</i>			Evesham ...	9,095	160·6	Ormesby ...	14,582	211·1
Isle of Wight ...	30,875	543·7	Feckenham ...	5,456	96·9	Pickering ...	3,674	67·8
			Halesowen ...	25,760	380·0	Redcar ...	10,508	162·6
			Kidderminster:			Richmond M.B.	3,934	63·6
WILTSHIRE.			Before 9th Nov.,	10,493	179·4	Saltburn by the Sea	3,322	52·5
<i>Urban Districts.</i>			1912.			Scalby ...	1,630	23·9
Bradford on Avon	4,501	81·7	After 9th Nov.,	7,282	130·4	Scarborough M.B.	37,066	635·2
Calne M.B. ...	3,538	68·2	1912.			Skelton and Brotton.	15,194	234·4
Chippenham M.B.	5,332	86·4				South Bank in Normanby.	14,977	212·7
Devizes M.B. ...	6,739	118·7	Martley ...	13,063	241·4	Thornaby on Tees, M.B.	18,603	272·5
Malmesbury M.B.	2,656	48·5	Pershore ...	13,235	244·9	Whitby ...	11,139	198·9
Marlborough M.B.	4,401	65·9	Rock ...	2,193	44·7	<i>Rural Districts.</i>		
Melksham ...	3,101	50·3	Shipston on Stour	4,711	97·8	Aysgarth ...	4,262	74·3
Salisbury M.B. ...	20,885	332·3	Stow on the Wold (part of)†.	311	6·5	Bedale ...	6,939	123·9
Swindon M.B. ...	51,011	754·8	Tenbury ...	4,727	84·1	Croft ...	2,236	36·9
Trowbridge ...	11,815	208·0	Tewkesbury (part of)†.	2,317	43·3	Easingwold ...	10,213	188·4
Warminster ...	5,492	96·7	Upton on Severn	13,520	251·4	Flaxton ...	7,659	120·4
Westbury ...	3,433	61·4	Winchcomb (part of)†.	116	2·2	Guisborough ...	7,848	131·5
Wilton M.B. ...	2,124	38·9	Yardley ...	59,165	856·4	Helmsley ...	5,154	88·1
<i>Rural Districts.</i>			(abolished 9th Nov., 1911).			Kirkby Moorside	4,870	89·4
Amesbury ...	11,158	168·3	Civil Parishes of Redmarley D'Abitôt and Staunton administered by Rural District Council of Newent (Gloucestershire).	1,192	24·2	Leyburn ...	6,803	113·7
Bradford on Avon	5,313	92·8				Malton ...	6,186	110·5
Calne ...	4,599	87·0				Middlesbrough ...	2,169	31·0
Chippenham ...	18,236	324·2				Northallerton ...	7,745	139·4
Cricklade and Wootton Bassett.	11,002	200·3				Pickering ...	6,467	121·9
Devizes ...	11,871	216·4				Reeth ...	2,396	43·9
Highworth ...	14,879	260·9				Richmond ...	8,082	145·0
Malmesbury ...	9,361	176·0				Scarborough ...	6,320	110·2
Marlborough ...	4,496	81·6				Startforth ...	4,929	82·3
Melksham ...	4,979	90·0				Stokesley ...	12,113	207·8
Mere ...	5,173	98·3				Thirsk ...	12,792	230·0
Pewsey ...	13,303	229·5				Wath ...	2,180	38·6
Ramsbury ...	7,109	138·8	YORKSHIRE, EAST RIDING.			Whitby ...	8,501	154·6
Salisbury ...	10,178	183·3	<i>Urban Districts.</i>					
Tetbury (part of)*.	373	6·3	Beverley M.B. ...	13,654	244·1			
Tisbury ...	7,803	144·2	Bridlington M.B.	14,334	245·1			
Warminster ...	5,957	117·2						

* The remainder of Tamworth Rural District is in Staffordshire, *see* page 172.† The remaining parts of Tetbury, Stow on the Wold, Tewkesbury, and Winchcomb Rural Districts are in Gloucestershire, *see* page 167.

DEATHS and POPULATIONS used in calculating STANDARDIZING FACTORS—*continued.*

Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.
YORKSHIRE, WEST RIDING. <i>Urban Districts.</i>			YORKSHIRE, WEST RIDING—cont.			YORKSHIRE, WEST RIDING—cont.		
Altofts ...	4,689	69·7	Honley :			Stainland with Old Lindley.	4,449	68·9
Ardley ...	6,870	94·4	Before 1st April, 1912.	4,993	76·3	Stanley ...	13,478	200·7
Ardley East and West.	8,120	115·4	After 1st April, 1912.	4,639	69·3	Stocksbridge ...	7,086	98·0
Baildon ...	6,042	87·9	Horbury... ..	7,509	109·2	Swinton ...	13,654	200·3
Balby with Hexthorpe.	11,472	170·8	Horsforth ...	9,145	137·7	Thurlstone ...	2,848	43·8
Barkisland ...	1,629	25·7	Hoyland Nether	14,638	215·5	Thurnscoe ...	4,074	56·6
Barnoldswick ...	9,703	130·7	Hoyland Swaine	605	10·0	Thurstonland ...	1,037	15·5
Barnsley M.B. ...	50,463	730·7	Hunsworth ...	1,326	19·8	Tickhill ...	1,806	33·7
Batley, M.B. ...	36,503	529·6	Ilkley ...	7,992	123·2	Todmorden M.B.	25,328	376·1
Bentley with Arksey.	6,497	91·5	Keighley M.B. ...	43,297	611·3	Wakefield M.B....	49,313	716·1
Bingley ...	18,759	281·4	Kirkburton ...	3,409	53·1	Wath upon Dearne	11,823	167·4
Birkenshaw ...	2,508	39·0	Kirkheaton ...	2,621	43·3	Wheatley ...	5,363	78·7
Birstal ...	7,116	107·5	Knarborough... ..	5,193	91·6	Whitley Upper... ..	830	11·6
Bolton upon Dearne.	8,670	119·6	Knottingley ...	6,680	100·6	Whitwood ...	5,517	82·5
Brighouse M.B....	20,934	304·4	Lepton ...	2,999	44·4	Wombwell ...	17,536	252·8
Burley in Wharfedale.	3,559	53·9	Linthwaite ...	8,961	126·0	Worsborough ...	12,750	184·5
Calverley ...	2,998	46·3	Liversedge ...	14,658	212·9	Yeadon ...	7,440	106·3
Castleford ...	23,090	328·1	Luddenden Foot	2,904	42·8	<i>Rural Districts.</i>		
Clayton ...	4,685	78·3	Marsden ...	5,757	79·9	Barnsley... ..	4,124	61·9
Clayton West ...	1,876	26·8	Meltham ...	5,159	79·6	Bisphopthorpe ...	2,091	33·3
Cleckheaton ...	12,866	184·0	Methley ...	4,327	67·0	Bowland... ..	5,357	91·1
Cudworth ...	6,824	93·9	Mexborough ...	14,401	208·5	Doncaster ...	37,559	570·8
Darfield ...	5,427	79·8	Midgley ...	2,143	32·3	Goole ...	8,516	147·9
Darton ...	9,348	142·0	Mirfield ...	11,712	171·6	Great Ouseburn	10,667	185·1
Denby and Cumberworth.	3,681	54·2	Monk Bretton ...	4,783	69·6	Halifax ...	6,210	90·7
Denholme ...	2,971	46·0	Morley M.B. ...	24,364	349·7	Hemsworth ...	40,103	587·0
Dewsbury M.B....	52,951	760·5	Mytholmroyd ...	4,151	66·5	Hunslet ...	7,786	117·0
Dodworth ...	3,284	49·0	Netherthong (abolished 1st April, 1912).	867	13·6	Keighley ...	6,635	100·0
Doncaster M.B....	30,614	464·2	New Mill ...	4,568	67·3	Kiveton Park ...	13,421	196·5
Drihtlington ...	4,126	62·9	Normanton ...	15,032	217·6	Knarborough... ..	8,143	130·9
Earby ...	6,032	81·6	Oakworth ...	4,279	67·0	Leeds (Roundhay and Seacroft).	3,885	53·7
Elland ...	10,676	156·5	Oasett M.B. ...	14,078	203·3	(Abolished 9th Nov., 1912).		
Emley ...	1,622	24·7	Otley ...	9,844	149·8	Pateley Bridge ...	7,753	130·1
Farnley Tyas ...	479	8·6	Oxenhope ...	2,451	36·9	Penistone ...	5,541	91·5
Farsley ...	5,993	89·0	Penistone ...	3,408	51·6	Pontefract ...	15,263	239·7
Featherstone ...	14,374	211·5	Pontefract M.B.	15,949	242·6	Ripon ...	5,367	99·9
Flockton ...	1,379	21·1	Pudsey M.B. ...	14,023	215·2	Rotherham :		
Garforth ...	3,980	59·4	Queensbury ...	6,125	89·9	Before 1st April, 1912.	33,133	474·9
Gildersome ...	2,981	45·8	Rawdon ...	3,198	49·1	After 1st April, 1912.	27,849	404·1
Golcar ...	10,110	144·7	Rawmarsh ...	17,185	252·1	Sedbergh ...	3,737	61·8
Gomersal ...	3,796	57·6	Ripon M.B. ...	8,218	141·0	Selby ...	5,922	109·1
Goole ...	20,332	313·0	Rishworth ...	934	12·9	Settle ...	14,901	239·6
Greasbrough ...	3,134	49·4	Rothwell ...	13,951	204·7	Skipton ...	18,575	299·1
Greetland ...	4,490	68·3	Royston... ..	6,237	87·0	Tadcaster :—		
Guiseley ...	4,925	72·4	Saddleworth ...	12,603	194·9	Before 9th Nov., 1912.	29,072	453·4
Gunthwaite and Ingbirchworth.	380	5·9	Scammonden ...	341	6·4	After 9th Nov., 1912.	27,177	423·7
Handsworth ...	14,198	211·4	Selby ...	9,048	145·7	Thorne ...	8,783	165·7
Harrogate M.B....	33,825	512·3	Shelf ...	2,334	38·2	Todmorden ...	4,622	74·6
Haworth ...	6,505	94·8	Shelley ...	1,753	27·2	Wakefield ...	16,688	249·7
Hebden Bridge...	7,172	102·5	Shepley ...	1,879	25·7	Wetherby :		
Heckmondwike...	9,016	132·9	Shipley ...	27,706	398·4	Before 9th Nov., 1912.	16,209	274·9
Hipperholme ...	4,438	64·5	Silsden ...	4,960	71·3	After 9th Nov., 1912.	14,995	257·3
Holme ...	389	6·7	Skelmanthorpe...	3,817	55·4	Wharfedale ...	7,700	115·8
Holmfirth :			Skipton ...	12,977	185·5	Wortley ...	31,208	463·4
Before 1st April, 1912.	9,247	142·9	Slaithwaite ...	5,568	82·3			
After 1st April, 1912.	10,575	167·8	South Crosland...	3,124	48·7			
			Southowram ...	2,745	39·9			
			Sowerby... ..	3,232	52·9			
			Sowerby Bridge	11,350	162·5			
			Soyland ...	2,934	46·1			
			Springhead ...	5,051	74·8			

ENGLAND and WALES—DEATHS at EACH YEAR of AGE REGISTERED in the
YEAR 1912.

Age.	Persons.	Males.	Females.				Age.	Persons.	Males.	Females.			
			Total.	Single.	Married.	Widowed.				Total.	Single.	Married.	Widowed.
All Ages	486,939	250,232	236,707	97,638	70,016	69,053	50	4,772	2,689	2,083	291	1,405	387
							51	4,379	2,422	1,957	309	1,289	359
0	82,779	47,004	35,775	35,775	—	—	52	5,305	2,860	2,445	359	1,615	471
1	23,080	12,000	11,080	11,080	—	—	53	4,894	2,643	2,251	322	1,439	490
2	10,174	5,074	5,100	5,100	—	—	54	5,174	2,842	2,332	324	1,508	500
3	6,378	3,240	3,138	3,138	—	—							
4	4,663	2,341	2,322	2,322	—	—	55	5,073	2,780	2,293	316	1,412	565
							56	5,741	3,126	2,615	357	1,541	717
5	3,622	1,782	1,840	1,840	—	—	57	5,586	2,995	2,591	328	1,561	702
6	2,672	1,369	1,303	1,303	—	—	58	5,884	3,209	2,675	326	1,563	786
7	1,973	959	1,014	1,014	—	—	59	5,864	3,186	2,678	329	1,498	851
8	1,705	872	833	833	—	—							
9	1,514	777	737	737	—	—	60	6,226	3,364	2,862	379	1,534	949
							61	6,090	3,331	2,759	320	1,460	979
10	1,415	716	699	699	—	—	62	6,817	3,665	3,152	383	1,529	1,240
11	1,299	657	642	642	—	—	63	6,673	3,575	3,098	346	1,497	1,255
12	1,280	612	668	668	—	—	64	6,960	3,698	3,262	380	1,490	1,392
13	1,342	609	733	733	—	—							
14	1,404	643	761	761	—	—	65	7,262	3,824	3,438	404	1,419	1,615
							66	6,919	3,570	3,349	380	1,468	1,501
15	1,638	780	858	858	—	—	67	7,327	3,705	3,622	391	1,475	1,756
16	1,760	872	888	888	—	—	68	7,793	3,966	3,827	413	1,494	1,920
17	1,907	996	911	907	4	—	69	7,592	3,923	3,669	401	1,305	1,963
18	1,961	1,002	959	918	41	—							
19	2,059	1,083	976	897	79	—	70	8,279	4,082	4,197	464	1,289	2,444
							71	8,056	3,969	4,087	449	1,200	2,438
20	2,076	1,091	985	825	160	—	72	9,020	4,296	4,724	540	1,284	2,900
21	2,124	1,103	1,021	818	202	1	73	8,317	3,882	4,435	464	1,136	2,835
22	2,053	1,046	1,007	707	298	2	74	8,220	3,860	4,360	462	990	2,908
23	2,138	1,071	1,067	658	405	4							
24	2,183	1,067	1,116	600	510	6	75	7,856	3,625	4,231	455	940	2,836
							76	7,412	3,414	3,998	477	806	2,715
25	2,259	1,162	1,097	552	539	6	77	6,768	2,982	3,786	392	706	2,688
26	2,308	1,190	1,118	482	628	8	78	6,659	2,989	3,670	421	623	2,626
27	2,362	1,198	1,164	433	719	12	79	6,051	2,702	3,349	363	503	2,483
28	2,581	1,370	1,211	433	771	7							
29	2,525	1,254	1,271	395	855	21	80	5,546	2,379	3,167	337	457	2,373
							81	4,835	2,094	2,741	272	306	2,163
30	2,665	1,378	1,287	399	865	23	82	5,000	2,115	2,885	348	274	2,263
31	2,589	1,345	1,244	351	872	21	83	4,213	1,760	2,453	296	231	1,926
32	2,917	1,535	1,382	339	1,010	33	84	4,013	1,708	2,305	294	184	1,827
33	2,779	1,438	1,341	327	975	39							
34	2,974	1,584	1,390	298	1,037	55	85	3,228	1,274	1,954	231	142	1,581
							86	2,906	1,144	1,762	221	96	1,445
35	3,191	1,717	1,474	323	1,099	52	87	2,431	948	1,483	172	82	1,229
36	3,203	1,731	1,472	283	1,119	70	88	1,850	688	1,162	148	55	959
37	3,257	1,700	1,557	301	1,184	72	89	1,484	515	969	142	25	802
38	3,513	1,847	1,666	297	1,287	82							
39	3,692	1,920	1,772	293	1,362	117	90	1,153	435	718	101	21	596
							91	902	333	569	77	14	478
40	3,590	1,994	1,596	276	1,228	92	92	786	257	529	87	14	428
41	3,400	1,879	1,521	265	1,161	95	93	563	193	370	46	6	318
42	4,033	2,167	1,866	302	1,400	164	94	335	106	229	34	—	195
43	3,642	1,941	1,701	272	1,252	177							
44	3,694	1,976	1,718	298	1,243	177	95	262	81	181	34	2	145
							96	211	68	143	17	1	125
45	4,123	2,273	1,850	306	1,323	221	97	128	39	89	10	3	76
46	3,965	2,183	1,782	309	1,245	228	98	75	22	53	7	—	46
47	4,146	2,300	1,846	310	1,273	263	99	46	15	31	5	1	25
48	4,499	2,408	2,091	290	1,493	308							
49	4,830	2,611	2,219	353	1,481	385	100 and over.	67	17	50	6	3	41

NOTE.—The 486,939 deaths at all ages include 1,167 cases (776 males and 391 females) in which only approximate ages were stated: these have been included under the approximate age (*e.g.*, age about 40 under 40). In a few cases the ages were stated to be unknown: these have been distributed with regard as far as possible to the cause of death.

Of the 236,707 deaths of females, 1,443 were cases in which the condition as to marriage was not stated; these have been distributed among the single, married, and widowed in proportion to their respective numbers at the same age. The deaths of 13 divorced women are included with the deaths of widows.

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1912.

Age.	Sex.	Barrow in Furness.	Bath.	Birkenhead.	Birmingham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bourne-mouth.	Bradford.	Brighton.	Bristol.	Burnley.	Burton upon Trent.	Bury.
All Ages {	M	501	436	1027	6256	957	383	1295	676	364	2102	849	2454	809	338	421
	F	439	465	943	5884	984	372	1222	530	461	2147	885	2412	813	276	422
Under 1 month {	M	44	24	78	562	74	31	91	47	23	132	45	208	74	26	21
	F	26	12	56	377	58	19	71	42	21	118	39	123	55	18	21
1-3 months {	M	17	8	41	269	30	5	38	34	9	67	16	94	38	6	20
	F	16	10	37	177	23	7	29	14	3	37	17	53	30	2	15
3-6 months {	M	7	9	33	237	33	7	45	23	7	46	17	71	44	3	11
	F	14	4	16	176	20	5	35	20	6	34	19	46	29	2	7
6-12 months {	M	27	11	52	398	46	6	54	32	7	62	23	107	58	12	19
	F	27	12	55	307	44	6	44	27	8	65	15	89	33	7	23
Total under 1 year {	M	95	52	204	1466	183	49	228	136	46	307	101	480	214	47	71
	F	83	38	164	1037	145	37	179	103	38	254	90	311	147	29	66
1— {	M	32	16	88	436	41	7	58	56	6	76	26	89	46	9	14
	F	24	7	73	410	49	11	46	40	4	63	22	115	48	4	13
2— {	M	14	6	28	201	11	4	22	18	4	21	10	53	9	2	7
	F	11	3	26	229	14	—	23	18	3	37	11	60	21	6	8
3— {	M	3	4	20	115	11	2	15	17	3	21	5	41	9	1	—
	F	9	3	16	123	9	2	9	13	—	12	3	29	11	2	3
4— {	M	5	5	10	78	10	2	10	8	2	22	6	14	5	3	4
	F	9	5	6	88	11	2	14	13	2	8	3	19	5	5	5
Total under 5 years. {	M	149	83	350	2296	256	64	333	235	61	447	148	677	283	62	96
	F	136	56	285	1887	228	52	271	187	47	374	129	534	232	46	95
5— {	M	21	8	33	163	18	7	29	19	2	40	19	69	15	5	4
	F	24	7	37	177	9	1	32	11	6	36	8	59	16	6	8
10— {	M	9	6	18	63	10	7	22	10	—	29	9	33	11	5	6
	F	9	1	16	85	11	5	21	7	1	42	13	31	10	5	4
15— {	M	10	6	14	87	22	5	30	13	5	38	12	39	12	6	11
	F	14	7	16	98	19	3	31	16	7	44	13	58	19	11	9
20— {	M	22	11	16	102	20	3	27	22	4	39	14	54	14	7	7
	F	10	10	18	114	21	5	24	16	14	56	13	43	20	11	11
25— {	M	11	8	30	146	20	4	29	20	12	54	26	47	15	9	17
	F	11	6	31	136	32	13	31	13	15	56	22	58	24	8	8
30— {	M	12	11	40	214	39	14	38	15	9	67	28	73	23	14	19
	F	8	9	21	146	30	12	35	17	13	75	14	67	25	11	10
35— {	M	29	13	48	255	46	14	48	25	9	97	29	83	19	14	22
	F	14	12	34	211	31	23	52	23	12	80	24	90	28	13	14
40— {	M	28	16	30	245	39	14	54	25	23	89	37	100	25	16	18
	F	18	4	33	246	51	13	44	21	12	89	27	74	32	16	14
45— {	M	20	21	60	258	58	26	86	44	18	124	41	122	45	21	29
	F	20	16	34	246	37	13	69	32	19	91	47	94	44	11	11
50— {	M	17	15	63	343	58	37	100	35	17	153	51	115	37	16	23
	F	24	20	56	284	60	23	75	21	24	105	52	101	43	10	27
55— {	M	28	37	54	352	75	26	103	41	23	171	59	137	53	27	29
	F	24	28	54	321	74	32	94	27	30	161	50	139	61	14	29
60— {	M	45	31	61	411	78	45	109	48	31	176	72	169	62	36	37
	F	27	32	48	334	86	31	88	35	42	189	58	138	56	17	46
65— {	M	27	31	65	400	78	40	104	46	42	191	86	198	58	37	48
	F	37	44	64	386	102	31	103	25	44	217	85	187	66	28	40
70— {	M	38	58	68	407	71	48	95	41	31	185	68	210	70	24	27
	F	25	70	82	471	85	53	110	36	54	222	90	221	68	23	39
75— {	M	22	32	50	270	42	16	54	19	36	117	62	181	44	24	19
	F	19	51	62	366	58	25	83	24	41	173	103	220	43	22	31
80— {	M	9	28	46	169	21	5	28	13	27	58	49	100	20	8	5
	F	13	49	20	239	34	23	36	13	36	81	77	170	20	13	19
85— {	M	4	21	11	75	6	8	6	5	14	27	39	47	3	7	4
	F	6	43	32	137	16	14	23	6	41	56	60	128	6	11	7

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1912—*continued.*

Age.	Sex.	Canterbury.	Cardiff.	Chester.	Coventry.	Croydon.	Derby.	Devonport.	Dudley.	Eastbourne.	Exeter.	Gateshead.	Gloucester.	Great Yarmouth.	Grimsby.	Halifax.
All Ages {	M	150	1399	292	708	936	752	484	380	268	338	970	372	429	512	723
	F	144	1195	310	615	974	769	494	387	264	360	907	339	446	456	788
Under 1 month {	M	5	114	18	58	79	54	26	39	19	18	68	33	29	37	39
	F	6	83	10	46	51	53	31	30	12	21	54	25	23	36	32
1-3 months {	M	3	58	11	36	39	22	31	17	10	16	41	10	17	25	14
	F	1	44	7	12	27	13	13	20	2	8	19	8	9	20	13
3-6 months {	M	6	33	6	10	32	29	18	12	6	6	28	12	12	20	11
	F	4	36	6	16	18	13	6	11	1	6	27	3	16	17	13
6-12 months {	M	4	73	17	27	29	27	27	15	7	10	49	17	12	29	16
	F	7	76	15	19	25	20	13	22	6	11	59	13	22	33	13
Total under 1 year. {	M	18	278	52	131	179	132	102	83	42	50	186	72	70	111	80
	F	18	239	38	93	121	99	63	83	21	46	159	49	70	106	71
1— {	M	7	89	22	48	30	31	21	19	9	14	88	12	13	33	14
	F	3	76	21	29	20	24	14	17	7	12	85	7	10	32	17
2— {	M	1	45	11	28	20	13	4	4	1	1	35	3	7	14	10
	F	2	40	8	17	10	11	6	8	1	6	32	4	12	11	6
3— {	M	2	27	4	14	10	7	15	2	8	5	13	2	4	5	8
	F	1	32	4	9	9	13	4	4	—	3	22	4	3	8	9
4— {	M	—	20	4	12	11	7	3	5	5	5	11	4	3	8	6
	F	1	14	5	9	10	11	4	3	4	1	14	4	3	10	1
Total under 5 years. {	M	28	459	93	233	250	190	145	113	65	75	333	93	97	171	118
	F	25	401	76	157	170	158	91	115	33	68	312	68	98	167	104
5— {	M	3	31	5	29	27	15	16	6	8	4	25	8	7	10	14
	F	1	32	10	30	23	15	8	7	8	3	28	7	10	13	10
10— {	M	—	15	3	5	11	3	8	5	4	4	13	8	7	6	5
	F	—	22	3	8	9	12	11	5	3	8	25	6	2	3	11
15— {	M	2	35	4	15	21	13	15	9	2	7	26	10	7	6	15
	F	2	26	8	13	8	12	6	7	5	6	24	2	7	8	10
20— {	M	5	29	4	9	23	18	11	10	6	10	22	10	12	11	18
	F	3	39	4	19	17	16	13	9	9	7	32	13	13	12	14
25— {	M	2	43	6	24	29	17	14	6	6	11	29	11	11	12	22
	F	3	44	6	11	28	16	19	11	5	8	17	10	12	11	22
30— {	M	4	34	8	20	22	27	18	10	10	6	34	12	15	13	22
	F	4	43	9	20	29	26	20	8	4	5	32	3	10	20	13
35— {	M	9	64	11	27	32	25	25	12	13	14	36	12	17	22	25
	F	6	46	11	26	35	32	22	12	10	11	31	11	16	13	24
40— {	M	5	51	13	25	35	31	21	19	13	14	50	16	17	18	25
	F	1	41	7	23	48	27	20	13	11	10	33	8	10	12	28
45— {	M	9	79	11	47	47	39	21	16	8	13	35	12	20	21	46
	F	6	41	11	20	40	36	24	9	9	12	31	18	17	10	46
50— {	M	8	97	20	26	50	38	20	12	17	12	47	12	16	33	63
	F	1	61	15	34	44	31	22	14	16	12	48	16	30	20	35
55— {	M	10	95	14	37	56	46	20	19	13	21	55	16	25	34	61
	F	9	54	18	25	45	48	25	22	16	19	55	21	16	24	57
60— {	M	11	88	21	42	62	70	23	32	16	22	54	29	34	36	76
	F	10	80	19	43	60	42	34	24	24	17	38	23	28	27	74
65— {	M	13	86	26	39	68	66	37	31	28	28	71	28	32	34	60
	F	16	72	36	42	78	66	34	28	20	34	47	24	32	24	89
70— {	M	12	77	31	47	82	66	31	39	20	36	59	33	39	38	70
	F	18	78	33	40	106	89	43	46	27	45	62	30	39	30	94
75— {	M	13	71	8	41	58	47	32	27	25	33	41	36	35	22	51
	F	13	53	20	45	101	71	39	36	21	31	33	36	41	25	85
80— {	M	9	28	5	29	39	27	20	10	5	18	27	11	21	15	19
	F	11	33	15	32	73	45	34	16	24	28	39	26	36	17	51
85— {	M	7	17	4	13	24	14	7	4	9	10	13	15	17	10	13
	F	15	29	9	27	60	27	29	5	19	36	20	17	29	20	21

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1912—*continued.*

Age.	Sex.	Hastings.	Hudders- field.	Ipswich.	Kingston upon Hull.	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Merthyr Tydfil.	Middles- brough.	Newcastle upon Tyne.	Newport (Mon.).	Northamp- ton.	Norwich.
All Ages {	M	357	741	581	2177	3350	1565	387	7349	6221	713	1074	2107	633	584	809
	F	439	787	563	1947	3126	1551	354	6592	5613	604	823	1798	498	533	763
Under {	M	11	43	49	177	247	105	35	513	462	52	103	206	57	31	66
1 month {	F	10	33	27	121	180	108	19	368	335	37	63	127	40	24	41
1-3 {	M	8	20	27	93	123	58	14	290	242	28	45	65	35	19	42
months {	F	7	17	12	73	75	40	9	224	170	20	25	47	18	16	27
3-6 {	M	5	20	12	84	102	61	16	304	197	39	35	66	31	13	27
months {	F	7	12	9	51	65	44	10	229	162	18	22	50	23	8	17
6-12 {	M	10	23	33	110	148	76	20	465	363	63	88	99	20	22	26
months {	F	5	32	28	92	133	75	19	419	320	53	47	80	30	10	28
Total under {	M	34	106	121	464	620	300	85	1572	1264	182	271	436	143	85	161
1 year {	F	29	94	76	337	453	267	57	1240	987	128	157	304	111	58	113
1— {	M	7	22	32	111	163	76	14	651	423	69	86	130	43	30	32
	F	2	33	38	124	151	71	17	582	369	79	86	109	24	30	20
2— {	M	1	9	15	37	69	33	7	281	193	25	44	50	17	10	13
	F	3	11	14	43	64	35	4	268	169	34	47	62	19	10	9
3— {	M	4	9	14	32	48	24	2	139	113	17	16	33	16	6	14
	F	2	9	9	31	50	26	6	136	115	19	25	22	4	9	11
4— {	M	1	9	8	22	32	13	3	95	90	10	12	18	8	4	5
	F	1	5	6	30	31	4	3	83	79	11	13	24	5	6	8
Total under {	M	47	155	190	666	932	446	111	2738	2083	303	429	667	227	135	225
5 years {	F	37	152	143	565	749	403	87	2309	1719	271	328	521	163	113	161
5— {	M	8	18	19	38	92	26	4	190	159	19	26	69	22	9	20
	F	5	11	19	59	102	47	8	184	159	16	33	61	16	17	17
10— {	M	5	13	8	28	42	19	3	85	89	9	18	31	9	7	10
	F	3	10	5	30	52	20	6	103	79	3	19	29	8	8	12
15— {	M	4	18	9	29	65	39	7	124	122	12	24	39	13	12	17
	F	6	13	11	44	79	48	7	109	117	15	11	41	15	16	16
20— {	M	10	11	12	42	79	35	11	133	131	21	24	64	13	18	12
	F	7	18	9	39	81	51	6	112	131	13	20	49	20	21	24
25— {	M	10	24	13	65	106	42	8	164	170	14	19	58	18	15	25
	F	9	16	9	47	73	34	11	167	139	14	14	49	8	16	16
30— {	M	7	16	18	65	121	53	12	265	226	21	34	70	24	22	14
	F	10	20	23	68	98	42	7	203	165	22	20	54	22	13	15
35— {	M	14	35	19	86	135	53	10	305	293	24	45	68	22	16	18
	F	11	38	11	71	102	63	10	225	231	29	35	59	15	11	21
40— {	M	17	46	26	91	168	70	15	346	296	29	50	86	33	28	29
	F	14	38	21	63	110	49	13	271	223	19	43	72	22	14	29
45— {	M	17	42	21	110	175	72	11	386	364	31	54	122	31	37	28
	F	17	39	24	84	132	73	17	314	266	26	33	94	25	27	27
50— {	M	16	49	33	130	180	92	11	435	391	38	63	120	19	33	43
	F	16	48	24	81	162	70	19	309	290	27	24	72	19	29	28
55— {	M	24	71	35	135	220	99	28	449	396	36	65	120	48	24	49
	F	27	44	10	109	189	89	15	345	345	16	46	113	23	24	25
60— {	M	28	60	28	159	241	128	26	498	410	35	62	140	34	34	55
	F	34	71	31	123	223	84	23	371	358	31	46	127	26	29	42
65— {	M	35	50	39	165	287	125	35	425	399	39	52	132	42	50	52
	F	50	71	43	128	264	126	19	405	428	16	39	117	29	38	63
70— {	M	37	60	30	131	257	94	43	414	359	46	57	143	25	48	66
	F	53	84	52	141	281	122	33	547	408	39	55	132	43	51	77
75— {	M	40	48	41	131	134	85	19	224	198	24	34	95	30	47	59
	F	50	51	60	136	241	114	32	324	315	26	35	103	25	49	78
80— {	M	22	19	29	77	81	62	19	121	96	5	15	48	11	35	58
	F	48	41	42	91	121	73	29	185	162	13	15	70	14	36	59
85— {	M	16	6	11	29	35	25	14	47	39	7	3	35	12	14	29
	F	42	22	26	68	67	43	12	109	78	8	7	35	5	21	53

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1912—continued.

Age.	Sex.	Notting- ham.	Oldham.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southamp- ton.	Southport.
All Ages {	M	1947	1240	302	862	1669	1021	535	663	553	817	2127	3600	449	849	397
	F	1910	1214	328	860	1493	974	478	728	463	697	1921	3065	435	758	440
Under 1 month {	M	130	88	15	67	127	72	42	38	42	90	165	299	58	54	14
	F	132	75	15	40	90	40	33	35	42	61	110	255	37	48	15
1-3 months {	M	88	49	8	29	55	30	19	26	28	28	87	140	27	28	7
	F	71	30	8	19	34	27	13	19	17	19	56	113	14	20	5
3-6 months {	M	65	25	5	24	35	34	19	10	20	40	84	125	11	23	7
	F	40	27	5	19	21	27	10	16	11	37	65	93	17	16	6
6-12 months {	M	109	62	10	41	55	56	15	34	37	58	142	178	23	28	8
	F	98	53	5	25	50	58	9	33	29	52	112	169	22	22	7
Total under 1 year. {	M	392	224	38	161	272	192	95	108	127	216	478	742	119	133	36
	F	341	185	33	103	195	152	65	103	99	169	343	630	90	106	33
1— {	M	130	65	11	28	88	66	10	31	53	82	168	207	18	24	6
	F	103	65	7	31	74	43	12	27	42	69	166	202	34	43	10
2— {	M	48	39	6	6	38	25	7	12	22	37	65	86	10	13	2
	F	67	29	2	14	37	23	9	18	28	36	64	95	19	11	3
3— {	M	28	19	1	8	30	26	3	8	7	20	42	56	10	11	6
	F	25	15	2	7	34	17	6	4	8	10	42	48	9	12	1
4— {	M	18	9	5	8	21	15	6	5	9	10	35	37	2	3	4
	F	11	11	2	6	15	29	8	10	8	13	31	31	5	3	1
Total under 5 years {	M	616	356	61	211	449	324	121	164	218	365	788	1128	159	184	54
	F	547	305	46	161	355	264	100	162	185	297	646	1006	157	175	48
5— {	M	36	27	2	15	60	32	11	11	24	27	47	85	19	14	6
	F	37	31	2	24	78	39	8	12	18	28	47	78	13	30	7
10— {	M	16	13	3	7	16	10	8	11	6	17	21	57	4	7	9
	F	16	19	1	12	21	17	9	13	9	21	35	49	7	7	6
15— {	M	31	25	8	21	19	24	11	15	6	14	36	63	11	14	4
	F	41	21	5	19	28	23	8	17	6	18	34	61	5	13	5
20— {	M	39	26	5	14	32	21	12	12	6	22	47	65	11	23	4
	F	36	33	8	23	31	19	13	20	9	15	41	60	15	17	5
25— {	M	47	32	9	18	46	22	13	17	16	22	67	83	15	26	11
	F	58	37	10	22	40	23	12	16	12	22	42	72	8	16	10
30— {	M	54	39	6	28	67	29	13	19	16	16	81	99	11	44	12
	F	59	33	8	23	36	19	12	29	17	15	56	91	14	21	13
35— {	M	80	41	11	33	83	32	21	22	21	26	80	139	11	43	17
	F	61	40	10	22	41	36	15	34	16	21	67	103	12	34	18
40— {	M	83	71	13	44	74	41	20	32	17	18	92	150	16	45	13
	F	64	54	6	31	58	39	11	20	12	16	82	103	15	31	13
45— {	M	94	88	22	46	100	57	14	41	16	38	119	209	18	42	21
	F	102	61	12	35	52	37	21	34	13	25	68	118	17	29	23
50— {	M	126	88	16	35	77	64	29	54	22	47	110	235	26	56	19
	F	92	72	18	44	78	41	21	32	22	30	90	148	22	41	23
55— {	M	110	90	20	55	102	70	33	51	33	49	132	247	23	58	24
	F	91	81	17	50	73	54	28	46	16	27	112	149	22	36	27
60— {	M	121	90	19	57	112	60	38	57	35	45	140	277	29	57	34
	F	114	95	22	43	81	80	29	55	25	35	125	205	28	41	33
65— {	M	136	84	16	62	106	76	45	60	37	30	130	277	25	57	33
	F	126	99	28	62	115	87	41	80	28	25	136	209	21	58	39
70— {	M	133	76	35	72	117	76	59	58	38	36	125	235	34	71	55
	F	157	114	33	91	124	93	40	71	36	55	149	263	26	59	49
75— {	M	126	50	20	68	110	49	36	29	24	28	58	133	15	55	41
	F	152	69	44	73	124	54	39	51	26	29	99	188	26	56	58
80— {	M	67	35	22	49	58	15	27	6	14	13	36	81	18	34	29
	F	104	38	30	73	95	34	34	29	6	13	65	102	17	52	35
85— {	M	32	9	14	27	41	19	24	4	4	4	18	37	4	19	11
	F	53	12	28	52	63	15	37	7	7	5	27	60	10	42	28

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1912—*continued.*

Age.	Sex.	South Shields.	Stockport.	Stoke on Trent.	Sunderland.	Swansea.	Tynemouth.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.
All Ages {	M	911	841	2055	1307	808	516	754	570	549	2244	526	767	676	285	579
	F	865	832	1760	1152	785	452	680	504	463	1952	434	691	620	326	565
Under 1 month {	M	67	58	211	147	60	38	91	41	51	191	49	71	51	24	44
	F	63	34	138	90	59	29	57	30	37	144	34	50	42	13	30
1-3 months {	M	45	25	121	48	41	16	43	16	31	94	18	25	24	8	15
	F	22	25	84	53	30	15	37	18	21	65	9	13	23	5	20
3-6 months {	M	31	33	99	45	23	24	29	17	26	76	13	37	19	9	12
	F	28	21	77	28	25	12	26	13	15	83	13	33	14	6	9
6-12 months {	M	49	37	129	81	53	21	38	33	27	133	32	54	26	8	35
	F	57	44	94	68	39	22	42	27	36	119	21	47	14	7	18
Total under 1 year {	M	192	153	560	321	177	99	201	107	135	494	112	187	120	49	106
	F	170	124	393	239	153	78	162	88	109	411	77	143	93	31	77
1— {	M	79	50	93	82	47	43	57	57	36	158	37	47	30	3	21
	F	58	41	96	67	55	27	45	36	33	156	25	42	19	13	23
2— {	M	20	25	44	35	27	13	16	29	19	71	21	21	15	4	13
	F	26	17	43	44	27	16	31	30	12	61	20	26	14	4	17
3— {	M	16	18	33	24	19	8	9	11	10	46	8	11	5	7	4
	F	16	17	33	19	13	7	17	7	7	38	14	9	10	1	5
4— {	M	12	10	21	5	11	6	8	7	5	34	5	8	7	4	11
	F	12	10	16	16	13	5	6	8	8	28	9	9	9	2	8
Total under 5 years {	M	319	256	751	467	281	169	291	211	205	803	183	274	177	67	155
	F	282	209	581	385	261	133	261	169	169	694	145	229	145	51	130
5— {	M	25	17	51	33	21	11	22	21	11	61	20	30	17	4	16
	F	30	16	48	34	28	13	18	16	7	58	17	20	18	6	16
10— {	M	7	14	20	22	5	7	14	10	8	44	8	11	6	3	7
	F	13	12	44	30	8	6	5	21	4	24	10	11	7	5	12
15— {	M	26	14	43	29	16	5	11	11	11	50	7	13	14	4	6
	F	19	14	42	20	22	10	14	9	6	28	8	22	5	7	15
20— {	M	21	13	42	34	24	19	18	6	11	46	11	23	15	8	15
	F	27	14	40	22	19	13	9	11	11	40	10	20	11	4	9
25— {	M	29	19	57	31	20	8	25	6	10	48	10	20	21	7	15
	F	25	19	50	32	26	13	21	17	8	42	14	27	12	9	6
30— {	M	21	29	53	39	46	21	18	13	7	73	14	22	23	5	13
	F	24	32	42	27	26	22	15	18	8	50	12	21	21	7	17
35— {	M	31	22	68	43	22	17	15	22	24	79	17	28	24	13	31
	F	34	25	72	32	30	22	23	15	14	71	10	28	25	10	21
40— {	M	30	37	89	55	37	25	30	23	20	85	25	38	29	8	24
	F	37	38	85	42	27	23	25	12	13	73	11	22	14	16	15
45— {	M	47	53	122	43	46	25	29	33	18	100	20	33	38	17	22
	F	33	39	88	41	33	18	23	28	18	84	21	25	27	19	32
50— {	M	52	53	114	76	39	28	52	38	19	116	28	46	32	20	30
	F	33	43	76	58	26	21	27	22	19	99	25	33	39	19	34
55— {	M	50	57	117	68	51	25	36	38	33	116	28	54	36	21	41
	F	44	60	100	68	43	23	34	28	13	89	17	41	51	22	35
60— {	M	61	68	150	82	60	33	30	23	48	165	33	55	47	21	40
	F	44	54	101	75	49	21	45	28	26	111	28	35	41	14	26
65— {	M	51	67	120	85	45	42	44	45	28	140	36	32	62	22	45
	F	66	61	127	75	36	31	45	20	36	133	23	46	50	25	48
70— {	M	69	61	135	88	51	35	57	35	40	141	33	49	52	21	50
	F	68	77	104	81	64	31	40	42	50	133	28	54	52	33	46
75— {	M	46	39	80	61	22	25	23	16	32	97	35	24	51	22	33
	F	45	67	86	62	39	29	38	27	30	96	23	31	59	37	46
80— {	M	21	15	27	32	13	15	31	17	13	48	11	14	19	12	23
	F	28	37	54	44	28	13	26	12	18	65	17	19	26	21	36
85— {	M	5	7	16	19	9	6	8	2	11	32	7	1	13	10	13
	F	13	15	20	24	20	10	11	9	13	62	15	7	17	21	21

DEATHS AT DIFFERENT AGES IN METROPOLITAN BOROUGH, 1912.

Age.	Sex.	City of London.	Battersea.	Bermond-sey.	Bethnal Green.	Camber-well.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammer-smith.	Hampstead.	Holborn.
All Ages	M	146	1056	1131	1039	1693	506	776	834	1046	660	1402	774	424	425
	F	122	1027	1004	948	1742	482	737	770	987	522	1357	877	451	344
Under 1 month	M	3	94	75	76	105	13	61	39	83	51	97	59	19	16
	F	2	52	56	56	82	19	50	32	58	32	65	47	14	9
1-3 months	M	1	30	44	37	59	16	24	37	45	19	69	35	10	3
	F	2	38	40	38	39	8	18	33	41	9	35	16	8	5
3-6 months	M	—	31	51	35	50	4	23	28	36	13	41	23	2	10
	F	2	28	37	37	52	10	14	26	42	12	31	27	8	5
6-12 months	M	5	44	75	56	71	9	48	53	61	24	43	23	12	10
	F	—	46	57	44	84	7	39	46	32	19	44	38	7	18
Total under 1 year	M	9	199	245	204	285	42	156	157	225	107	250	140	43	39
	F	6	164	190	175	257	44	121	137	173	72	175	128	37	37
1—	M	—	39	67	83	76	20	40	57	46	22	48	34	11	17
	F	1	48	71	64	71	13	32	73	35	27	49	36	10	11
2—	M	—	22	25	33	28	1	17	23	24	14	25	13	9	5
	F	—	26	29	36	39	11	21	26	27	8	16	17	6	8
3—	M	—	10	15	11	21	6	11	8	18	9	11	10	6	5
	F	—	13	16	16	26	4	13	14	20	7	12	7	3	2
4—	M	2	8	10	11	17	3	6	9	10	1	8	8	2	5
	F	1	10	9	15	10	—	11	12	16	13	5	4	6	3
Total under 5 years	M	11	278	362	342	427	72	230	254	323	153	342	205	71	71
	F	8	261	315	306	403	72	198	262	271	127	257	192	62	61
5—	M	1	27	23	23	35	9	21	13	14	14	32	14	13	10
	F	2	27	19	19	37	9	13	22	29	13	21	18	6	7
10—	M	1	8	14	16	27	4	16	11	17	13	24	6	3	6
	F	—	16	21	19	23	5	9	9	8	6	24	13	6	6
15—	M	1	28	18	23	25	5	9	14	24	21	22	12	6	8
	F	3	18	27	10	20	6	12	11	24	14	34	11	6	2
20—	M	4	24	33	28	52	8	16	11	19	29	26	16	11	4
	F	—	24	22	23	45	9	23	9	22	15	31	11	10	4
25—	M	3	21	30	22	39	10	23	21	41	22	33	18	15	7
	F	2	23	18	18	45	9	27	13	30	14	31	22	15	8
30—	M	6	36	46	31	66	17	17	27	30	25	43	29	7	14
	F	—	26	26	24	44	13	18	17	30	16	35	22	12	9
35—	M	6	55	52	41	62	26	24	32	48	30	58	34	14	19
	F	5	44	35	32	58	13	29	32	40	24	46	46	11	12
40—	M	8	38	56	55	74	23	40	58	60	38	50	43	16	31
	F	7	48	36	39	73	21	30	36	37	14	61	41	9	14
45—	M	13	63	62	63	92	28	47	49	65	43	86	39	14	33
	F	7	53	51	46	82	26	34	35	51	33	63	31	27	26
50—	M	22	68	55	66	114	28	36	52	57	40	95	69	37	32
	F	13	43	36	48	79	22	41	53	41	20	56	56	20	18
55—	M	15	77	79	72	97	37	42	43	77	37	111	43	32	47
	F	2	73	48	42	96	30	44	37	45	24	76	42	33	30
60—	M	16	64	65	71	128	43	61	57	65	38	113	52	35	39
	F	14	62	67	53	108	40	40	39	63	25	95	78	33	29
65—	M	16	85	64	54	137	43	51	56	73	35	106	55	36	34
	F	10	61	66	73	145	42	45	37	65	28	104	62	42	34
70—	M	11	78	82	58	141	67	65	56	59	40	105	43	41	30
	F	15	79	93	73	134	52	53	57	63	58	152	69	46	33
75—	M	5	62	47	38	93	44	42	42	37	33	77	52	34	25
	F	15	83	64	57	136	49	53	40	62	47	96	71	43	18
80—	M	3	32	30	22	54	23	25	28	20	35	49	27	26	10
	F	9	47	30	39	116	42	42	41	60	20	93	51	39	22
85—	M	4	12	13	14	30	19	11	10	17	14	30	17	13	5
	F	10	39	30	27	98	22	26	20	46	24	82	41	31	11

DEATHS AT DIFFERENT AGES IN METROPOLITAN BOROUGH, 1912—continued.

Age.	Sex.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.
All Ages {	M	2454	1068	2097	863	893	1474	851	1709	1101	1725	2319	292	1730	1069	794
	F	2292	1245	1943	920	903	1198	805	1508	935	1496	1965	333	1636	955	662
Under 1 month {	M	152	71	123	62	70	107	47	104	79	100	180	26	131	41	52
	F	119	66	104	44	45	76	38	94	55	85	118	12	98	39	38
1-3 months {	M	87	35	68	22	36	74	14	55	52	66	89	11	62	23	29
	F	59	23	50	16	20	44	14	33	38	30	92	2	50	13	12
3-6 months {	M	65	20	54	22	28	62	23	41	50	66	94	4	48	23	15
	F	60	21	40	24	22	44	20	25	27	44	79	2	34	12	8
6-12 months {	M	99	39	98	30	48	87	27	66	89	96	161	7	49	22	27
	F	81	30	76	23	30	57	30	57	58	111	100	11	50	27	27
Total under 1 year {	M	403	165	343	136	182	330	111	266	270	328	524	48	290	109	123
	F	319	140	270	107	117	221	102	209	178	270	389	27	232	91	85
1— {	M	108	40	98	20	33	98	43	87	96	112	165	12	56	22	44
	F	113	33	79	19	31	84	23	70	91	99	145	6	65	21	28
2— {	M	58	14	42	12	21	31	13	27	39	44	56	4	18	10	10
	F	36	18	29	12	14	35	11	29	36	31	37	3	26	12	13
3— {	M	42	5	32	11	11	28	12	22	20	29	23	3	18	7	11
	F	28	4	18	7	6	27	5	28	17	31	39	3	14	11	12
4— {	M	23	7	18	7	8	8	4	18	11	6	29	—	13	2	2
	F	18	6	17	4	4	17	4	14	12	10	23	3	13	3	6
Total under 5 years {	M	634	231	533	186	255	495	183	420	436	519	797	67	395	150	190
	F	514	201	413	149	172	384	145	350	334	441	633	42	350	138	144
5— {	M	51	14	39	22	15	30	16	38	25	51	36	2	48	17	18
	F	51	10	36	23	16	35	17	26	27	29	48	3	31	15	12
10— {	M	23	12	15	14	11	22	12	12	13	20	35	5	27	9	12
	F	18	11	25	14	4	12	11	14	15	13	36	7	22	8	12
15— {	M	22	16	24	13	10	18	10	26	17	33	47	3	32	15	25
	F	36	11	28	18	11	20	14	19	13	36	31	4	31	8	15
20— {	M	62	17	45	14	12	34	11	24	23	21	33	6	39	17	17
	F	40	18	34	8	20	18	15	31	18	39	49	5	30	14	8
25— {	M	80	32	60	24	17	38	24	45	28	44	55	5	42	39	20
	F	58	37	51	18	25	22	20	40	20	39	43	10	43	27	15
30— {	M	72	28	65	25	23	48	24	68	33	62	65	4	54	43	29
	F	63	31	52	25	33	36	25	49	24	49	59	11	57	29	17
35— {	M	110	45	101	32	42	46	34	80	48	67	90	10	58	40	39
	F	59	44	79	33	32	40	32	65	31	62	85	9	59	32	22
40— {	M	106	40	115	37	43	62	45	82	65	89	114	16	78	57	36
	F	75	63	91	51	37	45	33	73	33	70	88	17	58	39	26
45— {	M	134	57	134	51	47	91	61	110	58	94	124	15	108	80	33
	F	119	73	107	35	46	65	42	68	49	85	102	20	71	52	23
50— {	M	145	75	132	59	55	79	60	114	47	108	171	17	128	89	53
	F	120	91	103	49	63	57	37	80	43	87	115	12	90	77	30
55— {	M	181	82	153	55	69	77	57	113	65	124	179	19	111	87	65
	F	138	75	120	46	49	78	52	90	51	80	108	22	87	58	58
60— {	M	189	102	159	67	67	107	71	140	61	134	175	18	138	95	63
	F	147	103	113	51	54	69	58	98	59	87	117	28	94	74	49
65— {	M	174	102	155	82	65	111	88	137	60	106	137	30	126	114	42
	F	191	90	146	92	60	86	48	122	63	95	116	24	135	106	39
70— {	M	194	91	140	63	66	94	57	125	49	100	113	30	130	88	52
	F	206	129	162	84	83	92	77	128	58	99	119	32	149	74	60
75— {	M	149	54	119	50	47	72	41	86	40	76	92	24	98	79	51
	F	188	107	155	102	82	59	77	113	50	80	93	37	124	83	57
80— {	M	81	48	67	48	35	28	32	52	26	52	42	11	75	32	34
	F	157	76	131	76	54	38	47	71	28	66	71	36	104	60	34
85— {	M	47	22	41	21	14	22	25	37	7	25	14	10	43	18	15
	F	112	75	97	46	62	42	55	71	19	39	52	14	101	61	41

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1912.

Age.	Sex.	Anglesey.		Bedfordshire.		Berkshire.		Brecknockshire.		Buckinghamshire.		Cambridgeshire.		Cardiganshire.		Carmarthenshire.		Carnarvonshire.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	118	252	661	505	372	804	123	277	458	896	381	496	108	324	463	616	436	510
	F	133	231	700	527	343	769	120	280	468	846	348	480	130	447	493	704	444	563
Under 1 month	M	10	10	59	21	26	37	10	23	36	49	21	25	6	15	36	61	29	28
	F	4	11	33	26	10	38	11	23	24	43	9	25	4	14	22	43	19	28
1-3 months	M	6	14	22	9	15	17	3	16	19	31	14	12	5	11	26	31	12	22
	F	1	8	19	14	7	5	6	13	12	19	3	5	3	4	20	27	9	19
3-6 months	M	2	8	23	7	6	10	5	4	6	8	11	3	2	8	24	18	9	15
	F	2	5	17	11	4	11	2	8	11	7	6	4	—	4	16	14	12	21
6-12 months	M	3	6	32	10	8	16	9	17	19	21	8	9	2	5	21	33	10	16
	F	5	5	26	6	11	20	5	7	15	21	8	14	—	5	20	27	10	18
Total under 1 year	M	21	38	136	47	55	80	27	60	80	109	54	49	15	39	107	143	60	81
	F	12	29	95	57	32	74	24	51	62	90	26	48	7	27	78	111	50	86
1—	M	5	6	24	12	5	24	6	17	16	14	16	8	4	3	23	27	16	16
	F	4	3	29	8	6	16	8	13	11	21	11	7	—	3	16	22	11	13
2—	M	1	1	12	3	5	5	3	3	6	8	2	4	1	—	9	7	10	9
	F	—	3	12	3	7	5	2	3	4	19	2	5	2	1	5	8	3	4
3—	M	1	—	3	1	5	7	2	2	3	5	8	2	1	2	6	6	4	2
	F	1	1	11	1	1	6	1	7	3	4	6	3	2	2	7	6	6	6
4—	M	—	1	3	5	4	5	1	2	—	10	7	6	—	1	5	2	2	3
	F	1	1	4	1	4	2	—	4	1	3	3	6	2	3	6	7	4	2
Total under 5 years	M	28	46	178	68	74	121	39	84	105	146	87	69	21	45	150	185	92	111
	F	18	37	151	70	50	103	35	78	81	137	48	69	13	36	112	154	74	111
5—	M	3	4	12	12	6	8	—	8	9	20	19	13	2	5	16	20	8	6
	F	2	5	11	6	3	12	1	6	8	19	17	6	2	6	14	19	5	10
10—	M	—	1	9	6	6	8	—	7	5	8	4	8	2	4	6	15	9	7
	F	2	5	10	7	3	14	2	5	8	11	9	1	1	6	10	13	6	13
15—	M	4	4	12	7	5	15	3	7	11	11	9	9	3	5	15	10	11	10
	F	2	6	17	9	10	11	4	8	14	16	6	4	6	9	6	21	8	15
20—	M	5	3	14	13	7	18	1	4	7	19	4	10	1	11	11	18	6	14
	F	3	6	14	10	8	13	2	10	14	17	6	4	4	13	10	24	12	11
25—	M	1	1	20	13	5	23	1	7	10	25	11	10	3	10	15	19	12	12
	F	3	9	17	15	7	23	2	11	11	14	8	13	3	16	14	23	12	14
30—	M	6	9	15	9	10	19	2	5	13	21	4	14	4	10	18	17	5	12
	F	5	10	15	5	9	24	3	5	12	19	9	10	6	13	19	21	11	13
35—	M	5	4	34	8	9	37	3	9	17	18	13	11	2	10	8	19	21	17
	F	5	7	21	18	10	23	5	10	14	16	9	8	1	11	19	24	14	19
40—	M	5	7	21	11	10	34	7	13	17	22	9	22	5	11	16	12	19	13
	F	3	6	17	16	14	18	7	12	13	26	12	13	5	12	27	18	24	16
45—	M	4	8	26	19	12	28	5	19	21	35	18	10	4	9	22	16	13	17
	F	5	6	33	10	11	22	6	7	13	37	9	13	2	18	11	22	17	16
50—	M	4	12	37	17	27	37	4	8	26	43	26	25	6	15	18	25	31	15
	F	7	8	42	30	12	33	6	11	20	31	14	20	9	20	28	20	27	14
55—	M	5	14	27	36	26	38	7	12	36	59	19	24	7	17	34	29	28	28
	F	15	7	36	32	13	38	5	13	16	48	19	25	4	18	27	37	23	35
60—	M	13	18	49	35	27	49	11	20	22	62	29	34	9	22	25	36	45	48
	F	7	13	35	32	24	55	6	18	28	61	26	30	14	22	42	42	34	30
65—	M	11	22	61	50	32	73	9	15	37	76	31	47	7	37	32	44	33	47
	F	8	23	56	47	41	67	6	14	44	76	23	52	9	36	25	43	38	48
70—	M	6	38	49	62	29	106	16	15	49	107	31	53	14	34	35	52	50	54
	F	14	28	59	77	26	91	6	21	49	86	33	55	21	69	53	75	55	52
75—	M	9	19	50	56	37	83	3	21	36	100	30	63	10	28	25	50	27	47
	F	13	20	74	63	45	84	13	21	51	108	38	60	17	63	36	71	40	60
80—	M	6	29	28	50	24	74	9	17	23	74	20	41	5	25	10	36	17	34
	F	10	19	46	46	37	74	7	17	40	69	32	45	10	47	26	36	26	47
85—	M	6	13	19	33	26	33	3	6	14	50	17	33	3	26	7	13	9	18
	F	11	16	46	34	20	64	4	13	32	55	30	52	3	32	14	41	18	39

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1912—*continued.*

Age.	Sex.	Cheshire.		Cornwall.		Cumber-land.		Denbigh-shire.		Derby-shire.		Devon-shire.		Dorset-shire.		Durham.		Ely, Isle of	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages {	M	3331	1148	976	1236	1350	726	363	668	1777	1766	1528	1418	631	603	4116	2877	273	204
	F	3253	1007	1092	1293	1319	642	342	624	1728	1563	1669	1421	663	665	3570	2525	223	196
Under 1 month {	M	249	82	68	72	107	57	25	71	191	147	65	104	43	27	486	402	15	21
	F	171	71	52	72	75	37	14	33	120	121	69	54	26	32	296	276	11	10
1-3 months {	M	115	41	24	44	49	19	13	24	76	84	31	36	18	9	154	125	7	6
	F	78	19	24	21	24	16	6	25	50	49	27	20	11	7	123	86	7	10
3-6 months {	M	96	15	29	18	39	21	17	24	58	61	28	21	10	6	136	115	8	2
	F	72	20	18	14	34	17	3	9	49	46	27	16	11	8	97	71	5	2
6-12 months {	M	136	26	24	34	83	27	20	32	107	74	36	28	26	12	241	201	13	6
	F	128	27	18	24	75	27	6	29	86	66	28	34	13	9	209	144	10	6
Total under 1 year {	M	596	164	145	168	278	124	75	151	432	366	160	189	97	54	1017	843	43	35
	F	449	137	112	131	208	97	29	96	305	282	151	124	61	56	725	577	33	28
1— {	M	142	22	36	24	84	25	13	18	83	95	36	26	21	9	318	187	8	4
	F	126	24	22	32	86	15	12	29	88	82	31	28	14	7	259	163	6	5
2— {	M	57	23	7	12	44	10	6	11	39	41	15	12	8	5	125	85	2	4
	F	65	7	10	10	42	9	9	5	49	33	8	14	2	4	114	82	4	2
3— {	M	33	9	5	3	19	6	4	7	16	28	15	3	15	4	81	41	5	3
	F	49	4	5	5	20	5	5	3	21	18	11	8	6	3	76	48	—	2
4— {	M	30	9	6	5	10	8	4	5	21	21	13	5	3	1	48	35	2	1
	F	40	7	8	4	26	3	5	5	25	15	13	7	6	1	47	36	—	—
Total under 5 years {	M	858	227	199	212	435	173	102	192	591	551	239	235	144	73	1589	1191	60	47
	F	729	179	157	182	382	129	60	138	488	430	214	181	89	71	1221	906	43	37
5— {	M	69	18	18	17	30	9	9	20	43	39	27	26	23	3	110	93	1	3
	F	84	21	21	17	26	15	2	15	43	50	36	24	18	8	111	81	5	5
10— {	M	46	22	15	15	25	10	3	8	22	35	16	18	10	6	51	43	3	1
	F	47	16	13	9	24	11	4	3	27	23	11	18	3	5	53	44	—	3
15— {	M	75	17	20	32	20	10	4	12	43	31	34	20	12	6	94	94	3	4
	F	60	18	14	21	23	15	3	15	40	28	26	24	7	10	82	62	6	4
20— {	M	79	20	25	29	36	10	1	9	41	31	36	32	9	12	92	58	8	8
	F	55	19	23	27	39	10	2	13	42	37	27	29	18	19	100	60	6	6
25— {	M	80	22	20	28	41	16	6	12	35	42	39	26	25	14	105	58	11	6
	F	83	23	18	28	37	12	10	10	43	35	44	23	18	7	105	65	—	5
30— {	M	86	31	36	32	29	15	11	11	32	41	54	36	20	12	115	64	10	3
	F	96	39	25	26	30	21	5	18	47	43	48	40	15	12	113	84	4	2
35— {	M	144	41	29	32	34	26	8	18	48	52	54	24	19	13	110	67	12	1
	F	106	29	32	39	40	17	13	18	62	33	49	41	18	21	136	93	4	10
40— {	M	126	58	33	38	56	28	10	26	57	59	50	35	22	20	132	101	10	4
	F	127	39	24	31	41	21	10	26	57	60	43	50	22	28	123	79	6	6
45— {	M	163	47	53	48	40	24	13	24	61	48	73	58	28	22	161	102	13	5
	F	124	45	43	41	44	22	16	22	71	59	60	51	23	29	143	83	6	3
50— {	M	196	66	64	56	70	34	21	29	73	76	70	72	26	22	193	95	7	7
	F	139	46	50	64	79	25	23	30	59	68	88	63	29	33	159	94	4	4
55— {	M	198	66	57	77	91	47	20	36	96	108	82	89	37	39	220	116	15	12
	F	226	60	58	64	68	33	22	34	81	64	83	80	36	36	176	125	11	5
60— {	M	240	69	58	99	91	49	26	36	123	117	118	92	40	43	250	151	11	10
	F	237	64	61	75	84	41	27	41	119	97	103	86	43	47	197	114	16	11
65— {	M	248	119	72	115	101	67	38	61	139	141	136	139	45	69	271	154	28	19
	F	266	76	94	116	104	58	35	60	129	126	138	130	47	62	207	167	17	17
70— {	M	280	121	102	137	118	66	32	74	153	137	183	146	56	73	296	201	28	23
	F	326	109	135	144	118	77	31	76	159	136	174	173	97	74	261	160	20	22
75— {	M	229	102	86	117	74	64	36	51	124	125	141	155	57	79	191	146	17	25
	F	279	103	117	145	86	65	31	51	116	133	198	165	76	67	187	150	27	20
80— {	M	143	61	51	90	39	42	16	31	66	77	108	118	31	57	89	95	14	10
	F	184	74	117	132	53	42	33	23	93	77	162	138	55	81	112	98	24	21
85— {	M	71	41	38	62	20	36	7	18	30	56	68	97	27	40	47	48	22	16
	F	85	47	90	132	41	28	15	31	52	64	165	105	51	55	84	60	24	15

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1912—*continued.*

Age.	Sex.	Essex.		Flintshire.		Glamorgan-shire.		Gloucester-shire.		Hereford-shire.		Hertford-shire.		Hunting-donshire.		Kent.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	4221	1688	291	409	3894	1309	628	1482	230	546	1062	630	139	200	4256	1901
	F	4154	1506	234	384	3401	1170	633	1421	269	490	1100	565	143	221	4065	1615
Under 1 month	M	365	95	20	25	402	144	21	94	14	33	76	39	8	6	321	110
	F	233	80	13	25	294	100	26	79	12	38	48	27	7	13	196	82
1-3 months	M	160	47	11	13	254	49	13	35	8	14	23	21	7	1	140	54
	F	98	25	4	8	183	47	12	15	3	5	23	6	4	4	94	36
3-6 months	M	109	26	8	11	162	51	18	25	7	3	18	9	2	6	88	36
	F	82	23	6	6	168	60	9	19	1	1	15	9	6	2	84	29
6-12 months	M	154	33	13	15	346	75	16	46	8	11	28	10	9	6	132	55
	F	126	28	6	6	255	58	9	27	5	5	28	14	5	6	118	43
Total under 1 year	M	788	201	52	64	1164	319	68	200	37	61	145	79	26	19	681	255
	F	539	156	29	45	900	265	56	140	21	49	114	56	22	25	492	190
1—	M	131	35	13	15	288	54	13	40	7	9	22	19	6	7	121	55
	F	162	30	9	16	287	55	15	29	7	6	30	11	8	9	138	36
2—	M	69	20	6	8	118	32	9	19	4	4	16	4	2	1	51	17
	F	52	14	4	5	144	26	2	14	6	4	22	4	3	2	57	16
3—	M	50	17	2	—	81	11	4	13	3	1	5	2	1	2	51	19
	F	50	10	2	1	83	16	2	4	1	3	13	5	—	3	43	12
4—	M	45	9	—	4	43	18	3	11	1	—	4	2	2	—	44	20
	F	35	16	—	5	43	9	1	11	—	1	3	3	1	—	33	11
Total under 5 years	M	1083	282	73	91	1694	434	97	283	52	75	192	106	37	29	948	366
	F	838	226	44	72	1457	371	76	198	35	63	182	79	34	39	763	265
5—	M	121	27	2	2	107	36	12	23	4	8	28	11	3	2	110	38
	F	103	25	4	8	101	41	7	20	9	3	13	17	2	5	90	32
10—	M	56	21	7	3	57	15	8	23	1	5	19	6	1	2	61	24
	F	64	21	4	9	62	17	10	26	4	5	13	9	—	1	61	31
15—	M	100	39	3	7	79	29	11	19	4	6	22	12	4	2	76	27
	F	108	24	1	5	73	30	14	37	3	11	24	9	2	3	73	20
20—	M	104	46	7	10	102	39	18	21	6	9	19	12	7	5	99	46
	F	90	24	4	9	89	27	19	31	1	9	17	9	1	9	76	34
25—	M	115	28	7	12	117	33	10	34	6	6	28	19	3	2	105	47
	F	115	34	3	8	93	39	18	32	3	9	29	10	—	7	92	43
30—	M	118	58	11	11	110	38	18	36	3	8	30	14	3	4	133	51
	F	132	20	3	14	128	41	7	32	6	18	40	14	3	4	93	43
35—	M	160	51	6	15	129	55	18	38	4	14	41	32	4	5	165	57
	F	150	46	11	18	133	36	19	37	7	8	33	17	2	4	159	49
40—	M	203	54	11	21	154	51	18	40	8	20	33	23	3	3	161	70
	F	172	56	3	16	124	36	14	42	7	11	27	15	2	7	153	57
45—	M	199	72	11	13	157	58	22	43	9	22	68	26	1	10	204	86
	F	195	45	9	11	132	49	24	41	5	17	33	17	3	8	179	60
50—	M	236	66	17	15	203	54	38	81	7	29	50	19	7	9	204	84
	F	205	67	11	11	120	50	26	62	13	13	48	24	7	4	206	90
55—	M	273	78	7	24	203	68	34	84	12	31	62	36	4	10	260	102
	F	222	80	17	15	145	52	25	57	21	33	63	29	10	9	206	83
60—	M	293	116	31	25	202	94	49	104	17	43	83	38	7	19	311	123
	F	253	98	20	26	175	70	51	94	20	35	74	43	10	13	248	97
65—	M	337	150	24	36	177	85	59	144	31	49	112	67	14	13	353	168
	F	323	101	23	33	141	66	66	125	18	51	90	60	9	20	325	132
70—	M	306	180	36	47	208	79	80	161	26	82	85	66	12	25	361	175
	F	376	177	32	48	181	97	72	172	32	72	125	50	15	25	359	160
75—	M	253	164	18	39	129	71	68	171	12	54	97	63	9	29	342	196
	F	337	175	23	35	120	76	77	163	42	59	106	63	13	20	402	179
80—	M	161	139	15	25	50	45	37	100	17	55	54	52	15	17	215	145
	F	263	134	13	28	81	40	57	134	24	36	95	54	15	22	308	123
85—	M	103	117	5	13	16	25	31	77	11	30	39	28	5	14	148	96
	F	208	153	9	18	46	32	51	118	19	37	88	46	15	21	272	117

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1912—*continued.*

Age.	Sex.	Lancashire.		Leicester-shire.		Lincoln-shire, (Parts of Holland).		Lincoln-shire, (Parts of Kesteven).		Lincoln-shire, (Parts of Lindsey).		Merioneth-shire.		Middlesex.		Monmouth-shire.		Montgomeryshire.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages {	M	10603	1539	630	893	268	306	275	417	625	901	144	201	5671	248	1900	326	142	213
	F	10393	1423	588	913	272	261	253	428	629	875	191	199	5687	239	1730	238	138	221
Under 1 month {	M	764	117	56	71	17	26	13	26	56	77	6	9	541	25	185	21	7	24
	F	535	91	43	49	16	23	6	28	49	51	6	7	368	9	170	14	4	10
1-3 months {	M	370	50	14	27	7	9	3	12	23	33	2	8	208	9	115	14	4	6
	F	296	40	16	20	7	2	9	7	27	25	7	2	140	5	72	3	2	4
3-6 months {	M	342	29	19	13	7	11	6	5	21	19	1	4	157	9	75	3	—	5
	F	280	20	11	17	7	6	1	10	15	16	5	4	142	4	61	6	3	6
6-12 months {	M	552	52	32	25	12	12	10	15	38	27	8	4	265	10	152	11	4	3
	F	454	48	20	28	9	9	4	14	23	28	3	5	201	11	123	8	3	6
Total under 1 year {	M	2028	248	121	136	43	58	32	58	138	156	17	25	1171	53	527	49	15	38
	F	1565	199	90	114	39	40	20	59	114	120	21	18	851	29	426	31	12	26
1— {	M	533	47	22	23	6	9	7	9	18	22	1	4	221	6	198	10	2	6
	F	519	54	22	30	12	8	3	8	22	21	7	2	193	7	175	6	5	3
2— {	M	242	26	15	12	2	2	1	7	7	7	1	3	89	3	72	8	1	1
	F	245	20	10	18	2	3	2	6	11	7	—	1	115	8	79	5	1	4
3— {	M	137	24	7	4	1	2	3	4	7	6	3	—	67	—	33	2	3	1
	F	151	8	5	8	—	5	2	—	6	6	1	1	77	1	42	2	—	2
4— {	M	114	15	10	6	3	—	2	2	7	3	1	1	38	3	29	4	2	—
	F	91	14	5	11	—	3	1	2	7	5	2	—	46	—	28	2	1	3
Total under 5 years {	M	3054	360	175	181	55	71	45	80	177	194	23	33	1586	65	859	73	23	46
	F	2571	295	132	181	53	59	28	75	160	159	31	22	1282	45	750	46	19	38
5— {	M	257	29	13	16	7	7	7	8	10	11	5	2	142	7	49	9	5	2
	F	270	29	11	21	5	8	6	12	10	17	3	2	118	6	51	5	1	2
10— {	M	164	20	10	14	2	3	2	3	7	14	1	—	64	2	19	3	1	1
	F	169	21	11	15	5	3	1	6	4	9	3	1	92	4	24	1	3	3
15— {	M	213	16	13	17	4	3	7	8	12	19	1	7	105	6	31	5	2	7
	F	236	34	19	19	5	7	5	7	14	13	2	3	117	6	33	2	2	5
20— {	M	238	37	13	22	2	4	3	5	20	17	3	4	122	9	43	8	3	3
	F	244	39	24	21	4	6	6	10	15	15	5	7	106	6	55	7	3	8
25— {	M	246	47	22	19	7	4	5	12	14	14	5	5	149	1	44	4	6	9
	F	274	38	13	28	7	4	6	10	21	25	7	9	160	11	44	5	3	7
30— {	M	298	43	19	18	15	10	7	13	17	22	4	9	187	6	37	7	—	3
	F	283	42	24	18	6	11	6	11	21	19	11	6	172	4	51	5	5	3
35— {	M	370	54	20	30	9	4	15	15	18	18	4	3	237	7	66	10	5	7
	F	378	40	22	21	13	4	8	10	16	27	7	8	190	11	47	2	4	7
40— {	M	471	62	23	23	7	10	3	12	20	17	3	4	223	6	67	13	4	5
	F	395	52	23	28	6	2	7	10	21	30	3	11	213	7	73	7	4	4
45— {	M	515	57	26	36	10	12	12	13	24	22	5	4	284	12	79	10	7	5
	F	474	41	16	30	9	7	12	17	11	22	9	7	241	9	63	14	4	7
50— {	M	639	78	29	39	10	10	13	12	20	34	11	11	294	6	64	16	6	12
	F	524	67	22	41	6	8	11	9	24	24	11	10	289	7	73	16	9	11
55— {	M	753	83	35	48	19	8	20	25	35	38	7	14	364	16	100	21	7	13
	F	645	77	28	43	13	11	15	15	27	37	9	14	311	16	64	14	10	10
60— {	M	847	131	48	73	13	25	20	23	37	67	11	21	415	20	106	23	9	10
	F	795	120	44	46	19	13	12	22	38	56	17	12	366	12	89	15	3	12
65— {	M	833	149	61	61	22	36	25	32	57	65	20	20	425	25	100	27	18	17
	F	816	142	39	75	20	22	31	36	50	69	22	17	424	10	75	17	8	20
70— {	M	827	155	51	82	28	35	33	45	68	97	14	27	414	21	110	41	18	20
	F	1013	146	59	96	27	24	23	48	49	94	23	18	549	23	97	23	24	38
75— {	M	518	105	32	87	27	33	39	51	36	102	13	18	316	16	64	28	10	27
	F	729	121	52	87	21	25	32	43	62	95	15	21	451	24	70	24	19	18
80— {	M	247	79	23	70	14	20	20	35	34	80	7	14	202	14	45	17	14	21
	F	401	72	30	79	28	29	21	46	47	85	7	18	335	18	49	22	9	14
85— {	M	113	34	17	57	17	11	8	25	19	70	7	5	142	9	17	11	4	5
	F	176	47	19	64	25	18	23	41	39	79	6	13	271	20	22	13	8	14

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1912—*continued.*

Age.	Sex.	Norfolk.		Northamptonshire.		Northumberland.		Nottinghamshire.		Oxfordshire.		Pembroke-shire.		Peterborough, Soke of.		Radnor-shire.		Rutland-shire.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	421	1720	563	795	1864	683	1401	767	232	661	260	337	221	109	27	112	16	91
	F	419	1774	486	753	1772	653	1260	785	220	634	267	391	231	74	34	108	24	88
Under 1 month	M	31	115	49	34	206	56	169	61	10	52	19	19	25	8	3	8	—	6
	F	19	98	34	35	163	44	85	38	11	24	22	15	15	8	2	7	1	2
1-3 months	M	13	44	23	23	75	17	62	37	2	9	6	7	6	5	—	7	—	1
	F	13	30	9	16	45	11	39	25	3	10	10	5	5	1	—	1	—	1
3-6 months	M	3	34	10	12	60	11	53	22	4	16	7	10	4	2	—	4	—	1
	F	7	32	12	15	47	13	38	15	6	3	7	4	3	2	—	3	1	1
6-12 months	M	17	49	29	17	94	22	72	34	8	14	3	8	7	3	3	4	1	—
	F	11	45	12	16	88	14	76	30	5	13	13	6	9	1	—	3	—	1
Total under 1 year	M	64	242	111	86	435	106	356	154	24	91	35	44	42	18	6	23	1	8
	F	50	205	67	82	343	82	238	108	25	50	52	30	32	12	2	14	2	5
1—	M	10	34	15	17	122	18	80	29	7	13	5	9	11	4	1	4	—	1
	F	14	38	14	16	98	15	82	27	2	7	5	5	9	2	1	4	3	3
2—	M	6	19	10	7	44	5	43	2	2	7	3	2	4	2	1	—	—	1
	F	6	15	6	7	52	6	34	7	3	4	4	1	5	—	—	2	—	—
3—	M	3	10	5	6	27	4	26	11	3	3	2	1	2	—	1	—	1	—
	F	2	9	4	7	36	6	23	9	4	5	2	1	1	1	—	1	—	2
4—	M	5	6	5	2	19	8	18	4	4	6	7	—	4	1	1	—	—	—
	F	2	5	1	4	24	1	18	9	4	7	2	1	2	2	1	—	—	—
Total under 5 years	M	88	311	146	118	647	141	523	200	40	120	52	56	63	25	10	27	2	10
	F	74	272	92	116	553	110	395	160	38	73	65	38	49	17	4	21	5	10
5—	M	4	14	16	17	51	9	38	14	5	11	3	7	5	6	2	1	—	1
	F	4	24	18	18	45	13	40	15	6	10	6	10	8	—	—	2	1	1
10—	M	7	28	13	10	31	9	15	8	3	7	4	5	2	1	—	2	—	1
	F	5	18	9	20	44	6	18	11	3	6	2	7	3	1	1	—	—	1
15—	M	4	26	16	11	52	23	22	16	3	14	10	13	8	2	—	2	—	1
	F	8	26	18	9	39	18	23	23	6	8	2	11	4	—	—	4	—	—
20—	M	5	34	17	20	38	15	36	18	2	14	5	12	3	2	—	1	1	2
	F	12	39	15	14	58	16	31	11	4	10	4	10	4	2	—	5	—	1
25—	M	12	31	19	11	37	20	33	14	3	12	6	12	6	—	1	2	—	3
	F	2	39	13	11	42	15	37	24	4	10	6	8	4	1	1	2	1	2
30—	M	15	49	17	17	54	13	32	12	2	13	12	9	5	1	—	2	1	4
	F	5	47	11	18	50	20	32	15	7	11	4	15	2	—	—	2	—	2
35—	M	20	33	24	27	60	18	44	15	9	16	9	5	10	1	—	2	1	2
	F	10	45	28	19	57	19	36	23	3	16	4	16	7	—	—	—	—	2
40—	M	10	40	17	13	65	19	42	27	3	18	15	14	12	1	1	4	—	2
	F	8	49	13	11	60	18	39	22	8	21	2	22	10	1	1	4	—	2
45—	M	13	61	21	29	72	25	44	22	10	21	10	12	8	3	—	3	1	3
	F	17	39	24	25	75	28	55	24	11	27	10	11	13	4	1	3	—	3
50—	M	22	62	26	38	94	27	74	24	13	31	12	16	5	5	1	—	—	6
	F	16	67	21	31	75	30	47	31	8	36	10	10	8	2	3	4	—	5
55—	M	13	83	37	42	92	38	73	42	15	30	16	22	14	4	1	3	2	5
	F	17	79	11	37	94	34	58	41	13	45	16	21	12	2	5	7	2	5
60—	M	26	108	33	60	110	56	70	46	21	33	23	15	10	4	1	8	3	8
	F	22	83	27	44	114	47	57	53	13	37	20	30	11	3	2	6	—	10
65—	M	33	145	33	70	122	51	89	79	20	67	23	27	14	8	2	10	1	8
	F	31	120	37	77	99	66	97	63	14	57	18	30	13	9	4	11	1	6
70—	M	56	192	50	85	133	84	91	68	29	59	21	37	20	10	—	15	1	11
	F	46	195	40	76	140	72	117	89	29	76	48	52	25	11	5	14	6	6
75—	M	42	196	35	101	112	64	94	55	26	74	21	31	13	15	1	14	—	15
	F	50	221	49	83	126	69	81	67	25	78	23	47	24	9	1	13	3	13
80—	M	30	172	26	81	67	39	54	61	21	79	13	22	11	11	3	9	1	4
	F	49	203	29	71	57	41	60	61	10	56	15	28	19	4	3	7	2	7
85—	M	21	135	17	45	27	32	27	46	7	42	5	22	12	10	4	7	2	5
	F	43	208	31	73	44	31	37	52	18	57	12	25	15	8	3	3	3	12

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1912—*continued.*

Age.	Sex.	Shropshire.		Somerset-shire.		South-ampton.		Stafford-shire.		Suffolk, East.		Suffolk, West.		Surrey.		Sussex, East.		Sussex, West.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	751	897	965	1476	1196	1322	3474	1417	493	731	287	503	2202	1065	617	716	488	570
	F	770	818	1041	1509	995	1207	3215	1251	539	735	306	503	2345	976	698	640	538	464
Under 1 month	M	47	68	53	77	94	96	330	135	40	52	19	32	160	76	33	40	25	36
	F	42	37	43	73	69	63	286	81	34	33	8	23	137	50	24	40	15	22
1-3 months	M	20	23	23	31	35	22	186	65	22	19	6	7	84	33	9	13	11	16
	F	14	15	9	17	30	19	118	34	9	15	10	9	44	17	9	8	6	4
3-6 months	M	15	18	23	25	29	12	132	43	14	14	6	4	52	21	10	9	4	9
	F	8	14	11	17	20	20	107	30	12	7	3	4	35	16	11	9	4	5
6-12 months	M	17	24	34	37	50	25	209	46	20	17	12	9	60	33	6	11	12	19
	F	18	12	13	25	24	27	144	31	22	20	6	6	56	26	3	10	11	14
Total under 1 year	M	99	133	133	170	208	155	857	289	96	102	43	52	356	163	58	73	52	80
	F	82	78	76	132	143	129	655	176	77	75	27	42	272	109	47	67	36	45
1—	M	36	13	14	33	41	28	210	54	19	10	6	7	55	18	9	10	9	9
	F	21	22	24	28	35	20	205	57	19	17	6	10	48	22	10	8	9	2
2—	M	10	9	8	9	21	11	80	18	8	5	3	2	27	14	4	6	6	6
	F	13	4	7	14	21	6	73	17	6	5	7	2	30	11	6	4	6	4
3—	M	8	5	6	8	11	5	57	16	6	10	2	2	15	11	4	3	2	5
	F	7	9	8	8	6	5	52	13	6	3	1	4	14	6	6	1	7	3
4—	M	1	4	6	5	11	3	33	7	6	5	3	4	14	8	4	—	5	4
	F	7	5	5	9	9	7	38	12	3	5	2	2	18	8	3	—	3	4
Total under 5 years	M	154	164	167	225	292	202	1237	384	135	132	57	67	467	214	79	92	74	104
	F	130	118	120	191	214	167	1023	275	111	105	43	60	382	156	72	80	61	58
5—	M	13	15	8	24	36	18	101	20	11	8	2	7	44	31	13	15	16	14
	F	15	11	18	24	21	24	98	30	11	15	2	10	53	28	11	8	10	11
10—	M	5	10	12	18	16	22	39	21	6	5	1	6	25	11	7	6	5	4
	F	8	12	12	19	14	15	63	15	11	8	4	9	40	12	9	15	3	4
15—	M	12	8	22	29	37	17	68	27	7	22	5	6	35	24	18	13	8	10
	F	13	16	16	32	14	24	68	26	7	11	6	6	50	25	10	8	8	3
20—	M	12	20	19	27	48	40	63	36	5	18	6	14	43	21	13	11	10	8
	F	12	20	25	34	19	31	55	17	11	22	10	10	58	13	13	15	8	11
25—	M	16	10	19	30	35	31	98	30	9	17	6	17	44	28	12	15	16	15
	F	15	14	19	27	24	25	89	28	16	16	6	12	58	18	14	7	5	9
30—	M	16	23	25	33	45	49	100	30	13	13	6	11	57	23	7	23	10	11
	F	24	20	31	41	35	28	73	32	13	26	8	19	59	38	22	18	17	10
35—	M	19	19	42	38	61	41	113	36	12	16	9	18	73	41	18	19	17	13
	F	29	19	27	44	28	42	84	34	11	19	7	18	78	38	20	18	18	8
40—	M	20	29	33	38	47	56	112	43	16	19	15	12	101	40	22	27	10	14
	F	30	31	20	37	30	43	93	36	9	18	16	11	82	38	19	19	24	20
45—	M	40	36	46	52	69	49	124	60	16	27	15	21	101	44	26	23	24	29
	F	29	25	41	52	44	38	127	40	20	21	17	13	96	31	36	23	20	13
50—	M	35	38	40	68	59	61	166	68	24	24	21	19	130	55	36	35	24	39
	F	38	24	61	60	45	52	111	45	26	16	16	20	121	58	34	30	25	26
55—	M	52	50	62	97	56	71	160	70	23	27	19	25	154	52	40	49	20	30
	F	49	35	57	86	54	48	143	71	29	39	17	20	130	56	49	40	17	28
60—	M	56	66	76	138	66	100	210	86	36	50	25	30	174	90	43	47	41	36
	F	44	48	82	108	54	86	180	86	38	47	18	24	159	60	62	42	41	26
65—	M	64	86	104	139	67	118	215	112	38	62	27	57	190	77	64	60	56	46
	F	62	77	95	126	63	94	204	99	44	46	24	49	189	86	56	49	57	51
70—	M	96	101	102	153	98	142	278	142	44	70	30	59	205	104	82	78	49	64
	F	99	99	132	161	100	132	331	127	55	66	34	54	217	88	77	74	51	46
75—	M	73	100	86	146	80	123	200	120	46	81	18	46	160	99	66	80	57	53
	F	81	92	106	202	85	149	229	131	52	106	33	58	228	102	81	63	62	59
80—	M	51	78	55	120	49	98	124	73	28	75	14	41	119	67	40	71	30	44
	F	55	82	96	137	86	120	152	100	38	72	25	54	197	66	50	66	56	54
85—	M	17	44	47	101	35	84	66	59	24	65	11	47	80	44	31	52	27	36
	F	37	75	83	128	65	89	92	59	37	82	20	56	148	63	63	65	55	27

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1912—*continued.*

Age	Sex.	Warwick-shire.		Westmor-land.		Wight, Isle of.		Wiltshire.		Worcester-shire.		Yorkshire, East Riding.		Yorkshire, North Riding.		Yorkshire, West Riding.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages {	M	778	1135	155	254	352	166	703	982	1048	897	377	648	1385	948	8336	2640
	F	844	987	171	198	377	161	698	951	964	843	376	545	1341	837	8061	2253
Under 1 month {	M	55	77	8	18	13	9	50	57	81	48	16	51	114	62	708	245
	F	57	65	11	9	21	4	37	58	59	50	19	28	88	53	502	171
1-3 months {	M	32	44	1	6	6	2	24	17	39	30	8	17	32	23	273	97
	F	20	25	4	4	5	7	8	18	28	21	7	15	39	20	193	62
3-6 months {	M	22	24	5	3	4	2	8	12	35	17	6	14	48	15	215	96
	F	11	16	1	1	5	2	11	13	35	9	6	14	35	14	163	63
6-12 months {	M	39	38	3	6	10	—	19	25	53	24	13	22	51	20	410	123
	F	22	21	3	6	7	3	20	16	32	30	9	14	55	20	315	119
Total under 1 year {	M	148	183	17	33	33	13	101	111	208	119	43	104	245	120	1606	561
	F	110	127	19	20	38	16	76	105	154	110	41	71	217	107	1173	415
1— {	M	29	37	4	4	10	4	20	20	47	22	13	16	94	25	426	136
	F	35	35	4	5	6	2	25	19	39	25	16	9	77	21	391	137
2— {	M	16	19	4	—	2	—	5	7	18	10	1	7	32	9	171	56
	F	20	29	1	1	3	1	9	3	15	12	7	5	32	9	154	51
3— {	M	9	16	—	—	2	1	9	7	9	5	6	3	23	5	120	22
	F	8	5	—	2	1	1	4	7	7	3	3	6	27	9	122	34
4— {	M	6	9	2	1	3	—	4	7	3	9	1	2	17	10	87	22
	F	7	11	1	—	1	2	4	—	9	7	3	4	14	7	106	18
Total under 5 years {	M	208	264	27	38	50	18	139	152	285	165	64	132	411	169	2410	797
	F	180	207	25	28	49	22	118	134	224	157	70	95	367	153	1946	655
5— {	M	15	19	1	4	4	1	23	16	22	20	6	12	44	26	218	59
	F	14	37	3	2	4	2	8	16	15	16	5	9	57	19	231	63
10— {	M	10	14	2	4	2	1	9	9	7	10	6	6	23	11	114	41
	F	14	12	—	2	4	—	11	20	16	15	5	4	27	10	132	34
15— {	M	12	16	1	3	6	1	13	18	19	13	7	14	39	20	182	63
	F	11	26	3	—	8	2	7	10	20	14	9	6	18	17	170	38
20— {	M	12	32	2	8	5	1	14	16	24	15	9	14	26	13	189	74
	F	17	16	5	2	10	5	11	8	19	18	9	13	29	16	198	50
25— {	M	13	28	3	7	8	4	13	27	16	19	11	12	33	15	180	76
	F	25	29	4	5	7	10	16	21	17	13	6	19	25	22	211	46
30— {	M	19	25	3	4	7	5	21	20	21	26	16	17	46	23	210	65
	F	21	28	6	3	9	6	17	20	21	22	4	17	39	27	236	79
35— {	M	22	31	5	3	17	5	24	30	34	23	10	10	61	23	255	101
	F	32	26	5	3	8	7	15	41	28	21	12	15	56	24	251	59
40— {	M	28	37	6	10	15	4	24	20	38	28	13	18	49	23	324	92
	F	20	25	2	7	13	4	26	24	29	19	16	10	30	19	284	57
45— {	M	23	48	5	10	11	7	41	23	34	46	14	19	54	22	383	109
	F	31	47	9	11	12	12	17	32	43	24	11	17	58	25	335	74
50— {	M	42	57	5	9	21	12	34	47	54	40	20	21	63	39	467	97
	F	39	33	7	7	14	9	49	43	43	27	11	22	53	30	368	83
55— {	M	45	59	11	13	25	11	48	52	68	63	23	33	65	56	581	158
	F	36	47	13	17	17	5	34	64	45	39	21	31	51	50	453	120
60— {	M	71	66	19	23	29	14	56	70	80	61	32	44	78	65	636	168
	F	53	51	15	17	27	8	44	50	57	56	30	42	82	57	577	138
65— {	M	67	97	16	32	38	21	56	83	72	94	49	50	118	87	662	187
	F	81	85	16	16	30	12	51	84	68	64	37	44	90	75	648	159
70— {	M	63	93	26	28	36	16	68	123	106	85	38	75	111	93	713	179
	F	78	90	9	30	38	14	76	103	103	95	38	46	134	81	821	189
75— {	M	53	119	13	30	43	21	52	114	78	80	27	68	81	122	460	173
	F	79	104	22	24	50	20	77	122	95	85	44	61	112	89	598	205
80— {	M	49	80	4	14	15	16	41	96	54	60	18	55	53	88	242	133
	F	52	68	20	16	31	13	68	83	65	87	29	56	70	59	398	125
85— {	M	26	50	6	14	20	8	27	66	36	49	14	48	30	53	110	68
	F	61	56	7	8	46	10	53	76	56	71	19	38	43	64	204	79

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.		AGES AT DEATH.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
	All Causes { M F	250 232 236,707	19,348 14,199	9,059 6,332	7,225 5,708	11,372 9,536	47,004 35,775	12,000 11,080	5,074 5,100	3,240 3,138	2,341 2,322
1	Enteric fever { M F	926 674	— 1	— —	— —	1 —	1 1	2 1	4 3	5 5	11 12
2	Typhus { M F	7 5	— —	— —	— —	— —	— —	— —	— 1	— —	— —
3	Relapsing fever { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Relapsing fever	... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Mediterranean fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
4	Malaria { M F	49 9	— —	— —	— —	1 —	1 —	— —	— —	— 1	— —
5	Small-pox { M F	4 5	— —	— —	— —	— —	— —	— 2	— —	— —	— —
6	Measles { M F	6,652 6,204	9 10	30 19	90 74	1,272 1,029	1,401 1,132	2,586 2,347	1,161 1,154	630 627	371 403
7	Scarlet fever { M F	985 1,010	1 1	4 —	5 4	31 20	41 25	99 101	145 165	139 147	134 114
8	Whooping cough	... { M F	3,729 4,678	48 58	375 432	438 496	1,004 1,138	1,865 2,124	1,082 1,403	376 565	214 266	96 168
9	Diphtheria, Croup	... { M F	2,126 2,212	2 6	4 5	11 11	75 51	92 73	249 201	255 249	322 265	287 298
	A. Diphtheria	... { M F	2,092 2,197	2 6	3 5	10 10	71 51	86 72	242 195	248 247	316 264	284 297
	B. Membranous laryngitis.	{ M F	6 3	— —	— —	— —	1 —	1 —	2 2	2 —	— —	— —
	C. Croup { M F	28 12	— —	1 —	1 1	3 —	5 1	5 4	5 2	6 1	3 1
10	Influenza { M F	2,679 2,675	14 13	37 24	29 26	49 38	129 101	39 35	23 24	18 11	14 14
11	Miliary fever { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
12	Asiatic cholera { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
13	Cholera nostras { M F	10 7	— —	— —	— —	— —	— —	— —	— 1	— —	— —
14	Dysentery { M F	92 102	— 1	1 —	— —	1 1	2 2	1 1	— —	— 1	— —
15	Plague { M F	3 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
16	Yellow fever { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
17	Leprosy { M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
18	Erysipelas { M F	489 411	19 10	38 23	15 21	14 16	86 70	3 7	1 1	2 5	— 6

T DIFFERENT AGE-PERIODS, 1912.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
69,659 57,415	5,759 5,727	3,237 3,503	4,733 4,592	5,378 5,196	6,174 5,861	7,280 6,644	8,915 7,941	9,957 8,402	11,775 9,788	13,456 11,068	15,296 12,852	17,633 15,133	18,988 17,905	20,089 21,803	15,712 19,034	10,056 13,551	6,135 10,292	All Causes.
23 22	30 43	54 59	107 74	115 87	120 78	111 73	104 66	83 48	62 46	56 22	30 30	20 15	6 6	4 5	1 —	— —	— —	1
— 1	— —	— —	— —	— —	1 —	1 1	— —	2 1	1 1	2 1	— —	— —	— —	— —	— —	— —	— —	2
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	B
1 1	— 1	— 2	— —	3 —	6 —	5 —	8 —	4 1	4 —	3 2	5 —	4 —	3 2	1 —	1 —	1 —	— —	4
— 2	— —	— —	— —	1 1	— —	1 —	— 1	— 1	— —	2 —	— —	— —	— —	— —	— —	— —	— —	5
6,149 5,663	443 486	30 15	9 8	7 3	2 10	3 6	4 8	1 3	1 1	2 —	— —	— —	1 —	— —	— —	— 1	— —	6
558 552	301 336	58 64	29 17	12 11	8 12	4 3	8 7	3 4	3 2	— —	— 2	— —	1 —	— —	— —	— —	— —	7
3,633 4,526	90 140	3 8	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— 1	1 —	1 —	1 1	— —	1 —	8
1,205 1,086	718 887	130 154	24 20	16 13	4 8	4 13	3 8	8 7	2 5	6 1	2 3	1 3	— 2	2 1	1 1	— —	— —	9
1,176 1,075	713 883	130 154	24 20	16 13	4 8	4 13	3 8	8 7	2 5	6 1	2 3	1 3	2 2	1 1	1 1	— —	— —	A
5 2	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	B
24 9	4 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	C
223 185	31 42	29 38	64 45	67 55	90 63	92 77	136 102	139 100	180 106	179 133	208 177	250 225	284 297	241 372	223 308	156 202	87 148	10
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	11
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	12
— 1	— —	— —	— —	1 —	1 —	— —	— —	— —	2 —	2 —	1 1	— 1	2 1	— 2	1 1	— —	— —	13
3 4	1 1	1 1	5 1	4 3	6 3	7 10	14 7	7 8	5 3	8 10	7 11	7 10	7 13	5 12	1 2	2 3	2 —	14
— —	1 —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	15
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	16
— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	17
92 89	3 3	3 9	7 13	10 10	8 9	11 14	28 12	27 26	40 16	45 23	42 26	33 33	38 45	41 33	39 24	14 16	8 10	18

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
19	Other epidemic diseases {	M 67	1	2	4	22	29	13	9	5	2
		F 60	1	3	9	12	25	14	7	5	2
	A. Mumps ... {	M 17	1	—	—	4	5	2	3	1	2
		F 9	—	—	1	—	1	1	2	2	1
	B. German measles ... {	M 10	—	—	—	1	1	3	1	3	—
		F 15	—	1	2	2	5	4	—	2	1
	C. Varicella ... {	M 40	—	2	4	17	23	8	5	1	—
		F 36	1	2	6	10	19	9	5	1	—
	D. Other diseases in- cluded under 19. {	M —	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—
20	Pyæmia, Septicæmia ... {	M 377	11	9	9	11	40	8	4	3	2
		F 208	4	11	3	4	22	9	3	6	4
	A. Pyæmia ... {	M 70	2	2	2	4	10	1	1	—	1
		F 46	1	7	1	2	11	—	—	—	1
	B. Septicæmia .. {	M 305	9	7	6	6	28	7	3	3	1
		F 160	3	4	1	2	10	8	3	6	3
	C. Vaccinia ... {	M 2	—	—	1	1	2	—	—	—	—
		F 2	—	—	1	—	1	1	—	—	—
	Glanders ... {	M —	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—
22	Anthrax (Splenic fever) {	M 9	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—
23	Rabies ... {	M —	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—
24	Tetanus ... {	M 145	17	—	1	1	19	1	1	1	1
		F 46	13	—	—	—	13	1	1	1	—
25	Mycoses ... {	M 28	—	—	—	—	—	—	—	—	—
		F 8	—	—	—	—	—	—	—	—	—
	A. Actinomycosis ... {	M 26	—	—	—	—	—	—	—	—	—
		F 7	—	—	—	—	—	—	—	—	—
	B. Other mycoses ... {	M 2	—	—	—	—	—	—	—	—	—
		F 1	—	—	—	—	—	—	—	—	—
26	Pellagra ... {	M 1	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—
27	Beri-beri ... {	M 6	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—
28	Pulmonary tuberculosis (not acute). {	M 19,631	1	6	13	57	77	114	61	49	45
		F 14,694	—	6	21	53	80	93	70	46	35
	A. Pulmonary tuber- culosis. {	M 12,566	—	5	11	50	66	92	49	35	37
		F 9,053	—	6	18	47	71	78	55	40	27
	B. Phthisis (not defined as tuberculous). {	M 7,065	1	1	2	7	11	22	12	14	8
		F 5,641	—	—	3	6	9	15	15	6	8
29	Acute phthisis, Acute miliary tuberculosis. {	M 1,937	1	7	18	47	73	88	54	39	25
		F 1,821	1	4	9	43	57	78	45	30	19
	A. Acute phthisis ... {	M 1,527	1	3	5	15	24	30	20	14	14
		F 1,417	1	1	1	18	21	30	16	12	13
	B. Acute miliary tuber- culosis. {	M 410	—	4	13	32	49	58	34	25	11
		F 404	—	3	8	25	36	48	29	18	6
30	Tuberculous meningitis {	M 2,579	4	43	131	341	519	479	272	200	161
		F 2,423	6	25	100	276	407	431	257	192	151

AT DIFFERENT AGE-PERIODS, 1912—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
58 53	4 4	3 3	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	19
13 7 8	2 2 1	2 — —	— 1 —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —		A B C
12 37 34	1 1 1	2 1 1	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	}	D
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
57 44	22 12	19 10	33 4	13 7	20 12	17 22	20 17	23 8	29 17	30 10	25 13	30 5	14 11	13 5	4 7	7 2	1 2	}	20
13 12 42 30 2 2	4 3 18 9 — —	7 5 12 5 — —	7 — 26 4 — —	1 3 12 4 — —	6 2 14 10 — —	4 2 13 20 — —	3 3 17 14 — —	5 2 18 6 — —	3 3 26 14 — —	3 2 27 7 — —	6 — 22 11 — —	2 3 12 8 — —	1 3 12 4 — —	— 1 12 — — —	— 1 4 6 — —	1 1 6 1 — —	1 — 2 — — —		A B C
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	21
— —	— —	— —	— —	— —	2 —	1 —	2 —	— —	2 —	2 —	— —	— —	— —	— —	— —	— —	— —		22
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	23
23 16	7 5	13 3	14 1	10 4	11 1	5 2	15 2	10 1	9 2	10 3	9 2	4 —	3 3	1 1	— —	1 —	— —		24
— —	1 —	— —	4 2	3 —	4 —	— —	6 1	1 1	2 3	2 —	1 —	1 —	2 1	— —	— —	1 —	— —	}	25
— —	1 —	— —	4 2	3 —	4 —	— —	6 1	1 1	2 2	1 —	1 —	1 —	1 1	— —	— —	1 —	— —		A
— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	— —	— —	— —	1 —	— —	— —	— —	— —	}	B
— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		26
— —	— —	— —	— —	3 —	2 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	27
346 324	198 240	248 521	1053 1475	1837 1822	2,075 1,857	2,357 1,852	2,409 1,725	2,228 1,330	2,038 1,121	1,643 785	1,350 595	961 452	561 315	228 172	69 76	24 21	6 11		}
279 271	155 172	178 332	652 884	1155 1108	1,262 1,120	1,500 1,131	1,478 1,032	1,426 835	1,329 669	1,081 479	862 361	604 271	396 207	149 107	42 50	17 18	1 6	A	
67 53	43 68	70 189	401 591	682 714	813 737	857 721	931 693	802 495	709 452	562 306	488 234	357 181	165 108	79 65	27 26	7 3	5 5	}	B
279 229	72 98	54 163	160 275	212 223	224 200	196 161	187 145	150 113	134 69	118 46	69 36	52 33	21 22	6 4	3 3	— 1	— —		29
102 92	33 51	33 126	130 224	181 191	202 173	178 143	176 128	135 101	121 62	107 40	63 34	44 28	17 17	2 4	3 2	— 1	— —	}	A
177 137	39 47	21 37	30 51	31 32	22 27	18 18	11 17	15 12	13 7	11 6	6 2	8 5	4 5	4 —	— 1	— —	— —		B
1,631 1,438	446 401	203 229	105 132	54 63	33 49	25 21	31 31	16 18	15 28	10 9	5 2	3 —	— —	2 1	— 1	— —	— —	}	30

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
31	Tuberculosis of peri- toneum and intestines.	M 1,653	16	97	155	230	498	283	134	67	71
		F 1,593	4	66	127	173	370	225	132	77	51
	A. Tabes mesenterica	M 269	7	35	43	54	139	57	18	10	9
		F 245	3	22	36	47	108	49	20	15	13
	B. Other peritoneal and intestinal tubercle	M 1,384	9	62	112	176	359	226	116	57	62
		F 1,348	1	44	91	126	262	176	112	62	38
32	Tuberculosis of spinal column.	M 343	—	1	—	1	2	5	5	7	4
		F 260	—	—	—	4	4	3	4	8	3
33	Tuberculosis of joints ...	M 190	1	—	—	3	4	—	4	1	1
		F 148	—	—	1	—	1	2	1	2	—
34	Tuberculosis of other organs.	M 368	—	1	11	17	29	18	12	4	7
		F 286	—	3	6	13	22	18	8	5	4
	A. Lupus ...	M 17	—	—	—	—	—	—	—	—	—
		F 44	—	—	—	—	—	—	—	—	—
	B. Scrofula ...	M 3	—	1	—	—	1	—	1	—	—
		F 7	—	1	1	1	3	—	—	—	1
	C. Other tuberculosis included under 34.	M 348	—	—	11	17	28	18	11	4	7
		F 235	—	2	5	12	19	18	8	5	3
35	Disseminated tuberculosis	M 1,105	7	25	46	90	168	106	68	38	39
		F 1,020	1	17	49	81	148	81	77	43	26
28-35	Tuberculosis (all forms)	M 27,806	30	180	374	786	1,370	1,093	610	405	353
		F 22,245	12	121	313	643	1,089	931	594	403	289
36	Rickets, Softening of bones.	M 445	4	11	31	136	182	166	48	17	9
		F 355	1	11	18	89	119	122	42	20	3
	A. Rickets ...	M 434	4	11	31	136	182	166	48	17	9
		F 318	1	11	17	89	118	122	42	20	3
	B. Other forms of bone softening.	M 11	—	—	—	—	—	—	—	—	—
		F 37	—	—	1	—	1	—	—	—	—
37	Syphilis ...	M 1,093	217	289	129	47	682	32	6	4	2
		F 768	148	187	104	50	489	26	8	2	1
38	Other venereal diseases...	M 40	10	10	1	1	22	—	—	—	—
		F 29	3	6	—	1	10	—	—	—	—
	A. Soft chancre ...	M —	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—
	B. Gonococcus infec- tion.	M 22	1	3	—	—	4	—	—	—	—
		F 19	—	—	—	—	—	—	—	—	—
	C. Purulent ophthal- mia.	M 18	9	7	1	1	18	—	—	—	—
		F 10	3	6	—	1	10	—	—	—	—
39	Cancer of the buccal cavity.	M 2,042	—	—	—	—	—	—	1	—	3
		F 317	—	1	—	—	1	—	—	—	1
40	Cancer of the stomach, liver, &c.	M 6,553	—	—	1	1	2	—	—	1	—
		F 6,017	—	—	—	2	2	—	—	1	2
41	Cancer of the peritoneum, intestines and rectum.	M 3,460	—	—	—	—	—	1	—	—	2
		F 3,853	—	—	—	—	—	2	—	1	1
42	Cancer of the female genital organs.	M —	—	—	—	—	—	—	—	—	—
		F 4,660	—	—	—	—	—	1	1	1	—
43	Cancer of the breast ...	M 20	—	—	—	—	—	—	—	—	—
		F 3,736	—	—	—	—	—	—	—	—	—
44	Cancer of the skin ...	M 560	—	—	—	—	—	1	—	—	—
		F 361	—	—	—	—	—	—	1	—	—
45	Cancer of other or un- specified organs.	M 3,553	—	5	4	3	12	13	11	11	6
		F 2,191	1	—	3	2	6	7	8	7	12

AT DIFFERENT AGE-PERIODS, 1912—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
1,053 855	147 141	101 119	71 89	43 63	36 62	43 57	30 52	30 39	33 21	21 30	13 18	16 17	5 14	7 9	4 6	— 1	— —	31	
233 205	24 21	7 8	2 2	— —	— 2	— 1	— 2	1 —	1 —	1 2	— —	— —	— 1	— —	— 1	— —	— —	A	
820 650	123 120	94 111	69 87	43 63	36 60	43 56	30 50	29 39	32 21	20 28	13 18	16 17	5 13	7 9	4 5	— 1	— —	B	
23 22	30 14	32 19	37 21	26 18	40 19	22 27	29 12	21 26	24 13	19 11	12 19	14 18	8 9	2 14	2 7	1 1	1 —	32	
10 6	16 15	15 12	25 19	21 15	19 6	16 4	11 8	7 4	12 4	8 8	8 12	10 7	5 5	7 13	— 8	— 2	— —	33	
70 57	21 17	13 14	17 16	18 20	32 12	25 13	19 21	24 14	34 23	26 9	14 12	26 12	6 15	10 16	10 9	3 4	— 2	34	
— —	— —	2 —	— 2	— —	3 2	2 2	2 3	1 1	— 5	1 1	— 5	1 4	1 5	1 6	1 6	2 1	— 1	A	
2 4	— 1	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— 1	— —	— —	— —	B	
68 53	21 16	11 14	16 14	18 20	29 10	23 11	17 18	23 13	34 18	25 8	14 7	25 8	5 9	9 9	9 3	1 3	— 1	C	
419 375	115 96	89 93	78 84	58 66	60 57	56 51	52 52	49 44	43 26	20 24	29 18	16 14	10 7	10 7	— 4	1 2	— —	35	
3,831 3,306	1,045 1,022	755 1,170	1,546 2,111	2,269 2,290	2,519 2,262	2,740 2,176	2,768 2,046	2,525 1,588	2,333 1,305	1,865 922	1,500 712	1,098 553	616 387	272 236	88 114	29 32	7 13	28-35	
422 306	7 9	1 1	3 6	2 1	2 3	— 5	2 5	2 2	2 —	— 2	2 3	— 2	— 2	— 4	— 2	— 2	— —	36	
422 305	5 9	1 —	3 1	2 —	1 2	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	A	
— 1	2 —	— 1	— 5	— 1	1 1	— 5	2 4	2 2	2 —	— 2	2 3	— 2	— 2	— 4	— 2	— 2	— —	B	
726 526	5 5	6 2	8 10	15 10	23 13	36 30	42 33	37 23	39 26	52 29	39 18	25 17	27 14	6 9	6 1	1 2	— —	37	
22 10	— 1	— 1	— —	2 3	1 6	2 2	3 3	1 2	1 1	— —	3 —	1 —	4 —	— —	— —	— —	— —	38	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	A	
4 —	— 1	— 1	— —	2 3	1 6	2 2	3 3	1 2	1 1	— —	3 —	1 —	4 —	— —	— —	— —	— —	B	
18 10	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	C	
4 2	— 4	4 3	3 1	4 5	3 3	9 8	25 14	94 19	171 14	255 25	340 38	325 41	297 45	260 31	151 34	63 18	34 12	39	
3 5	1 —	2 1	6 5	10 8	11 21	53 63	127 128	268 219	481 403	708 598	980 740	1,171 919	1,123 1,034	884 920	490 606	184 248	51 99	40	
3 4	3 1	2 1	5 5	17 8	13 25	47 53	83 100	130 158	212 253	335 370	434 485	569 518	605 600	523 614	318 370	114 199	47 89	41	
— 3	— 3	— 3	— 9	— 8	— 40	— 102	— 254	— 429	— 640	— 716	— 687	— 566	— 487	— 364	— 225	— 93	— 31	42	
— —	— —	— —	— —	— 1	— 12	— 54	— 171	— 308	1 453	— 495	5 468	2 468	7 377	1 414	1 272	3 151	— 92	43	
1 1	— —	1 1	— —	2 1	4 1	7 8	12 8	21 10	28 10	33 18	66 16	57 27	82 48	76 59	69 67	68 47	33 39	44	
53 40	23 19	24 17	54 36	41 29	66 38	83 43	111 74	169 117	300 191	381 225	460 259	541 283	459 279	452 248	233 194	78 60	25 39	45	

ENGLAND AND WALES.—CAUSES OF DEATH

[illegible]

AT DIFFERENT AGE-PERIODS, 1912—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
64 55	27 27	33 26	68 56	74 60	97 140	199 331	358 749	682 1,260	1,193 1,964	1,712 2,447	2,285 2,693	2,665 2,822	2,573 2,870	2,196 2,650	1,262 1,768	510 816	190 401	} 39-45
—	—	—	1	1	4	—	5	5	5	10	11	7	9	8	2	2	1	
1	1	—	1	—	2	3	2	4	10	3	11	5	8	14	2	7	1	} 46
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	} A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	} B
—	—	—	1	1	4	—	5	5	5	10	11	7	9	8	2	2	1	
1	1	—	—	—	2	2	2	3	10	3	11	5	8	14	2	7	1	} C
40 29	137 135	152 165	94 138	64 81	56 75	50 64	70 72	48 61	62 49	40 54	29 43	23 36	23 26	22 13	3 6	1 3	2 3	} 47
1 2	—	—	—	2 3	2 8	5 11	9 14	19 24	32 42	40 92	72 104	113 148	144 190	129 183	111 171	47 80	16 48	
—	—	—	—	1	1	—	2	1	2	8	13	17	26	29	28	14	6	} A
—	—	—	—	1	3	2	2	3	6	15	13	28	35	38	30	23	11	
1	—	—	—	1	—	5	5	8	21	19	33	58	55	49	41	19	3	} B
1	—	2	1	2	5	9	10	20	35	72	83	114	138	133	128	50	32	
—	—	—	—	—	1	—	2	10	9	13	26	38	63	51	42	14	7	} C
1	—	—	—	—	—	—	2	1	1	5	8	6	17	12	13	7	5	
6 15	— 1	— —	— —	1 —	— —	— —	— 1	— —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	} 49
17 10	23 17	37 42	66 48	58 65	75 73	88 92	98 84	97 83	110 100	153 168	234 196	280 282	294 278	241 249	135 134	43 49	15 17	
—	—	—	3	3	4	2	4	2	4	6	3	3	1	—	—	—	—	} 51
—	—	2	15	35	42	41	33	41	47	46	34	28	11	7	3	—	—	
—	1	2	2	1	6	7	12	11	13	12	8	12	7	3	2	—	—	} 52
1	—	2	4	10	9	11	22	9	21	20	12	13	9	2	2	—	—	
34 22	44 22	20 19	33 16	28 23	26 16	27 27	18 19	27 21	26 21	28 19	27 18	33 29	10 19	17 9	5 5	2 1	— 1	} 53
26 16	21 12	7 12	20 8	17 16	10 10	10 18	7 14	15 15	15 18	18 9	16 15	23 17	5 10	8 5	2 2	1 1	— 1	
8 6	23 10	13 7	13 8	11 7	16 6	17 9	11 5	12 6	11 3	10 10	11 3	10 12	5 9	9 4	3 3	— —	— —	} A
46 47	10 10	9 17	16 29	17 39	11 50	30 64	53 89	68 92	80 103	106 140	104 122	115 137	89 122	71 81	30 35	9 5	2 1	
81 87	21 20	18 18	17 13	9 11	8 12	5 9	6 10	8 15	8 5	10 6	7 11	19 12	8 7	7 9	4 5	2 8	1 5	} 55
—	—	—	3	1	—	—	1	—	—	1	1	3	1	2	2	—	—	
—	—	—	1	—	1	—	2	1	1	—	1	—	1	1	—	1	—	} A
36 56	10 15	12 15	7 7	3 7	2 6	2 7	3 7	5 11	5 2	2 5	3 8	14 11	6 4	3 7	1 5	2 5	1 5	
43 26	9 2	4 3	5 4	3 2	4 2	2 1	1 1	1 2	1 —	3 —	2 —	— —	— —	— —	— —	— —	— —	} B
2 5	2 3	2 —	2 1	2 2	2 2	1 1	1 1	2 1	2 1	4 1	1 2	2 1	1 2	2 1	1 —	— —	— —	
—	—	—	—	—	15	39	50	57	44	53	37	22	16	7	3	1	—	} 56
—	—	—	—	1	3	15	31	38	35	31	17	14	9	4	3	2	—	
—	—	—	—	2	4	12	7	20	22	10	12	15	4	—	—	—	—	} 57
—	—	—	—	1	1	3	—	1	1	—	—	—	1	—	—	—	—	
—	—	—	—	2	4	12	7	19	21	10	12	15	4	—	—	—	—	} A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	} B
—	—	—	—	1	1	3	—	1	1	—	—	—	1	—	—	—	—	

ENGLAND AND WALES.—CAUSES OF DEATH

[illegible]

AT DIFFERENT AGE-PERIODS, 1912—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	—	—	58	
—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
—	—	1	—	—	—	2	—	2	1	1	—	—	1	—	1	—	—	59	
—	—	—	—	—	1	1	1	—	—	—	—	1	1	—	—	—	—		
31	15	7	12	13	11	13	18	13	16	10	8	12	3	4	—	2	1	60	
29	11	13	9	10	5	5	9	6	7	4	5	3	6	2	4	—	2		
1,337	211	113	88	49	48	40	36	32	47	33	24	23	18	14	7	8	1	61	
1,125	211	113	90	56	44	32	27	35	21	23	22	18	18	12	6	5	3		
28	14	11	9	4	7	3	2	1	—	1	—	—	—	—	—	—	—	A	
26	8	10	8	4	2	1	1	—	—	1	1	—	—	—	—	—	—		
90	8	3	1	3	2	1	2	—	1	—	—	—	—	1	—	—	—	B	
72	7	—	1	—	2	—	—	2	2	—	1	—	1	—	—	—	—		
1,219	189	99	78	42	39	36	32	31	46	32	24	23	18	13	7	8	1	C	
1,027	196	103	81	52	40	31	26	33	19	22	20	18	17	12	6	5	3		
—	—	—	1	—	8	9	35	61	85	89	84	75	59	26	6	4	—	62	
2	—	—	—	—	—	4	10	16	17	12	13	19	11	14	3	1	—		
82	14	11	39	30	38	40	56	76	96	120	146	159	196	194	89	28	15	63	
52	22	11	18	27	33	42	41	64	82	86	121	151	134	117	88	49	18		
—	1	2	17	8	6	6	9	16	20	28	43	66	101	111	52	17	11	A	
2	1	—	3	5	4	7	7	11	19	18	32	63	79	82	61	32	12		
82	13	9	22	22	32	34	47	60	76	92	103	93	95	83	37	11	4	B	
50	21	11	15	22	29	35	34	53	63	68	89	88	55	35	27	17	6		
37	9	15	17	21	43	66	119	257	429	759	997	1,442	1,691	1,979	1,443	784	340	64	
29	3	8	15	20	31	72	165	307	599	892	1,169	1,483	1,898	2,362	1,952	1,142	599		
2	—	—	3	7	6	8	23	68	99	168	235	326	402	497	384	172	87	A	
3	—	—	5	4	5	15	36	69	134	203	253	349	495	544	475	281	148		
2	2	2	—	—	—	3	3	3	4	1	1	6	7	13	10	4	2	B	
1	—	2	—	—	2	3	1	4	3	8	7	7	7	10	14	12	4		
18	1	—	2	—	—	3	1	2	2	5	1	—	6	4	2	2	1	C	
16	1	—	—	1	—	—	—	2	3	3	3	4	3	8	2	—	4		
—	—	—	—	—	—	—	—	3	1	6	8	20	30	36	33	12	6	D	
1	—	—	—	—	—	—	—	2	3	10	8	9	23	26	26	17	10		
15	6	13	12	14	37	52	92	181	323	579	752	1,090	1,246	1,429	1,014	594	244	E	
8	2	6	10	15	24	54	128	230	456	668	898	1,114	1,370	1,774	1,435	832	433		
1	—	1	2	1	4	2	6	10	28	34	71	102	136	171	124	70	32	65	
1	—	1	1	2	2	1	9	14	18	46	66	95	105	166	139	82	72		
5	2	—	2	4	2	3	16	26	24	57	92	177	233	224	185	117	38	66	
9	4	2	3	3	4	5	25	22	46	67	100	187	266	298	275	164	101		
4	1	—	—	2	2	1	8	15	15	35	66	147	196	190	155	108	32	A	
4	3	1	1	1	1	2	15	15	39	57	82	155	226	263	242	150	94		
—	1	—	1	1	—	1	2	4	—	7	9	15	16	10	16	1	1	B	
1	—	1	—	1	3	—	5	1	4	5	5	11	12	11	6	8	3		
1	—	—	1	1	—	1	6	7	9	15	17	15	21	24	14	8	5	C	
4	1	—	2	1	—	3	5	6	3	5	13	21	28	24	27	6	4		
—	—	3	13	13	53	187	317	324	313	247	161	93	54	21	8	1	—	67	
—	—	3	2	9	22	30	65	85	83	62	46	23	16	11	7	2	2		
1	—	1	5	8	10	23	23	34	39	57	75	83	88	56	44	22	11	68	
—	—	—	11	14	17	39	58	67	82	64	77	91	104	67	45	20	16		

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
69	Epilepsy {	M 1,437	3	7	9	8	27	15	11	11	8
		F 1,315	5	—	1	6	12	6	6	11	7
70	Convulsions (non-puer- peral; 5 years and over). {	M 50	—	—	—	—	—	—	—	—	—
		F 51	—	—	—	—	—	—	—	—	—
	A. Epileptiform con- vulsions. {	M 17	—	—	—	—	—	—	—	—	—
		F 15	—	—	—	—	—	—	—	—	—
	B. Others included under 70. {	M 33	—	—	—	—	—	—	—	—	—
		F 36	—	—	—	—	—	—	—	—	—
71	Infantile convulsions { (under 5 years). {	M 5,056	1,774	995	749	847	4,365	535	95	37	24
		F 3,684	1,111	680	559	698	3,048	465	111	48	12
	A. Convulsions with teething. {	M 636	1	3	70	309	383	240	10	3	—
		F 546	—	4	59	267	330	191	23	2	—
	B. Other infantile con- vulsions. {	M 4,420	1,773	992	679	538	3,982	295	85	34	24
		F 3,138	1,111	676	500	431	2,718	274	88	46	12
72	Chorea {	M 38	—	—	—	—	—	—	—	1	3
		F 114	—	—	—	2	2	—	—	—	2
73	Hysteria, Neuralgia, { Neuritis. {	M 126	—	—	—	—	—	—	—	—	1
		F 348	—	—	—	—	—	—	—	1	—
	A. Hysteria, Neuralgia, { Sciatica. {	M 10	—	—	—	—	—	—	—	—	—
		F 35	—	—	—	—	—	—	—	—	—
	B. Neuritis {	M 116	—	—	—	—	—	—	—	—	1
		F 313	—	—	—	—	—	—	—	1	—
74	Other diseases of the nervous system. {	M 878	7	3	10	8	28	11	9	11	6
		F 956	6	2	8	20	36	18	15	4	9
	A. Idiocy, Imbecility {	M 101	—	—	—	3	3	5	2	1	3
		F 104	2	1	3	4	10	8	5	4	6
	B. Cretinism {	M 13	—	—	2	—	2	2	1	1	—
		F 27	—	—	—	2	2	3	3	—	—
	C. Cerebral tumour ... {	M 397	—	—	—	1	1	1	2	4	3
		F 375	—	—	1	1	2	1	2	—	3
	D. Other diseases in- cluded under 74. {	M 367	7	3	8	4	22	3	4	5	—
		F 450	4	1	4	13	22	6	5	—	—
75	Diseases of the eyes and annexa. {	M 24	—	1	2	—	3	1	1	1	—
		F 22	—	1	—	1	2	2	1	—	1
76	Diseases of the ears ... {	M 581	2	14	22	44	82	45	29	16	18
		F 446	4	6	24	33	67	29	24	17	21
	A. Mastoid disease ... {	M 146	—	3	3	5	11	14	8	7	5
		F 112	—	—	3	11	14	7	9	5	6
	B. Other diseases of the ears. {	M 435	2	11	19	39	71	31	21	9	13
		F 334	4	6	21	22	53	22	15	12	15
77	Pericarditis {	M 270	—	2	1	5	8	4	5	4	—
		F 211	1	1	2	5	9	4	4	2	3
78	Acute endocarditis ... {	M 787	—	—	2	1	3	2	—	7	9
		F 933	—	1	3	—	4	5	1	8	8
	A. Acute myocarditis {	M 106	—	—	1	—	1	1	—	—	—
		F 94	—	—	—	—	—	2	—	—	—
	B. Infective endocar- ditis. {	M 308	—	—	—	—	—	—	—	1	1
		F 316	—	—	1	—	1	—	—	3	3
	C. Other acute endo- carditis. {	M 373	—	—	1	1	2	1	—	6	8
		F 523	—	1	2	—	3	3	1	5	5

AT DIFFERENT AGE-PERIODS, 1912—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
72 42	45 38	67 32	106 94	109 81	116 116	112 110	122 121	94 96	88 96	91 104	88 91	102 93	76 74	71 68	48 35	19 18	11 6	}	69
— —	23 25	5 3	1 1	1 1	— 3	1 1	3 —	4 —	5 3	— 3	1 —	2 1	1 3	— 2	1 4	2 1	— —		
— — — —	— 2 23 23	— — 5 3	1 1 — —	1 1 — —	— 1 — 2	— — 1 1	2 — 1 —	4 — — —	5 2 — 1	— 2 — 1	1 — — —	2 — — 1	— 3 1 —	— 1 — 1	— 1 1 3	1 1 1 —	— — — —	}	A B
5,056 3,684	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
636 546 4,420 3,138	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	}	A B
4 4	11 25	6 36	6 19	1 7	1 5	1 3	— —	— 3	2 —	— 1	1 1	— 2	1 3	— 2	2 2	2 1	— —		
1 1	— —	— 2	— 4	— 9	3 14	5 21	14 28	10 49	18 59	17 38	16 38	12 22	13 19	7 20	7 11	3 8	— 5	}	73
— — 1 1	— — — —	— 1 — 1	— 4 — —	— 6 — 3	— 4 3 10	— — 5 21	1 1 13 27	— 1 10 48	— — 18 59	2 4 15 34	— 1 16 37	3 1 9 21	1 1 12 18	1 6 6 14	1 3 6 8	1 1 2 7	— — — 4		
65 82	42 49	27 33	46 37	29 31	39 41	47 51	53 71	57 50	70 62	69 74	79 76	68 70	67 81	57 67	38 39	13 30	12 12	}	74
14 33 6 8 11 8 34 33	16 12 — 4 23 28 3 5	6 7 1 1 16 14 4 11	12 7 2 2 29 23 3 5	5 5 1 2 18 18 5 6	7 6 1 3 20 26 11 6	8 3 — 1 31 35 8 12	5 5 — 2 32 44 16 20	4 5 1 — 40 30 12 15	8 5 — — 46 32 16 25	5 5 1 2 36 34 27 33	3 3 — 1 35 31 41 41	3 2 — — 28 25 37 42	2 — — — 19 17 46 64	3 3 — — 10 8 44 56	— 1 — — 3 1 35 37	— 1 — — — 1 13 28			
6 6	1 1	1 3	1 —	1 1	— —	2 —	1 2	1 —	2 1	— 1	— —	1 —	— 1	3 3	2 1	— —	2 2	}	75
190 158	70 67	55 56	78 37	48 30	31 16	33 10	16 13	12 18	15 14	7 7	5 5	3 5	4 4	6 2	3 2	5 2	— —		
45 41 145 117	21 14 49 53	21 14 34 42	22 12 56 25	5 8 43 22	8 5 23 11	7 1 26 9	4 4 12 9	5 3 7 15	2 2 13 12	1 2 6 5	2 2 3 3	— 2 3 3	2 1 2 3	— 1 6 1	— 3 2	1 4 2	— — — —	}	A B
21 22	17 19	28 38	18 18	11 8	8 6	12 12	21 17	19 12	21 8	18 4	21 12	16 8	16 10	15 4	7 9	1 3	— 1		
21 26	45 59	43 78	64 93	67 92	64 72	53 70	75 66	72 90	76 68	84 81	79 98	18 13	9 8	12 11	3 5	2 2	— 1	}	78
2 2 2 7 17 17	2 3 16 18 27 38	— 2 21 22 22 54	2 1 42 46 20 46	3 3 30 52 34 37	3 1 40 37 21 34	5 1 29 36 19 33	13 6 33 23 29 37	10 11 25 22 37 57	18 10 16 10 42 48	16 19 19 16 49 46	26 26 10 9 43 63	3 1 1 5 6 7	1 1 8 6 — 1	2 3 6 5 4 3	— 2 — 2 3 1	— 1 2 — — 1			

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
79	Organic disease of the heart.	M 22,139	—	—	—	3	3	12	9	16	12
		F 25,636	—	—	2	8	10	8	9	9	17
	A. Valvular disease ...	M 9,254	—	—	—	2	2	4	5	8	7
		F 11,004	—	—	2	3	5	4	1	2	11
	B. Fatty degeneration of the heart.	M 1,425	—	—	—	—	—	—	—	—	—
		F 1,743	—	—	—	—	—	—	—	—	—
	C. Other organic disease of the heart.	M 11,460	—	—	—	1	1	8	4	8	5
		F 12,889	—	—	—	5	5	4	8	7	6
80	Angina pectoris ...	M 738	—	—	—	—	—	—	—	—	—
		F 352	—	—	—	—	—	—	—	—	—
81	Dis. of the arteries, Atheroma, Aneurysm, &c.	M 4,186	—	—	—	—	—	1	—	—	—
		F 2,218	—	—	—	—	—	—	—	—	—
	A. Aneurysm ...	M 962	—	—	—	—	—	—	—	—	—
		F 184	—	—	—	—	—	—	—	—	—
	B. Arterial sclerosis ...	M 3,118	—	—	—	—	—	—	—	—	—
		F 1,983	—	—	—	—	—	—	—	—	—
	C. Other diseases of arteries.	M 106	—	—	—	—	—	1	—	—	—
		F 51	—	—	—	—	—	—	—	—	—
82	Embolism and thrombosis	M 1,178	5	3	—	2	10	1	3	—	—
		F 1,747	1	—	—	—	1	—	—	—	1
	A. Cerebral embolism and thrombosis.	M 1,050	—	—	—	2	2	1	1	—	—
		F 1,561	—	—	—	—	—	—	—	—	—
	B. Other embolism and thrombosis.	M 128	5	3	—	—	8	—	2	—	—
		F 186	1	—	—	—	1	—	—	—	1
83	Dis. of the veins (Varices, Hæmorrhoids, Phlebitis, &c.).	M 112	1	—	1	—	2	—	—	—	—
		F 216	—	—	—	—	—	1	—	—	—
	A. Phlebitis ...	M 67	1	—	1	—	2	—	—	—	—
		F 106	—	—	—	—	—	1	—	—	—
	B. Varix ...	M 43	—	—	—	—	—	—	—	—	—
		F 108	—	—	—	—	—	—	—	—	—
	C. Pylephlebitis ...	M 1	—	—	—	—	—	—	—	—	—
		F 2	—	—	—	—	—	—	—	—	—
	D. Varicocele ...	M 1	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—
84	Dis. of the lymphatic system (Lymphangitis, &c.)	M 143	15	16	28	14	73	10	5	5	3
		F 100	7	16	9	16	48	12	4	5	1
	A. Status lymphaticus	M 96	13	15	23	10	61	8	3	2	2
		F 59	7	15	7	11	40	4	3	2	1
	B. Other diseases of the lymphatic system.	M 47	2	1	5	4	12	2	2	3	1
		F 41	—	1	2	5	8	8	1	3	—
85	Hæmorrhage, other dis. of the circulatory system.	M 103	2	—	1	—	3	2	—	—	—
		F 95	—	—	—	1	1	1	1	—	1
	A. Functional disease of the heart.	M 64	—	—	—	—	—	—	—	—	—
		F 63	—	—	—	—	—	—	—	—	—
	B. Epistaxis ...	M 14	2	—	1	—	3	1	—	—	—
		F 11	—	—	—	1	1	—	1	—	1
	C. Other diseases included under 85.	M 25	—	—	—	—	—	1	—	—	—
		F 21	—	—	—	—	—	1	—	—	—
86	Diseases of the nasal fossæ.	M 40	2	3	5	1	11	2	1	2	—
		F 29	2	—	—	1	3	1	—	3	2

AT DIFFERENT AGE-PERIODS, 1912—continued.

AGES AT DEATH.																			International List Nos.	
Total under 6 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.			
52 53	149 215	275 398	390 426	326 401	367 481	461 585	715 838	935 1,093	1,243 1,426	1,706 1,796	2,218 2,297	2,886 2,978	3,384 3,590	3,320 3,988	2,256 2,839	1,006 1,521	450 711	} 79		
26 23	94 138	185 280	255 286	205 267	213 307	257 362	364 480	456 593	625 699	761 818	937 994	1,167 1,242	1,282 1,358	1,187 1,446	781 963	311 512	148 236			} A
—	2	—	1	—	13	15	45	63	77	144	171	222	231	215	146	55	25			
—	—	1	4	4	9	24	56	71	107	156	201	272	283	256	187	82	30	} C		
26 30	53 77	90 117	134 136	121 130	141 165	189 199	306 302	416 429	541 620	801 822	1,110 1,102	1,497 1,464	1,871 1,949	1,918 2,286	1,329 1,689	640 927	277 445			} 80
—	1	—	2	—	1	4	10	20	55	71	94	119	146	108	61	39	7			
—	—	1	1	—	3	4	7	17	16	32	30	47	51	65	45	25	8	} 81		
1 —	— —	1 —	3 —	3 3	13 2	44 15	105 12	166 21	244 40	297 70	375 151	485 235	633 318	729 432	578 404	328 294	181 221			} 81
—	—	1	2	3	8	37	86	134	167	157	119	101	72	45	21	6	3			
—	—	—	—	1	2	10	9	10	16	23	27	24	22	20	13	3	4	} B		
—	—	—	—	—	5	5	17	25	70	130	236	370	546	673	547	318	176			} C
—	—	—	—	2	—	4	2	9	20	44	121	203	291	399	385	286	217			
1 —	— —	— —	1 —	— —	— —	2 1	2 1	7 2	7 4	10 3	20 3	14 8	15 5	11 13	10 6	4 5	2 —	} 82		
14 2	2 2	1 7	7 10	8 17	14 25	16 31	22 41	26 65	31 77	63 89	99 119	145 144	160 218	204 274	191 277	112 206	63 143			} 82
4 —	— 2	1 5	1 8	7 10	11 14	13 21	17 25	21 49	28 68	54 75	85 103	126 133	146 201	191 255	178 265	106 192	61 135			
10 2	2 —	— 2	6 2	1 7	3 11	3 10	5 16	5 16	3 9	9 14	14 16	19 11	14 17	13 19	13 12	6 14	2 8	} B		
2 1	— 1	— 1	1 1	2 2	1 5	5 10	3 15	6 15	9 28	8 17	12 17	23 31	14 32	10 16	13 13	2 9	1 2			} 83
2 1	— 1	— 1	1 1	— 1	1 2	1 6	1 7	3 6	5 18	5 8	7 7	14 15	10 14	9 7	6 5	1 4	1 2			
—	—	—	—	1	—	4	2	3	4	3	5	9	4	1	6	1	—	} B		
—	—	—	—	1	3	4	8	9	9	9	9	16	18	9	8	5	—			} C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	} 84		
96 70	14 .5	10 3	4 2	2 —	1 2	2 1	2 1	2 —	2 1	1 2	1 2	3 4	1 3	— 2	2 1	— 1	— —			} 84
76 50	9 4	5 2	3 2	1 —	1 1	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
20 20	5 1	5 1	1 —	1 —	— 1	2 1	1 1	2 —	2 1	1 2	1 2	3 4	1 3	— 2	2 1	— 1	— —	} B		
5 4	1 —	— —	1 1	1 3	4 3	4 3	3 1	6 4	7 3	6 6	10 5	10 15	18 19	8 11	10 7	6 8	3 2			} 85
—	1	—	—	1	1	4	1	3	4	3	6	6	12	7	8	5	2			
—	—	—	1	1	1	3	—	2	2	4	4	12	15	6	5	5	2	} B		
4 3	— —	— —	— —	— 1	1 —	— —	— —	1 —	— —	— —	1 —	2 1	2 1	1 1	1 1	— 3	1 —			} C
1 1	— —	— —	1 —	— 1	2 2	— —	2 1	2 2	3 1	3 2	3 1	2 2	4 3	— 4	1 1	1 —	— —			
16 9	4 2	4 6	2 1	2 2	2 1	— —	3 —	— 1	3 1	— 1	1 —	2 2	1 1	— —	— 2	— —	— —	} 86		

International List Nos.	Causes of Death.	AGES AT DEATH.										
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-	
87	Diseases of the larynx ... {	M	626	18	19	29	88	154	106	73	72	47
		F	415	19	11	14	34	78	63	44	56	47
	A. Laryngismus strid- ulus. {	M	129	13	8	16	29	66	24	14	10	4
		F	53	9	2	5	7	23	8	7	4	7
	B. Laryngitis ... {	M	482	5	10	13	59	87	81	59	61	41
		F	351	9	9	9	27	54	54	37	51	40
C. Other diseases of larynx. {	M	15	—	1	—	—	1	1	—	1	2	
	F	11	1	—	—	—	1	1	—	1	—	
88	Diseases of the thyroid body. {	M	47	—	—	—	—	—	—	—	—	1
		F	207	—	—	—	—	—	—	1	—	—
89 & 90.	Bronchitis ... {	M	19,294	497	1,136	974	1,300	3,907	908	242	102	51
		F	20,439	347	822	709	1,126	3,004	918	231	98	57
	A. Bronchiectasis, Bron- chial catarrh, &c. {	M	365	15	27	15	16	73	10	1	1	1
		F	294	15	16	6	21	58	9	2	—	—
	B. Other bronchitis ... {	M	18,929	482	1,109	959	1,284	3,834	898	241	101	50
		F	20,145	332	806	703	1,105	2,946	909	229	98	57
91	Broncho-pneumonia ... {	M	9,059	180	705	863	2,062	3,810	2,193	670	301	167
		F	8,314	152	499	668	1,680	2,999	1,937	715	340	188
92	Pneumonia, lobar and undefined. {	M	12,286	80	177	243	629	1,129	709	330	173	136
		F	7,689	51	116	163	444	774	596	282	158	140
	A. Lobar pneumonia... {	M	4,991	12	25	41	145	223	212	113	63	52
		F	2,952	8	22	36	89	155	154	88	53	60
	B. Pneumonia (type not stated). {	M	7,295	68	152	202	484	906	497	217	110	84
		F	4,737	43	94	127	355	619	442	194	105	80
93	Pleurisy ... {	M	871	3	3	2	16	24	46	24	18	13
		F	589	3	4	6	7	20	26	21	15	11
	A. Empyema ... {	M	273	—	1	—	14	15	36	20	16	9
		F	130	—	1	2	4	7	20	17	9	8
	B. Other pleurisy ... {	M	598	3	2	2	2	9	10	4	2	4
		F	459	3	3	4	3	13	6	4	6	3
94	Pulmonary congestion, Pulmonary apoplexy. {	M	881	30	32	27	43	132	25	12	7	9
		F	938	20	16	21	40	97	24	19	5	4
	A. Pulmonary apop- lexy & infarction. {	M	19	1	—	—	1	2	—	—	—	—
		F	11	—	—	—	—	—	—	—	—	—
	B. Pulmonary oedema and congestion. {	M	753	29	32	26	40	127	24	12	7	9
		F	800	20	16	21	39	96	23	19	5	4
	C. Hypostatic pneu- monia. {	M	106	—	—	1	—	1	—	—	—	—
		F	125	—	—	—	—	—	1	—	—	—
	D. Collapse of lung (3 months & over). {	M	3	—	—	—	2	2	1	—	—	—
		F	2	—	—	—	1	1	—	—	—	—
95	Gangrene of the lung ... {	M	66	—	—	—	—	—	—	—	—	—
		F	28	—	—	—	—	—	—	—	—	—
96	Asthma ... {	M	918	—	2	1	2	5	3	1	—	—
		F	706	—	—	—	—	—	2	—	—	—
97	Pulmonary emphysema {	M	301	—	—	1	—	1	—	—	—	—
		F	129	—	—	—	—	—	1	1	—	—
98	Other diseases of the respiratory system. {	M	437	1	1	9	1	12	3	3	4	—
		F	185	—	—	4	5	9	2	1	2	1
	A. Fibroid disease of lung. {	M	244	—	—	—	—	—	—	—	—	—
		F	81	—	—	—	—	—	—	—	1	—
	B. Other diseases in- cluded under 98. {	M	193	1	1	9	1	12	3	3	4	—
		F	104	—	—	4	5	9	2	1	1	1

International List Nos.	Causes of Death.	AGES AT DEATH.										
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-	
99	Diseases of the mouth and annexa.	M	236	45	28	12	5	90	17	7	5	4
		F	207	39	25	9	17	90	16	3	1	5
	A. Diseases of the teeth and gums.	M	140	6	3	4	2	15	8	7	5	4
		F	112	4	4	2	9	19	12	2	1	4
	B. Thrush, Aphthous stomatitis.	M	75	37	23	8	3	71	4	—	—	—
		F	74	33	21	7	7	68	4	—	—	—
	C. Parotitis ...	M	8	1	1	—	—	2	—	—	—	—
		F	12	—	—	—	—	—	—	—	—	—
	D. Other diseases of mouth and annexa.	M	13	1	1	—	—	2	5	—	—	—
		F	9	2	—	—	1	3	—	1	—	1
100	Diseases of the pharynx, Tonsillitis.	M	258	6	5	2	13	26	16	11	19	24
		F	257	5	3	6	8	22	13	10	19	18
	A. Tonsillitis ...	M	187	2	3	1	6	12	12	5	17	19
		F	191	—	—	5	5	10	7	8	14	15
	B. Ludwig's angina ...	M	17	—	—	—	—	—	2	1	—	1
		F	4	—	—	—	—	—	—	—	—	—
	C. Other diseases of the pharynx.	M	54	4	2	1	7	14	2	5	2	4
		F	62	5	3	1	3	12	6	2	5	3
	Diseases of the œsophagus	M	37	—	—	—	—	—	—	—	—	—
		F	30	—	—	—	—	—	—	—	—	—
102	Perforating ulcer of stomach.	M	873	2	—	—	1	3	1	—	—	—
		F	973	1	—	—	—	1	—	2	—	—
103	Other diseases of the stomach.	M	1,799	123	314	200	145	782	68	27	20	7
		F	1,718	81	162	131	103	477	64	34	26	10
	A. Inflammation of stomach.	M	1,434	114	286	185	131	716	68	21	19	6
		F	1,405	68	145	119	98	430	59	31	25	8
	B. Other diseases in- cluded under 103.	M	365	9	28	15	14	66	—	6	1	1
		F	313	13	17	12	5	47	5	3	1	2
104 & 105	Diarrhœa and enteritis ...	M	6,403	440	1,114	1,222	1,169	3,945	668	141	71	30
		F	5,152	200	704	898	987	2,789	610	131	63	45
	A. Infective enteritis...	M	1,374	54	249	359	369	1,031	206	38	20	9
		F	1,139	31	175	253	320	779	186	31	14	16
	B. Diarrhœa—not re- turned as infective.	M	1,329	104	229	265	270	868	144	42	11	2
		F	1,208	42	171	201	232	646	151	35	12	7
	C. Enteritis—not re- turned as infective.	M	1,458	127	293	251	221	892	144	29	19	12
		F	1,241	64	149	217	174	604	118	25	17	10
	D. Gastro-enteritis—not returned as infective.	M	1,425	111	291	316	291	1,009	168	30	20	7
		F	1,161	47	178	195	246	666	149	40	20	11
	E. Dyspepsia—under 2 years.	M	122	31	44	29	15	119	3	—	—	—
		F	83	9	26	30	14	79	4	—	—	—
	F. Colic ...	M	44	11	6	2	1	20	1	1	1	—
		F	27	6	4	1	—	11	—	—	—	—
	G. Ulceration of in- testines.	M	148	2	1	—	2	5	2	1	—	—
		F	173	1	1	1	1	4	2	—	—	1
	H. Duodenal ulcer ...	M	503	—	1	—	—	1	—	—	—	—
		F	120	—	—	—	—	—	—	—	—	—
106	Ankylostomiasis...	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites	M	4	—	—	—	1	1	1	2	—	—
		F	12	—	—	—	—	—	2	3	2	—
108	Appendicitis ...	M	1,323	—	1	1	1	3	4	12	19	20
		F	1,034	—	3	2	3	8	2	8	9	19

DIFFERENT AGE-PERIODS, 1912—continued.

AGES AT DEATH.																			International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.			
123 115	4 3	2 4	8 6	6 12	8 7	9 10	9 4	8 5	5 9	9 5	10 3	8 5	13 3	4 5	6 5	2 4	2 2	} 99	
39 38	4 3	2 4	8 6	5 12	7 7	8 9	9 3	7 5	5 8	8 4	10 3	6 4	10 3	3 1	6 2	2 —	1 —		} A
75 72	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} B	
2	—	—	—	1	—	—	—	—	—	1	—	1	1	1	1	3	1		} C
7 5	—	—	—	—	1	1	—	1	—	—	—	1	2	—	1	—	—	} D	
96 82	39 59	17 14	17 12	9 7	14 12	4 9	14 9	7 8	6 10	8 6	5 5	8 9	9 2	2 6	2 5	— 2	1 —		} 100
65 54	33 52	13 12	13 11	7 1	8 11	1 7	11 8	5 6	4 4	5 4	5 4	6 6	8 2	1 5	2 3	— 1	—	} A	
4	1	1	1	—	4	1	1	1	1	—	—	—	—	—	—	—	—		} B
27 28	5 7	3 2	3 1	2 6	2 —	2 2	2 —	1 2	1 5	2 2	— 1	2 2	1 —	— 1	— 2	— 1	1 —	} C	
—	—	1	—	—	1	—	1	2	4	7	2	3	8	5	1	1	1		} 101
—	—	—	—	—	2	—	2	1	3	2	2	4	3	5	4	1	1	} 102	
4 3	1 4	4 9	12 67	36 94	48 74	86 103	85 115	96 104	100 95	101 80	93 61	89 57	58 42	36 39	16 15	4 5	4 6		} 103
904 611	38 48	16 14	8 13	13 13	10 20	25 22	39 30	42 47	53 53	66 57	77 90	91 113	107 116	125 157	90 153	63 95	32 66	} A	
830 553	27 38	12 9	6 9	8 10	7 11	14 18	21 18	28 41	32 36	45 41	44 74	60 84	78 84	83 132	70 120	44 79	25 48		} B
74 58	11 10	4 5	2 4	5 3	3 9	11 4	18 12	14 6	21 17	33 16	31 16	29 29	31 32	42 25	20 33	19 16	7 18	} 104 & 105	
4,855 3,638	74 92	41 27	29 32	38 32	69 46	72 79	98 56	88 60	117 85	138 79	134 92	140 137	130 152	141 204	124 174	73 109	42 58		} A
1,304 1,026	13 19	6 5	3 1	2 3	1 3	2 6	2 1	3 6	5 4	5 7	2 8	8 11	3 9	7 17	4 7	2 4	2 2	} B	
1,067 851	14 19	8 2	1 2	2 4	1 5	2 7	4 5	4 4	8 4	13 9	6 15	18 21	30 37	49 71	42 73	38 45	22 33		} C
1,096 774	17 28	12 9	6 9	8 10	14 11	7 22	7 16	14 21	19 30	21 25	42 29	29 48	42 56	41 59	40 53	20 31	8 10	} D	
1,234 886	28 22	11 6	2 4	3 3	— 8	2 11	7 10	9 9	11 17	18 15	16 23	25 28	19 25	16 39	14 26	7 21	3 8		} E
122 83	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} F	
23 11	—	—	1	—	1	—	—	1	—	—	2	7	2	3	1	2	1		} G
8 7	—	3	5	6	7	12	18	8	11	19	13	8	11	10	7	1	1	} H	
1 —	2 1	5 —	7 9	8 2	15 4	22 11	16 8	10 8	15 15	13 10	8 9	12 17	14 9	8 7	6 7	3 2	2 1		} 106
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 107	
4 7	— 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		} 108
58 46	142 148	196 126	162 112	130 100	102 65	78 72	68 42	60 63	82 48	61 44	68 42	38 32	36 25	24 35	13 24	4 6	1 4		

[illegible]

AT DIFFERENT AGE-PERIODS, 1912—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
433 187	38 23	22 20	41 14	40 22	33 26	45 37	47 68	61 92	95 115	108 160	131 204	148 194	197 243	195 245	155 208	85 127	48 64	} 109	
91 14	1 —	2 1	10 3	12 1	8 2	13 9	15 26	26 49	40 55	41 100	58 107	69 102	91 121	98 99	72 68	42 30	21 16		
342 173	37 23	20 19	31 11	28 21	25 24	32 28	32 42	35 43	55 60	67 60	73 97	79 92	106 122	97 146	83 140	43 97	27 48	} B	
33 37	5 8	3 1	3 3	6 2	6 4	11 5	3 9	10 8	14 14	14 12	18 18	27 9	29 19	18 19	15 16	8 29	6 8		
3 —	1 2	— 2	1 3	2 4	2 7	— 3	1 5	1 4	1 2	— 2	1 —	1 3	1 2	1 —	— 1	— —	— —	} 111	
— —	1 —	— 1	— 1	— —	1 1	3 2	2 1	3 2	— —	1 —	3 —	1 2	1 —	1 —	1 —	— —	— —		
7 3	3 4	3 3	3 3	4 5	11 11	39 33	97 101	185 175	291 231	319 260	349 257	306 208	249 149	125 131	69 65	25 17	7 5	} 113	
7 3	3 4	3 3	3 3	3 4	10 7	35 26	80 79	164 145	263 203	289 241	323 233	279 193	233 131	113 126	59 62	24 13	7 4		
— —	— —	— —	— —	— 1	1 2	2 6	13 18	18 26	24 24	24 16	20 19	17 6	14 11	8 3	4 1	— 1	— 1	} B	
— —	— —	— —	— —	1 —	— 2	2 1	4 4	3 4	4 4	6 3	6 5	10 9	2 7	4 2	6 2	1 3	— —		
1 1	— —	— —	1 1	1 1	1 3	3 9	8 13	8 18	13 31	24 41	31 95	31 80	46 95	34 78	21 56	7 25	1 17	} 114	
24 25	5 7	4 5	1 7	5 2	12 6	12 7	22 14	34 11	23 30	33 29	42 51	41 49	39 56	40 54	17 60	24 32	13 18		
1 1	2 —	— 2	— —	1 1	1 —	1 1	1 5	— —	2 2	2 —	— 1	1 4	2 2	— 3	— 1	— —	— 1	} 116	
— 1	— 2	— —	— —	— 1	— 1	— 1	— 1	— —	— 2	— 2	— —	— —	— 2	— 2	— 1	— —	— —		
1 1	2 —	— 2	— —	1 1	1 —	1 1	1 5	— —	2 2	2 —	— 1	— 4	2 2	— 2	— 1	— —	— 1	} B	
38 51	16 46	16 14	8 14	5 7	9 18	11 9	8 13	8 12	8 14	19 12	13 13	12 6	11 13	8 10	4 6	2 1	1 3		
4 4	2 —	— —	3 1	3 3	5 8	10 5	6 8	11 5	16 10	10 14	13 5	13 16	5 13	7 4	4 4	— —	1 1	} 118	
2 1	1 —	— —	1 —	1 —	4 3	— —	2 1	2 1	3 3	2 2	— 1	2 1	— 4	— —	— —	— —	— —		
2 3	1 —	— —	2 1	2 3	1 5	10 5	4 7	9 4	13 7	8 12	13 4	11 15	5 9	7 4	4 4	— —	1 1	} B	
183 168	79 69	49 37	44 34	61 38	56 37	55 39	57 69	77 53	67 61	63 57	78 67	69 44	44 42	33 27	18 12	6 8	5 3		
29 21	39 23	57 62	76 77	81 100	123 120	201 181	290 314	394 390	553 487	748 540	772 668	940 738	938 726	809 721	443 441	188 208	90 95	} 120	
26 19	34 22	42 45	55 62	62 73	114 96	173 147	237 262	332 332	476 426	645 479	689 589	826 652	831 656	726 641	389 396	154 177	75 82		
3 2	5 1	15 17	21 15	19 27	9 24	28 34	53 52	62 58	77 61	103 61	83 79	114 86	107 70	83 80	54 45	34 31	15 13	} B	
— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

International List Nos.	Causes of Death.		AGES AT DEATH.									
			All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-
122	Other diseases of the kidney and annexa.	<div><div>M</div><div>F</div></div>	<div>266</div> <div>243</div>	<div>1</div> <div>—</div>	<div>1</div> <div>2</div>	<div>2</div> <div>2</div>	<div>2</div> <div>2</div>	<div>6</div> <div>6</div>	<div>1</div> <div>3</div>	<div>1</div> <div>—</div>	<div>1</div> <div>1</div>	<div>—</div> <div>—</div>
	A. Abscess of kidney ...	<div><div>M</div><div>F</div></div>	<div>33</div> <div>19</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>1</div> <div>1</div>	<div>—</div> <div>—</div>	<div>1</div> <div>1</div>	<div>—</div> <div>1</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>
	B. Cystic disease ...	<div><div>M</div><div>F</div></div>	<div>11</div> <div>26</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>
	C. Suppression of urine	<div><div>M</div><div>F</div></div>	<div>7</div> <div>8</div>	<div>1</div> <div>—</div>	<div>—</div> <div>1</div>	<div>1</div> <div>—</div>	<div>—</div> <div>—</div>	<div>2</div> <div>1</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>
	D. Other diseases included under 122	<div><div>M</div><div>F</div></div>	<div>215</div> <div>190</div>	<div>—</div> <div>—</div>	<div>1</div> <div>1</div>	<div>—</div> <div>1</div>	<div>2</div> <div>2</div>	<div>3</div> <div>4</div>	<div>1</div> <div>2</div>	<div>1</div> <div>—</div>	<div>1</div> <div>1</div>	<div>—</div> <div>—</div>
123	Calculi of the urinary passages.	<div><div>M</div><div>F</div></div>	<div>181</div> <div>89</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>1</div> <div>—</div>	<div>1</div> <div>—</div>
124	Diseases of the bladder ...	<div><div>M</div><div>F</div></div>	<div>997</div> <div>246</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>1</div> <div>—</div>	<div>—</div> <div>—</div>	<div>1</div> <div>—</div>	<div>1</div> <div>—</div>	<div>—</div> <div>2</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>
125	Diseases of the urethra, Urinary abscess, &c.	<div><div>M</div><div>F</div></div>	<div>355</div> <div>6</div>	<div>1</div> <div>—</div>	<div>1</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>2</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>
	A. Perineal abscess ...	<div><div>M</div><div>F</div></div>	<div>27</div> <div>—</div>	<div>—</div> <div>—</div>	<div>1</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>1</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>
	B. Other diseases of urethra, &c.	<div><div>M</div><div>F</div></div>	<div>328</div> <div>6</div>	<div>1</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>1</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>
126	Diseases of the prostate...	<div><div>M</div><div>F</div></div>	<div>1,376</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>
127	Non-venereal diseases of male genital organs.	<div><div>M</div><div>F</div></div>	<div>32</div> <div>—</div>	<div>4</div> <div>—</div>	<div>7</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>11</div> <div>—</div>	<div>1</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>
128	Uterine hæmorrhage (non-puerperal).	<div><div>M</div><div>F</div></div>	<div>—</div> <div>12</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>
	A. Menorrhagia....	<div><div>M</div><div>F</div></div>	<div>—</div> <div>4</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>
	B. Other uterine hæmorrhage.	<div><div>M</div><div>F</div></div>	<div>—</div> <div>8</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>
129	Uterine tumour (non-cancerous).	<div><div>M</div><div>F</div></div>	<div>—</div> <div>326</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>
130	Other diseases of the uterus.	<div><div>M</div><div>F</div></div>	<div>—</div> <div>152</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>
	A. Disorders of menstruation (except menorrhagia).	<div><div>M</div><div>F</div></div>	<div>—</div> <div>17</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>
	B. Other diseases included under 130.	<div><div>M</div><div>F</div></div>	<div>—</div> <div>135</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>
131	Ovarian cyst, tumour (non-cancerous).	<div><div>M</div><div>F</div></div>	<div>—</div> <div>288</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>
132	Other diseases of the female genital organs.	<div><div>M</div><div>F</div></div>	<div>—</div> <div>196</div>	<div>—</div> <div>2</div>	<div>—</div> <div>1</div>	<div>—</div> <div>2</div>	<div>—</div> <div>1</div>	<div>—</div> <div>6</div>	<div>—</div> <div>2</div>	<div>—</div> <div>—</div>	<div>—</div> <div>1</div>	<div>—</div> <div>—</div>
	A. Diseases of ovary (excluding ovarian tumour).	<div><div>M</div><div>F</div></div>	<div>—</div> <div>12</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>
	B. Other diseases included under 132.	<div><div>M</div><div>F</div></div>	<div>—</div> <div>184</div>	<div>—</div> <div>2</div>	<div>—</div> <div>1</div>	<div>—</div> <div>2</div>	<div>—</div> <div>1</div>	<div>—</div> <div>6</div>	<div>—</div> <div>2</div>	<div>—</div> <div>—</div>	<div>—</div> <div>1</div>	<div>—</div> <div>—</div>
133	Non-puerperal diseases of the breast (non-cancerous).	<div><div>M</div><div>F</div></div>	<div>2</div> <div>20</div>	<div>1</div> <div>5</div>	<div>1</div> <div>5</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>2</div> <div>10</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>	<div>—</div> <div>—</div>

AT DIFFERENT AGE-PERIODS, 1912—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
9 10	3 3	2 2	4 6	4 10	7 11	13 13	22 23	20 21	24 16	27 20	20 27	24 22	29 26	21 13	16 10	12 5	9 5	} 122
1 2	— 1	— 1	— —	1 1	2 —	2 1	5 1	4 2	5 2	3 1	4 2	4 1	— 3	1 1	— —	1 —	— —	
— —	— 1	— —	— —	— 3	— 2	— —	— 3	5 2	— 3	3 1	— 4	1 3	2 1	— —	— 3	— —	— —	} A
2 1	— —	— —	— —	1 —	— —	— —	1 —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	2 1	
6 7	3 1	2 1	4 6	2 6	5 9	11 12	16 19	11 17	19 10	20 17	16 21	19 17	27 21	20 11	16 6	11 5	7 4	} D
2 —	4 —	8 1	4 3	2 1	10 5	9 10	6 5	7 9	14 10	15 9	19 6	18 12	24 7	21 3	10 5	6 3	2 —	
2 2	— —	2 1	3 —	2 3	8 2	11 4	17 9	19 7	30 13	33 11	46 10	102 21	156 32	193 35	175 47	123 25	75 24	} 124
2 —	— —	— —	— —	2 1	4 —	7 1	15 1	28 1	40 —	40 —	61 —	49 1	51 —	32 1	13 —	8 —	3 —	
1 —	— —	— —	— —	— —	— —	— —	— —	1 —	3 —	2 —	4 —	5 —	5 —	1 —	4 —	— —	1 —	} A
1 —	— —	— —	— —	2 1	4 —	7 1	15 1	27 1	37 —	38 —	57 —	44 1	46 —	31 1	9 —	8 —	2 —	
— —	— —	— —	— —	— —	1 —	1 —	— —	4 —	3 —	19 —	55 —	120 —	231 —	329 —	317 —	207 —	89 —	} 126
12 —	— —	— —	1 —	— —	1 —	— —	1 —	1 —	2 —	4 —	1 —	3 —	1 —	4 —	— —	1 —	— —	
— —	— —	— —	— —	— —	— —	— —	1 —	3 —	6 —	— —	— —	— —	1 —	— —	— —	1 —	— —	} 128
— —	— —	— —	— —	— —	— —	— —	— 1	— —	3 —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— 1	— —	3 —	— —	— —	— —	— —	— —	— —	— —	— —	} A
— —	— —	— —	— —	— —	— —	— —	— —	— 3	3 —	— —	— —	— —	— —	— —	— —	1 —	— —	
— —	— —	— —	— —	— —	2 —	10 —	40 —	58 —	69 —	50 —	17 —	23 —	26 —	18 —	6 —	4 —	3 —	} 129
— —	— —	1 —	1 —	11 —	13 —	16 —	22 —	18 —	20 —	15 —	4 —	7 —	4 —	12 —	3 —	3 —	2 —	
— —	— —	— 1	— —	— —	— —	— —	— 1	4 —	8 —	3 —	— —	— —	— —	— —	— —	— —	— —	} A
— —	— —	— —	1 —	11 —	13 —	16 —	21 —	14 —	12 —	12 —	4 —	7 —	4 —	12 —	3 —	3 —	2 —	
— —	— —	— —	6 —	6 —	12 —	16 —	12 —	23 —	31 —	31 —	19 —	28 —	31 —	30 —	22 —	13 —	8 —	} 131
9 —	— —	1 —	8 —	15 —	29 —	31 —	39 —	29 —	18 —	6 —	8 —	— —	2 —	1 —	— —	— —	— —	
— —	— —	— —	— 2	— 1	— 1	— 3	— —	— —	— 2	— 1	— —	— —	— 1	— 1	— —	— —	— —	} A
9 —	— —	1 —	6 —	14 —	28 —	28 —	39 —	29 —	16 —	5 —	8 —	— —	1 —	— —	— —	— —	— —	
2 10	— —	— —	— —	1 —	— —	— 2	— 2	— —	— —	— —	— —	— —	— 2	— 1	— —	— 2	— —	} 133

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
134	Accidents of pregnancy { M F	— 329	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Abortion { M F	— 119	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Hæmorrhage of pregnancy. { M F	— 88	— —	— —	— —	— —	— —	— —	— —	— —	— —
	C. Uncontrollable vomiting. { M F	— 33	— —	— —	— —	— —	— —	— —	— —	— —	— —
	D. Ectopic gestation ... { M F	— 73	— —	— —	— —	— —	— —	— —	— —	— —	— —
	E. Other accidents of pregnancy. { M F	— 16	— —	— —	— —	— —	— —	— —	— —	— —	— —
135	Puerperal hæmorrhage ... { M F	— 522	— —	— —	— —	— —	— —	— —	— —	— —	— —
136	Other accidents of child-birth. { M F	— 378	— —	— —	— —	— —	— —	— —	— —	— —	— —
137	Puerperal fever... .. { M F	— 1,216	— —	— —	— —	— —	— —	— —	— —	— —	— —
138	Puerperal albuminuria and convulsions. { M F	— 629	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Puerperal nephritis and uræmia. { M F	— 131	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Puerperal albuminuria and Bright's disease. { M F	— 41	— —	— —	— —	— —	— —	— —	— —	— —	— —
	C. Puerperal convulsions. { M F	— 457	— —	— —	— —	— —	— —	— —	— —	— —	— —
139	Puerperal phlegmasia alba dolens, embolism and sudden death. { M F	— 362	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Puerperal phlegmasia alba dolens and phlebitis. { M F	— 64	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Puerperal embolism and sudden death. { M F	— 298	— —	— —	— —	— —	— —	— —	— —	— —	— —
140	Puerperal insanity ... { M F	— 30	— —	— —	— —	— —	— —	— —	— —	— —	— —
141	Puerperal diseases of the breast. { M F	— 7	— —	— —	— —	— —	— —	— —	— —	— —	— —
142	Gangrene { M F	799 678	2 4	2 2	— 1	1 1	5 8	4 10	8 10	3 9	— 1
	A. Senile gangrene ... { M F	703 577	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Noma, Gangrene of mouth. { M F	35 51	1 1	— 1	— 1	1 1	2 4	3 9	8 10	3 8	— 1
	C. Noma pudendi ... { M F	23 3	— —	1 —	— —	— —	1 —	— 1	— —	1 —	— —
	D. Other gangrene ... { M F	38 47	1 3	1 1	— —	— —	2 4	1 —	— —	— —	— —
143	Carbuncle, Boil { M F	182 70	4 —	— 1	— 1	2 1	6 3	2 —	— —	1 —	— —

AT DIFFERENT AGE-PERIODS, 1912—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	134
—	—	—	4	32	61	77	108	40	6	1	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	1	10	27	22	44	13	2	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	—	2	5	11	21	33	15	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
—	—	—	1	8	7	5	6	5	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	D
—	—	—	—	7	15	25	18	7	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	E
—	—	—	—	2	1	4	7	—	1	1	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	135
—	—	—	7	38	92	141	150	79	14	1	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	136
—	—	—	10	45	82	83	98	50	10	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	137
—	—	—	31	221	323	315	225	93	8	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	138
—	—	—	55	114	159	139	103	55	4	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	6	14	41	31	21	16	2	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	—	1	3	12	16	6	3	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
—	—	—	48	97	106	92	76	36	2	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	139
—	—	—	11	38	79	82	105	42	5	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	1	9	10	21	15	7	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	—	10	29	69	61	90	35	4	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	140
—	—	—	—	4	7	10	9	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141
—	—	—	—	3	1	1	1	1	—	—	—	—	—	—	—	—	—	
20	7	2	3	2	3	1	—	3	3	10	19	48	95	186	165	145	87	142
38	5	—	1	2	—	3	3	5	15	6	19	43	77	136	134	.93	98	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
16	7	2	2	1	1	—	—	—	2	2	—	41	88	178	162	143	86	B
32	4	—	1	1	—	1	1	2	2	—	5	40	74	134	133	91	96	
1	—	—	—	—	—	1	—	—	1	2	3	1	1	—	—	1	—	C
2	—	—	—	—	—	—	—	—	—	—	—	—	5	5	3	1	1	
3	—	—	1	1	2	—	—	—	—	6	11	6	1	3	—	1	—	D
4	1	—	—	1	—	2	2	3	11	5	10	1	2	2	—	1	2	
9	—	3	6	5	7	9	10	11	13	15	17	18	25	13	10	9	2	143
3	—	3	3	1	—	4	3	6	5	6	6	9	7	7	2	3	2	

ENGLAND AND WALES.—CAUSES OF DEATH.

International List Nos.	Causes of Death.		AGES AT DEATH.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
144	Phlegmon, Acute abscess	M	356	22	21	8	17	68	16	4	6	—
		F	278	24	13	8	21	66	16	3	2	3
	A. Phlegmon ...	M	249	14	10	3	7	34	10	2	3	—
		F	183	14	10	2	12	38	12	2	1	2
	B. Acute Abscess ...	M	107	8	11	5	10	34	6	2	3	—
		F	95	10	3	6	9	28	4	1	1	1
145	Diseases of the integu- mentary system.	M	465	109	61	22	32	224	17	2	1	—
		F	547	66	33	21	12	132	13	4	2	1
	A. Ulcer, Bedsore ...	M	144	6	2	—	—	8	1	—	—	—
		F	282	3	1	1	—	5	—	—	—	1
	B. Eczema ...	M	152	32	38	18	26	114	10	1	—	—
		F	93	19	17	16	9	61	6	1	1	—
	C. Pemphigus...	M	68	38	6	1	3	48	3	—	—	—
		F	52	27	5	—	—	32	—	—	—	—
	D. Other dis. of the in- tegumentary sys.	M	101	33	15	3	3	54	3	1	1	—
		F	120	17	10	4	3	34	7	3	1	—
146	Diseases of the bones ...	M	323	3	8	4	7	22	9	10	15	10
		F	177	2	5	1	3	11	7	2	7	4
147	Diseases of the joints ...	M	62	—	1	—	2	3	1	2	1	1
		F	62	—	—	—	4	4	3	—	1	2
148	Amputations ...	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
149	Other diseases of loco- motor system.	M	26	—	—	1	—	1	—	1	—	1
		F	17	—	—	—	—	—	—	—	—	—
150	Congenital malformations	M	2,013	1,111	384	156	124	1,775	76	30	16	8
		F	1,569	923	238	140	85	1,386	61	28	10	9
	A. Congenital hydro- cephalus.	M	182	30	27	21	42	120	25	9	6	5
		F	116	34	13	14	17	78	12	10	3	2
	B. Phimosis ...	M	22	11	2	4	1	18	—	1	2	—
		F	—	—	—	—	—	—	—	—	—	—
	C. Congenital malfor- mation of heart.	M	820	477	129	54	37	697	29	15	7	3
		F	593	358	64	47	33	502	23	9	5	3
	D. Other congenital malformations.	M	989	593	226	77	44	940	22	5	1	—
		F	860	531	161	79	35	806	26	9	2	4
151	Premature birth, Infantile debility, Icterus and Sclerema.	M	16,224	12,306	2,398	950	570	16,224	—	—	—	—
		F	12,119	9,215	1,653	776	475	12,119	—	—	—	—
	A. Premature birth ...	M	9,670	8,836	733	81	20	9,670	—	—	—	—
		F	7,449	6,801	550	78	20	7,449	—	—	—	—
	B. Infant atrophy, debi- lity and marasmus.	M	5,963	3,048	1,545	833	537	5,963	—	—	—	—
		F	4,318	2,166	1,037	673	442	4,318	—	—	—	—
	C. Icterus neonatorum	M	441	381	53	5	2	441	—	—	—	—
		F	269	222	38	7	2	269	—	—	—	—
	D. Sclerema and œdema neonatorum.	M	21	16	4	1	—	21	—	—	—	—
		F	8	7	—	1	—	8	—	—	—	—
	E. Want of breast milk	M	129	25	63	30	11	129	—	—	—	—
		F	75	19	28	17	11	75	—	—	—	—
152	Other diseases peculiar to early infancy.	M	1,647	1,547	99	—	1	1,647	—	—	—	—
		F	1,150	1,106	44	—	—	1,150	—	—	—	—
	A. Diseases of um- bilicus, &c.	M	191	165	26	—	—	191	—	—	—	—
		F	159	148	11	—	—	159	—	—	—	—
	B. Atelectasis ...	M	858	804	54	—	—	858	—	—	—	—
		F	607	578	29	—	—	607	—	—	—	—
	C. Injuries at birth ...	M	571	552	18	—	1	571	—	—	—	—
		F	366	362	4	—	—	366	—	—	—	—
	D. Cyanosis neona- torum.	M	27	26	1	—	—	27	—	—	—	—
		F	18	18	—	—	—	18	—	—	—	—

T DIFFERENT AGE-PERIODS, 1912—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
94	8	5	7	5	12	16	15	16	16	17	31	20	29	39	14	10	2	144	
90	3	6	3	2	3	6	9	4	11	14	20	17	25	35	15	8	7		
49	5	5	2	5	6	13	13	14	10	13	26	16	23	30	10	7	2		
55	1	3	1	1	2	5	8	4	10	10	12	14	14	23	10	4	6		
45	3	—	5	—	6	3	2	2	6	4	5	4	6	9	4	3	—		
35	2	3	2	1	1	1	1	—	1	4	8	3	11	12	5	4	1	145	
244	2	2	2	3	2	4	4	2	8	8	15	30	28	38	36	19	18		
152	5	5	4	2	2	2	7	9	17	19	27	34	51	66	62	48	35		
9	1	—	1	—	—	—	—	2	3	4	10	15	22	26	26	12	13		
6	—	—	—	—	1	1	4	4	13	13	16	26	36	49	47	38	28		
125	—	—	—	1	—	1	—	—	—	1	1	8	2	5	2	4	2	146	
69	2	—	—	1	—	—	—	1	—	—	2	2	3	5	2	4	2		
51	—	—	—	—	—	3	1	—	2	1	1	2	—	3	—	2	2		
32	—	2	—	—	—	—	2	—	—	3	1	2	5	2	2	1	—		
59	1	2	1	2	2	—	3	—	3	2	3	5	4	4	8	1	1		
45	3	3	4	1	1	1	1	4	4	3	8	4	7	10	11	5	5	147	
66	52	49	34	9	11	8	10	6	7	12	11	16	18	2	7	5	—		
31	23	35	8	8	6	7	4	2	5	8	1	10	12	9	3	3	2		
8	3	6	5	2	1	2	1	1	2	3	3	6	8	6	3	2	—		
10	1	2	1	1	2	1	—	2	4	2	7	8	6	5	6	2	2		
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	148	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	1	1	1	—	—	—	—	—	2	2	2	2	6	2	3	1	—		
—	—	—	1	—	1	—	—	1	3	2	3	—	2	2	—	1	1		
1,905	40	28	15	9	7	5	2	2	—	—	—	—	—	—	—	—	—	149	
1,494	24	19	10	10	3	4	3	1	—	1	—	—	—	—	—	—	—		
165	8	5	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—		
105	5	1	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—		
21	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
751	22	19	11	6	5	4	1	1	—	—	—	—	—	—	—	—	—	150	
542	14	16	7	7	1	3	2	1	—	—	—	—	—	—	—	—	—		
968	9	4	3	2	—	1	1	1	—	—	—	—	—	—	—	—	—		
847	5	2	2	1	—	1	1	—	—	1	—	—	—	—	—	—	—		
16,224	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		151
12,119	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9,670	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7,449	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5,963	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4,318	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	152	
441	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
269	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
129	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	153	
75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1,647	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1,150	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
191	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		154
159	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
858	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
607	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
571	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
366	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	155	
27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

[illegible]

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
174	Injury by machines ... { M F	258 6	— —	— —	— —	— —	— —	— —	1 —	— 1	— —
175	Injury by other crushing (vehicles, railways, landslides, &c.) { M F	2,616 490	— —	— —	1 1	5 6	6 7	18 26	33 21	42 26	58 24
176	Injury by animals ... { M F	98 16	— —	— —	— —	— —	— —	— —	4 1	1 3	2 1
177	Starvation ... { M F	17 15	— —	— —	— —	— —	— —	— 1	— —	— 1	— —
178	Excessive cold ... { M F	84 20	— —	— —	— —	— —	— —	— —	— —	— —	— —
179	Effects of heat ... { M F	84 31	— —	2 —	— —	1 1	3 1	— 2	3 —	— —	1 —
180	Lightning... { M F	17 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
181	Electricity (lightning ex- cepted). { M F	23 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
182	Homicide by firearms ... { M F	11 16	— —	— —	— —	— —	— —	— —	— 1	1 —	— —
183	Homicide by cutting or piercing instruments. { M F	26 41	3 2	— 1	5 —	— 1	8 4	3 1	4 —	— —	— 1
184	Homicide by other means { M F	108 116	25 24	2 4	3 2	2 3	32 33	2 6	2 1	2 2	1 1
185	Fractures (cause not specified). { M F	66 19	4 1	1 —	— —	1 —	6 1	— —	— —	2 —	— —
186	Other violence ... { M F	417 158	10 13	11 11	11 15	23 16	55 55	9 13	13 2	10 5	7 —
187	Dropsy ... { M F	18 23	— —	— —	— 1	— 1	— 2	— 1	1 —	— 1	— —
188	Syncope, Sudden death... { M F	198 113	— —	— —	— —	— —	— —	1 1	1 —	— 1	1 —
	A. Syncope (aged 1 year and under 70 yrs.) { M F	195 112	— —	— —	— —	— —	— —	1 1	1 —	— 1	1 —
	B. Sudden death (not otherwise defined.) { M F	3 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
189	Ill-defined causes ... { M F	1,368 1,148	56 45	16 13	14 9	34 22	120 89	225 240	44 41	11 10	3 6
	A. Heart failure (aged 1 yr. and under 70). { M F	755 586	— —	— —	— —	— —	— —	— 3	— 2	2 —	— 1
	B. Atrophy, debility, marasmus (aged 1 yr. and under 70). { M F	295 326	— —	— —	— —	— —	— —	206 227	41 35	8 6	2 4
	C. Teething ... { M F	28 24	— —	— —	1 1	18 14	19 15	9 9	— —	— —	— —
	D. Pyrexia ... { M F	7 6	— —	— 1	— 1	1 —	1 2	— —	1 —	— 1	— —
	E. Other ill-defined deaths. { M F	205 150	29 16	14 8	12 7	13 6	68 37	8 1	2 4	1 3	1 1
	F. Cause not specified { M F	78 56	27 29	2 4	1 —	2 2	32 35	2 —	— —	— —	— —

AT DIFFERENT AGE-PERIODS, 1912—continued

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
1 1	—	11 1	41 1	17 —	29 —	26 —	30 —	25 2	19 1	17 —	19 —	12 —	9 —	2 —	—	—	—	} 174
157 104	246 72	126 24	162 20	175 21	176 13	200 9	216 19	220 17	198 30	177 25	155 24	155 41	103 23	86 21	32 13	19 7	13 7	
7 5	9 1	2 1	9 —	6 —	5 —	5 —	5 —	7 1	7 —	7 1	10 —	5 1	6 4	2 1	3 —	3 1	—	} 176
— 2	— 1	—	—	—	—	—	—	1 —	2 2	1 2	6 —	2 3	2 1	1 1	1 1	— 1	—	
— —	— 1	—	2 —	1 —	— 1	3 1	3 1	6 1	5 1	10 —	11 2	11 3	10 1	7 2	7 1	4 3	4 2	} 178
7 3	4 3	4 3	1 —	2 —	1 1	2 1	1 1	7 —	6 2	8 3	8 3	12 2	11 3	7 3	1 1	1 2	—	} 179
— —	— 1	—	3 —	5 1	3 —	1 —	2 —	2 —	— —	— 1	—	1 —	—	—	—	—	—	
— —	—	1 —	5 —	3 —	3 —	5 —	2 —	— —	— —	3 —	1 —	—	—	—	—	—	—	} 181
1 1	—	—	1 —	—	3 2	3 4	1 3	1 2	— 1	—	— 1	—	1 1	—	—	—	—	} 182
15 6	— 1	1 2	— 5	1 4	1 4	— 3	2 3	4 4	1 4	— 1	— 3	—	1 —	— 1	—	—	—	
39 43	1 2	— 2	3 2	4 8	8 16	6 14	13 15	14 6	3 5	3 —	7 1	1 —	5 2	1 —	—	—	—	} 184
8 1	—	2 —	2 —	1 —	5 —	2 1	4 —	11 3	7 —	7 3	6 2	5 2	— 1	5 2	— 1	—	1 3	} 185
94 75	20 11	20 3	29 5	27 5	30 6	16 1	28 2	22 4	25 9	20 5	25 2	20 7	16 9	15 7	5 4	4 3	—	} 186
1 4	1 —	1 —	—	—	—	—	3 2	2 2	— 1	—	2 1	2 3	3 2	2 4	— 1	1 1	— 2	} 187
3 2	4 2	1 1	6 1	3 1	3 4	6 1	8 4	22 5	14 17	22 10	31 26	37 19	38 20	—	—	—	—	} 188
3 2	4 2	1 1	6 1	3 1	3 4	6 1	8 4	21 5	14 17	22 10	31 26	35 19	38 19	—	—	—	—	} A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
403 386	19 18	15 7	11 9	11 6	17 23	29 15	37 32	65 51	63 63	102 91	134 105	189 149	231 161	18 13	13 10	7 7	4 2	} 189
2 6	3 4	9 3	5 5	8 6	10 20	25 8	26 21	49 42	54 49	84 77	118 90	161 116	201 139	—	—	—	—	} A
257 272	5 9	1 2	2 1	2 —	1 1	— 1	2 4	2 —	3 3	2 4	4 3	7 14	7 12	—	—	—	—	} B
28 24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} C
2 3	1 —	1 —	1 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} D
80 46	7 3	2 2	1 3	—	3 1	1 6	5 4	11 7	2 9	12 9	11 11	18 15	19 9	15 11	10 8	6 4	2 2	} E
34 35	3 2	2 —	2 —	1 —	3 1	3 —	4 3	2 1	4 2	4 1	1 1	3 4	3 —	3 2	3 1	1 3	—	} F

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

[illegible]

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

[illegible]

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH.

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
44	Cancer of the skin ... { M F	70 41	— —	— —	— —	— —	— —	— —	— —	— —	— —
45	Cancer of other or un- specified organs. { M F	567 343	— —	1 —	— 2	1 —	2 2	1 1	1 —	1 3	— 1
39-45	Cancer (all sites)... { M F	2,272 2,904	— —	1 —	— 2	1 —	2 2	1 1	1 —	1 4	1 1
46	Other tumours (situation undefined). { M F	9 11	— —	— —	— —	— —	— —	— —	— —	— —	— —
47	Rheumatic fever... { M F	105 115	— —	— —	— —	— 1	— 1	— —	— —	5 3	1 1
48 A, B	Chronic rheumatism, Osteo-arthritis. { M F	40 117	— —	— —	— —	— —	— —	— —	— —	— —	— —
48C	Gout ... { M F	52 15	— —	— —	— —	— —	— —	— —	— —	— —	— —
49	Scurvy ... { M F	— 3	— —	— 1	— —	— 2	— 3	— —	— —	— —	— —
50	Diabetes ... { M F	234 215	— —	— —	— —	— —	— —	— —	— —	— —	— —
51	Exophthalmic goitre ... { M F	1 26	— —	— —	— —	— —	— —	— —	— —	— —	— —
52	Addison's disease ... { M F	16 18	— —	— —	— —	— —	— —	— —	— —	— —	— —
53	Leucocythæmia, Lympha- denoma. { M F	64 34	— —	— —	— —	— 1	— 1	2 —	2 —	1 1	1 —
54	Anæmia, Chlorosis ... { M F	73 83	— —	— —	1 1	1 1	2 2	3 —	— —	1 —	1 —
55	Other general diseases ... { M F	22 33	3 2	2 2	— 1	— 2	5 7	— —	1 —	— 3	3 1
56	Alcoholism (acute or chronic). { M F	42 36	— —	— —	— —	— —	— —	— —	— —	— —	— —
57	Chronic lead poisoning ... { M F	13 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
58	Other chronic occupa- tional poisonings. { M F	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
59	Other chronic poisonings { M F	2 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
60	Encephalitis ... { M F	25 18	— —	— 1	— 2	2 1	2 4	1 1	— —	— —	— —
61A	Cerebro-spinal fever ... { M F	13 12	— —	1 —	— —	1 2	2 2	— 1	1 —	1 1	1 1
61B	Posterior basal meningitis { M F	24 15	— —	3 —	2 4	9 6	14 10	6 3	1 1	— —	1 1
61C	Meningitis, other forms { M F	174 146	1 2	6 6	15 11	32 26	54 45	27 27	15 12	11 11	4 3
62	Locomotor ataxy... { M F	89 22	— —	— —	— —	— —	— —	— —	— —	— —	— —
63	Other diseases of the spinal cord. { M F	178 155	— —	— —	— —	— 1	— 1	3 3	2 —	2 —	2 3

T DIFFERENT AGE-PERIODS, 1912—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	2	2	2	5	1	8	8	12	18	5	7	—	} 44
—	—	1	—	—	—	—	1	2	—	1	2	4	9	3	9	4	5	
5 7	3 5	3 1	8 6	10 5	12 5	9 10	26 11	28 12	60 30	62 43	67 49	90 33	65 42	68 39	35 26	13 9	3 10	} 45
6 8	4 6	5 5	11 8	11 10	17 21	26 54	59 105	104 185	195 279	266 324	305 389	402 382	352 387	282 334	147 223	59 125	21 59	
—	—	—	—	—	—	—	1	1	1	2	1	1	1	1	—	—	—	} 46
—	—	—	—	—	1	—	1	1	2	1	3	—	—	1	—	—	1	
6 5	18 18	19 17	8 16	5 4	5 7	4 9	9 5	3 10	10 6	7 7	— 3	4 2	3 —	3 4	1 1	—	—	} 47
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	—	—	1	—	3	3	1	2	11	7	4	4	3	1	} 48 A, B
—	—	—	—	—	—	—	1	1	6	2	12	14	15	27	22	6	10	
—	—	—	—	—	—	—	—	1	2	2	5	10	9	11	10	2	—	} 48C
—	—	—	—	—	—	—	—	—	—	1	4	1	3	3	2	—	1	
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 49
—	2 1	3 4	8 3	7 6	10 11	12 6	8 10	8 16	13 11	27 22	24 24	31 33	33 23	25 24	17 9	4 11	2 1	
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	} 50
—	—	—	1	4	5	2	3	3	1	2	3	1	—	1	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 51
—	—	—	1	4	5	2	3	3	1	2	3	1	—	1	—	—	—	
—	—	1	1	—	—	2	—	2	2	2	—	2	2	1	1	—	—	} 52
—	—	1	1	—	2	—	3	1	3	3	2	1	1	—	—	—	—	
6 2	11 6	3 1	5 —	3 2	2 3	3 3	2 —	5 1	3 2	5 4	8 1	4 3	3 3	— 1	1 2	—	—	} 53
7 2	2 —	1 2	— 1	4 4	1 3	1 4	3 3	7 6	7 12	5 9	9 11	10 8	3 6	10 8	2 4	1 —	—	
9 11	— 2	2 4	2 3	— 2	2 —	— 2	— 1	1 1	— 1	3 3	— —	1 2	1 —	— —	1 1	— —	— —	} 54
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	9	4	8	3	7	3	2	3	1	1	—	—	} 55
—	—	—	—	—	1	2	7	8	7	8	—	3	—	—	—	—	—	
—	—	—	—	—	—	—	—	2	3	3	1	3	1	—	—	—	—	} 56
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	} 57
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 58
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	} 59
—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	
3 5	4 2	— 4	3 —	1 1	1 —	1 —	3 —	1 1	2 3	1 —	— —	2 1	2 —	1 —	— 1	— —	— —	} 60
5 5	2 —	1 2	2 4	— —	2 —	— —	— —	— —	— —	1 1	— —	— —	— —	— —	— —	— —	— —	
22 15	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 61A
111 98	11 13	9 10	7 9	2 1	5 2	4 2	2 2	3 2	5 3	5 2	3 —	3 1	4 —	— 1	— —	— —	— —	
—	—	—	—	—	2	—	6	9	13	20	11	15	10	3	—	—	—	} 61B
—	—	—	—	—	—	—	1	4	2	1	2	7	1	3	1	—	—	
9 7	1 2	1 1	4 —	3 2	6 2	6 2	7 9	9 11	13 15	16 13	20 13	16 22	24 18	24 16	12 12	6 5	1 5	} 62
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 63
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

[illegible]

DIFFERENT AGE-PERIODS, 1912—continued.

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
6 7	1 1	1 1	— 2	3 3	9 6	7 7	18 17	37 37	49 86	94 111	103 134	167 147	167 187	176 190	118 171	51 96	26 56	} 64
1 —	— —	— —	— —	— 1	— 1	1 —	— —	2 2	3 3	4 4	8 6	6 20	6 11	12 18	8 12	7 9	1 7	
2 2	1 1	— —	— —	1 —	1 —	— —	1 —	2 3	1 7	5 5	8 6	14 16	17 14	25 24	9 15	13 18	3 11	} 66
— —	— —	— —	2 —	2 3	8 4	26 1	66 13	56 18	68 21	40 10	32 9	17 3	2 3	2 —	— 2	— —	— —	
— —	— —	— —	— —	3 1	3 2	2 4	4 7	3 8	3 12	6 6	9 16	8 13	7 14	7 8	5 4	2 2	— 1	} 68
1 1	6 3	8 3	11 11	10 11	13 15	11 5	16 17	13 12	13 8	11 9	10 14	8 11	13 8	14 13	7 7	— —	1 —	
— —	2 1	— —	— —	— —	— —	— —	— —	1 —	1 —	— 1	— —	— 1	— 1	— —	— —	1 —	— —	} 70
314 219	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	2 1	1 4	— 1	— 2	— 1	— —	— —	— —	— —	— —	— —	— 1	— 1	— —	1 —	— 1	— —	} 72
— —	— —	— —	— —	— —	1 2	1 2	3 8	2 10	3 15	1 11	3 6	1 2	1 3	— 2	2 —	— 1	— —	
12 12	2 10	4 2	5 7	4 4	4 7	3 5	8 8	10 7	9 13	9 7	8 9	7 11	6 18	9 11	4 7	4 6	2 2	} 74
— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 1	— —	— —	2 —	
7 4	5 3	5 2	3 —	— —	1 1	1 —	2 2	— —	— —	— —	— 1	— —	2 —	— —	— —	— —	— —	} 76A
15 22	12 9	3 7	6 3	3 4	3 2	9 1	3 1	2 1	— 2	— —	— —	— —	— —	1 —	— —	1 —	— —	
11 8	2 4	6 10	7 2	2 —	1 1	1 2	6 3	3 —	6 3	3 2	3 3	3 1	4 1	6 1	1 1	— 1	— —	} 77
6 11	8 13	8 14	19 22	16 21	19 18	13 17	13 13	21 9	18 10	7 9	10 7	6 3	2 —	1 1	— —	1 —	— —	
— 3	21 27	38 54	52 43	29 41	34 61	44 58	59 64	78 102	96 113	117 95	126 130	138 145	134 151	132 157	82 116	31 89	19 39	} 79A
— —	1 —	— —	— 1	— 1	5 5	2 4	6 22	13 18	13 26	38 27	33 27	36 38	44 56	37 54	27 36	16 22	3 4	
7 2	11 13	16 22	15 10	12 12	21 17	18 29	32 30	48 47	48 74	74 103	130 106	133 150	179 174	183 238	126 156	62 115	25 48	} 79C
— —	1 —	— —	— —	— —	— —	1 —	— —	2 —	9 3	9 3	5 4	15 6	15 3	8 7	3 7	6 2	1 —	
— —	— —	— —	1 —	1 1	1 1	9 5	23 5	35 5	27 3	31 6	27 7	17 7	9 6	9 8	4 5	— —	1 2	} 81A
— —	— —	— —	— —	— —	2 —	2 —	5 1	7 1	24 5	27 10	38 21	58 30	72 34	71 45	64 64	37 48	22 41	
— —	— —	— —	— —	— —	— —	— 1	1 1	2 —	2 1	— 1	5 1	4 —	5 —	— 2	3 2	— 3	— —	} 81C
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis. {	M 134 F 199	— —	— —	— —	1 —	1 —	— —	— —	— —	— —
82B	Other embolism and thrombosis. {	M 22 F 25	1 —	— —	— —	— —	1 —	— —	1 —	— —	— —
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.). {	M 17 F 22	— —	— —	— —	— —	— —	— —	— —	— —	— —
84A	Status lymphaticus ... {	M 24 F 12	— 1	5 4	7 2	5 3	17 10	3 —	1 1	— —	— —
84B	Other diseases of the lymphatic system. {	M 2 F 3	— —	— —	— —	1 1	1 1	— 1	— —	1 1	— —
85	Hæmorrhage; other diseases of the circulatory system. {	M 14 F 10	— —	— —	— —	— —	— —	1 1	— —	— —	— —
86	Diseases of the nasal fossæ. {	M 3 F 3	— —	— —	— —	— —	— —	— —	— —	— —	— 1
87	Diseases of the larynx ... {	M 37 F 24	— 2	1 1	4 —	7 1	12 4	6 6	4 3	2 1	4 2
88	Diseases of the thyroid body. {	M 7 F 28	— —	— —	— —	— —	— —	— —	— —	— —	1 —
89 & 90	Bronchitis ... {	M 2,629 F 2,922	65 39	115 92	86 70	123 100	389 301	88 83	20 17	9 11	3 4
91	Broncho-pneumonia ... {	M 1,304 F 1,196	33 29	92 81	135 107	264 225	524 442	325 269	89 92	40 36	21 23
92A	Lobar-pneumonia ... {	M 845 F 510	2 2	2 5	6 10	17 11	27 28	46 24	23 17	8 11	4 12
92B	Pneumonia (type not stated). {	M 943 F 650	13 5	25 24	20 21	74 58	132 108	72 61	18 19	8 17	10 12
93	Pleurisy ... {	M 129 F 89	2 —	1 —	— 2	3 1	6 3	11 5	5 6	4 3	2 1
94	Pulmonary congestion, Pulmonary apoplexy. {	M 120 F 133	3 5	5 1	2 8	4 7	14 21	1 —	1 1	1 1	— 1
95	Gangrene of the lung ... {	M 12 F 8	— —	— —	— —	— —	— —	— —	— —	— —	— —
96	Asthma ... {	M 96 F 97	— —	— —	— —	— —	— —	— 1	— —	— —	— —
97	Pulmonary emphysema {	M 72 F 28	— —	— —	— —	— —	— —	— —	— —	— —	— —
98A	Fibroid disease of lung ... {	M 22 F 11	— —	— —	— —	— —	— —	— —	— —	1 —	— —
8B	Other diseases of the respiratory system. {	M 25 F 21	— —	— —	2 1	— 2	2 3	— —	— —	— —	— —
99A	Diseases of the teeth and gums. {	M 22 F 21	— 1	1 1	— —	— 2	1 4	1 2	2 —	1 —	2 —
99 B, C, D	Other diseases of the mouth and annexa. {	M 12 F 10	6 5	3 1	1 1	— —	10 7	1 —	— —	— —	— —
100	Diseases of pharynx, Tonsillitis. {	M 24 F 25	1 —	1 —	1 1	3 —	6 1	1 2	— 1	2 4	2 1

DIFFERENT AGE-PERIODS, 1912—continued.

AGES AT DEATH.																		International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
1 —	— —	— 2	— 1	1 1	6 2	4 1	2 2	4 9	2 13	10 9	9 12	17 14	19 27	22 30	20 33	12 28	5 15	} 82A
2 —	1 —	— —	1 —	1 1	1 1	— —	1 3	1 2	— 1	1 2	4 1	7 2	1 5	— 2	1 —	— 3	— 2	
— —	— —	— —	1 —	— —	1 1	1 1	— 2	1 1	1 6	1 5	3 —	5 3	3 1	— —	— 2	— —	— —	} 83
21 11	— —	— —	2 —	1 —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 84B
1 1	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— 1	1 1	1 1	3 2	2 —	2 —	2 3	1 —	
— 1	1 —	— 1	— —	— —	— —	— —	2 —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 86
28 16	3 2	— —	— —	1 —	— 1	— —	1 1	1 —	— —	1 —	— 1	— —	1 1	1 1	— —	— —	1 —	
1 —	— —	— 1	— 2	1 —	— 2	— —	— —	— 2	— —	2 2	— 2	— 6	1 4	1 2	1 4	— 1	— —	} 88
509 416	9 11	2 2	4 2	13 5	10 5	18 20	34 32	73 39	96 92	124 112	178 167	248 230	310 353	352 415	342 424	194 326	113 271	
999 862	28 24	3 3	1 —	9 2	4 2	2 7	18 11	7 18	15 18	22 18	33 19	35 36	30 44	29 37	34 44	25 27	10 24	} 91
108 92	11 10	4 5	18 9	17 13	46 21	49 28	71 41	79 38	85 34	94 35	88 33	67 34	61 35	23 41	14 20	6 11	4 10	
240 217	21 7	7 6	15 7	15 10	28 12	48 20	42 28	62 31	68 31	84 45	90 43	69 40	55 41	38 47	34 38	18 14	9 13	} 92B
28 18	2 4	2 2	3 3	2 1	3 3	2 1	9 5	7 4	11 2	9 11	9 6	12 6	12 3	8 8	6 7	3 3	1 2	
17 24	1 —	— —	— —	1 2	— 1	— 2	4 2	3 2	7 2	4 1	3 4	7 3	11 8	17 19	11 14	19 25	15 24	} 94
— —	— —	— —	— —	1 —	1 —	1 2	1 —	— 2	1 1	3 —	1 —	2 —	— 2	— 1	1 —	— —	— —	
— 1	— —	— —	— —	1 1	1 2	— 1	2 7	11 6	10 9	7 12	13 5	13 10	15 16	12 12	6 7	4 5	1 3	} 96
— —	— —	— —	1 —	1 —	1 —	— —	3 —	3 —	3 4	5 2	14 2	11 4	5 6	8 6	11 1	3 2	3 1	
— 1	— —	— 1	— —	— —	— 2	— —	1 2	3 —	3 —	3 1	2 1	3 1	3 1	2 1	1 —	— —	— —	} 98A
2 3	— —	— —	— —	— 1	1 2	2 4	— —	— 1	4 3	2 —	3 1	4 2	4 1	1 —	1 1	1 1	— 1	
7 6	1 1	— —	1 1	— 3	1 2	2 —	— —	2 2	— 2	1 —	4 1	2 1	1 1	— —	— 1	— —	— —	} 99A
11 7	— —	— —	— —	— —	— —	— —	— 1	— —	— 1	— —	— —	— —	— —	— 1	— —	— —	— —	
11 9	2 6	— 1	— 1	3 —	1 1	— 1	1 1	— —	1 —	2 —	1 2	1 2	— —	1 —	— 1	— —	— —	} 100

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of œsophagus ... { M F	11 5	— —	— —	— —	— —	— —	— —	— —	— —	— —
102	Perforating ulcer of { M F	159 138	— —	— —	— —	— —	— —	— —	— —	— —	— —
103A	Inflammation of stomach { M F	122 117	11 7	26 7	18 6	7 10	62 30	4 8	2 4	3 —	1 —
103B	Other diseases of the { M F	43 31	2 3	6 1	2 —	2 1	12 5	— —	— 2	— —	— 1
104 & 105.	Diarrhœa and enteritis ... { M F	991 807	55 25	172 118	253 188	219 176	699 507	87 96	17 14	5 11	4 3
106	Ankylostomiasis ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
107	Other intestinal parasites { M F	— 1	— —	— —	— —	— —	— —	— —	— 1	— —	— —
108	Appendicitis ... { M F	173 148	— —	— —	— —	— 1	— 1	— 2	2 —	1 3	4 5
109A	Hernia ... { M F	82 122	3 —	3 —	6 —	— —	12 —	— —	1 —	— —	— —
109B	Intestinal obstruction ... { M F	132 166	2 1	3 3	15 8	23 7	43 19	5 7	2 1	— 1	3 1
110	Other diseases of the { M F	34 37	— 1	— 2	— 1	1 —	1 4	— —	— 1	— —	— —
111	Acute yellow atrophy of { M F	2 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
112	Hydatid of liver ... { M F	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
113	Cirrhosis of the liver ... { M F	329 338	— —	— —	— —	— —	— —	— —	— —	— —	— —
114	Biliary calculi ... { M F	29 54	— —	— —	— —	— —	— —	— —	— —	— —	— —
115	Other diseases of the liver { M F	57 64	— —	— —	— —	— —	— —	1 2	— —	— 2	— —
116	Diseases of the spleen ... { M F	1 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
117	Peritonitis (cause un- { M F	24 39	— —	2 2	1 2	3 —	6 4	— 1	— 1	— 2	1 2
118	Other diseases of the { M F	26 20	— —	— —	— —	— —	— —	— —	— —	— —	— —
119	Acute nephritis ... { M F	102 77	1 —	3 2	— 1	— 1	4 4	— 2	3 1	— 3	4 2
120	Bright's disease ... { M F	1,008 896	— —	— —	— —	— 1	— 1	1 —	— —	1 1	— —
121	Chyluria ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
122	Other diseases of the { M F	49 48	— —	— 1	— 1	1 1	1 3	— 1	— —	— —	— —

DIFFERENT AGE-PERIODS, 1912—continued.

AGES AT DEATH.																			International List Nos.
under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	1	—	—	—	—	—	—	1	3	—	2	3	1	—	—	—	} 101	
—	—	—	—	—	1	—	—	—	—	1	—	—	—	3	—	—	—		
—	—	—	—	3	8	19	15	14	25	23	17	16	13	5	—	—	1	} 102	
—	1	—	3	10	9	18	12	17	15	18	7	9	9	5	3	—	2		
72 42	1 2	—	—	—	—	—	1 2	1 5	4 3	9 3	1 4	9 8	8 8	7 9	3 12	5 6	1 7	} 103A	
12 8	—	—	—	—	1 2	—	3 1	5 —	2 2	— —	1 1	3 3	5 5	5 1	1 5	3 2	2 1		
812 631	7 10	2 3	—	3 5	10 7	7 13	17 5	12 6	12 9	20 16	21 5	20 17	14 13	14 29	9 18	5 14	6 6	} 104 & 105.	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 106	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 107	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7 11	22 16	26 15	22 12	15 11	10 9	9 11	10 4	7 9	7 14	11 11	12 9	2 5	8 1	3 4	1 5	1 1	—	} 108	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
13 —	—	—	—	3	2	1	2	3	5	8	8	6	10	9	9	2	1	} 109A	
—	—	1	—	—	—	1	6	8	5	11	21	16	21	15	11	4	2		
53 29	2 1	—	1	2	2	5	2	3	6	7	9	12	8	2	10	4	4	} 109B	
—	1	4	2	3	2	3	8	6	5	13	10	11	14	16	12	20	7		
1 5	1 2	1 —	1 1	3 1	1 1	— 1	2 —	2 1	1 2	4 3	2 3	4 1	5 3	4 6	— 1	1 6	1 —	} 110	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	1	—	—	2	—	—	1	—	—	—	—	1	—	—	—	} 111	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	} 112	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	1	1	3	5	15	26	47	55	58	57	28	23	6	4	—	} 113	
—	—	—	—	1	3	5	32	42	41	63	52	42	30	16	9	1	1		
—	—	—	—	—	—	—	—	1	—	2	4	3	7	3	6	2	1	} 114	
—	—	—	—	—	—	1	—	1	4	4	7	10	7	7	5	4	4		
1 4	— 2	1 —	1 —	1 —	1 2	2 —	2 1	3 2	6 5	4 5	11 5	3 6	10 7	6 6	3 10	1 8	1 1	} 115	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	} 116	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7 10	2 4	— 2	— 3	— 2	2 1	1 2	1 —	4 2	1 1	1 3	2 1	1 2	2 2	— 3	— 1	— —	— —	} 117	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	1	2	1	4	4	3	5	3	2	1	1	—	—	} 118	
—	—	—	—	—	—	1	3	1	3	1	—	2	4	2	2	—	—		
11 12	3 6	5 4	5 5	4 3	3 5	7 1	6 8	10 8	6 7	6 5	15 6	7 3	5 1	4 1	3 —	1 2	1 —	} 119	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 2	5 4	3 8	5 16	5 17	14 16	28 25	42 48	59 60	102 97	119 80	130 102	148 86	139 109	109 98	58 73	32 33	8 22	} 120	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 121	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1 4	1 —	— 1	1 1	— 2	— 4	2 5	4 3	2 5	5 2	8 3	5 5	6 6	4 1	6 3	2 1	2 1	— 1	} 122	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
123	Calculi of the urinary passages. {	M 27	—	—	—	—	—	—	—	1	—
	F 15	—	—	—	—	—	—	—	—	—	—
124	Diseases of the bladder... {	M 128	—	—	—	—	—	—	—	—	—
	F 37	—	—	—	—	—	—	—	—	—	—
125	Diseases of the urethra, {	M 62	—	—	—	—	—	—	—	—	—
	Urinary abscess, &c. { F 1	—	—	—	—	—	—	—	—	—	—
126	Diseases of the prostate... {	M 162	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
127	Non-venereal diseases of male genital organs. {	M 7	—	3	—	—	3	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
128	Uterine hæmorrhage (non-puerperal). {	M —	—	—	—	—	—	—	—	—	—
	F 2	—	—	—	—	—	—	—	—	—	—
129	Uterine tumour (non-cancerous). {	M —	—	—	—	—	—	—	—	—	—
	F 38	—	—	—	—	—	—	—	—	—	—
130	Other diseases of the uterus. {	M —	—	—	—	—	—	—	—	—	—
	F 13	—	—	—	—	—	—	—	—	—	—
131	Ovarian cyst, tumour (non-cancerous). {	M —	—	—	—	—	—	—	—	—	—
	F 43	—	—	—	—	—	—	—	—	—	—
132	Other diseases of the female genital organs. {	M —	—	—	—	—	—	—	—	—	—
	F 39	—	—	—	1	1	2	—	—	—	—
133	Non-puerperal dis. of the breast (non-cancerous). {	M —	—	—	—	—	—	—	—	—	—
	F 1	—	1	—	—	—	1	—	—	—	—
134	Accidents of pregnancy... {	M —	—	—	—	—	—	—	—	—	—
	F 40	—	—	—	—	—	—	—	—	—	—
135	Puerperal hæmorrhage ... {	M —	—	—	—	—	—	—	—	—	—
	F 42	—	—	—	—	—	—	—	—	—	—
136	Other accidents of child-birth. {	M —	—	—	—	—	—	—	—	—	—
	F 28	—	—	—	—	—	—	—	—	—	—
137	Puerperal fever ... {	M —	—	—	—	—	—	—	—	—	—
	F 168	—	—	—	—	—	—	—	—	—	—
138	Puerperal albuminuria and convulsions. {	M —	—	—	—	—	—	—	—	—	—
	F 39	—	—	—	—	—	—	—	—	—	—
139	Puerperal phlegmasia alba dolens, embolism and sudden death. {	M —	—	—	—	—	—	—	—	—	—
	F 29	—	—	—	—	—	—	—	—	—	—
140	Puerperal insanity ... {	M —	—	—	—	—	—	—	—	—	—
	F 3	—	—	—	—	—	—	—	—	—	—
141	Puerperal diseases of the breast. {	M —	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
142A	Senile gangrene ... {	M 68	—	—	—	—	—	—	—	—	—
	F 61	—	—	—	—	—	—	—	—	—	—
142B, C, D.	Gangrene, other types ... {	M 7	—	—	—	—	—	1	1	—	—
	F 13	—	—	—	—	1	1	1	3	2	—
143	Carbuncle, Boil ... {	M 26	—	—	—	—	—	1	—	—	—
	F 9	—	—	—	—	—	—	—	—	—	—
144	Phlegmon, Acute abscess {	M 62	4	3	—	2	9	4	1	—	—
	F 54	—	5	2	2	4	13	6	—	—	1
145	Diseases of the integumentary system. {	M 55	10	7	5	4	26	1	—	—	—
	F 59	—	9	—	4	1	14	1	1	—	—

T DIFFERENT AGE-PERIODS, 1912—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
1	—	1	1	—	2	2	3	1	4	1	1	3	3	2	2	—	—	} 123
—	—	1	—	—	—	1	—	—	1	2	3	3	1	1	2	—	—	
—	—	—	1	1	1	2	3	3	4	8	7	13	23	24	17	14	7	} 124
—	—	—	—	1	—	1	—	1	2	—	1	4	8	4	9	5	1	
—	—	—	—	—	—	2	3	2	9	8	11	9	9	6	2	1	—	} 125
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	1	8	13	29	42	34	26	9	} 126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	—	—	—	—	1	—	—	—	1	2	—	—	—	—	—	—	—	} 127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	} 128
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	1	3	6	10	6	—	2	4	3	1	1	1	} 129
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	2	1	2	2	1	1	1	—	1	—	—	—	—	1	} 130
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	3	1	2	3	2	4	4	5	3	3	3	5	3	1	1	} 131
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	—	1	1	4	5	2	5	9	6	1	2	—	1	—	—	—	—	} 132
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 133
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	6	6	14	9	4	—	1	—	—	—	—	—	—	—	} 134
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	—	7	13	14	6	1	—	—	—	—	—	—	—	—	} 135
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	4	2	6	8	5	3	—	—	—	—	—	—	—	—	} 136
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	4	28	50	37	32	16	1	—	—	—	—	—	—	—	—	} 137
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	5	10	11	6	4	3	—	—	—	—	—	—	—	—	—	} 138
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	5	5	8	6	4	—	—	—	—	—	—	—	—	—	} 139
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	} 140
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	1	3	11	17	14	14	8	} 142A
—	—	—	—	—	—	—	—	—	—	—	1	3	5	14	20	8	10	
2	—	—	—	—	—	—	—	—	1	—	3	1	—	—	—	—	—	} 142B
7	—	—	—	—	—	—	1	—	1	—	—	2	1	—	—	—	1	
1	—	—	1	—	1	4	1	—	1	3	5	3	2	2	1	—	1	} 143
—	—	—	—	—	—	1	—	1	1	1	—	—	1	2	1	—	1	
14	—	1	1	—	1	3	2	4	1	4	6	3	7	10	4	1	—	} 144
20	1	1	—	—	—	1	2	1	3	1	4	3	4	3	5	3	2	
27	—	—	—	1	—	—	—	—	3	1	3	6	7	2	2	3	—	} 145
16	—	1	1	—	—	—	2	2	2	4	4	5	5	4	6	6	1	

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ... { M F	61 31	— 1	3 —	1 —	1 1	5 2	2 —	4 —	4 —	— —
147	Diseases of the joints ... { M F	12 10	— —	1 —	— —	1 1	2 1	— —	— —	— —	— 1
148	Amputations ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
149	Other diseases of loco- motor system. { M F	— 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
150	Congenital malformations { M F	255 178	143 107	63 22	16 20	10 13	232 162	4 5	4 1	— 2	1 2
151A	Premature birth ... { M F	1,126 911	1,006 820	107 75	10 13	3 3	1,126 911	— —	— —	— —	— —
151, B-E.	Infantile debility, Icterus and Sclerema. { M F	707 453	290 188	215 121	120 84	82 60	707 453	— —	— —	— —	— —
152	Other diseases peculiar to early infancy. { M F	220 167	203 156	17 11	— —	— —	220 167	— —	— —	— —	— —
153	Lack of care ... { M F	20 22	19 22	1 —	— —	— —	20 22	— —	— —	— —	— —
154	Old age ... { M F	1,086 1,910	— —	— —	— —	— —	— —	— —	— —	— —	— —
155	Suicide by poison ... { M F	79 51	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia ... { M F	27 10	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation. { M F	81 19	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning ... { M F	36 25	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms ... { M F	37 8	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments. { M F	66 13	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place. { M F	8 8	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing ... { M F	14 5	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides ... { M F	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food ... { M F	5 8	— —	— —	— —	— —	— —	— —	1 —	— —	1 —
165	Other acute poisonings ... { M F	19 14	— —	— —	— —	— —	— —	1 —	— —	— —	— —
166	Conflagration ... { M F	8 17	— —	— —	— —	1 —	1 —	— —	— 1	— —	— —
167	Burns (conflagration ex- cepted). { M F	102 134	1 —	— 1	1 —	6 3	8 4	24 25	17 11	19 12	7 17
168	Absorption of deleterious gases (conflagration ex- cepted). { M F	171 172	56 40	56 67	33 42	6 11	151 160	2 2	— —	1 1	— —

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ... { M F	206 40	— 2	1 —	— —	— 1	1 3	2 2	2 2	— —	2 —
170	Injury by firearms ... { M F	2 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
171	Injury by cutting or { piercing instruments. { M F	4 3	— —	— —	— —	— —	— —	— —	— 2	— —	— —
172	Injury by fall ... { M F	331 246	— —	— —	4 1	3 2	7 3	9 3	6 4	3 2	2 3
173	Injury in mines and { quarries. { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
174	Injury by machines ... { M F	32 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
175	Injury by other crushing { (vehicles, railways, { landslides, &c.). { M F	427 118	— —	— —	1 —	1 1	2 1	5 3	4 2	5 6	13 6
176	Injury by animals ... { M F	6 2	— —	— —	— —	— —	— —	— —	— —	— 1	— —
177	Starvation ... { M F	5 3	— —	— —	— —	— —	— —	— —	— —	— 1	— —
178	Excessive cold ... { M F	7 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
179	Effects of heat ... { M F	6 10	— —	1 —	— —	— 1	1 1	— 1	1 —	— —	— —
180	Lightning... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
181	Electricity (lightning ex- { cepted). { M F	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
182	Homicide by firearms ... { M F	1 6	— —	— —	— —	— —	— —	— —	— —	— —	— —
183	Homicide by cutting or { piercing instruments. { M F	4 11	— 2	— —	1 —	— —	1 2	1 —	— —	— —	— —
184	Homicide by other means { M F	20 20	7 7	— —	— —	— —	7 7	— —	— —	— —	— —
185	Fractures (cause not { specified). { M F	14 5	3 —	1 —	— —	— —	4 —	— —	— —	1 —	— —
186	Other violence ... { M F	54 28	2 1	— 3	3 3	2 4	7 11	1 1	1 —	2 —	2 —
187	Dropsy ... { M F	2 3	— —	— —	— 1	— —	— 1	— 1	— —	— —	— —
188A	Syncope (aged 1 year and { under 70). { M F	5 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
188B	Sudden death (not other- { wise defined) { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
189A	Heart failure (aged 1 year { and under 70). { M F	14 5	— —	— —	— —	— —	— —	— —	— —	— —	— —
189 B-E.	Other ill-defined causes... { M F	23 33	— —	— —	— —	3 2	3 2	15 21	1 4	1 —	— —
189F	Cause not specified ... { M F	5 4	— 3	— —	— —	— —	— 3	— —	— —	— —	— —

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

[illegible]

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

[illegible]

T DIFFERENT AGE-PERIODS, 1912—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	1	1	2	—	—	1	—	—	—	—	—	—	—	} 22
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	1	5	2	—	4	1	1	—	—	2	6	1	—	1	—	—	—	} 24
—	1	2	—	2	—	1	1	—	1	—	1	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 25
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	3	2	1	—	—	—	—	—	—	—	—	—	—	—	} 27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
144	83	108	429	655	737	912	959	880	847	669	491	353	194	82	24	4	2	} 28
131	117	182	556	646	673	662	631	492	414	287	202	143	76	44	13	6	4	
41	7	15	48	67	92	71	75	61	53	49	37	11	5	1	1	—	—	} 29A
37	13	59	91	69	70	65	51	48	27	13	15	11	12	1	—	—	—	
57	15	5	5	7	9	4	3	9	5	1	2	2	1	1	—	—	—	} 29B
42	16	16	19	10	8	1	3	4	5	3	—	3	2	—	1	—	—	
636	150	53	40	19	11	10	6	2	3	3	2	2	—	1	—	—	—	} 30
544	144	79	41	26	12	7	7	6	9	6	—	—	—	1	1	—	—	
431	56	42	28	15	8	21	8	11	19	3	6	3	2	2	2	—	—	} 31
378	53	46	30	25	9	16	16	14	6	8	4	6	4	—	2	—	—	
11	13	10	17	9	8	4	10	5	5	4	2	—	4	—	—	1	—	} 32
11	5	3	4	7	6	5	5	7	5	3	5	9	2	7	1	—	—	
7	5	5	9	3	5	10	2	2	5	3	3	6	2	1	—	—	—	} 33
3	8	7	7	6	1	2	3	—	1	3	5	5	2	4	—	—	—	
22	8	4	5	5	12	9	9	14	14	10	6	10	2	—	2	—	—	} 34
31	5	6	3	2	2	4	8	4	11	2	4	6	4	7	3	1	—	
159	39	38	25	23	10	19	16	18	11	4	9	8	3	3	—	—	—	} 35
139	36	36	32	17	16	13	12	11	6	3	5	4	3	—	1	1	—	
1,508	376	280	606	803	892	1,060	1,088	1,002	962	746	558	395	213	91	29	5	2	} 28-35
1,316	397	434	783	808	797	775	736	586	484	328	240	187	105	64	22	8	4	
161	2	—	—	—	1	—	—	1	2	—	1	—	—	—	—	—	—	} 36
124	2	1	2	—	1	1	1	2	—	1	2	2	2	2	1	—	—	
356	2	4	1	4	11	11	15	14	15	20	13	7	12	1	3	1	—	} 37
253	2	—	5	3	4	9	8	10	6	12	5	4	4	3	—	—	—	
14	—	—	—	—	1	1	2	—	—	—	2	—	1	—	—	—	—	} 38
3	—	—	—	—	3	—	2	1	—	—	—	—	—	—	—	—	—	
3	—	1	2	1	—	3	8	33	69	92	137	124	95	80	37	15	6	} 39
—	2	2	—	2	1	3	4	6	6	8	13	10	11	9	9	7	2	
—	—	—	1	5	7	24	62	96	180	240	304	360	304	240	102	36	9	} 40
1	—	—	3	—	6	25	47	74	144	187	229	267	331	242	151	54	16	
1	—	—	—	6	5	16	31	38	67	113	130	167	170	144	56	32	8	} 41
1	—	—	—	4	9	15	34	48	70	116	145	143	185	150	87	47	16	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 42
2	2	1	2	3	14	41	105	169	238	262	223	182	151	124	62	23	6	
—	—	—	—	—	—	—	—	—	—	—	1	1	2	—	—	1	—	} 43
—	—	—	—	1	5	17	54	84	139	159	135	128	104	112	75	43	21	

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1+	2+	3+	4+
44	Cancer of the skin ... { M F	147 99	— —	— —	— —	— —	— —	1 —	— —	— —	— —
45	Cancer of other or un- { M specified organs. { F	1,089 615	— —	1 —	2 —	2 —	5 —	3 4	3 4	3 1	— —
39-45	Cancer (all sites) ... { M F	4,901 6,343	— —	1 —	2 —	2 —	5 —	4 4	3 5	3 2	4 2
46	Other tumours (situation { M undefined). { F	26 20	— —	— —	— —	— —	— —	— —	— —	— —	— —
47	Rheumatic fever ... { M F	318 350	— —	— —	— 1	— —	— 1	1 —	3 —	3 1	10 2
48 A, B	Chronic rheumatism, { M Osteo-arthritis. { F	148 295	— —	— —	— —	1 —	1 —	— —	— —	— —	— —
48C	Gout ... { M F	72 17	— —	— —	— —	— —	— —	— —	— —	— —	— —
49	Scurvy ... { M F	5 6	— —	— —	— 1	2 3	2 4	— 1	— —	— —	— —
50	Diabetes ... { M F	588 600	— —	— —	— —	— —	— —	1 3	1 1	1 —	— —
51	Exophthalmic goitre ... { M F	12 98	— —	— —	— —	— —	— —	— —	— —	— —	— —
52	Addison's disease ... { M F	24 36	— —	— —	— —	— —	— —	— —	— —	— —	— —
53	Leucocythæmia, Lympha- { M denoma. { F	125 87	— —	1 —	1 —	2 —	4 —	1 2	5 3	1 4	— 1
54	Anæmia, Chlorosis ... { M F	282 355	— 1	2 1	1 1	1 6	4 9	4 2	2 1	2 —	1 3
55	Other general diseases ... { M F	85 86	14 14	1 1	2 2	3 2	20 19	4 7	3 —	1 1	1 2
56	Alcoholism (acute or { M chronic). { F	119 79	— —	— —	— —	— —	— —	— —	— —	— —	— —
57	Chronic lead poisoning ... { M F	51 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
58	Other chronic occu- { M pational poisonings. { F	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
59	Other chronic poisonings { M F	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
60	Encephalitis ... { M F	63 42	3 —	— 1	1 —	1 1	5 2	2 1	— —	1 —	3 1
61A	Cerebro-spinal fever ... { M F	25 21	— —	— 1	1 —	4 1	5 2	2 2	— 7	1 2	3 2
61B	Posterior basal meningitis { M F	40 33	1 —	3 1	6 2	10 14	20 17	8 7	3 1	— 1	1 —
61C	Meningitis, other forms { M F	751 684	9 9	41 21	61 45	117 106	228 181	129 101	55 64	47 52	28 25
62	Locomotor ataxy... { M F	185 41	— —	— —	— —	— —	— —	— —	— —	— —	— —
63	Other diseases of the { M spinal cord. { F	385 343	— —	— —	— —	10 3	10 3	8 3	4 1	3 4	2 2

AT DIFFERENT AGE-PERIODS, 1912—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
1 —	— —	— —	— —	— 1	1 —	4 5	3 3	5 3	9 4	11 10	24 8	15 8	28 12	14 11	13 17	12 9	7 8	} 44	
14 9	9 5	6 5	15 12	8 8	17 14	27 17	33 25	62 36	100 61	128 68	136 67	182 76	136 76	134 66	56 49	19 12	7 9		
19 13	9 9	7 8	18 17	20 19	30 49	74 123	137 272	234 420	425 662	584 810	732 820	849 814	735 870	612 714	264 450	115 195	37 78	} 39-45	
— —	— 1	— —	— 1	1 —	3 —	— 1	1 1	1 1	3 3	6 1	2 3	2 1	2 2	4 3	— —	1 2	— —		
17 4	45 39	50 53	34 41	20 32	22 25	23 29	24 25	18 20	24 19	10 25	11 13	7 15	6 7	6 1	— 1	1 1	— —	} 47	
1 —	— —	— 2	— —	1 1	1 6	— 3	1 5	2 11	8 18	12 31	16 24	26 38	26 56	28 40	14 36	11 15	1 9		
— —	— —	— —	— —	— —	— —	— —	— 1	4 —	2 —	4 2	8 1	11 2	18 2	8 2	12 3	4 2	1 2	} 48C	
2 5	— —	— —	— —	1 —	— —	— —	— 1	— —	— —	— —	2 —	— —	— —	— —	— —	— —	— —		
3 4	6 2	8 13	16 18	15 16	17 23	26 23	37 26	32 25	30 36	49 47	72 77	76 90	90 82	66 64	31 39	9 10	5 5	} 50	
— —	— —	— —	1 4	— 8	2 13	— 12	2 10	— 8	3 15	1 11	1 9	1 4	1 1	— 2	— 1	— —	— —		
— —	— —	— —	— 1	— —	5 —	— 3	3 6	3 2	2 4	5 6	1 6	3 4	2 2	— 1	— 1	— —	— —	} 52	
11 10	14 11	6 —	12 3	14 9	11 6	13 7	2 2	10 9	6 6	5 5	4 4	7 9	3 3	5 2	1 —	1 1	— —		
13 15	2 5	1 6	4 5	4 12	5 11	14 24	17 24	29 24	28 27	30 42	34 40	38 44	34 37	17 23	9 12	2 3	1 1	} 54	
29 29	9 5	9 4	4 4	4 4	2 5	1 2	1 3	4 6	— 2	3 2	4 5	6 3	2 4	4 6	3 —	— 1	— 1		
— —	— —	— —	— —	— —	4 2	17 5	17 10	19 15	20 18	16 10	14 6	8 6	1 3	2 2	1 2	— —	— —	} 56	
— —	— —	— —	— —	1 —	2 1	7 —	2 —	12 1	11 1	4 —	5 —	6 —	1 —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— 1	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 58	
— —	— —	— —	— —	— —	— —	1 —	— 1	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
11 4	— 3	2 3	1 5	4 6	6 1	6 3	5 1	7 2	9 1	2 3	4 4	4 —	— 5	1 1	— —	1 —	— —	} 60	
11 15	3 —	3 4	3 —	— 2	4 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
32 26	5 2	1 —	— 1	— —	1 1	1 —	— —	— 1	— —	— —	— 1	— —	— 1	— —	— —	— —	— —	} 61B	
487 423	69 73	36 41	24 26	14 26	12 10	13 12	11 10	11 10	20 6	11 5	6 8	7 8	8 9	11 6	3 4	7 5	1 2		
— —	— —	— —	— —	— —	3 —	5 3	10 4	22 5	34 4	29 8	39 5	20 4	11 4	9 4	2 —	1 —	— —	} 62	
27 13	3 6	2 1	11 4	8 9	7 13	12 13	19 14	23 19	29 28	38 24	42 38	50 48	52 34	38 33	18 29	6 13	— 4		

AGGREGATE OF COUNTY BOROUGHs.—CAUSES OF DEATH

[illegible]

T DIFFERENT AGE-PERIODS, 1912—*continued.*

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
12 9	3 2	9 3	5 4	9 4	20 14	24 29	50 66	97 123	168 237	283 340	372 438	491 526	555 626	606 704	385 562	188 274	76 120	} 64
— 1	— —	— —	1 1	— —	2 1	— 1	3 4	6 5	14 4	18 16	26 23	45 30	54 28	47 50	27 34	24 22	15 17	} 65
— 3	1 1	— 2	— 1	3 2	1 2	2 2	10 12	8 9	14 11	23 30	42 47	75 79	87 106	71 102	57 64	19 43	13 18	} 66
— —	— —	3 1	2 1	4 2	22 10	86 17	133 21	135 28	114 29	91 24	55 17	27 8	21 3	7 2	1 4	— —	— 1	} 67
— —	— —	— —	1 5	1 9	3 7	5 14	6 21	13 20	20 27	18 27	34 19	33 26	37 39	24 30	15 10	8 5	4 6	} 68
31 16	19 16	19 5	25 26	38 23	43 25	31 48	35 36	28 37	35 40	25 32	27 27	37 34	25 29	18 18	10 9	7 6	2 1	} 69
— —	9 12	3 —	— —	— —	— 2	1 1	2 —	2 —	1 —	— 1	1 —	1 —	1 1	— 1	1 1	1 —	— —	} 70
1,912 1,428	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 71
2 1	3 12	1 11	2 10	1 3	1 2	1 —	— —	— 1	2 —	— —	— 1	— —	1 2	— 1	— 2	1 —	— —	} 72
— 1	— —	— 1	— 1	— 5	1 6	1 12	4 10	3 21	8 26	7 14	2 12	2 10	4 7	2 8	— 3	1 4	— 3	} 73
19 32	16 17	8 9	15 12	8 10	11 15	16 23	15 21	10 14	20 25	18 30	23 20	23 16	25 28	17 22	12 16	2 10	4 4	} 74
2 2	1 —	— —	1 —	1 —	— —	— —	1 2	1 —	2 —	— 1	— —	— —	— —	— —	1 —	— —	— —	} 75
17 14	5 3	8 7	8 8	2 7	2 4	3 —	1 2	2 —	1 1	— 1	1 —	— —	— —	— —	— —	— —	— —	} 76A
55 38	20 17	6 14	22 6	18 6	8 7	7 4	3 2	4 7	2 6	4 2	2 1	— —	— 2	3 —	— 2	— —	— —	} 76B
5 5	3 5	11 11	8 2	1 4	2 2	3 3	7 7	5 6	9 2	7 1	5 1	7 1	6 4	5 —	4 1	— 2	— 1	} 77
11 8	23 22	17 35	21 25	22 36	25 22	25 19	24 29	24 36	31 29	34 30	25 37	4 5	3 4	4 4	1 2	— 2	— —	} 78
13 9	39 50	65 94	102 112	65 104	92 104	99 138	141 174	181 214	223 245	277 286	305 341	384 369	356 383	270 378	157 231	55 120	25 52	} 79A
— —	1 —	— —	1 1	— —	4 2	5 8	14 13	22 22	29 28	36 45	52 65	66 95	50 77	46 61	31 57	6 14	3 8	} 79B
5 11	10 25	30 34	52 54	38 51	53 66	75 74	138 114	147 171	222 212	306 296	399 388	502 485	529 620	512 667	298 415	118 187	45 84	} 79C
— —	— —	— —	1 —	— —	1 2	1 2	6 3	5 8	19 5	26 7	46 11	47 11	44 12	27 25	22 12	10 2	2 2	} 80
— —	— —	— —	1 —	1 —	5 1	10 3	32 3	46 2	71 8	64 6	36 14	31 8	24 7	11 1	3 4	3 —	2 —	} 81A
— —	— —	— —	— —	— —	2 —	1 3	7 —	9 2	22 5	48 14	76 39	139 76	177 103	212 148	161 113	76 88	34 61	} 81B
— —	— —	— —	1 —	— —	— —	1 —	1 —	3 1	— 1	4 1	4 —	3 3	7 1	3 5	4 2	1 2	1 —	} 81C

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos.	Causes of Death.		AGES AT DEATH.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis.	{ M F	274 394	— —	— —	— —	1 —	1 —	— —	— —	— —	— —
82B	Other embolism and thrombosis.	{ M F	30 63	2 —	2 —	— —	— —	4 —	— —	— —	— —	— —
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.).	{ M F	33 72	1 —	— —	1 —	— —	2 —	— 1	— —	— —	— —
84A	Status lymphaticus ...	{ M F	39 18	4 4	8 6	8 1	3 3	23 14	3 1	— 1	1 —	2 —
84B	Other diseases of the lymphatic system.	{ M F	19 15	— —	1 —	3 —	— 2	4 2	1 4	1 1	1 —	— —
85	Hæmorrhage; other diseases of the circulatory system.	{ M F	34 33	1 —	— —	— —	— 1	1 1	— —	— —	— —	— —
86	Diseases of the nasal fossæ.	{ M F	11 10	— —	2 —	2 —	— 1	4 1	— 1	— —	1 1	— 1
87	Diseases of the larynx ...	{ M F	200 120	4 5	5 3	8 5	20 13	37 26	34 18	28 14	25 17	16 16
88	Diseases of the thyroid body.	{ M F	13 55	— —	— —	— —	— —	— —	— —	— —	— —	— —
89 & 90.	Bronchitis ...	{ M F	7,446 7,769	156 137	440 315	410 268	495 474	1,501 1,194	406 375	92 95	47 37	20 30
91	Broncho-pneumonia ...	{ M F	3,631 3,357	58 46	261 166	326 233	836 694	1,481 1,139	932 824	301 339	134 152	74 89
92A	Lobar pneumonia ...	{ M F	2,004 1,068	5 1	10 7	20 17	64 34	99 59	78 53	34 30	26 15	22 21
92B	Pneumonia (type not stated).	{ M F	2,782 1,743	24 12	45 31	73 45	187 137	329 225	211 178	100 100	52 40	43 34
93	Pleurisy ...	{ M F	317 195	— 1	1 1	1 2	5 4	7 8	20 14	7 7	7 3	7 4
94	Pulmonary congestion, Pulmonary apoplexy.	{ M F	274 304	10 6	11 6	11 8	20 12	52 32	14 12	5 11	1 2	4 2
95	Gangrene of the lung ...	{ M F	23 5	— —	— —	— —	— —	— —	— —	— —	— —	— —
96	Asthma ...	{ M F	291 242	— —	1 —	— —	1 —	2 —	1 1	1 —	— —	— —
97	Pulmonary emphysema	{ M F	91 35	— —	— —	— —	— —	— —	— —	— 1	— —	— —
98A	Fibroid disease of lung ...	{ M F	80 15	— —	— —	— —	— —	— —	— —	— —	— —	— —
98B	Other diseases of the respiratory system.	{ M F	78 43	1 —	— —	2 1	1 —	4 1	1 2	3 1	3 1	— 1
99A	Diseases of the teeth and gums.	{ M F	40 31	3 1	1 2	3 —	2 3	9 6	3 3	2 —	1 1	— 1
99B, C, D.	Other diseases of the mouth and annexa.	{ M F	32 33	12 13	12 4	1 2	1 5	26 24	4 3	— 1	— —	— —
100	Diseases of pharynx, Tonsillitis.	{ M F	81 91	2 2	3 3	— 1	7 4	12 10	9 6	4 5	8 6	8 7

T DIFFERENT AGE-PERIODS, 1912—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
1 —	— 1	— 1	— 3	1 3	2 4	2 3	11 7	4 12	14 18	17 22	24 37	32 30	39 57	60 58	43 67	18 49	6 22	}	82A
4 —	— —	— 1	2 1	— 1	1 5	1 1	2 4	2 5	— 6	5 6	2 6	2 5	1 8	5 8	2 4	1 1	— 1		82B
2 1	— —	— —	— —	1 1	— 1	2 4	1 6	— 6	5 9	3 4	2 7	5 10	5 10	4 7	3 3	— 3	— —	}	83
29 16	5 1	3 1	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		84A
7 7	2 —	2 —	— —	— —	— 1	1 —	1 —	1 —	1 1	1 1	1 2	— 1	1 2	— —	1 —	— —	— —	}	84B
1 1	— —	— —	— —	1 1	2 —	3 2	3 —	1 3	2 2	— 2	4 3	5 3	6 8	3 2	2 5	— 1	1 —		85
5 4	1 2	1 2	1 —	1 —	1 —	— —	— —	— —	— —	— —	— —	— 1	1 1	— —	— —	— —	— —	}	86
140 91	34 10	4 1	1 1	2 —	1 —	2 1	3 4	3 1	3 —	4 1	— 2	1 3	— 1	2 2	— 1	— 1	— —		87
— —	— —	1 3	4 3	— 1	— —	— 1	— —	— 5	3 7	— 8	1 7	— 3	1 9	1 6	2 1	— 1	— —	}	88
2,066 1,731	37 31	8 15	11 26	17 23	29 25	48 50	92 67	138 123	253 192	352 292	497 483	770 666	893 939	986 1,213	708 929	360 583	181 381		89 & 90.
2,922 2,543	72 105	11 24	12 10	12 10	18 16	17 20	20 24	34 32	48 40	58 45	69 65	74 72	79 84	93 100	48 94	28 42	16 31	}	91
259 178	66 40	30 22	63 35	71 44	118 56	168 55	188 77	186 83	155 66	167 65	157 75	145 74	112 83	75 54	29 37	10 18	5 6		92A
735 577	96 79	36 35	59 32	85 39	120 39	131 70	186 80	159 74	198 85	195 87	180 91	187 92	183 112	118 121	71 73	28 40	15 17	}	92B
48 36	9 5	3 6	10 7	11 3	5 7	13 6	19 8	22 12	26 13	27 16	30 15	31 21	24 10	20 14	10 4	8 10	1 2		93
76 59	6 5	— 3	1 4	— 2	4 6	3 4	9 10	11 5	12 8	14 5	13 6	14 20	20 28	23 30	32 44	24 33	12 32	}	94
— —	— —	1 —	— —	2 —	— —	1 —	— 1	3 —	4 2	2 2	3 —	2 —	2 —	1 —	1 —	1 —	— —		95
4 1	2 1	— 1	— 1	2 8	6 2	7 6	7 6	16 14	30 20	29 23	48 34	51 33	46 28	26 40	11 19	6 4	— 1	}	96
— 1	— —	— 1	— —	— —	— —	2 2	— 1	5 1	5 —	12 3	10 4	6 5	18 7	19 3	9 7	3 —	2 —		97
— —	— —	— —	2 —	1 —	1 —	2 2	2 1	8 1	8 4	9 2	22 —	9 3	10 1	4 —	2 —	— 1	— —	}	98A
11 6	— —	1 1	— 1	6 3	2 2	12 2	5 5	5 2	8 4	13 4	2 —	4 6	4 —	4 4	— 3	1 —	— —		98B
15 11	— —	— 3	— 3	1 2	3 2	1 3	4 1	3 —	3 3	3 1	3 —	1 1	— 1	— —	3 —	— —	— —	}	99A
30 28	— —	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— 1	— 1	— 1	— 2		99B, C, D.
41 34	10 13	3 5	6 4	2 1	4 7	3 3	3 3	1 3	— 6	2 3	1 —	— 3	3 2	— 2	1 1	— 1	1 —	}	100

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of œsophagus ... { M F	10 7	— —	— —	— —	— —	— —	— —	— —	— —	— —
102	Perforating ulcer of stomach. { M F	305 296	1 —	— —	— —	— —	1 —	— —	— 1	— —	— —
103A	Inflammation of stomach { M F	552 493	39 20	114 67	83 49	55 40	291 176	29 22	9 12	5 6	1 1
103B	Other diseases of the stomach. { M F	113 120	3 5	11 9	7 4	3 4	24 22	— 1	1 —	— —	— 1
104 & 105.	Diarrhœa and enteritis ... { M F	2,511 1,994	171 78	411 251	483 350	485 419	1,550 1,098	316 289	65 59	38 26	10 19
106	Ankylostomiasis ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
107	Other intestinal parasites { M F	— 2	— —	— —	— —	— —	— —	— —	— —	1 —	— —
108	Appendicitis ... { M F	389 298	— —	— 1	1 1	— —	1 2	2 —	2 2	7 3	6 3
109A	Hernia ... { M F	206 261	3 1	4 3	11 —	4 1	22 5	4 —	— —	— —	1 —
109B	Intestinal obstruction ... { M F	379 385	6 —	11 6	28 17	42 15	87 38	14 9	6 5	2 5	3 1
110	Other diseases of the intestines. { M F	74 68	1 1	3 —	2 3	3 7	9 11	3 3	1 2	2 —	1 —
111	Acute yellow atrophy of liver. { M F	4 15	— —	— —	— —	— —	— —	— —	— —	— —	— —
112	Hydatid of liver ... { M F	8 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
113	Cirrhosis of the liver ... { M F	658 555	— —	— —	2 —	— 1	2 1	— —	1 —	— —	1 —
114	Biliary calculi ... { M F	67 160	— —	— —	— —	— —	— —	— —	— —	— —	— —
115	Other diseases of the liver { M F	105 135	— —	— —	1 2	1 2	2 4	— 1	3 —	— —	3 1
116	Diseases of the spleen ... { M F	3 8	— —	— —	— —	— —	— —	— 1	— —	— —	— —
117	Peritonitis (cause un- stated). { M F	62 83	— 1	— 1	2 —	2 1	4 3	1 —	— —	5 2	1 3
118	Other diseases of the digestive system. { M F	47 23	— —	— —	— —	— —	— —	1 —	1 —	— —	— —
119	Acute nephritis ... { M F	359 342	1 1	7 4	8 4	7 6	23 15	13 24	7 14	9 5	15 8
120	Bright's disease ... { M F	2,146 1,887	— —	— —	— —	— 2	— 2	2 3	1 1	2 1	1 2
121	Chyluria ... { M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
122	Other diseases of the kidney and annexa. { M F	96 67	— —	— —	1 1	1 —	2 1	1 —	— —	1 —	— —

AT DIFFERENT AGE-PERIODS, 1912—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
— —	— —	— —	— —	— —	— —	— —	1 1	2 —	— —	1 —	1 —	1 2	1 1	2 2	— —	— —	1 1	} 101	
1 1	— 3	2 2	8 23	15 29	15 25	32 29	34 43	40 23	27 26	39 21	34 28	25 22	16 9	11 8	5 3	— —	1 1		
335 217	14 13	7 4	3 4	5 2	5 3	5 4	10 8	11 15	12 13	14 11	20 34	21 26	28 28	26 39	18 42	12 21	6 9	} 103A	
25 24	6 7	2 3	— 1	1 1	1 5	2 1	6 4	4 2	8 8	5 10	16 9	9 14	8 8	12 5	4 11	3 1	1 6		
1,979 1,491	28 30	15 7	9 10	15 9	31 11	33 23	40 19	27 24	39 30	46 21	51 37	46 49	37 62	40 75	44 55	21 31	10 10	} 104 & 105	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 107	
18 10	42 49	60 37	50 31	30 31	38 25	22 16	20 13	23 23	26 9	22 8	15 8	9 11	9 8	2 9	3 7	— 1	— 2		
27 5	1 —	1 —	2 3	4 —	2 1	2 3	6 8	12 12	14 23	13 40	19 35	29 37	24 32	20 31	18 18	9 11	3 2	} 109A	
112 58	13 6	6 5	12 3	9 6	6 5	10 12	16 18	14 16	14 20	28 16	24 32	19 28	28 42	35 41	22 44	9 19	2 14		
16 16	2 2	— —	— 1	1 1	— 1	4 2	— 2	5 3	5 4	6 2	6 5	10 5	5 6	7 2	5 6	2 8	— 2	} 110	
— —	— —	— —	— 1	1 2	1 3	— —	— 2	— 3	— 2	— 1	1 —	— 1	1 —	— —	— —	— —	— —		
— —	— —	— —	— 1	— —	1 —	1 1	— —	2 1	— —	1 —	2 —	1 —	— —	— —	— —	— —	— —	} 112	
4 1	1 2	1 2	1 —	— 2	5 2	16 12	39 37	59 63	100 83	114 92	114 96	82 61	70 37	26 37	17 21	7 5	2 2		
— —	— —	— —	— 1	1 —	— 1	— 2	3 4	2 2	7 9	9 11	8 36	7 27	11 22	12 20	6 18	1 5	— 2	} 114	
8 6	1 —	— 1	— 2	1 —	5 2	5 3	8 6	9 2	9 7	12 7	10 24	13 12	5 19	8 16	5 20	3 6	3 2		
— 1	— —	— 1	— —	1 1	— —	— —	— 2	— —	1 1	— —	— —	1 —	— 1	— —	— 1	— —	— —	} 116	
11 8	7 9	5 5	2 4	3 4	4 10	5 2	2 8	1 3	2 5	5 6	2 5	5 1	4 5	4 4	— 1	— —	— 3		
2 —	1 —	— —	2 —	3 1	3 2	5 2	2 2	6 —	8 2	2 4	4 2	3 3	2 4	3 1	1 —	— —	— —	} 118	
67 66	30 26	22 14	17 11	19 14	18 13	26 17	19 22	21 27	27 23	19 27	21 23	22 23	10 14	11 14	6 5	3 3	1 —		
6 9	14 11	14 22	25 25	33 33	41 44	75 55	99 115	143 135	196 176	271 186	256 223	296 239	301 230	219 199	110 114	26 48	21 23	} 120	
— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
4 1	— —	2 —	— 1	— 5	2 5	7 3	9 8	13 11	10 4	10 5	8 4	5 3	12 9	3 5	5 2	4 1	2 —	} 122	

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
123	Calculi of the urinary passages. {	M 62	—	—	—	—	—	—	—	—	1
	F 28		—	—	—	—	—	—	—	—	—
124	Diseases of the bladder {	M 303	—	—	1	—	1	—	—	—	—
	F 74		—	—	—	—	—	—	—	—	—
125	Diseases of the urethra. {	M 142	—	1	—	—	1	—	—	—	—
	Urinary abscess, &c. {	F 4	—	—	—	—	—	—	—	—	—
126	Diseases of the prostate {	M 373	—	—	—	—	—	—	—	—	—
	F —		—	—	—	—	—	—	—	—	—
127	Non-venereal diseases of male genital organs. {	M 11	2	1	—	—	3	1	—	—	—
	F —		—	—	—	—	—	—	—	—	—
128	Uterine hæmorrhage (non-puerperal). {	M —	—	—	—	—	—	—	—	—	—
	F 3		—	—	—	—	—	—	—	—	—
129	Uterine tumour (non-cancerous). {	M —	—	—	—	—	—	—	—	—	—
	F 95		—	—	—	—	—	—	—	—	—
130	Other diseases of the uterus. {	M —	—	—	—	—	—	—	—	—	—
	F 51		—	—	—	—	—	—	—	—	—
131	Ovarian cyst, tumour (non-cancerous). {	M —	—	—	—	—	—	—	—	—	—
	F 76		—	—	—	—	—	—	—	—	—
132	Other diseases of the female genital organs. {	M —	—	—	—	—	—	—	—	—	—
	F 64		—	—	—	—	—	—	—	—	—
133	Non-puerperal dis. of the breast (non-cancerous). {	M 2	1	1	—	—	2	—	—	—	—
	F 8		1	2	—	—	3	—	—	—	—
134	Accidents of pregnancy... {	M —	—	—	—	—	—	—	—	—	—
	F 113		—	—	—	—	—	—	—	—	—
135	Puerperal hæmorrhage ... {	M —	—	—	—	—	—	—	—	—	—
	F 183		—	—	—	—	—	—	—	—	—
136	Other accidents of child-birth. {	M —	—	—	—	—	—	—	—	—	—
	F 110		—	—	—	—	—	—	—	—	—
137	Puerperal fever ... {	M —	—	—	—	—	—	—	—	—	—
	F 377		—	—	—	—	—	—	—	—	—
138	Puerperal albuminuria and convulsions. {	M —	—	—	—	—	—	—	—	—	—
	F 205		—	—	—	—	—	—	—	—	—
139	Puerperal phlegmasia alba dolens, embolism and sudden death. {	M —	—	—	—	—	—	—	—	—	—
	F 90		—	—	—	—	—	—	—	—	—
140	Puerperal insanity ... {	M —	—	—	—	—	—	—	—	—	—
	F 11		—	—	—	—	—	—	—	—	—
141	Puerperal diseases of the breast. {	M —	—	—	—	—	—	—	—	—	—
	F 2		—	—	—	—	—	—	—	—	—
142A	Senile gangrene ... {	M 186	—	—	—	—	—	—	—	—	—
	F 180		—	—	—	—	—	—	—	—	—
142B.	Gangrene, other types ... {	M 39	1	1	—	1	3	2	4	1	—
C, D.	F 39		1	1	1	—	3	5	4	4	1
143	Carbuncle, Boil ... {	M 59	1	—	—	2	3	1	—	—	—
	F 24		—	—	1	1	2	—	—	—	—
144	Phlegmon, Acute abscess {	M 114	6	10	2	8	26	6	1	4	—
	F 99		6	8	5	11	30	7	1	2	2
145	Diseases of the integumentary system. {	M 149	45	16	8	9	78	5	—	1	—
	F 160		19	12	6	7	44	5	2	1	—

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ... { M F	102 49	2 —	3 3	3 —	5 —	13 3	5 5	3 —	3 4	1 2
147	Diseases of the joints ... { M F	23 15	— —	— —	— —	— 2	— 2	— —	1 —	1 —	1 —
148	Amputations ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
149	Other diseases of loco- motor system. { M F	7 5	— —	— —	— —	— —	— —	— —	1 —	— —	— —
150	Congenital malformations { M F	622 483	344 294	129 80	49 39	34 25	556 438	22 12	11 10	3 3	5 2
151A	Premature birth ... { M F	3,491 2,607	3,201 2,364	259 206	24 26	7 11	3,491 2,607	— —	— —	— —	— —
151 B-E.	Infantile debility, Icterus and Sclerema. { M F	2,320 1,728	1,128 829	592 400	380 296	220 203	2,320 1,728	— —	— —	— —	— —
152	Other diseases peculiar to early infancy. { M F	536 395	508 380	28 15	— —	— —	536 395	— —	— —	— —	— —
153	Lack of care ... { M F	54 63	52 62	2 1	— —	— —	54 63	— —	— —	— —	— —
154	Old age ... { M F	3,760 5,308	— —	— —	— —	— —	— —	— —	— —	— —	— —
155	Suicide by poison ... { M F	108 77	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia ... { M F	46 16	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation. { M F	224 53	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning ... { M F	140 84	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms { M F	63 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments. { M F	181 37	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place. { M F	23 10	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing ... { M F	40 14	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides ... { M F	3 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food ... { M F	28 17	— —	1 —	1 —	— —	2 —	1 —	1 —	1 1	1 1
165	Other acute poisonings ... { M F	57 27	— —	— —	— —	— 1	— 1	1 1	5 1	3 1	1 1
166	Conflagration ... { M F	15 14	— —	— —	— —	— —	— —	— —	1 1	— 2	1 1
167	Burns (conflagration ex- cepted). { M F	359 588	— 1	3 5	5 3	29 15	37 24	59 68	60 60	67 54	30 52
168	Absorption of deleterious gases (conflagration excepted). { M F	364 360	100 97	132 124	60 82	12 21	304 324	3 5	1 —	— —	— —

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ... { M F	665 135	2 —	— —	1 —	— 2	3 2	9 4	13 8	14 3	13 2
170	Injury by firearms ... { M F	7 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
171	Injury by cutting or piercing instruments. { M F	6 4	— —	— —	— —	1 —	1 —	— —	— 1	— —	1 —
172	Injury by fall ... { M F	747 460	— 1	— —	1 2	6 3	7 6	7 6	5 6	6 5	4 4
173	Injury in mines and quarries. { M F	126 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
174	Injury by machines ... { M F	96 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
175	Injury by other crushing (vehicles, railways, landslides, &c.). { M F	747 159	— —	— —	— 1	2 2	2 3	9 14	11 8	13 7	20 5
176	Injury by animals ... { M F	14 1	— —	— —	— —	— —	— —	— —	— —	— —	— 1
177	Starvation ... { M F	1 5	— —	— —	— —	— —	— —	— —	— —	— —	— —
178	Excessive cold ... { M F	15 8	— —	— —	— —	— —	— —	— —	— —	— —	— —
179	Effects of heat ... { M F	19 8	— —	1 —	— —	— —	1 —	— —	— —	— —	1 —
180	Lightning... { M F	3 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
181	Electricity (lightning ex- cepted). { M F	9 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
182	Homicide by firearms ... { M F	4 2	— —	— —	— —	— —	— —	— —	— 1	1 —	— —
183	Homicide by cutting or piercing instruments. { M F	13 15	1 —	— 1	3 —	— —	4 1	1 —	2 —	— —	— —
184	Homicide by other means { M F	31 41	8 5	1 1	— 2	1 1	10 9	1 1	2 —	— 1	— —
185	Fractures (cause not specified). { M F	26 4	1 —	— —	— —	1 —	2 —	— —	— —	1 —	— —
186	Other violence ... { M F	137 63	4 3	5 3	5 8	6 4	20 18	1 5	3 2	3 2	1 —
187	Dropsy ... { M F	8 7	— —	— —	— —	— —	— —	— —	— —	— 1	— —
188A	Syncope (aged 1 year and under 70). { M F	89 53	— —	— —	— —	— —	— —	— —	— —	— 1	— —
188B	Sudden death (not other- wise defined). { M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
189A	Heart failure (aged 1 year and under 70). { M F	241 208	— —	— —	— —	— —	— —	— 2	— —	— —	— 1
189 B-E.	Other ill-defined causes... { M F	248 237	10 6	5 4	3 4	10 4	28 18	118 122	24 22	5 5	1 1
189F	Cause not specified ... { M F	10 9	5 5	— 1	— —	1 —	6 6	1 —	— —	— —	— —

AT DIFFERENT AGE-PERIODS, 1912—*continued.*

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
52 19	97 11	41 6	32 10	46 12	42 7	42 12	57 9	53 11	46 9	41 8	39 8	30 4	21 5	18 3	5 —	2 —	1 1	169	
— —	— —	1 1	— 2	1 —	3 —	1 —	— —	— —	1 —	— —	— —	— 1	— —	— —	— —	— —	— —	170	
2 1	— 1	1 1	— —	— —	— —	— —	— —	1 —	1 —	— —	1 —	— —	— —	— 1	— —	— —	— —	171	
29 27	27 10	21 4	26 4	26 3	35 4	46 6	38 12	57 13	68 14	67 24	67 17	59 35	42 49	61 80	35 63	29 48	14 47	172	
— —	— —	— —	11 —	17 —	18 —	13 —	15 —	10 —	12 —	12 —	13 —	4 —	1 —	— —	— —	— —	— —	173	
— —	— —	3 —	14 —	6 —	10 —	12 —	13 —	9 1	6 —	6 —	10 —	2 —	4 —	1 —	— —	— —	— —	174	
55 37	70 27	33 9	39 5	49 3	48 2	56 4	63 5	63 7	69 9	62 8	42 5	37 14	28 6	22 8	5 3	4 4	2 3	175	
— 1	4 —	— —	2 —	— —	— —	— —	2 —	2 —	— —	— —	— —	1 —	2 —	— —	1 —	— —	— —	176	
— —	— —	— —	— —	— —	— —	— —	— 1	— —	— 1	— —	— —	— 2	1 1	— —	— —	— —	— —	177	
— —	— 1	— —	— —	1 —	— 1	2 —	— 1	— 1	1 —	— —	3 2	3 1	2 —	1 —	1 —	— —	1 1	178	
2 —	1 2	1 —	— —	— —	— —	— —	— —	2 —	1 1	4 1	6 1	— 2	2 1	— —	— —	— —	— —	179	
— —	— —	— —	— —	1 1	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	180	
— —	— —	1 —	3 —	2 —	— —	— —	1 —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	181	
1 1	— —	— —	— —	— —	1 —	1 —	— 1	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	182	
7 1	— 1	1 2	— 2	— 2	— 3	— 1	1 —	3 —	1 2	— —	— 1	— —	— —	— —	— —	— —	— —	183	
13 11	— —	— —	1 2	1 2	1 7	2 7	2 8	5 2	1 1	2 —	3 1	— —	— —	— —	— —	— —	— —	184	
3 —	— —	2 —	1 —	— —	1 —	1 —	— —	3 1	3 —	4 1	3 —	3 1	— —	2 —	— —	— —	— 1	185	
28 27	4 3	10 1	8 3	11 1	8 3	7 1	7 —	6 3	8 6	9 3	11 1	11 3	3 2	4 4	1 1	1 1	— —	186	
— 1	1 —	— —	— —	— —	— —	— —	1 1	1 2	— —	— —	2 1	1 —	1 —	1 2	— —	— —	— —	187	
— 1	2 1	1 1	2 1	— —	— 1	3 —	4 2	12 2	7 14	9 5	16 13	15 9	18 3	— —	— —	— —	— —	188A	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	188B	
— 3	1 —	3 2	2 1	3 3	2 11	12 2	8 11	17 17	20 24	29 21	37 28	52 37	55 48	— —	— —	— —	— —	189A	
176 168	2 7	3 4	1 —	2 —	1 2	— 4	3 6	8 2	3 5	4 11	7 5	14 11	10 7	8 4	4 1	2 —	— —	189, B-E.	
7 6	— —	1 —	— —	— —	— —	— —	— 1	— —	1 —	— 1	— —	— —	— —	— 1	— —	— —	— —	189F	

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1912.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
22,991 18,830	1,982 1,917	1076 1221	1668 1603	1799 1781	1,978 1,990	2,240 2,209	2,810 2,611	3,055 2,706	3,568 3,208	4,235 3,649	4,915 4,193	5,711 5,166	6,239 5,896	6,750 7,542	5,093 6,431	3,081 4,582	1,865 3,377	All Causes.
7 7	10 13	23 17	51 31	42 35	54 37	41 25	37 21	25 20	23 15	17 4	19 12	6 7	3 3	2 2	— —	— —	— —	1
— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	2
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3
1 1	— —	— —	— —	— —	2 —	1 —	2 —	1 —	1 —	— 2	1 —	3 —	1 1	1 —	— —	— —	— —	4
— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	5
1,783 1,667	148 161	7 2	1 4	3 1	2 3	— —	2 4	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	6
182 179	103 112	22 22	12 8	5 4	2 4	1 —	1 1	1 1	1 1	— —	— —	— —	1 —	— —	— —	— —	— —	7
1,237 1,521	29 43	1 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— 1	— —	— 1	8
399 373	280 293	45 52	7 8	7 6	1 1	1 7	2 3	2 2	1 —	2 —	1 1	— 1	— 1	— —	— —	— —	— —	9A
6 4	3 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	9 B, C
74 64	13 13	9 13	21 14	24 22	33 23	27 28	52 28	47 42	62 34	59 49	69 69	82 79	94 97	84 132	71 117	44 71	27 49	10
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	11
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	12
— 1	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— 1	— 1	1 1	— —	— —	— —	— —	13
1 2	— —	1 —	2 —	— 1	3 —	1 3	3 3	2 3	1 1	1 2	3 4	2 3	1 2	2 1	— 1	— —	— —	14
— —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	15
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	16
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	17
37 33	— 1	1 3	4 9	4 1	1 2	2 3	12 1	6 5	14 4	16 7	12 14	12 11	6 15	14 8	4 7	5 4	2 7	18
19 17	1 —	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	19
17 14	6 5	5 5	10 —	6 3	3 4	4 5	5 3	4 3	5 2	11 4	5 3	12 1	7 4	3 1	— 1	2 —	— —	20
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	21

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1912—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	} 22
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12 6	2 3	3 —	3 —	5 —	4 —	1 —	9 —	3 1	2 —	2 1	— —	— —	1 1	— 1	— —	— —	— —	} 24
—	—	—	—	—	2	—	1	—	1	1	—	—	—	—	—	—	—	
—	—	—	1	—	—	—	—	1	2	—	—	—	1	—	—	—	—	} 25
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 26
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
101 98	60 64	65 159	333 488	556 618	649 602	676 575	679 519	616 386	549 318	445 229	388 185	253 125	143 87	54 50	15 33	6 4	— 3	} 28
36 32	13 26	8 35	54 84	66 71	52 61	43 40	56 43	39 32	32 20	28 9	14 11	20 8	3 2	— 1	1 —	— —	— —	
47 53	7 16	8 12	18 9	12 9	8 9	7 12	4 7	3 1	5 1	6 1	3 2	2 —	1 2	— —	— —	— —	— —	} 29A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
547 495	167 136	71 93	25 38	15 23	10 19	13 5	16 19	8 5	8 9	3 1	2 2	1 —	— —	1 —	— —	— —	— —	} 29B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
375 292	56 57	31 45	22 40	13 15	15 27	9 22	12 19	11 8	11 7	7 12	1 5	9 5	2 5	1 4	1 3	— 1	— —	} 30
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 7	10 7	10 10	10 9	6 6	16 5	11 6	15 5	10 10	11 5	6 4	6 7	12 6	1 2	1 3	— 4	— 1	— —	} 31
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 3	8 1	6 3	1 10	8 8	8 3	2 1	2 3	2 3	1 1	3 3	2 3	2 2	1 —	4 3	— 2	— 1	— —	} 32
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
23 14	10 7	6 4	7 7	6 11	9 2	8 5	6 6	6 4	5 5	10 —	3 5	6 4	2 2	2 3	4 1	2 1	— 2	} 33
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
107 115	34 35	31 34	32 26	16 32	21 23	17 25	18 19	23 14	14 11	10 14	14 6	3 6	3 2	5 3	— 3	— 1	— —	} 34
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1,242 1,109	365 349	236 395	502 711	698 793	788 751	786 691	808 640	718 463	636 377	518 273	433 226	308 156	156 102	68 67	21 46	8 9	— 5	} 28-35
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
125 103	2 5	— —	1 2	— —	— 1	— 2	— 1	— —	— —	— —	1 —	— —	— —	— 1	— —	— 1	— —	} 35
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
199 156	1 1	— 1	6 4	6 4	6 —	12 10	12 13	9 5	10 12	14 10	13 8	11 9	7 4	— 3	1 1	— 2	— —	} 36
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 5	— 1	— —	— —	1 1	— —	— 1	1 —	1 —	1 —	— —	— —	1 —	2 —	— —	— —	— —	— —	} 37
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1 1	— 1	3 —	— —	3 1	1 2	3 3	12 6	28 6	46 7	76 5	100 14	90 12	100 15	88 14	46 12	12 5	13 5	} 38
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 2	— —	1 —	1 1	1 6	— 9	14 19	30 47	88 77	146 142	228 235	322 258	374 326	388 322	300 337	166 199	65 92	9 35	} 39
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
— 2	2 1	— 1	2 2	6 2	5 9	18 16	27 29	42 57	59 91	121 130	132 152	171 201	181 207	168 215	97 126	32 65	21 38	} 40
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	—	4	3	8	31	79	127	219	250	232	170	162	123	84	37	9	} 41
—	—	—	—	—	—	—	—	—	1	—	2	—	3	—	1	1	—	
—	—	—	—	—	4	22	64	107	166	160	173	173	121	152	89	52	31	} 42
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
44	Cancer of the skin ... {	M 191	—	—	—	—	—	—	—	—	—
	F 120	—	—	—	—	—	—	—	1	—	—
45	Cancer of other or un- {	M 1,160	—	2	1	—	3	7	6	5	2
	F 762	—	1	—	1	2	4	2	2	3	6
39-45	Cancer (all sites) ... {	M 5,200	—	2	1	1	4	7	7	6	2
	F 7,295	—	1	1	1	4	7	4	3	3	6
46	Other tumours (situation {	M 23	—	—	—	—	—	—	—	—	—
	F 26	—	—	—	—	—	—	1	—	—	—
47	Rheumatic fever... {	M 296	—	—	—	3	3	2	1	2	2
	F 397	—	—	—	1	—	1	—	3	2	8
48	Chronic rheumatism, {	M 153	—	—	—	—	—	—	—	—	—
A,B	Osteo-arthritis. {	F 366	—	—	—	—	—	—	—	—	—
48C	Gout ... {	M 90	—	—	—	—	—	—	—	—	—
	F 29	—	—	—	1	—	1	—	—	—	—
49	Scurvy ... {	M 3	—	—	1	1	2	1	—	—	—
	F 4	—	—	—	—	1	1	2	—	1	—
50	Diabetes ... {	M 778	—	—	1	—	1	1	2	1	2
	F 688	—	—	—	—	—	—	1	1	—	—
51	Exophthalmic goitre ... {	M 16	—	—	—	—	—	—	—	—	—
	F 149	—	—	—	—	—	—	—	—	—	—
52	Addison's disease ... {	M 34	—	—	—	—	—	—	—	—	—
	F 57	—	—	—	—	—	—	—	—	—	—
53	Leucocythæmia, Lympha- {	M 133	—	—	—	2	2	4	1	1	5
	F 119	—	—	—	—	—	—	1	3	1	—
54	Anæmia, Chlorosis ... {	M 312	—	3	—	3	6	8	1	1	1
	F 460	—	—	—	2	3	5	8	2	2	—
55	Other general diseases ... {	M 84	11	4	5	3	23	5	4	—	1
	F 95	—	13	4	3	5	25	2	2	4	2
56	Alcoholism (acute or {	M 119	—	—	—	—	—	—	—	—	—
	F 61	—	—	—	—	—	—	—	—	—	—
57	Chronic lead poisoning... {	M 32	—	—	—	—	—	—	—	—	—
	F 2	—	—	—	—	—	—	—	—	—	—
58	Other chronic occupa- {	M 1	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
59	Other chronic poisonings {	M 3	—	—	—	—	—	—	—	—	—
	F 1	—	—	—	—	—	—	—	—	—	—
60	Encephalitis ... {	M 65	—	—	—	3	3	6	2	—	1
	F 45	—	—	1	3	1	5	1	2	2	1
61A	Cerebro-spinal fever ... {	M 20	—	—	—	1	1	1	1	—	2
	F 22	—	—	—	—	1	1	2	—	—	2
61B	Posterior basal meningitis {	M 31	2	1	5	7	15	7	2	—	—
	F 27	—	—	1	3	9	13	5	4	—	—
61C	Meningitis, other forms {	M 701	13	29	46	116	204	120	64	39	28
	F 622	—	6	24	38	90	158	100	67	29	22
62	Locomotor ataxy ... {	M 169	—	—	—	—	—	—	—	—	—
	F 40	—	—	—	—	1	1	1	—	—	—
63	Other diseases of the {	M 503	—	1	—	7	8	11	4	4	5
	F 377	—	—	—	2	5	7	4	6	2	1

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1912—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
— 1	— —	1 —	— —	1 —	3 1	1 3	6 1	10 4	11 4	16 6	22 4	21 11	22 14	23 26	22 19	20 14	12 12	} 44	
23 17	6 8	9 7	23 14	17 8	24 9	31 10	42 25	56 44	89 73	124 68	176 85	155 109	156 99	134 81	68 70	22 25	5 10		
26 23	8 11	14 8	26 21	28 20	33 42	67 104	117 251	224 422	352 702	565 854	754 918	811 1002	850 940	713 948	400 599	152 290	60 140	} 39-45	
— 1	— —	— —	— —	— —	1 —	— 1	2 —	3 1	1 4	2 1	4 3	4 3	2 3	2 7	— —	1 1	1 1		
10 14	49 57	46 67	31 54	27 29	9 30	15 16	24 27	18 20	15 16	20 16	10 16	6 12	6 14	6 3	2 3	— 2	2 1	} 47	
— —	— —	— —	— —	1 1	— 2	4 6	3 4	2 9	6 12	7 33	18 32	26 52	25 60	30 59	21 55	10 29	— 12		
— 1	— —	— —	— —	— —	— —	— —	— 1	4 1	4 1	4 1	11 3	9 1	20 7	17 3	13 6	3 2	5 2	} 48C	
3 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
7 2	12 3	21 11	28 12	16 21	28 22	30 36	32 29	33 21	43 38	51 65	86 55	113 103	114 104	89 86	54 58	16 15	5 7	} 50	
— —	— —	— 2	2 5	2 16	2 13	1 20	2 15	2 11	— 18	3 16	— 12	2 11	— 7	— 3	— —	— —	— —		
— —	1 —	1 1	— 2	1 4	— 5	4 5	4 7	5 4	4 9	1 4	6 4	3 6	2 4	2 1	— 1	— —	— —	} 52	
13 5	10 4	6 10	14 8	6 8	10 6	8 15	10 9	7 8	10 8	11 7	10 5	10 12	— 9	5 4	2 1	1 —	— —		
17 17	4 4	2 6	9 15	5 12	2 22	11 22	21 33	24 44	27 43	40 55	39 43	36 58	34 47	24 23	12 14	5 2	— —	} 54	
33 35	7 8	4 6	8 4	5 2	2 4	1 3	3 3	1 5	4 2	4 1	2 4	6 3	4 3	— 3	— 3	— 4	— 2		
— —	— —	— —	— —	— —	5 —	5 8	19 8	19 12	15 9	23 7	15 6	9 3	7 5	2 1	— —	— 2	— —	} 56	
— —	— —	— —	— —	1 —	1 —	3 1	4 —	6 —	6 —	2 —	3 —	5 —	1 1	— —	— —	— —	— —		
— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 58	
— —	— —	1 —	— —	— —	— 1	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —		
12 11	7 3	2 4	7 3	5 2	2 2	5 2	5 6	4 2	3 2	5 1	4 1	3 —	— 1	— —	— 3	1 —	— 2	} 60	
6 5	5 7	3 4	1 4	1 —	— 1	2 —	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
24 22	2 3	— —	— —	1 —	1 1	— —	1 —	— —	1 1	— —	— —	— —	— —	1 —	— —	— —	— —	} 61B	
455 376	69 68	34 36	32 32	13 14	16 20	11 11	14 8	10 13	11 4	12 10	7 7	9 9	3 7	1 4	3 2	1 —	— 1		
— 2	— —	— —	— —	— —	2 —	2 —	12 4	23 4	26 6	28 3	21 2	25 7	18 4	9 6	1 1	2 1	— —	} 62	
32 20	4 9	1 7	15 6	9 10	14 7	10 17	25 12	32 21	32 24	40 28	57 39	52 48	68 43	69 42	28 27	8 11	7 6		

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1912—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
13 8	4 —	3 2	4 2	4 8	8 4	26 28	38 65	85 98	148 196	251 300	351 392	511 513	601 650	704 878	477 673	230 386	111 228	} 64	
— —	— —	1 —	— —	1 1	1 —	— —	1 2	2 5	9 7	9 15	24 19	36 30	44 39	71 59	39 68	18 30	11 21		
3 4	— —	— —	1 1	— 1	— 2	— 2	2 6	12 7	7 23	18 24	31 35	57 58	85 77	78 105	66 99	37 49	11 30	} 66	
— —	— —	— 1	6 1	4 3	15 5	54 7	84 25	101 31	90 22	81 20	55 13	37 7	19 6	8 7	4 1	1 —	— —		
1 —	— —	1 —	2 4	2 3	2 7	12 14	7 19	12 25	9 19	22 23	20 23	25 28	23 28	15 17	16 21	6 9	3 5	} 68	
26 14	14 10	26 18	40 38	39 31	31 51	45 33	44 38	37 27	23 29	30 33	29 28	35 36	17 18	27 19	15 6	4 8	4 3		
— —	9 7	1 2	1 —	1 1	— —	— —	1 —	— —	3 2	— —	— —	1 —	— 1	— 1	— 3	— —	— —	} 70	
1,839 1,303	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
2 1	4 7	3 17	3 7	— 1	— —	— 2	— —	— 1	— —	— 1	— —	— 1	— —	— 1	— —	— —	— —	} 72	
1 —	— —	— 1	— 1	— 3	— 4	3 4	7 7	3 13	4 15	6 8	8 10	5 8	4 5	4 7	5 6	— 3	— 2		
17 19	12 10	5 13	15 11	11 17	19 14	13 18	21 28	16 19	16 15	26 23	34 28	29 27	21 21	17 21	8 5	2 7	2 5	} 74	
2 —	— —	1 2	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— 1	— 1	— —	— —	— —		
13 17	7 7	7 3	8 4	2 —	4 —	3 —	1 —	2 1	1 1	— —	1 —	— 2	— —	— —	— —	— —	— —	} 76A	
54 42	13 14	17 14	19 14	14 7	9 2	7 3	5 6	1 5	6 4	1 2	1 1	1 3	1 —	1 1	1 —	— —	— —		
3 7	8 7	10 10	2 11	6 3	2 2	4 5	5 3	7 4	4 2	7 1	12 4	6 6	3 4	3 3	1 5	1 —	— —	} 77	
1 6	10 18	12 22	18 31	20 27	11 23	8 21	28 19	22 26	20 17	32 31	31 36	4 2	2 1	1 5	1 1	1 —	— 1		
7 11	27 46	65 101	75 96	77 86	65 99	72 124	120 170	131 196	203 230	245 277	327 299	400 440	445 480	415 501	255 343	105 153	42 62	} 79A	
— —	— —	— —	— —	— 1	3 1	4 9	20 16	17 19	27 38	46 48	59 69	74 94	75 89	75 81	50 53	19 20	3 9		
10 10	18 27	31 42	40 45	49 47	48 56	71 66	84 112	138 144	177 230	287 270	353 389	518 521	671 699	646 782	432 575	193 325	71 139	} 79C	
— —	— —	— 1	— 1	— —	— 1	1 2	2 2	9 4	19 6	24 14	24 12	43 19	58 25	48 23	19 17	11 13	4 3		
— —	— —	— 1	— —	1 —	2 —	15 1	19 1	35 2	47 4	46 9	37 4	39 4	28 6	15 8	7 3	1 2	— —	} 81A	
— —	— —	— —	— —	— 2	1 —	2 —	5 1	5 3	17 9	39 13	86 40	116 68	193 98	220 135	166 125	97 83	60 64		
— —	— —	— —	— —	— —	— —	1 —	— —	1 —	5 1	5 —	9 2	3 3	3 3	6 4	2 2	3 —	1 —	} 81C	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis. { M F	375 606	— —	— —	— —	— —	— —	1 —	— —	— —	— —
82B	Other embolism and thrombosis. { M F	50 64	2 —	1 —	— —	— —	3 —	— —	1 —	— —	— 1
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.). { M F	34 75	— —	— —	— —	— —	— —	— —	— —	— —	— —
84A	Status lymphaticus ... { M F	22 17	5 2	2 2	6 2	2 3	15 9	1 3	2 1	1 1	— —
84B	Other diseases of the lymphatic system. { M F	16 15	1 —	— —	1 1	2 2	4 3	— 3	1 —	1 1	1 —
85	Hæmorrhage; other diseases of the circulatory system. { M F	27 26	1 —	— —	1 —	— —	2 —	1 —	— —	— —	— 1
86	Diseases of the nasal fossæ. { M F	19 8	1 1	1 —	2 —	1 —	5 1	1 —	1 —	— 1	— —
87	Diseases of the larynx ... { M F	234 184	4 4	5 5	16 5	35 12	60 26	42 29	22 21	32 31	22 20
88	Diseases of the thyroid body. { M F	11 71	— —	— —	— —	— —	— —	— —	— —	— —	— —
89 & 90	Bronchitis ... { M F	5,989 6,425	183 114	397 289	322 242	466 378	1,368 1,023	291 317	92 88	37 32	19 13
91	Broncho-pneumonia ... { M F	2,863 2,658	58 40	232 168	283 236	695 531	1,268 975	689 632	193 217	100 121	49 51
92A	Lobar-pneumonia ... { M F	1,470 916	2 4	11 9	10 7	50 35	73 55	68 53	44 27	19 22	19 20
92B	Pneumonia (type not stated). { M F	2,296 1,493	22 15	55 27	70 41	153 112	300 195	139 132	66 50	37 36	27 19
93	Pleurisy ... { M F	272 188	1 1	— 1	1 1	8 1	10 4	11 4	8 6	5 5	3 5
94	Pulmonary congestion, Pulmonary apoplexy. { M F	296 313	9 3	12 6	13 4	13 9	47 22	7 9	6 4	2 2	3 1
95	Gangrene of the lung ... { M F	21 10	— —	— —	— —	— —	— —	— —	— —	— —	— —
96	Asthma ... { M F	339 240	— —	— —	— —	1 —	1 —	1 —	— —	— —	— —
97	Pulmonary emphysema { M F	83 41	— —	— —	— —	— —	— —	— 1	— —	— —	— —
98A	Fibroid disease of lung ... { M F	80 34	— —	— —	— —	— —	— —	— —	— —	— —	— —
98B	Other diseases of the respiratory system. { M F	57 26	— —	1 —	3 1	— 2	4 3	2 —	— —	1 —	— —
99A	Diseases of the teeth and gums. { M F	52 41	1 1	1 1	1 1	— 3	3 6	2 6	2 2	3 —	2 2
99B, C, D.	Other diseases of the mouth and annæa. { M F	32 35	16 12	3 10	4 3	— 2	23 27	3 1	— —	— —	— —
100	Diseases of pharynx, Tonsillitis. { M F	73 83	1 2	— —	1 4	2 3	4 9	5 3	5 3	4 6	3 6

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of œsophagus ... { M F	12 12	— —	— —	— —	— —	— —	— —	— —	— —	— —
102	Perforating ulcer of { stomach. M F	248 326	— 1	— —	— —	1 —	1 1	1 —	— —	— —	— —
103A	Inflammation of stomach { M F	468 484	47 25	95 51	53 33	48 29	243 138	26 15	8 13	8 13	4 4
103B	Other diseases of the { stomach. M F	116 98	2 4	8 5	4 4	7 —	21 13	— 3	3 1	1 —	1 —
104 & 105.	Diarrhoea and enteritis ... { M F	1,916 1,585	154 67	366 236	335 267	316 273	1,171 843	184 168	43 41	16 20	10 17
106	Ankylostomiasis... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
107	Other intestinal parasites { M F	1 4	— —	— —	— —	1 —	1 —	— 2	— —	— 1	— —
108	Appendicitis ... { M F	494 353	— —	— 1	— 1	1 2	1 4	1 —	5 3	10 2	9 7
109A	Hernia ... { M F	236 276	7 3	8 —	7 1	6 —	28 4	4 1	2 —	— 1	2 —
109B	Intestinal obstruction ... { M F	428 426	10 1	7 1	26 16	45 20	88 38	21 3	6 5	2 7	3 2
110	Other diseases of the { intestines. M F	68 59	1 2	3 1	2 1	4 3	10 7	— 1	— —	— 1	1 1
111	Acute yellow atrophy of { liver. M F	5 10	— —	— —	— —	— —	— —	1 —	— —	— —	— —
112	Hydatid of liver... { M F	4 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
113	Cirrhosis of the liver ... { M F	698 524	— —	— —	1 —	— 1	1 1	1 1	— —	— —	— —
114	Biliary calculi ... { M F	85 219	— —	— —	— —	— —	— —	— —	— —	— —	1 —
115	Other diseases of the liver { M F	121 162	— —	— —	4 2	1 1	5 3	2 2	1 1	— 2	1 3
116	Diseases of the spleen ... { M F	7 10	— —	— —	— —	— —	— —	— —	— —	— —	1 —
117	Peritonitis (cause un- { stated). M F	66 75	1 4	3 2	3 3	2 1	9 10	— —	3 3	2 3	— 2
118	Other diseases of the { digestive system. M F	28 33	— —	— —	— —	— —	— —	1 2	— 1	— —	— —
119	Acute nephritis ... { M F	383 300	3 1	9 3	6 3	5 11	23 18	17 11	11 15	9 8	12 7
120	Bright's disease ... { M F	2,265 2,028	— —	— —	— —	2 —	2 —	6 2	5 —	3 4	1 3
121	Chyluria ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
122	Other diseases of the { kidney and annexa. M F	78 78	1 —	1 —	1 —	— —	3 —	— 1	1 —	— 1	— —

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1912—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
— —	— —	— —	— —	— —	1 1	— —	— 1	— —	3 2	2 —	— 2	— 1	4 2	1 —	— 3	1 —	— —	101	
2 1	1 —	1 3	2 27	8 34	20 20	22 30	27 40	29 37	26 35	28 26	23 19	23 17	17 13	9 15	8 6	1 3	1 —	102	
289 183	10 16	3 5	1 4	2 2	1 4	5 5	6 6	10 14	14 17	13 21	10 20	17 34	18 25	29 47	26 39	10 29	4 13	103A	
26 17	3 2	2 2	1 1	3 2	— 1	6 2	7 5	4 2	6 4	7 3	9 4	10 8	8 9	10 11	8 7	5 9	1 9	103B	
1,424 1,089	20 29	16 13	17 12	12 11	17 19	21 25	28 21	32 18	49 32	54 30	31 33	44 40	42 45	48 67	30 42	19 37	12 22	104 & 105.	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	106	
1 3	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	107	
26 16	48 49	71 45	61 45	56 31	32 18	33 24	31 11	16 23	32 15	20 17	26 16	18 10	9 10	7 15	6 4	2 3	— 1	108	
36 6	— —	— —	4 —	2 1	3 1	7 3	5 8	6 26	12 22	12 40	17 32	20 25	29 44	36 28	21 27	18 7	8 6	109A	
120 55	10 12	10 7	11 1	11 8	8 15	14 8	12 8	13 11	21 19	20 23	23 31	32 38	37 48	34 50	30 49	15 31	7 12	109B	
11 10	1 2	1 1	2 1	1 —	3 1	3 —	1 4	2 1	3 3	1 4	6 3	6 2	12 9	3 5	6 2	4 8	2 3	110	
1 —	— 1	— 1	1 —	1 1	— 2	— —	1 2	1 —	— —	— —	— —	— 1	— 1	— —	— 1	— —	— —	111	
— —	1 —	— —	— —	— —	— —	2 —	1 1	— —	— —	— —	— —	— 2	— —	— —	— —	— —	— —	112	
2 2	1 2	1 1	1 1	1 1	2 5	12 11	31 23	66 51	100 81	99 87	108 76	97 71	100 44	46 39	27 20	2 8	2 1	113	
1 —	— —	— —	1 —	— 1	1 2	3 5	2 6	3 9	2 7	10 15	13 36	10 34	20 36	10 30	5 19	4 15	— 4	114	
9 11	3 3	2 2	— 2	— 1	3 2	4 3	8 3	14 5	5 16	9 8	14 18	12 20	11 12	17 19	2 16	7 10	1 11	115	
1 —	2 —	— 1	— —	— —	1 —	1 1	— 2	— —	1 1	— —	— —	— 3	1 —	— 1	— —	— —	— 1	116	
14 18	4 22	7 2	3 4	2 —	1 5	2 2	3 3	3 4	3 3	8 1	6 3	4 1	4 3	— 2	2 2	— —	— —	117	
1 3	1 —	— —	— —	— —	— 3	3 1	2 —	— 4	2 2	5 5	4 2	5 5	1 4	3 1	1 2	— —	— 1	118	
72 59	31 27	13 12	14 14	25 13	27 10	16 15	23 34	32 11	22 18	25 15	28 30	27 12	14 15	8 6	4 4	1 2	1 3	119	
17 9	13 4	29 18	29 23	22 36	41 48	69 59	99 110	138 137	183 142	242 186	263 233	315 284	288 241	285 259	139 142	64 66	29 31	120	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	121	
4 2	1 2	— 1	2 2	1 3	2 2	3 3	6 5	5 5	5 5	4 8	4 11	10 8	9 8	9 2	6 4	4 3	3 4	122	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
123	Calculi of the urinary passages. { M F	62 30	— —	— —	— —	— —	— —	— —	— —	— —	— —
124	Diseases of the bladder... { M F	297 86	— —	— —	— —	— —	— —	1 —	— 2	— —	— —
125	Diseases of the urethra, { M Urinary abscess, &c. ... { F	104 1	1 —	— —	— —	— —	1 —	— —	— —	— —	— —
126	Diseases of the prostate... { M F	478 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
127	Non-venereal diseases of { M male genital organs. ... { F	10 —	1 —	3 —	— —	— —	4 —	— —	— —	— —	— —
128	Uterine hæmorrhage { M (non-puerperal). ... { F	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
129	Uterine tumour (non- { M cancerous). ... { F	— 122	— —	— —	— —	— —	— —	— —	— —	— —	— —
130	Other diseases of the { M uterus. ... { F	— 59	— —	— —	— —	— —	— —	— —	— —	— —	— —
131	Ovarian cyst, tumour { M (non-cancerous) ... { F	— 95	— —	— —	— —	— —	— —	— —	— —	— —	— —
132	Other diseases of the { M female genital organs. { F	— 59	— 2	— 1	— 1	— —	— 4	— 2	— —	— —	— —
133	Non-puerperal dis. of the { M breast (non-cancerous). { F	— 9	— 3	— 3	— —	— —	— 6	— —	— —	— —	— —
134	Accidents of pregnancy... { M F	— 114	— —	— —	— —	— —	— —	— —	— —	— —	— —
135	Puerperal hæmorrhage ... { M F	— 177	— —	— —	— —	— —	— —	— —	— —	— —	— —
136	Other accidents of child- { M birth. ... { F	— 161	— —	— —	— —	— —	— —	— —	— —	— —	— —
137	Puerperal fever ... { M F	— 446	— —	— —	— —	— —	— —	— —	— —	— —	— —
138	Puerperal albuminuria { M and convulsions. ... { F	— 235	— —	— —	— —	— —	— —	— —	— —	— —	— —
139	Puerperal phlegmasia { M alba dolens, embolism { F and sudden death. ...	— 153	— —	— —	— —	— —	— —	— —	— —	— —	— —
140	Puerperal insanity ... { M F	— 7	— —	— —	— —	— —	— —	— —	— —	— —	— —
141	Puerperal diseases of the { M breast. ... { F	— 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
142A	Senile gangrene ... { M F	218 193	— —	— —	— —	— —	— —	— —	— —	— —	— —
142B, C, D.	Gangrene, other types ... { M F	34 38	1 1	1 1	— —	— —	2 2	1 4	2 3	2 2	— —
143	Carbuncle, Boil ... { M F	66 27	2 —	— 1	— —	— —	2 1	— —	— —	— —	— —
144	Phlegmon, Acute abscess { M F	101 82	9 7	6 3	3 1	4 4	22 15	2 3	2 1	2 —	— —
145	Diseases of the integu- { M mentary system. ... { F	149 180	35 22	26 13	5 3	10 3	76 41	10 5	1 —	— 1	— 1

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1912—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	2	1	1	3	2	1	3	4	7	7	5	11	8	4	2	1	} 123
—	—	—	2	—	4	4	—	3	3	4	1	4	2	—	2	1	—	
1	—	—	—	—	4	2	3	1	11	10	15	29	45	62	58	25	31	} 124
2	—	1	—	—	2	—	4	3	3	5	3	5	7	16	15	7	13	
1	—	—	—	2	1	2	4	9	8	13	16	16	20	5	4	3	—	} 125
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
—	—	—	—	—	—	1	—	1	—	8	17	37	71	113	125	70	35	} 126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	—	—	1	—	—	—	—	—	—	1	—	2	—	2	—	—	—	} 127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	} 128
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	6	14	20	28	15	7	8	15	5	1	—	2	} 129
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	1	—	1	6	6	5	6	9	4	—	5	3	8	3	1	1	} 130
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	2	2	3	4	4	11	13	9	4	8	12	11	6	2	4	} 131
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	—	—	2	4	8	16	8	8	5	—	1	—	—	1	—	—	—	} 132
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—	—	} 133
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	2	11	23	20	42	14	2	—	—	—	—	—	—	—	—	} 134
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	2	13	31	54	46	27	4	—	—	—	—	—	—	—	—	} 135
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	7	22	34	28	42	23	5	—	—	—	—	—	—	—	—	} 136
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	12	85	115	122	80	28	4	—	—	—	—	—	—	—	—	} 137
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	23	40	51	54	45	20	2	—	—	—	—	—	—	—	—	} 138
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	5	18	37	35	36	20	2	—	—	—	—	—	—	—	—	} 139
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	2	2	2	—	—	—	—	—	—	—	—	—	—	} 140
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	} 141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	3	15	33	55	50	39	23	} 142A
—	—	—	—	—	—	—	—	—	—	—	1	15	18	44	43	37	35	
7	3	1	2	2	1	—	—	2	1	3	3	1	3	3	2	—	—	} 142B, C, D.
11	1	—	1	—	—	2	1	1	8	1	8	1	2	1	—	—	—	
2	—	1	4	2	2	3	4	3	6	5	6	5	9	4	4	5	1	} 143
1	—	2	—	1	—	1	2	2	1	3	3	5	1	2	1	2	—	
28	2	1	1	—	7	2	5	6	5	4	9	4	8	11	1	5	2	} 144
19	—	2	1	—	1	3	2	1	5	8	3	7	5	19	4	1	—	
87	—	—	1	1	2	1	2	1	2	4	—	5	11	15	10	4	3	} 145
48	2	1	2	—	1	1	1	2	10	8	8	10	21	31	15	11	8	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ... { M F	88 66	1 1	— 2	— 1	1 1	2 5	1 2	2 1	4 2	4 2
147	Diseases of the joints ... { M F	11 20	— —	— —	— —	1 —	1 —	1 3	1 —	— 1	— 1
148	Amputations ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
149	Other diseases of loco- motor system. { M F	13 6	— —	— —	1 —	— —	1 —	— —	— —	— —	1 —
150	Congenital malformations { M F	756 571	447 326	113 80	61 57	48 30	669 493	32 28	8 12	7 4	2 4
151A	Premature birth ... { M F	3,206 2,473	2,934 2,263	234 181	32 23	6 6	3,206 2,473	— —	— —	— —	— —
151 B-E.	Infantile debility, Icterus and Sclerema. { M F	2,284 1,636	1,280 895	568 388	252 219	184 134	2,284 1,636	— —	— —	— —	— —
152	Other diseases peculiar to early infancy. { M F	564 367	537 359	27 8	— —	— —	564 367	— —	— —	— —	— —
153	Lack of care ... { M F	39 29	39 28	— 1	— —	— —	39 29	— —	— —	— —	— —
154	Old age ... { M F	4,432 6,355	— —	— —	— —	— —	— —	— —	— —	— —	— —
155	Suicide by poison ... { M F	101 68	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia ... { M F	35 9	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation. { M F	243 54	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning ... { M F	169 122	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms ... { M F	80 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments. { M F	186 27	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place. { M F	13 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing ... { M F	80 10	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides ... { M F	2 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food ... { M F	16 21	— —	— —	— —	— 1	— 1	— 1	1 —	1 2	1 —
165	Other acute poisonings ... { M F	49 22	— —	— 1	— —	2 1	2 2	1 1	3 1	2 —	1 —
166	Conflagration ... { M F	17 11	1 —	— —	— —	1 —	2 —	1 2	1 1	— —	1 —
167	Burns (conflagration ex- cepted). { M F	300 426	1 —	1 —	2 3	19 16	23 19	62 39	51 40	38 48	31 39
168	Absorption of deleterious gases (conflagration ex- cepted). { M F	188 157	67 53	51 54	32 27	9 6	159 140	1 2	— —	— —	— —

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ... { M F	671 136	8 3	— —	— 1	1 —	9 4	5 4	16 7	23 6	19 3
170	Injury by firearms ... { M F	19 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
171	Injury by cutting or piercing instruments. { M F	7 2	— —	— —	— —	— —	— —	— 1	— —	1 —	— —
172	Injury by fall ... { M F	600 404	— —	— —	4 1	2 1	6 2	8 3	9 6	5 6	4 5
173	Injury in mines and quarries. { M F	637 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
174	Injury by machines ... { M F	83 5	— —	— —	— —	— —	— —	— —	— —	— 1	— —
175	Injury by other crushing (vehicles, railways, land- slides, &c.). { M F	789 132	— —	— —	— —	2 2	2 2	4 6	13 8	15 9	16 10
176	Injury by animals ... { M F	23 4	— —	— —	— —	— —	— —	— —	— 1	— 1	1 —
177	Starvation ... { M F	7 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
178	Excessive cold ... { M F	21 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
179	Effects of heat ... { M F	25 11	— —	— —	— —	1 —	1 —	— 1	— —	— —	— —
180	Lightning... { M F	3 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
181	Electricity (lightning ex- cepted). { M F	6 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
182	Homicide by firearms ... { M F	5 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
183	Homicide by cutting or piercing instruments. { M F	7 8	2 —	— —	1 —	— 1	3 1	1 —	2 —	— —	— 1
184	Homicide by other means { M F	32 37	5 5	— 2	2 —	1 1	8 8	1 4	— 1	2 1	— 1
185	Fractures (cause not specified). { M F	17 9	— 1	— —	— —	— —	— 1	— —	— —	— —	— —
186	Other violence ... { M F	160 45	2 7	2 5	3 2	10 7	17 21	7 3	6 —	5 3	4 —
187	Dropsy ... { M F	6 8	— —	— —	— —	— 1	— 1	— —	1 —	— —	— —
188A	Syncope (aged 1 year and under 70). { M F	57 29	— —	— —	— —	— —	— —	— 1	— —	— —	1 —
188B	Sudden death (not other- wise defined). { M F	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
189A	Heart failure (aged 1 year and under 70). { M F	276 222	— —	— —	— —	— —	— —	— 1	— 1	1 —	— —
189 B-E,	Other ill-defined causes... { M F	160 142	11 4	2 1	8 5	10 6	31 16	61 69	15 6	— 4	1 2
189F	Cause not specified ... { M F	16 16	7 10	— 1	— —	— —	7 11	— —	— —	— —	— —

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1912—continued.

Total under 5 Years	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
72 24	75 14	36 7	58 13	55 9	47 6	38 9	52 9	47 9	50 10	43 2	30 5	26 5	18 3	15 3	7 5	1 2	1 1	} 169
—	2	3	3	3	2	3	1	—	2	—	—	—	—	—	—	—	—	
—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	} 170
1 1	—	1	1	—	—	1	1	1	1	—	—	—	—	—	—	—	—	
32 22	15 4	18 3	29 1	21 5	17 4	37 5	35 6	38 10	41 22	33 17	66 22	38 20	51 37	46 59	34 55	31 63	18 49	} 172
—	1	19	79	88	77	62	73	60	54	44	33	29	14	4	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 173
—	—	3	15	5	9	7	9	8	5	7	5	7	2	1	—	—	—	
1 1	—	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	} 174
50 35	86 17	39 7	55 4	59 4	59 2	59 2	67 8	64 3	47 11	35 7	49 8	52 10	22 6	25 2	13 2	3 1	5 3	} 175
1 2	4	1	—	—	2	1	1	2	2	—	7	2	—	—	—	—	—	
—	—	—	—	—	—	1	—	1	—	—	3	1	—	1	—	—	—	} 177
—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	
—	—	—	1	—	—	—	1	3	1	—	1	4	3	4	3	—	—	} 178
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	1	1	
1 1	3	1	—	—	—	—	—	1	4	2	1	4	4	3	—	—	1	} 179
—	—	1	—	—	1	1	—	—	1	1	—	—	1	2	1	1	—	
—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	} 180
—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	2	1	1	1	—	—	—	1	—	—	—	—	—	—	—	} 181
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	—	1	2	1	—	—	—	—	—	—	—	—	—	—	} 182
—	—	—	—	—	—	1	—	—	1	—	1	—	1	—	—	—	—	
6 2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	} 183
—	—	—	—	1	—	1	1	—	2	1	—	—	—	—	—	—	—	
11 15	—	1	1	—	4	2	4	4	—	—	3	—	3	—	—	—	—	} 184
—	1	—	—	3	4	5	6	1	—	—	—	—	1	—	—	—	—	
—	—	—	—	—	3	—	2	4	2	1	1	2	—	1	—	—	1	} 185
1 1	—	—	—	—	—	—	—	2	—	2	1	1	—	1	—	—	1	
39 27	9 3	6 2	12 2	11 1	13	2	14	7	12	5	9	6	7	6	1	1	—	} 186
—	—	—	—	—	—	—	—	—	1	—	—	1	4	1	1	2	—	
1 1	—	—	—	—	—	—	1	—	—	—	—	1	2	1	—	—	—	} 187
—	—	—	—	—	—	—	1	—	1	—	—	1	1	—	—	1	2	
1 1	1	—	2	1	2	2	1	3	3	5	11	13	12	—	—	—	—	} 188A
—	1	—	—	1	2	1	1	2	—	1	8	4	7	—	—	—	—	
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	} 188B
—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
1 2	2 2	2	—	3 2	5 5	7 5	9 5	25 14	23 16	30 29	44 37	59 55	66 49	—	—	—	—	} 189A
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
108 97	4 4	1	1 3	—	1	1	4	4	2	4	5	8	9	1	4	3	—	} 189 B-E.
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7 11	— 1	—	1	—	—	—	—	—	2 1	1	1	— 3	1	1	1	—	1	} 189F
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

[illegible]

AT DIFFERENT AGE-PERIODS, 1912.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
10,872 8,759	951 996	651 665	945 894	1102 1008	1,126 1,098	1,233 1,274	1,408 1,358	1,596 1,436	1,844 1,570	2,167 1,929	2,731 2,416	3,437 2,922	4,312 3,869	5,003 4,922	4,725 4,949	3,576 3,776	2,498 3,249	All Causes.
2 4	5 8	7 12	19 12	14 14	8 6	18 11	14 8	12 11	9 3	9 8	4 2	5 3	1 1	— 1	— —	— —	— —	} 1
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 2
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 3
— —	— —	— —	— —	1 —	— —	2 —	2 —	— —	1 —	— —	3 —	— —	— 1	— —	— —	— —	— —	} 4
— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 5
462 472	54 70	16 10	5 4	2 1	— 3	2 3	2 3	1 2	1 1	2 —	— —	— —	1 —	— —	— —	— —	— —	} 6
82 60	42 46	14 12	2 5	2 1	2 —	— 2	2 1	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	} 7
558 755	11 22	— 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	} 8
155 146	114 185	39 46	6 5	2 2	1 3	2 3	— 1	2 3	— 3	— —	1 —	1 2	— —	1 —	— —	— —	— —	} 9 A
7 2	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 9 B, C.
78 56	8 14	10 11	20 14	16 10	22 13	23 21	29 24	29 30	38 28	48 32	46 38	68 51	89 88	89 110	85 103	70 68	40 47	} 10
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 11
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 12
— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	1 —	— —	— —	— 1	1 —	— —	— —	} 13
— 1	— 1	— —	1 —	— —	1 —	1 1	2 1	2 —	1 —	1 1	1 2	2 —	1 4	— 5	— —	2 3	1 —	} 14
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 15
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 16
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 17
17 10	— 1	1 4	1 —	— 2	2 2	2 2	6 2	3 3	4 2	5 3	4 5	7 5	9 4	6 6	11 7	5 3	4 1	} 18
8 7	1 2	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 19
9 1	6 3	6 2	7 —	2 —	3 3	3 7	4 4	1 —	6 7	3 —	5 3	6 —	4 3	3 2	1 3	4 —	1 —	} 20
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 21

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

[illegible]

AT DIFFERENT AGE-PERIODS, 1912—continued.

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 22
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8 6	2 —	3 1	8 1	3 2	3 1	1 1	4 —	6 —	6 1	5 2	2 1	2 —	2 2	— —	— —	1 —	— —	} 24
—	—	—	—	1 —	—	—	— 1	—	— 1	—	1 —	—	—	—	—	1 —	— —	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 25
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 26
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
38 38	27 33	43 115	185 272	346 358	362 365	374 359	335 301	284 220	218 190	188 110	175 100	128 103	89 80	48 43	15 14	5 4	3 1	} 28
10 11	6 4	7 18	18 36	30 35	36 30	36 21	19 18	21 10	17 9	14 10	8 3	4 5	4 1	1 1	1 1	— 1	— —	
19 8	5 4	3 4	3 16	7 6	2 8	4 4	2 7	2 6	1 1	2 1	— —	— 1	1 —	1 —	— —	— —	— —	} 29A
195 169	77 64	43 44	28 40	16 12	10 16	1 7	7 4	4 6	2 7	1 2	1 —	— —	— —	— —	— —	— —	— —	
168 120	25 20	22 25	12 16	12 18	12 22	10 17	6 12	7 16	1 6	9 6	5 7	3 4	1 3	2 5	— 1	— —	— —	} 29B
6 3	— —	6 4	4 4	4 3	11 8	5 6	3 2	4 6	4 2	4 3	1 5	— 1	2 3	— 2	— 2	— —	1 —	
— —	2 1	1 —	9 2	7 1	4 1	4 1	6 2	2 1	4 1	1 2	3 2	1 —	1 3	1 5	— 3	— —	— —	} 30
17 4	3 2	— 2	3 3	5 5	6 4	7 3	4 5	4 2	7 5	4 5	5 1	7 1	2 2	5 4	2 5	1 1	— —	
58 36	14 8	8 18	16 17	16 13	19 14	15 11	14 15	7 13	14 9	5 3	2 5	4 4	3 1	1 1	— —	1 —	— —	} 31
511 389	159 136	133 230	278 406	443 451	462 468	456 429	396 366	335 280	268 230	228 142	200 123	147 119	103 93	59 61	18 26	7 6	4 1	
85 52	2 2	— —	1 1	1 1	— 1	— —	1 2	1 —	— —	— 1	— 1	— —	— —	— —	— 1	— 1	— —	} 32
50 25	— —	2 1	1 1	4 2	5 6	5 4	7 5	7 3	4 3	6 4	5 3	4 2	3 3	2 —	1 —	— —	— —	
3 —	— —	— —	— —	1 —	— 1	1 1	— —	— —	— 1	— —	— —	— —	1 —	— —	— —	— —	— —	} 33
— 1	— —	— —	1 1	— —	1 —	3 2	4 3	17 4	32 —	43 9	60 6	59 14	60 12	63 5	49 7	28 4	12 4	
1 2	1 —	— 1	1 1	3 2	2 1	9 10	14 21	42 42	85 75	122 112	222 162	277 205	288 272	244 238	179 186	62 70	23 32	} 34
1 —	— —	1 —	3 1	5 —	1 4	4 7	16 25	34 36	50 43	60 73	118 108	139 105	165 121	145 156	120 111	41 52	13 25	
— 1	— —	— —	— 3	— 1	— 10	— 16	— 31	— 62	— 77	— 125	— 135	— 121	— 101	— 76	— 50	— 18	— 14	} 35
— —	— —	— —	— —	— —	— 3	— 9	— 25	— 63	— 97	— 93	1 95	1 110	1 92	— 98	— 71	— 28	— 25	

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-5 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
44	Cancer of the skin ... { M F	152 101	— —	— —	— —	— —	— —	— —	— —	— —	— —
45	Cancer of other or un- specified organs. { M F	737 471	— —	1 —	1 —	— —	2 —	2 —	1 2	2 —	4 5
39-45	Cancer (all sites) ... { M F	3,815 4,593	— —	1 —	2 —	— —	3 —	3 1	1 2	2 1	4 7
46	Other tumours (situation undefined). { M F	13 18	— —	— —	— —	— —	— —	— —	— —	— —	— —
47	Rheumatic fever... { M F	197 191	— —	— —	— —	— —	— —	— —	2 1	3 1	2 4
48 A, B	Chronic rheumatism, Osteo-arthritis. { M F	125 267	— —	— —	— —	— —	— —	— —	— 1	— —	— —
48C	Gout ... { M F	62 17	— —	— —	— —	— —	— —	— —	— —	— —	— —
49	Scurvy ... { M F	1 4	— —	— —	— 1	1 1	1 2	— 1	— —	— —	— —
50	Diabetes ... { M F	464 484	— —	— —	— —	— —	— —	1 —	2 2	1 1	3 1
51	Exophthalmic goitre ... { M F	6 112	— —	— —	— —	— —	— —	— —	— —	— —	— —
52	Addison's disease ... { M F	25 36	— —	— —	— —	— —	— —	— 1	— —	— —	— —
53	Leucocythæmia, Lympha- denoma. { M F	83 67	— —	— —	— —	— 1	— 1	1 1	— —	1 1	2 2
54	Anæmia, Chlorosis ... { M F	199 285	4 1	— —	— 3	3 3	7 7	1 3	— 1	— 2	1 —
55	Other general diseases ... { M F	48 49	4 7	1 1	1 1	— 1	6 10	— —	— —	3 —	1 2
56	Alcoholism (acute or chronic). { M F	64 27	— —	— —	— —	— —	— —	— —	— —	— —	— —
57	Chronic lead poisoning... { M F	12 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
58	Other chronic occupa- tional poisonings. { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
59	Other chronic poisonings { M F	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
60	Encephalitis ... { M F	36 25	— 1	— 1	— —	2 1	2 3	3 1	— 1	— 1	— 3
61A	Cerebro-spinal fever ... { M F	22 7	— —	1 —	1 1	1 —	3 1	1 —	2 —	— —	— —
61B	Posterior basal meningitis { M F	17 13	1 —	— —	1 2	4 4	6 6	4 —	1 3	1 —	— —
61C	Meningitis, other forms { M F	311 259	3 1	7 8	30 10	40 33	80 52	38 29	19 27	14 10	15 12
62	Locomotor ataxy ... { M F	99 19	— —	— —	— —	— —	— —	— —	— —	— —	— —
63	Other diseases of the spinal cord. { M F	363 281	— —	— —	1 1	— 2	1 3	5 4	1 3	4 1	3 1

T DIFFERENT AGE-PERIODS, 1912—*continued.*

AGES AT DEATH.																			International List Nos.
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	—	1	—	—	1	4	3	5	12	13	20	21	29	29	14	} 44	
—	—	—	—	—	—	—	3	1	2	1	2	4	13	19	22	20	14		
11	5	6	8	6	13	16	10	23	51	67	81	114	102	116	74	24	10	} 45	
7	1	4	4	8	10	6	13	25	27	46	58	65	62	62	49	14	10		
13	6	7	13	15	17	32	45	120	221	297	494	603	636	589	451	184	72	} 39-45	
11	1	5	10	11	28	50	121	233	321	459	566	624	673	654	496	206	124		
—	—	—	1	—	—	—	1	—	—	—	4	—	4	1	2	—	—	} 46	
—	—	—	—	—	1	1	—	1	1	—	2	1	3	3	2	3	—		
7	25	37	21	12	20	8	13	9	13	3	8	6	8	7	—	—	—	} 47	
6	21	28	27	16	13	10	15	11	8	6	11	7	5	5	1	—	1		
—	—	—	—	—	—	—	3	2	6	7	10	12	23	16	30	9	7	} 48	
1	—	—	—	1	—	2	2	2	5	21	28	38	42	45	45	23	12		
—	—	—	—	—	1	—	2	1	1	3	2	8	16	15	7	5	1	} 48C	
—	—	—	—	—	—	—	—	—	—	1	—	2	5	4	2	3	—		
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 49	
3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7	3	5	14	20	20	20	21	24	24	26	52	60	57	61	33	14	3	} 50	
4	11	14	15	22	17	27	19	21	15	34	40	56	69	75	28	13	4		
—	—	—	—	1	—	1	—	—	1	2	1	—	—	—	—	—	—	} 51	
—	—	—	5	7	11	7	5	19	13	17	10	12	3	1	2	—	—		
—	—	—	1	—	1	1	5	1	5	4	1	4	1	—	1	—	—	} 52	
1	—	—	—	6	2	3	6	2	5	7	—	2	2	—	—	—	—		
4	9	5	2	5	3	3	4	5	7	7	5	12	4	7	1	—	—	} 53	
5	1	8	5	4	1	2	8	3	5	3	8	5	4	2	2	—	1		
9	2	5	3	4	3	4	12	8	18	31	22	31	18	20	7	1	1	} 54	
13	1	3	8	11	14	14	29	18	21	34	28	27	32	27	5	—	—		
10	5	3	3	—	2	3	2	2	4	—	1	6	1	3	—	2	1	} 55	
12	5	4	2	3	3	2	3	3	—	—	2	4	—	—	1	3	2		
—	—	—	—	—	5	8	10	11	6	7	5	3	5	2	1	1	—	} 56	
—	—	—	—	1	—	—	6	3	1	6	5	2	1	1	1	—	—		
—	—	—	—	—	1	2	1	—	2	1	3	1	1	—	—	—	—	} 57	
—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 58	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	} 59	
—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—		
5	4	3	1	3	2	1	5	1	2	2	—	3	1	2	—	—	1	} 60	
9	3	2	1	1	2	—	2	1	1	—	—	2	—	1	—	—	—		
6	4	4	3	3	1	—	—	1	—	—	—	—	—	—	—	—	—	} 61A	
1	1	—	—	2	1	1	—	—	—	—	1	—	—	—	—	—	—		
12	—	2	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	} 61B	
9	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—		
166	40	20	15	13	6	8	5	7	10	4	8	4	3	1	1	—	—	} 61C	
130	42	16	14	11	8	6	6	8	6	5	5	—	1	1	—	—	—		
—	—	—	1	—	1	2	7	7	12	12	13	15	20	5	3	1	—	} 62	
—	—	—	—	—	—	1	1	3	5	—	4	1	2	1	1	—	—		
14	6	7	9	10	11	12	5	12	22	26	27	41	52	63	31	8	7	} 63	
12	5	2	8	6	11	10	6	13	15	21	31	33	39	26	20	20	3		

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
64	Cerebral hæmorrhage, { Apoplexy. F	2493 2975	1 —	— —	1 —	1 —	3 —	1 1	2 2	— 2	— —
65	Softening of brain ... { F	187 193	— —	— —	— —	— —	— —	— —	— —	— —	— —
66	Paralysis without speci- { fied cause. F	270 402	— —	— —	— —	— —	— —	— —	— —	— —	— —
67	General paralysis of the { insane. F	227 64	— —	— —	— —	— —	— —	— —	— —	— —	— —
68	Other forms of mental { alienation. F	118 164	— —	— —	— —	— —	— —	— —	— —	— —	— —
69	Epilepsy { F	330 299	1 2	1 —	2 —	3 1	7 3	4 2	1 2	— 3	2 1
70	Convulsions (non-puer- { peral; 5 yrs. and over) F	5 11	— —	— —	— —	— —	— —	— —	— —	— —	— —
71	Infantile convulsions { (under 5 years). F	991 734	351 236	209 125	137 125	162 140	859 626	104 84	16 16	8 6	4 2
72	Chorea { F	7 17	— —	— —	— —	— 2	— 2	— —	— —	— —	— —
73	Hysteria, Neuralgia, Neu- { ritis. F	23 45	— —	— —	— —	— —	— —	— —	— —	— —	— —
74	Other diseases of the { nervous system. F	222 185	4 4	1 —	1 1	2 5	8 10	1 2	2 3	3 —	3 4
75	Diseases of the eyes and { annexa. F	6 10	— —	— —	— —	— —	— —	1 1	1 —	— —	— 1
76A	Mastoid disease ... { F	21 17	— —	— —	1 1	1 2	2 3	3 2	1 —	— 1	2 —
76B	Other diseases of the ears { F	72 50	— —	2 3	2 1	8 1	12 5	5 5	3 1	— 1	1 3
77	Pericarditis { F	33 33	— —	1 —	— 1	— —	1 1	— —	1 1	— —	— —
78	Acute endocarditis ... { F	103 133	— —	— —	— —	— —	— —	— —	— —	1 —	2 1
79A	Valvular disease ... { F	2,099 2,398	— —	— —	— —	1 —	1 —	2 —	— —	3 —	— —
79B	Fatty degeneration of the { heart. F	313 359	— —	— —	— —	— —	— —	— —	— —	— —	— —
79C	Other organic disease of { the heart. F	3,004 3,110	— —	— —	— —	— 2	— 2	2 2	— 1	2 1	— 1
80	Angina pectoris ... { F	144 72	— —	— —	— —	— —	— —	— —	— —	— —	— —
81A	Aneurysm { F	134 22	— —	— —	— —	— —	— —	— —	— —	— —	— —
81B	Arterial sclerosis... { F	718 390	— —	— —	— —	— —	— —	— —	— —	— —	— —
81C	Other diseases of arteries { F	12 8	— —	— —	— —	— —	— —	1 —	— —	— —	— —

DIFFERENT AGE-PERIODS, 1912—continued.

AGES AT DEATH.																			International List Nos.
under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
6 5	1 —	2 2	8 7	5 5	6 7	9 8	13 17	38 49	64 80	131 141	171 205	273 297	368 435	493 590	463 546	315 386	127 195	} 64	
—	—	—	1	—	1	1	2	—	2	3	13	15	32	41	50	21	5		
—	—	1	—	—	—	—	3	2	4	11	18	15	27	39	25	21	27	} 65	
—	—	—	1	—	—	1	3	4	2	11	11	31	44	50	53	48	11		
—	2	—	1	—	—	1	7	3	5	8	12	34	69	67	97	54	42	} 66	
—	—	—	3	3	8	21	34	32	41	35	19	12	12	4	3	—	—		
—	—	1	—	1	3	5	6	8	11	8	7	5	4	2	—	2	1	} 67	
—	—	—	2	2	2	4	6	6	7	11	12	17	21	10	8	6	4		
—	—	—	2	1	1	7	11	14	24	8	19	24	23	12	10	4	4	} 68	
14 11	6 9	14 6	30 19	22 16	29 25	25 24	27 30	16 20	17 19	25 30	22 22	22 12	21 19	12 18	16 13	8 4	4 2		} 69
—	3	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
—	5	1	1	—	1	—	—	—	1	1	—	—	—	—	—	1	—	} 70	
991 734	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	2	1	1	—	—	—	—	—	—	—	1	—	—	—	1	1	—	} 72	
—	5	4	1	1	2	1	—	1	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	1	—	—	2	3	3	3	4	4	1	—	2	—	} 73	
—	—	—	2	1	2	3	3	5	3	5	10	2	4	3	2	—	—		
17 19	12 12	10 9	11 7	6 —	5 5	15 5	9 14	21 10	25 9	16 14	14 19	9 16	15 14	14 13	14 11	5 7	4 1	} 74	
2 2	— 1	— 1	— —	— 1	— —	1 —	— —	— —	— 1	— —	— —	1 —	— —	1 1	1 1	— —	— 2		
8 6	4 1	1 2	3 —	1 1	1 —	— 1	— —	1 2	— —	1 1	— 1	— —	— 1	— 1	— —	1 —	— —	} 76A	
21 15	4 13	8 7	9 2	8 5	3 —	3 1	1 —	— 2	5 —	1 1	— 1	2 —	1 1	1 —	2 —	3 2	— —		
2 2	4 3	1 7	1 3	2 1	3 1	4 2	3 4	4 2	2 1	1 —	1 4	— —	3 1	1 —	1 2	— —	— —	} 77	
3 1	4 6	6 7	6 15	9 8	9 9	7 13	10 5	5 19	7 12	11 11	13 18	4 3	2 3	6 1	1 2	— —	— —		
6 —	7 15	17 31	26 35	34 36	22 43	42 42	44 72	66 81	103 111	122 160	179 224	245 288	347 344	370 410	287 273	120 150	62 83	} 79A	
—	—	—	—	—	1	4	5	11	8	24	27	46	62	57	38	14	16		
—	—	1	2	2	1	3	5	12	15	36	40	45	61	60	41	26	9	} 79B	
4 7	14 12	13 19	27 27	22 20	19 26	25 30	52 46	83 67	94 104	134 153	228 219	344 308	492 456	577 599	473 543	267 300	136 174		} 79C
—	—	—	1	—	—	1	2	4	8	12	19	14	29	25	17	12	—		
—	—	—	—	—	—	—	2	5	2	8	3	11	11	10	9	8	3	} 80	
—	—	—	—	—	—	3	12	18	22	16	19	14	11	10	7	2	—		
—	—	—	—	—	—	1	—	1	1	2	2	5	3	3	1	1	—	} 81A	
—	—	—	—	—	—	—	—	4	7	16	36	57	104	170	156	108	60		
—	—	—	—	—	—	1	—	3	1	7	21	29	56	71	83	67	51	} 81B	
1 —	— —	— —	— —	— —	— —	— —	— —	1 1	— 1	1 1	2 —	4 2	— 1	2 2	1 —	— —	— —		} 81C

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos	Causes of Death.		AGES AT DEATH.									
			All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis.	{ M F	267 362	— —	— —	— —	— —	— —	— —	— —	1 —	— —
82B	Other embolism and thrombosis.	{ M F	26 34	— 1	— —	— —	— —	— 1	— —	— —	— —	— —
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.).	{ M F	28 47	— —	— —	— —	— —	— —	— —	— —	— —	— —
84A	Status lymphaticus ...	{ M F	11 12	4 —	— 3	2 2	— 2	6 7	1 —	— —	— 1	— 1
84B	Other diseases of the lymphatic system.	{ M F	10 8	1 —	— 1	1 1	1 —	3 2	1 —	— —	— 1	— —
85	Hæmorrhage ; other diseases of the circulatory system.	{ M F	28 26	— —	— —	— —	— —	— —	— —	— 1	— —	— —
86	Diseases of the nasal fossæ.	{ M F	7 8	1 1	— —	1 —	— —	2 1	1 —	— —	1 1	— —
87	Diseases of the larynx ...	{ M F	155 87	10 8	8 2	1 4	26 8	45 22	24 10	19 6	13 7	5 9
88	Diseases of the thyroid body.	{ M F	16 53	— —	— —	— —	— —	— —	— —	— 1	— —	— —
89 & 90	Bronchitis ...	{ M F	3,230 3,323	93 57	184 126	156 129	216 174	649 486	123 143	38 31	9 18	9 10
91	Broncho-pneumonia ...	{ M F	1,261 1,103	31 37	120 84	119 92	267 230	537 443	247 212	87 67	27 31	23 25
92A	Lobar-pneumonia ...	{ M F	672 458	3 1	2 1	5 2	14 9	24 13	20 24	12 14	10 5	7 7
92B	Pneumonia (type not stated).	{ M F	1,274 851	9 11	27 12	39 20	70 48	145 91	75 71	33 25	13 12	4 15
93	Pleurisy ...	{ M F	153 117	— 1	1 2	— 1	— 1	1 5	4 3	4 2	2 4	1 1
94	Pulmonary congestion, Pulmonary apoplexy.	{ M F	191 188	8 6	4 3	1 1	6 12	19 22	3 3	— 3	3 —	2 —
95	Gangrene of the lung ...	{ M F	10 5	— —	— —	— —	— —	— —	— —	— —	— —	— —
96	Asthma ...	{ M F	192 127	— —	1 —	1 —	— —	2 —	1 —	— —	— —	— —
97	Pulmonary emphysema	{ M F	55 25	— —	— —	1 —	— —	1 —	— —	— —	— —	— —
98A	Fibroid disease of lung...	{ M F	62 21	— —	— —	— —	— —	— —	— —	— —	— —	— —
98B	Other diseases of the respiratory system.	{ M F	33 14	— —	— —	2 1	— 1	2 2	— —	— —	— —	— —
99A	Diseases of the teeth and gums.	{ M F	26 19	2 1	— —	— 1	— 1	2 3	2 1	1 —	— —	— 1
99B, C,D	Other diseases of the mouth and annexa.	{ M F	20 17	5 5	7 6	2 1	2 1	16 13	1 —	— —	— —	— 1
100	Diseases of pharynx, Tonsillitis.	{ M F	80 58	2 1	1 —	— —	1 1	4 2	1 2	2 1	5 3	11 4

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of œsophagus ... { M F	4 6	— —	— —	— —	— —	— —	— —	— —	— —	— —
102	Perforating ulcer of stomach. { M F	161 213	1 —	— —	— —	— —	1 —	— —	— 1	— —	— —
103A	Inflammation of stomach { M F	292 311	17 16	51 20	31 31	21 19	120 86	9 14	2 2	3 6	— 3
103B	Other diseases of the stomach. { M F	93 64	2 1	3 2	2 4	2 —	9 7	— 1	2 —	— 1	— —
104 & 105.	Diarrhoea and enteritis ... { M F	985 766	60 30	165 99	151 93	149 119	525 341	81 57	16 17	12 6	6 6
106	Ankylostomiasis ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
107	Other intestinal parasites { M F	3 5	— —	— —	— —	— —	— —	1 —	2 2	— —	— —
108	Appendicitis ... { M F	267 235	— —	1 1	— —	— —	1 1	1 —	3 3	1 1	1 4
109A	Hernia ... { M F	186 144	4 1	3 1	4 —	1 —	12 2	2 1	— —	— —	1 —
109B	Intestinal obstruction ... { M F	273 269	6 4	2 —	11 6	19 13	38 23	6 2	2 2	6 1	5 3
110	Other diseases of the intestines. { M F	53 57	— —	1 1	— 1	1 1	2 3	2 2	— —	1 —	— 1
111	Acute yellow atrophy of liver. { M F	5 11	— —	— —	— —	— —	— —	— —	1 —	1 —	— —
112	Hydatid of liver ... { M F	5 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
113	Cirrhosis of the liver ... { M F	407 244	— —	— —	— —	— —	— —	1 —	— —	— —	— —
114	Biliary calculi ... { M F	50 131	— —	— —	— —	— —	— —	— —	— —	— —	— 1
115	Other diseases of the liver { M F	108 102	— —	— —	3 1	— —	3 1	2 —	— —	— 2	1 1
116	Diseases of the spleen ... { M F	3 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
117	Peritonitis (cause un- stated). { M F	45 65	1 —	1 3	2 3	1 —	5 6	1 1	— 1	— 2	— 5
118	Other diseases of the digestive system. { M F	12 25	— —	— —	— —	— —	— —	— —	1 —	— 1	— —
119	Acute nephritis ... { M F	200 146	1 —	8 1	3 4	2 7	14 12	6 10	8 4	1 3	4 2
120	Bright's disease ... { M F	1,352 1,101	— —	— —	— —	— —	— —	1 —	1 —	2 1	— —
121	Chyluria ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
122	Other diseases of the kidney and annexa. { M F	43 50	— —	— 1	— —	— 1	— 2	— 1	— —	— —	— —

DIFFERENT AGE-PERIODS, 1912—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
— —	— —	— —	— —	— —	— —	— —	— —	— 1	— 1	1 1	1 —	— 1	— —	1 —	1 1	— 1	— —	} 101	
1 1	— —	1 4	2 14	10 21	5 20	13 26	9 20	13 27	22 19	11 15	19 7	25 9	12 11	11 11	3 3	3 2	1 3	} 102	
134 111	2 7	2 —	2 1	1 5	1 3	4 5	4 2	6 7	2 3	9 6	13 16	13 16	24 23	21 37	23 27	17 23	14 19	} 103A	
11 9	2 1	— —	1 2	1 —	1 1	3 1	2 2	1 2	5 3	9 3	7 2	9 4	8 10	15 8	7 10	8 4	3 2	} 103B	
640 427	19 23	8 4	3 10	8 7	11 9	11 18	13 11	17 12	17 14	18 12	31 17	30 31	37 32	39 33	41 59	28 27	14 20	} 104 & 105.	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 106	
3 2	— 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 107	
7 9	30 34	39 29	29 24	29 27	22 13	14 21	7 14	14 8	17 10	8 8	15 9	9 6	10 6	12 7	3 8	1 1	1 1	} 108	
15 3	— —	1 —	4 —	3 —	1 —	3 2	2 4	5 3	9 5	8 9	14 19	14 24	28 24	33 25	24 12	13 8	9 6	} 109A	
57 31	12 4	4 3	7 5	6 4	9 2	3 5	2 8	5 10	14 16	12 8	17 24	16 15	33 18	26 39	21 35	15 27	14 15	} 109B	
5 6	1 2	1 —	— —	1 —	2 1	4 2	— 3	1 3	5 5	3 3	4 7	7 1	7 1	4 6	4 7	1 7	3 3	} 110	
2 —	1 1	— 1	— 1	— 1	1 2	— 1	— 1	— 1	— —	— 1	— —	1 1	— —	— —	— —	— —	— —	} 111	
— —	— —	— 1	— —	— —	— —	— 1	— —	1 1	— —	— —	1 —	— —	1 —	1 —	1 —	— —	— —	} 112	
1 —	1 —	1 —	— 2	2 1	1 1	6 5	12 9	34 19	44 26	51 18	69 33	70 34	51 38	30 39	19 15	12 3	3 1	} 113	
— 1	— —	— —	— —	— —	— —	— 1	3 3	2 6	4 11	3 11	6 16	11 9	8 30	9 21	4 14	— 1	— 7	} 114	
6 4	1 2	1 2	— 3	3 1	3 —	1 1	4 4	8 2	3 2	8 9	7 4	13 11	13 18	9 13	7 14	13 8	8 4	} 115	
— —	— —	— —	— —	— —	— —	— —	1 1	— —	— —	1 —	— —	— 1	1 —	— 1	— —	— —	— —	} 116	
6 15	3 11	4 5	3 3	— 1	2 2	3 3	2 2	— 3	2 5	5 2	3 4	2 2	1 3	4 1	2 2	2 1	1 —	} 117	
1 1	— —	— —	1 1	— 2	2 2	— 1	1 3	1 —	2 3	— 4	— 1	2 6	— 1	— —	1 —	— —	1 —	} 118	
33 31	15 10	9 7	8 4	13 8	8 9	6 6	9 5	14 7	12 13	13 10	14 8	13 6	15 12	10 6	5 3	1 1	2 —	} 119	
4 1	7 4	11 14	17 13	21 14	27 12	29 42	50 41	54 58	72 72	116 88	123 110	181 129	210 146	196 165	136 112	66 61	32 19	} 120	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 121	
— 3	1 1	— —	1 2	3 —	3 —	1 2	3 7	— —	4 5	5 4	3 7	3 5	4 8	3 3	3 3	2 —	4 —	} 122	

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
123	Calculi of the urinary passages. { M F	30 16	— —	— —	— —	— —	— —	— —	— —	— —	— —
124	Diseases of the bladder... { M F	269 49	— —	— —	— —	— —	— —	— —	— —	— —	— —
125	Diseases of the urethra, { M Urinary abscess, &c. { F	47 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
126	Diseases of the prostate... { M F	363 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
127	Non-venereal diseases of male genital organs. { M F	4 —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —
128	Uterine hæmorrhage (non-puerperal). { M F	— 5	— —	— —	— —	— —	— —	— —	— —	— —	— —
129	Uterine tumour (non-cancerous). { M F	— 71	— —	— —	— —	— —	— —	— —	— —	— —	— —
130	Other diseases of the uterus. { M F	— 29	— —	— —	— —	— —	— —	— —	— —	— —	— —
131	Ovarian cyst, tumour (non-cancerous). { M F	— 74	— —	— —	— —	— —	— —	— —	— —	— —	— —
132	Other diseases of the female genital organs. { M F	— 34	— —	— —	— —	— —	— —	— —	— —	1 —	— —
133	Non-puerperal dis. of the breast (non-cancerous). { M F	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
134	Accidents of pregnancy... { M F	— 62	— —	— —	— —	— —	— —	— —	— —	— —	— —
135	Puerperal hæmorrhage ... { M F	— 120	— —	— —	— —	— —	— —	— —	— —	— —	— —
136	Other accidents of child-birth. { M F	— 79	— —	— —	— —	— —	— —	— —	— —	— —	— —
137	Puerperal fever ... { M F	— 225	— —	— —	— —	— —	— —	— —	— —	— —	— —
138	Puerperal albuminuria and convulsions. { M F	— 150	— —	— —	— —	— —	— —	— —	— —	— —	— —
139	Puerperal phlegmasia alba dolens, embolism and sudden death. { M F	— 90	— —	— —	— —	— —	— —	— —	— —	— —	— —
140	Puerperal insanity ... { M F	— 9	— —	— —	— —	— —	— —	— —	— —	— —	— —
141	Puerperal diseases of the breast. { M F	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
142A	Senile gangrene ... { M F	231 143	— —	— —	— —	— —	— —	— —	— —	— —	— —
142B, C, D.	Gangrene, other types ... { M F	16 11	— 2	— —	— —	— —	— 2	— —	1 —	— 1	— —
143	Carbuncle, Boil ... { M F	31 10	1 —	— —	— —	— —	1 —	— —	— —	1 —	— —
144	Phlegmon, Acute abscess { M F	79 43	3 6	2 —	3 —	3 2	11 8	4 —	— 1	— —	— —
145	Diseases of the integumentary system. { M F	112 148	19 16	12 8	4 8	9 1	44 33	1 2	1 1	— —	— —

AT DIFFERENT AGE-PERIODS, 1912—continued.

Total under 5 Years.	AGES AT DEATH.																85 years and upwards.	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—		
—	1	1	2	—	1	—	1	—	2	1	4	1	5	7	2	1	1	} 123
—	—	—	—	—	—	1	3	2	3	2	—	2	2	1	—	—	—	
—	—	1	—	—	1	—	3	3	5	3	6	20	35	50	61	57	24	} 124
—	—	—	—	1	—	1	2	1	2	2	2	4	6	7	9	7	5	
—	—	—	—	—	2	1	5	3	5	2	5	4	8	3	4	2	3	} 125
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	3	8	18	57	104	78	64	31	} 126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	} 127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	1	—	} 128
—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
—	—	—	—	—	1	2	8	12	15	16	4	7	1	2	2	1	—	} 129
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	4	2	4	5	3	—	5	1	1	1	2	—	1	—	} 130
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	3	2	5	1	1	7	8	11	6	7	6	10	5	1	} 131
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	3	2	5	5	4	5	3	3	2	—	1	—	—	—	—	} 132
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	} 133
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	2	5	9	17	18	10	1	—	—	—	—	—	—	—	—	} 134
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	11	21	30	34	18	5	—	—	—	—	—	—	—	—	} 135
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	7	18	26	20	6	2	—	—	—	—	—	—	—	—	} 136
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	8	40	47	72	39	17	2	—	—	—	—	—	—	—	—	} 137
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	11	23	40	39	18	18	1	—	—	—	—	—	—	—	—	} 138
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	8	17	22	32	8	2	—	—	—	—	—	—	—	—	} 139
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	2	4	3	—	—	—	—	—	—	—	—	—	—	} 140
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	} 141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	2	—	—	8	19	48	50	63	43	} 142A
—	—	—	—	—	—	—	—	—	—	—	—	10	15	28	38	25	25	
1	—	—	1	—	1	1	—	—	—	1	3	3	1	2	—	1	1	} 142B, C, D.
3	—	—	—	—	—	—	—	1	1	1	1	—	—	—	1	2	1	
2	—	1	—	1	2	—	3	2	1	2	—	3	6	3	3	2	—	} 143
—	—	1	2	—	—	—	—	—	—	1	1	1	3	1	—	—	—	
15	3	—	3	2	3	5	3	2	4	3	6	8	8	7	4	3	—	} 144
9	—	1	1	—	—	2	3	—	1	—	2	2	5	6	2	4	5	
46	—	1	1	—	—	1	1	1	—	1	2	9	6	11	15	8	9	} 145
36	1	1	1	2	—	—	1	3	2	3	8	5	11	21	19	16	18	

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ... { M F	72 31	— —	2 —	— —	— 1	2 1	1 —	1 1	4 1	5 —
147	Diseases of the joints ... { M F	16 17	— —	— —	— —	— 1	— 1	— —	— —	— —	— —
148	Amputations ... { M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
149	Other diseases of the loco- motor system. { M F	6 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
150	Congenital malformations { M F	380 337	177 196	79 56	30 24	32 17	318 293	18 16	7 5	6 1	— 1
151A	Premature birth ... { M F	1,847 1,458	1,695 1,354	133 88	15 16	4 —	1,847 1,458	— —	— —	— —	— —
151 B-E.	Infantile debility, Icterus and Sclerema. { M F	1,243 853	772 502	290 194	117 99	64 58	1,243 853	— —	— —	— —	— —
152	Other diseases peculiar to early infancy. { M F	327 221	299 211	27 10	— —	1 —	327 221	— —	— —	— —	— —
153	Lack of care ... { M F	19 18	17 18	2 —	— —	— —	19 18	— —	— —	— —	— —
154	Old age ... { M F	4,435 5,156	— —	— —	— —	— —	— —	— —	— —	— —	— —
155	Suicide by poison ... { M F	36 27	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia ... { M F	4 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation. { M F	192 33	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning ... { M F	153 67	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms ... { M F	83 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments. { M F	102 21	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place. { M F	6 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing ... { M F	40 10	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides ... { M F	3 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food ... { M F	5 6	— —	— —	— —	— —	— —	1 —	— —	— —	— —
165	Other acute poisonings ... { M F	22 17	— —	— —	— —	— —	— —	1 —	— —	— —	1 —
166	Conflagration ... { M F	6 9	— —	— —	1 —	— —	1 —	— —	— —	— —	1 —
167	Burns (conflagration ex- cepted). { M F	154 210	2 —	2 1	2 2	2 4	8 7	38 24	34 26	13 24	12 17
168	Absorption of deleterious gases (conflagration ex- cepted). { M F	81 53	25 14	26 19	5 14	5 2	61 49	1 —	— —	— 1	1 —

AT DIFFERENT AGE-PERIODS, 1912—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
13 3	14 5	13 6	7 1	2 3	2 —	— 1	3 —	— —	2 2	1 1	5 —	3 1	2 4	1 1	2 —	2 2	— 1	} 146
— 1	1 —	— 2	— —	— —	— —	1 —	— —	1 —	1 1	— —	1 —	3 3	4 2	1 3	2 3	1 1	— 1	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	} 147
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 1	— —	3 —	1 1	— —	— 1	— —	} 148
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
349 316	11 9	8 3	3 2	3 5	4 —	1 1	1 —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	} 149
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
1,847 1,458	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 150
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
1,243 853	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 151A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
327 221	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 151 B-E.
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
19 18	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 152
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	5 5	25 28	115 105	629 623	1,055 1,174	1,315 1,442	1,291 1,779	} 153
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	1 1	4 5	2 5	— 2	5 4	6 1	3 3	3 1	8 3	2 1	1 1	— —	1 —	— —	— —	} 154
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	2 —	— —	— —	1 —	1 1	— 1	— —	— —	— —	— —	— —	— —	} 155
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	2 —	6 1	7 1	6 3	13 1	7 1	24 2	17 4	21 4	20 5	20 6	20 3	17 —	6 2	6 —	— —	} 156
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	6 9	11 10	13 8	8 3	15 5	11 6	17 6	16 9	12 3	15 2	13 1	7 2	7 2	2 —	— —	} 157
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	2 —	6 —	12 —	12 2	9 —	8 —	8 1	5 —	2 —	5 —	9 —	3 —	1 —	1 —	— —	} 158
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	6 1	3 1	11 2	11 3	12 2	14 1	9 4	16 2	5 1	3 2	7 1	3 1	— —	2 —	} 159
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	1 1	— —	— —	— 1	— —	— —	3 —	— —	— —	1 1	— —	— —	— —	1 —	} 160
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	4 1	2 2	3 2	4 1	8 1	2 1	3 1	3 —	3 1	3 —	2 —	1 —	2 —	— —	— —	} 161
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	1 —	1 —	1 —	— —	— —	— —	— —	— —	} 162
1 —	— —	— —	1 —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 163
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2 —	2 1	1 —	— —	1 1	— —	1 —	3 2	1 2	4 1	1 6	— 3	1 —	2 1	1 —	1 —	— —	1 —	} 164
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2 —	— —	— —	— —	— —	— —	1 —	— —	— 1	1 —	— —	— 1	— 1	1 —	1 —	— 1	— 2	— 2	} 165
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
105 98	15 42	— 8	1 7	4 5	— 6	— 2	2 5	1 2	3 3	— 4	— 2	4 4	3 5	3 5	3 6	7 3	3 3	} 166
63 50	— —	— —	2 —	1 —	3 —	2 —	— —	1 1	1 —	4 —	2 1	2 —	— —	— —	— 1	— —	— —	

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ... { M F	511 124	4 4	— 1	— —	2 —	6 5	23 8	21 11	19 4	16 1
170	Injury by firearms ... { M F	46 3	— —	— —	— —	— —	— —	— —	— —	1 —	1 —
171	Injury by cutting or piercing instruments. { M F	11 2	— —	— —	— —	— 1	— 1	1 1	1 —	1 —	— —
172	Injury by fall ... { M F	333 233	— —	— —	2 1	1 —	3 1	5 3	3 —	— —	1 —
173	Injury in mines and quarries. { M F	432 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
174	Injury by machines ... { M F	47 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
175	Injury by other crushing (vehicles, railways, landslides, &c.) { M F	653 81	— —	— —	— —	— 1	— 1	— 3	5 3	9 4	9 3
176	Injury by animals ... { M F	55 9	— —	— —	— —	— —	— —	— —	4 —	1 1	1 —
177	Starvation ... { M F	4 5	— —	— —	— —	— —	— —	— 1	— —	— —	— —
178	Excessive cold ... { M F	41 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
179	Effects of heat ... { M F	34 2	— —	— —	— —	— —	— —	— —	2 —	— —	— —
180	Lightning... { M F	11 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
181	Electricity (lightning ex- cepted). { M F	6 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
182	Homicide by firearms ... { M F	1 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
183	Homicide by cutting or piercing instruments. { M F	2 7	— —	— —	— —	— —	— —	— 1	— —	— —	— —
184	Homicide by other means { M F	25 18	5 7	1 1	1 —	— 1	7 9	— 1	— —	— —	1 —
185	Fractures (cause not specified). { M F	9 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
186	Other violence ... { M F	66 22	2 2	4 —	— 2	5 1	11 5	— 4	3 —	— —	— —
187	Dropsy ... { M F	2 5	— —	— —	— —	— —	— —	— —	— —	— —	— —
188A	Syncope (aged 1 year and under 70). { M F	44 29	— —	— —	— —	— —	— —	1 —	1 —	— —	— —
188B	Sudden death (not other- wise defined). { M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
189A	Heart failure (aged 1 year and under 70). { M F	224 151	— —	— —	— —	— —	— —	— —	— 1	1 —	— —
189 B-E.	Other ill-defined causes... { M F	104 94	8 6	7 4	2 —	9 8	26 18	29 25	4 7	3 1	1 2
189F.	Cause not specified ... { M F	47 27	15 11	2 2	1 —	1 2	19 15	1 —	— —	— —	— —

DIFFERENT AGE-PERIODS, 1912—continued.

under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
85 29	40 8	21 7	31 8	33 8	26 7	35 5	32 6	29 8	29 8	42 5	32 2	25 5	23 4	11 7	12 3	4 2	1 2	169
2	1	7	5	6	3	3	4	—	5	6	2	—	—	1	1	—	—	170
3 2	1	1	3	1	—	—	1	1	—	—	—	—	—	—	—	—	—	171
12 4	6 4	10 3	14 1	5 3	12 —	13 3	13 2	18 4	24 5	23 7	20 3	27 14	28 19	31 26	32 46	26 43	19 46	172
—	1	9	55	60	49	51	55	46	31	27	22	15	9	2	—	—	—	173
1	—	2	5	3	8	4	5	4	6	2	2	2	3	—	—	—	—	174
23 14	28 15	25 4	40 5	47 6	52 4	50 1	51 5	64 4	53 5	50 1	44 3	40 4	38 4	26 2	11 2	7 1	4 1	175
6 1	1 1	1 1	5	6	3	4	2	3	4	5	3	1	4	2	2	3	—	176
—	—	—	—	—	—	—	—	—	1	1	—	1	1	—	—	—	—	177
—	—	—	1	—	—	1	2	3	3	8	6	4	5	—	1	4	3	178
2	—	1	1	2	1	1	1	3	1	2	1	7	5	4	1	1	—	179
—	—	—	1	3	1	1	2	2	—	—	—	1	—	—	—	—	—	180
—	—	—	—	—	1	3	1	—	—	1	—	—	—	—	—	—	—	181
—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	182
1	—	—	2	—	—	1	—	1	—	—	2	—	1	—	—	—	—	183
8 10	1 1	—	1	2	2	—	3	4	2	—	—	—	1	1	—	—	—	184
—	—	—	1	—	—	—	1	2	1	2	1	—	—	1	—	—	—	185
14 9	4 2	1	7	2	5	3	6	6	4	3	1	3	2	2	1	1	1	186
—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	187
2	1	—	2	2	1	1	2	5	3	7	4	7	7	—	—	—	—	188A
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	188B
1 1	—	4 1	3 3	2 1	3 4	6 1	8 5	7 11	11 8	23 26	34 25	47 24	75 39	—	—	—	—	189A
63 53	6	—	1	—	2	—	—	2	—	5	3	3	8	6	2	1	2	189 B-E.
20 15	2 1	1	1	—	3 1	2	3 2	2	1	3	—	2	1	2	2	1	1	189F.

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

[illegible]

IN DIFFERENT CLASSES OF AREA, 1912.

AGGREGATE OF COUNTY BOROUGHES.					AGGREGATE OF URBAN DISTRICTS.					AGGREGATE OF RURAL DISTRICTS.					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
86,648 80,539	24,703 24,288	20,934 18,860	18,517 16,362	22,494 21,029	81,056 78,912	24,076 24,114	19,603 18,656	17,108 15,826	20,269 20,316	50,177 47,090	15,220 14,863	12,200 11,316	10,727 9,587	12,030 11,324	All Causes
368 269	112 68	89 79	58 61	109 61	360 249	88 73	87 58	96 60	89 58	127 104	33 28	28 26	32 17	34 33	1
3 3	— —	1 —	1 2	1 1	2 1	— —	— —	1 —	1 1	— —	— —	— —	— —	— —	2
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3
18 2	6 —	4 —	5 1	3 1	14 4	2 1	3 2	5 1	4 —	9 1	2 1	5 —	1 —	1 —	4
2 4	— —	1 3	1 —	— 1	1 —	— —	1 —	— —	— —	— 1	— —	— 1	— —	— —	5
3,172 2,950	492 492	831 811	533 509	1,316 1,138	1,946 1,843	328 283	516 460	328 313	774 787	548 569	122 93	104 103	85 114	237 259	6
425 466	110 107	83 104	102 118	130 137	331 332	96 100	74 58	59 61	102 113	148 127	50 34	26 18	25 32	47 43	7
1,461 1,772	579 730	503 582	206 286	173 174	1,267 1,572	426 544	423 518	227 289	191 221	570 780	178 234	201 249	110 165	81 132	8
796 814	235 269	169 164	146 163	246 218	748 748	243 266	160 167	151 122	194 193	324 399	118 142	59 69	54 84	93 104	9A
15 8	3 —	3 1	5 5	4 2	9 5	4 2	1 1	2 2	2 —	8 2	2 1	1 —	3 1	2 —	9 B, C.
722 680	336 373	148 131	79 44	159 132	892 944	446 549	200 157	76 71	170 167	808 758	453 430	194 161	40 59	121 108	10
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	11
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	12
4 2	— —	— —	3 2	1 —	2 4	— —	— 4	1 —	1 —	4 1	— —	1 1	3 —	— —	13
28 24	7 11	13 4	5 3	3 6	23 26	3 7	7 7	7 6	6 6	16 19	4 6	6 7	3 —	3 6	14
1 —	— —	— —	1 —	— —	2 —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	15
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	16
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	17
171 138	63 48	41 29	28 22	39 39	152 135	48 45	46 33	24 20	34 37	87 62	35 20	15 15	17 6	20 21	18
25 20	5 3	7 4	7 6	6 7	20 19	9 9	3 4	3 3	5 3	11 10	3 2	3 2	2 2	3 4	19
127 72	40 26	22 11	28 15	37 20	105 58	39 16	21 13	21 18	24 11	74 38	27 11	20 8	6 9	21 10	20
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	21

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES.					LONDON.				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
22	Anthrax (Splenic fever) { M F	9 —	2 —	1 —	1 —	5 —	1 —	— —	— —	— —	1 —
23	Rabies ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
24	Tetanus ... { M F	145 46	27 8	42 16	45 13	31 9	16 6	3 2	4 1	6 3	3 —
25	Mycoses ... { M F	28 8	7 —	10 3	3 2	8 3	8 —	1 —	3 —	2 —	2 —
26	Pellagra ... { M F	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —
27	Beri-beri ... { M F	6 —	4 —	1 —	— —	1 —	— —	— —	— —	— —	— —
28	Pulmonary tuberculosis (not acute). { M F	19,631 14,694	5,739 4,082	4,814 3,680	4,238 3,297	4,840 3,635	3,607 2,166	1,066 585	778 489	810 477	953 615
29A	Acute phthisis ... { M F	1,527 1,417	423 391	456 402	334 301	314 323	196 146	45 37	55 37	46 38	50 34
29B	Acute miliary tuberculosis { M F	410 404	90 112	117 103	98 106	105 83	101 71	23 9	25 21	20 27	33 14
30	Tuberculous meningitis { M F	2,579 2,423	657 593	686 681	641 551	595 598	369 324	109 84	88 88	87 66	85 86
31	Tuberculosis of periton- eum and intestines. { M F	1,653 1,593	432 375	433 421	379 395	409 402	125 111	26 30	30 26	30 34	39 21
32	Tuberculosis of spinal column. { M F	343 260	79 74	86 53	79 69	99 64	56 24	16 6	11 2	11 8	18 8
33	Tuberculosis of joints ... { M F	190 148	52 34	51 35	39 52	48 27	24 16	4 4	6 5	8 2	6 5
34	Tuberculosis of other organs. { M F	368 286	91 81	106 75	80 54	91 76	39 46	9 10	10 11	11 7	9 18
35	Disseminated tuberculosis { M F	1,105 1,020	280 240	328 286	234 233	263 261	175 148	37 24	47 42	31 43	60 39
28-35	Tuberculosis (all forms) { M F	27,806 22,245	7,843 5,982	7,077 5,736	6,122 5,058	6,764 5,469	4,692 3,052	1,335 789	1,050 721	1,054 702	1,253 840
36	Rickets, Softening of bones. { M F	445 355	135 103	116 101	71 68	123 83	57 32	14 8	19 6	8 7	16 11
37	Syphilis ... { M F	1,093 768	270 179	274 184	259 175	290 230	190 135	56 36	48 30	38 28	48 41
38	Other venereal diseases ... { M F	40 29	6 8	9 8	15 7	10 6	2 9	— 1	1 3	1 4	— 1
39	Cancer of the buccal cavity. { M F	2,042 317	494 78	512 88	537 75	499 76	282 41	62 13	91 10	50 8	79 10
40	Cancer of the stomach, liver, &c. { M F	6,553 6,017	1,613 1,531	1,582 1,481	1,679 1,510	1,679 1,495	873 701	214 191	227 162	204 173	228 175
41	Cancer of the peritoneum, intestines, and rectum. { M F	3,460 3,853	833 910	811 946	862 996	954 1,001	476 572	111 125	121 141	113 159	131 147
42	Cancer of the female genital organs. { M F	— 4,660	— 1,203	— 1,129	— 1,140	— 1,188	— 670	— 148	— 165	— 178	— 179
43	Cancer of the breast ... { M F	20 3,736	6 976	4 876	5 903	5 981	4 536	1 138	2 123	1 132	— 143

IN DIFFERENT CLASSES OF AREA, 1912--continued.

AGGREGATE OF COUNTY BOROUGHES.					AGGREGATE OF URBAN DISTRICTS.					AGGREGATE OF RURAL DISTRICTS.					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
5	2	—	—	3	3	—	1	1	1	—	—	—	—	—	} 22
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
26	3	8	10	5	47	10	12	15	10	56	11	18	14	13	} 24
9	3	2	1	3	13	—	5	5	3	18	3	8	4	3	
12	2	5	1	4	5	1	2	—	2	3	3	—	—	—	} 25
—	—	—	—	—	5	—	1	2	2	3	—	2	—	1	
—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	} 26
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	4	1	—	1	—	—	—	—	—	—	—	—	—	—	} 27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7,573	2,217	1,838	1,613	1,905	5,588	1,655	1,387	1,204	1,342	2,863	801	811	611	640	} 28
5,279	1,493	1,334	1,175	1,277	4,543	1,275	1,165	1,007	1,096	2,706	729	692	638	647	
634	171	189	134	140	465	138	138	109	80	232	69	74	45	44	} 29A
582	177	169	112	124	475	115	130	99	131	214	62	66	52	34	
126	24	34	37	31	131	31	43	29	28	52	12	15	12	13	} 29B
133	45	26	36	26	134	38	29	35	32	66	20	27	8	11	
938	225	262	232	219	887	208	251	227	201	385	115	85	95	90	} 30
883	227	235	207	214	845	186	247	197	215	371	96	111	81	83	
657	156	165	162	174	576	158	157	128	133	295	92	81	59	63	} 31
617	137	148	154	178	567	131	146	142	148	298	77	101	65	55	
103	13	32	25	33	129	37	33	30	29	55	13	10	13	19	} 32
85	25	19	22	19	97	25	21	27	24	54	18	11	12	13	
68	16	23	16	13	52	20	10	7	15	46	12	12	8	14	} 33
57	10	15	23	9	50	12	10	19	9	25	8	5	8	4	
132	28	44	26	34	115	28	29	27	31	82	26	23	16	17	} 34
103	38	29	14	22	83	22	21	16	24	54	11	14	17	12	
385	98	120	80	87	348	102	98	71	77	197	43	63	52	39	} 35
335	83	97	76	79	369	92	99	82	96	168	41	48	32	47	
10,616	2,948	2,707	2,325	2,636	8,291	2,377	2,146	1,832	1,936	4,207	1,183	1,174	911	939	} 28-35
8,074	2,235	2,072	1,819	1,948	7,163	1,896	1,868	1,624	1,775	3,956	1,062	1,075	913	906	
168	48	43	31	46	129	48	29	15	37	91	25	25	17	24	} 36
144	38	36	35	35	116	36	38	16	26	63	21	21	10	11	
490	118	133	116	123	307	70	71	77	89	106	26	22	28	30	} 37
328	75	77	83	93	243	52	59	48	84	62	16	18	16	12	
21	4	3	8	6	11	2	3	3	3	6	—	2	3	1	} 38
9	4	2	—	3	8	2	3	2	1	3	1	—	1	1	
706	166	152	193	195	622	146	164	176	136	432	120	105	118	89	} 39
95	19	27	21	28	109	28	29	30	22	72	18	22	16	16	
1,970	485	448	543	494	2,135	518	514	533	570	1,575	396	393	399	387	} 40
1,777	445	444	422	466	2,107	526	514	548	519	1,432	369	361	367	335	
984	238	234	240	272	1,084	266	247	267	304	916	218	209	242	247	} 41
1,070	253	268	262	287	1,344	329	327	338	350	867	203	210	237	217	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 42
1,610	423	371	395	421	1,539	405	373	377	384	841	227	220	190	204	
5	1	1	1	2	8	3	—	2	3	3	1	1	1	—	} 43
1,077	278	247	254	298	1,314	352	307	317	338	809	208	199	200	202	

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES.					LONDON.				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
44	Cancer of the skin ... { M F	560 361	150 97	135 79	136 82	139 103	70 41	18 12	21 6	15 7	16 16
45	Cancer of other or un- specified organs. { M F	3,553 2,191	867 533	870 551	865 539	951 568	567 343	142 92	133 91	139 76	153 84
39-45	Cancer (all sites)... { M F	16,188 21,135	3,963 5,328	3,914 5,150	4,084 5,245	4,227 5,412	2,272 2,904	548 719	595 698	522 733	607 754
46	Other tumours (situation undefined). { M F	71 75	14 16	20 18	19 18	18 23	9 11	— 2	3 3	2 1	4 5
47	Rheumatic fever... { M F	916 1,053	278 313	209 251	186 236	243 253	105 115	31 37	22 23	27 23	25 32
48 A, B	Chronic rheumatism, { M F Osteo-arthritis.	466 1,045	153 298	98 249	106 236	109 262	40 117	15 24	6 20	10 28	9 45
48C	Gout ... { M F	276 78	90 26	71 22	48 9	67 21	52 15	13 4	12 5	13 2	14 4
49	Scurvy ... { M F	9 17	2 5	2 4	1 4	4 4	— 3	— 1	— 1	— —	— 1
50	Diabetes ... { M F	2,064 1,987	551 514	479 491	481 441	553 541	234 215	61 57	55 49	49 46	69 63
51	Exophthalmic goitre ... { M F	35 385	9 91	8 98	13 101	5 95	1 26	1 6	— 9	— 6	— 5
52	Addison's disease ... { M F	99 147	20 34	29 44	28 35	22 34	16 18	2 3	3 5	9 4	2 6
53	Leucocythæmia, Lympha- denoma. { M F	405 307	110 76	98 66	78 68	119 97	64 34	19 6	14 13	12 6	19 9
54	Anæmia, Chlorosis ... { M F	866 1,183	223 308	217 288	208 296	218 291	73 83	14 19	14 18	20 21	25 25
55	Other general diseases ... { M F	239 263	62 68	51 72	74 67	52 56	22 33	5 5	7 14	6 7	4 7
56	Alcoholism (acute or chronic). { M F	344 203	78 52	82 54	97 47	87 50	42 36	12 11	8 10	10 7	12 8
57	Chronic lead poisoning... { M F	108 8	18 —	28 1	32 5	30 2	13 1	3 —	3 —	4 —	3 1
58	Other chronic occupa- tional poisonings. { M F	4 2	1 —	2 1	— 1	1 —	1 1	— —	1 —	— 1	— —
59	Other chronic poisonings { M F	9 5	4 1	3 1	— 1	2 2	2 2	1 1	— 1	— —	1 —
60	Encephalitis ... { M F	189 130	60 40	41 32	39 32	49 26	25 18	8 8	7 2	4 4	6 4
61A	Cerebro-spinal fever ... { M F	80 62	20 13	21 21	24 15	15 13	13 12	5 1	3 4	4 6	1 1
61B	Posterior basal meningitis { M F	112 88	30 16	34 31	21 24	27 17	24 15	9 2	8 7	3 4	4 2
61C	Meningitis, other forms { M F	1,937 1,711	540 475	510 473	438 372	449 391	174 146	40 46	50 39	42 36	42 25
62	Locomotor ataxy... { M F	542 122	150 27	120 26	123 29	149 40	89 22	25 6	15 2	29 7	20 7
63	Other diseases of the spinal cord. { M F	1,429 1,156	429 327	344 258	323 260	333 311	178 155	57 42	43 40	38 33	40 40

IN DIFFERENT CLASSES OF AREA, 1912—continued.

AGGREGATE OF COUNTY BOROUGHES.					AGGREGATE OF URBAN DISTRICTS.					AGGREGATE OF RURAL DISTRICTS.					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
147 99	40 28	33 22	36 21	38 28	191 120	51 30	41 29	48 28	51 33	152 101	41 27	40 22	37 26	34 26	44
1,089 615	270 164	293 146	248 165	278 140	1,160 762	274 185	257 191	297 185	332 201	737 471	181 92	187 123	181 113	188 143	
4,901 6,343	1,200 1,610	1,161 1,525	1,261 1,540	1,279 1,668	5,200 7,295	1,258 1,855	1,223 1,770	1,323 1,823	1,396 1,847	3,815 4,593	957 1,144	935 1,157	978 1,149	945 1,143	39-45
26 20	5 5	6 7	6 3	9 5	23 26	5 6	7 3	7 10	4 7	13 18	4 3	4 5	4 4	1 6	
318 350	103 104	71 73	65 86	79 87	296 397	83 120	79 116	64 86	70 75	197 191	61 52	37 39	30 41	69 59	47
148 295	42 90	38 77	31 63	37 65	153 366	51 100	36 90	33 81	33 95	125 267	45 84	18 62	32 64	30 57	
72 17	22 10	15 3	13 1	22 3	90 29	35 8	24 9	14 5	17 7	62 17	20 4	20 5	8 1	14 7	48C
5 6	1 1	2 1	— 4	2 —	3 4	1 1	— 1	1 —	1 2	1 4	— 2	— 1	— —	1 1	
588 600	156 160	141 142	143 135	148 163	778 688	208 189	178 170	189 147	203 182	464 484	126 108	105 130	100 113	133 133	50
12 98	2 28	5 22	3 28	2 20	16 149	5 28	2 42	8 42	1 37	6 112	1 29	1 25	2 25	2 33	
24 36	6 7	6 11	8 7	4 11	34 57	5 19	13 19	5 9	11 10	25 36	7 5	7 9	6 15	5 7	52
125 87	31 21	26 22	32 18	36 26	133 119	41 28	39 17	17 32	36 42	83 67	19 21	19 14	17 12	28 20	
282 355	75 91	66 82	78 97	63 85	312 460	83 122	78 119	76 99	75 120	199 285	51 76	59 69	34 79	55 61	54
85 86	24 20	16 25	29 24	16 17	84 95	24 24	20 27	23 23	17 21	48 49	9 19	8 6	16 13	15 11	
119 79	22 19	36 21	32 21	29 18	119 61	31 17	25 11	35 13	28 20	64 27	13 5	13 12	20 6	18 4	56
51 3	8 —	15 1	10 1	18 1	32 2	5 —	7 —	13 2	7 —	12 2	2 —	3 —	5 2	2 —	
2 1	1 —	— 1	— —	1 —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	58
2 1	1 —	1 —	— —	— 1	3 1	2 —	1 —	— —	— 1	2 1	— —	1 —	— 1	1 —	
63 42	16 13	12 10	13 10	22 9	65 45	23 11	16 11	13 12	13 11	36 25	13 8	6 9	9 6	8 2	60
25 21	3 4	8 8	9 2	5 7	20 22	3 8	7 7	5 3	5 4	22 7	9 —	3 2	6 4	4 1	
40 33	7 7	12 11	11 8	10 7	31 27	6 5	11 9	4 8	10 5	17 13	8 2	3 4	3 4	3 3	61B
751 684	201 181	207 192	162 150	181 161	701 622	217 171	169 166	159 133	156 152	311 259	82 77	84 76	75 53	70 53	
185 41	44 5	40 11	41 11	60 14	169 40	48 13	40 6	34 8	47 13	99 19	33 3	25 7	19 3	22 6	62
385 343	115 93	84 75	98 82	88 93	503 377	151 98	127 90	117 80	108 109	363 281	106 94	90 53	70 65	97 69	

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES.					LONDON.				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
64	Cerebral hæmorrhage, { Apoplexy. {	M 10,448 F 12,746	2,976 3,592	2,457 3,034	2,330 2,796	2,685 3,324	1,033 1,259	286 329	242 306	230 288	275 336
65	Softening of brain ... { ... {	M 795 F 820	267 289	187 209	161 141	180 181	59 94	17 36	13 12	13 19	16 27
66	Paralysis without speci- { fied cause. {	M 1,207 F 1,581	385 519	287 368	272 334	263 360	103 122	31 34	21 33	30 33	21 22
67	General paralysis of the { insane. {	M 1,808 F 468	485 131	435 108	411 101	477 128	321 87	79 25	76 22	69 24	97 16
68	Other forms of mental { alienation. {	M 580 F 772	175 238	124 176	154 170	127 188	62 98	20 29	10 22	19 23	13 24
69	Epilepsy ... { ... {	M 1,437 F 1,315	436 381	370 326	302 290	329 318	166 148	66 43	34 33	39 26	27 46
70	Convulsions (non-puer- { peral; 5 yrs. and over). {	M 50 F 51	11 13	9 14	14 10	16 14	5 4	1 2	— 2	2 —	2 —
71	Infantile convulsions { (under 5 years). {	M 5,056 F 3,684	1,623 1,147	1,182 880	1,026 740	1,225 917	314 219	83 59	78 57	72 44	81 59
72	Chorea ... { ... {	M 38 F 114	13 32	10 35	4 18	11 29	4 12	— —	1 4	— 1	3 7
73	Hysteria, Neuralgia, Neu- { ritis. {	M 126 F 348	38 86	31 86	34 81	23 95	18 62	2 13	7 15	6 17	3 17
74	Other diseases of the { nervous system. {	M 878 F 956	256 273	231 227	200 223	191 233	110 146	30 38	31 43	27 34	22 31
75	Diseases of the eyes and { annexa. {	M 24 F 22	10 3	6 5	4 9	4 5	4 3	1 2	1 —	— 1	2 —
76A	Mastoid disease ... { ... {	M 146 F 112	33 24	41 36	41 25	31 27	26 13	9 4	8 1	6 3	3 5
76B	Other diseases of the ears { ... {	M 435 F 334	104 80	100 86	117 89	114 79	58 52	16 18	14 14	14 9	14 11
77	Pericarditis ... { ... {	M 270 F 211	88 62	59 61	52 38	71 50	65 43	21 10	15 11	8 8	21 14
78	Acute endocarditis ... { ... {	M 787 F 933	205 262	199 214	183 203	200 254	168 168	38 43	43 41	46 42	41 42
79A	Valvular disease ... { ... {	M 9,254 F 11,004	2,258 2,901	2,285 2,631	2,160 2,407	2,551 3,065	1,230 1,488	303 406	289 293	294 337	344 452
79B	Fatty degeneration of the { heart. {	M 1,425 F 1,743	343 426	340 397	334 391	408 529	274 341	64 89	62 64	64 81	84 107
79C	Other organic disease of { the heart. {	M 11,460 F 12,889	3,335 3,955	2,859 3,001	2,504 2,639	2,762 3,294	1,140 1,346	307 359	301 297	237 299	295 391
80	Angina pectoris ... { ... {	M 738 F 352	190 92	179 102	171 64	198 94	75 35	17 9	16 12	19 4	23 10
81A	Aneurysm ... { ... {	M 962 F 184	246 53	231 40	243 42	242 49	195 61	50 13	46 14	48 15	51 19
81B	Arterial sclerosis ... { ... {	M 3,118 F 1,983	683 469	760 458	743 473	932 583	429 300	91 77	103 62	111 78	124 83
81C	Other diseases of arteries { ... {	M 106 F 51	34 11	29 12	20 11	23 17	22 12	10 3	6 3	4 4	2 2

IN DIFFERENT CLASSES OF AREA, 1912—continued.

AGGREGATE OF COUNTY BOROUGHES.					AGGREGATE OF URBAN DISTRICTS.					AGGREGATE OF RURAL DISTRICTS.					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
3,353 4,081	887 1,148	848 984	776 900	842 1,049	3,569 4,431	1,036 1,244	816 1,014	801 972	916 1,201	2,493 2,975	767 871	551 730	523 636	652 738	64
282 237	94 75	76 65	47 46	65 51	267 296	93 109	60 79	58 40	56 68	187 193	63 69	38 53	43 36	43 35	
426 534	135 179	97 113	106 116	88 126	408 523	134 166	98 124	80 106	96 127	270 402	85 140	71 98	56 79	58 85	66
701 168	190 50	165 33	176 24	170 61	559 149	151 38	138 35	123 38	147 38	227 64	65 18	56 18	43 15	63 13	
222 265	66 103	44 62	66 49	46 51	178 245	49 62	41 52	43 61	45 70	118 164	40 44	29 40	26 37	23 43	68
455 428	136 133	110 104	100 107	109 84	486 440	143 130	144 110	97 90	102 110	330 299	91 75	82 79	66 67	91 78	
23 19	5 4	4 7	5 4	9 4	17 17	3 3	3 4	6 4	5 6	5 11	2 4	2 1	1 2	— 4	70
1,912 1,428	604 427	434 322	383 317	491 362	1,839 1,303	627 418	429 315	365 243	418 327	991 734	309 243	241 186	206 136	235 169	
15 46	3 14	7 15	2 10	3 7	12 39	5 14	1 9	2 5	4 11	7 17	5 4	1 7	— 2	1 4	72
35 144	9 39	6 37	10 30	10 38	50 97	16 20	13 21	13 28	8 28	23 45	11 14	5 13	5 6	2 12	
262 324	80 97	57 73	60 72	65 82	284 301	93 85	71 67	66 71	54 78	222 185	53 53	72 44	47 46	50 42	74
10 5	4 1	2 —	2 4	2 —	4 4	3 —	1 —	— 2	— 2	6 10	2 —	2 5	2 2	— 3	
50 47	11 10	11 16	14 12	14 9	49 35	9 6	14 14	17 5	9 10	21 17	4 4	8 5	4 5	5 3	76A
154 114	36 23	35 33	38 35	45 23	151 118	38 31	36 24	43 30	34 33	72 50	14 8	15 15	22 15	21 12	
88 58	27 26	21 12	19 9	21 11	84 77	30 19	16 29	18 12	20 17	33 33	10 7	7 9	7 9	9 8	77
294 345	78 88	81 81	67 80	68 96	222 287	66 94	56 61	43 54	57 78	103 133	23 37	19 31	27 27	34 38	
2,849 3,404	670 897	745 867	645 747	789 893	3,076 3,714	743 960	774 909	701 779	858 1,066	2,099 2,398	542 638	477 562	520 544	560 654	79A
366 496	84 112	80 112	89 113	113 159	472 547	118 136	115 124	116 118	123 169	313 359	77 89	83 97	65 79	88 94	
3,479 3,954	1,077 1,257	852 943	754 788	796 966	3,837 4,479	1,041 1,365	980 1,038	865 896	951 1,180	3,004 3,110	910 974	726 723	648 656	720 757	79C
257 102	75 29	67 26	45 17	70 30	262 143	57 41	57 41	79 24	69 37	144 72	41 13	39 23	28 19	36 17	
340 57	89 22	77 7	82 16	92 12	293 44	81 9	71 14	79 8	62 13	134 22	26 9	37 5	34 3	37 5	81A
964 652	213 133	226 154	234 148	291 217	1,007 641	227 164	246 146	241 153	293 178	718 390	152 95	185 96	157 94	224 105	
33 16	8 4	12 6	6 1	7 5	39 15	13 2	8 3	7 3	11 7	12 8	3 2	3 —	3 3	3 3	81C

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES.					LONDON.				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
82A	Cerebral embolism and thrombosis. { M F	1,050 1,561	270 414	276 377	236 375	268 395	134 199	39 55	27 44	36 50	32 50
82B	Other embolism and thrombosis. { M F	128 186	34 54	35 49	24 31	35 52	22 25	8 6	3 6	7 6	4 7
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.). { M F	112 216	32 67	22 49	28 39	30 61	17 22	7 13	1 —	3 3	6 6
84A	Status lymphaticus ... { M F	96 59	19 17	30 16	21 14	26 12	24 12	4 3	10 6	3 3	7 —
84B	Other diseases of the lymphatic system. { M F	47 41	19 16	9 11	10 4	9 10	2 3	— 1	— 1	— —	2 1
85	Hæmorrhage; other diseases of the circulatory system. { M F	103 95	33 24	26 23	18 22	26 26	14 10	3 2	5 2	1 4	5 2
86	Diseases of the nasal fossæ. { M F	40 29	11 9	8 6	12 8	9 6	3 3	1 —	— —	1 2	1 1
87	Diseases of the larynx ... { M F	626 415	233 147	109 97	109 71	175 100	37 24	11 5	8 8	9 7	9 4
88	Diseases of the thyroid body. { M F	47 207	8 51	18 52	4 49	17 55	7 28	2 6	2 7	2 4	1 11
89 & 90	Bronchitis ... { M F	19,294 20,439	8,005 9,247	3,920 3,676	2,408 2,080	4,961 5,436	2,629 2,922	1,016 1,232	482 440	306 273	825 977
91	Broncho-pneumonia ... { M F	9,059 8,314	3,447 3,166	1,934 1,828	1,255 1,057	2,423 2,263	1,304 1,196	407 420	295 256	178 158	424 362
92A	Lobar-pneumonia ... { M F	4,991 2,952	1,394 913	1,428 816	873 459	1,296 764	845 510	218 132	240 140	160 104	227 134
92B	Pneumonia (type not stated). { M F	7,295 4,737	2,498 1,692	1,925 1,116	1,121 701	1,751 1,228	943 650	313 192	207 156	167 108	256 194
93	Pleurisy ... { M F	871 589	265 198	226 136	166 123	214 132	129 89	39 29	32 22	29 20	29 18
94	Pulmonary congestion, Pulmonary apoplexy. { M F	881 938	268 315	177 209	189 156	247 258	120 133	37 48	23 26	30 20	30 39
95	Gangrene of the lung ... { M F	66 28	14 7	23 5	18 9	11 7	12 8	2 2	2 2	5 1	3 3
96	Asthma ... { M F	918 706	342 272	190 143	133 80	253 211	96 97	36 37	18 12	8 6	34 42
97	Pulmonary emphysema { M F	301 129	111 62	67 18	41 13	82 36	72 28	27 14	11 1	6 5	28 8
98A	Fibroid disease of lung... { M F	244 81	76 28	57 22	55 12	56 19	22 11	7 4	2 3	4 1	9 3
98B	Other diseases of the respiratory system. { M F	193 104	52 37	42 26	53 19	46 22	25 21	13 9	1 6	8 3	3 3
99A	Diseases of the teeth and gums. { M F	140 112	33 29	42 30	32 28	33 25	22 21	3 3	4 3	7 9	8 6
99B, C. D.	Other diseases of the mouth and annæa. { M F	96 95	33 23	30 19	19 34	14 19	12 10	4 2	4 3	2 1	2 4
100	Diseases of pharynx, Tonsillitis. { M F	258 257	67 85	62 62	57 46	72 64	24 25	5 7	9 6	3 4	7 8

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES.					LONDON.				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
101	Diseases of œsophagus ... { M 37 12 6 6 13 F 30 9 8 10 3						11 4 — 1 6 5 1 — 4 —				
102	Perforating ulcer of { M 873 224 183 220 246 F 973 233 220 220 300						159 41 41 35 42 138 33 32 32 41				
103A	Inflammation of stomach { M 1,434 391 331 370 342 F 1,405 385 323 328 369						122 32 34 26 30 117 35 20 33 29				
103B	Other diseases of the { M 365 96 102 75 92 F 313 70 65 74 104						43 10 14 12 7 31 6 5 5 15				
104 & 105.	Diarrhœa and enteritis ... { M 6,403 1,293 1,208 2,316 1,586 F 5,152 1,015 999 1,813 1,325						991 184 160 416 231 807 123 158 350 176				
106	Ankylostomiasis... { M — — — — — F — — — — —						— — — — — — — — — —				
107	Other intestinal parasites { M 4 1 — 1 2 F 12 3 2 4 3						— — — — — 1 — — 1 —				
108	Appendicitis ... { M 1,323 325 343 337 318 F 1,034 250 272 255 257						173 40 61 41 31 148 32 34 38 44				
109A	Hernia ... { M 710 168 174 177 191 F 803 220 178 170 235						82 21 11 18 32 122 40 28 28 26				
109B	Intestinal obstruction ... { M 1,212 320 310 318 264 F 1,246 352 304 286 304						132 34 32 37 29 166 38 35 44 49				
110	Other diseases of the { M 229 55 61 41 72 F 221 64 46 45 66						34 13 4 5 12 37 12 6 8 11				
111	Acute yellow atrophy of { M 16 4 4 2 6 F 40 13 9 10 8						2 1 — 1 — 4 2 — 1 1				
112	Hydatid of liver... { M 18 4 6 5 3 F 10 2 3 2 3						1 — — 1 — 1 1 — — —				
113	Cirrhosis of the liver ... { M 2,092 526 501 537 528 F 1,661 445 378 407 431						329 77 76 90 86 338 84 81 86 87				
114	Biliary calculi ... { M 231 55 59 61 56 F 564 146 124 150 144						29 5 11 6 7 54 14 17 11 12				
115	Other diseases of the liver { M 391 109 95 92 95 F 463 137 121 92 113						57 15 12 14 16 64 17 11 16 20				
116	Diseases of the spleen ... { M 14 2 2 7 3 F 24 9 4 6 5						1 — — 1 — 3 1 — 2 —				
117	Peritonitis (cause un- stated). { M 197 63 46 42 46 F 262 69 58 73 62						24 6 5 7 6 39 8 10 13 8				
118	Other diseases of the { M 113 23 26 29 35 F 101 22 23 30 26						26 5 8 5 8 20 5 6 6 3				
119	Acute nephritis ... { M 1,044 300 259 228 257 F 865 245 205 196 219						102 29 29 20 24 77 23 20 14 20				
120	Bright's disease ... { M 6,771 1,804 1,718 1,573 1,676 F 5,912 1,666 1,423 1,278 1,545						1,008 269 252 246 241 896 238 222 192 244				
121	Chyluria ... { M 1 1 — — — F — — — — —						— — — — — — — — — —				
122	Other diseases of the { M 266 68 72 65 61 F 243 55 61 58 69						49 14 11 11 13 48 11 13 15 9				

IN DIFFERENT CLASSES OF AREA, 1912—continued.

AGGREGATE OF COUNTY BOROUGHS.					AGGREGATE OF URBAN DISTRICTS.					AGGREGATE OF RURAL DISTRICTS.					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
107	43	12	21	31	1212	33	34	23	42	46	12	22	12	—	101
305296	6966	5662	7975	10193	248326	7488	4971	6473	6194	161213	4046	3755	4240	4272	
552493	156120	133122	134105	129146	468484	132149	93110	127120	116105	292311	7181	7171	8370	6789	103A
113120	2924	2825	1728	3943	11698	3420	3219	2329	2730	9364	2320	2816	2312	1916	
2,5111,994	446357	465357	984742	616538	1,9161,585	411332	383324	621512	501417	985766	252203	200160	295209	238194	104 & 105
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	106
2	1	—	1	—	14	—	1	12	1	35	12	—1	—	22	
389298	9268	9179	9378	11373	494353	11782	128101	12577	12493	267235	7668	6358	7862	5047	108
206261	4965	5565	4245	6086	236276	5973	5550	7570	4783	186144	3942	5335	4227	5240	
379385	98111	10489	9588	8297	428426	124125	103107	10593	96101	273269	6478	7173	8161	5757	109B
7468	1519	2213	1116	2620	6859	1519	2011	1111	2218	5357	1214	1516	1410	1217	
415	15	13	15	12	510	24	23	—1	12	511	—2	13	—3	43	111
83	2—	32	2—	11	43	—	31	—1	11	53	21	—	21	11	
658555	179149	150117	166127	163162	698524	180145	172111	174136	172132	407244	9067	10369	10758	10750	113
67160	1438	1943	1843	1636	85219	2355	2140	1860	2364	50131	1339	824	1936	1032	
105135	3435	2937	2125	2138	121162	3749	2238	2836	3439	108102	2336	3235	2915	2416	115
38	—3	13	2—	—2	710	23	11	23	23	33	—2	—	21	1—	
6283	2024	1119	1824	1316	6675	1719	2318	1118	1520	4565	2018	711	618	1218	117
4723	106	87	165	135	2833	45	76	712	1010	1225	46	34	17	48	
359342	10695	8477	8188	8882	383300	10481	10178	8161	9780	200146	6146	4530	4633	4837	119
2,1461,887	542550	547426	501402	556509	2,2652,028	611570	574504	504446	576508	1,3521,101	382308	345271	322238	303284	
1—	1—	—	—	—	—	—	—	—	—	—	—	—	—	—	121
9667	2414	2720	2411	2122	7878	2019	2013	1922	1924	4350	1011	1415	1110	814	

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES.					LONDON.				
		Year	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
123	Calculi of the urinary passages. { M F	181 89	46 30	41 19	47 20	47 20	27 15	9 8	4 3	5 1	9 3
124	Diseases of the bladder ... { M F	997 246	273 74	226 61	235 54	263 57	128 37	40 10	25 6	25 14	38 7
125	Diseases of the urethra, { M Urinary abscess, &c. { F	355 6	93 3	86 2	83 1	93 —	62 1	13 —	15 —	17 1	17 —
126	Diseases of the prostate ... { M F	1,376 —	337 —	350 —	332 —	357 —	162 —	33 —	42 —	46 —	41 —
127	Non-venereal diseases of { M male genital organs. { F	32 —	9 —	9 —	5 —	9 —	7 —	1 —	3 —	1 —	2 —
128	Uterine hæmorrhage { M (non-puerperal). { F	— 12	— 2	— 4	— 3	— 3	— 2	— 1	— —	— —	— 1
129	Uterine tumour (non- { M cancerous). { F	— 326	— 89	— 82	— 69	— 86	— 38	— 14	— 6	— 5	— 13
130	Other diseases of the { M uterus. { F	— 152	— 53	— 35	— 30	— 34	— 13	— 7	— 2	— 2	— 2
131	Ovarian cyst, tumour { M (non-cancerous). { F	— 288	— 80	— 64	— 66	— 78	— 43	— 15	— 10	— 7	— 11
132	Other diseases of the { M female genital organs. { F	— 196	— 48	— 47	— 49	— 52	— 39	— 8	— 6	— 13	— 12
133	Non-puerperal dis. of the { M breast (non-cancerous). { F	2 20	— 5	1 6	1 3	— 6	— 1	— —	— —	— —	— 1
134	Accidents of pregnancy... { M F	— 329	— 81	— 86	— 92	— 70	— 40	— 12	— 6	— 13	— 9
135	Puerperal hæmorrhage ... { M F	— 522	— 148	— 134	— 136	— 104	— 42	— 10	— 10	— 12	— 10
136	Other accidents of child- { M birth. { F	— 378	— 110	— 83	— 94	— 91	— 28	— 10	— 7	— 4	— 7
137	Puerperal fever ... { M F	— 1,216	— 383	— 253	— 257	— 323	— 168	— 54	— 40	— 29	— 45
138	Puerperal albuminuria { M and convulsions. { F	— 629	— 169	— 141	— 164	— 155	— 39	— 6	— 5	— 15	— 13
139	Puerperal phlegmasia { M alba dolens, embolism { F and sudden death.	— 362	— 114	— 94	— 58	— 96	— 29	— 6	— 8	— 8	— 7
140	Puerperal insanity ... { M F	— 30	— 9	— 4	— 8	— 9	— 3	— —	— —	— 1	— 2
141	Puerperal diseases of the { M breast. { F	— 7	— 1	— 3	— 2	— 1	— —	— —	— —	— —	— —
142A	Senile gangrene ... { M F	703 577	198 164	200 155	155 118	150 140	68 61	11 12	31 19	15 17	11 13
142B, C, D.	Gangrene, other types ... { M F	96 101	30 31	19 25	26 21	21 24	7 13	3 2	1 6	2 3	1 2
143	Carbuncle, Boil ... { M F	182 70	51 21	32 18	45 19	54 12	26 9	7 3	4 3	4 2	11 1
144	Phlegmon, Acute abscess { M F	356 278	107 81	79 63	63 63	107 71	62 54	17 13	11 10	9 13	25 18
145	Diseases of the integu- { M mentary system. { F	465 547	126 177	118 118	111 114	110 138	55 59	19 18	16 13	12 11	8 17

IN DIFFERENT CLASSES OF AREA, 1912--*continued*.

AGGREGATE OF COUNTY BOROUGHES.					AGGREGATE OF URBAN DISTRICTS.					AGGREGATE OF RURAL DISTRICTS.					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
62 28	13 8	13 4	23 7	13 9	62 30	14 12	17 6	12 7	19 5	30 16	10 2	7 6	7 5	6 3	} 123
303 74	83 24	74 23	71 13	75 14	297 86	72 26	65 20	79 15	81 25	269 49	78 14	62 12	60 12	69 11	
142 4	40 2	31 2	33 —	38 —	104 1	28 1	28 —	21 —	27 —	47 —	12 —	12 —	12 —	11 —	} 125
373 —	95 —	104 —	79 —	95 —	478 —	117 —	109 —	112 —	140 —	363 —	92 —	95 —	95 —	81 —	
11 —	3 —	4 —	1 —	3 —	10 —	3 —	2 —	2 —	3 —	4 —	2 —	— —	1 —	1 —	} 127
— 3	— 1	— 1	— 1	— —	— 2	— —	— 1	— 1	— —	— 5	— —	— 2	— 1	— 2	
— 95	— 25	— 19	— 27	— 24	— 122	— 31	— 36	— 20	— 35	— 71	— 19	— 21	— 17	— 14	} 129
51 —	13 —	12 —	9 —	17 —	59 —	23 —	12 —	15 —	9 —	29 —	10 —	9 —	4 —	6 —	
— 76	— 19	— 18	— 22	— 17	— 95	— 24	— 18	— 23	— 30	— 74	— 22	— 18	— 14	— 20	} 131
— 64	— 14	— 19	— 14	— 17	— 59	— 16	— 14	— 13	— 16	— 34	— 10	— 8	— 9	— 7	
2 8	— 2	1 2	1 1	— 3	— 9	— 3	— 2	— 2	— 2	— 2	— —	— 2	— —	— —	} 133
— 113	— 28	— 34	— 29	— 22	— 114	— 31	— 26	— 33	— 24	— 62	— 10	— 20	— 17	— 15	
— 183	— 51	— 43	— 50	— 39	— 177	— 50	— 50	— 50	— 27	— 120	— 37	— 31	— 24	— 28	} 135
— 110	— 28	— 24	— 28	— 30	— 161	— 46	— 32	— 41	— 42	— 79	— 26	— 20	— 21	— 12	
— 377	— 123	— 75	— 76	— 103	— 446	— 135	— 93	— 96	— 122	— 225	— 71	— 45	— 56	— 53	} 137
— 205	— 64	— 39	— 54	— 48	— 235	— 59	— 56	— 58	— 62	— 150	— 40	— 41	— 37	— 32	
— 90	— 34	— 18	— 14	— 24	— 153	— 42	— 45	— 20	— 46	— 90	— 32	— 23	— 16	— 19	} 139
— 11	— 5	— 2	— 2	— 2	— 7	— 3	— —	— 2	— 2	— 9	— 1	— 2	— 3	— 3	
— 2	— —	— —	— 1	— 1	— 3	— 1	— 2	— —	— —	— 2	— —	— 1	— 1	— —	} 141
186 180	45 46	60 47	39 46	42 41	218 193	67 61	57 47	45 37	49 48	231 143	75 45	52 42	56 18	48 38	
39 39	13 11	7 7	12 9	7 12	34 38	11 13	7 8	9 7	7 10	16 11	3 5	4 4	3 2	6 —	} 142B, C, D.
59 24	14 6	14 6	18 9	13 3	66 27	22 10	8 3	15 6	21 8	31 10	8 2	6 6	8 2	9 —	
114 99	35 26	27 22	20 23	32 28	101 82	30 26	24 21	19 16	28 19	79 43	25 16	17 10	15 11	22 6	} 144
149 160	43 52	29 39	31 26	46 43	149 180	39 59	41 40	38 39	31 42	112 148	25 48	32 26	30 38	25 36	

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES.					LONDON.				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
146	Diseases of the bones ... { M F	323 177	92 48	70 46	70 39	91 44	61 31	20 9	9 10	15 5	17 7
147	Diseases of the joints ... { M F	62 62	18 19	19 18	13 9	12 16	12 10	5 4	4 —	2 1	1 5
148	Amputations ... { M F	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —
149	Other diseases of loco- motor system. { M F	26 17	10 5	7 4	2 2	7 6	— 3	— —	— 2	— —	— 1
150	Congenital malformations { M F	2,013 1,569	512 467	513 356	461 336	527 410	255 178	83 43	46 37	61 43	65 55
151A	Premature birth ... { M F	9,670 7,449	2,569 2,066	2,368 1,810	2,297 1,738	2,436 1,835	1,126 911	295 247	252 216	274 214	305 234
151 B-E.	Infantile debility, Icterus and Sclerema { M F	6,554 4,670	1,986 1,411	1,539 1,097	1,409 995	1,620 1,167	707 453	175 112	165 105	142 102	225 134
152	Other diseases peculiar to early infancy. { M F	1,647 1,150	445 341	452 277	357 272	393 260	220 167	51 42	53 40	49 38	67 47
153	Lack of care ... { M F	132 132	46 26	28 39	29 25	29 42	20 22	4 1	6 10	7 5	3 6
154	Old age ... { M F	13,713 18,729	4,581 6,281	3,203 4,365	2,646 3,541	3,283 4,542	1,086 1,910	363 620	217 417	233 366	273 507
155	Suicide by poison ... { M F	324 223	77 40	82 54	93 63	72 66	79 51	16 7	23 17	23 16	17 11
156	Suicide by asphyxia ... { M F	112 37	25 7	22 10	34 9	31 11	27 10	7 4	8 2	5 2	7 2
157	Suicide by hanging or strangulation. { M F	740 159	157 39	211 45	202 41	170 34	81 19	13 5	25 5	21 2	22 7
158	Suicide by drowning ... { M F	498 298	90 68	157 84	142 86	109 60	36 25	4 2	7 8	15 7	10 8
159	Suicide by firearms ... { M F	263 15	58 4	69 1	67 5	69 5	37 8	12 2	8 —	10 3	7 3
160	Suicide by cutting or piercing instruments. { M F	535 98	113 23	139 27	146 25	137 23	66 13	13 4	18 2	16 5	19 2
161	Suicide by jumping from high place. { M F	50 24	10 7	10 7	10 4	20 6	8 8	4 2	1 2	1 1	2 3
162	Suicide by crushing ... { M F	174 39	41 9	49 7	42 9	42 14	14 5	5 1	3 —	5 2	1 2
163	Other suicides ... { M F	10 9	2 3	1 2	5 3	2 1	2 1	— —	— —	2 —	— 1
164	Poisoning by food ... { M F	54 52	12 10	9 14	19 15	14 13	5 8	2 1	2 4	— 2	1 1
165	Other acute poisonings ... { M F	147 80	40 23	35 25	37 16	35 16	19 14	4 4	8 4	3 4	4 2
166	Conflagration ... { M F	46 51	11 8	12 12	6 15	17 16	8 17	2 3	3 2	1 6	2 6
167	Burns (conflagration ex- cepted). { M F	915 1,358	274 467	160 236	187 198	294 457	102 134	35 46	22 21	22 23	23 44
168	Absorption of deleterious gases (conflagration ex- cepted). { M F	804 742	245 238	170 164	188 130	201 210	171 172	45 54	36 36	39 37	51 45

IN DIFFERENT CLASSES OF AREA, 1912—*continued.*

AGGREGATE OF COUNTY BOROUGHES.					AGGREGATE OF URBAN DISTRICTS.					AGGREGATE OF RURAL DISTRICTS.					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
102 49	21 12	25 9	26 12	30 16	88 66	29 23	21 17	19 18	19 8	72 31	22 4	15 10	10 4	25 13	146
23 15	6 4	8 5	5 5	4 1	11 20	2 4	4 8	3 2	2 6	16 17	5 7	3 5	3 1	5 4	
—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	148
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7 5	2 1	1 1	1 —	3 3	13 6	5 4	3 —	1 —	4 2	6 3	3 —	3 1	— 2	—	149
622 483	146 138	169 104	140 100	167 141	756 571	192 169	201 130	166 131	197 141	380 337	91 117	97 85	94 62	98 73	
3,491 2,607	899 712	829 635	837 605	926 655	3,206 2,473	858 692	801 613	751 550	796 618	1,847 1,458	517 415	486 346	435 369	409 328	151A
2,320 1,728	668 477	537 387	525 395	590 469	2,284 1,636	743 521	544 400	470 342	527 373	1,243 853	400 301	293 205	272 156	278 191	
536 395	144 122	155 93	115 92	122 88	564 367	155 113	158 87	122 88	129 79	327 221	95 64	86 57	71 54	75 46	152
54 63	21 12	10 22	10 9	13 20	39 29	15 7	8 3	6 9	10 10	19 18	6 6	4 4	6 2	3 6	
3,760 5,308	1,289 1,787	901 1,238	700 1,005	870 1,278	4,432 6,355	1,462 2,095	1,038 1,519	874 1,202	1,058 1,539	4,435 5,156	1,467 1,779	1,047 1,191	839 968	1,082 1,218	154
108 77	34 13	19 17	31 20	24 27	101 68	20 13	27 12	30 22	24 21	36 27	7 7	13 8	9 5	7 7	
46 16	12 2	5 4	15 5	14 5	35 9	5 1	9 3	11 2	10 3	4 2	1 —	— 1	3 —	— 1	156
224 53	56 13	56 16	65 13	47 11	243 54	49 15	73 16	64 12	57 11	192 33	39 6	57 8	52 14	44 5	
140 84	29 20	34 20	42 25	35 19	169 122	26 27	57 38	46 36	40 21	153 67	31 19	59 18	39 18	24 12	158
63 1	10 —	17 1	17 —	19 —	80 3	20 2	20 —	21 —	19 1	83 3	16 —	24 —	19 2	24 1	
181 37	39 6	45 10	46 12	51 9	186 27	35 7	49 12	56 4	46 4	102 21	26 6	27 3	28 4	21 8	160
23 10	4 2	6 4	2 1	11 3	13 3	2 2	2 —	3 1	6 —	6 3	— 1	1 1	4 1	1 —	
40 14	3 3	15 2	12 4	10 5	80 10	22 3	21 2	18 2	19 3	40 10	11 2	10 3	7 1	12 4	162
3 1	2 —	— —	1 1	— —	2 4	— 1	— 1	1 2	1 —	3 3	— 2	1 1	1 —	1 —	
28 17	5 3	3 2	9 6	11 6	16 21	5 2	2 6	7 7	2 6	5 6	— 4	2 2	3 —	— —	164
57 27	16 7	14 10	18 6	9 4	49 22	12 8	9 8	13 1	15 5	22 17	8 4	4 3	3 5	7 5	
15 14	5 2	2 3	2 6	6 3	17 11	3 2	6 4	2 2	6 3	6 9	1 1	1 3	1 1	3 4	166
359 588	109 199	65 116	75 80	110 193	300 426	82 148	49 69	62 67	107 142	154 210	48 74	24 30	28 28	54 78	
364 360	111 113	85 78	83 60	85 109	188 157	64 54	29 35	44 24	51 44	81 53	25 17	20 15	22 9	14 12	168

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES.					LONDON.				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
169	Accidental drowning ... { M F	2,053 435	401 88	534 99	730 138	388 110	206 40	26 9	58 5	89 18	33 8
170	Injury by firearms ... { M F	74 11	19 3	14 1	20 2	21 5	2 2	— 1	— —	1 —	1 1
171	Injury by cutting or piercing instruments. { M F	28 11	6 5	2 5	13 1	7 —	4 3	2 2	— 1	2 —	— —
172	Injury by fall ... { M F	2,011 1,343	513 407	467 289	527 299	504 348	331 246	74 82	93 51	82 50	82 63
173	Injuries in mines and quarries. { M F	1,195 —	261 —	277 —	368 —	289 —	— —	— —	— —	— —	— —
174	Injury by machines ... { M F	258 6	55 1	58 3	69 —	76 2	32 —	7 —	6 —	13 —	6 —
175	Injury by other crushing (vehicles, railways, landslides, &c.). { M F	2,616 490	544 84	638 128	747 153	687 125	427 118	82 27	106 25	126 33	113 33
176	Injury by animals ... { M F	98 16	15 2	32 7	30 4	21 3	6 2	3 —	1 2	1 —	1 —
177	Starvation ... { M F	17 15	5 8	7 2	4 1	1 4	5 3	2 2	2 —	1 —	— 1
178	Excessive cold ... { M F	84 20	54 13	13 2	3 2	14 3	7 4	6 3	1 —	— —	— 1
179	Effects of heat ... { M F	84 31	3 —	4 2	77 29	— —	6 10	— —	1 1	5 9	— —
180	Lightning ... { M F	17 3	1 —	12 —	4 3	— —	— —	— —	— —	— —	— —
181	Electricity (lightning ex- cepted). { M F	23 —	7 —	1 —	4 —	11 —	2 —	2 —	— —	— —	— —
182	Homicide by firearms ... { M F	11 16	2 3	2 6	2 2	5 5	1 6	— 1	— 2	— —	1 3
183	Homicide by cutting or piercing instruments. { M F	26 41	9 7	4 8	7 13	6 13	4 11	2 3	— 2	1 3	1 3
184	Homicide by other means { M F	108 116	26 30	27 27	28 33	27 26	20 20	2 7	6 4	6 5	6 4
185	Fractures (cause not specified). { M F	66 19	23 7	16 3	9 7	18 2	14 5	8 2	3 —	1 1	2 2
186	Other violence ... { M F	417 158	98 49	94 39	105 32	120 38	54 28	13 7	13 9	15 8	13 4
187	Dropsy ... { M F	18 23	5 3	7 4	2 9	4 7	2 3	— —	1 —	— 2	1 1
188A	Syncope (aged 1 year and under 70). { M F	195 112	50 36	58 23	39 17	48 36	5 1	— —	— —	5 —	— 1
188B	Sudden death (not other- wise defined). { M F	3 1	— 1	— —	1 —	2 —	— —	— —	— —	— —	— —
189A	Heart failure (aged 1 year and under 70). { M F	755 586	244 202	183 131	151 109	177 144	14 5	4 —	3 1	4 1	3 3
189 B-E.	Other ill-defined causes { M F	535 506	170 164	108 95	113 97	144 150	23 33	5 7	5 5	4 10	9 11
189F	Cause not specified ... { M F	78 56	29 14	14 20	18 14	17 8	5 4	2 1	1 —	2 1	— 2

IN DIFFERENT CLASSES OF AREA, 1912—*continued*.

AGGREGATE OF COUNTY BOROUGHES.					AGGREGATE OF URBAN DISTRICTS.					AGGREGATE OF RURAL DISTRICTS.					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
665 135	136 24	193 33	234 46	102 32	671 136	137 28	174 24	228 42	132 42	511 124	102 27	109 37	179 32	121 28	} 169
7 4	2 1	1 1	2 2	2 —	19 2	5 —	1 —	5 —	8 2	46 3	12 1	12 —	12 —	10 2	
6 4	1 1	— 3	4 —	1 —	7 2	1 1	1 1	4 —	1 —	11 2	2 1	1 —	3 1	5 —	} 171
747 460	200 140	183 101	177 95	187 124	600 404	162 113	116 87	161 97	161 107	333 233	77 72	75 50	107 57	74 54	} 172
126 —	35 —	29 —	24 —	38 —	637 —	145 —	164 —	166 —	162 —	432 —	81 —	84 —	178 —	89 —	} 173
96 1	24 —	19 1	21 —	32 —	83 5	15 1	22 2	25 —	21 2	47 —	9 —	11 —	10 —	17 —	} 174
747 159	167 31	189 40	208 47	183 41	789 132	166 21	188 41	223 42	212 28	653 81	129 5	155 22	190 31	179 23	} 175
14 1	1 1	2 —	5 —	6 —	23 4	5 —	7 1	5 2	6 1	55 9	6 1	22 4	19 2	8 2	} 176
1 5	1 3	— —	— 1	— 1	7 2	1 1	4 1	1 —	1 —	4 5	1 2	1 1	2 —	— 2	} 177
15 8	12 6	1 1	— 1	2 —	21 4	12 2	2 1	2 —	5 1	41 4	24 2	9 —	1 1	7 1	} 178
19 8	— —	1 1	18 7	— —	25 11	1 —	2 —	22 11	— —	34 2	2 —	— —	32 2	— —	} 179
3 1	— —	3 —	— 1	— —	3 1	1 —	— —	2 1	— —	11 1	— —	9 —	2 1	— —	} 180
9 —	2 —	— —	3 —	4 —	6 —	3 —	— —	1 —	2 —	6 —	— —	1 —	— —	5 —	} 181
4 2	1 —	— 1	1 1	2 —	5 4	1 1	2 1	— —	2 2	1 4	— 1	— 2	1 1	— —	} 182
13 15	6 2	2 3	3 3	2 7	7 8	1 2	2 —	3 4	1 2	2 7	— —	— 3	— 3	2 1	} 183
31 41	9 11	6 7	7 13	9 10	32 37	12 9	7 10	7 9	6 9	25 18	3 3	8 6	8 6	6 3	} 184
26 4	7 2	8 —	5 2	6 —	17 9	6 3	2 2	2 4	7 —	9 1	2 —	3 1	1 —	3 —	} 185
137 63	33 19	30 14	38 11	36 19	160 45	40 14	32 8	38 11	50 12	66 22	12 9	19 8	14 2	21 3	} 186
8 7	2 1	3 1	2 2	1 3	6 8	2 —	2 2	— 4	2 2	2 5	1 2	1 1	— 1	— 1	} 187
89 53	22 18	27 11	16 5	24 19	57 29	15 11	16 7	11 4	15 7	44 29	13 7	15 5	7 8	9 9	} 188A
1 —	— —	— —	— —	1 —	1 1	— 1	— —	— —	1 —	1 —	— —	— —	1 —	— —	} 188B
241 208	92 70	54 47	48 38	47 53	276 222	84 83	74 48	47 35	71 56	224 151	64 49	52 35	52 35	56 32	} 189A
248 237	78 65	51 41	54 56	65 75	160 142	54 53	31 28	36 25	39 36	104 94	33 39	21 21	19 6	31 28	} 189 B-E.
10 9	1 1	3 2	3 6	3 —	16 16	5 3	4 6	4 4	3 3	47 27	21 9	6 12	9 3	11 3	} 189F

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1912.

In the second column, the letters P.L. denote Poor Law Institutions, L.A. Lunatic Asylums, H. Hospitals and Nursing Homes, and E. elsewhere than in Institutions.

Causes of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
1. Enteric fever ...	P.L.	17	29	16	1	63	9	23	5	5	42
	L.A.	1	6	3	1	11	4	6	3	5	18
	H.	38	198	166	46	448	21	152	87	43	303
	E.	15	135	175	79	404	18	88	154	51	311
2. Typhus ...	P.L.	1	—	—	—	1	—	1	—	—	1
	H.	1	2	2	—	5	1	1	1	—	3
	E.	—	1	—	—	1	—	1	—	—	1
4. Malaria ...	P.L.	—	—	—	1	1	—	—	—	—	—
	H.	—	4	—	2	6	1	—	—	—	1
	E.	8	14	14	6	42	1	2	4	1	8
5. Small-pox ...	H.	1	1	1	—	3	—	3	—	—	3
	E.	—	1	—	—	1	—	1	—	1	2
6. Measles ...	P.L.	52	205	34	3	294	51	159	25	6	241
	H.	263	108	20	5	396	230	80	22	5	337
	E.	671	2,859	1,892	540	5,962	561	2,711	1,796	558	5,626
7. Scarlet fever ...	P.L.	—	2	2	—	4	1	1	—	—	2
	L.A.	—	—	2	1	3	—	—	—	—	—
	H.	77	330	168	64	639	79	365	172	45	661
	E.	4	93	159	83	339	5	100	160	82	347
8. Whooping cough ...	P.L.	18	66	27	10	121	18	87	32	3	140
	H.	111	14	6	4	135	133	19	12	4	168
	E.	302	1,381	1,234	556	3,473	403	1,666	1,528	773	4,370
9A. Diphtheria ...	P.L.	6	5	3	—	14	3	4	4	1	12
	H.	189	467	305	91	1,052	208	481	301	106	1,096
	E.	29	324	440	233	1,026	25	329	443	292	1,089
9B. Membranous laryngitis.	H.	1	1	—	—	2	—	—	—	—	—
	E.	—	2	—	2	4	—	3	—	—	3
9C. Croup ...	E.	1	12	9	6	28	—	5	5	2	12
10. Influenza ...	P.L.	16	70	42	29	157	10	35	31	18	94
	L.A.	6	3	5	4	18	6	4	7	6	23
	H.	7	2	6	6	21	9	7	10	8	34
	E.	228	647	839	769	2,483	268	634	896	726	2,524
13. Cholera nostras ...	E.	—	4	2	4	10	—	2	4	1	7
14. Dysentery ...	P.L.	1	2	3	—	6	—	—	—	—	—
	L.A.	19	11	9	10	49	29	21	17	13	80
	H.	4	5	3	1	13	3	—	—	—	3
	E.	1	10	8	5	24	1	3	9	6	19
15. Plague ...	H.	—	1	1	—	2	—	—	—	—	—
	E.	—	—	1	—	1	—	—	—	—	—
17. Leprosy ...	E.	—	—	—	—	—	1	—	—	—	1
18. Erysipelas ...	P.L.	37	44	23	11	115	45	22	20	11	98
	L.A.	—	3	1	2	6	5	—	3	2	10
	H.	11	33	14	6	64	9	22	6	4	41
	E.	31	91	114	68	304	17	94	106	45	262
19A. Mumps ...	E.	1	5	5	6	17	—	2	3	4	9

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1912—*continued*.

Causes of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
19B. German measles ...	P.L.	2	—	—	—	2	—	—	—	—	—
	H.	—	—	—	—	—	1	—	—	—	1
	E.	2	3	1	2	8	3	7	4	—	14
19C. Varicella ...	P.L.	1	5	1	—	7	3	4	2	—	9
	L.A.	—	1	—	—	1	—	—	—	—	—
	H.	2	—	—	1	3	—	—	—	—	—
	E.	3	11	13	2	29	4	7	10	6	27
20A & B. Pyæmia, Septicæmia.	P.L.	19	18	7	4	48	10	16	5	3	34
	L.A.	—	1	1	—	2	1	1	3	—	5
	H.	35	49	36	15	135	11	26	14	7	58
	E.	17	58	61	54	190	16	29	36	28	109
20C. Vaccinia ...	P.L.	—	1	—	—	1	—	—	—	—	—
	H.	—	—	—	—	—	1	—	—	—	1
	E.	—	—	—	1	1	1	—	—	—	1
22. Anthrax (Splenic fever).	P.L.	—	1	—	—	1	—	—	—	—	—
	H.	—	3	1	—	4	—	—	—	—	—
	E.	1	1	2	—	4	—	—	—	—	—
24. Tetanus ...	P.L.	5	6	4	5	20	—	1	2	1	4
	H.	10	13	19	28	70	3	5	5	4	17
	E.	1	7	24	23	55	3	3	6	13	25
25A & B. Mycoses ...	P.L.	1	2	—	1	4	—	—	—	—	—
	H.	6	6	4	1	17	—	—	5	—	5
	E.	1	4	1	1	7	—	—	—	3	3
26. Pellagra ...	H.	—	—	1	—	1	—	—	—	—	—
27. Beri-beri ...	H.	—	6	—	—	6	—	—	—	—	—
28A. Pulmonary tuberculosis.	P.L.	1,623	1,692	560	135	4,010	712	678	245	63	1,698
	L.A.	94	133	109	94	430	109	105	112	97	423
	H.	257	252	169	74	752	154	131	100	42	427
	E.	923	2,560	2,521	1,370	7,374	705	2,170	2,236	1,394	6,505
28B. Phthisis (not defined as tuberculous).	P.L.	122	748	351	93	1,314	59	317	173	49	598
	L.A.	22	86	88	52	248	27	119	65	48	259
	H.	58	83	34	17	192	31	46	42	12	131
	E.	508	2,019	1,756	1,028	5,311	369	1,713	1,570	1,001	4,653
29A. Acute phthisis ...	P.L.	27	66	34	13	140	13	52	19	5	89
	L.A.	14	29	10	17	70	23	18	21	20	82
	H.	35	35	23	14	107	20	23	18	8	69
	E.	120	504	398	188	1,210	90	489	417	181	1,177
29B. Acute miliary tuberculosis.	P.L.	18	17	4	1	40	15	20	3	2	40
	L.A.	1	5	5	2	13	1	3	2	3	9
	H.	64	33	35	13	145	39	32	18	10	99
	E.	18	71	87	36	212	16	78	111	51	256
30. Tuberculous meningitis.	P.L.	66	61	34	11	172	38	42	22	8	110
	L.A.	—	—	1	—	1	—	1	1	3	5
	H.	134	147	92	30	403	122	110	85	27	344
	E.	169	730	760	344	2,003	164	730	737	333	1,964
31A. Tabes mesenterica	P.L.	1	11	2	—	14	1	11	5	1	18
	L.A.	—	—	—	1	1	—	—	1	—	1
	H.	—	2	1	—	3	2	3	2	—	7
	E.	12	111	90	38	251	11	93	81	34	219
31B. Other peritoneal and intestinal tubercle.	P.L.	24	60	24	6	114	16	44	26	10	96
	L.A.	4	9	8	10	31	5	4	9	10	28
	H.	35	90	56	23	204	24	75	61	26	186
	E.	49	374	395	217	1,035	52	387	382	217	1,038

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1912—*continued.*

Causes of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
32. Tuberculosis of spinal column.	P.L.	25	25	21	4	75	8	18	12	5	43
	L.A.	2	—	1	—	3	1	2	—	—	3
	H.	20	18	21	10	69	1	8	9	6	24
	E.	9	60	86	41	196	14	57	76	43	190
33. Tuberculosis of joints.	P.L.	11	29	16	5	61	4	17	7	2	30
	L.A.	1	1	1	—	3	1	—	—	1	2
	H.	8	8	7	11	34	6	12	10	2	30
	E.	4	30	28	30	92	5	28	33	20	86
34A. Lupus ...	P.L.	—	3	2	1	6	2	4	—	1	7
	L.A.	—	—	—	—	—	1	—	—	—	1
	H.	1	1	—	—	2	—	—	—	1	1
	E.	—	2	3	4	9	2	12	11	10	35
34B. Scrofula ...	P.L.	—	—	1	—	1	—	1	1	—	2
	E.	—	—	2	—	2	—	1	3	1	5
34C. Other tuberculosis included under 34.	P.L.	11	34	13	5	63	8	20	5	4	37
	L.A.	—	2	—	3	5	—	1	4	2	7
	H.	13	28	24	13	78	19	22	22	5	68
	E.	14	62	70	56	202	14	42	37	30	123
35. Disseminated tuberculosis.	P.L.	22	56	34	15	127	21	49	34	5	109
	L.A.	9	19	16	18	62	11	4	21	18	54
	H.	88	76	41	16	221	65	56	43	10	174
	E.	56	234	257	148	695	51	226	271	135	683
36A. & B. Rickets, Softening of bones.	P.L.	13	15	7	2	37	3	9	3	—	15
	H.	15	14	8	3	40	10	15	4	3	32
	E.	29	139	114	86	368	19	120	109	60	308
37. Syphilis ...	P.L.	55	146	67	23	291	54	101	53	10	218
	L.A.	9	6	4	9	28	4	1	1	2	8
	H.	49	38	32	14	133	28	24	15	5	72
	E.	77	300	204	60	641	49	202	174	45	470
38B. Gonococcus infection.	P.L.	—	5	3	—	8	1	3	—	—	4
	L.A.	—	—	—	—	—	5	—	—	—	5
	H.	1	3	1	1	6	—	1	—	1	2
	E.	—	3	3	2	8	1	2	3	2	8
38C. Purulent ophthalmia.	P.L.	—	2	1	—	3	2	1	—	—	3
	H.	1	2	—	—	3	—	2	3	—	5
	E.	—	6	3	3	12	—	—	2	—	2
39. Cancer of the buccal cavity.	P.L.	128	240	142	75	585	8	15	10	2	35
	L.A.	4	4	2	3	13	1	—	1	1	3
	H.	51	64	60	22	197	9	4	11	3	27
	E.	99	398	418	332	1,247	23	76	87	66	252
40. Cancer of the stomach, liver, &c.	P.L.	271	321	237	120	949	127	138	104	23	392
	L.A.	20	11	18	10	59	19	12	9	9	49
	H.	165	225	178	84	652	78	111	122	48	359
	E.	417	1,413	1,702	1,361	4,893	477	1,516	1,872	1,352	5,217
41. Cancer of the peritoneum, intestines, and rectum.	P.L.	125	148	85	48	406	128	103	68	26	325
	L.A.	5	5	6	6	22	10	9	8	6	33
	H.	115	174	171	113	573	120	162	156	102	540
	E.	231	657	822	749	2,459	314	796	1,112	733	2,955
42. Cancer of the female genital organs.	P.L.	—	—	—	—	—	169	253	128	46	596
	L.A.	—	—	—	—	—	15	7	11	7	40
	H.	—	—	—	—	—	125	124	116	74	439
	E.	—	—	—	—	—	361	1,226	1,284	714	3,585
43. Cancer of the breast	P.L.	2	—	—	—	2	124	107	90	33	354
	L.A.	—	—	—	—	—	13	13	13	6	45
	H.	—	—	—	—	—	75	56	62	29	222
	E.	2	5	8	3	18	324	901	1,149	741	3,115

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE, 1912—continued.

Causes of Death	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
44. Cancer of the skin.	P.L.	38	54	36	29	157	14	15	14	11	54
	L.A.	—	1	3	2	6	3	—	1	1	5
	H.	8	8	10	5	31	2	4	5	3	14
	E.	24	84	142	116	366	22	80	100	86	288
45. Cancer of other or unspecified organs.	P.L.	147	217	115	62	541	69	50	38	15	172
	L.A.	16	15	16	10	57	7	10	17	7	41
	H.	148	164	172	78	562	82	70	74	35	261
	E.	256	693	857	587	2,393	185	485	633	414	1,717
46A-C. Other tumours (situation undefined).	P.L.	—	5	1	—	6	2	1	3	—	6
	L.A.	—	—	—	—	—	—	—	—	1	1
	H.	1	7	3	—	11	1	3	3	1	8
	E.	8	14	19	13	54	8	16	20	16	60
47. Rheumatic fever ...	P.L.	16	16	10	6	48	18	10	13	3	44
	L.A.	1	—	1	—	2	1	1	1	—	3
	H.	31	36	26	13	106	33	37	25	3	98
	E.	57	266	259	178	760	63	302	358	185	908
48A. Chronic rheumatism	P.L.	2	17	9	5	33	3	27	24	5	59
	H.	—	—	—	—	—	2	—	—	—	2
	E.	3	39	38	35	115	7	46	55	41	149
48B. Osteo-arthritis ...	P.L.	18	17	14	8	57	44	39	31	23	137
	L.A.	—	—	—	2	2	1	—	2	—	3
	H.	2	3	—	1	6	5	6	7	3	21
	E.	15	72	92	74	253	55	177	247	195	674
48C. Gout ...	P.L.	12	7	4	9	32	3	—	1	1	5
	H.	2	2	1	1	6	—	—	—	—	—
	E.	38	63	85	52	238	12	17	28	16	73
49. Scurvy ...	P.L.	—	2	—	—	2	2	—	—	—	2
	H.	—	1	—	—	1	—	3	1	—	4
	E.	—	2	3	1	6	1	3	3	4	11
50. Diabetes ...	P.L.	43	43	33	18	137	28	39	18	16	101
	L.A.	4	6	5	2	17	7	1	2	3	13
	H.	42	58	61	38	199	29	44	45	25	143
	E.	145	481	679	406	1,711	151	516	623	440	1,730
51. Exophthalmic goitre	P.L.	—	1	2	1	4	1	7	2	1	11
	L.A.	—	1	—	—	1	1	2	6	3	12
	H.	1	3	1	—	5	9	16	21	13	59
	E.	—	7	13	5	25	15	73	120	95	303
52. Addison's disease	P.L.	6	4	5	3	18	1	6	4	—	11
	L.A.	1	—	1	—	2	3	1	1	—	5
	H.	3	6	7	3	19	7	5	5	5	22
	E.	6	14	21	19	60	7	24	47	31	109
53 A & B. Leucocythæmia, Lymphadenoma.	P.L.	7	15	6	4	32	5	5	6	—	16
	L.A.	2	—	1	—	3	—	—	—	1	1
	H.	29	38	28	11	106	15	16	14	2	47
	E.	26	72	98	68	264	14	66	99	64	243
54. Anæmia, Chlorosis	P.L.	15	47	16	12	90	14	33	17	7	71
	L.A.	1	3	2	2	8	1	5	7	1	14
	H.	21	19	23	13	76	16	18	42	16	92
	E.	36	213	271	172	692	52	299	394	261	1,006
55 A-D. Other general diseases.	P.L.	5	8	2	3	18	7	3	8	—	18
	L.A.	—	—	—	—	—	—	2	1	1	4
	H.	9	19	12	8	48	12	23	13	5	53
	E.	8	58	70	37	173	14	58	73	43	188

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1912—*continued.*

Causes of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
56. Alcoholism (acute or chronic).	P.L.	23	32	13	7	75	17	13	6	2	38
	L.A.	—	—	—	2	2	—	—	—	—	—
	H.	4	6	4	2	16	—	1	3	—	4
	E.	15	81	102	53	251	19	65	52	25	161
57 A & B. Chronic lead poisoning.	P.L.	2	1	3	1	7	1	—	—	—	1
	L.A.	—	—	1	—	1	—	—	—	—	—
	H.	1	8	2	—	11	—	—	—	—	—
	E.	10	42	26	11	89	—	3	2	2	7
58 & 59. Other chronic poisoning.	P.L.	—	2	—	—	2	1	—	1	—	2
	L.A.	—	—	—	—	—	—	—	—	—	—
	H.	—	1	—	—	1	—	—	—	—	—
	E.	3	1	4	2	10	2	2	—	1	5
60. Encephalitis ...	P.L.	7	13	3	3	26	4	6	2	1	13
	L.A.	1	11	2	—	14	—	3	—	—	3
	H.	10	10	13	6	39	8	6	7	2	23
	E.	7	29	47	27	110	6	27	36	22	91
61A. Cerebro-spinal fever.	P.L.	1	3	—	—	4	4	1	—	—	5
	H.	9	8	3	3	23	3	5	3	1	12
	E.	3	14	17	19	53	5	15	19	6	45
61B. Posterior basal meningitis.	P.L.	3	5	1	—	9	2	2	—	—	4
	H.	14	8	5	2	29	11	5	—	1	17
	E.	7	27	25	15	74	2	26	27	12	67
61C. Meningitis — other forms.	P.L.	23	62	23	6	114	9	32	12	6	59
	L.A.	3	4	4	—	11	3	8	3	1	15
	H.	46	74	49	16	185	40	60	29	14	143
	E.	102	611	625	289	1,627	94	584	578	238	1,494
62. Locomotor ataxy ...	P.L.	36	53	32	18	139	11	10	7	1	29
	L.A.	4	4	6	1	15	—	—	—	1	1
	H.	8	9	7	2	26	1	1	1	—	3
	E.	41	119	124	78	362	10	30	32	17	89
63A & B. Other diseases of the spinal cord.	P.L.	66	89	81	46	282	52	71	34	24	181
	L.A.	2	7	2	2	13	2	3	3	2	10
	H.	15	23	28	12	78	10	22	13	9	54
	E.	95	266	392	303	1,056	91	247	327	246	911
64A-E. Cerebral hæmorrhage, Apoplexy.	P.L.	293	552	417	227	1,489	283	484	353	153	1,273
	L.A.	18	36	35	28	117	22	35	30	25	112
	H.	64	145	75	27	311	30	67	44	9	150
	E.	658	2,620	3,042	2,211	8,531	924	3,495	4,004	2,788	11,211
65. Softening of brain	P.L.	13	100	60	34	207	23	69	52	29	173
	L.A.	20	29	24	24	97	32	21	28	16	97
	H.	1	1	5	2	9	—	—	1	2	3
	E.	25	152	178	127	482	39	147	215	146	547
66A-C. Paralysis without specified cause.	P.L.	30	150	92	44	316	28	155	97	51	331
	L.A.	1	—	—	1	2	—	1	5	2	8
	H.	5	7	10	—	22	1	2	4	1	8
	E.	67	269	306	225	867	93	376	417	348	1,234
67. General paralysis of the insane.	P.L.	13	107	50	15	185	1	14	17	1	33
	L.A.	286	524	411	174	1,395	75	126	101	47	349
	H.	5	4	3	1	13	1	1	—	—	2
	E.	17	66	95	37	215	10	27	31	16	84
68. Others forms of mental alienation.	P.L.	23	117	44	9	193	20	96	46	12	174
	L.A.	34	84	97	76	291	61	116	129	98	404
	H.	1	—	3	2	6	1	—	2	1	4
	E.	4	21	34	31	90	16	53	68	53	190

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1912—*continued.*

Causes of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
69. Epilepsy ...	P.L.	40	122	94	44	300	34	116	61	21	232
	L.A.	67	83	93	70	313	42	70	80	71	263
	H.	7	18	12	10	47	1	9	7	3	20
	E.	52	232	287	206	777	71	233	292	204	800
70 & 71. Convulsions (non-puerperal).	P.L.	7	24	20	10	61	10	27	11	4	52
	L.A.	—	1	—	—	1	—	1	1	—	2
	H.	18	23	16	1	58	9	23	3	1	36
	E.	294	1,887	1,820	985	4,986	204	1,396	1,305	740	3,645
72. Chorea ...	P.L.	3	4	—	1	8	6	9	2	—	17
	L.A.	—	—	—	1	1	—	1	3	1	5
	H.	—	1	3	1	5	3	10	4	5	22
	E.	1	10	9	4	24	3	26	30	11	70
73A. Hysteria, Neuralgia, Sciatica.	P.L.	—	1	—	1	2	—	—	—	—	—
	H.	1	—	—	—	1	1	—	1	2	4
	E.	—	2	4	1	7	3	14	10	4	31
73B. Neuritis ...	P.L.	5	9	6	3	23	27	19	9	2	57
	L.A.	1	—	—	—	1	2	3	3	—	8
	H.	—	2	2	—	4	1	6	5	1	13
	E.	11	21	38	18	88	28	102	69	36	235
74A. Idiocy, Imbecility	P.L.	1	8	7	7	23	2	13	7	5	27
	L.A.	—	2	10	5	17	1	4	5	3	13
	H.	1	—	—	1	2	5	2	—	1	8
	E.	3	15	19	22	59	3	17	19	17	56
74B. Cretinism ...	P.L.	1	—	—	1	2	—	—	1	1	2
	L.A.	—	—	—	—	—	1	—	—	—	1
	H.	1	—	1	—	2	—	1	—	—	1
	E.	—	2	4	3	9	—	3	10	10	23
74C. Cerebral tumour ...	P.L.	14	20	17	6	57	10	17	10	4	41
	L.A.	2	3	4	2	11	2	3	5	—	10
	H.	16	24	24	20	84	13	24	16	7	60
	E.	17	76	88	64	245	20	82	111	51	264
74D. Other diseases included under 74.	P.L.	8	33	7	10	58	14	27	8	4	53
	L.A.	28	31	27	25	111	54	45	25	29	153
	H.	4	3	5	2	14	1	2	6	1	10
	E.	14	45	71	54	184	20	84	78	52	234
75. Diseases of the eyes and annexa.	P.L.	—	2	—	—	2	—	3	—	2	5
	H.	1	7	3	3	14	3	1	1	2	7
	E.	3	1	1	3	8	—	1	3	6	10
76A & B. Diseases of the ears.	P.L.	20	15	10	5	50	16	13	2	3	34
	L.A.	1	1	1	—	3	1	—	—	—	1
	H.	44	106	83	34	267	30	86	63	23	202
	E.	19	82	106	54	261	18	62	88	41	209
77. Pericarditis ...	P.L.	9	8	3	3	23	4	5	1	—	10
	L.A.	5	6	4	2	17	1	7	—	1	9
	H.	19	16	10	5	50	22	12	8	4	46
	E.	32	58	67	23	180	16	34	68	28	146
78A. Acute myocarditis	P.L.	5	1	3	1	10	3	3	6	—	12
	L.A.	1	—	—	1	2	—	1	—	—	1
	H.	7	14	4	3	28	4	4	1	2	11
	E.	2	27	27	10	66	3	34	22	11	70
78B. Infective endocarditis.	P.L.	24	7	8	—	39	10	7	1	2	20
	L.A.	1	2	2	—	5	—	3	—	—	3
	H.	60	34	25	11	130	51	30	22	8	111
	E.	20	43	44	27	134	27	57	62	36	182

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1912—*continued*.

Causes of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
78C. Other acute endocarditis.	P.L.	8	19	24	2	53	18	20	19	—	57
	L.A.	—	—	1	—	1	1	—	4	1	6
	H.	14	25	17	5	61	21	28	18	6	73
	E.	26	122	67	43	258	30	158	132	67	387
79A. Valvular disease ...	P.L.	321	555	390	153	1,419	364	480	279	76	1,199
	L.A.	30	70	92	84	276	75	81	88	55	299
	H.	145	165	116	39	465	134	151	99	42	426
	E.	734	2,059	2,478	1,823	7,094	915	2,692	3,248	2,225	9,080
79B. Fatty degeneration of the heart.	P.L.	29	18	25	17	89	35	26	15	9	85
	L.A.	16	20	25	20	81	35	30	27	26	118
	H.	11	13	8	4	36	14	8	6	1	29
	E.	218	315	414	272	1,219	257	432	499	323	1,511
79C. Other organic disease of the heart.	P.L.	342	738	559	318	1,957	312	548	339	165	1,364
	L.A.	32	59	47	47	185	48	54	45	39	186
	H.	70	78	69	27	244	67	47	63	26	203
	E.	696	2,604	3,162	2,612	9,074	919	3,305	4,032	2,880	11,136
80. Angina pectoris ...	P.L.	3	4	4	6	17	2	2	2	2	8
	L.A.	—	1	—	1	2	1	1	—	—	2
	H.	4	2	8	1	15	1	—	2	—	3
	E.	68	250	250	136	704	31	99	139	70	339
81A. Aneurysm ...	P.L.	39	43	19	4	105	6	6	2	1	15
	L.A.	3	2	5	1	11	3	—	1	—	4
	H.	38	50	45	16	149	12	3	2	—	17
	E.	115	245	224	113	697	40	48	39	21	148
81B. Arterial sclerosis ...	P.L.	144	276	148	68	636	132	203	61	41	437
	L.A.	53	16	26	17	112	38	14	21	13	86
	H.	34	60	26	16	136	7	16	8	6	37
	E.	198	612	807	617	2,234	123	419	551	330	1,423
81C. Other diseases of arteries.	P.L.	1	4	4	1	10	1	2	—	1	4
	L.A.	1	—	1	—	2	—	—	—	—	—
	H.	3	5	1	—	9	—	1	1	—	2
	E.	17	24	33	11	85	11	13	14	7	45
82A. Cerebral embolism and thrombosis.	P.L.	55	40	36	22	153	75	49	44	34	202
	L.A.	2	3	3	4	12	—	4	6	—	10
	H.	13	13	8	4	38	8	9	4	4	25
	E.	64	218	328	237	847	116	332	552	324	1,324
82B. Other embolism and thrombosis.	P.L.	1	4	3	1	9	2	5	1	1	9
	L.A.	1	—	—	1	2	—	3	3	2	8
	H.	12	4	6	2	24	9	7	9	2	27
	E.	8	22	41	22	93	14	48	51	29	142
83A-D. Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.)	P.L.	5	4	2	1	12	3	3	5	—	11
	L.A.	—	—	1	—	1	—	1	—	—	1
	H.	3	3	4	2	12	2	6	5	2	15
	E.	9	26	27	25	87	17	62	65	45	189
84A. Status lymphaticus	P.L.	1	1	1	—	3	—	—	—	—	—
	L.A.	1	—	—	—	1	—	—	—	—	—
	H.	7	2	1	—	10	2	4	2	1	9
	E.	15	36	20	11	82	10	14	15	11	50
84B. Other diseases of the lymphatic system.	P.L.	1	3	—	—	4	—	2	1	—	3
	L.A.	—	—	—	—	—	—	1	—	—	1
	H.	1	5	6	1	13	3	5	3	—	11
	E.	—	11	10	9	30	—	7	11	8	26
85A. Functional disease of the heart.	P.L.	2	3	2	1	8	—	—	1	—	1
	L.A.	—	—	—	—	—	—	1	—	—	1
	H.	1	4	—	—	5	—	—	—	—	—
	E.	8	15	14	14	51	7	24	13	17	61

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1912—*continued*.

Causes of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
85B & C. Other diseases included under 85.	P.L.	2	—	—	—	2	1	—	—	—	1
	H.	1	1	—	—	2	1	—	—	—	1
	E.	—	11	11	13	35	1	8	12	9	30
86. Diseases of the nasal fossæ.	P.L.	—	2	1	—	3	—	—	—	1	1
	H.	1	3	2	2	8	1	2	4	2	9
	E.	2	6	16	5	29	2	8	4	5	19
87A. Laryngismus stridulus.	P.L.	1	—	—	—	1	—	—	—	1	1
	H.	2	1	2	1	6	—	1	—	—	1
	E.	9	43	43	27	122	2	14	24	11	51
87B. Laryngitis... ..	P.L.	3	2	6	4	15	2	6	2	1	11
	L.A.	—	—	1	—	1	—	—	—	—	—
	H.	6	13	14	3	36	2	5	4	—	11
	E.	15	133	165	117	430	17	88	152	72	329
87C. Other diseases of larynx.	P.L.	—	—	—	—	—	—	1	—	—	1
	H.	1	2	1	1	5	—	3	2	—	5
	E.	—	6	2	2	10	1	2	—	2	5
88. Diseases of the thyroid body.	P.L.	3	3	—	—	6	7	7	5	3	22
	L.A.	—	—	2	—	2	—	1	2	1	4
	H.	2	3	2	4	11	3	6	10	5	24
	E.	2	7	7	12	28	18	41	54	44	157
89, 90A & B. Bronchitis	P.L.	935	1,375	604	254	3,168	780	769	318	124	1,991
	L.A.	25	17	38	20	100	21	29	24	19	93
	H.	110	95	53	25	283	68	48	38	10	164
	E.	1,559	5,959	5,294	2,931	15,743	2,053	6,923	6,045	3,170	18,191
91. Broncho-pneumonia	P.L.	206	259	101	40	606	159	231	46	15	451
	L.A.	23	22	30	16	91	43	25	36	25	129
	H.	273	216	94	29	612	245	194	68	22	529
	E.	802	3,134	2,638	1,176	7,750	749	2,907	2,508	1,041	7,205
92A. Lobar pneumonia	P.L.	275	416	124	33	848	119	128	41	4	292
	L.A.	54	32	50	41	177	69	28	61	34	192
	H.	178	260	146	42	626	76	108	66	20	270
	E.	338	1,296	1,150	556	3,340	246	804	748	400	2,198
92B. Pneumonia (type not stated).	P.L.	153	356	198	86	793	96	138	61	26	321
	L.A.	12	39	42	21	114	9	33	26	28	96
	H.	97	181	121	41	440	42	68	27	17	154
	E.	681	2,206	1,935	1,126	5,948	503	1,504	1,379	780	4,166
93A. Empyema ...	P.L.	16	13	7	2	38	1	4	1	—	6
	L.A.	1	1	3	—	5	1	1	—	—	2
	H.	26	57	35	11	129	16	31	27	9	83
	E.	8	29	33	31	101	3	9	19	8	39
93B. Other pleurisy ...	P.L.	14	43	13	9	79	9	9	4	1	23
	L.A.	3	5	2	1	11	3	2	3	—	8
	H.	7	8	14	3	32	8	8	6	3	25
	E.	54	161	165	96	476	48	131	128	96	403
94A. Pulmonary apoplexy and infarction.	P.L.	—	1	—	—	1	—	—	—	—	—
	L.A.	—	2	—	—	2	—	—	—	—	—
	H.	1	—	—	—	1	—	—	1	—	1
	E.	1	3	6	5	15	—	5	3	2	10
94B. Pulmonary œdema and congestion.	P.L.	31	6	16	7	60	24	16	12	7	59
	L.A.	—	12	13	25	50	6	11	13	13	43
	H.	1	4	3	—	8	2	2	4	1	9
	E.	68	205	223	139	635	84	219	240	146	689
94C. Hypostatic pneumonia.	P.L.	13	19	10	1	43	6	12	10	1	29
	L.A.	2	2	1	—	5	1	—	—	—	1
	H.	—	3	2	—	5	1	2	1	2	6
	E.	1	17	21	14	53	8	36	29	16	89

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1912—*continued*.

Causes of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
94D. Collapse of lung (3 months and over).	H. E.	1 1	— —	— 1	— —	1 2	1 —	— 1	— —	— —	1 1
95. Gangrene of the lung.	P.L. L.A. H. E.	4 4 4 —	13 2 2 6	3 4 2 12	1 3 — 6	21 13 8 24	1 2 3 2	— 1 1 3	— 5 3 2	— 3 — 2	1 11 7 9
96. Asthma ...	P.L. L.A. H. E.	8 3 2 83	27 1 2 261	20 — 1 318	21 — — 171	76 4 5 833	1 — 3 93	7 1 3 231	6 1 2 231	1 — — 126	15 2 8 681
97. Pulmonary emphysema.	P.L. L.A. H. E.	30 1 10 31	35 — 6 50	9 1 4 69	— — 3 52	74 2 23 202	8 — 3 17	9 1 1 24	2 1 2 36	— — — 25	19 2 6 102
98A. Fibroid disease of lung.	P.L. L.A. H. E.	6 — — 16	9 1 3 67	6 — 1 73	3 — 1 58	24 1 5 214	4 — 1 6	— 2 — 13	1 — — 33	— — — 21	5 2 1 73
98B. Other diseases included under 98.	P.L. L.A. H. E.	2 — 5 18	5 — 13 60	1 2 5 49	2 1 3 27	10 3 26 154	3 — 4 14	3 — 1 39	— — 1 25	— — — 14	6 — 6 92
99A. Diseases of the teeth and gums.	P.L. L.A. H. E.	5 1 7 9	7 — 9 24	5 1 5 41	— — 3 23	17 2 24 97	7 — 2 12	1 1 9 20	2 1 7 31	— 1 1 17	10 3 19 80
99B. Thrush, Aphthous stomatitis.	P.L. H. E.	— — 9	1 1 24	— — 24	— — 16	1 1 73	2 — 5	1 — 24	1 — 27	— — 14	4 — 70
99C. Parotitis ...	P.L. L.A. H. E.	— — — 2	— — 1 1	1 — — 1	— — — 2	1 — 1 6	1 — — —	1 — — 3	2 — 1 2	— 1 — 1	4 1 1 6
99D. Other diseases included under 99.	P.L. H. E.	— — 1	2 1 1	— 1 5	— — 2	2 2 9	— 1 1	1 1 2	— — 2	— — 1	1 2 6
100A. Tonsillitis ...	P.L. L.A. H. E.	1 — 4 13	2 1 7 45	2 — 13 40	— — 6 53	5 1 30 151	1 1 10 9	1 — 8 51	— — 8 57	1 — 2 42	3 1 28 159
100B. Ludwig's angina	P.L. H. E.	— — 1	— 5 3	— 3 —	— 1 4	— 9 8	1 — —	— 1 —	— 1 —	— 1 —	1 3 —
100C. Other diseases of the pharynx.	P.L. H. E.	— 2 3	1 3 14	— 1 14	— 4 12	1 10 43	— 2 1	1 7 22	2 2 13	— 1 11	3 12 47
101. Diseases of œsophagus.	P.L. L.A. H. E.	2 — 2 7	1 — 1 8	2 — 1 9	— — 1 3	5 — 5 27	— 1 1 3	1 — 2 4	— — — 12	— — — 6	1 1 3 25
102. Perforating ulcer of the stomach	P.L. L.A. H. E.	25 3 67 64	30 4 107 164	6 2 91 149	6 1 37 117	67 10 302 494	15 5 56 62	11 1 93 191	8 3 92 223	2 1 49 161	36 10 290 637

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1912—*continued*.

Causes of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
103A. Inflammation of the stomach.	P.L.	11	26	13	13	63	10	16	10	7	43
	L.A.	—	—	1	1	2	—	1	2	1	4
	H.	3	7	11	3	24	1	4	6	1	12
	E.	108	519	443	275	1,345	106	472	466	302	1,346
103B. Other diseases included under 103.	P.L.	6	6	7	5	24	5	7	1	—	13
	L.A.	11	—	—	—	1	—	2	—	—	2
	H.	2	7	7	2	18	4	12	7	1	24
	E.	34	100	102	86	322	22	99	90	63	274
104 & 105A. Infective enteritis.	P.L.	52	20	17	—	89	44	32	20	1	97
	L.A.	2	—	—	—	2	1	—	—	1	2
	H.	93	43	13	2	151	61	26	6	2	95
	E.	128	567	314	123	1,132	104	441	303	97	945
104 & 105B-G. Other diseases included under 104, 105 (except duodenal ulcer).	P.L.	120	170	59	20	369	120	145	42	11	318
	L.A.	9	19	15	4	47	12	27	27	12	78
	H.	168	121	45	14	348	143	79	40	16	278
	E.	349	1,382	1,298	733	3,762	304	1,215	1,105	595	3,219
104 & 105H. Duodenal ulcer.	P.L.	4	17	3	1	25	—	1	3	—	4
	L.A.	3	1	1	1	6	1	—	—	1	2
	H.	45	101	77	36	259	4	8	6	5	23
	E.	18	70	74	51	213	13	20	33	25	91
106 & 107. Intestinal parasites.	E.	—	—	1	3	4	1	2	4	5	12
108. Appendicitis ...	P.L.	22	14	11	5	52	14	10	7	3	34
	L.A.	2	1	3	—	6	1	2	2	—	5
	H.	121	265	324	161	871	89	196	209	116	610
	E.	28	109	156	101	394	44	90	135	116	385
109A. Hernia ...	P.L.	19	27	9	16	71	30	26	15	2	73
	L.A.	—	2	2	5	9	2	3	2	—	7
	H.	47	107	118	78	350	55	140	128	53	376
	E.	16	70	107	87	280	35	92	131	89	347
109B. Intestinal obstruction.	P.L.	20	30	22	9	81	16	21	10	—	47
	L.A.	8	1	8	5	22	3	3	3	2	11
	H.	65	171	173	82	491	49	118	111	62	340
	E.	39	177	225	177	618	98	243	302	205	848
110. Other diseases of the intestines.	P.L.	5	7	8	6	26	5	—	5	—	10
	L.A.	6	3	—	—	9	—	—	—	1	1
	H.	9	21	6	9	45	8	15	7	13	43
	E.	14	43	54	38	149	24	53	47	43	167
111. Acute yellow atrophy of the liver.	P.L.	—	1	—	—	1	—	—	—	—	—
	H.	—	—	1	1	2	1	3	2	3	9
	E.	2	3	4	4	13	3	12	8	8	31
112. Hydatid of liver	P.L.	1	—	—	—	1	—	—	—	—	—
	L.A.	—	—	1	—	1	—	—	1	—	1
	H.	—	4	1	1	6	1	2	1	1	5
	E.	—	4	2	4	10	—	1	1	2	4
113A-C. Cirrhosis of the liver.	P.L.	95	95	72	25	287	73	50	38	6	167
	L.A.	3	5	2	2	12	4	6	2	2	14
	H.	45	61	35	23	164	27	42	34	9	112
	E.	186	497	589	357	1,629	234	457	450	227	1,368
114. Biliary calculi ...	P.L.	7	5	4	3	19	10	7	4	1	22
	L.A.	1	1	—	1	3	2	1	—	—	3
	H.	10	18	25	7	60	16	40	51	23	130
	E.	11	43	56	39	149	26	112	164	107	409

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1912—*continued*.

Causes of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
115. Other diseases of the liver.	P.L.	10	2	3	7	22	9	4	7	2	22
	L.A.	1	1	—	1	3	—	—	5	2	7
	H.	10	19	23	16	68	12	21	14	12	59
	E.	36	83	95	84	298	43	110	136	86	375
116A & B. Diseases of the spleen.	P.L.	—	1	—	—	1	—	—	—	—	—
	L.A.	1	—	—	—	1	—	—	—	—	—
	H.	—	—	—	—	—	1	—	1	1	3
	E.	—	2	7	3	12	2	8	9	2	21
117. Peritonitis (cause unstated).	P.L.	2	2	1	1	6	8	5	2	—	15
	L.A.	—	1	—	1	2	1	—	—	2	3
	H.	16	23	12	5	56	21	24	30	19	94
	E.	6	36	53	38	133	9	54	43	44	150
118A. Abdominal abscess, Sub-phrenic abscess.	P.L.	1	—	—	—	1	—	—	2	—	2
	H.	1	4	5	1	11	3	2	2	—	7
	E.	—	1	4	3	8	—	4	3	1	8
118B. Other diseases included under 118.	P.L.	3	3	—	—	6	3	1	2	—	6
	L.A.	2	1	—	—	3	1	1	2	4	8
	H.	13	17	8	2	40	10	8	8	9	35
	E.	6	21	11	6	44	3	7	14	11	35
119. Acute nephritis ...	P.L.	17	40	18	15	90	22	32	10	1	65
	L.A.	2	—	3	4	9	2	5	2	1	10
	H.	21	57	41	18	137	19	35	21	11	86
	E.	62	262	321	163	808	34	270	267	133	704
120A & B. Bright's disease.	P.L.	356	390	267	99	1,112	291	229	143	51	714
	L.A.	31	63	80	46	220	39	68	98	63	268
	H.	123	195	123	68	509	70	115	82	32	299
	E.	498	1,498	1,795	1,139	4,930	496	1,475	1,705	953	4,631
121. Chyluria ...	H.	—	1	—	—	1	—	—	—	—	—
122A. Abscess of kidney	P.L.	1	4	—	—	5	1	—	1	—	2
	L.A.	—	2	1	—	3	1	—	—	—	1
	H.	4	2	1	—	7	2	2	—	2	6
	E.	1	5	10	2	18	—	4	2	4	10
122B. Cystic disease ...	P.L.	—	—	—	—	—	—	1	—	—	1
	L.A.	—	—	—	—	—	—	—	1	—	1
	H.	1	2	—	—	3	2	2	3	—	7
	E.	5	1	1	1	8	2	4	5	6	17
122C. Suppression of urine.	H.	—	—	—	1	1	—	—	—	1	1
	E.	—	3	2	1	6	—	1	3	3	7
122D. Other diseases included under 122.	P.L.	12	13	3	2	30	7	5	3	2	17
	L.A.	1	3	2	1	7	2	2	3	2	9
	H.	16	21	13	11	61	19	20	15	9	63
	E.	8	40	45	24	117	12	26	42	21	101
123. Calculi of the urinary passages.	P.L.	4	7	1	—	12	1	5	1	1	8
	L.A.	—	—	—	1	1	1	—	—	—	1
	H.	15	28	29	15	87	3	6	10	5	24
	E.	8	27	32	14	81	10	17	19	10	56
124. Diseases of the bladder.	P.L.	60	65	44	27	196	17	12	6	4	39
	L.A.	3	—	3	1	7	2	1	3	—	6
	H.	18	45	33	21	117	2	2	11	4	19
	E.	47	193	217	220	677	16	59	66	41	182
125A & B. Diseases of the urethra, Urinary abscess, &c.	P.L.	32	55	32	6	125	—	1	—	—	1
	L.A.	1	—	—	1	2	—	—	—	—	—
	H.	23	51	42	19	135	1	2	—	—	3
	E.	6	36	30	21	93	—	1	1	—	2

DEATHS TABULATED BY CAUSE and PLACE of OCCURRENCE, 1912—*continued*.

Causes of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
126. Diseases of the prostate.	P.L.	60	56	49	25	190	—	—	—	—	—
	L.A.	1	1	—	3	5	—	—	—	—	—
	H.	34	114	109	48	305	—	—	—	—	—
	E.	67	202	320	287	876	—	—	—	—	—
127. Non-venereal diseases of male genital organs.	P.L.	2	2	1	1	6	—	—	—	—	—
	H.	4	4	2	—	10	—	—	—	—	—
	E.	1	5	7	3	16	—	—	—	—	—
128A & B. Uterine hæmorrhage (non-puerperal).	P.L.	—	—	—	—	—	1	—	—	1	2
	H.	—	—	—	—	—	—	—	—	—	—
	E.	—	—	—	—	—	1	3	2	4	10
129. Uterine tumour (non-cancerous).	P.L.	—	—	—	—	—	6	2	3	—	11
	L.A.	—	—	—	—	—	—	—	2	—	2
	H.	—	—	—	—	—	15	35	52	36	138
	E.	—	—	—	—	—	17	58	65	35	175
130A & B. Other diseases of the uterus.	P.L.	—	—	—	—	—	2	4	6	3	15
	L.A.	—	—	—	—	—	—	—	—	1	1
	H.	—	—	—	—	—	9	22	19	8	58
	E.	—	—	—	—	—	2	25	34	17	78
131. Ovarian cyst, tumour (non-cancerous).	P.L.	—	—	—	—	—	10	9	5	1	25
	L.A.	—	—	—	—	—	4	—	—	—	4
	H.	—	—	—	—	—	14	28	34	20	96
	E.	—	—	—	—	—	15	39	56	53	163
132A. Diseases of the ovary (excluding ovarian tumour).	P.L.	—	—	—	—	—	1	—	1	—	2
	H.	—	—	—	—	—	1	1	1	1	4
	E.	—	—	—	—	—	—	1	2	3	6
132B. Other diseases included under 132.	P.L.	—	—	—	—	—	11	6	4	1	22
	H.	—	—	—	—	—	24	48	26	14	112
	E.	—	—	—	—	—	2	8	25	15	50
133. Non-puerperal diseases of the breast (non-cancerous).	H.	—	—	—	—	—	—	1	2	—	3
	E.	—	2	—	—	2	1	7	7	2	17
134A. Abortion ...	P.L.	—	—	—	—	—	1	—	1	—	2
	H.	—	—	—	—	—	1	3	3	1	8
	E.	—	—	—	—	—	6	35	46	22	109
134B. Hæmorrhage of pregnancy.	P.L.	—	—	—	—	—	3	2	—	—	5
	H.	—	—	—	—	—	2	6	2	—	10
	E.	—	—	—	—	—	10	23	23	17	73
134C. Uncontrollable vomiting.	P.L.	—	—	—	—	—	—	2	—	—	2
	H.	—	—	—	—	—	1	3	6	—	10
	E.	—	—	—	—	—	2	5	9	5	21
134D. Ectopic gestation	P.L.	—	—	—	—	—	1	1	—	—	2
	H.	—	—	—	—	—	8	14	11	10	43
	E.	—	—	—	—	—	2	13	8	5	28
134E. Other accidents of pregnancy.	H.	—	—	—	—	—	1	1	2	—	4
	E.	—	—	—	—	—	2	5	3	2	12
135. Puerperal hæmorrhage.	P.L.	—	—	—	—	—	1	11	1	2	15
	H.	—	—	—	—	—	5	17	5	2	29
	E.	—	—	—	—	—	36	155	171	116	478
136. Other accidents of childbirth.	P.L.	—	—	—	—	—	5	4	2	2	13
	H.	—	—	—	—	—	7	24	11	6	48
	E.	—	—	—	—	—	16	82	148	71	317

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1912—*continued.*

Causes of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
137. Puerperal fever ...	P.L.	—	—	—	—	—	47	45	48	9	149
	L.A.	—	—	—	—	—	—	—	—	1	1
	H.	—	—	—	—	—	78	124	81	28	311
	E.	—	—	—	—	—	43	208	317	187	755
138A-C. Puerperal albuminuria and convulsions.	P.L.	—	—	—	—	—	11	13	12	5	41
	H.	—	—	—	—	—	12	47	20	6	85
	E.	—	—	—	—	—	16	145	203	139	503
139A. Puerperal phlegmasia alba dolens and phlebitis.	P.L.	—	—	—	—	—	1	2	—	1	4
	E.	—	—	—	—	—	2	13	23	22	60
139B. Puerperal embolism and sudden death.	P.L.	—	—	—	—	—	2	1	2	2	7
	H.	—	—	—	—	—	—	4	4	—	8
	E.	—	—	—	—	—	24	70	124	65	283
140. Puerperal insanity	P.L.	—	—	—	—	—	3	5	—	—	8
	L.A.	—	—	—	—	—	—	1	1	—	2
	E.	—	—	—	—	—	—	5	6	9	20
141. Puerperal diseases of the breast.	H.	—	—	—	—	—	—	2	—	1	3
	E.	—	—	—	—	—	—	—	3	1	4
142A. Senile gangrene	P.L.	41	72	65	48	226	35	64	45	26	170
	L.A.	5	2	2	—	9	—	2	2	1	5
	H.	5	12	14	9	40	2	10	5	5	22
	E.	17	100	137	174	428	24	104	141	111	380
142B-D. Other gangrene	P.L.	5	14	8	3	30	5	10	2	1	18
	L.A.	—	—	1	—	1	1	—	—	—	1
	H.	2	10	6	2	20	3	13	8	2	26
	E.	—	15	19	11	45	4	16	28	8	56
143. Carbuncle, Boil ...	P.L.	7	12	11	3	33	6	8	5	—	19
	L.A.	3	1	—	—	4	—	2	—	2	4
	H.	5	13	9	3	30	1	5	2	—	8
	E.	11	33	46	25	115	2	9	20	8	39
144A & B. Phlegmon, Acute abscess.	P.L.	30	23	16	17	86	21	26	18	4	69
	L.A.	3	3	1	2	9	3	3	5	6	17
	H.	18	41	23	18	100	15	21	9	3	48
	E.	11	47	61	42	161	15	49	50	30	144
145A. Ulcer, Bedsore ...	P.L.	6	20	14	12	52	13	28	24	9	74
	L.A.	2	—	—	—	2	—	1	—	—	1
	H.	1	—	3	2	6	2	3	1	1	7
	E.	7	23	21	33	84	19	41	62	78	200
145B. Eczema ...	P.L.	7	1	3	1	12	1	2	2	4	9
	H.	4	5	4	3	16	—	—	4	1	5
	E.	8	44	43	29	124	6	25	26	22	79
145C & D. Other diseases of the integumentary system.	P.L.	2	7	7	—	16	4	14	6	2	26
	L.A.	—	—	—	—	—	1	—	—	—	1
	H.	7	4	6	1	18	4	3	3	3	13
	E.	11	45	48	31	135	9	43	52	28	132
146. Diseases of the bones.	P.L.	14	14	7	6	41	4	5	4	2	15
	L.A.	—	—	3	1	4	—	—	2	—	2
	H.	40	60	40	33	173	21	30	29	9	89
	E.	7	28	38	32	105	6	14	31	20	71
147. Diseases of the joints.	P.L.	4	5	—	1	10	2	2	—	1	5
	L.A.	—	1	—	1	2	—	—	—	1	1
	H.	4	9	8	3	24	3	2	7	2	14
	E.	4	8	3	11	26	5	11	13	13	42
148. Amputations ...	P.L.	—	—	—	1	1	—	—	—	—	—

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1912—*continued*.

Causes of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
149. Other diseases of the locomotor system.	P.L.	—	2	—	3	5	—	1	—	—	1
	H.	—	1	3	—	4	—	1	—	—	1
	E.	—	4	10	3	17	3	3	6	3	15
150A-D. Congenital malformations.	P.L.	21	21	19	5	66	13	8	11	5	37
	L.A.	1	1	1	2	5	1	1	—	—	2
	H.	87	73	65	35	260	63	50	38	10	161
	E.	146	527	671	338	1,682	101	424	522	322	1,369
151A. Premature birth	P.L.	74	92	36	23	225	80	106	29	16	231
	L.A.	1	1	—	—	2	—	—	—	—	—
	H.	119	99	36	19	273	90	87	36	12	225
	E.	932	3,299	3,134	1,805	9,170	741	2,414	2,408	1,430	6,993
151B. Infantile atrophy, debility and marasmus.	P.L.	130	218	86	31	465	85	163	57	19	324
	H.	153	121	48	15	337	81	81	31	4	197
	E.	360	1,774	1,938	1,089	5,161	248	1,372	1,415	762	3,797
151C-E. Other diseases included under 151.	P.L.	8	3	8	3	22	8	5	3	—	16
	H.	9	6	4	1	20	4	5	2	—	11
	E.	47	198	200	104	549	27	102	128	68	325
152A-D. Other diseases peculiar to early infancy.	P.L.	9	19	8	5	41	2	8	6	5	21
	H.	36	44	6	2	88	27	20	6	2	55
	E.	175	473	550	320	1,518	138	367	355	214	1,074
153. Lack of care ...	P.L.	1	—	—	—	1	—	—	—	—	—
	E.	19	54	39	19	131	22	63	29	18	132
154A. Senile dementia.	P.L.	41	130	55	13	239	41	128	57	29	255
	L.A.	13	13	26	30	82	24	17	24	31	96
	H.	1	1	—	—	2	—	—	—	—	—
	E.	3	24	49	39	115	24	56	85	50	215
154B. Senile decay ...	P.L.	406	909	806	657	2,778	562	996	841	551	2,950
	L.A.	128	63	95	97	383	206	114	111	106	537
	H.	13	12	12	6	43	8	11	18	5	42
	E.	481	2,608	3,389	3,593	10,071	1,045	3,986	5,219	4,384	14,634
155-186. Violence ...	P.L.	215	207	167	78	667	180	139	105	37	461
	L.A.	7	14	14	12	47	8	5	5	5	23
	H.	498	1,228	970	445	3,141	207	685	329	121	1,342
	E.	1,056	2,868	3,440	2,639	10,003	588	1,381	1,304	817	4,090
187-189. Ill-defined causes of death.	P.L.	8	63	20	5	96	9	44	15	2	70
	L.A.	2	1	2	—	5	—	2	—	1	3
	H.	9	21	8	8	46	12	31	7	3	53
	E.	30	512	486	409	1,437	25	437	396	300	1,158
All causes.	Poor Law Institutions	8,337	13,358	7,379	3,548	32,622	6,527	8,981	4,999	2,103	22,610
	Lunatic Asylums ...	1,225	1,706	1,702	1,202	5,835	1,300	1,401	1,447	1,085	5,233
	Hospitals ...	5,565	8,042	5,819	2,600	22,026	4,230	5,930	4,135	1,752	16,017
	Nursing Homes ...	44	116	100	52	312	48	125	116	60	349
	Total in Institutions ...	15,171	23,222	15,000	7,402	60,795	12,105	16,437	10,697	5,000	44,239
	Elsewhere than Instns.	17,180	63,426	66,056	42,775	189,437	18,061	64,102	68,215	42,090	192,468
	Total ...	32,351	86,648	81,056	50,177	250,232	30,166	80,539	78,912	47,090	236,707

DEATHS FROM CERTAIN GENERAL DISEASES TABULATED BY AGE AND
PLACE OF OCCURRENCE, 1912.

20B. SEPTICÆMIA.

Place of Death.		All Ages.		Under 1 Year.		1-		10-		25-		35-		45-		55-		65-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London	Poor Law Institutions...	12	7	—	—	2	2	—	1	1	—	3	—	2	—	3	1	1	3
	Lunatic Asylums ...	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	Hospis., Nursing Homes	29	9	3	—	4	5	7	—	2	2	6	1	5	—	2	1	—	—
	Elsewhere ...	14	13	1	—	1	3	—	1	2	2	1	1	6	3	1	1	2	2
County Boroughs.	Poor Law Institutions...	12	10	—	—	—	—	2	1	3	—	1	4	1	3	2	1	3	1
	Lunatic Asylums ...	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—
	Hospis., Nursing Homes	39	21	3	3	3	6	7	4	2	4	8	1	9	2	7	1	—	—
	Elsewhere ...	49	24	8	2	4	3	5	1	7	5	4	3	7	3	7	3	7	4
Other Urban Districts.	Poor Law Institutions...	7	2	—	—	1	—	2	1	—	1	1	—	—	—	1	—	2	—
	Lunatic Asylums ...	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
	Hospis., Nursing Homes	29	10	1	—	3	1	10	1	2	2	3	6	2	5	1	1	—	—
	Elsewhere ...	51	30	7	5	6	6	6	2	4	5	5	2	9	3	7	3	7	4
Rural Districts.	Poor Law Institutions...	3	3	—	—	—	—	—	—	1	—	1	1	—	2	—	—	—	1
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hospis., Nursing Homes	13	5	—	—	2	1	4	1	—	2	2	—	3	—	1	—	1	1
	Elsewhere ...	45	23	5	—	6	2	6	—	5	6	2	3	4	5	8	3	9	4
England and Wales.	Poor Law Institutions...	34	22	—	—	3	2	4	3	4	2	5	5	4	3	8	2	6	5
	Lunatic Asylums ...	2	3	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1	1
	Hospis., Nursing Homes	110	45	7	3	12	13	28	6	5	10	18	5	23	4	15	3	2	1
	Elsewhere ...	159	90	21	7	17	14	17	4	18	18	12	9	26	14	23	10	25	14

28A. PULMONARY TUBERCULOSIS.

Place of Death.		All Ages.		Under 5 Years.		5-		15-		25-		35-		45-		55-		65-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London	Poor Law Institutions...	1623	712	11	5	10	27	123	107	283	129	427	187	373	126	272	78	119	53
	Lunatic Asylums ...	94	109	—	—	1	1	11	11	23	27	25	22	17	23	14	11	3	14
	Hospis., Nursing Homes	257	154	31	26	23	18	41	36	66	29	50	28	35	13	11	2	—	2
	Elsewhere ...	923	705	15	20	17	26	124	113	192	173	227	161	181	115	124	57	43	40
County Boroughs.	Poor Law Institutions...	1692	678	11	13	35	44	171	124	297	170	438	171	430	90	213	42	97	24
	Lunatic Asylums ...	133	105	—	—	1	—	5	6	33	37	29	24	34	21	20	12	11	5
	Hospis., Nursing Homes	252	131	24	11	18	16	46	44	61	35	61	15	28	7	9	3	5	—
	Elsewhere ...	2560	2170	72	82	92	137	433	509	589	534	546	433	470	277	267	138	91	60
Other Urban Districts.	Poor Law Institutions...	560	245	7	9	7	14	48	52	105	69	144	54	117	26	99	14	33	7
	Lunatic Asylums ...	109	112	—	—	2	3	19	11	29	21	23	30	16	25	13	12	7	10
	Hospis., Nursing Homes	169	100	6	7	6	40	32	48	33	43	13	17	7	6	2	3	—	—
	Elsewhere ...	2521	2236	71	66	66	119	446	573	602	578	533	419	449	237	261	154	93	90
Rural Districts.	Poor Law Institutions...	135	63	1	2	1	3	17	16	26	13	39	15	27	4	19	7	5	3
	Lunatic Asylums ...	94	97	—	—	3	2	17	9	25	23	20	25	12	17	10	15	7	6
	Hospis., Nursing Homes	74	42	1	2	3	4	19	11	24	20	15	2	9	3	3	—	—	—
	Elsewhere ...	1370	1394	29	28	48	84	242	338	359	360	284	268	195	157	125	85	88	74
England and Wales.	Poor Law Institutions...	4010	1698	30	29	53	88	364	299	711	381	1048	427	947	246	603	141	254	87
	Lunatic Asylums ...	430	423	—	—	7	6	52	37	110	108	97	101	79	86	57	50	28	35
	Hospis., Nursing Homes	752	427	62	46	50	44	146	123	199	117	169	58	89	30	29	7	8	2
	Elsewhere ...	7374	6505	187	196	223	366	1245	1533	1742	1645	1590	1281	1295	786	777	434	315	264

28B. PHTHISIS (not defined as tuberculous).

Place of Death.		All Ages.		Under 5 Years.		5-		15-		25-		35-		45-		55-		65-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London	Poor Law Institutions...	122	59	1	—	1	1	11	4	15	9	29	16	25	14	27	8	13	7
	Lunatic Asylums ...	22	27	—	—	2	—	1	6	5	8	5	3	6	7	1	3	2	—
	Hospis., Nursing Homes	58	31	1	4	2	5	7	4	19	10	12	7	12	1	5	—	—	—
	Elsewhere ...	508	369	4	2	4	13	63	78	119	88	103	82	116	59	69	30	24	17
County Boroughs.	Poor Law Institutions...	748	317	3	4	8	14	76	46	133	79	213	91	167	56	117	22	31	5
	Lunatic Asylums ...	86	119	—	—	1	2	12	14	32	30	17	33	10	14	10	23	4	3
	Hospis., Nursing Homes	83	46	1	4	2	4	20	14	23	12	23	5	11	5	3	2	—	—
	Elsewhere ...	2019	1713	33	17	34	82	321	445	481	438	512	351	366	231	205	103	67	46
Other Urban Districts.	Poor Law Institutions...	351	173	—	2	5	6	23	33	65	38	92	49	83	30	62	11	21	4
	Lunatic Asylums ...	88	65	—	—	1	7	5	21	25	21	14	22	11	11	7	6	2	—
	Hospis., Nursing Homes	34	42	—	—	3	4	13	14	9	10	8	3	6	2	—	1	3	—
	Elsewhere ...	1756	1570	17	14	39	71	302	387	441	404	429	318	287	205	187	110	54	61
Rural Districts.	Poor Law Institutions...	93	49	—	—	1	1	15	6	14	14	30	14	17	7	14	6	2	1
	Lunatic Asylums ...	52	48	—	—	2	—	7	5	20	15	11	11	5	7	5	3	2	7
	Hospis., Nursing Homes	17	12	—	—	1	8	4	6	4	3	1	—	—	—	1	—	1	—
	Elsewhere ...	1028	1001	7	6	12	53	206	241	262	275	217	185	141	105	127	86	56	50
England and Wales.	Poor Law Institutions...	1314	598	4	6	15	22	125	89	227	140	364	170	292	107	220	47	67	17
	Lunatic Asylums ...	248	259	—	—	5	3	27	30	78	78	54	61	43	39	27	36	14	12
	Hospis., Nursing Homes	192	131	2	8	4	13	39	35	62	35	48	21	26	12	10	3	1	4
	Elsewhere ...	5311	4653	61	39	89	219	892	1151	1303	1205	1267	936	910	600	588	329	201	174

DEATHS FROM CERTAIN GENERAL DISEASES TABULATED by AGE and
PLACE of OCCURRENCE, 1912—*continued.*

29A. ACUTE PHTHISIS.

Place of Death.		All Ages.		Under 5 Years.		5-		15-		25-		35-		45-		55-		65-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London	Poor Law Institutions...	27	13	1	1	—	1	1	1	9	5	7	2	6	2	2	1	1	—
	Lunatic Asylums ...	14	23	—	—	—	—	2	1	2	7	6	6	1	5	1	4	2	—
	Hospis., Nursing Homes	35	20	10	5	4	7	4	4	11	2	4	—	2	1	—	—	—	1
	Elsewhere ...	120	90	4	6	6	14	21	23	28	15	23	19	26	6	10	4	2	3
County Boroughs.	Poor Law Institutions...	66	52	2	2	3	6	7	6	17	17	20	11	9	7	5	2	3	1
	Lunatic Asylums ...	29	18	—	—	1	—	4	7	12	3	7	4	3	1	2	2	—	1
	Hospis., Nursing Homes	35	23	7	7	3	2	9	7	10	3	5	4	—	—	1	—	—	—
	Elsewhere ...	504	489	32	28	15	64	95	140	124	112	104	80	90	32	40	22	4	11
Other Urban Districts.	Poor Law Institutions...	34	19	—	1	2	—	6	8	4	7	8	2	7	1	7	—	—	—
	Lunatic Asylums ...	10	21	—	—	—	2	1	5	4	1	4	9	—	1	1	3	—	—
	Hospis., Nursing Homes	23	18	1	1	2	7	6	3	10	5	2	1	1	1	1	—	—	—
	Elsewhere ...	398	417	35	30	17	52	107	139	77	88	81	63	52	26	25	16	4	3
Rural Districts.	Poor Law Institutions...	13	5	—	—	—	—	—	—	5	2	4	1	2	2	2	—	—	—
	Lunatic Asylums ...	17	20	—	—	2	1	3	5	3	6	5	6	4	1	—	—	—	1
	Hospis., Nursing Homes	14	8	1	—	—	2	4	4	7	2	1	—	1	—	—	—	—	—
	Elsewhere ...	188	181	9	11	11	19	41	62	57	41	30	21	24	16	10	8	6	3
England and Wales.	Poor Law Institutions...	140	89	3	4	5	7	14	15	35	31	39	16	24	12	16	3	4	1
	Lunatic Asylums ...	70	82	—	—	3	3	10	18	21	17	22	25	8	8	4	9	2	2
	Hospis., Nursing Homes	107	69	19	13	9	18	23	18	38	12	12	5	4	2	2	—	—	1
	Elsewhere ...	1210	1177	80	75	49	149	264	364	286	256	238	183	192	80	85	50	16	20

29B. ACUTE MILIARY TUBERCULOSIS.

Place of Death.		All Ages.		Under 5 Years.		5-		15-		25-		35-		45-		55-		65-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London	Poor Law Institutions...	18	15	12	9	1	4	—	2	1	—	1	—	1	—	1	—	1	—
	Lunatic Asylums ...	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
	Hospis., Nursing Homes	64	39	36	19	15	8	5	7	3	3	—	1	—	—	4	1	1	—
	Elsewhere ...	18	16	6	6	1	4	3	5	2	—	2	—	3	—	—	—	1	1
County Boroughs.	Poor Law Institutions...	17	20	9	5	3	5	—	4	1	—	1	—	2	2	1	3	—	1
	Lunatic Asylums ...	5	3	—	—	—	—	1	2	1	1	1	—	—	—	1	—	1	—
	Hospis., Nursing Homes	33	32	16	9	6	11	3	10	1	2	6	—	1	—	—	—	—	—
	Elsewhere ...	71	78	32	28	11	16	9	14	9	6	4	6	3	6	2	—	1	2
Other Urban Districts.	Poor Law Institutions...	4	3	2	—	—	2	1	1	1	—	—	—	—	—	—	—	—	—
	Lunatic Asylums ...	5	2	—	—	—	1	3	1	1	—	—	—	1	—	—	—	—	—
	Hospis., Nursing Homes	35	18	9	8	4	4	9	3	4	3	2	—	5	—	2	—	—	—
	Elsewhere ...	87	111	36	45	11	21	17	13	9	18	5	8	5	2	3	2	1	2
Rural Districts.	Poor Law Institutions...	1	2	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
	Lunatic Asylums ...	2	3	—	—	2	—	—	1	—	—	—	1	—	—	—	—	—	—
	Hospis., Nursing Homes	13	10	1	1	1	2	3	4	3	1	2	2	2	—	—	—	1	—
	Elsewhere ...	36	51	17	7	5	5	7	17	3	9	2	10	1	2	—	1	1	—
England and Wales.	Poor Law Institutions...	40	40	24	14	4	12	1	7	3	1	2	—	3	2	2	3	1	1
	Lunatic Asylums ...	13	9	—	—	2	1	4	3	3	2	1	2	1	1	1	—	1	—
	Hospis., Nursing Homes	145	99	62	37	26	25	20	24	11	9	10	3	8	—	6	1	2	—
	Elsewhere ...	212	256	91	86	28	46	36	49	23	33	13	24	12	10	5	3	4	5

30. TUBERCULOUS MENINGITIS.

Place of Death.		All Ages.		Under 6 Mos.		6 Mos.		1-		2-		3-		5-		10-		20-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London	Poor Law Institutions...	66	38	4	2	7	5	8	3	6	2	10	7	8	11	17	5	6	3
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hospis., Nursing Homes	134	122	6	5	18	15	21	29	20	9	28	29	21	23	16	9	4	3
	Elsewhere ...	169	164	18	14	30	26	40	34	18	26	19	24	23	23	15	12	6	5
County Boroughs.	Poor Law Institutions...	61	42	2	1	9	2	5	7	3	2	8	3	13	8	12	7	9	12
	Lunatic Asylums ...	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
	Hospis., Nursing Homes	147	110	8	3	13	1	15	11	16	17	26	18	35	27	23	20	11	13
	Elsewhere ...	730	730	55	44	109	92	165	148	81	89	121	106	102	109	58	92	39	50
Other Urban Districts.	Poor Law Institutions...	34	22	3	3	2	1	5	6	4	1	—	1	6	5	5	1	9	4
	Lunatic Asylums ...	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
	Hospis., Nursing Homes	92	85	2	3	6	3	13	8	4	12	13	9	27	17	16	23	11	10
	Elsewhere ...	760	737	58	41	102	92	156	136	81	70	98	109	134	114	74	107	57	68
Rural Districts.	Poor Law Institutions...	11	8	1	—	—	1	—	—	2	—	1	—	2	1	3	4	2	2
	Lunatic Asylums ...	—	3	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—
	Hospis., Nursing Homes	30	27	—	—	—	2	3	3	1	1	1	1	10	8	5	9	9	5
	Elsewhere ...	344	333	21	15	45	38	49	46	34	28	36	36	65	55	63	69	31	46
England and Wales.	Poor Law Institutions...	172	110	10	6	18	9	18	16	15	5	19	11	29	25	37	17	26	21
	Lunatic Asylums ...	1	5	—	—	—	—	—	—	—	—	—	—	—	—	1	3	—	2
	Hospis., Nursing Homes	403	344	16	11	37	19	51	51	43	39	68	57	93	75	60	61	35	31
	Elsewhere ...	2003	1964	152	114	286	248	410	364	214	213	274	275	324	301	210	280	133	169

DEATHS FROM CERTAIN GENERAL DISEASES TABULATED BY AGE AND PLACE
of OCCURRENCE, 1912—continued.

31. TUBERCULOSIS OF PERITONEUM AND INTESTINES.

Place of Death.		All Ages.		Under 6 Mos.		6 Mos.		1-		2-		5-		15-		25-		45-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London	Poor Law Institutions...	25	17	5	2	5	4	1	2	3	3	1	—	2	—	2	5	6	1
	Lunatic Asylums ...	4	5	—	—	—	—	—	—	—	—	—	—	2	—	2	—	5	—
	Hospls., Nursing Homes	35	26	—	1	3	—	5	3	10	5	7	9	6	3	3	2	1	3
	Elsewhere ...	61	63	19	18	10	13	9	6	9	8	8	5	2	5	2	5	2	3
County Boroughs.	Poor Law Institutions...	71	55	13	9	3	8	12	10	6	8	15	3	7	8	6	6	9	3
	Lunatic Asylums ...	9	4	—	—	—	—	—	—	—	—	2	—	—	—	4	3	3	1
	Hospls., Nursing Homes	92	78	1	—	6	3	10	14	17	16	21	18	17	15	16	9	4	3
	Elsewhere ...	485	480	95	71	82	70	96	86	90	83	60	78	19	32	22	37	21	23
Other Urban Districts.	Poor Law Institutions...	26	31	2	8	2	2	6	4	2	1	3	1	—	6	7	4	4	5
	Lunatic Asylums ...	8	10	—	—	—	—	—	—	—	—	1	1	1	3	3	4	5	—
	Hospls., Nursing Homes	57	63	—	—	2	—	6	7	14	11	15	13	8	12	8	17	4	3
	Elsewhere ...	485	463	86	61	75	49	94	63	86	86	69	87	26	36	29	52	20	29
Rural Districts.	Poor Law Institutions...	6	11	—	—	—	2	3	1	—	1	1	1	—	1	1	3	1	2
	Lunatic Asylums ...	11	10	—	—	—	—	—	—	—	—	3	—	1	2	5	3	2	5
	Hospls., Nursing Homes	23	26	1	—	3	—	2	1	3	5	6	4	2	6	5	8	1	2
	Elsewhere ...	255	251	46	27	39	22	39	28	32	33	37	40	21	25	24	53	17	23
England and Wales.	Poor Law Institutions...	128	114	20	19	10	16	22	17	11	13	20	5	9	15	16	18	20	11
	Lunatic Asylums ...	32	29	—	—	—	—	—	—	—	—	5	1	4	3	14	9	9	16
	Hospls., Nursing Homes	207	193	2	1	14	3	23	25	44	37	49	44	33	36	32	36	10	11
	Elsewhere ...	1286	1257	246	177	206	154	238	183	217	210	174	210	68	98	77	147	60	78

32. TUBERCULOSIS OF SPINAL COLUMN.

Place of Death.		All Ages.		Under 5 Years.		5-		10-		15-		25-		35-		45-		65-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London	Poor Law Institutions...	25	8	—	—	1	—	1	—	8	3	3	—	2	1	6	3	4	1
	Lunatic Asylums ...	2	1	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1
	Hospls., Nursing Homes	20	1	2	1	6	—	5	—	4	—	1	—	1	—	1	—	—	—
	Elsewhere ...	9	14	—	—	—	2	—	2	1	3	3	—	—	2	5	3	—	2
County Boroughs.	Poor Law Institutions...	25	18	2	1	1	1	1	—	8	1	1	4	1	5	9	3	4	1
	Lunatic Asylums ...	—	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Hospls., Nursing Homes	18	8	3	3	1	—	2	—	3	1	4	1	5	1	—	2	—	—
	Elsewhere ...	60	57	6	7	11	4	7	3	15	9	7	9	6	9	6	11	2	5
Other Urban Districts.	Poor Law Institutions...	21	12	1	—	—	1	3	1	1	5	4	1	4	1	7	1	1	2
	Lunatic Asylums ...	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	Hospls., Nursing Homes	21	9	—	—	3	2	3	—	2	—	4	2	2	4	7	1	—	—
	Elsewhere ...	86	76	3	7	7	4	4	9	13	10	19	8	19	10	20	20	1	8
Rural Districts.	Poor Law Institutions...	4	5	—	—	—	—	—	—	—	—	2	1	—	2	2	2	—	—
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hospls., Nursing Homes	10	6	3	1	—	—	1	1	2	2	2	2	2	1	2	1	—	—
	Elsewhere ...	41	43	3	2	—	—	6	3	7	5	12	13	5	5	5	8	3	7
England and Wales.	Poor Law Institutions...	75	43	3	1	2	2	5	1	17	9	10	3	10	5	20	15	8	7
	Lunatic Asylums ...	3	3	—	—	—	—	—	—	—	—	—	—	1	3	—	—	—	2
	Hospls., Nursing Homes	69	24	8	5	10	2	10	1	10	3	11	3	10	6	10	4	—	—
	Elsewhere ...	196	190	12	16	18	10	17	17	36	27	41	30	30	26	36	42	6	22

33. TUBERCULOSIS OF JOINTS.

Place of Death.		All Ages.		Under 5 Years.		5-		10-		15-		25-		35-		45-		65-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London	Poor Law Institutions...	11	4	—	—	—	—	—	—	5	—	—	—	1	—	3	1	2	3
	Lunatic Asylums ...	1	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—
	Hospls., Nursing Homes	8	6	1	—	1	4	2	2	2	—	2	—	—	—	—	—	—	—
	Elsewhere ...	4	5	—	—	—	1	1	—	2	—	—	—	1	—	2	—	—	2
County Boroughs.	Poor Law Institutions...	29	17	3	—	2	1	—	1	4	4	8	1	—	1	10	6	2	3
	Lunatic Asylums ...	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	Hospls., Nursing Homes	8	12	2	3	—	5	2	2	—	1	1	—	1	1	1	—	1	—
	Elsewhere ...	30	28	2	—	3	2	3	4	8	8	6	2	3	1	5	8	—	3
Other Urban Districts.	Poor Law Institutions...	16	7	1	—	1	—	3	—	2	2	2	1	1	2	4	2	2	—
	Lunatic Asylums ...	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Hospls., Nursing Homes	7	10	1	2	1	—	1	1	1	5	2	—	—	2	—	—	1	—
	Elsewhere ...	28	33	—	1	6	1	2	2	5	11	6	3	3	2	4	7	2	6
Rural Districts.	Poor Law Institutions...	5	2	—	—	—	—	—	—	2	1	—	—	1	—	2	—	—	1
	Lunatic Asylums ...	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	Hospls., Nursing Homes	11	2	—	—	2	1	—	—	5	—	1	—	2	—	1	1	—	—
	Elsewhere ...	30	20	—	—	—	—	1	—	9	2	7	2	5	3	6	3	2	10
England and Wales.	Poor Law Institutions...	61	30	4	—	3	1	3	1	13	7	10	2	3	3	19	9	6	7
	Lunatic Asylums ...	3	2	—	—	—	—	—	—	1	—	—	1	—	—	2	1	—	—
	Hospls., Nursing Homes	34	30	4	5	4	10	5	5	8	6	6	—	3	3	2	1	2	—
	Elsewhere ...	92	86	2	1	9	4	7	6	24	21	19	7	12	6	15	20	4	21

DEATHS FROM CERTAIN GENERAL DISEASES TABULATED BY AGE AND PLACE
of OCCURRENCE, 1912—continued.

35. DISSEMINATED TUBERCULOSIS.

Place of Death.		All Ages.		Under 1 Year.		1-		2-		5-		15-		25-		45-		65-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London	Poor Law Institutions...	22	21	8	7	4	5	6	2	—	2	—	2	3	2	—	—	1	1
	Lunatic Asylums ...	9	11	—	—	—	—	—	—	2	1	—	—	4	6	2	3	1	1
	Hospis., Nursing Homes	88	65	13	8	14	12	24	25	25	10	3	5	6	3	3	—	—	2
	Elsewhere ...	56	51	13	19	5	3	8	4	13	9	5	6	7	7	5	3	—	—
County Boroughs.	Poor Law Institutions...	56	49	11	8	8	6	4	7	10	7	6	8	9	10	7	1	1	2
	Lunatic Asylums ...	19	4	—	—	—	—	—	—	1	1	2	—	8	1	7	2	1	—
	Hospis., Nursing Homes	76	56	8	4	12	6	18	17	20	17	7	5	8	4	3	1	—	2
	Elsewhere ...	234	226	45	44	23	14	30	33	46	47	33	36	38	37	15	14	4	1
Other Urban Districts.	Poor Law Institutions...	34	34	2	1	1	2	4	3	3	9	5	7	12	8	4	4	3	—
	Lunatic Asylums ...	16	21	—	—	—	—	—	—	4	1	3	4	4	14	5	1	—	1
	Hospis., Nursing Homes	41	43	3	3	3	4	5	9	15	15	5	2	9	8	1	2	—	—
	Elsewhere ...	257	271	38	41	25	19	26	33	43	44	35	45	54	51	31	30	5	8
Rural Districts.	Poor Law Institutions...	15	5	—	—	1	—	2	—	—	2	1	1	5	1	6	1	—	—
	Lunatic Asylums ...	18	18	—	—	—	—	—	—	2	1	4	2	6	12	4	2	2	1
	Hospis., Nursing Homes	16	10	2	—	2	1	2	—	2	4	2	2	6	1	—	2	—	—
	Elsewhere ...	148	135	25	13	8	9	16	13	18	19	25	25	38	39	15	16	3	1
England and Wales.	Poor Law Institutions...	127	109	21	16	14	13	16	12	13	20	12	18	29	21	17	6	5	3
	Lunatic Asylums ...	62	54	—	—	—	—	—	—	9	4	9	6	22	33	18	8	4	3
	Hospis., Nursing Homes	221	174	26	15	31	23	49	51	62	46	17	14	29	16	7	5	—	4
	Elsewhere ...	695	683	121	117	61	45	80	83	120	119	98	112	137	134	66	63	12	10

28-35. TUBERCULOSIS (ALL FORMS).

Place of Death.		All Ages.		Under 1 Year.		1-		5-		15-		25-		35-		45-		65-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London	Poor Law Institutions...	1950	897	37	26	56	35	35	48	162	122	319	149	467	212	728	238	146	67
	Lunatic Asylums ...	147	179	—	—	—	—	5	2	17	18	34	44	38	36	45	61	8	18
	Hospis., Nursing Homes	713	483	58	41	191	159	123	97	81	65	103	53	73	39	77	23	2	6
	Elsewhere ...	1832	1493	102	105	126	126	8	104	225	244	354	281	368	276	547	285	72	72
County Boroughs.	Poor Law Institutions...	2802	1273	43	33	75	70	96	97	295	207	468	278	694	294	989	251	142	43
	Lunatic Asylums ...	284	257	—	—	—	—	6	4	23	28	85	73	61	66	91	76	18	10
	Hospis., Nursing Homes	773	518	47	22	166	135	128	119	121	108	123	67	116	34	66	31	6	2
	Elsewhere ...	6757	6026	429	366	748	690	426	611	970	1248	1276	1154	1219	928	1515	881	174	148
Other Urban Districts.	Poor Law Institutions...	1096	552	15	18	30	28	37	40	89	116	191	127	268	112	403	94	63	17
	Lunatic Asylums ...	239	236	—	—	—	—	7	9	35	27	61	57	49	63	72	63	15	17
	Hospis., Nursing Homes	503	410	19	13	77	83	88	88	89	85	94	70	74	45	56	23	6	3
	Elsewhere ...	6453	5965	410	328	691	639	469	607	987	1276	1228	1188	1135	883	1364	852	169	192
Rural Districts.	Poor Law Institutions...	289	155	1	3	11	4	6	11	38	27	51	32	77	36	97	32	8	10
	Lunatic Asylums ...	197	202	—	—	—	—	14	4	32	26	55	50	40	55	42	49	14	18
	Hospis., Nursing Homes	221	149	8	—	22	18	27	33	53	40	54	36	34	9	21	11	2	2
	Elsewhere ...	3500	3450	201	134	268	230	245	318	598	764	758	779	580	546	683	522	167	157
England and Wales.	Poor Law Institutions...	6137	2877	96	80	172	137	174	196	584	472	1029	586	1506	654	2217	615	359	137
	Lunatic Asylums ...	867	874	—	—	—	—	32	19	107	99	235	224	188	220	250	249	55	63
	Hospis., Nursing Homes	2210	1560	132	76	456	395	366	337	344	298	379	226	297	127	220	88	16	13
	Elsewhere ...	18592	16934	1142	933	1833	1685	1228	1640	2780	3532	3616	3402	3302	2633	4109	2540	582	569

36A. RICKETS.

Place of Death.		All Ages.		Under 6 Mos.		6 Mos.		1-		2-		3-		4-		5-		10-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London.	Poor Law Institutions...	13	3	1	—	5	—	4	2	—	—	2	1	—	—	—	—	1	—
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hospis., Nursing Homes	14	8	—	1	6	—	6	6	2	1	—	—	—	—	—	—	—	—
	Elsewhere ..	27	17	2	2	12	7	5	6	4	1	2	—	—	—	—	—	2	1
County Boroughs.	Poor Law Institutions...	14	9	2	—	2	2	5	4	3	1	1	1	—	1	1	—	—	—
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hospis., Nursing Homes	14	15	—	1	4	2	5	7	2	2	3	1	—	2	—	—	—	—
	Elsewhere ...	136	103	10	10	37	27	67	37	15	18	2	8	3	—	1	2	1	1
Other Urban Districts.	Poor Law Institutions...	6	3	—	—	1	1	1	1	4	—	—	—	—	—	—	1	—	—
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hospis., Nursing Homes	8	4	2	—	2	1	4	—	3	—	—	—	—	—	—	—	—	—
	Elsewhere ...	113	103	16	11	45	30	38	37	7	12	2	7	3	—	1	4	1	2
Rural Districts.	Poor Law Institutions...	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hospis., Nursing Homes	3	2	—	—	—	—	3	—	—	—	—	2	—	—	—	—	—	—
	Elsewhere ...	85	51	13	4	22	19	28	22	11	4	4	—	3	—	2	2	2	—
England and Wales.	Poor Law Institutions...	31	15	3	—	8	3	10	7	7	1	4	2	—	1	1	1	1	—
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hospis., Nursing Homes	39	29	2	2	12	3	18	13	4	6	3	3	—	2	—	—	—	—
	Elsewhere ...	361	274	41	27	116	83	138	102	37	35	10	15	9	—	4	8	6	4

DEATHS FROM CERTAIN GENERAL DISEASES TABULATED BY AGE AND PLACE OF OCCURRENCE, 1912—continued.

37. SYPHILIS.

Place of Death.		All Ages.		Under 3 Mos.		3 Mos.		1-		15-		35-		45-		55-		65-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London.	Poor Law Institutions...	55	54	21	19	15	12	1	5	4	2	2	6	5	6	3	—	4	4
	Lunatic Asylums ...	9	4	—	—	—	—	—	—	1	1	6	2	—	—	2	1	—	—
	Hospis., Nursing Homes	49	28	20	11	8	7	1	4	3	3	6	1	7	1	2	—	2	1
	Elsewhere ...	77	49	44	31	6	4	7	1	2	5	1	3	10	1	4	3	3	1
County Boroughs.	Poor Law Institutions...	146	101	46	26	27	29	10	10	15	13	9	5	15	9	11	6	13	3
	Lunatic Asylums ...	6	1	—	—	—	—	—	—	2	—	3	—	1	1	—	—	—	—
	Hospis., Nursing Homes	38	24	12	10	7	8	4	—	2	3	7	2	6	1	—	—	—	—
	Elsewhere ...	300	202	193	124	55	41	8	7	8	5	10	11	13	7	9	3	4	4
Other Urban Districts.	Poor Law Institutions...	67	53	22	9	9	12	4	1	7	6	7	5	3	12	12	5	3	3
	Lunatic Asylums ...	4	1	—	—	—	—	—	—	1	—	—	1	3	—	—	—	—	—
	Hospis., Nursing Homes	32	15	10	1	1	3	3	2	6	3	8	5	2	—	2	1	—	—
	Elsewhere ...	204	174	103	87	37	32	11	11	16	9	6	7	16	10	10	11	5	7
Rural Districts.	Poor Law Institutions...	23	10	8	2	1	1	1	—	1	2	5	2	4	—	1	2	2	1
	Lunatic Asylums ...	9	2	—	—	—	—	—	—	1	1	3	—	—	1	4	—	1	—
	Hospis., Nursing Homes	14	5	6	—	1	—	—	1	3	3	1	1	2	—	1	—	—	—
	Elsewhere ...	60	45	21	15	9	5	5	2	10	7	5	5	4	6	3	3	3	2
England and Wales.	Poor Law Institutions ..	291	218	97	56	52	54	16	16	27	23	23	18	27	27	27	13	22	11
	Lunatic Asylums ...	28	8	—	—	—	—	—	—	5	2	12	3	4	2	6	1	1	—
	Hospis., Nursing Homes	133	72	48	22	17	18	8	7	14	12	22	9	17	2	5	1	2	1
	Elsewhere ...	641	470	361	257	107	82	31	21	36	26	22	26	43	24	26	20	15	14

CAUSES OF DEATH (see page 1v) AT DIFFERENT PERIODS OF LIFE—1912.

ALL AREAS.—ENGLAND AND WALES.

Causes of Death.	Sex.	ENGLAND AND WALES.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	250,232	47,004	12,000	10,655	8,996	10,111	32,326	58,160	70,980
	F	236,707	35,775	11,080	10,560	9,230	9,788	28,848	48,841	82,585
1 Enteric fever ...	M	926	1	2	20	84	222	418	168	11
	F	674	1	1	20	102	161	265	113	11
2 Small-pox ...	M	4	—	—	—	—	1	1	2	—
	F	5	—	2	—	—	1	2	—	—
3 Measles ...	M	6,652	1,401	2,586	2,162	473	16	10	3	1
	F	6,204	1,132	2,347	2,184	501	11	27	1	1
4 Scarlet fever ...	M	985	41	99	418	359	41	23	3	1
	F	1,010	25	101	426	400	28	26	4	—
5 Whooping cough ...	M	3,729	1,865	1,082	686	93	—	—	—	3
	F	4,678	2,124	1,403	999	148	1	—	1	2
6 Diphtheria and croup ...	M	2,126	92	249	864	848	40	19	11	3
	F	2,212	73	201	812	1,041	33	36	12	4
7 Influenza ...	M	2,679	129	39	55	60	131	457	817	991
	F	2,675	101	35	49	80	100	342	641	1,327
8 Erysipelas ...	M	489	86	3	3	6	17	74	160	140
	F	411	70	7	12	12	23	61	98	128
9 Pulmonary tuberculosis	M	21,568	150	202	273	572	3,262	9,826	6,365	918
	F	16,515	137	171	245	1,022	3,795	7,383	3,137	625
10 Tuberculous meningitis	M	2,579	519	479	633	649	159	105	33	2
	F	2,423	407	431	600	630	195	119	39	2
11 Other tuberculous diseases.	M	3,659	701	412	462	579	394	621	398	92
	F	3,307	545	329	441	540	411	570	316	155
12 Cancer, malignant disease	M	16,188	14	15	35	60	142	1,336	7,855	6,731
	F	21,135	9	10	36	53	116	2,480	9,926	8,505
13 Rheumatic fever ...	M	916	3	3	34	289	158	224	154	51
	F	1,053	3	—	26	300	219	272	182	51
14 Meningitis ...	M	2,129	632	343	362	324	137	156	127	48
	F	1,861	488	277	360	324	146	188	84	44
15 Organic heart disease ...	M	22,139	3	12	37	424	716	2,478	8,053	10,416
	F	25,636	10	8	35	613	827	2,997	8,497	12,649
16 Bronchitis ...	M	19,294	3,907	908	395	118	79	637	4,014	9,236
	F	20,439	3,004	918	386	117	88	565	3,543	11,819
17 Pneumonia (all forms)...	M	21,345	4,939	2,902	1,777	738	771	3,094	4,316	2,808
	F	16,003	3,773	2,533	1,823	689	428	1,628	2,250	2,879
18 Other respiratory diseases	M	4,187	339	185	287	171	107	487	1,296	1,315
	F	3,226	207	119	233	135	100	359	794	1,279
19 Diarrhoea, &c. ...	M	6,403	3,945	668	242	115	67	327	529	510
	F	5,152	2,789	610	239	119	64	241	393	697
20 Appendicitis and typhlitis	M	1,323	3	4	51	338	292	308	249	78
	F	1,034	8	2	36	274	212	242	166	94
21 Cirrhosis of liver ...	M	2,092	3	2	2	6	7	332	1,265	475
	F	1,661	2	1	—	7	8	320	956	367
21A Alcoholism ...	M	344	—	—	—	—	—	161	156	27
	F	203	—	—	—	—	1	87	97	18
22 Nephritis and Bright's disease.	M	7,815	66	46	100	224	262	1,253	3,290	2,574
	F	6,777	52	52	85	191	249	1,203	2,662	2,283
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—
	F	1,216	—	—	—	—	252	956	8	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—
	F	2,257	—	—	—	—	361	1,855	41	—
25 Congenital debility, &c.	M	18,237	17,999	76	54	68	24	16	—	—
	F	13,688	13,505	61	47	43	20	11	1	—
26 Violence, apart from suicide.	M	11,152	910	298	809	1,084	1,300	2,889	2,596	1,266
	F	5,014	861	254	598	571	251	511	710	1,258
27 Suicide ...	M	2,706	—	—	—	4	209	976	1,125	392
	F	902	—	—	—	6	137	365	327	67
28 Other defined diseases ...	M	66,982	9,136	1,159	833	1,269	1,526	5,906	14,579	32,574
	F	68,052	6,358	965	809	1,284	1,533	5,648	13,357	38,098
29 Causes ill-defined or unknown	M	1,584	120	226	61	41	31	192	596	317
	F	1,284	91	242	59	28	17	139	485	223

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1912.
LONDON AND COUNTY BOROUGH.

Causes of Death.		Sex.	LONDON.										AGGREGATE OF COUNTY BOROUGH.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	4—			
ALL CAUSES ...		M	32,351	5729	1594	1309	1079	1183	4813	8676	7968	86,648	17455	5166	4543	3257	3414	12067	20			
		F	30,166	4473	1448	1284	1008	1088	3971	6803	10091	80,539	13403	4702	4516	3423	3414	10195	10			
1	Enteric fever ...	M	71	—	—	2	5	21	33	10	—	368	—	2	10	34	75	176				
		F	52	—	—	1	6	10	23	11	1	269	1	—	9	46	59	103				
2	Small-pox ...	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1				
		F	—	—	—	—	—	—	—	—	—	4	—	2	—	—	—	2				
3	Measles ...	M	986	214	418	320	33	1	—	—	—	3,172	622	1219	1111	215	4	1				
		F	842	159	341	294	46	—	2	—	—	2,950	542	1080	1108	212	1	7				
4	Scarlet fever ...	M	81	5	11	33	28	3	1	—	—	425	16	44	185	150	17	12				
		F	85	4	8	37	30	2	3	1	—	466	7	47	210	178	8	14				
5	Whooping cough ...	M	431	211	122	83	14	—	—	—	1	1,461	654	471	297	38	—	—				
		F	554	229	185	124	16	—	—	—	—	1,772	742	564	406	59	1	—				
6	Diphtheria and croup ...	M	226	26	41	84	67	4	2	1	1	811	29	105	353	299	14	6				
		F	236	22	33	85	85	3	4	1	3	822	25	85	311	379	9	9				
7	Influenza ...	M	257	11	4	5	2	10	48	99	78	722	32	8	11	18	40	147				
		F	293	14	2	5	2	10	38	84	138	680	28	8	8	27	30	95				
8	Erysipelas ...	M	79	8	2	—	1	3	12	25	28	171	27	—	1	3	5	28				
		F	76	12	2	2	1	6	11	16	26	138	24	3	3	2	5	30				
9	Pulmonary tuberculosis	M	3,904	34	42	56	87	423	1705	1345	212	8,333	47	88	107	233	1211	3812	2			
		F	2,383	30	26	47	129	402	1039	572	138	5,994	46	75	89	403	1391	2708	1			
10	Tuberculous meningitis	M	369	83	69	101	88	16	7	5	—	938	196	185	255	203	59	29				
		F	324	67	66	97	70	15	6	3	—	883	143	166	235	223	67	32				
11	Other tuberculous diseases.	M	419	80	40	65	76	46	49	47	16	1,345	276	171	183	220	139	201				
		F	345	75	31	53	52	32	45	32	25	1,197	232	154	176	205	133	154				
12	Cancer, malignant disease	M	2,272	2	1	3	9	22	206	1168	861	4,901	5	4	10	16	38	475	2			
		F	2,904	2	1	5	11	18	365	1374	1128	6,343	—	4	9	17	36	864	3			
13	Rheumatic fever ...	M	105	—	—	6	37	13	21	21	7	318	—	1	16	95	54	87				
		F	115	1	—	4	35	20	31	18	6	350	1	—	3	92	73	99				
14	Meningitis ...	M	211	70	33	35	24	12	16	17	4	816	253	139	138	117	41	54				
		F	173	57	31	30	25	14	8	7	1	738	200	110	154	120	55	44				
15	Organic heart disease ...	M	2,644	—	3	4	87	108	360	982	1100	6,694	—	1	17	145	258	971	2			
		F	3,175	1	—	4	116	108	457	1034	1455	7,854	3	4	13	203	322	1100	2			
16	Bronchitis ...	M	2,629	389	88	32	11	17	135	646	1311	7,446	1501	406	159	45	28	307	1			
		F	2,922	301	83	32	13	7	96	601	1789	7,769	1194	375	162	46	49	265	1			
17	Pneumonia (all forms)...	M	3,092	683	443	221	74	75	456	750	390	8,417	1909	1221	786	311	302	1345	1			
		F	2,356	578	354	239	55	41	257	386	446	6,168	1423	1055	820	305	170	626				
18	Other respiratory diseases	M	523	34	18	24	9	13	63	172	190	1,378	106	70	108	63	44	180				
		F	442	31	12	21	11	10	58	104	195	1,024	68	48	82	41	34	118				
19	Diarrhoea, &c. ...	M	991	699	87	26	9	3	46	73	48	2,511	1550	316	113	43	24	131				
		F	807	507	96	28	13	5	31	47	80	1,994	1098	289	104	37	19	77				
20	Appendicitis and typhlitis	M	173	—	—	7	48	37	36	32	13	389	1	2	15	102	80	103				
		F	148	1	2	8	31	23	33	39	11	298	2	—	8	86	62	77				
21	Cirrhosis of liver ...	M	329	—	—	—	—	2	49	217	61	658	2	—	2	2	1	119				
		F	338	—	—	—	—	1	82	198	57	555	1	—	—	4	2	114				
21A	Alcoholism ...	M	42	—	—	—	—	—	22	15	5	119	—	—	—	—	—	57				
		F	36	—	—	—	—	—	18	18	—	79	—	—	—	—	—	32				
22	Nephritis and Bright's disease.	M	1,110	4	1	8	16	19	169	533	360	2,505	23	15	35	80	94	442	1			
		F	973	5	2	7	22	41	171	386	339	2,229	17	27	31	73	83	428				
23	Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
		F	168	—	—	—	—	32	135	1	—	377	—	—	—	—	75	301				
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
		F	181	—	—	—	—	33	143	5	—	714	—	—	—	—	114	590				
25	Congenital debility, &c.	M	2,088	2065	4	5	9	3	2	—	—	6,433	6367	22	19	12	7	6				
		F	1,542	1526	5	5	3	3	—	—	—	4,818	4773	12	15	10	6	2				
26	Violence, apart from suicide.	M	1,426	190	45	90	182	115	313	320	171	3,489	391	92	285	36	320	854				
		F	843	192	37	71	60	43	88	128	224	1,917	390	104	231	237	83	196				
27	Suicide ...	M	350	—	—	—	—	15	132	159	44	828	—	—	—	1	68	300				
		F	140	—	—	—	—	12	71	46	11	293	—	—	—	2	39	120				
28	Other defined diseases ...	M	7,493	918	107	97	161	200	924	2027	3059	21,401	3414	465	297	435	481	2151	5			
		F	7,667	653	109	81	175	197	753	1685	4014	21,330	2419	366	298	401	483	1924	4			
29	Causes ill-defined or unknown.	M	49	3	15	2	2	2	6	11	8	597	34	119	30	14	10	72				
		F	46	6	22	4	1	—	3	6	4	514	24	124	31	15	5	64				

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1912.
URBAN AND RURAL DISTRICTS.—ENGLAND AND WALES.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
CAUSES ...	M	81056	1582	3758	3405	3058	3467	10083	18429	23028	50177	7992	1482	1398	1602	2047	5363	10179	20114		
	F	78912	11824	3552	3454	3138	3384	9516	16216	27828	47090	6075	1378	1306	1661	1902	5166	8837	20765		
Cholera ...	M	360	1	—	6	33	93	157	65	5	127	—	—	2	12	33	52	27	1		
	F	249	—	—	7	30	66	103	38	5	104	—	1	3	20	26	36	16	2		
Small-pox ...	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
Measles ...	M	1946	445	756	582	155	4	4	—	—	548	120	193	149	70	7	5	3	1		
	F	1843	336	712	619	163	5	7	—	1	569	95	214	163	80	5	11	1	—		
Scarlet fever ...	M	331	9	35	138	125	17	5	1	1	148	11	9	62	56	4	5	1	—		
	F	332	11	37	131	134	12	6	1	—	127	3	9	48	58	6	3	—	—		
Croup ...	M	1267	671	350	216	30	—	—	—	—	570	329	139	90	11	—	—	—	1		
	F	1572	747	449	325	48	—	—	—	2	780	406	205	144	25	—	—	—	—		
Diphtheria and croup ...	M	757	27	66	312	328	14	6	4	—	332	10	37	115	154	8	5	2	1		
	F	753	19	60	298	346	14	13	2	1	401	7	23	118	231	7	10	5	—		
Influenza ...	M	892	37	13	24	22	45	159	272	320	808	49	14	15	18	36	103	200	373		
	F	944	31	12	21	26	36	121	231	466	758	28	13	15	25	24	88	149	416		
Erysipelas ...	M	152	35	—	2	1	8	21	54	31	87	16	1	—	1	1	13	20	35		
	F	135	27	1	5	4	10	11	36	41	62	7	1	2	5	2	9	15	21		
Pulmonary tuberculosis	M	6184	45	54	85	161	1039	2832	1745	223	3147	24	18	25	91	589	1477	755	168		
	F	5152	45	56	82	312	1279	2287	909	182	2986	16	14	27	178	723	1349	533	146		
Tuberculous meningitis	M	887	173	174	200	238	40	47	14	1	385	67	51	77	120	44	22	4	—		
	F	845	143	150	202	229	61	48	12	—	371	54	49	66	108	52	33	9	—		
Other tuberculous diseases.	M	1220	226	141	144	202	121	221	136	29	675	119	60	70	81	88	150	84	23		
	F	1166	171	104	156	203	164	210	111	47	599	67	40	56	80	82	161	72	41		
Cancer, malignant disease	M	5200	4	7	15	22	54	441	2482	2175	3815	3	3	7	13	28	214	1615	1932		
	F	7295	7	4	12	19	41	819	3476	2917	4593	—	1	10	6	21	432	1970	2153		
Rheumatic fever	M	296	3	2	5	95	58	66	51	16	197	—	—	7	62	33	50	30	15		
	F	397	1	—	13	124	83	93	60	23	191	—	—	6	49	43	49	32	12		
Arthritis ...	M	752	220	128	137	113	48	57	40	9	350	89	43	52	70	36	29	26	5		
	F	671	172	107	124	118	50	55	31	14	279	59	29	52	61	27	31	18	2		
Organic heart disease	M	7385	2	4	11	141	241	773	2716	3497	5416	1	4	5	51	109	374	1554	3318		
	F	8740	4	2	15	216	275	1012	2905	4311	5867	2	2	3	78	122	428	1703	3529		
Bronchitis ...	M	5989	1368	291	148	40	19	147	1112	2864	3230	649	123	56	22	15	48	384	1933		
	F	6425	1023	317	133	38	25	163	968	3758	3323	486	143	59	20	7	41	341	2226		
Pneumonia (all forms)	M	6629	1641	896	554	249	281	895	1270	843	3207	706	342	216	104	113	398	663	665		
	F	5067	1225	817	563	231	139	500	667	925	2412	547	307	201	98	78	245	340	596		
Other respiratory diseases	M	1412	127	64	105	56	26	157	434	443	874	72	33	50	43	24	87	234	331		
	F	1115	56	43	96	56	32	128	259	445	645	52	16	34	27	24	55	146	291		
Diarrhoea, &c. ...	M	1916	1171	184	69	36	29	98	178	151	985	525	81	34	27	11	52	96	159		
	F	1585	843	168	78	42	23	83	135	213	766	341	57	29	27	17	50	74	171		
Appendicitis and typhlitis	M	494	1	1	24	119	117	112	96	24	267	1	1	5	69	58	57	49	2		
	F	353	4	—	12	94	76	76	58	33	235	1	—	8	63	51	56	33	23		
Cirrhosis of liver	M	698	1	1	—	2	2	111	404	177	407	—	1	—	2	2	53	234	115		
	F	524	1	1	—	3	2	90	315	112	244	—	—	—	—	3	34	111	96		
Alcoholism ...	M	119	—	—	—	—	—	48	62	9	64	—	—	—	—	—	34	21	9		
	F	61	—	—	—	—	—	28	25	8	27	—	—	—	—	1	9	14	3		
Nephritis and Bright's disease.	M	2648	25	23	41	86	90	445	1105	833	1552	14	7	16	42	59	197	544	673		
	F	2328	18	13	37	61	86	424	920	769	1247	12	10	10	35	39	180	436	525		
Interperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	446	—	—	—	—	97	345	4	—	225	—	—	—	—	48	175	2	—		
Arturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	850	—	—	—	—	145	690	15	—	512	—	—	—	—	69	432	11	—		
Congenital debility, &c.	M	6246	6159	32	17	28	8	2	—	—	3470	3408	18	13	19	6	6	—	—		
	F	4680	4602	28	20	18	4	8	—	—	2648	2604	16	7	12	7	1	1	—		
Violence, apart from suicide.	M	3682	232	91	272	360	515	1010	822	380	2555	97	70	162	179	350	712	621	364		
	F	1443	201	67	201	174	73	143	211	373	811	78	46	95	100	52	84	106	250		
Suicide ...	M	909	—	—	—	1	70	337	368	133	619	—	—	—	2	56	207	238	116		
	F	300	—	—	—	3	53	117	111	16	169	—	—	—	1	33	57	61	17		
Other defined diseases	M	22168	3167	384	279	405	519	1866	4786	10762	15920	1637	203	160	268	326	965	2620	9741		
	F	23223	2109	333	291	438	526	1895	4512	13089	15832	1177	157	139	270	327	1076	2517	10169		
Causes ill-defined or unknown.	M	516	38	61	19	10	8	66	212	102	422	45	31	10	15	11	48	154	108		
	F	418	28	71	13	8	7	41	173	77	306	33	25	11	4	5	31	121	76		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1912.
ALL AREAS.—NORTH AND MIDLAND.

Causes of Death.			Sex.	AGGREGATE OF NORTHERN COUNTIES.									AGGREGATE OF MIDLAND COUNTIES.								
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	
ALL CAUSES	M	92590	18506	5438	4637	3606	3863	12233	22189	22118	73273	13919	3033	2882	2528	2896	8742	1581	
			F	85899	14173	4906	4625	3756	3748	10848	18490	25353	70071	10380	2939	2901	2651	2891	8042	1349	
1	Enteric fever	...	M	459	1	1	11	42	94	216	88	6	195	—	—	5	14	39	98	3	
			F	336	1	—	11	50	78	136	56	4	157	—	—	5	19	37	69	2	
2	Small-pox	...	M	2	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	
			F	1	—	—	—	—	—	1	—	—	3	—	2	—	—	—	1	—	
3	Measles	...	M	3127	671	1247	994	208	5	2	—	—	1532	305	555	518	144	3	6	—	
			F	2949	558	1124	1037	214	2	14	—	—	1446	228	545	521	144	3	4	—	
4	Scarlet fever	...	M	480	17	47	211	174	21	9	—	1	275	11	22	126	96	9	10	—	
			F	460	8	48	189	186	12	14	3	—	324	10	29	145	124	10	6	—	
5	Whooping cough	...	M	1358	627	401	292	37	—	—	—	1	1196	609	342	216	29	—	—	—	
			F	1749	782	504	404	58	—	—	1	—	1465	665	452	300	46	—	—	—	
6	Diphtheria and croup	...	M	804	31	115	341	286	18	9	3	1	571	16	48	228	262	9	4	—	
			F	844	30	92	332	356	10	17	6	1	614	14	47	213	316	12	9	—	
7	Influenza	...	M	829	36	7	11	20	47	167	282	259	880	54	16	23	23	42	136	24	
			F	806	26	8	17	29	29	124	198	375	823	28	8	16	32	37	98	19	
8	Erysipelas	...	M	158	38	—	—	4	9	23	50	34	156	28	1	2	1	—	22	5	
			F	130	24	2	4	2	4	23	20	41	122	17	2	4	6	8	17	3	
9	Pulmonary tuberculosis		M	7653	50	77	115	242	1164	3410	2337	258	5921	35	52	55	137	972	2811	160	
			F	5883	50	76	97	449	1431	2610	1000	170	4704	35	37	54	259	1146	2136	87	
10	Tuberculous meningitis		M	1033	223	198	257	245	55	39	15	1	686	134	131	168	172	41	33	—	
			F	980	159	182	253	259	74	36	16	1	658	116	128	156	169	51	29	—	
11	Other tuberculous diseases.		M	1580	303	211	222	262	154	240	159	29	978	199	106	108	148	118	177	9	
			F	1416	230	168	207	254	187	197	126	47	948	153	85	122	154	126	176	8	
12	Cancer, malignant disease		M	5045	5	2	9	18	43	482	2673	1813	5110	2	5	16	19	46	376	234	
			F	6569	2	4	11	18	45	852	3328	2309	6642	3	3	14	11	28	734	295	
13	Rheumatic fever	...	M	337	1	2	8	93	62	91	65	15	291	1	—	15	106	49	62	4	
			F	416	1	—	10	104	82	118	79	22	306	—	—	8	103	66	70	47	
14	Meningitis	...	M	933	263	163	169	141	66	56	46	29	568	186	91	96	77	26	47	38	
			F	858	225	134	175	166	50	56	29	23	511	135	75	104	78	40	37	28	
15	Organic heart disease	...	M	7530	—	2	14	152	288	964	3050	3060	6686	—	3	10	121	193	660	227	
			F	8791	6	4	15	236	321	1220	3262	3727	7552	1	4	11	157	245	782	2374	
16	Bronchitis	...	M	7692	1614	439	180	49	33	289	1864	3224	5573	1198	244	104	40	17	136	982	
			F	7888	1268	415	187	51	46	271	1623	4027	5999	912	258	109	31	25	124	861	
17	Pneumonia (all forms)...		M	9084	1874	1260	801	384	375	1491	1872	1027	5553	1415	732	493	187	211	725	1022	
			F	6553	1490	1093	801	322	186	720	989	952	4240	1028	649	499	194	130	395	546	
18	Other respiratory diseases		M	1537	134	83	122	72	49	189	500	388	1198	95	46	90	53	20	135	355	
			F	1129	72	52	103	47	45	142	305	363	944	64	31	70	52	27	90	208	
19	Diarrhoea, &c.	...	M	2613	1530	350	129	57	31	142	212	162	1681	1035	140	57	26	20	86	151	
			F	2073	1116	291	116	53	20	89	160	228	1309	662	148	61	28	19	66	99	
20	Appendicitis and typhlitis		M	462	1	2	13	122	108	117	78	21	395	2	—	20	96	92	95	68	
			F	318	4	—	10	88	75	81	40	20	306	—	—	10	89	64	69	44	
21	Cirrhosis of liver	...	M	697	1	1	—	1	2	128	419	145	638	1	1	2	3	3	91	367	
			F	471	1	1	—	4	2	81	293	89	514	1	—	—	1	3	102	270	
21A	Alcoholism	...	M	135	—	—	—	—	—	66	61	8	98	—	—	—	—	—	41	50	
			F	66	—	—	—	—	—	28	32	6	56	—	—	—	—	1	26	24	
22	Nephritis and Bright's disease.		M	2783	31	29	49	103	114	500	1219	738	2137	25	11	23	63	76	316	832	
			F	2510	27	37	40	89	103	479	1061	674	1820	10	12	21	50	61	310	677	
23	Puerperal fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	423	—	—	—	—	96	325	2	—	360	—	—	—	—	67	289	4	
24	Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	946	—	—	—	—	145	780	21	—	604	—	—	—	—	97	498	9	
25	Congenital debility, &c.		M	6944	6870	26	17	18	9	4	—	—	5784	5714	29	21	12	6	2	—	
			F	5219	5161	22	10	15	7	3	1	—	4323	4256	22	20	16	6	3	—	
26	Violence, apart from suicide.		M	4176	299	100	306	402	508	1149	999	413	3017	283	89	229	300	354	692	665	
			F	1870	314	90	236	251	95	194	275	415	1402	245	72	185	169	71	137	177	
27	Suicide	...	M	943	—	—	—	2	74	350	408	109	835	—	—	—	1	76	274	336	
			F	317	—	—	—	3	49	130	118	17	278	—	—	—	1	49	102	98	
28	Other defined diseases	...	M	23495	3850	552	332	452	523	2022	5525	10239	20785	2528	310	235	387	461	1644	4030	
			F	23354	2592	436	330	439	546	2036	5225	11750	21222	1769	268	238	394	457	1621	3667	
29	Causes ill-defined or unknown.		M	701	36	123	34	20	10	77	264	137	533	43	59	22	11	13	63	207	
			F	574	26	123	30	13	8	71	211	92	419	28	62	15	8	5	42	178	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1912.
ALL AREAS.—SOUTH AND WALES.

Causes of Death.	Sex.	AGGREGATE OF SOUTHERN COUNTIES (INCLUDING LONDON).										AGGREGATE OF WALES AND MONMOUTH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	66,993	10604	2517	2264	2218	2584	9173	16541	21092	17,376	3975	1012	872	644	768	2178	3612	4315		
	F	64,438	8120	2287	2144	2160	2361	7830	13813	25723	16,299	3102	948	890	663	788	2128	3042	4738		
Enteric fever ...	M	203	—	1	4	17	60	84	35	2	69	—	—	—	11	29	20	8	1		
	F	136	—	1	2	19	34	50	26	4	45	—	—	2	14	12	10	7	—		
Small-pox ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
Measles ...	M	1,276	274	512	404	79	5	1	1	—	717	151	272	246	42	3	1	1	1		
	F	1,105	206	431	376	82	4	6	—	—	704	140	247	250	61	2	3	1	—		
Scarlet fever ...	M	162	8	20	55	65	10	3	1	—	68	5	10	26	24	1	1	1	—		
	F	156	5	15	58	69	3	5	1	—	70	2	9	34	21	3	1	—	—		
Whooping cough ...	M	812	427	228	134	21	—	—	—	2	363	202	111	44	6	—	—	—	—		
	F	1,013	460	326	195	31	1	—	—	—	451	217	121	100	13	—	—	—	—		
Diphtheria and croup ...	M	601	38	71	225	249	8	4	5	1	150	7	15	70	51	5	2	—	—		
	F	591	26	46	212	285	8	8	3	3	163	3	16	55	84	3	2	—	—		
Influenza ...	M	764	30	10	16	11	32	113	220	332	206	9	6	5	6	10	41	67	62		
	F	850	36	12	14	9	23	92	208	456	196	11	7	2	10	11	28	42	85		
Erysipelas ...	M	151	16	2	1	1	6	23	51	51	24	4	—	—	—	2	6	4	8		
	F	137	23	3	4	3	10	19	29	46	22	6	—	—	1	1	2	7	5		
Pulmonary tuberculosis	M	6,765	47	59	80	152	902	3088	2095	342	1,229	18	14	23	41	224	517	328	64		
	F	4,727	48	41	69	244	927	2091	1045	262	1,201	4	17	25	70	291	546	213	35		
Tuberculous meningitis	M	697	130	119	179	186	49	25	9	—	163	32	31	29	46	14	8	3	—		
	F	637	105	109	161	163	46	40	13	—	148	27	12	30	39	24	14	2	—		
Other tuberculous dis- eases.	M	857	149	74	111	132	97	150	115	29	244	50	21	21	37	25	54	33	3		
	F	733	132	51	90	103	72	148	84	53	210	30	25	22	29	26	49	18	11		
Cancer, malignant disease	M	5,127	5	6	6	17	42	395	2392	2264	906	2	2	4	6	11	83	446	352		
	F	6,716	3	3	9	19	37	727	3043	2875	1,208	1	—	2	5	6	167	597	430		
Rheumatic fever ...	M	216	—	1	8	68	34	50	34	21	72	1	—	3	22	13	21	10	2		
	F	247	1	—	7	75	45	60	44	15	84	1	—	1	18	26	24	12	2		
Meningitis ...	M	462	133	67	70	75	35	38	35	9	166	50	22	27	31	10	15	8	3		
	F	365	97	54	59	65	37	28	19	6	127	31	14	22	15	19	17	8	1		
Organic heart disease ...	M	6,423	3	5	8	128	178	684	2200	3217	1,500	—	2	5	23	57	170	526	717		
	F	7,600	2	—	8	181	205	765	2270	4169	1,693	1	—	1	39	56	230	591	775		
Bronchitis ...	M	4,833	739	172	74	24	24	185	938	2677	1,196	356	53	37	5	5	27	230	483		
	F	5,358	559	165	69	24	11	141	873	3516	1,194	265	80	21	11	6	29	186	596		
Pneumonia (all forms)...	M	5,128	1163	662	340	125	144	693	1163	838	1,580	487	248	143	42	41	185	258	176		
	F	4,004	895	545	365	122	85	417	611	964	1,206	360	246	158	51	27	96	104	164		
Other respiratory diseases	M	1,134	66	36	53	35	28	126	346	444	318	44	20	22	11	10	37	95	79		
	F	941	55	20	49	30	23	101	226	437	212	16	16	11	6	5	26	55	77		
Diarrhoea, &c. ...	M	1,646	1099	133	43	18	11	76	126	140	463	281	45	13	14	5	23	40	42		
	F	1,363	774	137	46	31	18	61	102	194	407	237	34	16	7	7	25	32	49		
Appendicitis and typhlitis	M	385	—	—	18	101	75	72	87	32	81	—	2	—	19	17	24	16	3		
	F	352	4	2	12	76	62	82	72	42	58	—	—	4	21	11	10	10	2		
Cirrhosis of liver ...	M	658	—	—	—	1	2	94	421	140	99	1	—	—	1	—	19	58	20		
	F	623	—	—	—	2	2	131	357	131	53	—	—	—	—	1	6	36	10		
Alcoholism ...	M	95	—	—	—	—	—	46	39	10	16	—	—	—	—	—	8	6	2		
	F	72	—	—	—	—	—	30	36	6	9	—	—	—	—	—	3	5	1		
Nephritis and Bright's disease.	M	2,343	6	3	19	37	56	352	1008	862	552	4	3	9	21	16	85	231	183		
	F	1,955	12	3	11	41	60	299	753	776	492	3	—	13	11	25	115	171	154		
Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	330	—	—	—	—	66	262	2	—	103	—	—	—	—	23	80	—	—		
Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	431	—	—	—	—	62	362	7	—	276	—	—	—	—	57	215	4	—		
Congenital debility, &c.	M	4,218	4141	14	15	30	9	9	—	—	1,291	1274	7	1	8	—	1	—	—		
	F	3,130	3082	14	13	10	7	4	—	—	1,016	1006	3	4	2	—	1	—	—		
Violence, apart from suicide.	M	2,864	302	80	189	281	284	676	687	365	1,095	26	29	85	101	154	372	245	83		
	F	1,456	280	67	128	110	58	149	221	433	286	22	25	49	41	17	31	37	64		
Suicide ...	M	802	—	—	—	1	50	305	328	118	126	—	—	—	—	9	47	53	17		
	F	260	—	—	—	1	30	116	92	21	47	—	—	—	1	9	17	19	1		
Other defined diseases ...	M	18,144	1805	214	208	356	437	1848	4128	9148	4,558	953	83	58	74	105	392	896	1997		
	F	18,942	1289	199	176	359	413	1620	3607	11279	4,534	708	62	65	92	117	371	858	2261		
Causes ill-defined or un- known.	M	226	23	28	4	8	6	33	76	48	124	18	16	1	2	2	19	49	17		
	F	208	26	43	11	6	2	16	69	35	83	11	14	3	1	2	10	27	15		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1912.
COUNTY BOROUGH.—NORTH AND MIDLAND.

Causes of Death.				Sex.	AGGREGATE OF COUNTY BOROUGH (NORTH).										AGGREGATE OF COUNTY BOROUGH (MIDLAND).									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—			
ALL CAUSES				M	49610	9938	3222	2698	1933	1962	7047	12451	10359	25388	5452	1410	1307	913	975	3328	572			
				F	45560	7728	2887	2675	2023	1938	5907	9987	12415	23822	4111	1330	1347	960	1002	2916	475			
1 Enteric fever				M	225	—	1	5	21	38	111	44	5	83	—	—	4	7	19	43	1			
				F	166	1	—	6	28	35	65	30	1	58	—	—	2	5	13	28	—			
2 Small-pox				M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—			
				F	1	—	—	—	—	—	1	—	—	3	—	2	—	—	—	1	—			
3 Measles				M	1966	394	784	668	119	1	—	—	—	855	160	308	315	69	2	1	—			
				F	1828	348	684	664	126	—	6	—	—	793	127	291	309	65	1	—	—			
4 Scarlet fever				M	244	8	26	110	85	9	6	—	—	136	5	11	63	45	6	6	—			
				F	237	3	27	100	94	3	8	2	—	179	4	16	92	60	3	4	—			
5 Whooping cough				M	788	343	245	172	27	—	—	—	1	497	226	166	95	10	—	—	—			
				F	962	396	295	237	34	—	—	—	603	260	195	128	20	—	—	—	—			
6 Diphtheria and croup				M	424	18	74	182	133	10	4	2	1	225	8	20	97	97	2	—	1			
				F	433	19	54	168	182	1	6	3	—	229	6	21	91	103	5	3	—			
7 Influenza				M	370	12	1	5	9	25	71	144	103	215	11	4	3	8	10	43	68			
				F	352	15	6	5	13	17	56	81	159	188	7	1	3	11	8	23	60			
8 Erysipelas				M	87	18	—	—	3	4	15	29	18	59	7	—	—	—	—	9	23			
				F	74	10	1	1	1	2	19	15	25	40	9	1	2	1	1	7	9			
9 Pulmonary tuberculosis				M	4806	28	48	68	148	658	2135	1552	169	2425	15	32	25	58	361	1156	682			
				F	3364	29	47	52	271	785	1503	593	84	1770	14	17	27	92	405	813	358			
10 Tuberculous meningitis				M	564	122	109	145	132	33	16	6	1	255	57	52	76	42	15	11	2			
				F	551	81	112	141	144	41	22	9	1	228	46	40	72	49	14	3	3			
11 Other tuberculous dis- eases.				M	815	156	111	123	145	85	118	68	9	352	81	46	40	50	40	50	33			
				F	736	138	94	114	129	92	90	55	24	312	64	40	49	55	31	35	27			
12 Cancer, malignant disease				M	2627	2	1	3	9	22	264	1466	860	1492	2	1	6	5	12	137	756			
				F	3301	—	1	4	13	22	477	1699	1085	1955	—	2	4	3	9	261	918			
13 Rheumatic fever				M	178	—	1	6	41	33	54	36	7	104	—	—	6	45	14	22	13			
				F	191	1	—	2	42	38	58	42	8	108	—	—	—	37	23	27	19			
14 Meningitis				M	488	135	83	85	78	28	28	27	24	237	92	43	37	21	9	19	12			
				F	447	125	66	94	84	25	22	14	17	217	60	35	46	24	18	14	12			
15 Organic heart disease				M	3668	—	—	8	88	151	565	1610	1246	1926	—	1	5	44	76	268	771			
				F	4433	3	3	7	119	182	673	1690	1756	2241	—	1	3	59	101	300	804			
16 Bronchitis				M	4454	875	252	103	26	21	199	1218	1760	2168	447	120	36	16	6	77	499			
				F	4549	707	222	110	25	29	178	1068	2210	2324	353	119	35	16	16	58	434			
17 Pneumonia (all forms)...				M	5300	1071	748	497	220	203	937	1100	524	2227	598	346	218	72	77	287	393			
				F	3779	827	650	494	198	101	422	571	516	1721	440	290	249	77	54	149	215			
18 Other respiratory diseases				M	768	61	45	60	40	30	97	255	180	423	35	17	32	14	9	61	143			
				F	580	38	30	48	23	24	77	161	179	295	20	14	23	15	9	27	80			
19 Diarrhoea, &c.				M	1510	880	231	80	29	15	80	117	78	708	476	60	27	9	5	35	51			
				F	1185	655	193	66	22	7	44	81	117	562	297	70	31	11	8	24	41			
20 Appendicitis and typhlitis				M	213	—	1	7	55	44	62	34	10	109	1	—	5	31	23	29	18			
				F	147	1	—	4	42	31	40	21	8	95	—	—	3	31	20	23	10			
21 Cirrhosis of liver				M	358	1	—	—	1	—	70	223	63	197	—	—	2	1	1	35	121			
				F	265	—	—	—	3	1	44	170	47	183	1	—	—	—	1	48	98			
21A Alcoholism				M	74	—	—	—	—	—	35	36	3	31	—	—	—	—	—	16	15			
				F	47	—	—	—	—	—	18	26	3	21	—	—	—	—	—	10	9			
22 Nephritis and Bright's disease.				M	1413	13	10	23	45	60	265	644	353	709	10	3	8	22	24	121	298			
				F	1330	11	22	16	46	52	254	587	342	623	4	5	8	22	25	127	228			
23 Puerperal fever... ..				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
				F	203	—	—	—	—	42	160	1	—	114	—	—	—	—	22	92	—			
24 Parturition, apart from puerperal fever.				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
				F	430	—	—	—	—	67	356	7	—	190	—	—	—	—	30	158	2			
25 Congenital debility, &c.				M	3529	3491	12	11	7	5	3	—	—	2164	2146	8	6	1	2	1	—			
				F	2678	2657	7	6	4	2	2	—	—	1564	1549	4	6	4	1	—	—			
26 Violence, apart from suicide.				M	2010	218	52	148	210	175	529	484	194	980	140	30	104	114	89	181	216			
				F	1150	233	59	138	144	52	122	173	229	568	136	30	74	73	20	46	62			
27 Suicide				M	467	—	—	—	1	43	176	201	46	240	—	—	—	—	21	73	111			
				F	161	—	—	—	1	19	70	61	10	90	—	—	—	—	15	35	30			
28 Other defined diseases				M	11886	2068	305	172	249	264	1167	3027	4634	6386	930	115	84	130	148	620	1412			
				F	11655	1413	233	177	226	264	1072	2726	5544	6395	710	106	80	122	148	580	1260			
29 Causes ill-defined or un- known.				M	377	24	82	17	12	5	39	128	70	184	5	27	13	2	4	27	78			
				F	325	17	81	21	9	4	42	101	50	153	4	30	10	5	1	20	71			

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1912.
COUNTY BOROUGH.—SOUTH AND WALES.

Causes of Death.	Sex.	AGGREGATE OF COUNTY BOROUGH (SOUTH).									AGGREGATE OF COUNTY BOROUGH (WALES AND MONMOUTH).								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	8,097	1,285	286	296	280	314	1190	1,871	2,575	3,553	780	248	242	131	163	502	827	660
	F	8,075	933	251	263	307	305	938	1,659	3,419	3,082	631	234	231	133	169	434	580	670
Enteric fever ...	M	46	—	1	1	5	12	18	9	—	14	—	—	—	1	6	4	3	—
	F	34	—	—	1	8	8	9	7	1	11	—	—	—	5	3	1	2	—
Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles ...	M	123	24	43	41	15	—	—	—	—	228	44	84	87	12	1	—	—	—
	F	110	16	33	50	11	—	—	—	—	219	51	72	85	10	—	1	—	—
Scarlet fever ...	M	32	2	4	9	15	2	—	—	—	13	1	3	3	5	—	—	1	—
	F	33	—	4	11	16	1	1	—	—	17	—	—	7	8	1	1	—	—
Whooping cough ...	M	94	46	31	17	—	—	—	—	—	82	39	29	13	1	—	—	—	—
	F	105	39	43	18	4	1	—	—	—	102	47	31	23	1	—	—	—	—
Diphtheria and croup ...	M	119	2	8	53	54	—	1	1	—	43	1	3	21	15	2	1	—	—
	F	115	—	5	39	67	3	—	1	—	45	—	5	13	27	—	—	—	—
Influenza ...	M	110	5	—	2	—	5	27	25	46	27	4	3	1	1	—	6	9	3
	F	116	3	1	—	2	3	11	29	67	24	3	—	—	1	2	5	7	6
Erysipelas ...	M	19	2	—	1	—	1	1	9	5	6	—	—	—	—	—	3	—	3
	F	20	3	1	—	—	2	4	5	5	4	2	—	—	—	—	—	2	—
Pulmonary tuberculosis	M	773	3	5	5	16	132	390	188	34	329	1	3	9	11	60	131	98	16
	F	600	2	3	5	28	141	268	127	26	260	1	8	5	12	60	124	45	5
Tuberculous meningitis	M	84	11	14	28	20	8	2	1	—	35	6	10	6	9	3	—	1	—
	F	75	11	11	15	24	6	5	3	—	29	5	3	7	6	6	2	—	—
Other tuberculous diseases.	M	126	26	11	13	15	11	22	25	3	52	13	3	7	10	3	11	5	—
	F	107	23	9	9	15	9	21	14	7	42	7	11	4	6	1	8	5	—
Cancer, malignant disease	M	620	1	2	1	1	3	53	282	277	162	—	—	—	1	1	21	86	53
	F	875	—	1	—	1	2	88	380	403	212	—	—	1	—	3	38	109	61
Rheumatic fever ...	M	21	—	—	2	8	5	3	1	2	15	—	—	2	1	2	8	2	—
	F	30	—	—	1	9	7	7	6	—	21	—	—	—	4	5	7	5	—
Meningitis ...	M	57	14	6	10	13	4	4	4	2	34	12	7	6	5	—	3	1	—
	F	46	6	7	9	10	6	6	—	2	28	9	2	5	2	6	2	2	—
Organic heart disease ...	M	795	—	—	1	9	14	97	291	383	305	—	—	3	4	17	41	129	111
	F	922	—	—	3	17	25	82	262	533	258	—	—	—	8	14	45	99	92
Bronchitis ...	M	578	98	24	10	3	—	26	104	313	246	81	10	10	—	1	5	51	88
	F	652	74	21	12	2	1	20	90	432	244	60	13	5	3	3	9	41	110
Pneumonia (all forms)...	M	545	132	78	36	12	14	69	84	120	345	108	49	35	7	8	52	56	30
	F	415	77	57	42	23	12	34	50	120	253	79	58	35	7	3	21	21	29
Other respiratory diseases	M	135	3	2	11	8	4	16	44	47	52	7	6	5	1	1	6	14	12
	F	114	10	2	7	3	1	8	31	52	35	—	2	4	—	—	6	13	10
Diarrhoea, &c. ...	M	189	127	16	3	2	3	9	7	22	104	67	9	3	3	1	7	7	7
	F	165	96	15	4	2	2	6	12	28	82	50	11	3	2	2	3	3	8
Appendicitis and typhlitis	M	49	—	—	3	13	8	8	16	1	18	—	1	—	3	5	4	4	1
	F	47	1	—	—	9	10	13	5	9	9	—	—	1	4	1	1	—	2
Cirrhosis of liver ...	M	81	—	—	—	—	—	12	51	18	22	1	—	—	—	—	2	15	4
	F	93	—	—	—	1	—	21	53	18	14	—	—	—	—	1	11	2	2
Alcoholism ...	M	13	—	—	—	—	—	6	6	1	1	—	—	—	—	—	—	1	—
	F	8	—	—	—	—	—	2	4	2	3	—	—	—	—	—	2	1	—
Nephritis and Bright's disease.	M	275	—	1	3	7	6	38	116	104	108	—	1	1	6	4	18	50	28
	F	199	1	—	2	3	4	26	73	90	77	1	—	5	2	2	21	32	14
Interperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	41	—	—	—	—	7	34	—	—	19	—	—	—	—	4	15	—	—
Puerperal fever, apart from	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	45	—	—	—	—	3	42	—	—	49	—	—	—	—	14	34	1	—
Congenital debility, &c.	M	522	514	2	1	3	—	2	—	—	218	216	—	1	1	—	—	—	—
	F	389	382	1	2	1	3	—	—	—	187	185	—	1	1	—	—	—	—
Violence, apart from	M	273	29	6	15	18	28	72	67	38	226	4	4	18	21	28	72	66	13
suicide.	F	134	20	8	11	10	5	17	18	45	65	1	7	8	10	6	11	12	10
icide ...	M	98	—	—	—	4	42	37	15	23	—	—	—	—	—	9	11	3	—
	F	31	—	—	—	1	2	13	12	3	11	—	—	—	—	2	6	—	—
Other defined diseases ...	M	2,301	244	26	30	43	49	268	497	1,144	828	172	19	11	13	20	96	210	287
	F	2,534	168	19	22	39	41	200	472	1,573	746	128	8	19	14	30	72	155	320
Diseases ill-defined or unknown.	M	19	2	6	—	1	4	6	—	—	17	3	4	—	—	—	2	7	1
	F	20	1	10	—	1	—	5	3	—	16	2	3	—	—	—	2	8	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1912.
URBAN DISTRICTS.—NORTH AND MIDLAND.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS (NORTH).										AGGREGATE OF URBAN DISTRICTS (MIDLAND).									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—			
ALL CAUSES ...	M	31,517	6265	1736	1494	1248	1392	3884	7491	8007	26,984	5363	1070	1025	984	1110	3350	592			
	F	30,256	4740	1576	1548	1333	1377	3763	6566	9353	26,473	3906	1068	1021	1012	1133	3118	519			
1 Enteric fever ...	M	192	1	—	6	19	43	85	37	1	73	—	—	—	4	15	38	1			
	F	135	—	—	4	18	34	57	19	3	65	—	—	1	6	19	28	1			
2 Small-pox ...	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
3 Measles ...	M	926	217	375	262	71	—	1	—	—	495	111	184	152	47	—	1	—			
	F	897	170	350	304	68	—	5	—	—	463	78	182	151	49	2	—	—			
4 Scarlet fever ...	M	176	4	18	73	69	10	1	—	1	83	2	8	39	31	1	2	—			
	F	184	4	20	70	76	8	5	1	—	82	4	7	34	33	3	1	—			
5 Whooping cough ...	M	453	222	127	96	8	—	—	—	—	455	246	123	72	14	—	—	—			
	F	600	284	161	137	17	—	—	1	—	536	249	160	106	19	—	—	—			
6 Diphtheria and croup ...	M	292	11	32	122	118	5	4	—	—	225	5	14	87	111	4	2	—			
	F	300	10	29	121	125	6	8	—	1	229	4	15	89	111	5	3	—			
7 Influenza ...	M	291	11	3	3	5	11	66	97	95	325	20	8	12	9	14	52	10			
	F	325	9	2	7	11	8	52	89	147	312	10	3	8	9	17	34	7			
8 Erysipelas ...	M	54	17	—	—	1	4	8	18	6	57	12	—	2	—	—	7	2			
	F	48	13	1	2	1	2	4	12	13	52	6	—	2	2	7	7	1			
9 Pulmonary tuberculosis	M	2,222	18	25	38	66	397	975	640	63	2,231	11	12	23	48	358	1073	61			
	F	1,937	19	26	37	135	515	821	320	64	1,767	15	14	18	100	435	802	32			
10 Tuberculous meningitis	M	374	87	75	88	86	11	19	8	—	287	54	62	65	78	9	16	—			
	F	344	66	54	95	90	24	11	4	—	296	51	73	58	75	21	15	—			
11 Other tuberculous dis- eases.	M	572	104	76	73	90	54	90	69	16	375	76	42	45	64	39	68	3			
	F	517	74	57	75	103	73	70	52	13	397	59	34	50	69	60	72	3			
12 Cancer, malignant disease	M	1,737	1	1	6	7	16	171	905	630	1,904	—	1	6	10	23	155	86			
	F	2,429	2	3	6	4	17	283	1228	886	2,658	3	—	4	6	13	296	122			
13 Rheumatic fever ...	M	113	1	1	2	37	22	22	23	5	103	1	—	3	33	20	23	2			
	F	178	—	—	7	52	35	42	30	12	127	—	—	3	45	25	28	1			
14 Meningitis ...	M	338	96	64	66	44	28	20	16	4	201	59	32	42	31	8	17	1			
	F	327	83	56	60	61	23	26	13	5	189	53	30	37	27	14	12	1			
15 Organic heart disease ...	M	2,801	—	2	4	54	107	307	1118	1209	2,435	—	1	2	52	75	248	85			
	F	3,294	3	—	8	102	108	441	1213	1419	2,810	—	2	5	68	99	315	85			
16 Bronchitis ...	M	2,512	542	150	67	16	8	77	539	1113	1,974	479	71	46	15	7	42	33			
	F	2,615	415	139	60	21	13	85	468	1414	2,200	346	90	47	8	8	52	29			
17 Pneumonia (all forms)...	M	2,870	602	399	236	124	139	433	594	343	2,075	535	256	183	77	88	279	38			
	F	2,138	516	353	247	97	65	217	328	315	1,576	368	238	162	77	40	157	20			
18 Other respiratory diseases	M	542	51	25	49	22	13	66	181	135	452	35	20	29	18	5	46	13			
	F	418	22	16	47	18	14	56	107	138	378	14	13	29	26	12	38	7			
19 Diarrhoea, &c. ...	M	822	492	94	36	19	14	44	74	49	598	363	51	19	8	9	34	5			
	F	656	356	77	33	23	7	33	56	71	475	250	56	23	9	8	26	3			
20 Appendicitis and typhlitis	M	181	—	1	6	48	48	41	31	6	179	1	—	11	38	43	41	3			
	F	122	3	—	4	30	31	30	13	11	115	—	—	5	32	23	21	2			
21 Cirrhosis of liver ...	M	242	—	—	—	—	1	45	135	61	251	1	1	—	2	1	39	14			
	F	156	1	1	—	1	1	30	94	28	209	—	—	—	1	1	38	12			
21A Alcoholism ...	M	45	—	—	—	—	—	21	22	2	41	—	—	—	—	—	14	2			
	F	14	—	—	—	—	—	7	5	2	25	—	—	—	—	—	12	1			
22 Nephritis and Bright's disease.	M	1,073	15	15	20	47	44	189	459	284	824	8	6	11	24	27	124	33			
	F	923	12	9	20	28	43	187	381	243	729	3	3	10	17	17	121	28			
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	171	—	—	—	—	41	130	—	—	153	—	—	—	—	—	26	123			
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	378	—	—	—	—	57	311	10	—	227	—	—	—	—	44	180	—			
25 Congenital debility, &c.	M	2,434	2411	9	3	8	2	1	—	—	2,240	2212	10	10	6	2	—	—			
	F	1,805	1778	13	4	8	2	—	—	—	1,659	1628	8	11	7	2	3	—			
26 Violence, apart from suicide.	M	1,459	66	35	115	141	208	395	364	135	1,090	102	32	73	122	142	269	21			
	F	545	69	22	79	80	27	52	81	135	504	74	21	67	57	32	56	7			
27 Suicide ...	M	851	—	—	—	1	23	132	151	44	321	—	—	—	—	23	110	13			
	F	115	—	—	—	1	17	52	41	4	113	—	—	—	1	23	38	4			
28 Other defined diseases ...	M	8,221	1288	178	111	142	179	644	1913	3766	7,520	1012	119	87	140	194	629	152			
	F	8,514	830	156	115	161	203	728	1927	4394	7,996	678	97	99	155	175	630	140			
29 Causes ill-defined or un- known.	M	223	8	31	12	5	4	27	97	39	170	18	17	6	2	3	21	6			
	F	171	1	31	6	2	3	20	73	35	131	13	22	2	3	2	10	5			

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1912.

URBAN DISTRICTS.—SOUTH AND WALES.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS (SOUTH).									AGGREGATE OF URBAN DISTRICTS (WALES AND MONMOUTH.)								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	14286	2079	377	416	506	614	1822	3329	5143	8269	2121	575	470	320	351	1027	1682	1723
	F	14526	1536	368	385	477	539	1634	3018	6569	7657	1642	540	500	316	335	1001	1440	1883
Enteric fever ...	M	56	—	—	—	2	18	24	10	2	39	—	—	—	8	17	10	4	—
	F	24	—	—	—	1	7	10	5	1	25	—	—	2	5	6	8	4	—
Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles ...	M	115	27	35	32	17	3	1	—	—	410	90	162	136	20	1	1	—	—
	F	108	19	43	24	17	3	2	—	—	375	69	137	140	29	—	—	—	—
Scarlet fever ...	M	32	1	3	8	13	5	1	1	—	40	2	6	18	12	1	1	—	—
	F	26	1	2	9	14	—	—	—	—	40	2	8	18	11	1	—	—	—
Whooping cough ...	M	163	93	41	26	3	—	—	—	—	196	110	59	22	5	—	—	—	—
	F	186	99	56	27	4	—	—	—	—	250	115	72	55	8	—	—	—	—
Diphtheria and croup ...	M	178	9	12	68	84	3	—	2	—	62	2	8	35	15	2	—	—	—
	F	152	3	7	57	82	2	1	—	—	72	2	9	31	28	1	1	—	—
Influenza ...	M	176	5	—	5	4	13	20	45	84	100	1	2	4	4	7	21	29	32
	F	234	7	4	5	4	5	28	54	127	73	5	3	1	2	6	7	18	31
Erysipelas ...	M	31	5	—	—	—	2	5	9	10	10	1	—	—	—	2	1	2	4
	F	23	5	—	1	—	1	—	5	11	12	3	—	—	1	—	—	4	4
Pulmonary tuberculosis	M	1239	7	8	14	30	198	572	359	51	492	9	9	10	17	86	212	128	21
	F	946	8	9	12	45	213	427	185	47	502	3	7	15	32	116	237	82	10
Tuberculous meningitis	M	154	18	25	34	53	14	8	2	—	72	14	12	13	21	6	4	2	—
	F	145	17	20	33	45	9	17	4	—	60	9	3	16	19	7	5	1	—
Other tuberculous diseases.	M	167	24	13	17	28	18	41	22	4	106	22	10	9	20	10	22	12	1
	F	172	23	7	22	19	22	48	21	10	80	15	6	9	12	9	20	5	4
Cancer, malignant disease	M	1176	2	3	1	3	10	73	511	573	383	1	2	2	2	5	42	201	128
	F	1679	1	1	2	4	8	166	737	760	529	1	—	—	5	3	74	285	161
Rheumatic fever ...	M	52	—	1	—	14	11	15	4	7	28	1	—	—	11	5	6	4	1
	F	55	—	—	2	17	10	13	9	4	37	1	—	1	10	13	10	2	—
Meningitis ...	M	127	33	21	17	23	8	15	8	2	86	32	11	12	15	4	5	5	2
	F	97	22	12	16	23	9	7	5	3	58	14	9	11	7	4	10	2	1
Organic heart disease ...	M	1498	2	—	3	22	32	128	498	813	651	—	1	2	13	27	90	248	270
	F	1854	—	—	1	26	41	132	544	1110	782	1	—	1	20	27	124	291	318
Bronchitis ...	M	866	153	35	16	6	1	14	108	533	637	194	35	19	3	3	14	132	237
	F	1027	104	34	14	6	2	16	108	743	583	158	54	12	3	2	10	102	242
Pneumonia (all forms)	M	850	219	90	50	20	33	97	178	163	834	285	151	85	28	21	86	115	63
	F	719	138	76	55	30	22	77	92	229	634	203	150	99	27	12	49	39	55
Other respiratory diseases	M	265	20	10	13	12	5	26	68	111	153	21	9	14	4	3	19	54	29
	F	219	7	4	14	9	5	22	50	108	100	13	10	6	3	1	12	27	38
Diarrhoea, &c. ...	M	270	174	14	7	3	3	12	24	33	226	142	25	7	6	3	8	21	14
	F	247	112	18	11	9	5	12	29	51	207	125	17	11	1	3	12	19	19
Appendicitis and typhlitis	M	100	—	—	7	25	19	18	22	9	34	—	—	—	8	7	12	6	1
	F	87	1	—	2	19	18	20	16	11	29	—	—	1	13	4	5	6	—
Cirrhosis of liver ...	M	164	—	—	—	—	—	20	101	43	41	—	—	—	—	—	7	27	7
	F	132	—	—	—	1	—	19	80	32	27	—	—	—	—	—	3	21	3
Alcoholism ...	M	22	—	—	—	—	—	9	11	2	11	—	—	—	—	—	4	5	2
	F	18	—	—	—	—	—	8	8	2	4	—	—	—	—	—	1	2	1
Nephritis and Bright's disease.	M	508	1	1	7	5	10	90	204	190	243	1	1	3	10	9	42	107	70
	F	451	3	1	1	8	10	64	165	199	225	—	—	6	8	16	52	86	57
Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	67	—	—	—	—	17	50	—	—	55	—	—	—	—	13	42	—	—
Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	105	—	—	—	—	15	89	1	—	140	—	—	—	—	29	110	1	—
Congenital debility, &c.	M	880	857	6	4	8	4	1	—	—	692	679	7	—	6	—	—	—	—
	F	674	660	5	3	2	—	4	—	—	542	536	2	2	1	—	1	—	—
Violence, apart from suicide ...	M	570	47	10	39	42	80	152	127	73	563	17	14	45	55	85	194	114	39
	F	259	42	14	25	16	9	27	39	87	135	16	10	30	21	5	8	17	28
Suicide ...	M	183	—	—	—	—	19	70	68	26	54	—	—	—	—	5	25	18	6
	F	49	—	—	—	—	7	19	21	2	23	—	—	—	1	6	8	8	—
Other defined diseases ...	M	4385	377	45	48	87	105	402	921	2400	2042	490	42	33	36	41	191	423	786
	F	4698	255	47	46	74	97	349	809	3021	2015	346	33	31	48	51	188	403	915
Causes ill-defined or unknown.	M	59	5	4	—	2	—	8	26	14	64	7	9	1	1	1	10	25	10
	F	73	9	8	3	2	2	7	31	11	43	5	10	2	1	—	4	15	6

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1912.
RURAL DISTRICTS.—NORTH AND MIDLAND.

Causes of Death.	Sex.	AGGREGATE OF RURAL DISTRICTS (NORTH).									AGGREGATE OF RURAL DISTRICTS (MIDLAND).								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	11463	2303	480	445	425	509	1302	2247	3752	20901	3104	553	550	631	811	2064	4104	9
	F	10083	1705	443	402	400	433	1178	1937	3585	19776	2363	541	533	679	756	2008	3545	9
1 Enteric fever ...	M	42	—	—	—	2	13	20	7	—	39	—	—	1	3	5	17	13	—
	F	35	—	—	1	4	9	14	7	—	34	—	—	2	8	5	13	5	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	235	60	88	64	18	4	1	—	—	182	34	63	51	28	1	4	1	—
	F	224	40	90	69	20	2	3	—	—	190	23	72	61	30	—	4	—	—
4 Scarlet fever ...	M	60	5	3	28	20	2	2	—	—	56	4	3	24	20	2	2	1	—
	F	39	1	1	19	16	1	1	—	—	63	2	6	19	31	4	1	—	—
5 Whooping cough ...	M	117	62	29	24	2	—	—	—	—	244	137	53	49	5	—	—	—	—
	F	187	102	48	30	7	—	—	—	—	326	156	97	66	7	—	—	—	—
6 Diphtheria and croup ...	M	88	2	9	37	35	3	1	1	—	121	3	14	44	54	3	2	—	—
	F	111	1	9	43	49	3	3	3	—	156	4	11	33	102	2	3	1	—
7 Influenza ...	M	168	13	3	3	6	11	30	41	61	340	23	4	8	6	18	41	79	—
	F	129	2	—	5	5	4	16	28	69	323	11	4	5	12	12	41	63	—
8 Erysipelas ...	M	17	3	—	—	—	1	—	3	10	40	9	1	—	1	—	6	7	—
	F	8	1	—	1	—	—	—	3	3	30	2	1	—	3	—	3	8	—
9 Pulmonary tuberculosis	M	625	4	4	9	28	109	300	145	26	1265	9	8	7	31	253	582	305	—
	F	582	2	3	8	43	131	286	87	22	1167	6	6	9	67	306	521	199	—
10 Tuberculous meningitis	M	95	14	14	24	27	11	4	1	—	144	23	17	27	52	17	6	2	—
	F	85	12	16	17	25	9	3	3	—	134	19	15	26	45	16	11	2	—
11 Other tuberculous dis- eases.	M	193	43	24	26	27	15	32	22	4	251	42	18	23	34	39	59	25	—
	F	163	18	17	18	22	22	37	19	10	239	30	11	23	30	35	69	28	—
12 Cancer, malignant disease	M	681	2	—	—	2	5	47	302	323	1714	—	3	4	4	11	84	723	—
	F	839	—	—	1	1	6	92	401	338	2029	—	1	6	2	6	177	814	—
13 Rheumatic fever ...	M	46	—	—	—	15	7	15	6	3	84	—	—	6	28	15	17	12	—
	F	47	—	—	1	10	9	18	7	2	71	—	—	5	21	18	15	9	—
14 Meningitis ...	M	107	32	16	18	19	10	8	3	1	130	35	16	17	25	9	11	15	—
	F	84	17	12	21	21	2	8	2	1	105	22	10	21	27	8	11	5	—
15 Organic heart disease ...	M	1061	—	—	2	10	30	92	322	605	2325	—	1	3	25	42	144	654	—
	F	1064	—	1	—	15	31	106	359	552	2501	1	1	3	30	45	167	713	—
16 Bronchitis ...	M	726	157	37	10	7	4	13	107	351	1431	272	53	22	9	4	17	150	—
	F	724	146	54	17	5	4	8	87	403	1475	213	49	27	7	1	14	137	—
17 Pneumonia (all forms)...	M	914	201	113	68	40	33	121	178	160	1251	282	130	92	38	46	159	247	—
	F	636	147	90	60	27	20	81	90	121	943	220	121	88	40	36	89	123	—
18 Other respiratory diseases	M	227	22	13	13	10	6	26	64	73	323	25	9	29	21	6	28	81	—
	F	131	12	6	8	6	7	9	37	46	271	30	4	18	11	6	25	53	—
19 Diarrhoea, &c ...	M	281	158	25	13	9	2	18	21	35	375	196	29	11	9	6	17	41	—
	F	232	105	21	17	8	6	12	23	40	272	115	22	7	8	3	16	27	—
20 Appendicitis and typhlitis	M	68	1	—	—	19	16	14	13	5	107	—	—	4	27	26	25	13	—
	F	49	—	—	2	16	13	11	6	1	96	—	—	2	26	21	25	11	—
21 Cirrhosis of liver ...	M	97	—	1	—	—	1	13	61	21	190	—	—	—	—	1	17	105	—
	F	50	—	—	—	—	—	7	29	14	122	—	—	—	—	1	16	52	—
21A Alcoholism ...	M	16	—	—	—	—	—	10	3	3	26	—	—	—	—	—	11	11	—
	F	5	—	—	—	—	—	3	1	1	10	—	—	—	—	1	4	5	—
22 Nephritis and Bright's disease.	M	297	3	4	6	11	10	46	116	101	604	7	2	4	17	25	71	199	—
	F	257	4	6	4	15	8	38	93	89	468	3	4	3	11	19	62	161	—
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	49	—	—	—	—	13	35	1	—	93	—	—	—	—	19	74	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	138	—	—	—	—	21	113	4	—	187	—	—	—	—	23	160	4	—
25 Congenital debility, &c.	M	981	968	5	3	3	2	—	—	—	1380	1356	11	5	5	2	1	—	—
	F	736	726	2	—	3	3	1	1	—	1100	1079	10	3	5	3	—	—	—
26 Violence, apart from suicide.	M	707	15	13	43	51	125	225	151	84	947	41	27	52	64	123	242	232	—
	F	175	12	9	19	27	16	20	21	51	330	35	21	44	39	19	35	41	—
27 Suicide ...	M	125	—	—	—	—	8	42	56	19	274	—	—	—	1	32	91	94	—
	F	41	—	—	—	1	13	8	16	3	75	—	—	—	—	11	29	27	—
28 Other defined diseases ...	M	3388	494	69	49	61	80	211	585	1839	6879	586	76	64	117	119	395	1089	4
	F	3185	349	47	38	52	79	236	572	1812	6831	381	65	59	117	134	411	1004	4
29 Causes ill-defined or un- known.	M	101	4	10	5	3	1	11	39	28	179	20	15	3	7	6	15	65	—
	F	78	8	11	3	2	1	9	37	7	135	11	10	3	—	2	12	53	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1912.

RURAL DISTRICTS.—SOUTH AND WALES.

Causes of Death.	Sex.	AGGREGATE OF RURAL DISTRICTS (SOUTH.)									AGGREGATE OF RURAL DISTRICTS (WALES AND MONMOUTH.)								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	12259	1511	260	243	353	473	1348	2665	5406	5554	1074	189	160	193	254	649	1103	1932
	F	11671	1178	220	212	368	429	1287	2333	5644	5560	829	174	159	214	284	693	1022	2185
Enteric fever ...	M	30	—	—	1	5	9	9	6	—	16	—	—	—	2	6	6	1	1
	F	26	—	1	—	4	9	8	3	1	9	—	—	—	4	3	1	1	—
Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
Measles ...	M	52	9	16	11	14	1	—	1	—	79	17	26	23	10	1	—	1	1
	F	45	12	14	8	8	1	2	—	—	110	20	38	25	22	2	2	1	—
Scarlet fever ...	M	17	—	2	5	9	—	1	—	—	15	2	1	5	7	—	—	—	—
	F	12	—	1	1	9	—	1	—	—	13	—	1	9	2	1	—	—	—
Whooping cough ...	M	124	77	34	8	4	—	—	—	1	85	53	23	9	—	—	—	—	—
	F	168	93	42	26	7	—	—	—	—	99	55	18	22	4	—	—	—	—
Diphtheria and croup ...	M	78	1	10	20	44	1	1	1	—	45	4	4	14	21	1	1	—	—
	F	88	1	1	31	51	—	3	1	—	46	1	2	11	29	2	1	—	—
Influenza ...	M	221	9	6	4	5	4	18	51	124	79	4	1	—	1	3	14	29	27
	F	207	12	5	4	1	5	15	41	124	99	3	4	1	7	3	16	17	48
Erysipelas ...	M	22	1	—	—	—	—	5	8	8	8	3	—	—	—	—	2	2	1
	F	18	3	—	1	2	1	4	3	4	6	1	—	—	—	1	2	1	1
Pulmonary tuberculosis	M	849	3	4	5	19	149	421	203	45	408	8	2	4	13	78	174	102	27
	F	798	8	3	5	42	171	357	161	51	439	—	2	5	26	115	185	86	20
Tuberculous meningitis	M	90	18	11	16	25	11	8	1	—	56	12	9	10	16	5	4	—	—
	F	93	10	12	16	24	16	12	3	—	59	13	6	7	14	11	7	1	—
Other tuberculous diseases.	M	145	19	10	16	13	22	38	21	6	86	15	8	5	7	12	21	16	2
	F	109	11	4	6	17	9	34	17	11	88	8	8	9	11	16	21	8	7
Cancer, malignant disease	M	1059	—	—	1	4	7	63	431	553	361	1	—	2	3	5	20	159	171
	F	1258	—	—	2	3	9	108	552	584	467	—	—	1	—	—	55	203	208
Rheumatic fever ...	M	38	—	—	—	9	5	11	8	5	29	—	—	1	10	6	7	4	1
	F	47	—	—	—	14	8	9	11	5	26	—	—	—	4	8	7	5	2
Meningitis ...	M	67	16	7	8	15	11	3	6	1	46	6	4	9	11	6	7	2	1
	F	49	12	4	4	7	8	7	7	—	41	8	3	6	6	9	5	4	—
Organic heart disease ...	M	1486	1	2	—	10	24	99	429	921	544	—	1	—	6	13	39	149	336
	F	1649	1	—	—	22	31	94	430	1071	653	—	—	—	11	15	61	201	365
Bronchitis ...	M	760	99	25	16	4	6	10	80	520	313	81	8	8	2	1	8	47	158
	F	757	80	27	11	3	1	9	74	552	367	47	13	4	5	1	10	43	244
Pneumonia (all forms)...	M	641	129	51	33	19	22	71	151	165	401	94	48	23	7	12	47	87	83
	F	514	102	58	29	14	10	49	83	169	319	78	38	24	17	12	26	44	80
Other respiratory diseases	M	211	9	6	5	6	6	21	62	96	113	16	5	3	6	6	12	27	38
	F	166	7	2	7	7	7	13	41	82	77	3	4	1	3	4	8	15	39
Diarrhoea, &c. ...	M	196	99	16	7	4	2	9	22	37	133	72	11	3	5	1	8	12	21
	F	144	59	8	3	7	6	12	14	35	118	62	6	2	4	2	10	10	22
Appendicitis and typhlitis	M	63	—	—	1	15	11	10	17	9	29	—	1	—	8	5	8	6	1
	F	70	1	—	2	17	11	16	12	11	20	—	—	2	4	6	4	4	—
Cirrhosis of liver ...	M	84	—	—	—	1	—	13	52	18	36	—	—	—	1	—	10	16	9
	F	60	—	—	—	—	1	9	26	24	12	—	—	—	—	1	2	4	5
Alcoholism ...	M	18	—	—	—	—	—	9	7	2	4	—	—	—	—	—	4	—	—
	F	10	—	—	—	—	—	2	6	2	2	—	—	—	—	—	—	2	—
Nephritis and Bright's disease.	M	450	1	—	1	9	21	55	155	208	201	3	1	5	5	3	25	74	85
	F	332	3	—	1	8	5	38	129	148	190	2	—	2	1	7	42	53	83
Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	54	—	—	—	—	10	43	1	—	29	—	—	—	—	6	23	—	—
Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	100	—	—	—	—	11	88	1	—	87	—	—	—	—	14	71	2	—
Congenital debility, &c.	M	728	705	2	5	10	2	4	—	—	381	379	—	—	1	—	1	—	—
	F	525	514	3	3	4	1	—	—	—	287	285	1	1	—	—	—	—	—
Violence, apart from suicide.	M	595	36	19	45	39	61	139	173	83	306	5	11	22	25	41	106	65	31
	F	220	26	8	21	24	11	17	36	77	86	5	8	11	10	6	12	8	26
Suicide ...	M	171	—	—	—	1	12	61	64	33	49	—	—	—	—	4	13	24	8
	F	40	—	—	—	—	9	13	13	5	13	—	—	—	—	—	7	5	1
Other defined diseases ...	M	3965	266	36	33	65	83	254	683	2545	1688	291	22	14	25	44	105	263	924
	F	4043	213	24	27	71	78	318	641	2671	1773	234	21	15	30	36	111	300	1026
Causes ill-defined or unknown.	M	99	13	3	2	4	3	15	33	26	43	8	3	—	1	1	7	17	6
	F	69	10	3	4	2	—	6	27	17	24	4	1	1	—	2	4	4	8

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN
BOROUGH—1912.

Causes of Death.		Sex.	CITY OF LONDON.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	
ALL CAUSES	M F	146 122	9 6	— 1	2 1	2 2	5 3	23 14	66 36	39 59
1 Enteric fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —
2 Small-pox	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —
3 Measles	M F	1 1	— 1	— —	1 —	— —	— —	— —	— —	— —
4 Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —
5 Whooping cough	M F	— 1	— —	— 1	— —	— —	— —	— —	— —	— —
6 Diphtheria and croup	M F	— 1	— —	— —	— 1	— —	— —	— —	— —	— —
7 Influenza	M F	1 —	— —	— —	— —	— —	— —	— —	— —	1 —
8 Erysipelas	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —
9 Pulmonary tuberculosis	{		M F	29 10	— —	— —	— —	— 1 3	8 —	16 4	4 3	
10 Tuberculous meningitis			{	M F	1 1	— —	— 1	— —	— —	— —	— —	— —
11 Other tuberculous diseases.	{		M F	4 1	1 —	— —	— —	— 1	— —	2 —	— 1	
12 Cancer, malignant disease			{	M F	20 12	— —	— —	— —	— —	3 1	14 5	3 6
13 Rheumatic fever	M F	— 1	— —	— —	— —	— —	— 1	— —	— —	
14 Meningitis	M F	1 —	1 —	— —	— —	— —	— —	— —	— —	
15 Organic heart disease	M F	16 25	— —	— —	— 1	— —	1 5	10 8	5 11	
16 Bronchitis	M F	3 14	— —	— —	— —	— —	— 1	1 2	2 11	
17 Pneumonia (all forms)	{		M F	12 10	2 1	— —	— —	1 —	— 2	4 3	3 4	
18 Other respiratory diseases			{	M F	3 3	1 —	— —	— —	— —	— —	1 1	1 2
19 Diarrhoea, &c.	M F	3 1	3 1	— —	— —	— —	— —	— —	— —	
20 Appendicitis and typhlitis	{		M F	1 —	— —	— —	— —	— —	1 —	— —	— —	
21 Cirrhosis of liver			{	M F	6 2	— —	— —	— —	— —	— 1	6 1	— —
21A Alcoholism	M F	— —	— —	— —	— —	— —	— —	— —	— —	
22 Nephritis and Bright's disease.	{		M F	4 4	— —	— —	— —	— —	1 —	3 4	— —	
23 Puerperal fever...			{	M F	— —	— —	— —	— —	— —	— —	— —	— —
24 Parturition, apart from puerperal fever.	{		M F	— —	— —	— —	— —	— —	— —	— —	— —	
25 Congenital debility, &c.			{	M F	1 2	1 2	— —	— —	— —	— —	— —	— —
26 Violence, apart from suicide.	{		M F	6 1	— —	— 1	— —	— —	2 —	1 1	2 —	
27 Suicide .../...			{	M F	1 1	— —	— —	— —	— —	— —	1 1	— —
28 Other defined diseases	M F	33 31	— 1	— —	— —	3 —	5 3	7 6	18 21	
29 Causes ill-defined or unknown.	{		M F	— —	— —	— —	— —	— —	— —	— —	— —	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1912—cont.

Causes of Death.	Sex.	BATTERSEA.										BERMONDSEY.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,056	199	39	40	35	52	150	272	269	1,131	245	67	50	37	51	184	261	236		
	F	1,027	164	48	49	43	42	141	231	309	1,004	190	71	54	40	49	115	202	283		
1 Enteric fever ...	M	1	—	—	—	—	1	—	—	—	4	—	—	—	—	3	1	—			
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—			
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
3 Measles ...	M	23	5	8	9	1	—	—	—	—	56	15	26	13	2	—	—	—			
	F	32	7	6	13	6	—	—	—	—	46	12	22	11	1	—	—	—			
4 Scarlet fever ...	M	3	—	1	1	1	—	—	—	—	4	1	2	—	1	—	—	—			
	F	3	—	—	1	1	—	1	—	—	4	—	—	2	2	—	—	—			
5 Whooping cough ...	M	12	10	1	1	—	—	—	—	—	15	8	4	3	—	—	—	—			
	F	29	9	12	7	1	—	—	—	—	21	13	2	6	—	—	—	—			
6 Diphtheria and croup ...	M	8	1	—	4	3	—	—	—	—	8	2	2	3	—	1	—	—			
	F	8	1	1	2	4	—	—	—	—	9	3	2	3	1	—	—	—			
7 Influenza ...	M	10	—	—	1	—	—	2	4	3	8	—	—	—	—	1	4	2			
	F	8	—	—	—	—	—	1	3	4	5	—	—	—	—	—	1	2			
8 Erysipelas ...	M	2	1	—	—	—	—	—	1	—	5	—	—	—	—	1	1	2			
	F	2	—	—	—	—	—	1	—	1	2	—	—	—	—	—	1	1			
9 Pulmonary tuberculosis	M	112	—	3	—	5	19	35	41	9	138	1	—	1	5	16	67	41			
	F	91	1	—	2	4	20	38	19	7	85	4	2	—	11	26	30	10			
10 Tuberculous meningitis	M	7	3	2	1	1	—	—	—	—	20	6	2	8	2	1	—	1			
	F	12	—	3	4	5	—	—	—	—	20	4	1	9	3	2	1	—			
11 Other tuberculous diseases.	M	12	1	—	1	4	—	2	2	2	23	8	2	4	4	2	1	2			
	F	11	2	1	—	1	1	4	1	1	20	10	2	5	1	1	—	1			
12 Cancer, malignant disease	M	81	—	—	—	1	—	8	37	35	71	—	—	—	—	—	12	32			
	F	106	—	—	—	—	—	14	54	38	90	—	—	—	—	—	9	41			
13 Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	3	—	—	—	1	—	1	—			
	F	4	—	—	—	1	—	3	—	—	2	—	—	—	2	—	—	—			
14 Meningitis ...	M	1	—	—	1	—	—	—	—	—	12	5	2	3	—	1	—	1			
	F	3	1	—	1	—	—	—	1	—	5	2	—	—	1	1	—	1			
15 Organic heart disease ...	M	110	—	—	—	4	5	12	35	54	80	—	—	—	2	4	15	30			
	F	136	—	—	—	5	6	20	44	61	101	—	—	1	4	5	16	38			
16 Bronchitis ...	M	62	12	1	2	—	2	4	16	25	120	24	4	1	—	—	2	30			
	F	87	15	2	—	—	—	6	12	52	121	14	6	1	1	—	3	30			
17 Pneumonia (all forms)	M	102	16	10	12	5	4	18	26	11	116	27	15	8	4	5	19	25			
	F	84	28	8	11	1	2	8	15	11	73	21	17	1	1	1	8	11			
18 Other respiratory diseases	M	15	1	1	—	1	—	1	4	7	9	—	—	2	—	1	1	3			
	F	13	—	—	2	—	—	1	4	6	10	—	1	1	—	—	5	2			
19 Diarrhoea, &c. ...	M	37	24	4	—	—	—	5	2	2	45	34	5	—	1	1	3	1			
	F	26	17	5	—	—	—	1	2	1	36	20	9	2	1	—	1	2			
20 Appendicitis and typhlitis	M	8	—	—	—	1	2	2	2	1	4	—	—	1	1	1	—	1			
	F	6	—	—	2	1	—	2	1	—	2	—	—	1	1	—	—	—			
21 Cirrhosis of liver ...	M	6	—	—	—	—	—	4	2	—	7	—	—	—	—	—	6	—			
	F	10	—	—	—	—	—	2	5	3	9	—	—	—	—	—	1	7			
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—			
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—			
22 Nephritis and Bright's disease.	M	36	—	—	1	—	2	5	16	12	38	—	—	1	2	—	8	17			
	F	32	2	—	—	3	2	5	11	9	29	—	—	—	—	3	7	15			
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	4	—	—	—	—	2	2	—	—	5	—	—	—	—	5	—	—			
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	6	—	—	—	—	1	5	—	—	5	—	—	—	—	1	4	—			
25 Congenital debility, &c.	M	86	84	—	—	—	2	—	—	—	78	78	—	—	—	—	—	—			
	F	54	53	1	—	—	—	—	—	—	55	55	—	—	—	—	—	—			
26 Violence, apart from suicide.	M	61	5	4	4	7	7	12	17	5	52	12	1	2	3	8	12	7			
	F	20	8	2	2	3	—	1	2	2	41	14	4	5	5	—	3	4			
27 Suicide ...	M	11	—	—	—	—	1	3	4	3	13	—	—	—	—	2	3	7			
	F	5	—	—	—	—	—	3	1	1	1	—	—	—	—	1	—	—			
28 Other defined diseases ...	M	247	36	4	2	1	7	36	62	99	199	24	2	—	8	6	29	52			
	F	230	20	5	2	7	8	21	55	112	204	18	2	6	5	9	19	39			
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	—	1	1	—	—	—	1	—	—	—			
	F	2	—	2	—	—	—	—	—	—	2	—	1	—	—	—	—	1			

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1912—con

Causes of Death.	Sex.	BETHNAL GREEN.										CAMBERWELL.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1039	204	83	55	39	51	149	272	186	1693	285	76	66	62	77	241	431	453		
	F	948	175	64	67	38	33	113	189	269	1742	257	71	75	60	65	220	365	629		
1 Enteric fever ...	M	2	—	—	—	—	1	1	—	—	5	—	—	—	—	2	3	—	—		
	F	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	55	13	25	16	1	—	—	—	—	44	11	14	16	2	1	—	—	—		
	F	37	5	14	15	3	—	—	—	—	39	7	14	16	2	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	1	—	—	—	—	—	4	—	—	—	4	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	4	—	2	2	—	—	—	—	—		
5 Whooping cough ...	M	9	3	3	2	1	—	—	—	—	20	7	5	8	—	—	—	—	—		
	F	24	3	14	7	—	—	—	—	—	31	13	11	6	1	—	—	—	—		
6 Diphtheria and croup ...	M	7	—	3	3	1	—	—	—	—	6	—	3	2	1	—	—	—	—		
	F	4	1	1	2	—	—	—	—	—	15	2	2	1	8	—	2	—	—		
7 Influenza ...	M	2	—	—	—	—	—	1	—	1	14	—	—	—	1	—	3	6	4		
	F	4	—	—	—	—	1	—	2	1	27	—	—	1	1	1	4	7	13		
8 Erysipelas ...	M	5	1	—	—	—	—	1	1	2	2	—	—	—	—	1	—	1	—		
	F	2	—	—	—	—	—	—	—	2	5	1	1	—	—	—	—	3	—		
9 Pulmonary tuberculosis	M	143	2	2	1	1	21	60	50	6	205	2	2	3	6	36	91	56	9		
	F	78	1	3	5	6	12	31	18	2	154	—	1	3	9	28	67	39	7		
10 Tuberculous meningitis	M	13	1	5	3	4	—	—	—	—	24	7	4	3	8	—	1	1	—		
	F	13	3	2	3	2	2	—	1	—	18	6	3	7	1	—	1	—	—		
11 Other tuberculous diseases.	M	22	4	6	4	5	1	1	1	—	19	2	2	2	3	3	2	4	—		
	F	24	7	4	6	5	—	—	1	1	25	3	1	3	6	3	3	2	4		
12 Cancer, malignant disease	M	64	—	—	—	—	2	8	40	14	140	—	—	1	—	—	12	70	57		
	F	60	—	—	1	—	1	8	28	22	181	—	—	—	2	1	23	72	83		
13 Rheumatic fever ...	M	9	—	—	—	2	4	2	—	1	1	—	—	—	1	—	—	—	—		
	F	8	—	—	—	3	2	2	1	—	7	—	—	—	5	1	—	1	—		
14 Meningitis ...	M	3	—	—	—	1	—	1	1	—	9	3	1	3	1	—	—	—	—		
	F	8	3	2	1	—	—	1	1	—	11	5	3	1	1	—	1	—	—		
15 Organic heart disease ...	M	80	—	—	—	6	4	12	30	28	161	—	—	—	10	4	21	46	80		
	F	89	—	—	—	3	1	19	26	40	189	—	—	—	8	10	27	51	93		
16 Bronchitis ...	M	91	17	3	2	—	1	8	27	33	145	22	7	—	—	—	8	42	66		
	F	119	14	4	2	—	1	3	30	65	168	19	4	2	—	—	6	34	103		
17 Pneumonia (all forms)	M	106	22	20	9	1	4	8	30	12	144	36	24	14	3	2	19	31	15		
	F	88	25	10	17	3	1	5	13	14	121	39	20	16	5	—	8	19	14		
18 Other respiratory diseases	M	12	—	1	1	—	—	2	3	5	27	—	—	1	1	1	3	8	13		
	F	10	1	1	—	1	1	2	3	1	20	2	—	2	—	—	1	4	11		
19 Diarrhoea, &c. ...	M	38	23	4	2	1	—	3	4	1	44	32	2	2	—	—	1	4	3		
	F	27	19	3	1	1	—	2	—	1	43	32	2	1	—	1	2	3	2		
20 Appendicitis and typhlitis	M	5	—	—	—	2	2	1	—	—	18	—	—	2	4	6	4	2	—		
	F	3	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver ...	M	12	—	—	—	—	—	—	9	3	8	—	—	—	—	—	1	5	2		
	F	5	—	—	—	—	—	1	3	1	17	—	—	—	—	—	4	12	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	3	—		
22 Nephritis and Bright's disease.	M	36	—	—	—	—	2	4	19	11	72	—	—	—	2	1	11	33	25		
	F	37	—	—	—	1	—	4	16	16	69	1	—	2	3	2	12	22	27		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	—	2	7	—	—	11	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	4	—	—	6	—	—	—	—	1	5	—	—		
25 Congenital debility, &c.	M	65	65	—	—	—	—	—	—	—	113	111	1	—	1	—	—	—	—		
	F	43	43	—	—	—	—	—	—	—	89	89	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	48	9	3	3	7	2	11	7	6	72	10	3	2	8	9	12	15	13		
	F	38	17	2	5	1	—	1	3	9	41	7	—	7	1	4	5	7	10		
27 Suicide.	M	5	—	—	—	—	—	1	4	—	19	—	—	—	—	1	7	9	2		
	F	6	—	—	—	—	—	4	2	—	8	—	—	—	—	5	2	1	—		
28 Other defined diseases ...	M	206	44	8	8	6	7	24	46	63	372	42	7	7	6	9	41	96	164		
	F	206	32	4	2	7	7	19	41	94	436	31	5	5	7	10	35	83	260		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	5	—	1	—	—	1	1	2	—		
	F	—	—	—	—	—	—	—	—	—	3	—	2	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1912—*cont.*

Causes of Death.	Sex.	CHELSEA.										DEPTFORD.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	506	42	20	10	13	13	76	136	196	776	156	40	34	37	25	104	186	194		
	F	482	44	13	15	14	15	56	118	207	737	121	32	45	22	35	104	159	219		
1 Enteric fever ...	M	1	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	6	—	5	1	—	—	—	—	—	16	6	5	5	—	—	—	—	—		
	F	17	2	4	8	2	—	1	—	—	14	4	5	4	1	—	—	—	—		
4 Scarlet fever ...	M	2	—	1	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	4	—	—	2	1	1	—	—	—		
5 Whooping cough ...	M	6	2	2	2	—	—	—	—	—	13	5	3	4	1	—	—	—	—		
	F	8	3	4	1	—	—	—	—	—	21	10	8	3	—	—	—	—	—		
6 Diphtheria and croup ...	M	3	1	—	—	1	1	—	—	—	6	—	—	4	2	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	5	1	—	3	1	—	—	—	—		
7 Influenza ...	M	7	—	—	—	—	—	2	2	3	8	1	—	—	—	—	3	3	1		
	F	6	—	—	—	—	1	—	3	2	13	—	1	—	—	—	4	5	3		
8 Erysipelas ...	M	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	1	—	1		
	F	2	—	—	—	—	—	—	1	1	2	1	—	—	—	—	1	—	—		
9 Pulmonary tuberculosis	M	67	—	2	—	—	4	28	28	5	95	1	4	2	1	12	45	24	6		
	F	24	—	—	—	1	3	11	3	6	62	—	—	2	6	6	30	15	3		
10 Tuberculous meningitis	M	2	—	—	1	1	—	—	—	—	8	2	2	1	3	—	—	—	—		
	F	6	—	1	1	3	—	1	—	—	6	2	1	1	2	—	—	—	—		
14 Other tuberculous diseases.	M	7	2	—	—	1	1	1	2	—	15	4	—	1	4	3	2	—	1		
	F	3	1	—	—	—	—	2	—	—	6	1	—	1	—	2	1	1	—		
12 Cancer, malignant disease	M	35	—	—	—	—	—	—	19	16	58	—	—	—	—	1	5	31	21		
	F	63	—	—	—	—	—	10	26	27	62	—	—	—	—	1	5	33	23		
13 Rheumatic fever ...	M	1	—	—	—	—	—	—	—	1	4	—	—	2	1	—	1	—	—		
	F	1	—	—	—	1	—	—	—	—	5	—	—	—	1	1	—	3	—		
14 Meningitis ...	M	3	2	1	—	—	—	—	—	—	4	—	1	2	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	7	1	—	2	1	3	—	—	—		
15 Organic heart disease ...	M	57	—	—	—	2	—	8	13	34	54	—	—	—	4	2	9	19	20		
	F	56	—	—	—	2	1	1	20	32	69	1	—	—	3	5	9	20	31		
16 Bronchitis ...	M	46	4	1	—	—	—	5	7	29	59	13	3	1	—	1	2	16	23		
	F	38	2	—	—	—	1	2	8	25	71	13	6	3	1	—	3	13	32		
17 Pneumonia (all forms)	M	52	8	6	1	3	2	10	12	10	70	15	13	8	1	—	13	14	6		
	F	37	8	2	2	1	—	4	8	12	58	14	7	12	—	—	6	6	13		
18 Other respiratory diseases	M	7	—	—	—	—	—	—	3	4	6	—	1	—	1	—	—	3	1		
	F	13	1	—	—	—	—	—	6	6	12	2	1	—	—	—	1	1	7		
19 Diarrhoea, &c. ...	M	5	4	—	—	—	—	—	—	1	26	19	3	1	1	—	—	2	—		
	F	6	4	—	1	—	—	—	—	1	14	8	1	1	—	—	—	3	1		
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	—	1	3	—	—	—	1	—	1	—	1		
	F	3	—	1	—	—	—	2	—	—	2	—	—	1	—	1	—	—	—		
21 Cirrhosis of liver ...	M	6	—	—	—	—	1	—	3	2	4	—	—	—	—	—	—	3	1		
	F	7	—	—	—	—	—	2	4	1	3	—	—	—	—	—	1	2	—		
21A Alcoholism ...	M	1	—	—	—	—	—	—	—	1	3	—	—	—	—	—	1	2	—		
	F	2	—	—	—	—	—	—	2	—	2	—	—	—	—	—	1	1	—		
22 Nephritis and Bright's disease.	M	9	—	—	—	1	1	—	4	3	15	—	—	—	—	—	2	10	3		
	F	16	—	—	—	—	1	2	5	8	17	—	—	—	—	—	3	8	6		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	4	—	—	—	—	2	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	8	—	—	—	—	—	8	—	—		
25 Congenital debility, &c.	M	10	10	—	—	—	—	—	—	—	62	62	—	—	—	—	—	—	—		
	F	15	15	—	—	—	—	—	—	—	35	34	—	1	—	—	—	—	—		
26 Violence, apart from suicide.	M	25	3	—	3	3	1	5	6	4	41	1	3	1	11	2	6	10	7		
	F	13	1	—	—	1	1	3	2	5	17	4	—	1	1	1	4	1	5		
27 Suicide ...	M	6	—	—	—	—	—	2	2	2	3	—	—	—	—	—	1	2	—		
	F	5	—	—	—	—	1	2	1	1	2	—	—	—	—	2	—	—	—		
28 Other defined diseases ...	M	140	6	2	1	1	1	15	35	79	197	27	2	1	5	3	11	46	102		
	F	136	7	1	2	2	4	11	29	80	215	25	2	8	4	9	25	47	95		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1912—con

Causes of Death.	Sex.	FINSBURY.										FULHAM.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	834	157	57	40	24	25	138	201	192	1,046	225	46	52	31	43	179	264	20		
	F	770	137	73	52	31	20	98	164	195	987	173	35	63	37	46	137	200	29		
1 Enteric fever ...	M	1	—	—	—	—	—	1	—	—	5	—	—	—	1	2	1	1	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	2	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	60	13	27	18	2	—	—	—	—	38	6	11	20	1	—	—	—	—		
	F	68	15	29	21	3	—	—	—	—	29	7	7	13	2	—	—	—	—		
4 Scarlet fever ...	M	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	1	1	1	—	—	—	—	6	—	—	2	4	—	—	—	—		
5 Whooping cough ...	M	9	7	1	1	—	—	—	—	—	18	13	4	1	—	—	—	—	—		
	F	20	6	7	6	1	—	—	—	—	27	10	3	11	3	—	—	—	—		
6 Diphtheria and croup ...	M	6	2	2	1	1	—	—	—	—	7	1	2	2	2	—	—	—	—		
	F	8	2	3	2	1	—	—	—	—	8	—	1	5	2	—	—	—	—		
7 Influenza ...	M	5	—	—	—	—	—	2	2	1	10	1	—	—	—	—	1	5	—		
	F	8	1	—	—	—	—	2	3	2	7	—	—	—	—	1	—	2	—		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	3	—	1	—	—	—	1	—	—		
	F	1	1	—	—	—	—	—	—	—	3	1	—	—	—	—	—	1	—		
9 Pulmonary tuberculosis	M	98	1	1	2	1	5	51	31	6	130	1	3	5	4	16	52	42	7		
	F	68	1	—	3	3	5	28	23	5	87	1	1	4	2	15	37	20	7		
10 Tuberculous meningitis	M	13	3	2	3	5	—	—	—	—	5	3	—	2	—	—	—	—	—		
	F	11	2	3	3	1	1	—	1	—	13	—	1	8	2	1	1	—	—		
11 Other tuberculous diseases.	M	14	3	3	1	1	3	1	2	—	7	2	—	2	1	1	—	1	—		
	F	10	3	1	1	2	—	3	—	—	14	2	1	3	1	1	4	2	—		
12 Cancer, malignant disease	M	46	—	—	—	—	—	11	20	15	63	—	—	—	—	—	6	35	22		
	F	38	—	—	—	—	—	8	18	12	93	—	—	—	—	1	6	44	42		
13 Rheumatic fever ...	M	1	—	—	—	—	1	—	—	—	5	—	—	—	2	1	2	—	—		
	F	5	—	—	—	1	—	2	2	—	1	—	—	—	—	—	1	—	—		
14 Meningitis ...	M	5	1	—	1	—	—	1	1	1	6	2	—	—	1	1	—	2	—		
	F	2	—	1	—	1	—	—	—	—	11	4	1	—	3	1	2	—	—		
15 Organic heart disease ...	M	57	—	—	—	2	2	10	21	22	83	—	—	—	4	2	17	32	28		
	F	63	—	—	1	3	4	10	23	22	100	—	—	1	4	4	18	35	38		
16 Bronchitis ...	M	90	8	2	2	1	1	6	17	53	76	18	1	1	—	—	2	20	34		
	F	86	7	2	—	1	—	5	26	45	82	13	5	—	—	—	6	10	48		
17 Pneumonia (all forms)	M	67	15	15	6	—	2	6	19	4	116	35	15	10	3	1	27	19	6		
	F	71	25	17	8	1	1	6	8	5	92	33	10	9	1	3	9	7	20		
18 Other respiratory diseases	M	16	2	1	—	—	1	1	3	2	19	1	—	2	—	—	—	7	9		
	F	9	1	1	—	1	—	3	1	2	11	3	1	—	—	—	2	—	5		
19 Diarrhoea, &c. ...	M	28	20	1	2	—	—	2	1	2	25	20	1	—	—	—	1	2	1		
	F	24	17	5	—	—	—	—	2	—	19	12	—	1	2	—	3	—	—		
20 Appendicitis and typhlitis	M	1	—	—	—	—	1	—	—	—	6	—	—	—	2	2	1	1	—		
	F	3	—	—	—	2	1	—	—	—	4	—	—	—	—	—	2	2	—		
21 Cirrhosis of liver ...	M	13	—	—	—	—	—	2	8	3	11	—	—	—	—	—	—	9	2		
	F	15	—	—	—	—	—	5	9	1	9	—	—	—	—	—	1	6	2		
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—		
	F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	17	—	1	—	—	—	8	6	2	34	1	—	—	—	3	5	20	5		
	F	23	1	—	—	1	1	5	12	3	33	—	—	1	2	2	4	18	6		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	—	—	—	7	—	—	—	—	1	5	1	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	2	2	—	—	7	—	—	—	—	2	4	1	—		
25 Congenital debility, &c.	M	46	45	—	—	1	—	—	—	—	80	76	2	—	2	—	—	—	—		
	F	34	33	1	—	—	—	—	—	—	65	64	—	—	—	1	—	—	—		
26 Violence, apart from suicide.	M	40	6	1	1	8	3	7	8	6	47	11	2	6	3	5	9	8	3		
	F	31	7	—	3	5	—	3	4	9	23	6	1	4	1	3	2	2	4		
27 Suicide ...	M	8	—	—	—	—	—	4	3	1	15	—	—	—	—	2	9	3	1		
	F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	2	1	—		
28 Other defined diseases ...	M	194	30	—	1	2	5	25	57	74	234	34	2	1	5	7	44	57	84		
	F	160	15	2	3	3	5	13	30	89	227	17	3	1	8	8	25	47	118		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1912—*cont.*

Causes of Death.	Sex.	GREENWICH.										HACKNEY.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	660	107	22	24	27	50	115	158	157	1,402	250	48	44	56	48	184	405	367		
	F	522	72	27	28	19	29	68	102	177	1,357	175	49	33	45	65	173	290	527		
1 Enteric fever ...	M	2	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	16	4	5	7	—	—	—	—	—	12	1	6	5	—	—	—	—	—		
	F	9	2	4	3	—	—	—	—	—	8	2	4	2	—	—	—	—	—		
4 Scarlet fever ...	M	3	—	—	1	1	1	—	—	—	4	—	—	2	2	—	—	—	—		
	F	6	—	—	5	1	—	—	—	—	5	—	—	4	1	—	—	—	—		
5 Whooping cough ...	M	7	1	5	1	—	—	—	—	—	12	5	2	4	1	—	—	—	—		
	F	12	3	4	4	1	—	—	—	—	22	9	5	8	—	—	—	—	—		
6 Diphtheria and croup ...	M	9	—	—	3	6	—	—	—	—	9	1	3	1	4	—	—	—	—		
	F	7	1	1	2	3	—	—	—	—	3	—	—	—	3	—	—	—	—		
7 Influenza ...	M	8	—	—	—	—	—	2	3	3	12	1	—	—	1	—	1	8	1		
	F	3	—	—	—	—	—	2	—	1	13	—	—	1	—	—	3	3	6		
8 Erysipelas ...	M	2	—	1	—	—	—	—	1	—	2	1	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	—	2	—		
9 Pulmonary tuberculosis	M	87	1	1	2	2	17	33	28	3	190	3	3	1	2	21	74	73	13		
	F	42	—	1	1	2	12	16	9	1	127	3	—	2	10	31	38	28	15		
10 Tuberculous meningitis	M	10	—	3	3	3	—	1	—	—	10	2	2	3	3	—	—	—	—		
	F	9	1	1	4	3	—	—	—	—	13	5	4	1	2	—	1	—	—		
11 Other tuberculous dis- eases.	M	8	—	1	3	2	1	1	—	—	20	3	4	3	3	3	2	2	—		
	F	6	1	1	—	—	1	1	2	—	17	7	2	—	1	4	1	1	1		
12 Cancer, malignant disease	M	49	—	—	—	—	3	3	24	19	96	—	—	—	1	—	11	45	39		
	F	45	1	—	1	—	—	6	20	17	127	—	—	1	1	1	14	63	47		
13 Rheumatic fever ...	M	2	—	—	—	1	—	1	—	—	6	—	—	—	4	1	—	1	—		
	F	5	—	—	—	—	2	3	—	—	4	—	—	—	—	—	3	—	1		
14 Meningitis ...	M	1	1	—	—	—	—	—	—	—	19	8	4	1	1	1	2	2	—		
	F	—	—	—	—	—	—	—	—	—	8	1	2	2	2	1	—	—	—		
15 Organic heart disease ...	M	53	—	—	—	1	5	7	17	23	120	—	—	1	4	7	11	42	55		
	F	58	—	—	—	2	4	9	13	30	162	—	—	—	7	5	18	55	77		
16 Bronchitis ...	M	50	10	2	—	—	1	3	8	26	102	13	6	—	—	—	6	25	52		
	F	49	4	2	2	—	—	1	12	28	117	8	2	—	1	—	4	15	87		
17 Pneumonia (all forms)	M	57	11	3	1	1	7	13	12	9	151	39	11	13	4	1	22	41	20		
	F	39	6	8	4	2	2	6	6	5	92	17	11	4	3	3	15	12	27		
18 Other respiratory diseases	M	6	—	—	—	—	—	1	3	2	19	—	—	—	1	1	2	4	11		
	F	5	—	—	—	—	—	1	2	2	27	1	1	—	—	1	4	6	14		
19 Diarrhoea, &c. ...	M	15	11	1	1	—	—	2	—	—	40	29	4	1	—	1	2	2	1		
	F	18	8	2	1	—	—	—	1	6	33	20	8	—	1	—	1	—	3		
20 Appendicitis and typhlitis	M	3	—	—	—	1	—	1	1	—	9	—	—	—	4	2	1	2	—		
	F	4	—	—	—	1	1	1	1	—	3	—	—	—	1	1	—	1	—		
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	—	1	1	10	—	—	—	—	—	3	6	1		
	F	1	—	—	—	—	—	—	1	—	19	—	—	—	—	—	10	6	3		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
22 Nephritis and Bright's disease.	M	23	—	—	—	—	2	6	8	7	49	—	—	1	1	—	7	22	18		
	F	15	—	—	—	—	—	3	5	7	37	—	1	—	2	2	4	14	14		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	13	—	—	—	—	—	13	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	1	4	—	—	9	—	—	—	—	1	8	—	—		
25 Congenital debility, &c.	M	48	48	—	—	—	—	—	—	—	91	90	—	1	—	—	—	—	—		
	F	37	37	—	—	—	—	—	—	—	63	63	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	37	2	—	1	9	6	9	8	2	58	8	1	4	11	3	9	15	7		
	F	7	1	—	—	1	—	—	1	4	53	11	4	3	1	1	3	10	20		
27 Suicide ...	M	2	—	—	—	—	—	2	—	—	12	—	—	—	—	1	3	5	3		
	F	2	—	—	—	—	—	2	—	—	12	—	—	—	—	1	6	5	—		
28 Other defined diseases ...	M	159	18	—	1	—	5	29	44	62	347	46	1	3	9	6	27	109	146		
	F	134	7	2	1	3	5	11	29	76	363	27	4	5	9	13	25	68	212		
29 Causes ill-defined or un- known.	M	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1912—cont.

Causes of Death.	Sex.	HAMMERSMITH.										HAMPSTEAD.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	774	140	34	31	20	28	124	203	194	424	43	11	17	16	17	52	118	150		
	F	877	128	36	28	31	22	131	207	294	451	37	10	15	12	16	47	113	201		
1 Enteric fever ...	M	2	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—		
	F	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	13	5	5	3	—	—	—	—	—	2	—	1	1	—	—	—	—	—		
	F	17	3	10	3	—	—	1	—	—	9	1	1	6	1	—	—	—	—		
4 Scarlet fever ...	M	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—	1	—		
5 Whooping cough ...	M	7	6	1	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—		
	F	12	8	3	1	—	—	—	—	—	2	1	—	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	2	—	—	2	—	—	—	—	—	7	—	—	2	5	—	—	—	—		
	F	11	—	1	8	2	—	—	—	—	10	—	—	5	3	1	—	1	—		
7 Influenza ...	M	5	1	—	—	—	1	1	2	—	3	—	—	—	—	—	1	2	—		
	F	7	—	—	—	—	—	1	3	3	8	1	—	—	—	—	—	—	6		
8 Erysipelas ...	M	4	1	—	—	—	—	—	—	3	1	1	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	93	—	1	2	1	13	40	32	4	41	1	—	1	—	8	20	10	1		
	F	78	2	—	2	6	11	35	16	6	24	—	—	—	2	5	9	6	2		
10 Tuberculous meningitis	M	10	—	2	7	—	1	—	—	—	4	—	2	2	—	—	—	—	—		
	F	9	4	3	—	2	—	—	—	—	3	1	—	1	—	1	—	—	—		
11 Other tuberculous diseases.	M	9	2	1	3	—	2	1	—	—	8	—	1	2	2	1	1	1	—		
	F	10	3	1	—	1	2	1	1	1	—	—	—	—	—	—	—	—	—		
12 Cancer, malignant disease	M	53	—	—	—	—	—	2	33	18	37	—	—	—	—	—	2	20	15		
	F	86	—	—	—	—	1	15	46	24	72	—	—	—	—	—	4	34	34		
13 Rheumatic fever ...	M	3	—	—	1	2	—	—	—	—	2	—	—	—	1	—	1	—	—		
	F	2	—	—	—	1	—	—	1	—	1	—	—	—	1	—	—	—	—		
14 Meningitis ...	M	7	—	2	1	—	—	3	—	1	2	2	—	—	—	—	—	—	—		
	F	8	1	2	3	2	—	—	—	—	2	1	1	—	—	—	—	—	—		
15 Organic heart disease ...	M	81	—	—	—	2	3	14	29	33	54	—	—	1	2	2	9	16	24		
	F	91	—	—	—	2	—	11	29	49	53	—	—	—	1	2	5	21	24		
16 Bronchitis ...	M	62	9	1	3	—	—	4	16	29	28	3	—	3	—	—	1	6	15		
	F	73	9	4	1	—	—	2	15	42	41	2	1	—	—	—	5	33	—		
17 Pneumonia (all forms)	M	75	18	17	4	2	1	11	13	9	39	8	4	—	2	—	2	12	11		
	F	66	20	8	6	2	—	9	13	8	21	3	4	1	1	—	2	3	7		
18 Other respiratory diseases	M	11	—	1	—	—	—	2	1	7	5	—	—	—	—	—	1	1	3		
	F	10	1	—	—	—	—	1	1	7	8	—	—	—	—	—	1	1	6		
19 Diarrhoea, &c. ...	M	24	19	—	—	—	—	1	4	—	6	—	1	—	—	—	1	—	4		
	F	20	11	2	—	—	—	1	2	4	9	1	—	—	—	—	1	2	5		
20 Appendicitis and typhlitis	M	6	—	—	—	1	2	—	2	1	2	—	—	—	—	—	1	—	1		
	F	2	—	—	1	—	—	1	—	—	3	—	—	—	—	—	2	—	—		
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	—	3	1	5	—	—	—	—	—	4	—	1		
	F	6	—	—	—	—	—	—	6	—	1	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	2	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	1	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	27	—	—	1	—	—	4	6	16	17	—	—	—	—	2	1	8	6		
	F	30	—	—	—	1	—	6	12	11	12	—	—	—	—	1	1	2	8		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	1	4	—	—	6	—	—	—	—	2	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	—	7	—	—	1	—	—	—	—	—	—	—	—		
25 Congenital debility, &c.	M	54	54	—	—	—	—	—	—	—	21	20	—	—	1	—	—	—	—		
	F	41	41	—	—	—	—	—	—	—	16	15	—	—	—	1	—	—	—		
26 Violence, apart from suicide.	M	41	4	1	2	5	2	10	10	7	12	1	1	1	1	—	1	3	4		
	F	32	6	1	—	4	1	5	7	8	11	2	—	—	1	—	4	1	3		
27 Suicide ...	M	8	—	—	—	—	—	3	4	1	9	—	—	—	—	—	3	5	1		
	F	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	3	3	1		
28 Other defined diseases ...	M	169	21	2	—	7	2	25	48	64	114	7	—	4	1	4	6	29	63		
	F	248	19	1	3	5	6	31	53	130	128	8	3	1	1	2	12	30	71		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	2	1	—	—	1	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1912—cont.

Causes of Death.	Sex.	HOLBORN.										ISLINGTON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	425	39	17	15	16	12	71	151	104	2,454	403	108	123	74	84	368	649	645		
	F	344	37	11	13	13	6	43	103	118	2,292	319	113	82	69	76	255	524	854		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	6	—	—	—	—	2	3	1	—		
	F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	2	1		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	15	2	4	9	—	—	—	—	—	80	18	30	31	1	—	—	—	—		
	F	13	7	1	5	—	—	—	—	—	71	11	35	21	4	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	8	—	1	3	3	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—		
5 Whooping cough ...	M	3	—	2	1	—	—	—	—	—	26	7	9	9	1	—	—	—	—		
	F	4	1	3	—	—	—	—	—	—	31	11	15	4	1	—	—	—	—		
6 Diphtheria and croup	M	2	—	—	1	1	—	—	—	—	16	4	2	6	4	—	—	—	—		
	F	5	—	1	2	1	—	—	—	1	24	2	2	10	8	1	1	—	—		
7 Influenza ...	M	1	—	—	—	—	—	1	—	—	16	—	—	—	—	1	6	5	4		
	F	8	—	—	—	—	—	2	3	3	18	2	—	—	—	2	3	—	11		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	1	—	—	4		
9 Pulmonary tuberculosis	M	76	1	1	1	—	3	35	31	4	271	1	—	7	5	34	124	88	12		
	F	25	—	1	—	4	4	11	4	1	180	1	2	1	9	26	88	45	8		
10 Tuberculous meningitis	M	4	—	1	2	—	1	—	—	—	36	10	4	11	7	3	—	1	—		
	F	1	—	—	1	—	—	—	—	—	27	4	9	7	6	1	—	—	—		
11 Other tuberculous diseases.	M	8	1	—	—	2	2	3	—	—	31	6	1	4	7	2	5	5	1		
	F	4	1	—	—	1	—	—	1	1	23	6	1	1	6	1	1	2	5		
12 Cancer, malignant disease	M	27	—	—	—	1	—	—	12	14	162	—	—	—	1	1	13	87	60		
	F	37	—	—	—	—	—	2	22	13	229	—	1	—	—	1	21	117	89		
13 Rheumatic fever ...	M	2	—	—	—	1	—	1	—	—	8	—	—	1	3	1	—	3	—		
	F	1	—	—	—	—	—	—	1	—	12	—	—	—	4	—	5	2	1		
14 Meningitis ...	M	2	1	—	—	1	—	—	—	—	16	3	3	5	1	2	1	1	—		
	F	3	2	—	—	1	—	—	—	—	11	5	1	2	—	1	1	1	—		
15 Organic heart disease ...	M	39	—	—	—	2	1	3	20	13	240	—	—	—	5	10	28	82	115		
	F	34	—	—	—	2	1	3	18	10	261	—	—	1	3	6	28	83	140		
16 Bronchitis ...	M	49	5	—	—	—	—	—	12	32	239	24	12	3	3	—	12	59	126		
	F	46	4	—	—	—	—	2	10	30	213	20	2	2	3	—	7	41	138		
17 Pneumonia (all forms)	M	26	1	3	1	—	1	4	14	2	238	62	32	16	8	7	43	40	30		
	F	24	5	1	3	—	—	4	8	3	200	43	28	19	7	5	14	37	47		
18 Other respiratory diseases	M	3	—	—	—	—	—	—	3	—	47	2	2	3	—	1	7	16	16		
	F	4	—	—	—	—	—	1	2	1	45	3	—	4	—	1	2	9	26		
19 Diarrhoea, &c. ...	M	9	3	1	—	—	—	2	2	1	59	37	4	4	—	—	1	5	8		
	F	5	4	—	—	—	—	—	—	1	61	41	8	—	—	—	2	2	8		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	7	—	—	—	—	3	1	3	—		
	F	1	—	—	—	1	—	—	—	—	10	—	1	1	2	2	2	2	—		
21 Cirrhosis of liver ...	M	8	—	—	—	—	—	2	4	2	25	—	—	—	—	—	3	17	5		
	F	7	—	—	—	—	—	3	3	1	29	—	—	—	—	—	8	17	4		
21A Alcoholism ...	M	2	—	—	—	—	—	1	1	—	3	—	—	—	—	—	1	2	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—		
22 Nephritis and Bright's disease.	M	18	—	—	—	—	—	3	13	2	78	—	—	—	2	—	12	37	27		
	F	12	—	—	—	—	1	1	5	5	79	—	—	1	2	4	12	30	30		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	9	—	—	—	—	1	7	1	—		
25 Congenital debility, &c.	M	13	13	—	—	—	—	—	—	—	161	161	—	—	—	—	—	—	—		
	F	6	6	—	—	—	—	—	—	—	114	114	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	20	—	2	—	5	2	4	4	3	102	13	3	8	10	3	27	22	16		
	F	12	—	—	1	2	—	5	2	2	54	15	1	1	1	6	5	6	19		
27 Suicide ...	M	4	—	—	—	—	—	2	2	—	33	—	—	—	—	1	14	11	7		
	F	1	—	—	—	—	—	1	—	—	10	—	—	—	—	1	3	6	—		
28 Other defined diseases ...	M	93	12	3	—	3	2	10	32	31	542	55	4	12	13	13	66	162	217		
	F	87	7	3	—	1	—	7	23	46	561	40	4	6	12	15	40	121	323		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	1	—	3	—	1	—	—	—	—	1	1		
	F	2	—	1	1	—	—	—	—	—	4	1	3	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1912—*cont.*

Causes of Death.	Sex.	KENSINGTON.										LAMBETH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,068	165	40	26	26	33	145	316	317	2,097	343	98	92	54	69	341	578	52		
	F	1,245	140	33	28	21	29	175	342	477	1,943	270	79	64	61	62	273	443	69		
1 Enteric fever ...	M	3	—	—	—	—	—	3	—	—	7	—	—	—	1	1	2	3	—		
	F	1	—	—	—	—	—	—	1	—	6	—	—	1	—	1	3	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	13	5	3	5	—	—	—	—	—	61	12	27	17	5	—	—	—	—		
	F	14	4	7	3	—	—	—	—	—	37	7	15	14	1	—	—	—	—		
4 Scarlet fever ...	M	3	—	—	2	1	—	—	—	—	9	—	1	7	1	—	—	—	—		
	F	3	1	—	—	1	—	1	—	—	2	—	1	—	1	—	—	—	—		
5 Whooping cough ...	M	17	7	6	3	1	—	—	—	—	33	14	5	11	3	—	—	—	—		
	F	7	2	3	1	1	—	—	—	—	23	10	10	3	—	—	—	—	—		
6 Diphtheria and croup ...	M	2	—	—	—	1	—	1	—	—	15	1	1	9	3	1	—	—	—		
	F	4	1	—	1	—	—	—	—	2	14	2	3	4	5	—	—	—	—		
7 Influenza ...	M	12	—	—	—	—	1	1	6	4	21	1	—	—	—	—	2	10	—		
	F	18	—	—	—	—	—	—	9	9	21	1	—	—	—	1	4	4	1		
8 Erysipelas ...	M	3	—	—	—	—	—	1	—	2	3	—	—	—	—	—	1	1	—		
	F	1	1	—	—	—	—	—	—	—	9	1	—	—	—	2	2	1	—		
9 Pulmonary tuberculosis	M	107	—	1	1	1	10	47	43	4	271	3	2	5	8	27	130	86	10		
	F	80	—	1	—	2	11	42	21	3	147	3	1	3	8	19	77	28	—		
10 Tuberculous meningitis	M	12	2	4	2	2	1	1	—	—	21	7	3	4	5	1	1	—	—		
	F	5	2	—	2	—	1	—	—	—	12	1	4	4	3	—	—	—	—		
11 Other tuberculous diseases.	M	16	7	—	2	2	2	1	1	1	23	4	1	3	2	3	6	3	—		
	F	9	1	1	2	1	—	1	1	2	21	6	2	5	4	—	2	2	—		
12 Cancer, malignant disease	M	78	—	1	—	—	2	6	37	32	183	—	—	—	—	3	13	96	7		
	F	156	—	—	—	—	1	15	79	61	209	—	—	—	3	—	33	97	70		
13 Rheumatic fever ...	M	4	—	—	—	—	1	1	2	—	7	—	—	—	—	1	1	4	—		
	F	4	—	—	—	2	1	—	1	—	7	1	—	—	1	2	2	1	—		
14 Meningitis ...	M	7	4	—	—	—	—	2	—	1	14	9	3	1	1	—	—	—	—		
	F	9	4	—	3	—	1	—	1	—	7	1	1	3	1	1	—	—	—		
15 Organic heart disease ...	M	116	—	2	—	1	1	11	48	53	133	—	—	—	2	9	20	37	6		
	F	142	—	—	—	2	2	14	43	81	174	—	—	—	6	5	27	53	8		
16 Bronchitis ...	M	96	14	2	—	1	—	4	23	52	153	31	6	1	—	1	7	37	70		
	F	118	7	1	3	—	1	7	27	72	178	15	4	1	—	1	2	38	117		
17 Pneumonia (all forms)	M	93	12	14	4	3	1	12	26	21	196	35	31	16	4	5	37	47	21		
	F	75	11	7	5	1	1	10	14	26	152	31	21	11	4	3	15	31	36		
18 Other respiratory diseases	M	18	1	1	—	—	1	2	8	5	40	2	2	2	—	2	5	15	12		
	F	29	1	1	1	—	—	7	9	10	30	6	1	1	4	1	2	7	8		
19 Diarrhoea, &c. ...	M	27	14	2	—	2	—	—	1	8	67	48	8	4	1	—	2	3	1		
	F	44	19	2	4	3	2	2	6	6	56	38	4	2	1	—	1	2	8		
20 Appendicitis and typhlitis	M	4	—	—	—	—	—	1	1	2	12	—	—	—	5	—	4	1	2		
	F	11	—	—	—	2	—	2	5	2	7	—	—	—	—	4	—	3	—		
21 Cirrhosis of liver ...	M	8	—	—	—	—	—	2	4	2	27	—	—	—	—	—	5	18	4		
	F	10	—	—	—	—	—	2	7	1	25	—	—	—	—	—	4	19	2		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	8	—	—	—	—	—	5	2	1		
	F	1	—	—	—	—	—	1	—	—	4	—	—	—	—	—	1	3	—		
22 Nephritis and Bright's disease.	M	38	—	—	—	—	—	5	13	20	73	—	—	1	1	1	10	42	18		
	F	36	—	—	—	—	—	10	12	14	66	—	1	1	1	4	11	22	26		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	—	7	—	—	15	—	—	—	—	4	11	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	—	7	—	—	11	—	—	—	—	1	10	—	—		
25 Congenital debility, &c.	M	71	69	—	1	1	—	—	—	—	118	117	—	—	1	—	—	—	—		
	F	61	61	—	—	—	—	—	—	—	101	99	—	—	1	1	—	—	—		
26 Violence, apart from suicide.	M	41	4	1	2	6	3	7	15	3	63	5	3	4	5	2	14	26	4		
	F	31	4	—	1	—	3	8	6	9	44	5	2	4	6	1	3	9	14		
27 Suicide ...	M	7	—	—	—	—	—	4	3	—	24	—	—	—	—	—	10	10	4		
	F	7	—	—	—	—	2	4	1	—	13	—	—	—	—	1	5	4	3		
28 Other defined diseases ...	M	268	25	3	3	4	10	32	85	106	512	54	5	7	6	12	66	135	227		
	F	354	21	10	2	6	3	35	98	179	549	43	7	7	11	10	57	118	296		
29 Causes ill-defined or unknown.	M	3	1	—	1	—	—	—	—	1	3	—	—	—	—	—	—	2	1		
	F	1	—	—	—	—	—	—	—	—	3	—	2	—	—	1	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1912—cont.

Causes of Death.	Sex.	LEWISHAM.										PADDINGTON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	863	136	20	30	36	27	118	232	264	893	182	33	40	26	22	125	238	227		
	F	920	107	19	23	37	26	127	181	400	903	117	31	24	20	31	127	212	341		
1 Enteric fever ...	M	3	—	—	—	1	1	1	—	—	1	—	—	—	—	—	1	—	—		
	F	5	—	—	—	1	1	3	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	7	3	2	2	—	—	—	—	—	16	6	5	5	—	—	—	—	—		
	F	4	2	1	—	1	—	—	—	—	17	5	8	4	—	—	—	—	—		
4 Scarlet fever ...	M	4	—	—	2	2	—	—	—	—	2	—	—	1	1	—	—	—	—		
	F	2	—	—	1	1	—	—	—	—	2	—	—	1	1	—	—	—	—		
5 Whooping cough ...	M	11	8	1	1	1	—	—	—	—	11	8	2	1	—	—	—	—	—		
	F	13	5	3	4	1	—	—	—	—	12	3	5	4	—	—	—	—	—		
6 Diphtheria and croup ...	M	11	1	1	5	4	—	—	—	—	3	—	1	—	2	—	—	—	—		
	F	16	—	1	3	11	1	—	—	—	4	—	—	1	3	—	—	—	—		
7 Influenza ...	M	4	—	—	—	—	—	—	—	4	11	—	—	1	—	—	2	4	4		
	F	10	—	1	—	—	—	1	2	6	14	2	—	1	1	—	2	2	6		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	2	1	—	1	—	—	—	—	—	2	—	—	—	—	1	—	1	—		
9 Pulmonary tuberculosis	M	63	—	—	1	1	8	29	23	1	80	3	1	—	2	6	43	22	3		
	F	61	—	—	—	1	11	28	13	8	52	2	—	1	3	6	24	15	1		
10 Tuberculous meningitis	M	8	1	1	5	1	—	—	—	—	10	2	4	1	2	1	—	—	—		
	F	4	1	—	1	1	1	—	—	—	7	2	—	3	1	1	—	—	—		
11 Other tuberculous diseases.	M	8	—	—	3	2	1	—	2	—	8	1	2	2	1	—	1	1	—		
	F	13	1	1	1	2	—	3	2	3	9	—	—	2	2	—	2	2	1		
12 Cancer, malignant disease	M	74	—	—	—	2	1	7	29	35	80	1	—	1	—	1	9	47	21		
	F	113	—	—	—	—	—	10	51	52	96	—	—	—	—	—	10	42	44		
13 Rheumatic fever ...	M	4	—	—	—	3	—	1	—	—	5	—	—	1	2	—	1	1	—		
	F	3	—	—	—	1	1	—	1	—	5	—	—	—	—	1	2	1	1		
14 Meningitis ...	M	7	—	2	—	1	2	—	2	—	3	1	1	—	1	—	—	—	—		
	F	5	1	2	—	1	—	—	1	—	7	3	1	—	—	2	—	1	—		
15 Organic heart disease ...	M	70	—	—	—	2	2	7	31	28	74	—	—	—	4	2	9	32	27		
	F	96	—	—	—	4	5	9	21	57	108	—	—	—	4	3	17	41	43		
16 Bronchitis ...	M	72	9	2	2	—	1	3	19	36	95	18	3	—	—	1	3	19	51		
	F	87	10	3	1	2	—	2	9	60	93	7	4	2	—	—	2	14	64		
17 Pneumonia (all forms)	M	63	10	3	3	3	1	10	15	18	76	23	7	12	—	4	7	10	13		
	F	53	13	3	4	—	—	10	6	17	51	11	5	4	1	1	7	10	12		
18 Other respiratory diseases	M	16	2	2	1	1	—	2	3	5	30	1	1	2	—	—	4	5	17		
	F	12	—	—	—	—	—	2	5	5	23	—	—	—	—	—	—	4	19		
19 Diarrhoea, &c. ...	M	23	16	—	—	—	—	1	3	3	31	22	3	1	—	—	—	3	2		
	F	20	8	2	2	—	—	2	1	5	23	15	4	—	—	—	1	1	2		
20 Appendicitis and typhlitis	M	4	—	—	1	2	1	—	—	—	8	—	—	2	1	—	2	3	—		
	F	4	—	—	—	—	—	1	1	2	7	—	—	—	1	1	2	1	2		
21 Cirrhosis of liver ...	M	11	—	—	—	—	—	—	6	5	8	—	—	—	—	—	—	8	—		
	F	10	—	—	—	—	—	2	5	3	12	—	—	—	—	—	3	5	4		
22 Alcoholism ...	M	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	2	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
23 Nephritis and Bright's disease.	M	33	—	—	1	—	—	5	15	12	21	—	—	—	—	1	4	9	7		
	F	27	—	—	—	2	1	6	5	13	42	—	—	—	—	2	7	18	15		
24 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	2	1	—	—		
25 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	11	—	—	—	—	1	9	1	—	7	—	—	—	—	—	7	—	—		
26 Congenital debility, &c.	M	59	58	—	—	1	—	—	—	—	67	66	—	1	—	—	—	—	—		
	F	45	43	—	1	1	—	—	—	—	40	40	—	—	—	—	—	—	—		
27 Violence, apart from suicide.	M	27	2	—	2	1	3	12	6	1	35	7	—	3	5	2	10	8	—		
	F	17	4	—	1	1	2	1	2	6	25	6	2	1	1	2	4	6	3		
28 Suicide ...	M	12	—	—	—	—	2	3	7	—	8	—	—	—	—	—	2	3	3		
	F	2	—	—	—	—	—	1	1	—	6	—	—	—	—	1	3	2	—		
29 Other defined diseases ...	M	263	25	4	1	8	4	36	70	115	206	23	3	6	5	4	25	61	79		
	F	283	18	2	2	6	2	36	54	163	234	21	2	—	2	8	31	46	124		
30 Causes ill-defined or unknown.	M	5	1	2	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—		
	F	1	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1912—*cont.*

Causes of Death.	Sex.	ST. PANCRAS.										SHOREDITCH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,709	266	87	67	50	50	275	477	437	1,101	270	96	70	38	40	174	231	182		
	F	1,508	209	70	71	40	50	227	336	505	935	178	91	65	42	31	108	202	218		
1 Enteric fever ...	M	3	—	—	—	—	2	—	1	—	2	—	—	1	—	—	—	1	—		
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	1	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	62	11	32	16	3	—	—	—	—	74	15	28	28	3	—	—	—	—		
	F	33	2	12	18	1	—	—	—	—	47	3	21	21	2	—	—	—	—		
4 Scarlet fever ...	M	3	—	—	1	2	—	—	—	—	3	—	2	—	—	1	—	—	—		
	F	2	—	1	1	—	—	—	—	—	2	—	1	1	—	—	—	—	—		
5 Whooping cough ...	M	22	12	8	1	1	—	—	—	—	24	12	10	1	1	—	—	—	—		
	F	23	9	8	5	1	—	—	—	—	23	9	11	3	—	—	—	—	—		
6 Diphtheria and croup ...	M	15	—	5	6	4	—	—	—	—	12	3	1	7	1	—	—	—	—		
	F	14	1	1	7	5	—	—	—	—	7	—	3	2	2	—	—	—	—		
7 Influenza ...	M	9	—	—	1	—	—	1	6	1	4	2	1	—	—	—	—	1	—		
	F	6	—	—	—	—	—	1	1	4	8	1	—	1	—	1	1	2	2		
8 Erysipelas ...	M	5	—	—	—	—	—	—	1	4	5	—	—	—	—	—	1	1	3		
	F	4	—	—	—	—	—	1	1	2	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	221	1	1	5	4	19	90	85	16	169	1	5	2	5	15	79	55	7		
	F	126	—	2	—	4	20	60	34	6	66	1	1	5	1	8	28	18	4		
10 Tuberculous meningitis	M	18	5	3	6	3	1	—	—	—	18	6	4	5	3	—	—	—	—		
	F	19	5	5	8	1	—	—	—	—	22	6	5	6	3	2	—	—	—		
11 Other tuberculous diseases.	M	15	2	—	2	3	1	2	5	—	10	2	3	3	2	—	—	—	—		
	F	18	3	—	3	3	2	2	2	3	11	1	3	—	3	1	1	2	—		
12 Cancer, malignant disease	M	117	—	—	—	—	1	12	56	48	39	—	—	—	1	—	4	20	14		
	F	145	—	—	—	1	2	19	61	62	52	—	—	—	1	1	10	23	17		
13 Rheumatic fever ...	M	6	—	—	—	3	—	1	2	—	2	—	—	—	1	—	—	1	—		
	F	2	—	—	—	—	—	1	1	—	1	—	—	—	1	—	—	—	—		
14 Meningitis ...	M	16	2	3	1	6	1	1	2	—	7	4	—	1	1	—	—	1	—		
	F	13	7	3	1	2	—	—	—	—	3	1	1	—	1	—	—	—	—		
15 Organic heart disease ...	M	145	—	—	—	1	4	24	52	64	63	—	—	—	1	7	16	26	13		
	F	177	—	—	—	2	2	25	63	85	78	—	—	—	9	5	18	26	20		
16 Bronchitis ...	M	99	7	3	1	—	—	8	21	59	87	12	3	—	1	2	8	24	37		
	F	139	11	3	2	—	—	3	25	95	106	9	7	1	1	1	5	34	48		
17 Pneumonia (all forms)	M	158	40	21	13	2	3	21	37	21	106	26	19	8	6	4	17	20	6		
	F	131	27	22	16	5	2	15	22	22	83	16	20	12	3	2	10	14	6		
18 Other respiratory diseases	M	36	1	—	1	1	2	4	12	15	18	4	1	1	1	—	—	6	5		
	F	26	2	2	1	1	2	4	7	7	10	—	—	—	1	—	—	4	5		
19 Diarrhoea, &c. ...	M	30	17	2	1	—	—	5	1	4	61	49	8	2	—	—	—	2	—		
	F	25	17	1	1	—	—	3	1	2	46	33	7	4	—	—	1	—	1		
20 Appendicitis and typhlitis	M	9	—	—	—	1	3	3	1	1	5	—	—	—	3	1	1	—	—		
	F	6	—	—	—	3	1	1	1	—	3	—	—	—	2	—	1	—	—		
21 Cirrhosis of liver ...	M	25	—	—	—	—	—	5	18	2	10	—	—	—	—	—	1	8	1		
	F	28	—	—	—	—	—	8	18	2	13	—	—	—	—	—	5	8	—		
21A Alcoholism ...	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	—	5	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	72	—	—	—	—	1	10	27	34	43	—	—	1	1	—	9	18	14		
	F	47	—	—	—	—	2	9	16	20	38	—	—	—	—	—	4	24	10		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	3	4	—	—	4	—	—	—	—	1	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	10	—	—	—	—	4	6	—	—	4	—	—	—	—	—	3	1	—		
25 Congenital debility, &c.	M	106	106	—	—	—	—	—	—	—	91	91	—	—	—	—	—	—	—		
	F	77	76	—	1	—	—	—	—	—	61	59	1	1	—	—	—	—	—		
26 Violence, apart from suicide.	M	79	12	3	8	7	2	20	18	9	46	11	3	5	3	3	8	3	10		
	F	39	9	3	6	3	—	6	2	10	42	14	4	3	7	3	—	4	7		
27 Suicide ...	M	28	—	—	—	—	—	11	14	3	9	—	—	—	—	—	3	6	—		
	F	7	—	—	—	—	—	4	2	1	2	—	—	—	—	—	1	1	—		
28 Other defined diseases ...	M	407	50	6	3	9	10	55	118	156	192	32	7	5	4	7	27	38	72		
	F	375	40	6	1	8	10	49	78	183	198	25	4	5	5	5	16	41	97		
29 Causes ill-defined or unknown.	M	1	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	2	—	1	—	—	—	—	—	1	2	—	2	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1912—cont

Causes of Death.			Sex.	SOUTHWARK.										STEPNEY.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	1,725	328	112	79	71	54	262	460	359	2,319	524	165	108	71	80	324	649	398		
			F	1,496	270	99	72	42	75	220	339	379	1,965	389	145	99	84	80	275	442	451		
1 Enteric fever	M	1	—	—	—	—	—	1	—	—	5	—	—	—	1	2	2	—	—		
			F	3	—	—	—	—	1	1	1	—	4	—	—	—	1	—	2	1	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	73	13	31	25	4	—	—	—	—	96	18	51	25	2	—	—	—	—		
			F	67	18	30	17	2	—	—	—	—	78	15	40	22	1	—	—	—	—		
4 Scarlet fever	M	3	—	—	2	—	1	—	—	—	4	1	1	2	—	—	—	—	—		
			F	3	—	—	1	1	1	—	—	—	9	—	1	5	3	—	—	—	—		
5 Whooping cough	M	25	10	8	6	1	—	—	—	—	51	31	12	8	—	—	—	—	—		
			F	26	12	9	4	1	—	—	—	—	46	23	14	7	2	—	—	—	—		
6 Diphtheria and croup			M	11	2	3	1	5	—	—	—	—	21	6	7	6	2	—	—	—	—		
			F	16	—	2	6	8	—	—	—	—	6	1	2	3	—	—	—	—	—		
7 Influenza	M	8	—	1	—	—	—	3	3	1	19	—	1	1	—	1	1	6	9		
			F	4	1	—	—	—	—	—	1	2	13	—	—	—	—	—	1	7	5		
8 Erysipelas	M	7	—	—	—	—	—	2	3	2	5	—	—	—	—	—	1	1	3		
			F	9	1	—	—	—	1	3	1	3	4	1	1	—	—	1	—	—	1		
9 Pulmonary tuberculosis			M	217	3	2	3	8	15	105	75	6	300	4	1	4	6	15	124	121	25		
			F	147	4	3	4	5	33	59	36	3	177	1	1	3	12	27	79	46	8		
10 Tuberculous meningitis			M	21	3	5	6	5	2	—	—	—	25	5	3	7	8	2	—	—	—		
			F	17	5	3	5	3	—	1	—	—	25	4	6	5	10	—	—	—	—		
11 Other tuberculous diseases.			M	31	9	1	3	6	3	3	3	3	28	4	3	5	4	5	2	2	3		
			F	15	2	2	5	1	2	1	2	—	19	4	3	7	3	2	—	—	—		
12 Cancer, malignant disease			M	106	—	—	—	—	1	4	67	34	119	—	—	1	—	2	12	60	44		
			F	115	—	—	—	—	1	28	47	39	121	—	—	1	1	3	31	54	31		
13 Rheumatic fever	M	4	—	—	—	2	—	1	1	—	5	—	—	1	2	—	—	1	1		
			F	3	—	—	1	—	1	—	1	—	10	—	—	2	5	3	—	—	—		
14 Meningitis	M	8	3	1	3	—	1	—	—	—	24	5	4	5	4	2	2	2	—		
			F	9	1	2	4	1	1	—	—	—	11	5	1	2	1	—	2	—	—		
15 Organic heart disease	M	88	—	—	1	2	6	16	31	32	132	—	1	—	9	12	21	59	30		
			F	120	—	—	—	5	10	30	41	34	189	—	—	—	13	6	37	74	59		
16 Bronchitis	M	132	17	5	3	3	1	4	35	64	194	23	8	1	—	2	12	70	78		
			F	158	21	7	1	—	1	6	33	89	187	22	3	2	2	—	4	53	101		
17 Pneumonia (all forms)			M	198	50	27	14	3	6	24	57	17	285	61	52	22	5	3	31	82	29		
			F	129	45	17	13	1	3	13	21	16	232	58	43	25	5	5	25	38	33		
18 Other respiratory diseases			M	31	4	1	1	—	—	6	13	6	29	3	1	3	—	1	7	9	5		
			F	19	2	1	3	—	—	3	5	5	16	1	1	3	—	—	3	4	4		
19 Diarrhoea, &c.	M	69	48	9	1	—	—	4	6	1	103	85	6	2	1	—	3	5	1		
			F	54	38	9	1	—	2	—	1	3	68	52	12	—	1	—	—	1	2		
20 Appendicitis and typhlitis			M	2	—	—	—	2	—	—	—	—	5	—	—	—	1	1	2	—	1		
			F	9	—	—	—	1	1	4	2	1	8	—	—	—	3	1	1	3	—		
21 Cirrhosis of liver	M	18	—	—	—	—	—	4	13	1	12	—	—	—	—	1	3	6	2		
			F	19	—	—	—	—	—	4	12	3	18	—	—	—	—	—	5	10	3		
21A Alcoholism	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
			F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
22 Nephritis and Bright's disease.			M	70	—	—	—	1	—	15	34	20	71	—	—	—	1	1	8	47	14		
			F	73	—	—	—	—	2	12	34	25	59	—	—	—	1	5	14	27	12		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	6	—	—	—	—	—	6	—	—	12	—	—	—	—	2	10	—	—		
24 Parturition, apart from puerperal fever.			M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	8	—	—	—	—	2	6	—	—	12	—	—	—	—	6	6	—	—		
25 Congenital debility, &c.			M	113	113	—	—	—	—	—	—	—	165	163	1	1	—	—	—	—	—		
			F	84	83	1	—	—	—	—	—	—	121	120	1	—	—	—	—	—	—		
26 Violence, apart from suicide.			M	92	12	3	6	20	6	16	18	11	117	23	1	8	16	12	24	24	9		
			F	54	14	3	4	2	4	6	10	11	76	20	5	8	6	4	4	13	16		
27 Suicide	M	15	—	—	—	—	—	9	5	1	17	—	—	—	—	—	7	9	1		
			F	3	—	—	—	—	—	1	1	1	6	—	—	—	—	1	5	—	—		
28 Other defined diseases			M	377	41	12	4	9	12	44	95	160	485	92	12	6	9	18	60	145	143		
			F	321	23	9	2	11	9	35	89	143	434	62	8	4	14	14	46	110	176		
29 Causes ill-defined or unknown.			M	4	—	3	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—		
			F	4	—	1	1	—	—	—	1	1	3	—	3	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH--1912--cont.

Causes of Death.		Sex.	STOKE NEWINGTON.										WANDSWORTH.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES		M	292	48	12	7	7	9	35	69	105	1,730	290	56	49	75	71	232	485	472		
		F	333	27	6	9	10	9	47	82	143	1,636	232	65	53	53	61	217	342	613		
1 Enteric fever		M	—	—	—	—	—	—	—	—	—	4	—	—	1	—	—	2	1	—		
		F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	2	3	—	—		
2 Small-pox		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles		M	4	1	2	1	—	—	—	—	—	21	3	7	9	2	—	—	—	—		
		F	1	1	—	—	—	—	—	—	—	30	4	14	9	3	—	—	—	—		
4 Scarlet fever		M	1	1	—	—	—	—	—	—	—	5	—	—	1	4	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	6	—	—	2	4	—	—	—	—		
5 Whooping cough		M	—	—	—	—	—	—	—	—	—	28	13	12	3	—	—	—	—	—		
		F	3	1	—	2	—	—	—	—	—	33	16	8	9	—	—	—	—	—		
6 Diphtheria and croup		M	—	—	—	—	—	—	—	—	—	11	—	1	6	2	—	1	—	1		
		F	—	—	—	—	—	—	—	—	—	8	—	2	2	4	—	—	—	—		
7 Influenza		M	3	—	—	—	—	—	—	1	2	22	2	1	—	—	3	2	6	8		
		F	3	—	—	—	—	—	—	1	2	22	—	—	1	—	1	1	9	10		
8 Erysipelas		M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	1	1		
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	—	2		
9 Pulmonary tuberculosis		M	26	—	—	—	1	5	9	8	3	187	—	1	1	7	24	82	63	9		
		F	21	—	—	—	—	2	8	8	3	125	1	1	1	5	22	56	28	11		
10 Tuberculous meningitis		M	4	1	2	—	—	—	1	—	—	15	2	2	2	8	—	—	1	—		
		F	3	1	1	—	1	—	—	—	—	10	1	3	2	3	—	—	1	—		
11 Other tuberculous diseases.		M	6	2	1	2	—	—	—	1	—	24	2	3	3	7	3	4	1	1		
		F	4	1	1	—	1	1	—	—	—	16	1	—	2	3	2	6	2	—		
12 Cancer, malignant disease		M	20	—	—	—	—	—	3	8	9	158	1	—	—	1	—	12	81	63		
		F	40	—	—	—	—	1	7	13	19	189	—	—	—	1	1	19	90	78		
13 Rheumatic fever		M	1	—	—	—	—	—	—	1	—	11	—	—	—	4	1	3	1	2		
		F	2	—	—	1	—	—	1	—	—	9	—	—	—	2	4	1	—	2		
14 Meningitis		M	—	—	—	—	—	—	—	—	—	10	5	1	2	—	—	1	1	—		
		F	1	—	—	—	—	1	—	—	—	7	1	1	3	1	—	1	—	—		
15 Organic heart disease		M	27	—	—	—	2	1	1	9	14	145	—	—	—	3	7	17	58	60		
		F	49	—	—	—	5	—	5	17	22	172	—	—	—	6	4	19	45	98		
16 Bronchitis		M	24	2	1	—	—	—	1	3	17	105	27	1	2	1	—	3	26	45		
		F	26	—	—	—	—	—	1	3	22	129	19	3	—	1	—	4	23	79		
17 Pneumonia		M	24	2	5	4	—	—	1	8	4	129	30	17	3	4	5	24	33	13		
		F	19	3	4	—	2	—	3	2	5	106	25	19	14	—	1	11	15	21		
18 Other respiratory diseases		M	3	—	—	—	—	—	—	1	2	32	1	—	1	1	1	2	13	13		
		F	5	1	—	—	—	1	1	1	1	23	1	—	1	2	—	1	7	11		
19 Diarrhoea, &c.		M	7	3	—	—	—	1	1	1	1	55	38	7	—	—	—	4	6	—		
		F	3	—	—	1	—	—	—	1	1	47	26	4	—	1	—	4	7	5		
20 Appendicitis and typhlitis		M	1	—	—	—	—	—	1	—	—	13	—	—	1	5	2	2	2	1		
		F	2	—	—	1	1	—	—	—	—	16	—	—	—	2	4	4	4	2		
21 Cirrhosis of liver		M	5	—	—	—	—	—	2	2	1	25	—	—	—	—	—	1	16	8		
		F	6	—	—	—	—	—	1	4	1	16	—	—	—	—	1	1	6	8		
21A Alcoholism		M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—		
22 Nephritis and Bright's disease.		M	14	—	—	—	—	—	1	6	7	68	2	—	—	2	—	5	34	25		
		F	8	—	—	1	—	—	2	4	1	30	—	—	—	—	1	2	12	15		
23 Puerperal fever... ..		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	2	—	—	—	—	1	1	—	—	13	—	—	—	—	1	12	—	—		
24 Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	5	—	—	—	—	—	5	—	—	15	—	—	—	—	4	11	—	—		
25 Congenital debility, &c.		M	23	23	—	—	—	—	—	—	—	116	113	—	1	1	—	1	—	—		
		F	12	12	—	—	—	—	—	—	—	96	95	—	1	—	—	—	—	—		
26 Violence, apart from suicide.		M	7	2	—	—	1	—	1	1	2	57	1	—	4	7	12	14	16	3		
		F	7	—	—	1	—	—	—	4	2	22	4	—	2	1	3	5	1	6		
27 Suicide		M	3	—	—	—	—	1	1	1	—	23	—	—	—	—	1	5	12	5		
		F	3	—	—	—	—	—	3	—	—	13	—	—	—	—	1	4	7	1		
28 Other defined diseases		M	88	11	1	—	3	1	12	17	43	457	50	2	9	15	12	47	110	212		
		F	107	6	—	2	—	2	9	24	64	470	37	9	4	14	9	50	83	264		
29 Causes ill-defined or unknown.		M	—	—	—	—	—	—	—	—	—	6	—	1	—	1	—	—	2	2		
		F	1	1	—	—	—	—	—	—	—	3	1	1	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGHS—1912—*cont.*

Causes of Death.	Sex.	WESTMINSTER.										WOOLWICH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,069	109	22	19	26	32	179	351	331	794	123	44	23	30	42	124	214	194		
	F	955	91	21	26	23	22	127	261	384	662	85	28	31	24	23	80	160	231		
1 Enteric fever ...	M	3	—	—	—	—	—	3	—	—	1	—	—	—	—	—	1	—	—		
	F	2	—	—	—	—	1	1	—	—	1	—	—	—	1	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	19	3	9	6	1	—	—	—	—	16	4	6	6	—	—	—	—	—		
	F	18	2	5	9	2	—	—	—	—	16	1	3	11	1	—	—	—	—		
4 Scarlet fever ...	M	2	—	—	—	2	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	2	—	1	—	1	—	—	—	—	3	1	—	2	—	—	—	—	—		
5 Whooping cough ...	M	5	5	—	—	—	—	—	—	—	16	6	9	—	1	—	—	—	—		
	F	11	4	4	3	—	—	—	—	—	15	7	4	4	—	—	—	—	—		
6 Diphtheria and croup ...	M	6	—	—	2	4	—	—	—	—	9	—	3	3	2	—	—	1	—		
	F	6	—	2	1	2	—	1	—	—	11	1	—	5	5	—	—	—	—		
7 Influenza ...	M	7	—	—	—	—	1	2	2	2	12	—	—	—	—	1	1	4	6		
	F	8	—	—	—	—	—	—	2	6	18	2	—	—	—	—	1	5	10		
8 Erysipelas ...	M	7	2	—	—	—	—	1	3	1	3	—	—	—	1	—	—	1	1		
	F	4	1	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	136	—	—	1	5	10	65	39	16	94	—	1	1	3	22	36	28	3		
	F	58	2	—	1	5	8	20	19	3	35	1	2	—	2	5	20	4	1		
10 Tuberculous meningitis	M	9	3	2	1	1	—	2	—	—	15	5	2	2	4	2	—	—	—		
	F	7	1	2	2	2	—	—	—	—	9	—	3	3	3	—	—	—	—		
11 Other tuberculous diseases.	M	7	—	1	—	1	—	2	1	2	12	—	2	3	2	1	4	—	—		
	F	8	2	—	1	1	1	2	—	1	10	1	2	—	—	4	3	—	—		
12 Cancer, malignant disease	M	91	—	—	—	—	—	4	47	40	61	—	—	—	—	1	7	30	23		
	F	136	—	—	1	—	—	15	65	55	63	—	—	—	—	—	2	42	19		
13 Rheumatic fever ...	M	2	—	—	—	—	1	—	—	1	1	—	—	—	—	—	1	—	—		
	F	2	—	—	—	1	1	—	—	—	2	—	—	—	—	—	1	—	1		
14 Meningitis ...	M	5	2	—	1	—	—	1	1	—	7	2	1	3	1	—	—	—	—		
	F	3	—	—	1	1	—	—	1	—	8	3	1	—	3	1	—	—	—		
15 Organic heart disease ...	M	93	—	—	—	1	3	11	38	40	88	—	—	—	3	1	12	40	32		
	F	92	—	—	—	2	2	9	31	48	86	—	—	—	—	4	12	29	41		
16 Bronchitis ...	M	75	5	1	1	—	—	3	22	43	55	17	3	1	—	—	—	8	26		
	F	96	5	—	—	—	—	3	17	71	50	7	4	2	—	—	—	8	29		
17 Pneumonia (all forms)	M	83	10	3	2	1	—	16	26	25	63	14	10	2	1	1	8	19	8		
	F	61	13	4	1	—	1	11	14	17	30	6	6	2	2	—	2	5	7		
18 Other respiratory diseases	M	20	—	—	—	—	—	5	8	7	10	2	1	—	—	—	—	3	4		
	F	14	—	—	—	—	—	3	2	9	13	—	—	1	—	1	3	2	6		
19 Diarrhoea, &c. ...	M	32	21	4	—	—	—	1	5	1	13	9	—	—	—	—	—	3	1		
	F	20	13	—	2	—	—	1	1	3	7	1	—	—	—	—	2	3	1		
20 Appendicitis and typhlitis	M	6	—	—	—	—	1	2	3	—	12	—	—	—	3	5	3	1	—		
	F	11	—	—	—	1	—	3	7	—	7	—	—	1	1	2	1	1	1		
21 Cirrhosis of liver ...	M	23	—	—	—	—	—	1	15	7	7	—	—	—	—	—	1	4	2		
	F	15	—	—	—	—	—	2	10	3	8	—	—	—	—	—	3	4	1		
21A Alcoholism ...	M	2	—	—	—	—	—	—	1	1	2	—	—	—	—	—	2	—	—		
	F	3	—	—	—	—	—	—	3	—	1	—	—	—	—	—	1	—	—		
22 Nephritis and Bright's disease.	M	34	1	—	—	—	1	5	18	9	34	—	—	—	1	1	5	12	15		
	F	32	—	—	—	—	1	10	7	14	21	—	—	—	—	1	4	9	7		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	—	—	9	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	2	1	—	3	—	—	—	—	—	3	—	—		
25 Congenital debility, &c.	M	35	35	—	—	—	—	—	—	—	43	43	—	—	—	—	—	—	—		
	F	30	30	—	—	—	—	—	—	—	36	36	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	42	3	—	2	5	6	11	14	1	21	2	1	—	4	2	6	2	4		
	F	26	1	2	3	1	1	5	5	8	12	2	—	—	—	1	1	1	7		
27 Suicide ...	M	16	—	—	—	—	1	5	9	1	7	—	—	—	—	—	5	2	—		
	F	7	—	—	—	—	—	4	3	—	1	—	—	—	—	—	—	—	1		
28 Other defined diseases ...	M	308	19	2	3	5	8	39	99	133	189	19	5	1	4	5	31	55	69		
	F	268	15	1	1	4	6	24	73	144	195	16	3	—	6	4	20	47	99		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—		
	F	3	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912.

Causes of Death.		Sex.	BARROW IN FURNESS.										BATH.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...		M	501	95	32	22	30	32	80	110	100	436	52	16	15	14	17	48	104	170		
		F	439	83	24	29	33	24	51	95	100	465	38	7	11	8	17	31	96	257		
1	Enteric fever ...	M	5	—	—	—	—	1	2	2	—	—	—	—	—	—	—	—	—	—		
		F	2	—	—	—	1	1	—	—	—	2	—	—	—	1	—	1	—	—		
2	Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles ...	M	23	7	8	5	3	—	—	—	—	12	—	5	4	3	—	—	—	—		
		F	20	6	5	6	3	—	—	—	—	5	1	—	4	—	—	—	—	—		
4	Scarlet fever ...	M	1	—	1	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—		
		F	2	—	—	—	1	—	1	—	—	1	—	—	1	—	—	—	—	—		
5	Whooping cough ...	M	17	7	8	2	—	—	—	—	—	6	2	3	1	—	—	—	—	—		
		F	15	7	2	5	1	—	—	—	—	6	1	4	1	—	—	—	—	—		
6	Diphtheria and croup ...	M	15	1	2	6	6	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	14	—	2	5	7	—	—	—	—	1	—	—	1	—	—	—	—	—		
7	Influenza ...	M	5	—	—	—	—	—	1	1	3	3	—	—	—	—	1	—	2	5		
		F	—	—	—	—	—	—	—	—	—	9	1	—	—	2	—	1	—	—		
8	Erysipelas ...	M	3	1	—	—	—	—	1	—	1	3	—	—	1	—	—	—	2	—		
		F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—		
9	Pulmonary tuberculosis	M	29	—	—	—	1	7	15	4	2	33	—	—	—	1	9	14	8	1		
		F	28	—	1	—	4	8	11	4	—	30	—	—	—	6	14	9	1	—		
10	Tuberculous meningitis	M	1	—	—	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—		
		F	2	—	—	1	1	—	—	—	—	2	—	—	—	1	1	—	—	—		
11	Other tuberculous diseases.	M	12	—	2	2	5	2	1	—	—	3	1	—	—	1	—	—	—	—		
		F	3	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—		
12	Cancer, malignant disease	M	23	—	—	—	—	—	2	17	4	42	—	1	—	—	—	1	18	22		
		F	38	—	—	—	—	—	8	17	13	55	—	—	—	—	—	22	33	—		
13	Rheumatic fever ...	M	1	—	—	—	—	—	—	1	—	2	—	—	—	1	—	—	—	1		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
14	Meningitis ...	M	14	2	2	3	1	3	2	1	—	2	—	—	1	—	—	—	1	—		
		F	8	2	2	2	2	—	—	—	—	2	—	—	—	1	—	—	—	1		
15	Organic heart disease ...	M	31	—	—	—	2	3	9	9	8	58	—	—	—	—	1	3	22	32		
		F	29	—	—	1	—	1	2	19	6	82	—	—	1	—	3	4	18	56		
16	Bronchitis ...	M	48	10	2	—	1	—	—	14	21	27	1	1	1	—	—	—	1	23		
		F	43	8	4	2	3	—	—	8	18	32	1	—	1	—	—	—	2	28		
17	Pneumonia (all forms)	M	45	4	2	2	2	9	13	10	3	26	4	2	3	—	1	2	5	9		
		F	27	10	4	3	1	2	2	1	4	23	7	1	—	2	—	1	1	11		
18	Other respiratory diseases	M	12	1	—	—	—	—	2	7	2	5	—	—	—	—	1	—	3	1		
		F	11	—	—	—	—	1	5	5	—	6	—	—	—	—	—	1	2	3		
19	Diarrhoea, &c. ...	M	12	5	1	—	1	1	2	1	1	11	5	2	—	—	—	2	—	2		
		F	12	8	—	1	1	—	—	1	1	7	4	—	—	—	—	3	—	—		
20	Appendicitis and typhlitis	M	4	—	—	—	1	1	1	1	—	3	—	—	—	2	—	—	1	—		
		F	6	—	—	—	4	—	2	—	—	5	—	—	—	2	—	1	1	1		
21	Cirrhosis of liver ...	M	4	—	—	—	—	—	1	2	1	9	—	—	—	—	—	4	3	2		
		F	3	—	—	—	—	—	—	3	—	6	—	—	—	—	—	5	—	1		
21A	Alcoholism ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.	M	8	—	—	—	1	—	2	5	—	18	—	—	—	—	—	2	6	10		
		F	12	—	1	—	—	1	3	6	1	15	—	—	—	—	—	1	4	10		
23	Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	2	—	—	—	—	1	1	—	—	3	—	—	—	1	2	—	—	—		
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	5	—	—	—	—	1	4	—	—	1	—	—	—	1	—	—	—	—		
25	Congenital debility, &c.	M	40	40	—	—	—	—	—	—	—	24	23	—	—	1	—	—	—	—		
		F	24	24	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—		
26	Violence, apart from suicide.	M	29	—	1	1	3	2	13	5	4	12	1	1	—	2	2	2	3	1		
		F	9	—	—	1	1	—	2	2	3	9	—	—	1	—	1	1	—	6		
27	Suicide ...	M	7	—	—	—	—	1	4	2	—	5	—	—	—	—	—	2	2	1		
		F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—		
28	Other defined diseases ...	M	105	16	3	—	3	2	7	26	48	128	15	1	2	1	3	14	29	63		
		F	114	17	3	1	1	6	8	26	52	144	8	1	1	2	3	5	23	101		
29	Causes ill-defined or unknown.	M	6	1	—	—	—	—	1	2	2	—	—	—	—	—	—	—	—	—		
		F	8	1	—	—	2	—	1	3	1	1	—	1	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—cont.

Causes of Death.		Sex.	BIRKENHEAD.										BIRMINGHAM.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	1,027	204	88	58	51	30	148	238	210	6,256	1466	436	394	226	189	860	1364	1321	
			F	943	164	73	48	53	34	119	192	260	5,884	1037	410	440	262	212	739	1185	1593	
1	Enteric fever	...	M	2	—	—	—	—	1	1	—	—	24	—	—	—	1	9	12	2	—	
			F	3	—	—	—	—	2	1	—	—	8	—	—	1	1	—	5	1	—	
2	Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	...	M	31	2	19	6	4	—	—	—	—	322	60	113	119	30	—	—	—	—	
			F	24	5	13	5	1	—	—	—	—	268	33	91	117	27	—	—	—	—	
4	Scarlet fever	...	M	6	—	—	3	3	—	—	—	—	66	3	5	31	22	2	3	—	—	
			F	5	—	1	1	3	—	—	—	—	91	2	6	51	30	—	2	—	—	
5	Whooping cough	...	M	25	10	8	7	—	—	—	—	—	150	75	49	25	1	—	—	—	—	
			F	25	10	8	7	—	—	—	—	—	181	80	57	39	5	—	—	—	—	
6	Diphtheria and croup	...	M	9	1	2	2	4	—	—	—	—	60	2	6	30	20	1	—	1	—	
			F	13	1	2	2	7	—	1	—	—	44	—	6	19	17	2	—	—	—	
7	Influenza	...	M	2	—	—	—	—	—	2	—	—	58	2	4	—	2	4	12	21	13	
			F	9	—	—	—	1	—	1	2	5	42	1	1	—	1	2	7	15	15	
8	Erysipelas	...	M	2	1	—	—	—	—	1	—	—	14	4	—	—	—	—	2	4	4	
			F	3	1	—	—	—	—	2	—	—	9	3	—	1	—	—	1	2	2	
9	Pulmonary tuberculosis	{	M	81	1	—	2	3	12	31	25	7	657	6	8	4	14	79	334	185	27	
			F	69	—	2	—	5	16	34	12	—	444	4	6	9	24	82	210	91	18	
10	Tuberculous meningitis	{	M	15	3	4	4	3	—	1	—	—	48	15	7	16	6	1	3	—	—	
			F	13	3	2	3	5	—	—	—	—	47	6	7	16	13	4	1	—	—	
11	Other tuberculous diseases.	{	M	22	2	6	4	2	—	6	2	—	65	18	10	6	7	6	11	3	4	
			F	16	2	2	2	2	1	3	2	2	42	7	8	7	9	2	4	3	2	
12	Cancer, malignant disease	{	M	58	—	—	—	—	1	4	31	22	356	1	—	1	1	5	34	191	123	
			F	74	—	—	—	—	—	—	12	39	23	452	—	1	1	2	—	64	219	165
13	Rheumatic fever	...	M	2	—	—	—	—	1	1	—	—	18	—	—	2	7	1	7	1	—	
			F	3	—	—	—	—	—	3	—	—	31	—	—	—	10	7	9	4	1	
14	Meningitis	...	M	12	2	1	2	5	1	—	1	—	77	33	17	12	6	1	5	3	—	
			F	11	3	1	2	3	2	—	—	—	68	20	10	22	3	5	4	4	—	
15	Organic heart disease	...	M	76	—	—	1	1	5	13	35	21	356	—	1	2	12	10	48	165	118	
			F	82	1	—	1	6	5	13	26	30	505	—	—	—	14	27	77	190	197	
16	Bronchitis	...	M	80	12	7	1	—	—	6	26	28	524	97	39	9	3	—	24	128	224	
			F	83	13	1	1	—	—	1	20	47	574	78	34	7	4	1	14	145	291	
17	Pneumonia (all forms)	{	M	131	20	22	15	8	2	29	25	10	567	155	105	62	20	10	71	85	59	
			F	87	16	21	13	7	1	12	8	9	494	107	106	80	22	13	46	60	60	
18	Other respiratory diseases	{	M	18	3	1	1	—	—	3	4	6	98	6	5	9	2	2	13	41	20	
			F	19	1	1	1	1	—	—	4	6	5	72	4	4	8	3	2	6	23	22
19	Diarrhoea, &c.	...	M	52	36	10	2	—	—	1	1	2	195	126	16	11	2	2	8	14	16	
			F	24	10	9	3	—	—	—	1	1	158	77	22	12	3	3	9	13	19	
20	Appendicitis and typhlitis	{	M	6	—	—	1	1	—	2	1	1	23	—	—	2	4	2	9	5	1	
			F	3	—	—	—	2	1	—	—	—	—	24	—	—	1	9	3	7	1	3
21	Cirrhosis of liver	...	M	10	—	—	—	—	—	2	5	3	47	—	—	—	—	—	7	26	14	
			F	8	—	—	—	—	—	2	4	2	45	—	—	—	—	—	13	26	6	
21A	Alcoholism	...	M	—	—	—	—	—	—	—	—	—	10	—	—	—	—	—	5	5	—	
			F	2	—	—	—	—	—	1	1	—	5	—	—	—	—	—	3	2	—	
22	Nephritis and Bright's disease.	{	M	26	—	—	1	2	1	3	11	8	173	1	—	1	2	5	32	67	65	
			F	16	—	1	—	1	—	—	3	6	5	154	1	—	4	5	5	31	49	59
23	Puerperal fever...	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	3	—	—	—	—	2	1	—	—	29	—	—	—	—	5	24	—	—	
24	Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	5	—	—	—	—	—	—	5	—	—	46	—	—	—	—	8	37	1	—
25	Congenital debility, &c.	{	M	73	72	—	—	1	—	—	—	—	552	549	1	1	—	—	1	—	—	
			F	65	62	—	1	1	—	—	1	—	—	408	404	2	1	—	1	—	—	—
26	Violence, apart from suicide.	{	M	41	4	—	4	4	2	10	16	1	248	56	11	28	25	14	44	46	24	
			F	22	4	1	2	4	—	—	1	5	5	152	53	4	20	24	5	11	6	29
27	Suicide	...	M	4	—	—	—	—	1	1	2	—	47	—	—	—	—	1	15	24	7	
			F	2	—	—	—	—	—	—	2	—	18	—	—	—	—	3	7	8	—	
28	Other defined diseases	...	M	243	35	8	2	10	3	33	51	101	1,409	255	29	16	37	34	141	313	584	
			F	249	32	6	2	4	4	18	57	126	1,398	157	33	19	35	32	133	284	705	
29	Causes ill-defined or unknown.	{	M	—	—	—	—	—	—	—	—	—	92	2	10	7	2	—	19	34	18	
			F	5	—	2	2	—	—	—	—	1	—	75	—	12	5	1	—	14	38	5

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—*cont.*

Causes of Death.	Sex.	BLACKBURN.										BLACKPOOL.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	957	183	41	32	28	42	144	269	218	383	49	7	8	14	8	46	134	117		
	F	984	145	49	34	20	40	144	257	295	372	37	11	4	6	8	61	99	146		
1 Enteric fever ...	M	6	—	—	—	—	1	5	—	—	1	—	—	—	—	—	1	—	—		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	2	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	27	7	10	8	2	—	—	—	—	3	2	1	—	—	—	—	—	—		
	F	29	6	13	8	1	—	1	—	—	1	1	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	3	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
5 Whooping cough ...	M	10	7	3	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
	F	17	7	5	5	—	—	—	—	—	2	—	2	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	3	—	—	3	—	—	—	—	—	4	—	1	1	2	—	—	—	—		
	F	5	—	—	4	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
7 Influenza ...	M	8	—	—	—	—	—	2	3	3	4	—	—	—	—	—	—	1	3		
	F	14	—	—	—	—	3	2	4	5	4	—	—	—	—	—	1	1	2		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	2	—	—	—	1	—	—	1	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	70	1	1	2	2	10	32	22	—	35	1	1	—	—	2	17	14	—		
	F	48	—	—	—	3	17	21	7	—	20	—	1	—	1	5	11	2	—		
10 Tuberculous meningitis	M	5	1	—	1	2	1	—	—	—	3	1	—	1	1	—	—	—	—		
	F	3	1	—	1	—	—	—	1	—	2	1	—	1	—	—	—	—	—		
11 Other tuberculous diseases.	M	15	5	2	1	2	3	2	—	—	7	—	—	—	3	—	2	2	—		
	F	10	2	—	—	2	1	3	—	2	5	1	2	1	—	—	—	1	—		
12 Cancer, malignant disease	M	52	—	—	—	—	—	6	30	16	27	—	—	—	—	—	3	15	9		
	F	79	—	—	—	—	1	14	37	27	42	—	—	—	—	—	5	25	12		
13 Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
	F	3	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	10	3	1	2	1	—	2	1	—	1	—	—	1	—	—	—	—	—		
	F	12	2	3	—	3	1	1	—	2	1	—	1	—	—	—	—	—	—		
15 Organic heart disease ...	M	69	—	—	—	2	2	11	34	20	44	—	—	1	—	—	3	17	23		
	F	114	—	—	—	1	5	18	45	45	52	—	—	—	1	1	7	22	21		
16 Bronchitis ...	M	101	12	3	1	—	2	6	31	46	21	2	—	2	—	—	—	5	12		
	F	108	15	8	2	—	2	6	30	45	35	3	—	—	—	—	2	2	28		
17 Pneumonia (all forms)	M	108	20	9	5	2	5	27	31	9	16	4	1	1	—	—	3	4	3		
	F	71	14	7	5	2	2	6	20	15	15	1	1	1	—	—	3	3	6		
18 Other respiratory diseases	M	22	2	1	4	1	2	4	4	4	6	—	—	1	—	—	1	4	—		
	F	7	—	—	—	1	—	1	4	1	3	—	—	—	—	—	2	1	—		
19 Diarrhoea, &c. ...	M	21	15	2	—	—	—	1	1	2	4	2	—	—	—	—	—	—	2		
	F	22	16	3	1	—	—	1	—	1	7	5	—	—	—	—	1	—	1		
20 Appendicitis and typhlitis	M	8	—	—	—	2	3	2	—	1	4	—	—	—	1	2	—	1	—		
	F	4	—	—	—	—	1	3	—	—	3	—	—	—	1	—	2	—	—		
21 Cirrhosis of liver ...	M	5	—	—	—	—	—	1	3	1	5	—	—	—	1	—	—	3	1		
	F	4	—	—	—	—	—	2	1	1	4	—	—	—	—	—	2	2	2		
21A Alcoholism ...	M	2	—	—	—	—	—	—	2	—	2	—	—	—	—	—	2	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
22 Nephritis and Bright's disease.	M	21	—	—	—	—	1	4	13	3	17	—	—	—	—	1	1	9	6		
	F	42	—	—	—	1	—	10	14	17	14	—	—	—	—	—	6	3	5		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	—	—	5	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	—	7	—	—	3	—	—	—	—	1	2	—	—		
25 Congenital debility, &c.	M	66	65	—	—	—	1	—	—	—	20	20	—	—	—	—	—	—	—		
	F	56	56	—	—	—	—	—	—	—	17	17	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	38	1	2	3	7	7	2	14	2	12	2	—	—	3	—	2	4	1		
	F	22	2	3	5	1	1	3	3	4	7	—	2	—	2	—	3	—	—		
27 Suicide ...	M	10	—	—	—	—	—	4	5	1	5	—	—	—	—	2	—	2	1		
	F	3	—	—	—	—	—	3	—	—	2	—	—	—	—	—	1	1	—		
28 Other defined diseases ...	M	264	43	4	1	5	4	32	69	106	130	14	3	—	2	1	9	47	54		
	F	280	24	3	3	2	6	34	79	129	117	8	1	—	1	1	11	28	67		
29 Causes ill-defined or unknown.	M	11	—	2	—	—	—	—	5	4	8	—	—	—	—	—	1	5	2		
	F	17	—	4	—	1	—	1	10	1	8	—	—	—	—	—	2	5	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—cont.

Causes of Death.		Sex.	BOLTON.										BOOTLE.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	1,235	228	58	47	51	57	169	398	287	676	136	56	43	29	35	85	168	124		
	...	F	1,222	179	46	46	53	55	162	326	355	530	103	40	44	18	32	74	115	104		
1 Enteric fever	...	M	8	—	—	—	1	—	4	3	—	1	—	—	—	—	1	—	—	—		
	...	F	4	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—		
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	...	M	20	5	8	6	1	—	—	—	—	34	3	13	14	4	—	—	—	—		
	...	F	16	3	7	5	1	—	—	—	—	29	5	12	11	1	—	—	—	—		
4 Scarlet fever	...	M	5	1	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	6	—	1	4	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
5 Whooping cough	...	M	20	9	5	5	1	—	—	—	—	10	4	1	4	1	—	—	—	—		
	...	F	22	12	5	5	—	—	—	—	—	6	4	1	1	—	—	—	—	—		
6 Diphtheria and croup	...	M	12	1	3	1	5	1	1	—	—	3	—	1	1	1	—	—	—	—		
	...	F	10	—	1	3	6	—	—	—	—	4	—	1	2	1	—	—	—	—		
7 Influenza	...	M	17	—	—	—	1	1	4	6	5	2	1	—	—	—	—	—	—	1		
	...	F	12	1	—	—	1	—	3	2	5	6	—	—	—	—	—	2	3	1		
8 Erysipelas	...	M	3	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	1		
	...	F	4	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	{	M	107	1	1	2	3	17	41	39	3	66	—	1	4	1	17	23	20	—		
		F	80	—	—	—	2	18	41	14	5	55	—	1	2	4	13	26	8	1		
10 Tuberculous meningitis	{	M	17	6	2	3	4	—	2	—	—	5	2	2	—	1	—	—	—	—		
		F	12	1	1	—	6	3	—	1	—	6	1	2	1	—	1	1	—	—		
11 Other tuberculous diseases.	{	M	17	6	—	1	3	6	—	1	—	5	1	—	1	3	—	—	—	—		
		F	11	2	—	3	2	2	1	—	1	6	1	1	1	—	2	1	—	—		
12 Cancer, malignant disease	{	M	80	—	—	—	—	—	6	42	32	35	—	—	1	—	—	2	19	13		
		F	91	—	—	—	1	1	10	52	27	44	—	—	—	—	1	6	26	11		
13 Rheumatic fever	{	M	11	—	—	—	1	—	6	4	—	1	—	—	—	1	—	—	—	—		
		F	12	—	—	—	2	1	5	3	1	3	—	—	1	—	—	2	—	—		
14 Meningitis	{	M	16	4	2	2	4	1	2	1	—	5	1	1	—	1	1	—	—	—		
		F	15	2	3	5	3	2	—	—	—	12	3	1	4	2	—	1	1	—		
15 Organic heart disease	{	M	100	—	—	—	3	9	10	55	23	51	—	—	—	2	2	11	24	12		
		F	114	—	—	1	4	5	14	55	35	40	—	—	—	1	3	7	17	12		
16 Bronchitis	{	M	147	11	6	1	—	1	8	58	62	55	14	4	—	1	—	3	12	21		
		F	149	13	4	3	1	1	9	48	70	43	13	1	2	—	2	1	11	13		
17 Pneumonia (all forms)	{	M	129	26	13	10	6	6	20	36	12	87	16	14	9	4	4	12	19	9		
		F	104	22	16	6	9	4	14	23	10	47	9	14	3	4	2	6	5	4		
18 Other respiratory diseases	{	M	27	1	1	1	2	—	3	10	9	13	1	1	3	1	—	1	4	2		
		F	15	—	—	—	2	—	3	3	7	2	—	—	—	—	—	1	1	—		
19 Diarrhoea, &c.	{	M	34	22	1	—	2	—	2	4	3	26	16	5	2	—	—	—	2	1		
		F	34	16	5	1	1	—	1	3	7	15	9	3	2	—	—	—	—	1		
20 Appendicitis and typhlitis	{	M	5	—	—	—	—	1	1	2	1	—	—	—	—	—	—	—	—	—		
		F	7	—	—	—	1	2	2	1	1	3	—	—	—	1	1	—	1	—		
21 Cirrhosis of liver	{	M	14	—	—	—	—	—	2	10	2	7	—	—	—	—	—	3	4	—		
		F	10	—	—	—	—	—	3	7	—	2	—	—	—	—	—	1	1	—		
21A Alcoholism	{	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	{	M	51	1	—	—	2	2	13	26	7	22	—	—	—	—	—	6	11	5		
		F	45	—	—	—	1	3	7	20	14	11	1	—	—	1	—	2	4	3		
23 Puerperal fever...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	16	—	—	—	—	2	14	—	—	4	—	—	—	—	—	4	—	—		
25 Congenital debility, &c.	{	M	76	73	2	1	—	—	—	—	—	44	44	—	—	—	—	—	—	—		
		F	76	76	—	—	—	—	—	—	—	39	39	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	{	M	49	—	3	4	8	5	12	12	5	33	1	—	3	5	4	6	13	1		
		F	26	2	1	5	2	4	2	2	8	15	—	1	4	2	3	2	2	1		
27 Suicide	{	M	11	—	—	—	—	—	5	5	1	6	—	—	—	—	1	3	2	—		
		F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases	{	M	308	61	10	6	4	7	23	77	120	146	29	12	—	1	5	12	30	57		
		F	319	29	1	5	7	7	25	85	160	124	16	1	5	—	4	8	35	55		
29 Causes ill-defined or unknown.	{	M	11	—	1	—	—	—	3	6	1	17	3	1	1	2	—	1	8	1		
		F	7	—	1	—	—	—	1	3	2	12	2	1	4	1	—	2	—	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—*cont.*

Causes of Death.	Sex.	BOURNEMOUTH.									BRADFORD.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	364	46	6	9	2	9	53	89	150	2,102	307	76	64	69	77	307	624	578
	F	461	38	4	5	7	21	52	115	219	2,147	254	63	57	78	100	300	546	749
1 Enteric fever ...	M	1	—	—	—	—	1	—	—	—	30	—	1	1	1	5	13	8	1
	F	1	—	—	—	—	—	—	—	1	22	—	—	1	4	1	11	5	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	1	—	—	1	—	—	—	—	—	23	7	12	3	1	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	27	11	8	6	1	—	1	—	—
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	7	—	—	5	1	1	—	—	—
	F	3	—	—	—	3	—	—	—	—	5	—	1	3	1	—	—	—	—
5 Whooping cough ...	M	1	1	—	—	—	—	—	—	—	7	2	3	2	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	8	3	3	2	—	—	—	—	—
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	26	—	2	12	12	—	—	—	—
	F	3	—	—	2	1	—	—	—	—	31	—	3	10	17	—	1	—	—
7 Influenza ...	M	10	—	—	1	—	—	1	2	6	11	1	—	—	—	—	2	3	5
	F	10	—	—	—	—	—	1	4	5	17	—	1	—	1	—	2	1	12
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	—	3	1
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	1	1
9 Pulmonary tuberculosis	M	37	1	—	—	—	3	19	13	1	217	—	—	2	6	34	91	76	8
	F	37	—	—	—	—	12	18	7	—	164	2	—	2	6	44	76	28	6
10 Tuberculous meningitis	M	5	1	1	3	—	—	—	—	—	21	3	4	7	5	—	1	1	—
	F	1	—	—	—	1	—	—	—	—	21	2	7	4	7	1	—	—	—
11 Other tuberculous diseases.	M	4	2	—	1	—	—	—	1	—	21	2	2	—	1	3	7	6	—
	F	6	2	1	—	—	1	1	—	1	26	2	3	2	3	3	8	3	2
12 Cancer, malignant disease	M	24	—	—	—	—	—	3	5	16	153	—	—	—	—	—	21	86	46
	F	69	—	—	—	—	—	4	26	39	210	—	—	—	1	—	24	106	79
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	12	—	—	—	4	2	1	4	1
	F	2	—	—	—	—	—	1	1	—	9	—	—	—	1	2	3	2	1
14 Meningitis ...	M	2	—	1	1	—	—	—	—	—	16	2	3	2	4	1	1	2	1
	F	2	1	—	—	—	—	1	—	—	16	5	2	4	2	1	—	1	1
15 Organic heart disease ...	M	31	—	—	—	—	—	1	11	19	196	—	—	1	3	6	21	93	72
	F	63	—	—	—	—	—	6	19	38	290	—	—	—	12	12	34	100	132
16 Bronchitis ...	M	24	5	—	1	—	—	—	3	15	184	24	11	6	—	1	6	49	87
	F	36	4	—	—	—	—	—	5	27	177	16	6	3	—	2	8	31	111
17 Pneumonia (all forms)	M	23	4	3	1	—	—	4	5	6	163	38	15	9	2	4	30	38	27
	F	24	5	—	2	—	1	—	7	9	133	40	18	10	4	3	15	23	20
18 Other respiratory diseases	M	9	—	—	—	—	—	2	5	2	29	—	2	1	2	1	3	6	14
	F	4	—	—	—	—	—	—	1	3	22	—	2	—	1	1	2	11	5
19 Diarrhoea, &c. ...	M	4	3	—	—	—	—	—	1	—	34	15	1	1	1	2	2	7	5
	F	7	2	1	—	—	1	1	1	1	35	8	2	2	1	1	2	10	9
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	1	—	14	—	—	1	3	1	6	2	1
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	2	—	2	—	—
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	2	1	—	11	—	—	—	—	—	1	7	3
	F	6	—	—	—	—	—	—	4	2	6	—	—	—	—	—	—	5	1
21A Alcoholism ...	M	2	—	—	—	—	—	—	2	—	2	—	—	—	—	—	1	—	1
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1
22 Nephritis and Bright's disease.	M	18	—	—	—	1	—	1	8	8	57	—	1	2	4	2	14	23	11
	F	15	—	—	—	—	—	1	6	8	75	1	—	1	2	1	13	34	23
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	9	—	—	—	—	2	7	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	23	—	—	—	—	5	18	—	—
25 Congenital debility, &c.	M	20	19	—	—	—	—	1	—	—	129	128	—	—	1	—	—	—	—
	F	15	15	—	—	—	—	—	—	—	104	103	1	—	—	—	—	—	—
26 Violence, apart from suicide.	M	5	—	1	—	—	2	1	1	—	63	6	2	4	7	4	14	18	8
	F	8	1	1	—	1	—	2	2	1	29	1	—	2	1	2	3	9	11
27 Suicide ...	M	6	—	—	—	—	—	4	1	1	34	—	—	—	—	1	15	15	3
	F	3	—	—	—	—	—	2	1	—	10	—	—	—	—	1	6	3	—
28 Other defined diseases ...	M	132	10	—	—	1	3	14	28	76	619	79	15	5	10	9	54	168	279
	F	141	8	—	—	1	6	12	30	84	659	60	5	5	10	18	60	168	333
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	19	—	2	—	1	—	3	9	4
	F	1	—	—	—	—	—	—	1	—	10	—	1	—	1	—	3	4	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—*cont.*

Causes of Death.	Sex.	BRIGHTON.										BRISTOL.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	849	101	26	21	28	26	120	223	304	2,454	480	89	108	102	93	303	543	736		
	F	885	90	22	17	21	26	87	207	415	2,412	311	115	108	90	101	289	472	926		
1 Enteric fever ...	M	3	—	—	—	—	—	1	2	—	3	—	—	1	—	—	1	1	—		
	F	4	—	—	—	—	1	2	1	—	2	—	—	—	1	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—		
3 Measles ...	M	18	4	4	6	4	—	—	—	—	67	17	18	27	5	—	—	—	—		
	F	8	1	5	1	1	—	—	—	—	90	16	37	32	4	1	—	—	—		
4 Scarlet fever ...	M	1	1	—	—	—	—	—	—	—	4	—	—	1	3	—	—	—	—		
	F	4	—	1	1	2	—	—	—	—	7	—	1	3	3	—	—	—	—		
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	38	17	9	9	3	—	—	—	—		
	F	3	2	1	—	—	—	—	—	—	33	10	14	7	2	—	—	—	—		
6 Diphtheria and croup ...	M	1	—	—	1	—	—	—	—	—	27	1	1	13	12	—	—	—	—		
	F	2	—	—	—	2	—	—	—	—	23	2	1	6	12	2	—	—	—		
7 Influenza... ..	M	14	—	—	—	—	—	4	3	7	30	2	—	—	1	1	5	8	13		
	F	11	—	—	—	1	—	—	3	7	20	—	—	—	1	—	—	8	11		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	9	1	—	—	—	—	—	4	4		
	F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	2	1	2	—		
9 Pulmonary tuberculosis	M	92	1	1	—	—	12	50	25	3	229	—	2	2	3	34	110	66	12		
	F	46	—	1	1	1	6	14	17	6	191	—	2	2	13	40	84	47	3		
10 Tuberculous meningitis	M	10	—	2	4	3	1	—	—	—	20	6	2	5	5	1	1	—	—		
	F	13	2	2	3	3	—	2	1	—	24	6	6	5	6	—	1	—	—		
11 Other tuberculous diseases.	M	17	1	4	3	3	—	4	1	1	30	6	1	—	5	4	7	6	1		
	F	10	3	—	—	—	1	4	1	1	31	4	4	3	8	3	4	2	3		
12 Cancer, malignant disease	M	78	—	—	—	—	—	2	42	34	169	—	—	3	—	2	13	65	86		
	F	109	—	—	—	—	—	10	45	54	231	—	—	—	—	—	34	101	96		
13 Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	8	—	—	—	5	1	1	—	1		
	F	5	—	—	—	2	2	—	1	—	10	—	—	—	5	3	1	1	—		
14 Meningitis ...	M	3	—	—	—	2	—	1	—	—	21	5	2	3	5	2	2	2	—		
	F	2	1	—	—	1	—	—	—	—	19	6	2	—	3	3	—	—	5		
15 Organic heart disease ...	M	89	—	—	—	—	1	6	34	48	248	—	—	—	6	10	23	83	126		
	F	105	—	—	1	—	4	5	33	62	248	—	1	—	6	11	24	72	134		
16 Bronchitis ...	M	51	8	—	—	—	—	1	6	36	165	40	4	3	2	—	2	37	77		
	F	55	3	1	—	—	—	3	10	38	246	43	6	4	1	1	6	31	154		
17 Pneumonia (all forms)	M	64	19	9	4	1	1	8	11	11	225	64	34	20	11	8	26	34	28		
	F	43	7	4	5	—	2	4	6	15	159	40	24	25	4	4	19	15	28		
18 Other respiratory diseases	M	19	—	2	1	—	1	1	7	7	60	4	5	1	—	2	12	17	19		
	F	18	3	—	1	—	—	—	6	8	38	1	—	2	1	2	4	7	21		
19 Diarrhoea, &c. ...	M	11	6	1	1	—	—	1	1	1	52	32	3	2	1	1	4	5	4		
	F	14	10	2	—	1	—	1	—	—	35	15	6	2	1	—	2	2	7		
20 Appendicitis and typhlitis	M	4	—	—	—	1	—	2	1	—	9	—	—	1	3	1	1	3	—		
	F	8	—	—	—	—	3	—	1	4	14	—	—	—	4	3	5	—	2		
21 Cirrhosis of liver ...	M	11	—	—	—	—	—	1	6	4	9	—	—	—	—	—	2	6	1		
	F	15	—	—	—	—	—	4	6	5	12	—	—	—	—	—	3	5	4		
21A Alcoholism ...	M	2	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	2	—		
	F	3	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	1	—		
22 Nephritis and Bright's disease	M	36	—	—	—	2	1	6	13	14	91	2	—	—	1	3	14	44	27		
	F	21	—	—	—	—	—	4	7	10	66	1	—	—	3	3	11	30	18		
23 Puerperal fever... ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	3	—	—	15	—	—	—	—	3	12	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	—	6	—	—	14	—	—	—	—	2	12	—	—		
25 Congenital debility, &c.	M	42	42	—	—	—	—	—	—	—	185	182	1	2	—	—	—	—	—		
	F	44	42	—	1	—	1	—	—	—	97	97	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	30	2	1	—	5	3	3	10	6	84	5	1	6	17	12	9	25	9		
	F	12	2	—	1	—	1	2	1	5	48	4	1	4	3	2	7	4	23		
27 Suicide	M	17	—	—	—	—	1	5	8	3	14	—	—	—	—	1	6	4	3		
	F	7	—	—	—	—	1	2	1	3	5	—	—	—	—	1	2	1	1		
28 Other defined diseases ...	M	232	17	2	1	6	5	24	49	128	651	96	6	8	14	10	64	128	325		
	F	312	14	5	2	7	4	21	64	195	723	66	7	13	9	17	55	142	414		
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	2	—	3	—	—	—	—	—	—	2	—		
	F	2	—	—	—	—	—	—	2	—	3	—	1	—	—	—	—	2	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—*cont.*

Causes of Death.	Sex.	BURNLEY.										BURTON UPON TRENT.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	809	214	46	23	26	26	82	197	195	338	47	9	6	10	13	53	100	100		
	F	813	147	48	37	26	39	109	204	203	276	29	4	13	11	22	48	52	97		
1 Enteric fever ...	M	3	—	—	—	—	—	1	2	—	2	—	—	—	—	—	2	—	—		
	F	5	—	—	—	1	2	1	1	—	3	—	—	—	2	1	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	12	3	7	2	—	—	—	—	—	3	—	—	2	1	—	—	—	—		
	F	12	2	5	4	1	—	—	—	—	2	—	1	1	—	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	1	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
5 Whooping cough ...	M	11	5	5	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
	F	26	13	6	7	—	—	—	—	—	2	2	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	4	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
7 Influenza ...	M	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	—	2	2		
	F	3	—	—	—	—	1	—	2	—	3	1	—	—	—	—	—	1	1		
8 Erysipelas ...	M	2	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	45	—	—	1	—	10	16	16	2	42	—	—	—	3	7	20	11	1		
	F	52	—	1	—	1	15	22	13	—	34	—	—	1	1	5	19	7	1		
10 Tuberculous meningitis	M	10	1	1	3	4	1	—	—	—	6	—	3	1	—	1	1	—	—		
	F	8	2	3	—	3	—	—	—	—	2	1	—	1	—	—	—	—	—		
11 Other tuberculous diseases.	M	16	7	1	2	2	2	1	1	—	6	—	1	—	2	1	2	—	—		
	F	12	4	—	2	1	2	2	1	—	3	—	—	—	—	—	1	2	—		
12 Cancer, malignant disease	M	35	—	—	—	—	1	6	18	10	29	—	—	—	—	—	4	18	7		
	F	60	—	—	—	—	—	10	29	21	20	—	—	—	—	—	2	7	11		
13 Rheumatic fever ...	M	4	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	1	—	—	1	—	—	—	1	—	—	—	—		
14 Meningitis ...	M	4	2	1	1	—	—	—	—	—	5	1	1	1	—	—	—	2	—		
	F	6	2	1	1	1	—	1	—	—	3	—	—	1	1	1	—	—	—		
15 Organic heart disease ...	M	56	—	—	—	2	1	8	26	19	31	—	—	—	1	—	2	15	13		
	F	85	—	—	—	1	5	13	35	31	32	—	—	—	—	2	5	9	16		
16 Bronchitis ...	M	104	22	5	—	2	—	4	26	45	28	6	1	—	—	—	—	7	14		
	F	82	10	3	2	—	—	3	21	43	17	2	2	—	—	1	—	2	10		
17 Pneumonia (all forms)...	M	103	25	17	6	2	3	12	25	13	18	1	1	1	2	—	5	3	5		
	F	68	15	14	8	5	1	8	9	8	22	1	1	4	1	2	4	4	5		
18 Other respiratory diseases	M	8	3	—	—	—	—	—	3	2	5	—	—	—	1	—	1	2	1		
	F	12	2	—	—	2	—	2	3	3	2	—	—	—	—	—	—	—	2		
19 Diarrhoea, &c. ...	M	30	25	1	1	—	—	—	1	2	4	4	—	—	—	—	—	—	—		
	F	25	12	6	2	—	—	—	1	4	3	1	—	—	—	1	—	—	1		
20 Appendicitis and typhlitis	M	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver ...	M	6	1	—	—	—	—	—	5	—	8	—	—	—	—	—	2	5	1		
	F	3	—	—	—	—	—	—	3	—	9	—	—	—	—	—	3	4	2		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	13	1	—	1	—	—	6	2	3	4	—	—	—	—	—	1	—	3		
	F	17	—	—	—	1	1	—	14	1	14	—	—	—	1	—	4	2	7		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	1	5	—	—	2	—	—	—	—	1	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	14	—	—	—	—	6	8	—	—	4	—	—	—	—	1	3	—	—		
25 Congenital debility, &c.	M	61	61	—	—	—	—	—	—	—	25	25	—	—	—	—	—	—	—		
	F	51	49	1	—	—	—	1	—	—	17	16	—	1	—	—	—	—	—		
26 Violence, apart from suicide.	M	38	5	2	—	7	1	8	12	3	14	—	—	—	—	1	4	4	5		
	F	34	4	2	7	5	1	7	3	5	4	—	—	2	1	—	—	1	—		
27 Suicide ...	M	5	—	—	—	—	—	1	3	1	4	—	—	—	—	—	1	3	—		
	F	5	—	—	—	—	—	4	1	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	227	52	4	2	5	4	15	52	93	93	9	2	1	—	3	7	23	48		
	F	209	31	4	2	2	3	16	66	85	74	5	—	1	2	7	6	13	40		
29 Causes ill-defined or unknown.	M	8	—	2	—	—	—	1	4	1	4	—	—	—	—	—	—	4	—		
	F	10	1	1	—	—	—	4	2	2	2	—	—	—	1	—	—	—	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—*cont.*

Causes of Death.			Sex.	BURY.								CANTERBURY.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	421	71	14	11	10	18	76	118	103	150	18	7	3	3	7	20	38	54		
	F	422	66	13	16	12	20	46	113	136	144	18	3	4	1	5	14	26	73		
1 Enteric fever ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	5	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	2	—	—	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	13	7	3	3	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	9	4	3	1	1	—	—	—	—	4	3	1	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—		
7 Influenza ...	M	6	—	—	—	—	1	2	2	1	3	1	—	—	—	—	—	1	1		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	47	—	—	—	1	5	18	20	3	21	—	—	—	—	4	10	5	2		
	F	30	1	1	—	2	7	13	5	1	13	—	—	—	—	2	6	4	1		
10 Tuberculous meningitis	M	3	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	2	1	1	1	1	—	—	—	2	—	—	1	—	1	—	—	—		
11 Other tuberculous diseases.	M	9	1	—	—	1	2	4	1	—	3	1	1	—	—	—	—	1	—		
	F	9	2	—	1	1	2	—	2	1	2	1	1	—	—	—	—	—	—		
12 Cancer, malignant disease	M	16	—	—	—	—	1	—	9	6	13	—	—	—	—	—	1	8	4		
	F	28	—	—	—	—	—	3	16	9	16	—	—	—	—	1	3	5	7		
13 Rheumatic fever ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
14 Meningitis ...	M	2	1	—	—	1	—	—	—	—	2	—	1	—	—	—	—	—	1		
	F	4	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	55	—	—	—	—	1	10	25	19	14	—	—	—	—	—	1	1	12		
	F	67	—	—	—	1	2	5	33	26	15	—	—	—	—	—	2	3	10		
16 Bronchitis ...	M	27	2	2	—	—	—	1	9	13	9	3	1	1	—	—	1	2	1		
	F	47	7	2	—	—	—	3	14	21	12	2	—	—	—	—	—	1	9		
17 Pneumonia (all forms)	M	36	10	2	1	1	2	7	12	1	12	5	4	—	—	—	—	1	2		
	F	28	6	2	6	2	2	5	4	1	3	1	—	1	—	—	—	—	1		
18 Other respiratory diseases	M	5	—	1	1	—	—	1	2	—	1	—	—	—	—	—	—	—	1		
	F	8	—	—	—	1	—	2	4	1	2	—	—	—	—	—	—	—	2		
19 Diarrhoea, &c. ...	M	10	8	—	—	—	—	—	—	2	2	1	—	—	—	—	—	—	1		
	F	6	4	—	—	—	—	—	1	1	3	1	—	—	—	—	—	—	2		
20 Appendicitis and typhlitis	M	4	—	—	—	1	—	2	1	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver ...	M	5	—	—	—	—	—	1	3	1	2	—	—	—	—	—	—	1	1		
	F	3	—	—	—	—	—	1	2	—	1	—	—	—	—	—	—	1	—		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	13	—	—	1	—	2	—	5	5	5	—	—	—	—	—	1	1	3		
	F	4	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—		
25 Congenital debility, &c.	M	29	29	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—		
	F	28	27	—	1	—	—	—	—	—	5	5	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	24	—	—	1	3	1	10	6	3	5	1	—	—	—	—	—	3	1		
	F	5	—	—	—	1	1	2	1	—	3	1	1	—	—	—	—	—	1		
27 Suicide ...	M	6	—	—	—	—	—	3	3	—	3	—	—	—	—	—	1	2	—		
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—		
28 Other defined diseases ...	M	98	12	1	1	—	2	15	18	49	45	4	—	—	1	3	3	11	23		
	F	124	8	3	3	1	1	9	28	71	54	4	—	1	—	—	—	11	38		
29 Causes ill-defined or unknown.	M	3	—	1	—	1	—	—	1	—	1	—	—	—	—	—	1	—	—		
	F	2	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—cont.

Causes of Death.	Sex.	COVENTRY.										CROYDON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	708	131	48	54	34	24	96	152	169	936	179	30	41	38	44	118	215	271		
	F	615	93	29	35	38	32	80	122	186	974	121	20	29	32	25	140	189	418		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	2	2	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	1	1	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	28	4	11	9	4	—	—	—	—	17	6	6	4	1	—	—	—	—		
	F	25	4	9	8	4	—	—	—	—	15	2	2	9	2	—	—	—	—		
4 Scarlet fever ...	M	10	—	—	4	4	2	—	—	—	1	—	1	—	—	—	—	—	—		
	F	9	—	—	3	6	—	—	—	—	1	—	1	—	—	—	—	—	—		
5 Whooping cough ...	M	19	9	5	5	—	—	—	—	—	4	2	—	2	—	—	—	—	—		
	F	16	6	5	4	1	—	—	—	—	9	4	1	3	1	—	—	—	—		
6 Diphtheria and croup ...	M	17	—	1	10	6	—	—	—	—	11	—	1	6	4	—	—	—	—		
	F	13	—	—	4	9	—	—	—	—	14	—	—	5	9	—	—	—	—		
7 Influenza ...	M	4	—	—	—	—	1	1	2	—	13	1	—	1	—	1	1	5	4		
	F	3	—	—	—	1	—	—	1	1	13	—	—	—	—	—	3	3	7		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	4	1	—	—	—	1	1	1	—		
	F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	2	3		
9 Pulmonary tuberculosis	M	90	1	2	1	1	11	45	25	4	86	—	1	1	3	16	42	16	7		
	F	44	—	2	—	1	17	16	7	1	68	1	—	—	3	13	34	16	1		
10 Tuberculous meningitis	M	9	—	4	3	2	—	—	—	—	13	4	—	3	3	2	—	1	—		
	F	5	—	—	4	1	—	—	—	—	10	3	1	2	3	1	—	—	—		
11 Other tuberculous diseases.	M	7	—	2	2	1	—	1	1	—	12	—	—	—	2	4	2	3	1		
	F	7	2	1	—	—	2	1	1	—	7	1	—	—	2	1	1	2	—		
12 Cancer, malignant disease	M	30	—	—	—	—	—	4	19	7	75	—	1	—	—	—	7	30	37		
	F	50	—	—	—	—	1	8	28	13	127	—	—	—	—	1	20	47	59		
13 Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	5	—	—	—	3	1	1	—	—		
	F	3	—	—	—	—	1	1	1	—	6	—	—	—	4	—	—	2	—		
14 Meningitis ...	M	8	3	1	2	—	—	1	1	—	5	1	—	—	2	—	—	2	—		
	F	6	1	—	1	2	1	1	—	—	1	—	—	1	—	—	—	—	—		
15 Organic heart disease ...	M	55	—	—	—	1	2	9	24	19	70	—	—	—	2	1	3	29	35		
	F	59	—	—	—	—	4	10	20	25	103	—	—	—	1	3	9	25	65		
16 Bronchitis ...	M	47	9	3	—	—	—	1	6	28	48	10	—	3	—	—	2	9	24		
	F	53	6	1	—	—	1	1	5	39	68	6	1	—	1	—	1	9	50		
17 Pneumonia (all forms)	M	59	11	12	6	2	3	10	10	5	79	15	10	10	2	2	7	13	20		
	F	45	7	4	5	3	—	7	7	12	57	14	10	5	1	1	8	4	14		
18 Other respiratory diseases	M	9	—	—	2	—	1	—	4	2	17	1	—	1	1	—	1	6	7		
	F	3	—	—	—	—	—	1	2	—	11	—	—	1	—	—	2	1	7		
19 Diarrhoea, &c. ...	M	13	9	1	—	—	—	1	1	1	31	23	3	1	—	—	—	2	2		
	F	12	2	2	—	—	—	2	1	5	31	18	2	—	—	—	1	1	9		
20 Appendicitis and typhlitis	M	4	—	—	—	3	1	—	—	—	6	—	—	—	3	—	1	2	—		
	F	3	—	—	—	2	1	—	—	—	6	—	—	—	1	—	4	—	1		
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	1	3	—	8	—	—	—	—	—	—	6	2		
	F	6	—	—	—	—	—	1	3	2	11	—	—	—	1	—	3	7	—		
21A Alcoholism ...	M	4	—	—	—	—	—	4	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	19	—	—	—	—	—	2	10	7	35	—	1	—	1	1	4	15	13		
	F	13	—	—	—	1	—	—	8	4	23	1	—	1	—	—	5	8	8		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	1	3	—	—	4	—	—	—	—	1	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	4	—	—	8	—	—	—	—	—	8	—	—		
25 Congenital debility, &c.	M	64	62	1	—	1	—	—	—	—	73	72	—	—	1	—	—	—	—		
	F	45	44	—	—	1	—	—	—	—	50	50	—	—	—	—	—	—	—		
26 Violence, apart from suicide	M	25	5	1	5	5	2	3	3	1	35	2	1	2	2	5	13	6	4		
	F	17	4	2	4	—	—	—	2	5	13	1	—	1	1	—	4	1	5		
27 Suicide ...	M	7	—	—	—	—	1	1	2	3	14	—	—	—	—	—	5	7	2		
	F	1	—	—	—	—	—	1	—	—	5	—	—	—	—	—	4	1	—		
28 Other defined diseases ...	M	171	18	4	5	4	—	11	38	91	268	41	4	7	8	8	25	62	113		
	F	165	17	3	2	6	3	22	34	78	304	20	1	1	1	3	29	60	189		
29 Causes ill-defined or unknown.	M	4	—	—	—	—	—	—	3	1	1	—	1	—	—	—	—	—	—		
	F	4	—	—	—	—	—	1	2	1	1	—	1	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—cont.

Causes of Death.	Sex.	DERBY.										DEVONPORT.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	752	132	31	27	18	31	100	193	220	484	102	21	22	24	26	78	84	127		
	F	769	99	24	35	27	28	101	157	298	494	63	14	14	19	19	81	105	179		
1 Enteric fever ...	M	1	—	—	—	—	—	1	—	—	8	—	—	1	—	2	4	1	—		
	F	1	—	—	—	—	—	—	—	1	8	—	—	—	1	2	3	2	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	3	1	1	1	—	—	—	—	—	9	4	5	—	—	—	—	—	—		
	F	5	1	2	1	1	—	—	—	—	5	—	3	2	—	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	—	—	1	—	—	—	2	—	—	—	2	—	—	—	—		
	F	3	—	1	1	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
5 Whooping cough ...	M	7	1	6	—	—	—	—	—	—	12	9	3	—	—	—	—	—	—		
	F	10	1	3	4	2	—	—	—	—	6	1	5	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	6	—	—	1	5	—	—	—	—	9	—	1	5	3	—	—	—	—		
	F	8	—	—	3	5	—	—	—	—	3	—	—	1	2	—	—	—	—		
7 Influenza ...	M	11	1	—	—	—	—	2	4	4	8	—	—	—	—	1	3	2	2		
	F	18	1	—	—	—	1	5	5	6	8	—	—	—	—	—	1	3	4		
8 Erysipelas ...	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	4	2	—	—	—	—	—	2	—		
9 Pulmonary tuberculosis	M	64	1	—	—	—	10	32	18	3	34	—	—	—	2	7	20	4	1		
	F	46	—	—	—	2	9	24	10	1	42	—	—	—	2	12	18	7	3		
10 Tuberculous meningitis	M	8	3	2	2	1	—	—	—	—	3	1	—	—	2	—	—	—	—		
	F	11	—	3	6	1	1	—	—	—	4	—	1	1	2	—	—	—	—		
11 Other tuberculous diseases.	M	24	8	5	1	2	3	1	3	1	11	5	—	1	2	1	1	1	—		
	F	12	3	3	2	1	—	3	—	—	9	—	—	1	2	1	3	2	—		
12 Cancer, malignant disease	M	53	—	—	—	—	—	3	29	21	31	1	—	—	—	1	4	10	15		
	F	65	—	—	—	—	1	9	26	29	42	—	1	—	—	—	7	18	16		
13 Rheumatic fever ...	M	4	—	—	—	1	—	2	—	1	3	—	—	1	—	1	—	1	—		
	F	3	—	—	—	2	—	—	1	—	1	—	—	—	—	—	—	1	—		
14 Meningitis ...	M	8	3	2	2	1	—	—	—	—	4	2	—	1	—	1	—	—	—		
	F	4	1	—	2	—	—	1	—	—	3	1	—	2	—	—	—	—	—		
15 Organic heart disease ...	M	61	—	—	—	—	4	8	26	23	40	—	—	—	2	2	7	14	15		
	F	80	—	—	—	2	1	15	32	30	40	—	—	—	1	—	15	10	14		
16 Bronchitis ...	M	55	9	2	—	—	—	1	10	33	30	7	2	1	1	—	—	6	13		
	F	79	9	—	1	—	—	3	13	53	41	7	—	—	1	—	1	5	27		
17 Pneumonia (all forms)	M	53	11	6	5	1	2	9	10	9	39	17	2	5	—	3	5	3	4		
	F	44	9	6	10	2	5	3	4	5	24	5	3	3	3	—	3	1	6		
18 Other respiratory diseases	M	11	—	—	—	1	—	—	6	4	10	—	—	2	1	1	—	4	2		
	F	13	1	3	—	—	—	1	1	7	12	1	—	1	—	—	1	4	5		
19 Diarrhoea, &c. ...	M	22	14	2	1	1	—	1	1	2	12	7	3	—	—	—	—	1	1		
	F	12	2	1	—	1	1	3	—	4	12	8	—	1	—	—	—	2	1		
20 Appendicitis and typhlitis	M	6	—	—	1	2	—	1	2	—	4	—	—	1	1	—	—	—	1		
	F	6	—	—	—	1	1	2	2	—	2	—	—	—	—	1	1	—	—		
21 Cirrhosis of liver ...	M	6	—	—	—	—	—	—	4	2	3	—	—	—	—	—	—	3	—		
	F	9	—	—	—	—	—	2	5	2	5	—	—	—	—	—	1	3	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	3	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	25	—	—	1	—	1	1	13	9	10	—	—	—	—	—	—	5	5		
	F	31	—	—	1	1	2	4	11	12	13	—	—	—	—	—	3	7	3		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	—	5	—	—	4	—	—	—	—	1	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	1	5	—	—	6	—	—	—	—	1	5	—	—		
25 Congenital debility, &c.	M	49	48	—	1	—	—	—	—	—	35	34	—	—	—	—	1	—	—		
	F	48	48	—	—	—	—	—	—	—	25	24	—	—	—	1	—	—	—		
26 Violence, apart from suicide.	M	29	1	—	5	2	3	6	9	3	17	3	—	2	4	2	3	2	1		
	F	15	—	—	2	2	1	—	3	7	6	2	—	—	1	—	—	—	3		
27 Suicide ...	M	8	—	—	—	—	1	2	4	1	4	—	—	—	—	—	2	2	—		
	F	2	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	1	—		
28 Other defined diseases ...	M	235	31	5	6	1	6	30	53	103	145	12	5	2	4	3	28	24	67		
	F	227	23	2	2	2	4	13	41	140	166	12	—	1	4	—	16	37	96		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	1	1	—	1	—	1	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—*cont.*

Causes of Death.	Sex.	EXETER.										GATESHEAD.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	338	50	14	11	8	17	45	68	125	970	186	88	59	38	48	149	191	211		
	F	360	46	12	10	11	13	34	60	174	907	159	85	68	53	56	113	172	201		
1 Enteric fever ...	M	1	—	—	—	1	—	—	—	—	2	—	—	—	1	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	—	—	—	—	—	—	—	—	—	62	10	30	19	3	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	50	8	25	16	1	—	—	—	—		
4 Scarlet fever ...	M	3	—	—	2	1	—	—	—	—	2	—	—	—	1	—	1	—	—		
	F	1	—	—	1	—	—	—	—	—	5	—	—	1	4	—	—	—	—		
5 Whooping cough ...	M	10	4	4	2	—	—	—	—	—	19	10	6	3	—	—	—	—	—		
	F	11	5	4	1	1	—	—	—	—	31	13	7	10	1	—	—	—	—		
6 Diphtheria and croup ...	M	1	—	—	1	—	—	—	—	—	13	1	4	5	3	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	12	2	3	4	3	—	—	—	—		
7 Influenza ...	M	3	—	—	—	—	1	—	—	2	1	—	—	—	—	—	—	1	—		
	F	4	—	—	—	—	—	—	1	3	3	—	—	—	—	1	1	1	—		
8 Erysipelas ...	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	34	—	—	—	—	10	14	8	2	95	1	—	2	4	19	43	24	2		
	F	27	—	—	1	2	7	13	4	—	83	1	1	—	7	25	33	14	2		
0 Tuberculous meningitis	M	5	2	—	2	1	—	—	—	—	6	2	3	—	—	—	1	—	—		
	F	1	—	—	—	1	—	—	—	—	11	—	2	2	5	2	—	—	—		
1 Other tuberculous diseases.	M	2	2	—	—	—	—	—	—	—	15	2	4	3	4	—	2	—	—		
	F	4	1	1	1	—	—	1	—	—	17	2	2	5	3	2	1	2	—		
2 Cancer, malignant disease	M	22	—	—	—	—	—	4	10	8	44	—	—	—	—	—	8	19	17		
	F	37	—	—	—	1	—	1	19	16	63	—	—	—	—	—	10	33	20		
3 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	—		
	F	1	—	—	—	—	1	—	—	—	3	—	—	—	1	1	—	—	1		
4 Meningitis ...	M	4	1	1	1	—	1	—	—	—	11	5	—	1	1	3	1	—	—		
	F	3	—	—	1	—	1	1	—	—	14	1	1	3	5	1	1	1	1		
5 Organic heart disease ...	M	21	—	—	—	1	2	1	6	11	89	—	—	—	5	3	14	30	37		
	F	31	—	—	—	2	—	4	8	17	81	—	—	—	4	7	16	28	26		
6 Bronchitis ...	M	31	6	—	—	—	—	—	7	18	63	19	9	3	—	—	3	11	18		
	F	47	3	3	—	—	—	1	3	37	73	16	10	7	1	—	3	12	24		
7 Pneumonia (all forms)	M	20	4	4	1	—	—	2	1	8	84	12	15	4	2	3	19	17	12		
	F	21	5	1	3	—	—	3	2	7	62	19	15	10	2	1	5	3	7		
8 Other respiratory diseases	M	3	—	—	—	—	—	—	3	—	9	—	—	2	2	—	3	—	2		
	F	4	—	—	—	—	—	1	—	3	18	1	3	1	3	1	3	4	2		
9 Diarrhoea, &c. ...	M	9	5	1	—	—	1	—	—	2	20	9	6	1	1	—	—	2	1		
	F	7	4	—	—	—	1	—	—	2	16	8	4	—	—	—	1	2	1		
0 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	3	1	—		
	F	1	—	—	—	—	—	—	1	—	3	—	—	—	2	—	—	—	1		
1 Cirrhosis of liver ...	M	2	—	—	—	—	—	—	2	—	6	—	—	—	—	—	1	4	1		
	F	4	—	—	—	—	—	—	1	3	4	—	—	—	—	—	1	2	1		
1A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Nephritis and Bright's disease.	M	17	—	—	1	—	—	4	8	4	29	—	1	2	2	3	6	10	5		
	F	13	—	—	—	—	—	—	2	11	26	—	—	1	3	—	7	11	4		
3 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	6	—	—	—	—	1	5	—	—		
4 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	6	—	—	—	—	1	5	—	—		
5 Congenital debility, &c.	M	13	13	—	—	—	—	—	—	—	56	56	—	—	—	—	—	—	—		
	F	18	18	—	—	—	—	—	—	—	54	54	—	—	—	—	—	—	—		
6 Violence, apart from suicide.	M	13	—	—	—	1	—	3	5	4	48	—	2	5	5	7	16	11	2		
	F	7	—	1	1	1	1	—	2	1	19	2	1	4	3	—	2	2	5		
7 Suicide ...	M	3	—	—	—	—	—	2	1	—	6	—	—	—	—	1	2	3	—		
	F	—	—	—	—	—	—	—	—	—	6	—	—	—	—	2	1	2	1		
8 Other defined diseases ...	M	119	13	3	1	3	2	15	17	65	269	59	7	9	3	8	21	49	113		
	F	112	10	2	—	3	1	6	17	73	234	31	9	4	5	11	18	52	104		
9 Causes ill-defined or unknown.	M	1	—	1	—	—	—	—	—	—	12	—	1	—	—	1	3	7	—		
	F	—	—	—	—	—	—	—	—	—	6	—	2	—	—	—	3	—	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—*cont.*

Causes of Death.	Sex.	GRIMSBY.										HALIFAX.									
		All Ages	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	512	111	33	27	16	17	65	124	119	723	80	14	24	19	33	94	246	213		
	F	456	106	32	29	16	20	56	81	116	788	71	17	16	21	24	87	212	340		
1 Enteric fever ...	M	2	—	—	—	—	1	1	—	—	1	—	—	—	—	1	—	—	—		
	F	1	—	—	—	—	1	—	—	—	3	—	—	—	—	2	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	19	3	3	12	1	—	—	—	—	8	2	2	3	1	—	—	—	—		
	F	20	3	8	8	1	—	—	—	—	7	—	5	2	—	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	—	—	—	1	—	—	4	—	—	—	4	—	—	—	—		
	F	4	—	—	2	2	—	—	—	—	4	—	—	2	2	—	—	—	—		
5 Whooping cough ...	M	14	4	8	2	—	—	—	—	—	3	1	—	2	—	—	—	—	—		
	F	23	14	6	3	—	—	—	—	—	5	1	3	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	6	—	1	3	2	—	—	—	—	3	—	—	—	3	—	—	—	—		
	F	8	1	—	4	2	—	1	—	—	3	—	—	2	1	—	—	—	—		
7 Influenza ...	M	1	—	—	—	—	—	—	1	—	4	—	—	—	—	1	—	1	2		
	F	4	—	—	—	—	—	—	2	2	6	—	—	—	—	—	—	3	3		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—		
9 Pulmonary tuberculosis	M	25	1	1	1	—	6	10	5	1	66	—	—	—	1	11	23	28	3		
	F	35	1	1	—	2	9	14	7	1	43	1	—	1	2	12	19	8	—		
10 Tuberculous meningitis	M	6	—	3	1	—	1	—	1	—	5	1	2	2	—	—	—	—	—		
	F	2	—	—	1	1	—	—	—	—	10	2	1	2	2	—	—	1	—		
11 Other tuberculous diseases.	M	5	1	1	—	2	—	1	—	—	16	1	—	3	3	3	4	2	—		
	F	9	—	2	4	—	1	1	1	—	10	1	1	1	1	1	3	2	—		
12 Cancer, malignant disease	M	36	—	—	—	—	—	2	17	17	55	—	—	—	—	—	4	36	15		
	F	33	—	—	—	—	—	7	13	13	66	—	—	—	—	—	6	39	21		
13 Rheumatic fever ...	M	2	—	—	—	2	—	—	—	—	2	—	—	—	—	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—		
14 Meningitis ...	M	5	1	1	—	1	1	—	1	—	7	2	1	2	1	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	5	2	1	—	1	—	1	—	—		
15 Organic heart disease ...	M	45	—	—	—	—	2	10	20	13	43	—	—	—	—	1	6	21	15		
	F	34	—	—	—	—	1	6	11	16	98	—	—	—	1	3	14	40	40		
16 Bronchitis ...	M	33	14	2	1	—	—	1	5	10	64	5	1	—	—	1	6	16	35		
	F	36	10	2	—	—	—	—	6	18	80	7	—	1	—	—	1	11	60		
17 Pneumonia (all forms)	M	44	16	9	2	1	1	4	9	2	69	10	4	5	2	3	12	18	15		
	F	37	9	9	2	1	—	3	10	3	37	7	1	2	1	—	2	10	14		
18 Other respiratory diseases	M	11	2	—	1	1	—	3	2	2	15	1	—	2	—	1	1	6	4		
	F	3	1	—	—	—	—	—	1	1	13	—	—	—	—	—	1	5	7		
19 Diarrhoea, &c. ...	M	16	10	1	1	—	—	1	2	1	13	5	1	1	—	—	2	3	1		
	F	6	3	—	—	1	—	1	—	1	15	5	—	—	—	—	4	4	2		
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	1	—	7	—	—	—	—	—	4	3	—		
	F	3	—	—	—	—	2	—	1	—	4	—	—	—	1	1	1	1	—		
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	1	3	—	4	—	—	—	—	—	1	3	—		
	F	6	1	—	—	—	—	2	2	1	2	—	—	—	—	—	—	1	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	23	—	—	—	1	—	3	10	9	34	—	—	—	—	—	3	20	11		
	F	8	—	—	—	1	1	2	2	2	28	—	—	—	1	—	4	14	9		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	—	6	—	—	10	—	—	—	—	1	8	1	—		
25 Congenital debility, &c.	M	34	34	—	—	—	—	—	—	—	39	38	—	—	1	—	—	—	—		
	F	34	33	1	—	—	—	—	—	—	26	25	—	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	20	1	1	2	2	2	5	4	3	27	2	—	1	2	2	9	6	5		
	F	12	2	—	2	3	1	—	1	3	9	2	1	1	—	—	1	1	3		
27 Suicide ...	M	8	—	—	—	—	—	1	6	1	11	—	—	—	—	2	3	3	3		
	F	2	—	—	—	—	—	—	2	—	2	—	—	—	—	1	—	—	1		
28 Other defined diseases ...	M	151	24	2	1	3	3	21	37	60	219	12	2	3	1	7	15	76	103		
	F	126	27	3	2	2	4	11	22	55	295	18	3	1	7	1	17	71	177		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	—	1	1		
	F	2	1	—	1	—	—	—	—	—	3	—	1	—	—	—	—	—	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—cont.

Causes of Death.	Sex.	HASTINGS.										HUDDERSFIELD.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	357	34	7	6	13	14	48	85	150	741	106	22	27	31	29	121	222	183		
	F	439	29	2	6	8	13	44	94	243	787	94	33	25	21	31	112	202	269		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—		
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	1	—	—	—	1	—	—	—	—	12	2	5	4	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	10	3	4	3	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	13	—	1	5	5	1	1	—	—		
	F	—	—	—	—	—	—	—	—	—	10	—	2	2	4	—	2	—	—		
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	6	5	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	20	11	7	2	—	—	—	—	—		
6 Diphtheria and croup ...	M	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	8	—	—	6	2	—	—	—	—		
7 Influenza ...	M	3	—	—	—	—	—	2	—	1	4	—	—	—	—	—	—	4	—		
	F	5	1	—	—	—	—	—	1	3	6	—	1	—	—	—	1	2	2		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	1	—		
9 Pulmonary tuberculosis	M	43	—	—	—	—	7	23	8	5	58	—	—	—	1	11	22	22	2		
	F	27	—	—	—	—	7	15	4	1	37	—	—	—	2	12	15	7	1		
10 Tuberculous meningitis	M	8	—	2	1	3	1	1	—	—	12	2	1	1	6	—	1	1	—		
	F	5	—	1	1	1	—	1	1	—	13	4	2	3	—	2	2	—	—		
11 Other tuberculous diseases.	M	4	2	—	—	1	1	—	—	—	10	1	1	2	1	—	4	1	—		
	F	8	1	—	1	—	1	1	3	1	12	2	—	1	4	—	2	1	2		
12 Cancer, malignant disease	M	44	—	—	—	—	—	3	18	23	54	—	—	—	—	—	11	29	14		
	F	76	—	—	—	—	—	4	36	36	79	—	—	—	—	—	11	44	24		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	5	—	—	—	1	2	2	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	—	2	—		
14 Meningitis ...	M	3	—	—	1	2	—	—	—	—	6	1	1	3	1	—	—	—	—		
	F	5	—	—	2	1	—	1	—	1	6	—	3	2	1	—	—	—	—		
15 Organic heart disease ...	M	39	—	—	—	—	—	3	16	20	67	—	—	—	1	—	9	37	20		
	F	59	—	—	—	—	1	2	15	41	78	—	—	1	1	3	15	31	27		
16 Bronchitis ...	M	16	3	1	—	1	—	—	2	9	73	15	1	2	1	—	4	20	30		
	F	28	4	—	1	—	—	—	1	22	74	6	1	—	—	1	3	17	46		
17 Pneumonia (all forms)	M	30	6	4	—	—	—	1	1	18	41	9	5	1	2	3	8	6	7		
	F	24	1	1	1	—	—	1	2	18	52	11	9	3	1	—	7	6	15		
18 Other respiratory diseases	M	11	—	—	1	—	—	1	3	6	11	—	—	1	1	1	—	3	5		
	F	4	—	—	—	—	—	1	2	1	4	—	—	—	—	—	1	1	2		
19 Diarrhoea, &c. ...	M	7	2	—	1	—	1	—	1	2	20	7	1	3	—	—	2	2	5		
	F	5	2	—	—	—	—	—	—	3	9	4	—	—	1	—	2	1	1		
20 Appendicitis and typhlitis	M	2	—	—	—	—	—	—	2	—	7	—	—	—	3	—	2	1	1		
	F	4	—	—	—	2	—	2	—	—	4	—	—	—	—	—	2	2	—		
21 Cirrhosis of liver ...	M	7	—	—	—	—	—	—	6	1	7	—	—	—	—	—	—	7	—		
	F	3	—	—	—	—	—	—	2	1	1	—	—	—	—	—	1	—	—		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
22 Nephritis and Bright's disease.	M	11	—	—	—	—	1	1	3	6	48	—	—	—	2	4	12	18	12		
	F	9	—	—	—	—	—	—	2	7	38	—	—	—	3	4	7	18	6		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	7	—	—	—	—	2	5	—	—		
25 Congenital debility, &c.	M	13	11	—	1	1	—	—	—	—	37	36	1	—	—	—	—	—	—		
	F	14	13	—	—	—	1	—	—	—	31	30	1	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	11	1	—	—	1	—	2	5	2	13	1	2	—	1	2	4	1	2		
	F	8	2	—	—	—	—	1	3	2	14	—	—	1	1	1	1	7	3		
27 Suicide ...	M	6	—	—	—	—	1	2	2	1	11	—	—	—	—	1	7	3	—		
	F	1	—	—	—	—	—	—	1	—	6	—	—	—	—	1	3	1	1		
28 Other defined diseases ...	M	95	9	—	1	2	2	8	17	56	220	27	3	4	2	4	29	67	84		
	F	147	5	—	—	2	3	12	20	105	258	23	2	1	1	3	31	60	137		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	1		
	F	1	—	—	—	—	—	—	—	1	3	—	1	—	—	—	—	—	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—cont.

Causes of Death.			Sex.	IPSWICH.								KINGSTON UPON HULL.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES	M	581	121	32	37	27	21	76	117	150	2177	464	111	91	66	71	307	534	533
			F	563	76	38	29	24	20	64	89	223	1947	337	124	104	89	83	249	397	564
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	17	—	—	1	2	1	8	5	—
			F	—	—	—	—	—	—	—	—	—	14	—	—	1	3	5	4	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	27	3	8	12	4	—	—	—	—	72	20	25	22	5	—	—	—	—
			F	25	2	10	11	2	—	—	—	—	76	7	32	31	6	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	1	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—
5 Whooping cough	M	15	8	5	2	—	—	—	—	—	11	6	3	1	1	—	—	—	—
			F	18	8	6	4	—	—	—	—	—	15	7	4	3	1	—	—	—	—
6 Diphtheria and croup	M	7	—	—	4	3	—	—	—	—	12	—	2	7	3	—	—	—	—
			F	8	—	—	4	4	—	—	—	—	11	—	—	6	5	—	—	—	—
7 Influenza	M	12	1	—	1	—	—	—	2	8	18	1	—	—	—	4	1	6	6
			F	11	—	—	—	4	—	—	2	5	12	—	—	1	—	—	3	2	6
8 Erysipelas	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
			F	1	1	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2
9 Pulmonary tuberculosis	{	M	55	1	1	1	1	8	29	12	2	183	—	4	6	6	30	74	61	2	
		F	42	—	—	—	—	7	20	13	2	144	1	4	—	14	35	68	19	3	
10 Tuberculous meningitis	{	M	4	—	2	2	—	—	—	—	—	12	6	4	1	—	1	—	—	—	
		F	7	1	—	—	3	2	1	—	—	—	24	5	7	5	5	1	1	—	—
11 Other tuberculous diseases.	{	M	16	3	3	2	4	1	2	1	—	28	5	2	4	7	2	4	4	—	
		F	8	2	1	—	2	2	—	—	1	—	32	4	6	7	9	3	2	1	—
12 Cancer, malignant disease	{	M	37	—	—	—	—	—	3	16	18	139	2	—	—	—	1	11	75	50	
		F	54	—	—	1	—	—	7	16	30	175	—	—	1	—	—	26	87	61	
13 Rheumatic fever	...	M	—	—	—	—	—	—	—	—	—	4	—	—	—	1	1	1	1	—	
		F	3	—	—	—	2	—	1	—	—	—	7	—	—	—	2	—	2	3	—
14 Meningitis	...	M	3	—	1	2	—	—	—	—	—	17	3	4	3	4	1	1	—	1	
		F	5	—	2	1	1	1	—	—	—	—	22	6	3	4	8	—	1	—	—
15 Organic heart disease	...	M	44	—	—	—	—	2	6	16	20	181	—	—	—	3	1	30	90	57	
		F	57	—	—	—	—	3	7	14	33	191	—	—	—	5	6	32	67	81	
16 Bronchitis	...	M	57	24	3	2	1	—	2	5	20	186	39	12	5	1	—	6	37	86	
		F	52	8	5	1	1	—	2	3	32	193	23	16	6	—	—	6	46	96	
17 Pneumonia (all forms)	{	M	37	7	4	1	3	2	4	12	4	199	61	33	19	2	6	32	32	14	
		F	26	5	5	3	1	1	1	2	8	144	39	25	20	7	6	16	22	9	
18 Other respiratory diseases	{	M	4	—	1	—	—	—	1	1	1	33	3	4	2	2	3	3	9	7	
		F	9	—	1	1	—	—	—	3	4	31	1	1	4	1	2	3	8	11	
19 Diarrhoea, &c.	...	M	6	3	—	1	—	—	2	—	—	58	39	10	2	—	—	3	4	—	
		F	8	4	2	—	—	1	1	—	—	45	31	6	2	—	—	1	1	4	
20 Appendicitis and typhlitis	{	M	2	—	—	—	—	1	—	1	—	11	—	—	—	6	2	—	2	1	
		F	3	—	—	—	1	—	—	—	2	—	1	—	—	1	—	—	—	—	
21 Cirrhosis of liver	...	M	5	—	—	—	—	—	2	2	1	9	—	—	—	—	—	2	6	1	
		F	5	—	—	—	—	—	1	3	1	12	—	—	—	1	—	2	9	—	
21A Alcoholism	...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	
		F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	1	
22 Nephritis and Bright's disease.	{	M	15	—	—	—	—	—	1	7	7	45	—	—	—	1	2	13	15	14	
		F	10	—	—	—	—	—	2	4	4	47	1	1	1	5	3	7	19	10	
23 Puerperal fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	—	—	2	—	—	9	—	—	—	—	1	8	—	—
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	1	1	—	—	—	16	—	—	—	—	4	12	—	—
25 Congenital debility, &c.	{	M	50	50	—	—	—	—	—	—	—	177	175	—	—	1	1	—	—	—	
		F	23	23	—	—	—	—	—	—	—	—	116	116	—	—	—	—	—	—	—
26 Violence, apart from suicide.	{	M	12	2	1	1	2	—	3	2	1	116	13	—	9	11	10	33	26	14	
		F	15	2	—	2	—	—	—	2	5	4	69	19	3	7	8	2	8	7	15
27 Suicide	...	M	7	—	—	—	—	1	4	2	—	25	—	—	—	—	—	13	10	2	
		F	3	—	—	—	—	—	2	1	—	—	9	—	—	—	—	1	4	—	—
28 Other defined diseases	...	M	154	18	2	4	9	5	14	35	67	617	91	8	8	10	5	71	149	275	
		F	158	20	6	—	2	2	14	17	97	517	76	13	5	7	14	40	97	265	
29 Causes ill-defined or unknown.	{	M	11	1	1	2	—	1	3	2	1	4	—	—	1	—	—	—	—	3	
		F	7	—	—	—	1	—	—	—	4	2	9	1	3	—	—	—	3	2	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—cont.

Causes of Death.			Sex.	LEEDS.										LEICESTER.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	3,350	620	163	149	134	144	530	816	794	1,565	300	76	70	45	74	218	391	391				
	F	3,126	453	151	145	154	160	383	706	974	1,551	267	71	65	67	99	188	316	478				
1 Enteric fever ...	M	10	—	—	—	1	—	7	2	—	4	—	—	—	1	1	2	—	—				
	F	8	—	—	—	—	1	3	4	—	2	—	—	—	—	2	—	—	—				
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
3 Measles ...	M	87	22	32	32	1	—	—	—	—	54	15	20	19	—	—	—	—	—				
	F	77	15	26	29	7	—	—	—	—	45	11	11	19	4	—	—	—	—				
4 Scarlet fever ...	M	19	1	3	7	7	—	1	—	—	1	—	—	—	1	—	—	—	—				
	F	21	—	1	5	14	—	—	1	—	11	1	3	3	2	1	1	—	—				
5 Whooping cough ...	M	26	13	5	8	—	—	—	—	—	20	8	6	5	1	—	—	—	—				
	F	28	11	8	8	1	—	—	—	—	33	12	10	10	1	—	—	—	—				
6 Diphtheria and croup ...	M	42	—	6	12	21	2	—	—	1	6	—	2	2	2	—	—	—	—				
	F	53	1	6	14	31	—	—	1	—	16	—	3	5	8	—	—	—	—				
7 Influenza ...	M	22	—	—	—	1	2	6	10	3	9	—	—	—	—	1	3	2	3				
	F	22	—	—	—	1	3	3	5	10	9	1	—	—	1	—	1	2	4				
8 Erysipelas ...	M	6	1	—	—	—	—	3	1	1	5	1	—	—	—	—	1	1	2				
	F	11	1	—	—	1	—	1	2	6	2	—	—	—	—	1	1	—	—				
9 Pulmonary tuberculosis	M	379	4	4	4	16	58	178	94	21	172	1	2	2	2	26	85	45	9				
	F	255	5	5	10	22	74	105	32	2	135	2	—	—	8	42	58	24	1				
10 Tuberculous meningitis	M	40	6	8	9	15	1	—	1	—	17	1	3	8	2	1	2	—	—				
	F	33	3	8	11	8	3	—	—	—	19	3	4	2	5	4	—	—	1				
11 Other tuberculous diseases.	M	68	21	6	11	10	8	9	3	—	25	7	2	4	2	2	2	6	—				
	F	54	10	6	10	11	8	5	4	—	23	7	2	1	4	3	1	5	—				
12 Cancer, malignant disease	M	195	—	—	—	—	—	17	110	68	93	—	—	—	—	1	6	48	38				
	F	259	—	—	—	1	1	36	140	81	130	—	1	1	—	2	14	57	55				
13 Rheumatic fever ...	M	9	—	—	—	1	—	4	4	—	5	—	—	—	3	—	—	2	—				
	F	13	—	—	—	4	3	5	1	—	7	—	—	—	2	3	1	1	—				
14 Meningitis ...	M	49	6	4	6	2	2	2	5	22	12	4	1	—	1	2	3	1	—				
	F	30	10	1	5	1	1	—	2	10	10	2	1	1	4	2	—	—	—				
15 Organic heart disease ...	M	278	—	—	—	12	8	40	111	107	129	—	—	—	5	5	24	45	50				
	F	344	—	—	—	10	18	43	117	156	176	—	—	2	8	9	22	67	68				
16 Bronchitis ...	M	259	54	11	9	—	1	15	47	122	145	31	8	2	3	3	—	28	70				
	F	292	33	12	7	4	3	7	59	167	172	29	6	1	—	2	6	23	105				
17 Pneumonia (all forms)	M	287	46	33	32	15	10	56	67	28	140	29	13	14	5	5	15	42	17				
	F	203	45	41	23	7	9	16	28	34	84	24	15	6	4	6	5	9	15				
18 Other respiratory diseases	M	68	4	1	1	1	1	7	31	22	31	3	—	2	2	1	4	11	8				
	F	54	8	1	1	—	1	4	15	24	21	2	—	1	1	2	2	3	10				
19 Diarrhoea, &c. ...	M	97	56	12	1	1	3	7	12	5	38	23	3	—	—	—	4	5	3				
	F	64	37	9	—	1	1	3	6	7	29	18	3	1	—	—	1	4	2				
20 Appendicitis and typhlitis	M	8	—	—	—	—	4	3	1	—	2	—	—	—	—	2	—	—	—				
	F	11	—	—	2	4	2	2	1	—	7	—	—	—	3	1	—	2	1				
21 Cirrhosis of liver ...	M	33	—	—	—	—	—	7	23	8	16	—	—	1	—	—	3	6	6				
	F	13	—	—	—	1	—	2	8	2	8	—	—	—	—	—	2	5	1				
21A Alcoholism ...	M	2	—	—	—	—	—	2	—	—	4	—	—	—	—	—	1	3	—				
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—				
22 Nephritis and Bright's disease.	M	90	2	2	1	2	5	14	41	23	52	—	—	—	3	3	11	18	17				
	F	98	—	2	—	1	2	18	45	30	48	—	1	—	1	1	7	17	21				
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	F	12	—	—	—	—	4	8	—	—	5	—	—	—	—	2	3	—	—				
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	F	29	—	—	—	—	4	25	—	—	15	—	—	—	—	4	11	—	—				
25 Congenital debility, &c.	M	205	199	2	1	1	1	1	—	—	117	117	—	—	—	—	—	—	—				
	F	169	168	1	—	—	—	—	—	—	103	102	—	1	—	—	—	—	—				
26 Violence, apart from suicide.	M	127	11	2	9	15	13	45	18	14	59	4	3	5	6	8	3	18	12				
	F	89	14	2	9	7	5	11	11	30	30	6	3	4	1	2	5	4	5				
27 Suicide ...	M	45	—	—	—	—	3	13	22	7	25	—	—	—	—	1	11	10	3				
	F	17	—	—	—	—	1	5	9	2	12	—	—	—	—	1	5	6	—				
28 Other defined diseases ...	M	885	174	29	6	12	21	92	211	340	372	56	11	6	6	11	35	94	153				
	F	856	92	18	8	17	16	80	213	412	384	47	7	7	9	8	41	76	189				
29 Causes ill-defined or unknown.	M	9	—	3	—	—	1	1	2	2	12	—	2	—	—	1	3	6	—				
	F	10	—	4	3	—	—	—	2	1	13	—	1	—	1	1	—	10	—				

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—*cont.*

Causes of Death.	Sex.	LINCOLN.									LIVERPOOL.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	387	85	14	12	7	18	45	76	130	7,349	1572	651	515	275	257	1080	1768	1231
	F	354	57	17	13	14	13	41	74	125	6,592	1240	582	487	287	221	866	1339	1570
1 Enteric fever ...	M	1	—	—	—	—	—	1	—	—	9	—	—	—	2	1	5	1	—
	F	—	—	—	—	—	—	—	—	—	12	—	—	—	2	2	6	2	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	11	2	3	1	3	1	1	—	—	451	81	187	160	23	—	—	—	—
	F	13	3	5	4	1	—	—	—	—	422	70	163	166	23	—	—	—	—
4 Scarlet fever ...	M	2	—	—	2	—	—	—	—	—	45	—	9	19	13	3	1	—	—
	F	—	—	—	—	—	—	—	—	—	41	—	7	20	13	—	1	—	—
5 Whooping cough ...	M	5	4	—	1	—	—	—	—	—	117	53	31	28	5	—	—	—	—
	F	7	4	3	—	—	—	—	—	—	152	62	46	39	5	—	—	—	—
6 Diphtheria and croup ...	M	1	—	—	1	—	—	—	—	—	47	1	8	24	11	2	1	—	—
	F	2	—	1	—	1	—	—	—	—	59	3	10	23	21	1	1	—	—
7 Influenza ...	M	5	2	—	—	—	—	—	1	2	35	2	1	—	—	2	6	16	8
	F	2	—	—	—	—	—	—	1	1	23	1	—	—	—	1	3	3	15
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	17	1	—	—	—	2	6	5	3
	F	1	—	—	—	—	—	—	1	—	10	2	—	—	—	1	3	3	1
9 Pulmonary tuberculosis	M	28	—	—	—	—	4	11	10	3	787	1	8	14	23	95	381	242	23
	F	30	—	—	—	2	7	13	8	—	499	3	6	8	39	91	248	93	11
10 Tuberculous meningitis	M	3	—	1	—	1	1	—	—	—	61	14	5	21	13	5	3	—	—
	F	2	—	1	—	1	—	—	—	—	52	7	7	15	20	2	1	—	—
11 Other tuberculous diseases.	M	3	—	1	1	—	—	1	—	—	102	12	15	23	20	14	12	5	1
	F	6	—	—	1	2	1	1	1	—	85	13	11	10	12	14	14	9	2
12 Cancer, malignant disease	M	31	—	—	—	1	—	4	10	16	369	—	1	2	1	5	44	204	112
	F	37	—	—	—	—	—	5	18	14	398	—	—	2	—	1	63	213	119
Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	16	—	—	1	4	3	4	3	1
	F	2	—	—	—	1	—	1	—	—	27	1	—	—	6	7	7	5	1
13 Meningitis ...	M	1	1	—	—	—	—	—	—	—	69	20	15	11	13	4	3	3	—
	F	4	—	—	—	2	—	1	—	1	55	22	10	8	8	3	2	2	—
14 Organic heart disease ...	M	35	—	—	—	—	—	3	14	18	444	—	—	1	8	23	75	188	149
	F	37	—	—	—	—	—	3	16	18	553	—	1	1	17	19	106	200	209
15 Bronchitis ...	M	15	10	1	—	—	—	—	—	4	668	138	47	19	4	1	28	187	244
	F	16	4	2	2	—	—	—	2	6	695	104	50	20	4	3	27	187	300
16 Pneumonia (all forms)	M	36	8	4	2	—	3	5	8	6	906	156	149	91	43	26	151	210	80
	F	26	4	3	3	—	1	3	5	7	669	132	131	95	36	16	78	96	85
17 Other respiratory diseases	M	4	—	—	—	—	—	1	2	1	92	10	7	9	2	7	14	26	17
	F	3	1	—	—	—	—	—	—	2	75	10	9	4	4	4	11	16	17
18 Diarrhoea, &c. ...	M	9	6	1	—	—	1	—	1	—	348	191	85	24	9	2	12	16	9
	F	8	5	1	—	—	—	1	—	1	235	132	54	19	3	1	7	6	13
19 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	18	—	—	1	8	1	5	2	1
	F	2	—	—	—	—	1	1	—	—	9	—	—	—	3	1	5	—	—
20 Cirrhosis of liver ...	M	3	—	—	—	—	—	—	2	1	47	—	—	—	—	—	15	28	4
	F	—	—	—	—	—	—	—	—	—	44	—	—	—	—	1	5	26	12
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	22	—	—	—	—	—	8	14	—
	F	—	—	—	—	—	—	—	—	—	14	—	—	—	—	—	7	6	1
22 Nephritis and Bright's disease.	M	11	—	—	—	1	—	4	4	2	179	4	—	2	2	3	36	95	37
	F	6	—	—	—	—	—	—	3	3	162	2	2	2	6	6	31	68	45
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	25	—	—	—	—	4	21	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	5	—	—	64	—	—	—	—	8	56	—	—
25 Congenital debility, &c.	M	38	37	—	1	—	—	—	—	—	512	507	4	1	—	—	—	—	—
	F	27	27	—	—	—	—	—	—	—	380	377	1	2	—	—	—	—	—
26 Violence, apart from suicide.	M	12	—	1	2	—	3	3	2	1	308	43	11	27	23	17	76	83	28
	F	5	—	1	1	1	1	1	—	—	182	48	10	20	20	5	16	32	31
27 Suicide ...	M	—	—	—	—	—	—	—	—	—	31	—	—	—	—	4	10	14	3
	F	—	—	—	—	—	—	—	—	—	13	—	—	—	—	1	5	7	—
28 Other defined diseases ...	M	133	15	2	1	1	5	11	22	76	1,585	338	42	29	48	36	179	410	503
	F	111	9	—	1	3	2	6	19	71	1,581	250	42	28	45	28	135	353	700
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	63	—	26	8	—	1	4	16	8
	F	2	—	—	1	—	—	—	—	1	56	1	22	5	—	1	7	12	8

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—cont.

Causes of Death.		Sex.	MANCHESTER.										MERTHYR TYDFIL.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	6,221	1264	423	396	248	253	985	1561	1091	713	182	69	52	28	33	88	140	121		
	...	F	5,613	987	369	363	238	248	758	1259	1391	604	128	79	64	19	28	84	100	102		
1	Enteric fever	M	29	—	—	—	1	6	18	4	—	3	—	—	—	1	2	—	—	—		
	...	F	17	1	—	—	1	2	8	5	—	—	—	—	—	—	—	—	—	—		
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	M	256	58	90	96	12	—	—	—	—	55	12	24	16	3	—	—	—	—		
	...	F	239	52	74	92	21	—	—	—	—	62	9	21	29	3	—	—	—	—		
4	Scarlet fever	M	26	1	3	12	9	1	—	—	—	1	—	—	—	1	—	—	—	—		
	...	F	24	—	3	12	7	1	1	—	—	3	—	—	2	1	—	—	—	—		
5	Whooping cough	M	141	50	47	37	7	—	—	—	—	42	20	15	6	1	—	—	—	—		
	...	F	159	53	52	44	10	—	—	—	—	42	21	14	7	—	—	—	—	—		
6	Diphtheria and croup	M	50	3	10	25	12	—	—	—	—	7	—	—	5	2	—	—	—	—		
	...	F	46	5	4	17	18	—	1	1	—	4	—	1	1	2	—	—	—	—		
7	Influenza	M	59	2	—	1	4	4	13	16	19	9	2	3	—	1	—	1	2	—		
	...	F	50	3	1	1	1	1	8	8	27	5	—	—	—	—	1	2	2	—		
8	Erysipelas	M	13	3	—	—	—	1	1	4	4	—	—	—	—	—	—	—	—	—		
	...	F	9	1	1	—	—	—	1	2	4	—	—	—	—	—	—	—	—	—		
9	Pulmonary tuberculosis	M	722	3	8	8	22	81	327	245	28	53	1	1	1	3	8	19	17	3		
	...	F	428	2	6	4	28	82	202	91	13	40	—	2	—	1	6	21	8	2		
10	Tuberculous meningitis	M	102	20	21	27	22	7	3	2	—	6	1	2	—	3	—	—	—	—		
	...	F	92	9	18	22	29	9	4	1	—	5	—	1	2	—	2	—	—	—		
11	Other tuberculous diseases.	M	100	14	17	14	18	10	19	7	1	8	1	—	1	2	1	2	1	—		
	...	F	80	13	11	11	13	14	11	3	4	9	2	2	1	—	1	3	—	—		
12	Cancer, malignant disease	M	321	—	—	—	2	7	48	178	86	28	—	—	—	—	—	4	15	9		
	...	F	420	—	1	1	2	7	64	220	125	28	—	—	1	—	—	2	19	6		
13	Rheumatic fever	M	31	—	1	2	10	4	10	4	—	3	—	—	—	—	—	2	1	—		
	...	F	25	—	—	1	6	5	8	4	1	5	—	—	—	—	1	3	1	—		
14	Meningitis	M	65	18	12	14	11	2	6	2	—	9	2	3	3	—	—	1	—	—		
	...	F	63	16	10	12	12	2	6	4	1	5	1	—	1	—	3	—	—	—		
15	Organic heart disease	M	366	—	—	2	10	22	68	155	109	54	—	—	—	1	2	7	24	20		
	...	F	487	—	—	1	15	26	82	187	176	39	—	—	—	3	1	7	13	15		
16	Bronchitis	M	628	109	23	8	4	5	29	216	234	58	24	—	3	—	—	4	9	18		
	...	F	631	83	17	15	4	3	32	166	311	53	13	4	2	2	1	2	13	16		
17	Pneumonia (all forms)	M	843	170	117	94	36	29	152	168	77	85	34	16	6	2	—	10	9	8		
	...	F	604	131	92	81	23	14	70	101	92	63	18	25	8	1	1	1	5	4		
18	Other respiratory diseases	M	80	7	4	2	5	5	10	34	13	12	1	—	1	—	1	2	4	3		
	...	F	63	3	2	10	1	4	9	13	21	4	—	1	1	—	—	1	1	1		
19	Diarrhoea, &c.	M	187	118	25	12	1	3	10	9	9	15	10	1	2	—	1	—	1	—		
	...	F	163	101	28	2	1	1	3	15	12	15	5	4	2	—	—	1	—	3		
20	Appendicitis and typhlitis	M	23	—	—	1	3	7	7	4	1	6	—	—	—	—	3	1	2	—		
	...	F	16	—	—	1	3	4	3	4	1	—	—	—	—	—	—	—	—	—		
21	Cirrhosis of liver	M	41	—	—	—	—	—	8	22	11	3	—	—	—	—	—	—	3	—		
	...	F	48	—	—	—	—	—	9	33	6	4	—	—	—	—	—	1	3	—		
21A	Alcoholism	M	10	—	—	—	—	—	4	6	—	—	—	—	—	—	—	—	—	—		
	...	F	5	—	—	—	—	—	3	2	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.	M	162	1	—	3	3	8	36	71	40	17	—	—	—	2	—	5	6	4		
	...	F	145	2	6	3	6	2	27	65	34	11	—	—	1	—	—	4	2	4		
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	22	—	—	—	—	6	16	—	—	9	—	—	—	—	1	8	—	—		
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	43	—	—	—	—	5	38	—	—	15	—	—	—	—	4	11	—	—		
25	Congenital debility, &c.	M	422	417	—	2	1	1	1	—	—	48	47	—	1	—	—	—	—	—		
	...	F	320	320	—	—	—	—	—	—	—	35	34	—	1	—	—	—	—	—		
26	Violence, apart from suicide	M	207	52	7	14	25	9	43	41	16	51	1	—	7	2	11	15	11	4		
	...	F	176	57	9	17	13	10	15	26	29	14	—	1	2	3	1	3	1	3		
27	Suicide	M	57	—	—	—	—	6	21	24	6	3	—	—	—	—	—	—	2	1		
	...	F	17	—	—	—	—	4	8	5	—	4	—	—	—	—	1	1	2	—		
28	Other defined diseases	M	1,264	217	33	20	29	35	150	344	436	134	26	3	—	4	4	14	32	51		
	...	F	1,203	135	25	14	24	46	126	301	532	127	24	2	3	3	4	14	29	48		
29	Causes ill-defined or unknown.	M	16	1	5	2	1	—	1	5	1	3	—	1	—	—	—	1	1	—		
	...	F	17	—	9	2	—	—	2	2	2	3	1	1	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—cont.

Causes of Death.		Sex.	MIDDLESBROUGH.										NEWCASTLE UPON TYNE.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...		M	1,074	271	86	72	44	48	148	244	161	2,167	436	130	101	100	103	282	502	453		
		F	823	157	86	85	52	31	112	149	151	1,798	304	109	108	90	90	234	406	457		
1	Enteric fever ...	M	6	—	—	—	—	1	2	2	1	4	—	—	—	1	1	1	1	—		
		F	2	—	—	—	—	—	2	—	—	13	—	—	—	4	1	5	3	—		
2	Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles ...	M	89	18	40	24	7	—	—	—	—	96	16	42	29	9	—	—	—	—		
		F	93	15	35	39	4	—	—	—	—	75	10	30	27	8	—	—	—	—		
4	Scarlet fever ...	M	10	1	—	7	2	—	—	—	—	15	1	—	7	6	1	—	—	—		
		F	11	—	1	5	5	—	—	—	—	20	1	1	9	6	—	2	1	—		
5	Whooping cough ...	M	5	1	—	4	—	—	—	—	—	19	10	3	5	1	—	—	—	—		
		F	2	—	—	1	1	—	—	—	—	19	10	5	4	—	—	—	—	—		
6	Diphtheria and croup ...	M	2	—	—	—	2	—	—	—	—	19	2	6	7	4	—	—	—	—		
		F	8	—	3	—	5	—	—	—	—	14	1	2	4	7	—	—	—	—		
7	Influenza ...	M	4	1	—	—	—	—	—	3	—	9	—	—	—	—	1	4	3	1		
		F	5	1	—	—	—	—	—	2	2	9	2	—	—	—	—	2	1	4		
8	Erysipelas ...	M	4	1	—	—	1	—	—	1	1	2	1	—	—	—	—	—	1	—		
		F	—	—	—	—	—	—	—	—	—	7	2	—	—	—	1	—	2	2		
9	Pulmonary tuberculosis	M	75	1	2	3	6	8	34	20	1	208	1	1	1	8	47	87	60	3		
		F	60	—	—	1	10	10	26	13	—	153	1	2	1	16	41	59	30	3		
10	Tuberculous meningitis	M	15	5	3	2	5	—	—	—	—	32	7	4	7	12	1	1	—	—		
		F	12	4	4	4	—	—	—	—	—	35	5	7	5	9	3	4	1	1		
11	Other tuberculous diseases.	M	20	5	5	2	4	—	3	1	—	36	6	6	6	9	1	4	3	1		
		F	20	2	1	9	5	1	1	1	—	36	6	4	4	5	4	12	1	—		
12	Cancer, malignant disease	M	33	—	—	—	—	—	2	20	11	118	—	—	—	—	2	10	62	44		
		F	38	—	—	—	—	1	8	22	7	147	—	—	—	2	2	18	80	45		
13	Rheumatic fever ...	M	2	—	—	—	—	2	—	—	—	13	—	—	1	3	2	5	1	1		
		F	2	—	—	—	2	—	—	—	—	7	—	—	—	—	1	3	3	—		
14	Meningitis ...	M	12	5	3	2	1	—	—	1	—	11	5	—	1	2	1	1	1	—		
		F	12	2	3	3	1	2	1	—	—	15	4	1	5	3	1	1	—	—		
15	Organic heart disease ...	M	70	—	—	—	3	1	9	30	27	151	—	—	—	1	4	34	69	43		
		F	63	—	—	—	2	3	11	24	23	157	—	—	—	3	6	21	56	71		
16	Bronchitis ...	M	78	13	2	2	—	4	2	21	34	165	48	14	3	—	—	4	46	50		
		F	67	11	3	2	1	1	4	12	33	156	43	9	2	—	—	5	40	57		
17	Pneumonia (all forms)	M	202	38	16	12	4	14	54	53	11	154	29	26	17	8	9	21	27	17		
		F	93	17	20	9	6	1	12	16	12	117	31	22	20	5	3	12	15	9		
18	Other respiratory diseases	M	22	—	3	1	—	1	4	9	4	34	4	3	2	5	1	3	6	10		
		F	11	—	—	—	1	—	1	4	5	25	—	1	3	2	1	1	8	9		
19	Diarrhoea, &c. ...	M	33	22	—	4	—	—	2	4	1	53	22	8	2	2	1	7	9	2		
		F	21	8	4	4	—	—	2	2	1	39	22	4	3	1	—	—	4	5		
20	Appendicitis and typhlitis	M	4	—	—	—	—	1	3	—	—	5	—	—	—	2	1	—	2	—		
		F	4	—	—	—	1	—	2	1	—	5	—	—	—	2	1	1	1	—		
21	Cirrhosis of liver ...	M	2	—	—	—	—	—	—	2	—	17	—	—	—	—	—	2	11	4		
		F	7	—	—	—	—	—	2	4	1	4	—	—	—	—	—	2	1	1		
21A	Alcoholism ...	M	3	—	—	—	—	—	3	—	—	7	—	—	—	—	—	2	4	1		
		F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	1	2	—		
22	Nephritis and Bright's disease.	M	15	—	—	2	—	1	3	6	3	65	—	—	—	3	4	7	27	24		
		F	16	1	—	—	—	—	7	7	1	57	—	—	—	1	2	6	31	17		
23	Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	4	—	—	—	—	—	4	—	—	6	—	—	—	—	1	5	—	—		
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	10	—	—	—	—	2	8	—	—	27	—	—	—	—	5	21	1	—		
25	Congenital debility, &c.	M	102	102	—	—	—	—	—	—	—	187	185	—	2	—	—	—	—	—		
		F	55	55	—	—	—	—	—	—	—	109	107	—	—	1	1	—	—	—		
26	Violence, apart from suicide.	M	52	3	3	3	1	6	14	17	5	87	6	2	4	13	9	27	19	7		
		F	16	1	3	2	3	3	2	2	—	38	3	2	9	7	1	3	6	7		
27	Suicide ...	M	7	—	—	—	—	3	3	1	—	23	—	—	—	—	2	6	11	4		
		F	2	—	—	—	—	—	1	—	1	11	—	—	—	—	2	4	5	—		
28	Other defined diseases ...	M	202	55	5	4	8	6	10	52	62	560	93	12	6	11	14	55	134	235		
		F	185	40	7	6	5	7	18	37	65	483	56	13	12	8	13	46	111	224		
29	Causes ill-defined or unknown.	M	5	—	4	—	—	—	—	1	—	17	—	3	1	—	1	1	5	6		
		F	3	—	2	—	—	—	—	1	—	11	—	6	—	—	—	—	3	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—cont.

Causes of Death.	Sex.	NEWPORT (MON.).										NORTHAMPTON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	533	143	43	41	31	26	97	132	120	584	85	30	20	16	30	81	128	194		
	F	498	111	24	28	24	35	67	93	116	533	58	30	25	25	37	54	109	195		
1 Enteric fever ...	M	1	—	—	—	—	1	—	—	—	2	—	—	—	1	—	1	—	—		
	F	4	—	—	—	1	2	—	1	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	31	5	10	11	5	—	—	—	—	28	7	10	9	2	—	—	—	—		
	F	23	6	6	8	2	—	1	—	—	25	2	11	8	4	—	—	—	—		
4 Scarlet fever ...	M	5	—	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	2	3	—	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough ...	M	3	2	1	—	—	—	—	—	—	6	4	2	—	—	—	—	—	—		
	F	9	5	1	3	—	—	—	—	—	7	3	1	3	—	—	—	—	—		
6 Diphtheria and croup ...	M	4	—	—	2	—	1	1	—	—	4	—	—	2	2	—	—	—	—		
	F	5	—	1	1	3	—	—	—	—	8	—	—	4	4	—	—	—	—		
7 Influenza ...	M	8	1	—	1	—	—	3	2	1	4	—	—	—	—	—	—	2	2		
	F	6	—	—	—	—	—	2	1	3	3	—	—	—	1	—	—	1	1		
8 Erysipelas ...	M	3	—	—	—	—	—	2	—	1	3	—	—	—	—	—	2	1	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	1		
9 Pulmonary tuberculosis	M	46	—	—	—	4	8	24	9	1	78	—	—	—	1	18	36	22	1		
	F	31	—	—	—	2	9	13	7	—	45	—	—	1	1	20	19	4	—		
10 Tuberculous meningitis	M	6	1	3	1	1	—	—	—	—	6	1	1	2	1	—	—	1	—		
	F	4	—	—	1	—	2	1	—	—	7	—	1	2	3	—	—	1	—		
11 Other tuberculous diseases.	M	5	1	—	1	3	—	—	—	—	5	1	—	—	—	1	1	1	1		
	F	10	2	1	1	3	—	2	1	—	4	—	—	1	1	1	—	—	—		
12 Cancer, malignant disease	M	30	—	—	—	1	—	4	15	10	41	—	—	—	1	—	1	22	17		
	F	43	—	—	—	—	1	10	16	16	62	—	—	—	—	1	5	33	23		
13 Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	2	—		
	F	4	—	—	—	2	—	—	2	—	5	—	—	—	2	2	1	—	—		
14 Meningitis ...	M	12	3	3	2	3	—	1	—	—	10	5	2	—	1	—	1	—	1		
	F	5	1	1	—	—	2	—	1	—	4	—	2	1	—	1	—	—	—		
15 Organic heart disease ...	M	53	—	—	1	1	4	6	22	19	62	—	—	1	1	2	3	18	37		
	F	43	—	—	—	1	2	5	19	16	48	—	—	—	—	2	6	16	24		
16 Bronchitis ...	M	46	15	4	2	—	1	—	9	15	48	9	5	—	—	—	1	7	26		
	F	31	10	—	—	—	—	—	3	18	63	9	6	—	2	1	—	9	36		
17 Pneumonia (all forms)	M	76	20	11	13	2	3	13	9	5	22	6	2	1	—	2	4	6	1		
	F	51	19	13	3	1	1	5	4	5	25	5	5	1	1	1	1	2	9		
18 Other respiratory diseases	M	5	1	—	1	—	—	—	2	1	7	—	1	1	1	1	2	—	1		
	F	8	—	—	1	—	—	2	3	2	4	1	—	—	—	—	—	2	1		
19 Diarrhoea, &c. ...	M	22	12	3	1	2	—	2	—	2	13	9	—	—	—	—	3	1	—		
	F	10	6	1	—	—	1	—	—	2	3	2	—	—	—	—	—	1	—		
20 Appendicitis and typhlitis	M	2	—	1	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—		
	F	3	—	—	1	1	1	—	—	—	1	—	—	—	1	—	—	—	—		
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	1	1	1	8	—	—	—	—	—	2	4	2		
	F	1	—	—	—	—	—	—	1	—	8	—	—	—	—	—	1	6	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	25	—	—	—	2	2	1	11	9	12	—	—	1	1	1	4	3	2		
	F	17	1	—	3	1	—	5	3	4	3	—	—	—	—	—	1	1	1		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	3	3	1	—	6	—	—	—	—	—	6	—	—		
25 Congenital debility, &c.	M	48	47	—	—	1	—	—	—	—	30	30	—	—	—	—	—	—	—		
	F	32	32	—	—	—	—	—	—	—	25	24	—	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	40	—	1	—	3	3	19	12	2	16	2	2	2	2	—	5	3	—		
	F	12	1	—	1	1	1	3	4	1	5	—	1	2	2	—	—	—	—		
27 Suicide ...	M	5	—	—	—	—	—	5	—	—	10	—	—	—	—	2	3	2	3		
	F	1	—	—	—	—	1	—	—	—	5	—	—	—	—	3	—	1	1		
28 Other defined diseases ...	M	147	33	3	3	2	3	13	37	53	164	11	4	1	1	3	11	33	100		
	F	125	28	—	3	3	8	12	22	49	160	11	3	2	1	5	11	30	97		
29 Causes ill-defined or unknown.	M	6	2	1	—	—	—	1	2	—	1	—	1	—	—	—	—	—	—		
	F	4	—	—	—	—	—	1	3	—	2	1	—	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—*cont.*

Causes of Death.		Sex.	NORWICH.										NOTTINGHAM.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...		M	809	161	32	32	30	29	86	175	264	1,947	392	130	94	52	70	264	451	494		
		F	763	113	20	28	29	40	81	122	330	1,910	341	103	103	53	77	242	399	592		
1	Enteric fever ...	M	3	—	—	—	—	1	2	—	—	9	—	—	—	—	1	6	2	—		
		F	6	—	—	—	—	1	4	1	—	5	—	—	—	—	2	2	1	—		
2	Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles ...	M	10	4	5	—	1	—	—	—	—	81	13	37	27	4	—	—	—	—		
		F	7	—	3	4	—	—	—	—	—	82	16	31	31	4	—	—	—	—		
4	Scarlet fever ...	M	7	—	1	2	4	—	—	—	—	11	—	2	7	—	1	1	—	—		
		F	6	—	2	2	2	—	—	—	—	12	—	1	5	5	1	—	—	—		
5	Whooping cough ...	M	2	—	1	1	—	—	—	—	—	34	11	15	7	1	—	—	—	—		
		F	2	2	—	—	—	—	—	—	—	37	12	13	11	1	—	—	—	—		
6	Diphtheria and croup ...	M	11	—	1	2	8	—	—	—	—	13	2	—	4	7	—	—	—	—		
		F	10	—	—	7	3	—	—	—	—	16	—	2	8	5	—	1	—	—		
7	Influenza ...	M	4	—	—	—	—	1	2	1	—	8	—	—	—	2	—	1	3	2		
		F	6	—	—	—	—	—	2	1	3	10	—	—	—	—	—	1	3	6		
8	Erysipelas ...	M	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	2	1	1		
		F	2	—	—	1	—	—	—	1	—	4	1	—	—	—	—	1	1	1		
9	Pulmonary tuberculosis	M	62	—	—	—	3	13	30	12	4	178	1	1	2	6	20	84	60	4		
		F	75	1	—	2	3	26	27	14	2	141	2	1	2	5	32	63	32	4		
10	Tuberculous meningitis	M	9	2	2	4	—	1	—	—	—	14	5	5	1	2	1	—	—	—		
		F	10	1	1	3	3	—	—	2	—	20	7	2	6	4	1	—	—	—		
11	Other tuberculous diseases.	M	16	3	2	—	5	3	1	1	1	23	4	3	1	4	5	5	1	—		
		F	14	4	2	3	3	—	1	—	1	26	6	1	1	7	4	3	3	1		
12	Cancer, malignant disease	M	68	—	1	—	—	—	3	37	27	108	—	—	—	—	2	8	54	44		
		F	73	—	—	—	—	—	7	25	41	165	—	—	—	—	2	27	80	56		
13	Rheumatic fever ...	M	3	—	—	—	2	—	1	—	—	10	—	—	—	4	2	2	2	—		
		F	2	—	—	—	2	—	—	—	—	5	—	—	—	1	1	1	2	—		
14	Meningitis ...	M	4	2	1	1	—	—	—	—	—	18	7	5	2	—	1	1	—	2		
		F	3	1	—	—	1	—	—	1	—	14	4	3	2	—	1	—	2	2		
15	Organic heart disease ...	M	73	—	—	—	3	1	12	25	32	181	—	—	1	2	2	33	73	70		
		F	59	—	—	—	—	3	6	16	34	225	—	—	—	2	8	35	74	106		
16	Bronchitis ...	M	61	12	3	2	—	—	4	8	32	162	20	7	2	—	—	9	43	81		
		F	73	9	3	2	1	—	2	10	46	160	16	6	1	1	4	8	30	94		
17	Pneumonia (all forms)	M	53	20	3	10	—	2	4	8	6	168	55	28	24	3	5	20	19	14		
		F	48	17	3	3	4	—	2	7	12	124	40	23	18	4	5	10	18	6		
18	Other respiratory diseases	M	13	—	—	1	—	—	1	4	7	29	3	—	3	3	—	2	7	11		
		F	8	—	—	—	2	—	—	—	6	17	2	2	5	—	—	—	4	4		
19	Diarrhoea, &c. ...	M	25	18	4	1	—	—	—	2	—	54	38	7	1	2	—	—	3	3		
		F	16	10	1	1	—	—	1	—	3	50	29	5	3	2	—	2	2	7		
20	Appendicitis and typhlitis	M	4	—	—	—	—	2	1	1	—	6	—	—	—	—	2	3	1	—		
		F	2	—	—	—	—	—	—	—	2	5	—	—	—	—	1	2	2	—		
21	Cirrhosis of liver ...	M	6	—	—	1	—	—	—	4	1	7	—	—	—	—	—	3	4	—		
		F	5	—	—	—	—	—	3	—	2	11	—	—	—	—	1	3	4	3		
21A	Alcoholism ...	M	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	2	3	—		
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	1		
22	Nephritis and Bright's disease.	M	13	—	1	—	—	—	3	8	1	50	1	—	—	2	1	8	23	15		
		F	9	—	—	—	—	1	3	2	3	49	1	2	—	1	1	8	21	15		
23	Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	3	—	—	—	—	1	2	—	—	7	—	—	—	—	2	5	—	—		
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	3	—	—	—	—	1	2	—	—	15	—	—	—	—	1	14	—	—		
25	Congenital debility, &c.	M	68	67	1	—	—	—	—	—	—	158	154	2	—	—	2	—	—	—		
		F	51	51	—	—	—	—	—	—	—	124	124	—	—	—	—	—	—	—		
26	Violence, apart from suicide.	M	18	7	2	3	1	1	1	1	2	64	11	—	6	6	7	15	15	4		
		F	16	1	1	—	4	—	1	5	4	34	13	1	4	2	1	1	3	9		
27	Suicide ...	M	19	—	—	—	—	1	6	9	3	28	—	—	—	—	1	6	16	5		
		F	4	—	—	—	—	—	3	—	1	8	—	—	—	—	—	3	3	2		
28	Other defined diseases ...	M	256	26	4	4	3	3	15	53	148	518	67	13	5	4	17	53	121	238		
		F	250	16	4	—	1	7	15	37	170	537	68	7	5	9	9	51	113	275		
29	Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	6	—	5	1	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	4	—	3	1	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—cont.

Causes of Death.		Sex.	OLDHAM.										OXFORD.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...		M	1,240	224	65	67	40	51	183	356	254	302	38	11	12	5	13	39	77	107		
		F	1,214	185	65	55	50	54	164	309	332	328	33	7	6	3	13	34	69	163		
1	Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2	Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles ...	M	28	7	9	11	1	—	—	—	7	3	1	2	1	—	—	—	—	—		
		F	37	9	16	11	1	—	—	—	6	1	3	2	—	—	—	—	—	—		
4	Scarlet fever ...	M	4	—	—	2	2	—	—	—	1	—	—	1	—	—	—	—	—	—		
		F	3	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—		
5	Whooping cough ...	M	32	13	11	6	2	—	—	—	2	2	—	—	—	—	—	—	—	—		
		F	33	17	7	8	1	—	—	—	5	4	1	—	—	—	—	—	—	—		
6	Diphtheria and croup ...	M	5	—	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	7	1	2	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
7	Influenza ...	M	12	—	—	—	—	1	5	4	3	—	—	—	—	—	—	1	2			
		F	18	1	—	1	—	—	3	6	3	—	—	—	—	—	—	2	1			
8	Erysipelas ...	M	3	—	—	—	—	—	—	1	2	—	—	—	—	—	—	2	—			
		F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—			
9	Pulmonary tuberculosis	M	126	2	1	1	2	12	56	47	32	1	—	1	—	5	14	10	1			
		F	83	—	—	—	7	20	30	20	18	—	—	—	1	5	7	4	1			
10	Tuberculous meningitis	M	14	1	3	2	5	2	—	1	3	—	—	2	—	—	1	—	—			
		F	7	—	3	2	2	—	—	—	2	2	—	—	—	—	—	—	—			
11	Other tuberculous diseases.	M	19	1	1	3	3	1	7	2	2	—	1	1	—	—	—	1	—			
		F	17	1	4	1	3	1	4	1	2	—	—	1	—	—	—	—	—			
12	Cancer, malignant disease	M	48	—	—	—	—	1	3	30	27	—	—	—	—	—	1	14	12			
		F	83	—	—	—	1	1	11	41	43	—	—	—	—	—	5	19	19			
13	Rheumatic fever ...	M	9	—	—	—	1	3	3	1	—	—	—	—	—	—	—	—	—			
		F	9	—	—	—	1	3	2	3	2	—	—	—	—	1	1	—	—			
14	Meningitis ...	M	12	2	1	3	1	3	—	2	1	—	—	—	—	—	—	1	—			
		F	6	2	2	—	1	—	—	1	—	—	—	—	—	—	—	—	—			
15	Organic heart disease ...	M	108	—	—	—	4	5	21	45	38	—	—	—	—	1	3	12	22			
		F	146	1	—	—	4	5	19	65	46	—	—	—	—	2	2	8	34			
16	Bronchitis ...	M	116	21	6	2	2	—	4	34	18	1	—	—	—	—	—	3	14			
		F	146	23	7	5	—	—	5	43	19	1	—	—	—	—	—	—	18			
17	Pneumonia (all forms)	M	120	20	17	15	1	5	25	21	27	8	8	1	—	1	4	3	2			
		F	87	17	11	12	10	1	14	12	14	3	1	1	1	—	2	2	4			
18	Other respiratory diseases	M	19	1	2	2	1	1	1	10	7	—	—	3	—	1	—	2	1			
		F	12	1	1	3	—	1	1	4	2	—	—	—	—	—	—	—	2			
19	Diarrhoea, &c. ...	M	39	24	5	—	—	—	5	3	6	4	—	—	—	—	1	1	—			
		F	31	9	8	1	—	2	1	3	5	—	—	1	—	—	—	3	1			
20	Appendicitis and typhlitis	M	5	—	—	—	3	2	—	—	1	—	—	—	—	—	—	1	—			
		F	5	—	—	—	3	2	—	—	1	—	—	—	—	—	1	—	—			
21	Cirrhosis of liver ...	M	11	—	—	—	—	—	2	8	6	—	—	—	—	—	2	2	2			
		F	9	—	—	—	—	—	4	4	3	—	—	—	—	—	1	2	—			
21A	Alcoholism ...	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—			
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—			
22	Nephritis and Bright's disease.	M	66	—	—	—	1	5	16	34	3	—	—	—	—	—	1	1	1			
		F	64	—	—	1	1	4	19	27	9	+	—	—	—	1	3	2	3			
23	Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	9	—	—	—	—	3	6	—	1	—	—	—	—	—	1	—	—			
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	11	—	—	—	—	—	11	—	2	—	—	—	—	1	1	—	—			
25	Congenital debility, &c.	M	72	69	2	1	—	—	—	—	16	16	—	—	—	—	—	—	—			
		F	67	66	—	—	1	—	—	—	11	10	—	1	—	—	—	—	—			
26	Violence, apart from suicide.	M	41	10	1	6	3	2	6	9	15	1	—	1	2	2	2	4	3			
		F	31	8	1	3	4	1	1	7	8	1	1	—	1	—	1	2	2			
27	Suicide ...	M	8	—	—	—	—	—	3	4	1	—	—	—	—	—	1	—	—			
		F	6	—	—	—	—	2	2	2	1	—	—	—	—	—	—	—	1			
28	Other defined diseases ...	M	297	46	5	9	4	8	21	96	84	2	1	—	2	3	9	20	47			
		F	270	26	2	4	6	8	30	62	123	11	1	—	—	3	8	24	76			
29	Causes ill-defined or unknown.	M	24	7	1	1	2	—	4	3	—	—	—	—	—	—	—	—	—			
		F	15	3	1	—	—	—	1	7	2	—	—	—	—	—	1	—	1			

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—cont.

Causes of Death.		Sex.	PLYMOUTH.										PORTSMOUTH.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	862	161	28	22	22	35	123	193	278	1669	272	88	89	76	51	270	391	432	
			F	860	103	31	27	36	42	98	172	351	1493	195	74	86	99	59	175	284	521	
1	Enteric fever	M	7	—	—	—	3	3	1	—	12	—	1	—	4	1	4	2	—	
			F	2	—	—	—	1	1	—	—	—	11	—	—	1	2	2	3	3	—	
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	M	1	—	1	—	—	—	—	—	49	10	19	17	3	—	—	—	—	
			F	5	2	2	—	1	—	—	—	—	50	7	14	24	5	—	—	—	—	
4	Scarlet fever	M	1	—	—	1	—	—	—	—	14	1	2	2	7	2	—	—	—	
			F	—	—	—	—	—	—	—	—	—	17	—	2	5	9	1	—	—	—	
5	Whooping cough	M	13	6	5	2	—	—	—	—	24	10	10	4	—	—	—	—	—	
			F	16	6	5	4	1	—	—	—	—	30	9	14	5	1	1	—	—	—	
6	Diphtheria and croup	M	7	—	1	4	2	—	—	—	70	1	4	30	35	—	—	—	—	
			F	13	—	1	6	5	1	—	—	—	57	—	1	18	36	1	—	1	—	
7	Influenza	M	16	—	—	—	—	2	7	7	13	1	—	—	—	1	3	3	5	
			F	16	—	—	—	—	—	—	7	9	15	1	—	—	—	—	3	1	10	
8	Erysipelas	M	—	—	—	—	—	—	—	—	3	1	—	—	—	—	—	1	1	
			F	1	—	—	—	—	—	1	—	—	3	1	1	—	—	1	—	—	—	
9	Pulmonary tuberculosis	{	M	62	—	—	1	2	16	31	11	1	149	—	2	2	3	19	75	44	4	
			F	71	1	—	—	7	19	27	16	1	123	—	2	2	6	27	57	26	3	
10	Tuberculous meningitis	{	M	10	—	2	2	3	2	1	—	—	15	2	4	7	1	1	—	—	—	
			F	4	—	—	—	4	—	—	—	—	13	1	3	—	4	3	1	1	—	
11	Other tuberculous diseases.	{	M	10	—	3	2	2	1	—	1	1	30	7	1	2	3	1	7	9	—	
			F	7	1	1	1	—	1	1	1	1	39	10	5	4	8	1	5	4	2	
12	Cancer, malignant disease	{	M	67	—	—	—	—	1	3	36	27	104	—	—	—	—	1	14	47	42	
			F	64	—	—	—	—	—	—	10	29	25	125	—	—	—	—	12	59	54	
13	Rheumatic fever	M	1	—	—	—	1	—	—	—	3	—	—	—	1	—	2	—	—	
			F	3	—	—	—	1	1	1	—	—	9	—	—	1	2	2	3	1	—	
14	Meningitis	M	13	3	1	2	4	1	1	1	6	—	1	1	2	—	1	—	1	
			F	13	2	3	—	3	4	1	—	—	8	1	3	2	1	—	1	—	—	
15	Organic heart disease	M	98	—	—	—	1	2	18	37	40	171	—	—	—	1	3	38	70	
			F	95	—	—	—	3	3	8	26	55	163	—	—	—	5	4	14	56	84	
16	Bronchitis	M	74	20	3	—	—	2	13	36	147	19	10	3	1	—	13	36	65	
			F	92	16	4	3	—	1	3	14	51	110	13	7	3	—	—	7	21	59	
17	Pneumonia (all forms)	{	M	56	16	8	2	2	—	5	9	14	109	20	20	6	6	3	23	18	13	
			F	45	5	7	7	3	2	2	7	12	70	8	12	8	7	2	5	9	19	
18	Other respiratory diseases	{	M	16	—	—	1	2	—	5	4	4	10	—	—	1	2	—	1	4	2	
			F	12	2	—	1	—	—	—	1	2	6	13	3	—	1	1	—	4	4	
19	Diarrhoea, &c.	M	21	16	—	—	—	2	1	2	40	30	4	—	1	1	1	—	3	
			F	18	11	1	1	—	—	—	1	4	36	20	6	1	1	—	—	4	4	
20	Appendicitis and typhlitis	{	M	2	—	—	—	—	1	1	—	—	10	—	—	1	1	3	1	4	—	
			F	5	—	—	—	—	1	2	1	1	4	1	—	—	—	1	2	—	—	
21	Cirrhosis of liver	M	5	—	—	—	—	1	3	1	17	—	—	—	—	—	3	9	5	
			F	7	—	—	—	—	—	2	4	1	15	—	—	—	—	—	5	9	1	
21A	Alcoholism	M	1	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—	
			F	4	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	
22	Nephritis and Bright's disease.	{	M	23	—	—	1	1	—	4	5	12	50	—	—	1	—	2	8	28	11	
			F	21	—	—	—	1	—	—	3	10	7	31	—	—	1	1	3	4	7	15
23	Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	7	—	—	—	—	1	6	—	—	8	—	—	—	—	2	6	—	—	
24	Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	4	—	—	—	—	—	—	4	—	—	8	—	—	—	—	8	—	—	—
25	Congenital debility, &c.	{	M	59	59	—	—	—	—	—	—	—	120	120	—	—	—	—	—	—	—	
			F	31	30	1	—	—	—	—	—	—	—	90	89	—	1	—	—	—	—	—
26	Violence, apart from suicide.	{	M	34	2	—	3	—	3	10	11	5	61	11	2	5	1	6	18	11	7	
			F	16	3	1	1	2	1	1	2	5	22	4	1	3	3	1	2	2	6	—
27	Suicide	M	5	—	—	—	—	3	—	2	16	—	—	—	—	2	6	6	2	
			F	2	—	—	—	—	—	1	1	—	3	—	—	—	—	1	—	2	—	
28	Other defined diseases	M	255	38	3	1	3	4	28	52	126	422	39	6	7	4	5	51	98	
			F	283	23	3	3	4	6	22	49	173	416	27	1	6	6	6	37	73	260	
29	Causes ill-defined or unknown.	{	M	5	1	1	—	—	—	2	1	—	2	—	2	—	—	—	—	—	—	
			F	3	1	2	—	—	—	—	—	—	—	4	—	2	—	1	—	—	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—cont.

Causes of Death.		Sex.	PRESTON.										READING.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M F	1,021 974	192 152	66 43	66 69	42 56	45 42	124 117	251 212	235 283	535 478	95 65	10 12	16 23	19 17	23 21	67 50	114 99	191 191	
1	Enteric fever	M F	2 6	— —	— —	— —	1 2	— 1	— 2	1 —	1 1	— —	— —	— —	— 1	1 —	— —	— —	— —	
2	Small-pox	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
3	Measles	M F	49 45	10 7	20 13	16 18	3 7	— —	— —	— —	8 7	— 1	1 1	6 5	1 —	— —	— —	— —	— —	
4	Scarlet fever	M F	17 19	— 1	2 1	9 7	6 10	— —	— —	— —	— 2	— —	— —	2 —	— —	— —	— —	— —	— —	
5	Whooping cough	M F	21 25	9 12	8 4	4 9	— —	— —	— —	— —	5 2	— 1	1 —	— 1	— —	— —	— —	— —	— —	
6	Diphtheria and croup	M F	17 25	— —	3 3	8 14	5 8	— —	1 —	— —	5 2	— —	— 1	1 1	2 —	— —	1 —	1 —	— —	
7	Influenza	M F	14 15	— —	— —	— —	— 1	— —	10 4	4 7	8 10	1 —	— —	— —	— —	— —	5 2	— 8	— —	
8	Erysipelas	M F	— —	— —	— —	— —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	— —	— 1	— 1	— —	
9	Pulmonary tuberculosis	{	M F	78 45	— 1	2 —	1 —	2 4	16 10	33 22	20 6	4 2	43 35	1 —	— —	— 1	3 3	8 8	22 14	9 5	— 4	
10	Tuberculous meningitis		M F	6 9	1 1	1 4	1 2	1 2	— —	2 —	— —	— —	— —	4 4	— —	1 —	2 3	1 1	— —	— —	— —	
11	Other tuberculous diseases.	{	M F	18 20	4 5	5 1	1 2	1 5	1 4	3 —	3 3	— —	10 6	2 1	— —	2 1	— 1	1 2	1 1	4 —	— —	
12	Cancer, malignant disease		M F	44 71	— —	— —	— —	— 1	— —	1 8	26 33	17 29	44 58	— —	— —	— —	1 —	— —	7 4	19 25	17 29	
13	Rheumatic fever	M F	5 5	— —	— —	— —	2 2	— 1	3 1	— 1	1 1	— —	— —	— —	— —	1 —	— 1	— —	— —	
14	Meningitis	M F	5 4	2 1	1 1	— 1	— —	1 —	— —	— 1	— 1	— —	— —	— —	— 1	— —	— —	— —	— —	
15	Organic heart disease	M F	94 95	— —	— —	— —	3 1	6 3	17 16	42 35	26 40	54 54	— —	— —	1 1	1 2	4 7	18 16	30 24	
16	Bronchitis	M F	65 72	9 10	2 1	1 —	1 1	4 1	17 19	31 39	39 46	4 6	— 2	— 2	— —	— —	— 1	4 5	31 30	
17	Pneumonia (all forms)	{	M F	116 85	25 20	10 10	8 7	10 4	4 5	22 10	26 16	11 13	27 22	4 5	4 5	2 3	— 2	1 3	2 4	4 —	10 —	
18	Other respiratory diseases		M F	17 19	— 2	1 —	3 2	— —	— 1	1 4	6 8	6 2	11 6	1 1	— 1	2 —	1 —	1 —	— —	— 2	6 2	
19	Diarrhoea, &c.	M F	39 19	20 10	4 —	4 —	— 2	1 1	— 1	7 3	3 2	13 8	10 6	1 —	— —	— —	— 1	— —	1 1	
20	Appendicitis and typhlitis	{	M F	3 3	— —	— —	1 —	— —	— 1	1 2	1 —	— —	8 5	— —	— —	— —	2 1	2 3	2 —	2 —	— 1	
21	Cirrhosis of liver		M F	8 9	— —	— —	— —	— —	— —	— —	2 1	5 8	1 —	4 7	— —	— —	— —	— —	— 3	2 3	2 1	
21A	Alcoholism	M F	1 2	— —	— —	— —	— —	— 1	1 1	— —	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	
22	Nephritis and Bright's disease.	{	M F	30 25	— —	2 —	1 1	— 1	1 2	2 7	14 10	10 4	15 11	— —	— —	— —	— —	— 1	— —	8 6	7 4	
23	Puerperal fever...		M F	— 2	— —	— —	— —	— —	— —	— 2	— —	— —	— —	— 3	— —	— —	— —	— —	— 3	— —	— —	
24	Parturition, apart from puerperal fever.	{	M F	— 9	— —	— —	— —	— —	— —	— 9	— —	— —	— 2	— —	— —	— —	— —	— —	— 2	— —	— —	
25	Congenital debility, &c.		M F	76 57	76 57	— —	— —	— —	— —	— —	— —	— —	— —	49 31	49 31	— —	— —	— —	— —	— —	— —	— —
26	Violence, apart from suicide.	{	M F	31 20	2 5	— —	3 2	4 2	5 1	8 3	6 2	3 5	19 11	4 1	— 1	1 1	1 —	2 1	3 1	4 2	4 4	
27	Suicide		M F	10 6	— —	— —	— —	1 —	1 1	2 4	6 1	6 2	— —	— —	— —	— —	— —	2 2	2 —	— —
28	Other defined diseases	M F	245 253	33 20	4 3	5 4	4 4	5 8	24 25	55 54	115 135	153 140	15 12	1 —	— 2	5 5	4 2	17 7	33 29	78 83
29	Causes ill-defined or unknown.	{	M F	10 9	1 —	1 2	— —	— —	— —	2 1	3 4	3 2	5 1	— —	1 1	— —	— —	1 —	1 —	2 —	— —	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—*cont.*

Causes of Death.	Sex.	ROCHDALE.										ROTHERHAM.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	663	108	31	25	22	27	90	203	157	553	127	53	38	30	12	70	106	117		
	F	728	103	27	32	25	37	99	167	238	463	99	42	44	27	15	57	76	103		
1 Enteric fever ...	M	2	—	—	—	1	—	1	—	—	9	—	—	—	2	—	5	2	—		
	F	2	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	12	3	6	2	1	—	—	—	—	51	11	22	17	1	—	—	—	—		
	F	18	8	2	7	1	—	—	—	—	45	7	17	16	4	—	1	—	—		
4 Scarlet fever ...	M	5	—	1	1	1	2	—	—	—	4	—	—	1	3	—	—	—	—		
	F	4	—	—	4	—	—	—	—	—	3	—	—	1	1	—	1	—	—		
5 Whooping cough ...	M	12	2	5	5	—	—	—	—	—	6	4	1	—	1	—	—	—	—		
	F	14	7	5	2	—	—	—	—	—	8	4	3	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	7	—	3	2	2	—	—	—	—	5	—	2	1	2	—	—	—	—		
	F	4	—	2	1	1	—	—	—	—	5	—	—	1	4	—	—	—	—		
7 Influenza ...	M	5	—	—	—	1	1	1	1	1	5	—	—	1	—	—	1	2	1		
	F	13	—	—	—	—	—	3	5	5	2	—	1	1	—	—	—	—	—		
8 Erysipelas ...	M	2	—	—	—	—	—	1	1	—	1	1	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	48	—	1	—	1	9	19	15	3	43	—	1	2	2	2	24	12	—		
	F	57	1	1	1	4	19	21	8	2	24	—	1	1	3	4	13	2	—		
10 Tuberculous meningitis	M	3	1	1	—	1	—	—	—	—	7	3	2	2	—	—	—	—	—		
	F	6	—	—	3	2	—	1	—	—	9	2	2	—	5	—	—	—	—		
11 Other tuberculous diseases.	M	17	4	2	2	2	2	2	3	—	6	—	1	2	2	—	—	—	1		
	F	14	2	3	1	2	1	4	—	1	7	1	1	3	1	1	—	—	—		
12 Cancer, malignant disease	M	36	—	—	—	—	—	2	21	13	31	—	—	—	—	1	5	17	15		
	F	42	—	—	—	—	2	5	17	18	31	—	—	—	—	—	—	8	8		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	2	—	1	—	—		
	F	6	—	—	—	2	1	2	—	1	1	—	—	—	—	—	1	—	—		
14 Meningitis ...	M	4	—	—	1	1	—	1	1	—	7	4	1	1	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	2	—	—	—	—	1	—	—		
15 Organic heart disease ...	M	59	—	—	—	2	2	9	29	17	35	—	—	—	—	—	4	13	18		
	F	81	—	—	—	1	5	11	26	38	39	—	—	—	1	—	4	17	17		
16 Bronchitis ...	M	69	16	—	—	1	—	7	20	31	45	11	3	2	—	1	1	10	17		
	F	76	8	1	1	—	1	2	17	46	34	8	2	—	—	—	2	6	16		
17 Pneumonia (all forms)	M	52	11	6	8	1	2	8	7	9	50	12	8	3	5	—	8	6	8		
	F	47	8	8	9	2	—	7	7	6	34	6	8	11	1	—	2	2	4		
18 Other respiratory diseases	M	13	—	—	1	—	—	—	8	4	7	—	—	—	1	—	—	4	2		
	F	11	1	—	—	—	—	1	2	7	6	—	—	2	—	1	1	1	1		
19 Diarrhoea, &c. ...	M	17	13	1	—	—	—	1	—	2	12	5	3	2	—	—	1	—	1		
	F	21	12	2	2	—	—	1	1	3	12	7	1	1	1	—	—	1	1		
20 Appendicitis and typhlitis	M	5	—	—	—	1	—	2	2	—	3	—	—	—	—	2	1	—	—		
	F	1	—	—	—	1	—	—	—	—	2	—	—	—	1	1	—	—	—		
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	—	2	1	2	—	—	—	—	—	1	1	—		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	31	—	—	—	1	—	7	19	4	12	—	1	—	2	—	3	4	2		
	F	27	—	1	1	1	1	4	14	5	5	—	—	—	—	—	2	—	3		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	1	5	—	—	2	—	—	—	—	1	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	—	6	—	—	5	—	—	—	—	—	5	—	—		
25 Congenital debility, &c.	M	42	42	—	—	—	—	—	—	—	53	51	1	—	—	1	—	—	—		
	F	34	34	—	—	—	—	—	—	—	36	36	—	—	—	—	—	—	—		
26 Violence, apart from suicide	M	26	—	—	2	2	—	7	11	4	26	1	—	1	5	5	7	5	2		
	F	14	1	—	—	1	1	4	3	4	21	5	2	4	4	1	1	3	1		
27 Suicide ...	M	8	—	—	—	—	—	2	6	—	5	—	—	—	—	—	2	3	—		
	F	4	—	—	—	—	—	1	2	1	3	—	—	—	—	—	2	1	—		
28 Other defined diseases ...	M	178	22	5	1	3	8	19	53	67	118	24	6	2	1	1	11	26	47		
	F	211	19	2	—	7	4	17	63	99	119	21	3	1	1	5	16	22	50		
29 Causes ill-defined or unknown.	M	6	—	—	—	—	1	—	4	1	7	—	1	1	—	—	—	2	3		
	F	7	2	—	—	—	—	2	1	2	5	—	1	1	—	—	—	2	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—*cont.*

Causes of Death.	Sex.	ST. HELENS.										SALFORD.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	817	216	82	67	44	36	82	179	111	2,127	478	168	142	68	83	320	501	367		
	F	697	169	69	59	49	33	74	117	127	1,921	343	166	137	82	75	247	395	476		
1 Enteric fever ...	M	5	—	—	—	—	2	3	—	—	11	—	—	—	1	4	4	2	—		
	F	3	—	—	—	1	1	1	—	—	8	—	—	1	3	2	1	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	39	3	15	18	3	—	—	—	—	119	20	47	44	7	1	—	—	—		
	F	24	4	5	9	6	—	—	—	—	125	29	53	40	3	—	—	—	—		
4 Scarlet fever ...	M	11	1	1	6	3	—	—	—	—	7	1	—	4	1	—	1	—	—		
	F	8	—	2	3	2	1	—	—	—	5	—	—	3	2	—	—	—	—		
5 Whooping cough ...	M	24	12	7	5	—	—	—	—	—	58	27	19	8	4	—	—	—	—		
	F	23	12	3	8	—	—	—	—	—	70	22	30	13	5	—	—	—	—		
6 Diphtheria and croup ...	M	10	2	1	3	2	2	—	—	—	18	2	1	10	5	—	—	—	—		
	F	9	1	3	4	—	—	—	1	—	14	—	1	7	6	—	—	—	—		
7 Influenza ...	M	7	1	—	—	1	—	—	5	—	12	—	—	—	—	1	3	4	4		
	F	5	—	—	—	2	—	1	2	—	20	—	—	1	—	1	4	4	10		
8 Erysipelas ...	M	2	1	—	—	—	—	—	1	—	3	1	—	—	—	—	1	1	—		
	F	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	50	—	—	—	3	11	24	11	1	238	2	5	2	6	28	107	80	8		
	F	54	3	—	3	6	15	20	6	1	148	1	2	2	11	35	64	29	4		
10 Tuberculous meningitis	M	17	5	7	4	1	—	—	—	—	13	1	5	3	2	1	1	—	—		
	F	16	2	5	4	5	—	—	—	—	23	5	6	7	2	—	2	1	—		
11 Other tuberculous diseases.	M	10	5	2	—	1	1	1	—	—	46	19	5	6	6	4	2	4	—		
	F	12	4	2	2	3	1	—	—	—	42	14	10	5	9	1	1	1	1		
12 Cancer, malignant disease	M	25	—	—	—	1	—	1	15	8	102	—	—	—	2	2	10	61	27		
	F	34	—	—	—	—	—	3	20	11	138	—	—	—	1	1	20	64	52		
13 Rheumatic fever ...	M	4	—	—	—	—	1	—	3	—	4	—	—	1	1	1	1	—	—		
	F	9	—	—	—	4	3	2	—	—	7	—	—	—	3	3	1	—	—		
14 Meningitis ...	M	18	7	5	2	3	—	—	1	—	12	5	1	2	4	—	—	—	—		
	F	10	4	1	—	3	—	1	—	1	22	7	4	7	3	—	—	1	—		
15 Organic heart disease ...	M	41	—	—	—	—	2	5	21	13	141	—	—	—	3	10	19	76	33		
	F	48	—	—	—	1	1	8	15	23	172	—	2	—	4	5	35	71	55		
16 Bronchitis ...	M	83	12	4	5	1	—	5	27	29	222	49	11	6	—	1	13	57	85		
	F	63	9	5	4	—	1	4	16	24	222	21	7	1	1	2	12	55	123		
17 Pneumonia (all forms)	M	98	21	21	15	8	3	10	18	2	251	75	45	29	8	3	39	34	18		
	F	68	18	17	10	8	1	7	4	3	171	44	35	32	7	4	15	16	18		
18 Other respiratory diseases	M	13	3	1	—	1	1	1	4	2	31	3	1	2	—	1	5	7	12		
	F	12	3	3	1	1	—	—	3	1	12	2	—	1	—	2	1	2	4		
19 Diarrhoea, &c. ...	M	26	16	6	1	—	—	—	2	1	71	47	5	4	4	—	3	7	1		
	F	26	12	4	2	—	—	2	1	5	53	32	7	3	2	—	3	1	5		
20 Appendicitis and typhlitis	M	4	—	—	—	3	—	1	—	—	10	—	—	—	2	3	3	2	—		
	F	—	—	—	—	—	—	—	—	—	12	1	—	—	—	6	2	2	1		
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	1	2	1	9	—	—	—	—	—	2	2	5		
	F	3	—	—	—	—	—	—	3	—	10	—	—	—	—	—	1	8	1		
21A Alcoholism ...	M	3	—	—	—	—	—	1	2	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
22 Nephritis and Bright's disease.	M	27	—	—	2	2	—	2	14	7	49	1	—	1	3	1	11	17	15		
	F	19	—	4	—	1	1	4	4	5	39	—	—	—	1	4	7	21	6		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	7	—	—	—	—	—	7	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	1	3	—	—	12	—	—	—	—	1	11	—	—		
25 Congenital debility, &c.	M	86	86	—	—	—	—	—	—	—	140	140	—	—	—	—	—	—	—		
	F	65	64	1	—	—	—	—	—	—	88	87	—	1	—	—	—	—	—		
26 Violence, apart from suicide.	M	36	2	—	2	2	5	14	7	4	89	11	1	7	3	6	33	22	6		
	F	15	1	1	3	3	1	—	2	4	56	17	1	4	10	1	10	5	8		
27 Suicide ...	M	3	—	—	—	—	—	1	2	—	17	—	—	—	—	2	7	7	1		
	F	3	—	—	—	—	—	1	2	—	4	—	—	—	—	1	3	—	—		
28 Other defined diseases ...	M	162	39	9	4	8	8	11	41	42	415	69	18	12	5	14	50	105	142		
	F	154	31	12	6	2	6	13	36	48	413	58	7	8	8	6	42	102	182		
29 Causes ill-defined or unknown.	M	9	—	3	—	1	—	1	3	1	38	5	4	1	1	—	5	12	10		
	F	7	—	1	—	1	—	2	2	1	26	3	1	1	1	—	5	10	5		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—cont.

Causes of Death				Sex.	SHEFFIELD.										SMETHWICK.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES				M	3,600	742	207	179	142	128	471	968	763	449	119	18	22	23	22	53	96	96		
				F	3,065	630	202	174	127	121	369	620	822	435	90	34	33	20	20	49	89	100		
1 Enteric fever				M	29	—	—	1	2	6	15	5	—	—	—	—	—	—	—	—	—	—		
				F	13	—	—	—	3	5	3	2	—	—	—	—	—	—	—	—	—	—		
2 Small-pox				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles				M	104	19	38	33	14	—	—	—	—	5	—	2	2	1	—	—	—	—		
				F	85	18	35	24	7	—	1	—	—	8	1	5	2	—	—	—	—	—		
4 Scarlet fever				M	19	—	1	9	8	—	1	—	—	1	—	—	1	—	—	—	—	—		
				F	17	—	2	8	7	—	—	—	—	4	—	—	3	1	—	—	—	—		
5 Whooping cough				M	80	39	22	17	1	—	—	—	1	8	3	3	2	—	—	—	—	—		
				F	112	48	36	25	3	—	—	—	—	18	9	7	1	1	—	—	—	—		
6 Diphtheria and croup				M	27	—	9	16	2	—	—	—	—	6	—	—	2	4	—	—	—	—		
				F	22	2	3	5	11	—	1	—	—	2	—	1	—	1	—	—	—	—		
7 Influenza				M	38	1	—	2	—	1	10	11	13	3	1	—	—	—	—	1	1	—		
				F	26	1	1	—	1	3	3	7	10	2	—	—	—	—	—	1	1	—		
8 Erysipelas				M	11	3	—	—	1	1	—	5	1	—	—	—	—	—	—	—	—	—		
				F	8	1	—	1	—	—	4	2	—	1	1	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis				M	409	4	2	5	8	34	160	178	18	49	—	—	—	2	9	24	13	1		
				F	182	2	3	3	16	37	72	41	8	26	1	—	2	1	4	16	2	—		
10 Tuberculous meningitis				M	52	11	10	14	11	5	—	—	1	7	2	1	2	2	—	—	—	—		
				F	40	3	8	14	10	5	—	—	—	5	—	2	3	—	—	—	—	—		
11 Other tuberculous diseases.				M	53	13	5	10	8	5	5	6	1	7	3	—	—	—	3	—	1	—		
				F	38	11	4	6	6	3	2	4	2	9	—	1	2	1	2	2	—	1		
12 Cancer, malignant disease				M	181	—	—	—	1	—	17	111	52	22	—	—	—	—	—	3	9	10		
				F	195	—	—	—	—	2	34	83	76	32	—	—	—	—	—	4	15	13		
13 Rheumatic fever				M	11	—	—	—	4	3	4	—	—	5	—	—	—	1	3	—	1	—		
				F	18	—	—	—	1	2	4	10	1	2	—	—	—	2	—	—	—	—		
14 Meningitis				M	31	13	6	5	3	2	1	1	—	6	1	2	2	1	—	—	—	—		
				F	30	5	4	6	8	6	1	—	—	4	2	—	1	1	—	—	—	—		
15 Organic heart disease ...				M	242	—	—	—	5	14	36	91	96	30	—	—	—	—	1	6	12	11		
				F	312	—	—	—	10	14	56	114	118	41	—	—	1	3	—	6	21	10		
16 Bronchitis				M	321	71	14	10	2	1	11	91	121	43	7	1	—	1	—	—	10	24		
				F	290	62	25	10	1	—	9	51	132	32	5	—	1	1	—	1	10	14		
17 Pneumonia (all forms)				M	386	89	60	30	16	18	59	69	45	51	13	7	3	3	2	9	12	2		
				F	257	63	41	33	13	7	27	36	37	64	13	14	15	2	1	4	5	10		
18 Other respiratory diseases				M	64	6	2	4	5	2	14	20	11	5	1	—	1	—	—	1	1	1		
				F	43	1	1	9	1	4	5	8	14	5	2	—	—	1	—	—	1	1		
19 Diarrhoea, &c.				M	86	53	10	3	2	—	6	6	6	12	9	—	2	—	—	—	1	—		
				F	106	65	14	9	—	—	3	7	8	13	7	1	—	—	—	—	1	4		
20 Appendicitis and typhlitis				M	13	—	—	1	4	2	5	1	—	4	—	—	—	1	2	1	—	—		
				F	7	—	—	—	1	3	2	1	—	1	—	—	—	1	—	—	—	—		
21 Cirrhosis of liver				M	34	—	—	—	—	—	10	19	5	5	—	—	—	1	—	—	3	1		
				F	16	—	—	—	—	—	2	12	2	5	—	—	—	—	1	2	—	2		
21A Alcoholism				M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
				F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—		
22 Nephritis and Bright's disease.				M	114	3	1	1	2	3	14	57	33	9	—	—	2	1	1	1	3	1		
				F	101	—	2	1	2	5	23	42	26	9	1	—	—	1	1	1	3	2		
23 Puerperal fever				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	22	—	—	—	—	5	16	1	—	1	—	—	—	—	1	—	—	—		
24 Parturition, apart from puerperal fever.				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	23	—	—	—	—	5	18	—	—	6	—	—	—	—	2	4	—	—		
25 Congenital debility, &c.				M	253	—	—	1	—	—	—	—	—	56	55	1	—	—	—	—	—	—		
				F	223	220	1	1	—	1	—	—	—	31	30	—	—	1	—	—	—	—		
26 Violence, apart from suicide.				M	133	14	3	9	21	11	25	36	14	17	4	—	3	3	1	2	3	1		
				F	75	22	4	6	10	3	9	9	12	12	4	1	1	2	—	—	3	1		
27 Suicide				M	36	—	—	—	—	3	15	15	3	3	—	—	—	—	—	—	3	—		
				F	10	—	—	—	—	1	4	3	2	2	—	—	—	—	1	1	—	—		
28 Other defined diseases ...				M	864	151	20	8	22	17	60	245	341	94	20	1	—	2	—	5	22	44		
				F	785	106	13	13	16	10	69	184	374	97	14	1	1	1	7	7	24	42		
29 Causes ill-defined or unknown.				M	8	—	4	—	—	—	2	1	1	1	—	—	—	—	—	—	1	—		
				F	8	—	5	—	—	—	—	3	—	1	—	1	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—cont.

Causes of Death.	Sex.	SOUTHAMPTON.										SOUTHPORT.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	849	133	24	27	21	37	158	213	236	397	36	6	12	15	8	53	98	169		
	F	758	106	43	26	37	30	102	147	267	440	33	10	5	13	10	54	106	209		
1 Enteric fever ...	M	8	—	—	—	—	2	4	2	—	1	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	6	—	2	2	2	—	—	—	—	4	—	2	2	—	—	—	—	—		
	F	12	2	4	4	2	—	—	—	—	3	—	1	—	—	2	—	—	—		
4 Scarlet fever ...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	18	8	5	5	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
	F	17	6	8	3	—	—	—	—	—	2	—	2	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	5	1	—	1	3	—	—	—	—	7	—	—	2	3	2	—	—	—		
	F	14	—	2	3	8	1	—	—	—	4	—	—	1	3	—	—	—	—		
7 Influenza ...	M	8	—	—	—	—	1	3	1	3	9	—	—	—	—	—	1	2	6		
	F	9	—	—	—	—	1	2	2	4	8	—	—	—	—	—	1	1	6		
8 Erysipelas ...	M	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—		
9 Pulmonary tuberculosis	M	105	—	1	—	1	19	54	25	5	33	1	—	—	—	—	21	8	3		
	F	56	—	—	—	4	12	29	8	3	30	—	—	—	3	15	8	4	—		
10 Tuberculous meningitis	M	6	1	1	2	1	1	—	—	—	5	—	2	3	—	—	—	—	—		
	F	14	4	3	4	3	—	—	—	—	2	—	—	1	—	1	—	—	—		
11 Other tuberculous diseases.	M	18	3	2	2	1	1	5	4	—	5	1	—	—	1	1	1	1	1		
	F	7	2	—	—	2	—	2	—	1	6	2	1	—	1	—	2	—	—		
12 Cancer, malignant disease	M	55	—	—	—	—	—	3	30	22	33	—	—	—	—	—	2	13	18		
	F	58	—	—	—	—	—	9	30	19	39	—	—	—	—	—	2	18	19		
13 Rheumatic fever ...	M	4	—	—	1	2	—	—	—	1	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—		
14 Meningitis ...	M	9	6	—	2	—	—	1	—	—	4	1	—	—	2	—	1	—	—		
	F	4	—	1	—	1	1	1	—	—	3	—	1	—	1	—	1	—	—		
15 Organic heart disease ...	M	85	—	—	1	—	1	10	28	45	43	—	—	—	1	—	2	17	23		
	F	74	—	—	—	1	3	6	23	41	53	—	—	—	—	1	5	20	27		
16 Bronchitis ...	M	67	7	5	—	—	—	6	14	35	30	2	—	—	—	—	1	5	22		
	F	66	7	2	1	—	—	1	11	44	30	5	1	—	—	—	—	2	22		
17 Pneumonia (all forms)	M	51	17	6	2	1	2	10	11	2	16	2	1	1	—	—	—	5	7		
	F	50	11	12	4	4	2	4	6	7	27	6	3	2	1	—	3	—	12		
18 Other respiratory diseases	M	18	1	—	1	1	—	4	4	7	8	—	—	1	1	—	3	1	2		
	F	17	—	—	—	2	1	1	6	7	5	—	—	—	—	—	—	2	3		
19 Diarrhoea, &c. ...	M	22	16	—	—	—	—	3	—	3	4	3	—	—	—	—	—	—	1		
	F	15	9	3	1	—	—	2	—	—	5	2	1	—	1	—	—	—	1		
20 Appendicitis and typhlitis	M	7	—	—	1	3	1	1	1	—	4	—	—	1	2	—	1	—	—		
	F	6	—	—	—	3	1	1	1	—	5	—	—	—	2	—	1	2	—		
21 Cirrhosis of liver ...	M	8	—	—	—	—	—	1	7	—	7	—	—	—	—	—	1	6	—		
	F	7	—	—	—	—	—	2	4	1	4	—	—	—	—	—	—	4	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	26	—	—	—	2	1	5	10	8	12	—	—	—	—	—	1	6	5		
	F	24	—	—	—	1	—	4	13	6	23	—	—	—	1	1	1	7	13		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	—	5	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	8	—	—	—	—	1	7	—	—	3	—	—	—	—	—	3	—	—		
25 Congenital debility, &c.	M	48	47	1	—	—	—	—	—	—	17	16	—	—	1	—	—	—	—		
	F	40	40	—	—	—	—	—	—	—	11	11	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	26	1	—	1	1	2	12	6	3	11	—	—	1	—	1	6	2	1		
	F	12	3	—	1	—	—	1	2	5	5	—	—	1	1	—	1	1	1		
27 Suicide ...	M	9	—	—	—	—	—	5	3	1	6	—	—	—	—	1	1	4	—		
	F	3	—	—	—	1	—	1	1	—	1	—	—	—	—	—	1	—	—		
28 Other defined diseases ...	M	235	24	1	6	2	6	31	65	100	131	8	1	1	4	3	9	25	80		
	F	234	22	6	5	4	6	24	39	128	164	7	—	—	2	2	15	38	100		
29 Causes ill-defined or unknown.	M	2	1	—	—	—	—	—	1	—	4	1	—	—	—	—	1	2	—		
	F	4	—	2	—	—	—	—	1	1	2	—	—	—	—	1	—	—	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH 1912—cont.

Causes of Death		Sex.	SOUTH SHIELDS.										STOCKPORT.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...		M	911	192	79	48	32	47	111	210	192	841	153	50	53	31	27	107	231	189		
		F	865	170	58	54	43	46	120	154	220	832	124	41	44	28	28	114	196	257		
1 Enteric fever ...		M	3	—	—	—	—	1	2	—	—	4	—	—	—	1	1	1	1	—		
		F	2	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—		
2 Small-pox ...		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...		M	38	3	18	14	3	—	—	—	—	28	7	8	13	—	—	—	—	—		
		F	31	4	14	9	4	—	—	—	—	27	3	13	9	2	—	—	—	—		
4 Scarlet fever ...		M	6	—	2	2	2	—	—	—	—	2	—	—	—	2	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	3	—	1	2	—	—	—	—	—		
5 Whooping cough ...		M	23	9	10	3	1	—	—	—	—	16	4	8	3	1	—	—	—	—		
		F	27	10	9	7	1	—	—	—	—	22	10	7	3	2	—	—	—	—		
6 Diphtheria and croup ...		M	4	—	—	2	2	—	—	—	—	11	1	2	5	2	1	—	—	—		
		F	2	—	—	2	—	—	—	—	—	5	—	1	1	3	—	—	—	—		
7 Influenza ...		M	16	2	—	1	—	—	2	6	5	6	—	—	—	—	—	1	4	1		
		F	9	4	—	—	—	—	—	5	—	5	—	—	—	2	—	1	—	2		
8 Erysipelas ...		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2		
9 Pulmonary tuberculosis		M	80	—	—	1	3	12	35	26	3	75	1	1	—	1	9	36	25	2		
		F	84	1	—	2	12	22	39	7	1	73	2	2	2	4	12	36	11	4		
10 Tuberculous meningitis		M	11	2	2	—	5	1	1	—	—	7	1	1	5	—	—	—	—	—		
		F	6	2	—	1	2	1	—	—	—	13	1	2	6	—	—	3	1	—		
11 Other tuberculous diseases.		M	14	1	1	4	2	2	—	2	2	15	2	3	1	3	5	1	—	—		
		F	19	5	2	5	1	3	3	—	—	10	1	1	1	1	3	1	2	—		
12 Cancer, malignant disease		M	34	—	—	—	—	—	1	22	11	41	—	—	—	—	—	3	22	16		
		F	45	—	—	—	—	—	10	19	16	61	—	—	—	—	—	9	35	17		
13 Rheumatic fever ...		M	1	—	—	1	—	—	—	—	—	2	—	—	—	1	—	1	—	—		
		F	2	—	—	—	1	—	1	—	—	1	—	—	—	—	—	1	—	—		
14 Meningitis ...		M	18	4	6	2	3	2	—	1	—	7	2	—	4	—	—	—	1	—		
		F	12	3	2	3	3	—	1	—	—	3	—	—	2	—	1	—	—	—		
15 Organic heart disease ...		M	88	—	—	1	—	1	10	34	42	77	—	—	—	1	6	8	42	20		
		F	101	1	—	1	3	5	11	36	44	84	—	—	—	2	1	15	33	33		
16 Bronchitis ...		M	73	30	10	—	—	—	4	11	18	61	8	6	2	—	—	3	17	25		
		F	104	30	6	3	2	—	3	19	41	97	12	3	—	—	2	2	23	55		
17 Pneumonia (all forms)		M	73	16	13	8	1	5	6	17	7	96	16	10	5	2	1	24	20	18		
		F	66	16	13	11	6	1	6	7	6	70	12	4	8	1	4	9	17	15		
18 Other respiratory diseases		M	14	1	3	3	1	1	1	3	1	6	1	—	1	—	—	—	3	1		
		F	11	—	2	3	—	—	2	2	2	8	1	—	—	—	—	—	2	5		
19 Diarrhoea, &c. ...		M	18	8	3	1	1	1	4	—	—	21	11	1	3	—	—	1	2	3		
		F	13	7	2	—	—	—	—	1	3	17	11	4	—	1	—	—	1	—		
20 Appendicitis and typhlitis		M	6	—	—	—	2	2	—	2	—	3	—	—	—	2	—	1	—	—		
		F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—		
21 Cirrhosis of liver ...		M	5	—	—	—	—	—	—	2	3	4	—	—	—	—	—	—	3	1		
		F	6	—	—	—	—	—	—	3	3	3	—	—	—	—	—	1	2	—		
21A Alcoholism ...		M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
		F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	2	—		
22 Nephritis and Bright's disease.		M	26	—	2	—	1	4	4	6	9	32	—	—	1	2	—	4	18	7		
		F	22	—	—	1	1	1	5	10	4	28	—	—	—	—	1	3	14	10		
23 Puerperal fever...		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	3	—	—	—	—	1	2	—	—	5	—	—	—	—	—	5	—	—		
24 Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	9	—	—	—	—	3	6	—	—	5	—	—	—	—	1	3	1	—		
25 Congenital debility, &c.		M	71	70	—	1	—	—	—	—	—	55	54	—	1	—	—	—	—	—		
		F	52	52	—	—	—	—	—	—	—	41	41	—	—	—	—	—	—	—		
26 Violence, apart from suicide.		M	52	2	2	4	1	11	11	13	8	35	3	1	5	8	—	7	10	1		
		F	15	1	2	3	3	—	—	3	3	21	6	—	2	6	—	2	1	4		
27 Suicide ...		M	8	—	—	—	—	1	4	2	1	7	—	—	—	—	1	2	4	—		
		F	3	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...		M	219	44	4	—	4	3	25	58	81	226	41	8	4	5	3	14	57	94		
		F	214	34	5	3	4	6	28	38	96	220	24	3	7	4	2	21	49	110		
29 Causes ill-defined or unknown.		M	9	—	3	—	—	—	—	5	1	4	1	1	—	—	—	—	2	—		
		F	5	—	1	—	—	—	2	1	1	4	—	—	1	—	—	—	2	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—*cont.*

Causes of Death.				Sex.	STOKE ON TRENT.										SUNDERLAND.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	{	M	2,055	560	93	98	71	85	267	503	378	1,307	321	82	64	55	63	168	269	285		
			{	F	1,760	393	96	92	92	82	249	365	391	1,152	239	67	79	64	42	133	242	286		
1 Enteric fever	{	M	10	—	—	—	—	1	7	2	—	4	—	—	—	1	—	3	—	—		
			{	F	17	—	—	1	1	2	11	2	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	{	M	27	8	8	10	1	—	—	—	—	36	13	14	9	—	—	—	—	—		
			{	F	28	5	11	10	2	—	—	—	—	32	11	7	11	3	—	—	—	—		
4 Scarlet fever	{	M	16	—	2	6	7	—	1	—	—	—	—	—	—	—	—	—	—	—		
			{	F	13	—	—	11	2	—	—	—	—	2	1	1	—	—	—	—	—	—		
5 Whooping cough	{	M	35	20	8	5	2	—	—	—	—	18	9	7	2	—	—	—	—	—		
			{	F	40	16	16	7	1	—	—	—	—	25	13	7	5	—	—	—	—	—		
6 Diphtheria and croup	{	M	28	3	5	10	10	—	—	—	—	12	—	1	6	4	—	—	1	—		
			{	F	31	1	3	10	16	1	—	—	—	11	—	1	9	1	—	—	—	—		
7 Influenza	{	M	6	—	—	—	—	—	3	1	2	2	—	—	—	—	—	1	1	—		
			{	F	9	—	—	1	—	1	1	3	3	4	—	—	—	1	—	—	1	2		
8 Erysipelas	{	M	5	—	—	—	—	—	—	2	3	—	—	—	—	—	—	—	—	—		
			{	F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	{			M	179	2	7	4	4	27	72	61	2	96	1	2	3	5	20	38	25	2		
				F	136	1	—	2	10	32	66	25	—	100	—	4	3	17	25	37	13	1	—	
10 Tuberculous meningitis	{			M	22	4	4	8	4	2	—	—	—	18	4	4	3	5	2	—	—	—		
				F	16	5	5	3	3	—	—	—	—	19	4	1	6	6	1	1	—	—	—	
11 Other tuberculous diseases.	{			M	38	13	—	8	5	5	1	5	1	31	3	5	3	8	2	7	3	—		
				F	41	11	5	10	3	5	6	1	—	27	9	4	7	3	3	—	1	—	—	
12 Cancer, malignant disease	{			M	87	—	—	—	—	1	7	56	23	71	—	—	—	1	1	7	29	33		
				F	105	—	—	—	—	2	19	52	32	61	—	—	—	—	—	13	25	23	—	
13 Rheumatic fever	{	M	9	—	—	1	6	—	1	1	—	9	—	—	—	1	3	2	1	2		
			{	F	3	—	—	—	—	1	1	1	—	4	—	—	—	2	1	—	1	—		
14 Meningitis	{	M	20	10	4	2	1	—	3	—	—	11	4	—	4	1	1	—	1	—		
			{	F	20	7	6	1	2	2	2	—	—	13	3	—	5	3	1	1	—	—		
15 Organic heart disease	{	M	136	—	—	—	1	4	26	60	45	109	—	—	1	3	5	15	45	40		
			{	F	154	—	—	—	10	8	28	71	37	97	—	—	—	4	—	16	42	35		
16 Bronchitis	{	M	221	38	7	5	1	2	12	83	73	138	51	13	3	3	—	4	27	37		
			{	F	151	26	5	—	—	1	6	39	74	119	39	7	4	1	1	4	25	38		
17 Pneumonia (all forms)	{			M	171	49	25	12	6	4	36	20	19	137	24	25	15	8	9	23	22	11		
				F	104	33	11	14	8	4	9	12	13	82	15	18	12	3	2	9	17	6	—	
18 Other respiratory diseases	{			M	51	7	2	5	1	—	9	18	9	13	—	1	2	—	1	2	5	2		
				F	24	1	1	2	4	1	4	8	3	14	—	2	—	—	—	2	8	2	—	
19 Diarrhoea, &c.	{	M	88	68	5	1	1	1	3	4	5	25	11	5	1	—	—	1	5	2		
			{	F	74	49	8	2	1	1	—	6	7	28	14	3	2	2	—	2	2	3		
20 Appendicitis and typhlitis	{			M	6	—	—	1	1	—	3	1	—	6	—	—	—	1	—	2	2	1		
				F	5	—	—	—	1	4	—	—	—	—	4	—	—	1	1	1	—	—	1	—
21 Cirrhosis of liver	{	M	17	—	—	—	—	1	1	12	3	7	—	—	—	—	—	2	5	—		
			{	F	11	—	—	—	—	—	3	6	2	5	—	—	—	—	—	—	3	2		
21A Alcoholism	{	M	2	—	—	—	—	—	1	1	—	3	—	—	—	—	—	1	2	—		
			{	F	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	2	—		
22 Nephritis and Bright's disease.	{			M	51	3	2	1	3	4	9	21	8	23	—	—	—	1	2	5	9	6		
				F	54	—	1	—	4	2	20	21	6	42	—	—	—	3	1	1	7	20	10	—
23 Puerperal fever	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	9	—	—	—	—	1	8	—	—	10	—	—	—	—	—	10	—	—		
24 Parturition, apart from puerperal fever.	{			M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	20	—	—	—	—	4	16	—	—	15	—	—	—	—	—	2	12	1	—	—
25 Congenital debility, &c.	{			M	222	221	—	1	—	—	—	—	—	126	126	—	—	—	—	—	—	—		
				F	149	147	—	1	1	—	—	—	—	97	97	—	—	—	—	—	—	—	—	—
26 Violence, apart from suicide.	{			M	88	9	1	9	8	16	18	24	3	68	13	1	6	4	9	12	10	13		
				F	53	14	3	8	13	1	3	2	9	28	3	2	4	5	—	1	4	9	—	—
27 Suicide	{	M	14	—	—	—	—	1	4	8	1	13	—	—	—	—	—	8	4	1		
			{	F	8	—	—	—	—	1	3	2	2	3	—	—	—	1	—	2	—	—		
28 Other defined diseases	{	M	492	104	12	9	9	16	49	114	179	327	62	3	6	9	8	35	70	134		
			{	F	470	77	16	8	9	8	42	108	202	301	29	7	7	9	4	16	77	152		
29 Causes ill-defined or unknown.	{			M	14	1	1	—	—	—	1	9	2	4	—	1	—	—	—	—	2	1		
				F	12	—	5	1	1	—	—	—	5	—	—	6	1	3	—	1	—	—	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—*cont.*

Causes of Death.	Sex.	SWANSEA.									TYNEMOUTH.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	808	177	47	57	26	40	125	196	140	516	99	43	27	18	24	71	111	123
	F	785	153	55	53	36	41	109	151	187	452	78	27	28	19	23	80	83	114
1 Enteric fever ...	M	2	—	—	—	—	2	—	—	—	3	—	—	1	—	—	—	2	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	38	11	13	14	—	—	—	—	—	17	3	8	5	1	—	—	—	—
	F	33	9	12	12	—	—	—	—	—	18	2	8	6	2	—	—	—	—
4 Scarlet fever ...	M	2	—	1	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	4	—	—	2	2	—	—	—	—	1	—	—	—	1	—	—	—	—
5 Whooping cough ...	M	14	8	4	2	—	—	—	—	—	7	3	2	2	—	—	—	—	—
	F	19	9	6	4	—	—	—	—	—	9	4	3	2	—	—	—	—	—
6 Diphtheria and croup ...	M	14	1	1	9	3	—	—	—	—	4	2	1	—	1	—	—	—	—
	F	21	—	1	7	13	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza ...	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	1	—
	F	1	—	—	—	—	—	—	—	1	4	—	—	—	—	2	2	—	—
8 Erysipelas ...	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	95	—	1	3	—	17	35	32	7	50	—	2	1	4	6	25	10	2
	F	68	—	2	1	2	15	32	15	1	52	—	1	3	2	13	23	10	—
10 Tuberculous meningitis	M	6	1	1	2	1	1	—	—	—	8	—	1	5	2	—	—	—	—
	F	10	1	2	1	4	1	1	—	—	6	—	2	1	3	—	—	—	—
11 Other tuberculous diseases.	M	14	5	1	1	1	—	4	2	—	7	1	2	3	1	—	—	—	—
	F	8	1	3	1	—	—	2	1	—	8	2	1	2	2	—	—	—	1
12 Cancer, malignant disease	M	31	—	—	—	—	—	6	19	6	19	—	—	—	—	—	2	11	6
	F	49	—	—	—	—	—	8	28	13	27	—	—	—	—	—	3	15	9
13 Rheumatic fever ...	M	4	—	—	1	—	1	1	1	—	1	—	—	—	—	—	—	1	—
	F	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
14 Meningitis ...	M	4	3	—	—	1	—	—	—	—	7	4	2	—	—	—	1	—	—
	F	4	—	—	2	—	—	2	—	—	3	—	—	2	1	—	—	—	—
15 Organic heart disease ...	M	64	—	—	1	1	5	8	26	23	50	—	—	—	—	2	8	23	17
	F	72	—	—	—	3	8	16	24	21	35	—	—	—	—	1	4	15	15
16 Bronchitis ...	M	46	13	3	2	—	—	1	11	16	52	5	7	3	—	—	2	10	25
	F	57	10	3	2	—	2	5	7	28	38	11	1	1	—	—	2	4	19
17 Pneumonia (all forms)	M	66	18	10	6	2	2	10	12	6	36	6	7	3	2	4	5	4	5
	F	60	15	17	10	2	1	4	4	7	32	7	3	5	5	1	2	5	4
18 Other respiratory diseases	M	15	2	2	3	—	—	2	3	3	15	3	2	1	1	—	—	1	7
	F	10	—	1	1	—	—	1	6	1	5	—	—	1	—	—	1	1	2
19 Diarrhoea, &c. ...	M	22	18	2	—	—	—	1	—	1	19	11	4	—	—	1	1	—	2
	F	28	19	4	—	1	—	2	1	1	10	6	3	1	—	—	—	—	—
20 Appendicitis and typhlitis	M	7	—	—	—	2	2	2	—	1	4	—	—	—	1	2	1	—	—
	F	2	—	—	—	—	—	—	—	2	2	—	—	—	1	—	1	—	—
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	1	1	2	2	—	—	—	—	—	1	—	1
	F	6	—	—	—	—	—	—	5	1	4	—	—	—	—	—	1	—	3
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	19	—	—	—	1	—	6	9	3	16	—	—	1	—	—	2	10	3
	F	21	—	—	—	—	2	7	10	2	22	1	—	—	—	3	5	10	3
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	2	—	—	—	—	—	2	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	1	10	—	—	7	—	—	—	—	—	7	—	—
25 Congenital debility, &c.	M	44	44	—	—	—	—	—	—	—	33	32	—	—	—	—	1	—	—
	F	44	44	—	—	—	—	—	—	—	28	28	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	55	—	2	7	11	7	17	10	1	30	3	2	—	2	5	9	6	3
	F	12	—	—	3	4	2	—	1	2	11	—	1	—	—	1	2	4	3
27 Suicide ...	M	4	—	—	—	—	—	—	3	1	7	—	—	—	—	2	2	2	1
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—
28 Other defined diseases ...	M	232	52	6	6	2	3	31	64	68	121	26	2	2	2	2	10	28	49
	F	235	44	4	7	4	8	17	45	106	120	17	4	2	2	1	23	18	53
29 Causes ill-defined or unknown.	M	3	1	—	—	—	—	—	1	1	4	—	1	—	—	—	—	2	1
	F	6	1	—	—	—	—	—	4	1	5	—	—	1	—	—	1	1	2

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—cont.

Causes of Death.	Sex.	WALSALL.										WARRINGTON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	754	201	57	33	36	29	88	147	163	570	107	57	47	31	17	64	132	115		
	F	680	162	45	54	23	23	84	129	160	504	88	36	45	37	20	62	106	110		
1 Enteric fever ...	M	1	—	—	1	—	—	—	—	—	2	—	—	—	1	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	7	—	—	1	2	—	4	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	8	—	3	2	3	—	—	—	—	46	10	13	21	2	—	—	—	—		
	F	9	1	3	4	1	—	—	—	—	38	7	14	16	1	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	6	—	—	3	3	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	4	—	—	3	1	—	—	—	—		
5 Whooping cough ...	M	44	21	13	8	2	—	—	—	—	5	3	1	1	—	—	—	—	—		
	F	35	12	12	9	2	—	—	—	—	3	1	—	2	—	—	—	—	—		
6 Diphtheria and croup	M	3	—	1	2	—	—	—	—	—	8	—	1	4	3	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	5	—	—	4	1	—	—	—	—		
7 Influenza ...	M	1	1	—	—	—	—	—	—	—	7	—	—	—	—	1	1	4	1		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	2		
8 Erysipelas ...	M	2	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	71	—	3	1	3	12	34	16	2	44	—	—	—	1	2	21	19	1		
	F	43	2	—	1	1	11	22	4	2	40	—	1	—	6	7	15	10	1		
10 Tuberculous meningitis	M	12	1	2	5	2	2	—	—	—	7	2	—	1	2	—	—	—	—		
	F	14	2	3	9	—	—	—	—	—	6	2	—	4	—	—	—	—	—		
11 Other tuberculous diseases.	M	11	1	1	2	2	—	4	1	—	10	1	2	4	1	1	—	—	—		
	F	7	3	—	1	2	—	1	—	—	20	4	4	3	6	—	1	2	—		
12 Cancer, malignant disease	M	35	—	—	—	—	—	9	18	8	36	—	—	—	—	—	2	23	11		
	F	45	—	—	—	—	—	6	20	19	31	—	—	—	1	—	3	18	9		
13 Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	2	—	—	—	1	1	—	—	—		
	F	4	—	—	—	—	—	2	2	—	1	—	—	—	—	—	1	—	—		
14 Meningitis ...	M	5	3	—	1	—	—	—	1	—	8	3	4	1	—	—	—	—	—		
	F	15	6	—	2	1	1	3	2	—	8	3	1	2	1	1	—	—	—		
15 Organic heart disease ...	M	34	—	—	—	—	—	5	18	11	33	—	—	—	3	1	4	10	15		
	F	36	—	—	—	2	1	5	17	11	40	—	—	—	2	2	5	16	15		
16 Bronchitis ...	M	63	19	7	—	2	—	1	13	21	47	6	4	—	—	—	3	17	17		
	F	75	17	5	4	2	—	—	18	29	37	7	2	1	—	—	2	10	15		
17 Pneumonia (all forms)	M	88	21	17	6	4	3	7	20	10	48	6	7	5	4	—	10	13	3		
	F	60	20	10	13	3	1	3	7	3	45	7	2	6	2	1	5	10	12		
18 Other respiratory diseases	M	15	1	—	—	1	—	1	8	4	9	1	2	1	—	—	2	2	1		
	F	7	—	—	1	—	1	—	4	1	3	—	—	1	—	—	—	2	—		
19 Diarrhoea, &c. ...	M	26	15	6	—	—	—	1	3	1	23	7	9	2	2	—	—	3	—		
	F	22	13	4	—	—	—	—	4	1	15	8	4	1	—	—	1	1	—		
20 Appendicitis and typhlitis	M	8	—	—	—	4	2	2	—	—	3	—	1	—	—	2	—	—	—		
	F	2	—	—	—	—	1	1	—	—	3	—	—	—	1	1	—	1	—		
21 Cirrhosis of liver ...	M	5	—	—	—	—	—	2	3	—	5	—	—	—	—	—	—	5	—		
	F	9	—	—	—	—	—	2	7	—	2	—	—	—	—	—	—	2	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	14	—	—	—	—	1	2	6	5	13	—	—	—	2	1	3	6	1		
	F	15	—	—	—	1	—	3	8	3	15	1	—	—	2	1	3	6	2		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	2	—	—	—	—	1	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	—	—	8	1	—	7	—	—	—	—	1	5	1	—		
25 Congenital debility, &c.	M	77	77	—	—	—	—	—	—	—	50	50	—	—	—	—	—	—	—		
	F	59	59	—	—	—	—	—	—	—	30	30	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	35	6	1	2	6	3	5	6	6	23	1	2	3	3	1	8	4	1		
	F	36	5	4	7	4	2	4	2	8	14	—	1	1	6	1	2	1	2		
27 Suicide ...	M	6	—	—	—	—	3	—	3	—	8	—	—	—	—	—	2	4	2		
	F	4	—	—	—	—	2	1	1	—	1	—	—	—	—	—	1	—	—		
28 Other defined diseases	M	186	35	1	3	6	3	15	29	94	111	14	7	1	2	4	5	18	60		
	F	168	22	3	2	4	2	21	32	82	110	16	6	—	4	4	12	18	50		
29 Causes ill-defined or unknown.	M	3	—	2	—	—	—	—	1	—	14	2	4	—	1	—	1	4	2		
	F	1	—	1	—	—	—	—	—	—	13	2	1	—	1	—	1	6	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—*cont.*

Causes of Death.	Sex.	WEST BROMWICH.										WEST HAM.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	549	135	36	34	19	22	61	118	124	2,244	494	158	151	105	96	285	497	458		
	F	463	109	33	27	11	17	43	76	147	1,952	411	156	127	82	68	236	383	489		
1 Enteric fever ...	M	4	—	—	—	—	1	2	1	—	11	—	—	1	4	2	2	2	—		
	F	1	—	—	—	—	1	—	—	—	8	—	—	—	—	2	2	4	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	6	—	1	4	1	—	—	—	—	132	18	59	48	6	1	—	—	—		
	F	2	2	—	—	—	—	—	—	—	118	23	46	41	8	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	7	2	—	3	2	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	10	1	1	4	4	—	—	—	—		
5 Whooping cough ...	M	16	5	8	3	—	—	—	—	—	60	24	21	15	—	—	—	—	—		
	F	23	11	7	5	—	—	—	—	—	66	34	22	9	1	—	—	—	—		
6 Diphtheria and croup ...	M	2	—	—	1	1	—	—	—	—	16	—	2	5	9	—	—	—	—		
	F	3	1	—	2	—	—	—	—	—	19	1	2	10	6	—	—	—	—		
7 Influenza ...	M	5	—	—	—	—	—	1	3	1	23	—	—	—	2	—	6	10	5		
	F	2	—	—	—	—	—	—	—	2	12	1	—	1	1	1	5	2	—		
8 Erysipelas ...	M	1	—	—	—	—	—	1	—	—	3	1	—	—	—	—	2	—	—		
	F	—	—	—	—	—	—	—	—	—	5	1	1	—	—	—	2	1	—		
9 Pulmonary tuberculosis	M	34	—	—	1	—	3	17	10	3	211	—	2	4	9	36	85	61	14		
	F	30	—	1	—	—	6	15	8	—	135	—	2	2	8	19	68	29	7		
10 Tuberculous meningitis	M	6	2	—	1	2	—	1	—	—	38	11	7	7	11	1	1	—	—		
	F	2	1	—	1	—	—	—	—	—	20	7	4	6	2	1	—	—	—		
11 Other tuberculous diseases.	M	6	2	1	—	2	1	—	—	—	30	6	5	5	5	2	4	1	2		
	F	8	5	2	—	—	—	1	—	—	24	4	3	4	6	2	1	2	2		
12 Cancer, malignant disease	M	22	—	—	1	—	—	4	14	3	117	—	—	1	1	1	6	70	38		
	F	29	—	—	—	—	—	4	14	11	147	—	—	1	1	—	19	75	51		
13 Rheumatic fever ...	M	3	—	—	—	1	2	—	—	—	20	—	—	3	8	3	3	2	1		
	F	1	—	—	—	—	—	—	1	—	13	—	—	—	5	3	3	2	—		
14 Meningitis ...	M	4	—	1	1	—	1	1	—	—	11	5	2	3	—	—	1	—	—		
	F	3	1	—	1	1	—	—	—	—	16	5	5	4	1	—	—	1	—		
15 Organic heart disease ...	M	29	—	—	—	2	4	3	11	9	145	—	—	1	5	17	20	55	47		
	F	29	—	—	—	1	2	2	9	15	154	—	—	—	5	15	27	50	57		
16 Bronchitis ...	M	63	18	6	3	—	—	—	18	18	202	39	9	2	2	—	12	47	91		
	F	70	22	9	1	1	—	1	9	27	217	33	17	5	—	1	4	43	114		
17 Pneumonia (all forms)...	M	41	8	10	5	—	5	4	7	2	259	79	38	33	9	7	26	49	18		
	F	35	13	6	4	2	3	2	5	—	184	60	33	28	11	2	11	24	15		
18 Other respiratory diseases	M	9	3	1	1	1	—	2	1	—	22	3	1	1	—	1	3	5	8		
	F	3	—	—	—	1	—	—	1	1	29	2	3	2	1	—	5	8	8		
19 Diarrhoea, &c. ...	M	15	11	1	2	—	—	—	—	1	63	47	4	2	2	—	—	4	4		
	F	18	7	1	4	—	—	1	1	4	56	33	10	2	2	1	—	2	6		
20 Appendicitis and typhlitis	M	3	—	—	—	2	—	1	—	—	13	—	—	—	6	2	5	—	—		
	F	2	—	—	—	1	—	1	—	—	8	—	—	1	5	—	2	—	—		
21 Cirrhosis of liver ...	M	6	—	—	—	—	—	2	4	—	15	—	—	—	—	—	3	12	—		
	F	2	—	—	—	—	—	—	2	—	12	—	—	—	—	—	3	6	3		
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	2	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	12	2	—	—	2	1	1	5	1	69	—	—	—	2	1	13	33	20		
	F	10	—	—	—	1	1	—	4	4	61	—	—	—	1	3	14	25	18		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	2	3	—	—	10	—	—	—	—	1	9	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	10	—	—	—	—	1	9	—	—		
25 Congenital debility ...	M	53	53	—	—	—	—	—	—	—	186	186	—	—	—	—	—	—	—		
	F	30	29	1	—	—	—	—	—	—	148	148	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	18	3	1	4	3	2	1	1	3	121	18	3	12	8	8	30	23	19		
	F	13	4	—	4	2	—	—	2	1	49	17	5	2	5	2	5	7	6		
27 Suicide ...	M	9	—	—	—	—	1	3	3	2	13	—	—	—	—	2	5	4	2		
	F	1	—	—	—	—	—	—	—	1	4	—	—	—	—	1	1	2	—		
28 Other defined diseases ...	M	172	28	4	6	2	1	16	35	80	452	55	4	5	14	12	58	116	188		
	F	131	13	2	4	1	1	10	19	81	415	40	1	5	9	13	52	96	199		
29 Causes ill-defined or unknown.	M	9	—	2	1	—	—	1	4	1	3	—	1	—	—	—	—	1	1		
	F	6	—	3	—	—	—	1	1	—	2	1	1	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—cont

Causes of Death.		Sex.	WEST HARTLEPOOL.										WIGAN.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...		M	526	112	37	34	28	18	66	109	122	767	187	47	40	41	36	108	188	120		
		F	434	77	25	43	27	18	47	91	106	691	143	42	44	31	42	98	134	157		
1 Enteric fever ...		M	2	—	—	—	—	1	1	—	—	6	—	—	1	1	—	3	—	1		
		F	1	—	—	—	1	—	—	—	—	6	—	—	—	—	4	1	—			
2 Small-pox ...		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
3 Measles ...		M	32	4	15	10	3	—	—	—	—	17	5	5	6	1	—	—	—			
		F	32	3	8	20	1	—	—	—	—	18	1	7	9	1	—	—	—			
4 Scarlet fever ...		M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	4	—	—	—	3	1	—	—	—	1	—	—	—	1	—	—	—			
5 Whooping cough ...		M	5	2	2	1	—	—	—	—	—	13	3	7	2	1	—	—	—			
		F	8	1	4	2	1	—	—	—	—	18	6	7	5	—	—	—	—			
6 Diphtheria and croup ...		M	9	—	—	4	4	—	1	—	—	7	—	3	2	2	—	—	—			
		F	9	1	1	4	3	—	—	—	—	4	1	—	2	—	1	—	—			
7 Influenza ...		M	2	—	—	—	—	—	—	2	—	9	—	—	—	—	2	1	4			
		F	5	—	—	—	—	—	1	1	3	1	—	1	—	—	—	—	2			
8 Erysipelas ...		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—			
9 Pulmonary tuberculosis		M	37	1	—	—	4	5	18	8	1	56	—	—	—	2	8	29	16			
		F	33	—	—	—	4	7	15	7	—	47	1	—	1	2	18	22	1			
10 Tuberculous meningitis		M	10	2	2	5	1	—	—	—	—	8	4	2	—	2	—	—	—			
		F	8	2	2	2	1	—	—	1	—	15	4	3	4	1	2	1	—			
11 Other tuberculous diseases.		M	13	1	5	1	3	2	—	1	—	16	5	3	1	1	2	2	2			
		F	15	1	—	2	5	4	2	1	—	20	7	1	2	4	2	2	—			
12 Cancer, malignant disease		M	33	—	—	—	—	—	1	21	11	30	—	—	—	—	1	23	6			
		F	36	—	—	—	—	—	2	19	15	35	—	—	—	1	8	18	8			
13 Rheumatic fever ...		M	—	—	—	—	—	—	—	—	—	5	—	—	—	—	1	1	1			
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	1	1	1	—			
14 Meningitis ...		M	4	—	2	1	1	—	—	—	—	4	—	2	2	—	—	—	—			
		F	4	—	1	1	2	—	—	—	—	9	7	2	—	—	—	—	—			
15 Organic heart disease ...		M	57	—	—	—	—	2	6	20	29	37	—	—	—	2	2	6	9			
		F	40	—	—	—	—	—	1	21	18	46	—	—	—	1	4	4	15			
16 Bronchitis ...		M	31	10	2	2	—	1	1	4	11	92	17	2	4	—	—	3	37			
		F	35	13	5	4	1	—	—	2	10	90	13	—	—	—	3	29	38			
17 Pneumonia ...		M	34	12	3	3	1	1	5	8	1	108	18	10	12	10	8	22	5			
		F	19	3	3	2	2	1	2	3	3	80	11	10	10	7	3	11	7			
18 Other respiratory diseases		M	10	1	—	1	1	—	2	4	1	10	—	1	4	2	—	2	1			
		F	5	—	—	—	—	—	1	—	4	5	1	—	1	—	3	—	—			
19 Diarrhoea, &c. ...		M	16	6	1	1	2	—	3	2	1	29	22	4	1	—	—	1	—			
		F	4	1	—	1	—	—	—	—	2	23	14	1	1	2	—	1	3			
20 Appendicitis and typhlitis		M	1	—	—	—	1	—	—	—	—	3	—	—	—	1	—	—	1			
		F	3	—	—	—	—	—	2	1	—	5	—	—	—	2	—	2	1			
21 Cirrhosis of liver ...		M	—	—	—	—	—	—	—	—	—	12	—	—	—	—	—	9	2			
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	3	—			
21A Alcoholism ...		M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—			
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—			
22 Nephritis and Bright's disease.		M	20	—	—	—	—	2	3	7	8	15	—	—	1	2	—	3	2			
		F	12	—	—	—	—	1	3	6	2	15	—	2	—	1	1	2	6			
23 Puerperal fever...		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	1	—	—	—	—	—	1	—	—	5	—	—	—	—	2	3	—			
24 Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	7	—	—	—	—	1	6	—	—	8	—	—	—	—	2	6	—			
25 Congenital debility, &c.		M	52	—	—	—	—	—	—	—	—	82	82	—	—	—	—	—	—			
		F	29	29	—	—	—	—	—	—	—	59	59	—	—	—	—	—	—			
26 Violence, apart from suicide.		M	15	1	—	1	2	2	4	2	3	50	3	—	2	6	9	15	2			
		F	8	—	1	2	2	1	—	2	—	18	—	2	4	4	1	1	3			
27 Suicide ...		M	8	—	—	—	—	1	3	3	1	6	—	—	—	—	1	4	—			
		F	2	—	—	—	—	—	2	—	—	2	—	—	—	—	2	—	—			
28 Other defined diseases ...		M	132	20	4	4	5	1	18	27	53	139	28	3	2	6	3	12	50			
		F	111	23	—	3	1	2	8	26	48	140	18	1	4	3	3	16	75			
29 Causes ill-defined or unknown.		M	2	—	—	—	—	—	—	—	2	12	—	5	—	1	—	2	—			
		F	1	—	—	—	—	—	1	—	—	14	—	5	1	—	—	8	—			

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—cont.

Causes of Death.		Sex.	WOLVERHAMPTON.										WORCESTER.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M F	676 620	120 93	30 19	27 33	23 25	29 16	97 72	153 158	197 204	285 326	49 31	3 13	15 7	7 11	12 11	33 42	79 74	87 137	
1 Enteric fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2 Small-pox	M F	— 1	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
3 Measles	M F	5 6	— —	2 2	2 3	1 1	— —	— —	— —	— —	6 6	1 1	1 2	4 2	— 1	— —	— —	— —	— —	
4 Scarlet fever	M F	4 3	— —	1 —	2 2	1 1	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	
5 Whooping cough	M F	9 13	5 4	2 4	2 4	— 1	— —	— —	— —	— —	— 1	— —	1 —	— —	— —	— —	— —	— —	— —	
6 Diphtheria and croup			M F	1 11	— —	— 2	— 2	1 7	— —	— —	— —	— —	5 2	— —	— —	4 1	1 1	— —	— —	— —	— —	
7 Influenza	M F	10 10	1 —	— —	1 —	— 1	1 —	2 —	1 4	4 5	1 3	— 1	— —	— —	— —	— —	1 —	— 1	— 1	
8 Erysipelas	M F	4 1	— 1	— —	— —	— —	— —	1 —	1 —	2 —	1 1	— 1	— —	— —	— —	— —	— —	1 —	— —	
9 Pulmonary tuberculosis			M F	48 30	— —	— —	— 1	— 1	7 4	27 16	13 8	1 —	28 18	— —	— 1	— —	1 —	6 2	14 10	7 5	— —	
10 Tuberculous meningitis			M F	6 4	— 2	— —	3 2	2 —	1 —	— —	— —	— —	1 3	1 1	— —	— 1	1 —	— —	— —	— —	— —	
11 Other tuberculous diseases.			M F	10 10	— —	1 3	5 2	1 3	1 1	2 —	— 1	— —	3 7	1 1	— 2	— 1	— 1	— 1	1 —	1 —	— —	
12 Cancer, malignant disease			M F	32 58	1 —	— —	— —	1 —	— —	7 4	12 38	11 16	19 28	— —	— —	— —	— —	— —	1 5	7 13	11 10	
13 Rheumatic fever	...		M F	7 5	— —	— —	— —	3 —	— —	2 2	1 3	1 —	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	
14 Meningitis	M F	7 4	4 1	— —	2 3	1 —	— —	— —	— —	— —	2 —	1 —	1 —	— —	— —	— —	— —	— —	— —	
15 Organic heart disease	...		M F	64 47	— —	— —	— —	2 2	4 —	8 6	25 25	25 14	30 56	— —	— —	— —	— 1	— —	5 2	13 22	12 31	
16 Bronchitis	M F	90 74	16 10	6 4	3 4	1 —	— 2	4 2	23 13	37 39	23 26	5 1	— 1	— —	— —	— —	— 1	4 4	14 19	
17 Pneumonia (all forms)			M F	56 29	4 4	5 1	2 4	2 —	6 —	13 1	11 7	13 12	24 24	7 4	— 2	4 —	— —	3 3	2 5	5 4	3 6	
18 Other respiratory diseases			M F	13 6	1 —	— —	1 1	— —	— —	1 1	6 4	4 —	3 —	1 —	— —	— —	— —	— —	1 —	— —	2 1	
19 Diarrhoea, &c.	M F	20 14	11 9	4 2	1 2	— —	— —	1 —	— —	3 1	9 3	6 1	— —	— —	— —	— —	1 —	2 —	— 2	
20 Appendicitis and typhlitis			M F	7 3	— —	— —	— 1	2 1	3 —	1 1	1 —	— —	2 3	— —	— —	— 2	— 1	1 —	— —	— —	— —	
21 Cirrhosis of liver	...		M F	7 4	— —	— —	— —	— —	— —	— 1	7 3	— —	4 3	— —	— —	— —	— —	— 1	3 2	1 —	— —	
21A Alcoholism	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
22 Nephritis and Bright's disease.			M F	17 16	— —	— —	— —	1 —	— 1	3 5	6 6	7 4	11 10	— —	— —	— —	— —	— 2	1 1	6 3	4 4	
23 Puerperal fever...	...		M F	— 7	— —	— —	— —	— —	— 1	— 6	— —	— —	— 1	— —	— —	— —	— —	— —	— 1	— —	— —	
24 Parturition, apart from puerperal fever.			M F	— 5	— —	— —	— —	— —	— 2	— 3	— —	— —	— 1	— —	— —	— —	— —	— —	— 1	— —	— —	
25 Congenital debility, &c.			M F	53 44	53 44	— —	— —	— —	— —	— —	— —	— —	24 9	— 9	1 —	— —	— —	— —	— —	— —	— —	
26 Violence, apart from suicide.			M F	19 8	3 1	— —	2 —	1 1	— —	8 —	4 2	1 4	12 10	1 3	— —	1 2	3 —	— —	1 1	4 1	2 3	
27 Suicide	M F	8 2	— —	— —	— —	— —	1 —	3 1	4 1	— —	2 3	— —	— —	— —	— —	— —	— 3	— —	— —	
28 Other defined diseases	...		M F	169 198	21 17	5 1	1 2	4 6	5 5	14 20	32 38	87 109	74 99	4 5	1 1	1 —	2 4	2 2	5 10	22 18	37 59	
29 Causes ill-defined or unknown.			M F	10 7	— —	1 —	1 —	— —	1 —	— 2	6 5	1 —	1 4	— 1	— 2	— —	— —	— —	— —	— —	1 1	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1912—*cont.*

Causes of Death.		Sex.	YORK.										
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	{	M	579	106	21	28	23	21	83	133	164
			{	F	565	77	23	30	28	24	59	127	197
1	Enteric fever	{	M	3	—	—	—	2	1	—	—
			{	F	4	—	—	1	—	1	1	1	—
2	Small-pox	{	M	—	—	—	—	—	—	—	—
			{	F	—	—	—	—	—	—	—	—	—
3	Measles	{	M	11	6	3	1	1	—	—	—
			{	F	16	7	4	4	1	—	—	—	—
4	Scarlet fever	{	M	2	—	—	1	1	—	—	—
			{	F	2	—	—	2	—	—	—	—	—
5	Whooping cough	{	M	1	1	—	—	—	—	—	—
			{	F	—	—	—	—	—	—	—	—	—
6	Diphtheria and croup	{	M	5	—	—	4	—	—	1	—
			{	F	12	—	—	5	7	—	—	—	—
7	Influenza	{	M	9	—	—	—	1	2	4	2
			{	F	10	—	—	—	1	1	1	3	4
8	Erysipelas	{	M	1	—	—	—	—	—	—	1
			{	F	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis		{	M	54	1	—	1	—	6	30	13	3
			{	F	39	—	—	2	3	10	16	7	1
10	Tuberculous meningitis		{	M	8	2	—	5	—	—	1	—	—
			{	F	9	1	2	3	1	1	—	1	—
11	Other tuberculous dis-		{	M	12	3	—	3	3	—	1	2	—
	eases.		{	F	12	—	3	—	3	2	1	3	—
12	Cancer, malignant disease		{	M	35	—	—	—	1	—	4	16	14
			{	F	40	—	—	—	1	—	5	23	11
13	Rheumatic fever	{	M	2	—	—	—	1	—	1	—
			{	F	—	—	—	—	—	—	—	—	—
14	Meningitis	{	M	8	2	1	1	3	—	1	—
			{	F	4	1	—	1	1	—	—	1	—
15	Organic heart disease	{	M	56	—	—	—	3	1	7	24
			{	F	72	—	—	—	—	3	5	24	40
16	Bronchitis	{	M	34	8	6	—	2	—	1	6
			{	F	42	6	—	1	—	—	1	8	26
17	Pneumonia (all forms)		{	M	48	18	7	4	1	1	9	2	6
			{	F	34	5	8	5	3	2	3	5	3
18	Other respiratory diseases		{	M	12	1	—	—	2	—	2	6	1
			{	F	14	—	1	—	1	—	1	3	8
19	Diarrhoea, &c.	{	M	7	7	—	—	—	—	—	—
			{	F	13	8	2	—	1	—	1	—	1
20	Appendicitis and typhlitis		{	M	3	—	—	—	1	2	—	—	—
			{	F	3	—	—	—	—	—	—	2	1
21	Cirrhosis of liver	{	M	6	—	—	—	—	—	5	1
			{	F	5	—	—	—	1	—	1	1	2
21A	Alcoholism	{	M	—	—	—	—	—	—	—	—
			{	F	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's		{	M	20	—	—	—	2	1	1	6	10
	disease.		{	F	9	—	—	—	—	—	2	6	1
23	Puerperal fever...	{	M	—	—	—	—	—	—	—	—
			{	F	5	—	—	—	—	1	4	—	—
24	Parturition, apart from		{	M	—	—	—	—	—	—	—	—	—
	puerperal fever.		{	F	5	—	—	—	—	1	2	2	—
25	Congenital debility, &c.		{	M	32	32	—	—	—	—	—	—	—
			{	F	31	31	—	—	—	—	—	—	—
26	Violence, apart from		{	M	20	—	—	2	1	2	9	3	3
	suicide.		{	F	11	3	—	3	1	—	—	2	2
27	Suicide	{	M	10	—	—	—	2	3	3	2
			{	F	3	—	—	—	—	—	—	3	—
28	Other defined diseases		{	M	175	23	4	5	1	3	11	39	89
			{	F	169	15	3	3	3	2	15	31	97
29	Causes ill-defined or un-		{	M	5	2	—	1	—	—	—	2	—
	known.		{	F	1	—	—	—	—	—	—	1	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
ANGLESEY—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ... {	M	118	21	5	2	3	6	17	26	38	252	38	6	2	5	7	21	52	121		
	F	133	12	4	2	4	5	16	34	56	231	29	3	5	10	12	32	34	106		
1 Enteric fever ... {	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ... {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ... {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	3	—	1	1	1	—	—	—	—		
4 Scarlet fever ... {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ... {	M	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
6 Diphtheria and croup ... {	M	2	—	1	—	1	—	—	—	—	3	1	—	1	1	—	—	—	—		
	F	4	—	—	1	3	—	—	—	—	2	—	—	—	—	—	—	—	—		
7 Influenza ... {	M	1	—	—	—	—	—	1	—	—	7	1	—	—	—	—	1	1	4		
	F	1	—	—	—	—	—	—	—	1	10	1	1	—	—	—	1	—	7		
8 Erysipelas ... {	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis {	M	9	—	—	—	—	5	3	1	—	21	—	—	—	—	5	6	7	3		
	F	7	—	—	—	—	3	3	1	—	30	—	—	—	5	8	14	3	—		
10 Tuberculous meningitis {	M	1	1	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
11 Other tuberculous diseases. {	M	1	—	—	—	—	—	1	—	—	3	1	—	—	—	—	1	1	—		
	F	2	—	—	—	1	—	—	1	—	3	—	—	—	—	—	1	1	1		
12 Cancer, malignant disease {	M	8	—	—	—	—	—	2	5	1	22	—	—	—	—	—	2	11	9		
	F	17	—	—	—	—	—	2	7	8	14	—	—	—	—	—	1	7	6		
13 Rheumatic fever ... {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—		
14 Meningitis ... {	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—		
15 Organic heart disease ... {	M	12	—	—	—	—	—	1	1	10	32	—	—	—	—	—	1	9	22		
	F	16	—	—	—	—	—	1	9	6	25	—	—	—	—	—	—	6	19		
16 Bronchitis ... {	M	7	3	—	1	—	—	—	2	1	9	2	1	—	—	—	1	1	4		
	F	11	—	—	—	—	—	1	1	9	9	3	—	—	—	—	—	1	5		
17 Pneumonia (all forms) {	M	5	—	1	—	1	—	—	2	1	19	2	2	—	—	—	3	5	7		
	F	4	2	—	1	—	—	—	—	1	5	1	—	1	—	—	—	3	—		
18 Other respiratory diseases {	M	3	—	—	1	—	—	—	—	2	5	2	—	—	—	—	1	—	2		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
19 Diarrhoea, &c. ... {	M	1	—	—	—	—	1	—	—	—	8	6	1	—	—	—	—	—	1		
	F	2	—	—	—	—	—	—	1	1	9	5	—	—	—	—	3	—	1		
20 Appendicitis and typhlitis {	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—		
21 Cirrhosis of liver ... {	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ... {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease. {	M	8	—	—	—	1	—	—	4	3	9	—	—	—	—	—	1	3	5		
	F	1	—	—	—	—	—	1	—	—	5	—	—	—	—	—	—	2	3		
23 Puerperal fever ... {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	3	—	—	—	—	—	3	—	—		
25 Congenital debility, &c. {	M	9	9	—	—	—	—	—	—	—	5	4	—	—	1	—	—	—	—		
	F	2	2	—	—	—	—	—	—	—	13	13	—	—	—	—	—	—	—		
26 Violence, apart from suicide. {	M	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	1		
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
27 Suicide ... {	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	1	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ... {	M	40	5	2	—	—	—	5	8	20	95	17	1	1	—	2	3	11	60		
	F	54	5	3	—	—	2	5	11	28	91	5	1	1	2	2	8	9	63		
29 Causes ill-defined or unknown. {	M	5	2	1	—	—	—	2	—	—	5	2	—	—	—	—	—	2	1		
	F	2	—	—	—	—	—	—	1	1	1	—	—	—	1	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF BEDFORDSHIRE—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	661	136	24	18	21	26	90	139	207	505	47	12	9	18	20	41	107	251		
	F	700	95	29	27	21	31	70	146	281	527	57	8	5	13	19	54	104	267		
1 Enteric fever	M	2	—	—	—	1	—	1	—	—	1	—	—	—	1	—	—	—	—		
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	14	5	3	5	1	—	—	—	—	1	1	—	—	—	—	—	—	—		
	F	17	4	7	5	1	—	—	—	—	2	1	—	—	1	—	—	—	—		
4 Scarlet fever	M	3	—	1	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	2	—	2	—	—	—	—	—	—		
5 Whooping cough	M	10	9	—	—	1	—	—	—	—	10	6	2	2	—	—	—	—	—		
	F	21	12	5	3	1	—	—	—	—	4	3	1	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	3	1	—	—	2	—	—	—	—	2	—	1	—	1	—	—	—	—		
	F	4	—	—	2	1	1	—	—	—	3	—	—	—	3	—	—	—	—		
7 Influenza	M	7	—	—	—	—	1	2	1	3	10	—	—	—	—	1	—	—	9		
	F	8	1	1	—	—	2	1	—	3	9	—	1	—	—	—	2	2	4		
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—		
9 Pulmonary tuberculosis	M	48	—	1	—	—	7	27	12	1	35	—	—	—	1	8	13	10	3		
	F	45	1	1	—	3	12	16	11	1	32	—	—	—	1	10	13	8	—		
10 Tuberculous meningitis	M	3	1	—	1	1	—	—	—	—	2	—	—	—	2	—	—	—	—		
	F	6	1	3	2	—	—	—	—	—	5	—	1	1	1	—	1	1	—		
11 Other tuberculous diseases.	M	7	1	2	1	—	2	1	—	—	7	1	—	—	1	1	2	1	1		
	F	6	—	—	—	3	—	1	1	1	3	—	—	—	1	—	2	—	—		
12 Cancer, malignant disease	M	48	—	—	—	1	1	1	23	22	47	—	—	—	—	—	5	18	24		
	F	64	—	—	—	—	—	5	29	30	78	—	—	—	—	—	9	32	37		
13 Rheumatic fever	M	3	—	—	—	—	1	—	2	—	2	—	—	—	—	1	1	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis	M	4	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	2	—	—	1	1	1	1	—	1	—	—	—	1	—	—	—	—		
15 Organic heart disease ...	M	82	—	—	—	1	2	9	27	43	46	—	1	—	—	—	1	15	29		
	F	94	—	—	—	4	3	8	34	45	66	—	—	—	—	—	6	18	42		
16 Bronchitis	M	43	11	2	1	1	—	4	5	19	40	3	2	—	—	—	—	5	30		
	F	47	9	4	5	—	—	—	5	24	46	7	2	—	—	—	—	3	34		
17 Pneumonia (all forms)	M	45	4	9	5	2	2	8	9	6	32	3	4	3	2	2	4	8	6		
	F	33	6	3	3	—	2	5	6	8	24	7	1	2	1	1	1	6	5		
18 Other respiratory diseases	M	9	1	1	—	—	—	—	1	6	6	—	—	—	1	—	—	1	4		
	F	9	1	1	—	1	—	—	1	5	3	—	—	—	—	—	1	1	1		
19 Diarrhoea, &c.	M	11	8	—	—	—	—	—	1	2	9	2	1	1	—	1	—	1	3		
	F	11	6	1	—	1	1	—	1	1	7	5	—	—	1	—	1	—	—		
20 Appendicitis and typhlitis	M	5	—	—	—	1	2	1	—	1	2	—	—	—	2	—	—	—	—		
	F	4	—	—	—	2	1	—	1	—	4	—	—	—	—	2	1	—	1		
21 Cirrhosis of liver	M	5	—	—	—	—	—	1	3	1	9	—	—	—	—	—	—	3	6		
	F	5	—	—	—	—	—	1	2	2	4	—	—	—	—	—	—	3	1		
21A Alcoholism	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	23	1	—	1	—	1	5	10	5	16	—	—	—	—	—	2	8	6		
	F	16	—	—	—	—	1	3	8	4	16	—	—	1	—	2	—	6	7		
23 Puerperal fever... ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	2	—	—	—	—	1	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	1	3	—	—	3	—	—	—	—	—	3	—	—		
25 Congenital debility, &c.	M	61	60	1	—	—	—	—	—	—	21	21	—	—	—	—	—	—	—		
	F	34	34	—	—	—	—	—	—	—	27	27	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	26	3	2	1	6	2	8	2	2	17	1	—	3	—	2	3	5	3		
	F	10	3	2	1	—	—	1	2	1	3	2	—	—	—	—	—	1	—		
27 Suicide	M	13	—	—	—	—	2	5	3	3	10	—	—	—	—	1	4	4	1		
	F	12	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	179	29	1	1	2	3	15	36	92	171	6	1	—	6	3	6	26	123		
	F	241	15	1	5	3	5	19	38	155	178	5	—	1	3	3	12	22	132		
29 Causes ill-defined or unknown.	M	5	—	—	—	—	—	1	3	1	5	—	—	—	—	—	—	2	3		
	F	6	—	—	—	—	—	2	3	1	4	—	—	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
BERKSHIRE—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	372	55	5	14	12	12	34	92	148	804	80	24	17	16	33	113	152	369		
	F	343	32	6	12	6	18	40	60	169	769	74	16	13	26	24	88	148	380		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	4	2	—	1	1	—	—	—	—	6	—	3	3	—	—	—	—	—		
	F	5	2	—	2	—	1	—	—	—	9	1	6	—	2	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough ...	M	3	1	1	1	—	—	—	—	—	7	2	5	—	—	—	—	—	—		
	F	4	3	1	—	—	—	—	—	—	12	8	3	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	3	—	—	2	1	—	—	—	—	4	—	2	1	1	—	—	—	—		
	F	2	—	1	—	1	—	—	—	—	8	—	—	3	5	—	—	—	—		
7 Influenza ...	M	2	—	—	—	—	—	—	1	1	16	1	—	—	—	—	3	3	9		
	F	4	—	—	—	—	—	1	1	2	8	—	—	—	—	—	1	1	7		
8 Erysipelas ...	M	2	—	—	—	—	1	—	—	1	3	—	—	—	—	—	1	—	2		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	26	—	—	1	1	2	13	8	1	52	—	2	—	—	7	33	8	2		
	F	31	1	—	1	1	7	17	2	2	39	—	—	—	4	4	22	9	—		
10 Tuberculous meningitis	M	6	1	2	—	—	2	1	—	—	11	3	1	2	3	2	—	—	—		
	F	8	2	—	5	1	—	—	—	—	7	—	2	2	—	2	1	—	—		
11 Other tuberculous diseases.	M	7	—	—	2	1	—	3	1	—	9	—	1	1	—	1	3	2	1		
	F	4	2	—	1	—	1	—	—	—	6	—	—	—	1	—	4	1	—		
12 Cancer, malignant disease	M	27	—	—	—	—	1	2	13	11	61	—	—	—	1	—	5	18	37		
	F	41	—	—	—	—	—	4	16	21	75	—	—	—	—	—	3	36	36		
13 Rheumatic fever ...	M	2	—	—	—	1	—	1	—	—	2	—	—	—	1	—	1	—	—		
	F	1	—	—	—	—	1	—	—	—	3	—	—	—	1	2	—	—	—		
14 Meningitis ...	M	1	—	—	1	—	—	—	—	—	5	2	—	—	2	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	4	1	1	—	—	—	—	2	—		
15 Organic heart disease ...	M	55	—	—	1	1	1	1	19	32	102	—	—	—	—	2	9	25	66		
	F	39	—	—	—	1	2	2	7	27	107	—	—	—	3	2	6	20	76		
16 Bronchitis ...	M	26	7	2	1	—	—	—	2	14	48	6	1	—	—	—	3	5	33		
	F	26	2	3	—	—	—	—	2	19	51	7	1	1	—	—	—	7	35		
17 Pneumonia (all forms)	M	11	5	—	2	—	—	—	2	2	43	5	2	2	1	3	8	9	13		
	F	17	3	1	—	1	—	3	4	5	39	5	2	1	—	1	8	7	15		
18 Other respiratory diseases	M	11	—	—	—	—	1	—	4	6	8	—	—	—	—	—	—	4	4		
	F	5	—	—	—	—	—	—	2	3	11	—	—	1	—	—	—	3	7		
19 Diarrhoea, &c. ...	M	6	5	—	—	—	—	—	—	1	12	4	—	—	—	—	—	2	6		
	F	5	1	—	1	—	—	—	1	2	10	3	—	—	1	—	2	1	3		
20 Appendicitis and typhlitis	M	2	—	—	—	—	—	—	2	—	5	—	—	—	—	3	—	1	1		
	F	2	—	—	—	—	—	—	1	1	3	—	—	—	—	1	1	—	1		
21 Cirrhosis of liver ...	M	6	—	—	—	—	—	—	4	2	3	—	—	—	—	—	—	3	—		
	F	3	—	—	—	—	—	1	2	—	7	—	—	—	—	—	1	3	3		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
22 Nephritis and Bright's disease.	M	15	—	—	—	—	—	2	7	6	30	—	—	—	—	3	5	15	7		
	F	10	—	—	—	1	—	—	2	7	25	—	—	—	—	2	3	9	11		
23 Puerperal fever... ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	1	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	5	—	—	—	—	1	4	—	—		
25 Congenital debility, &c.	M	25	25	—	—	—	—	—	—	—	43	43	—	—	—	—	—	—	—		
	F	10	9	—	1	—	—	—	—	—	29	29	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	14	—	—	1	4	1	2	3	3	40	—	—	3	2	3	11	13	8		
	F	3	1	—	—	—	—	—	1	1	17	4	—	1	1	2	2	1	6		
27 Suicide	M	3	—	—	—	—	—	1	2	—	10	—	—	—	—	1	4	2	3		
	F	2	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	1		
28 Other defined diseases ...	M	110	8	—	1	2	3	6	22	68	265	13	5	5	4	6	25	38	169		
	F	119	6	—	1	—	3	11	19	79	279	14	1	2	7	5	28	45	177		
29 Causes ill-defined or unknown.	M	5	1	—	—	—	—	2	2	—	16	1	2	—	—	—	4	8	1		
	F	—	—	—	—	—	—	—	—	—	8	2	—	1	—	—	1	3	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF BRECKNOCKSHIRE—1912.

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	123	27	6	6	—	4	13	27	40	277	60	17	7	15	11	34	59	74	
			F	120	24	8	3	3	6	17	23	36	280	51	13	14	11	18	38	49	86	
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	M	6	3	2	1	—	—	—	—	12	5	4	2	1	—	—	—	—	
			F	1	—	1	—	—	—	—	—	—	14	3	3	2	4	1	—	1	—	
4	Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	Whooping cough	M	3	2	1	—	—	—	—	—	10	8	1	1	—	—	—	—	—	
			F	3	1	2	—	—	—	—	—	—	7	4	1	2	—	—	—	—	—	
6	Diphtheria and croup	M	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
			F	2	—	—	2	—	—	—	—	—	3	—	—	2	—	—	1	—	—	
7	Influenza	M	2	—	—	—	—	—	1	1	2	—	—	—	—	—	1	1	—	
			F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	3	
8	Erysipelas	M	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	Pulmonary tuberculosis	{	M	10	—	2	—	—	1	5	2	—	13	—	—	—	—	1	5	7	—	
			F	5	—	1	—	1	2	1	—	—	18	—	—	1	1	2	7	5	2	
10	Tuberculous meningitis	{	M	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	
			F	2	—	—	—	1	1	—	—	—	2	—	—	1	—	1	—	—	—	
11	Other tuberculous diseases.	{	M	1	—	—	—	—	1	—	—	—	7	1	1	—	—	1	3	1	—	
			F	2	—	—	—	1	1	—	—	—	2	—	—	1	—	1	—	—	—	
12	Cancer, malignant disease	{	M	5	—	—	—	—	—	1	2	2	18	—	—	—	—	—	1	9	8	
			F	9	—	—	—	—	—	—	1	3	5	21	—	—	1	—	3	7	10	
13	Rheumatic fever	M	—	—	—	—	—	—	—	—	3	—	—	—	2	—	—	1	—	
			F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	
14	Meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
15	Organic heart disease	M	11	—	—	—	—	2	3	6	24	—	—	—	—	1	2	10	11	
			F	9	—	—	—	—	1	—	3	5	26	—	—	—	2	—	2	7	15	
16	Bronchitis	M	11	2	—	—	—	—	3	6	12	3	—	1	—	—	—	—	8	
			F	10	3	—	—	—	—	1	4	2	14	2	2	—	—	—	1	2	7	
17	Pneumonia (all forms)...	{	M	6	1	1	3	—	—	—	1	—	14	3	4	2	2	—	1	2	—	
			F	11	4	4	—	—	—	—	1	1	1	20	2	5	1	1	2	2	5	
18	Other respiratory diseases	{	M	—	—	—	—	—	—	—	—	—	6	—	—	—	—	1	—	1	4	
			F	2	—	—	—	—	—	—	—	1	1	6	—	—	1	—	2	1	1	
19	Diarrhoea, &c.	M	4	2	—	—	—	—	2	—	4	3	1	—	—	—	—	—	—	
			F	3	2	—	—	—	—	1	—	—	9	4	—	—	—	—	2	3	—	
20	Appendicitis and typhlitis	{	M	—	—	—	—	—	—	—	—	—	3	—	—	—	3	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	
21	Cirrhosis of liver	M	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	3	—	
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
21A	Alcoholism	M	1	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22	Nephritis and Bright's disease.	{	M	6	—	—	1	—	—	2	1	2	5	—	—	—	—	—	1	3	1	
			F	3	—	—	—	—	—	—	—	3	—	8	—	—	—	—	1	3	2	
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	
24	Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	3	—	—	—	—	—	—	3	—	—	7	—	—	—	—	1	6	—	
25	Congenital debility, &c.	{	M	8	8	—	—	—	—	—	—	—	29	29	—	—	—	—	—	—	—	
			F	10	10	—	—	—	—	—	—	—	—	25	24	1	—	—	—	—	—	
26	Violence, apart from suicide.	{	M	6	—	—	—	—	—	2	4	—	29	1	4	—	3	4	12	4	1	
			F	4	—	—	—	—	—	—	—	1	3	6	—	—	1	—	2	1	2	
27	Suicide	M	1	—	—	—	—	—	1	—	2	—	—	—	—	—	1	1	—	
			F	1	—	—	—	—	—	1	—	—	4	—	—	—	—	—	2	2	—	
28	Other defined diseases	M	39	9	—	—	—	1	1	6	22	73	7	1	1	2	3	15	41	
			F	37	4	—	—	—	—	1	7	6	19	79	12	1	1	1	4	5	16	
29	Causes ill-defined or unknown.	{	M	2	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	
			F	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
BUCKINGHAMSHIRE—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	458	80	16	9	14	18	57	105	159	896	109	14	23	28	30	86	199	407		
	F	468	62	11	8	16	28	50	77	216	846	90	21	26	30	33	75	177	394		
1 Enteric fever ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	4	2	1	—	1	—	—	—	—	5	—	3	1	1	—	—	—	—		
	F	2	—	—	—	2	—	—	—	—	12	2	7	3	—	—	—	—	—		
4 Scarlet fever ...	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough ...	M	8	4	1	1	2	—	—	—	—	6	3	1	2	—	—	—	—	—		
	F	6	2	2	1	1	—	—	—	—	9	3	2	3	1	—	—	—	—		
6 Diphtheria and croup	M	1	—	—	—	1	—	—	—	—	9	—	1	4	4	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	7	—	—	3	4	—	—	—	—		
7 Influenza ...	M	8	1	—	—	1	1	1	1	3	16	1	—	2	2	—	1	5	5		
	F	8	—	—	2	—	—	—	2	4	15	1	1	—	—	—	1	3	9		
8 Erysipelas ...	M	4	—	—	—	—	—	1	2	1	4	—	—	—	—	—	—	1	3		
	F	3	—	—	—	1	—	—	1	1	2	—	1	—	—	—	—	1	—		
9 Pulmonary tuberculosis	M	30	—	—	1	—	5	15	7	2	54	2	—	—	—	9	28	12	3		
	F	36	—	1	1	1	12	13	5	3	50	—	—	—	3	15	19	10	3		
10 Tuberculous meningitis	M	4	2	1	—	1	—	—	—	—	5	—	—	—	4	1	—	—	—		
	F	4	2	1	—	—	1	—	—	—	5	1	—	1	3	—	—	—	—		
11 Other tuberculous diseases.	M	5	—	1	1	1	—	2	—	—	10	1	—	1	3	—	3	2	—		
	F	4	—	—	—	1	1	2	—	—	12	2	—	3	1	—	4	2	—		
12 Cancer, malignant disease	M	47	—	—	2	—	1	7	14	23	69	—	—	—	1	—	5	32	31		
	F	45	—	—	—	1	—	5	17	22	88	—	—	—	—	1	10	46	31		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	4	—	—	—	2	—	1	1	—		
	F	2	—	—	—	2	—	—	—	—	4	—	—	—	3	—	—	1	—		
14 Meningitis ...	M	4	—	1	1	2	—	—	—	—	4	1	—	—	2	—	1	—	—		
	F	1	—	—	—	—	—	1	—	—	3	2	1	—	—	—	—	—	—		
15 Organic heart disease	M	45	—	—	—	—	2	3	18	22	111	—	—	—	—	1	10	33	67		
	F	51	—	—	—	2	3	2	13	31	106	—	—	—	2	4	5	28	67		
16 Bronchitis ...	M	35	12	2	—	—	—	1	6	14	73	9	1	—	—	—	—	10	53		
	F	44	8	1	1	1	—	—	3	30	68	4	1	1	—	—	1	10	51		
17 Pneumonia (all forms)	M	22	6	3	1	—	2	4	2	4	51	8	7	5	—	5	7	11	8		
	F	27	10	3	1	1	—	2	4	6	47	11	3	4	2	1	4	4	18		
18 Other respiratory diseases	M	8	—	1	—	—	—	—	1	6	15	3	—	1	—	—	—	5	6		
	F	7	—	—	—	1	—	1	2	3	14	4	—	1	—	—	2	1	6		
19 Diarrhoea, &c. ...	M	10	6	1	—	—	—	1	1	1	10	6	—	—	1	—	—	1	2		
	F	5	4	—	—	—	—	—	—	1	22	9	1	2	—	2	2	4	2		
20 Appendicitis and typhlitis	M	3	—	—	—	—	1	2	—	—	6	—	—	—	2	2	1	1	—		
	F	1	—	—	—	—	—	—	1	—	5	—	—	1	—	—	2	1	1		
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	1	1	2	12	—	—	—	—	1	1	6	4		
	F	1	—	—	—	—	—	—	—	1	4	—	—	—	—	—	1	2	1		
21A Alcoholism ...	M	3	—	—	—	—	—	1	2	—	3	—	—	—	—	—	1	2	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	23	—	—	—	1	1	4	13	4	39	1	—	1	1	1	4	16	15		
	F	13	—	—	—	—	2	1	4	6	31	—	—	—	1	—	1	12	17		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	—	6	—	—	2	—	—	—	—	—	2	—	—		
25 Congenital debility, &c.	M	35	32	1	—	1	1	—	—	—	55	55	—	—	—	—	—	—	—		
	F	26	24	—	—	1	1	—	—	—	39	39	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	13	—	—	1	1	2	3	5	1	39	2	1	2	5	5	4	7	13		
	F	7	1	—	—	—	3	—	—	3	11	—	1	1	2	2	1	1	3		
27 Suicide ...	M	—	—	—	—	—	—	—	—	—	15	—	—	—	—	1	8	4	2		
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	2	—	1		
28 Other defined diseases ...	M	137	14	2	1	2	2	11	30	75	275	17	—	4	—	4	11	46	193		
	F	163	10	2	2	1	4	15	25	104	277	12	3	3	8	6	15	50	180		
29 Causes ill-defined or unknown.	M	3	1	—	—	—	—	—	1	1	6	—	—	—	—	—	—	4	2		
	F	2	1	—	—	—	—	—	—	1	6	—	—	—	—	—	1	1	4		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF CAMBRIDGESHIRE—1912.

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	{	M	381	54	16	17	23	13	37	92	129	496	49	8	12	21	19	57	93	237		
				F	348	26	11	11	26	12	38	68	156	480	48	7	14	7	8	44	88	264		
1	Enteric fever	...	{	M	1	—	—	—	—	1	—	—	—	2	—	—	—	—	—	2	—	—		
				F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
2	Small-pox	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	...	{	M	3	—	3	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4	Scarlet fever	...	{	M	4	—	—	1	3	—	—	—	—	6	—	2	3	1	—	—	—	—		
				F	3	—	—	1	2	—	—	—	—	1	—	—	1	—	—	—	—	—		
5	Whooping cough	...	{	M	9	6	3	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—		
				F	10	4	5	—	1	—	—	—	—	6	3	2	1	—	—	—	—	—		
6	Diphtheria and croup	...	{	M	25	—	2	10	13	—	—	—	—	7	—	1	2	4	—	—	—	—		
				F	23	—	1	9	13	—	—	—	—	8	—	1	3	3	1	—	—	—		
7	Influenza	...	{	M	4	—	—	—	—	1	1	—	2	12	1	—	—	—	—	2	3	6		
				F	3	—	—	—	1	—	—	—	2	6	—	—	1	—	—	1	1	3		
8	Erysipelas	...	{	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9	Pulmonary tuberculosis		{	M	25	—	—	—	—	—	15	8	2	42	—	—	—	—	10	19	10	3		
				F	21	1	—	—	—	6	10	3	1	29	—	1	—	1	2	16	7	2		
10	Tuberculous meningitis		{	M	5	—	4	1	—	—	—	—	—	3	1	—	1	—	1	—	—	—		
				F	6	2	1	—	3	—	—	—	—	1	—	1	—	—	—	—	—	—		
11	Other tuberculous diseases.		{	M	6	1	—	—	1	2	—	2	—	6	2	—	—	2	1	—	1	—		
				F	2	—	1	—	—	—	1	—	—	5	1	—	2	—	—	1	—	1		
12	Cancer, malignant disease		{	M	30	—	—	—	—	—	—	17	13	57	—	—	1	—	2	6	18	30		
				F	35	—	—	—	—	1	2	16	16	60	—	—	—	—	—	6	19	35		
13	Rheumatic fever	...	{	M	2	—	—	—	1	—	—	1	—	2	—	—	—	2	—	—	—	—		
				F	3	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—		
14	Meningitis	...	{	M	1	—	1	—	—	—	—	—	—	4	—	—	—	2	—	1	1	—		
				F	2	—	1	—	—	—	1	—	—	2	—	—	1	1	—	—	—	—		
15	Organic heart disease	...	{	M	37	—	—	—	—	1	3	11	22	55	—	—	—	1	2	3	9	40		
				F	26	—	—	—	1	2	4	6	13	77	1	—	—	—	—	5	20	51		
16	Bronchitis	...	{	M	25	3	—	1	—	—	1	9	11	35	1	—	—	—	1	—	1	32		
				F	28	2	1	—	—	—	—	5	20	42	3	—	1	—	—	—	6	32		
17	Pneumonia (all forms)		{	M	26	7	2	3	1	1	1	4	7	25	3	1	1	1	1	4	4	10		
				F	15	3	—	1	—	—	2	3	6	21	8	1	2	—	1	2	2	5		
18	Other respiratory diseases		{	M	7	—	—	—	—	—	—	3	4	9	—	1	—	1	—	—	2	5		
				F	8	—	—	—	1	—	1	2	4	6	—	1	—	1	—	—	—	4		
19	Diarrhoea, &c.		{	M	5	3	—	—	1	—	—	1	—	8	5	—	—	1	—	—	2	—		
				F	5	1	—	—	—	—	—	2	2	3	3	—	—	—	—	—	—	—		
20	Appendicitis and typhlitis		{	M	3	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21	Cirrhosis of liver	...	{	M	1	—	—	—	—	—	—	—	1	5	—	—	—	—	—	1	2	2		
				F	8	—	—	—	—	—	1	6	1	3	—	—	—	—	—	—	2	1		
21A	Alcoholism	...	{	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
				F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.		{	M	11	—	—	—	—	—	2	4	5	12	—	—	—	—	—	3	4	5		
				F	11	—	—	—	—	—	2	4	5	7	—	—	—	—	—	1	1	5		
23	Puerperal fever...	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—		
24	Parturition, apart from puerperal fever.		{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	—	—	—		
25	Congenital debility, &c.		{	M	20	20	—	—	—	—	—	—	—	26	25	—	1	—	—	—	—	—		
				F	11	11	—	—	—	—	—	—	—	23	23	—	—	—	—	—	—	—		
26	Violence, apart from suicide.		{	M	8	1	—	—	1	1	1	2	2	17	—	—	2	2	1	2	6	4		
				F	2	—	—	—	—	—	1	1	—	3	—	—	—	1	—	1	—	1		
27	Suicide.		{	M	4	—	—	—	—	1	1	1	1	4	—	—	—	—	—	1	3	—		
				F	5	—	—	—	—	1	2	2	—	3	—	—	—	—	—	—	3	—		
28	Other defined diseases	...	{	M	115	13	1	1	2	4	9	27	58	148	7	—	1	4	—	13	24	99		
				F	117	2	1	—	3	2	7	16	86	168	6	—	1	—	4	9	25	123		
29	Causes ill-defined or unknown.		{	M	1	—	—	—	—	—	—	—	1	7	—	3	—	—	—	—	3	1		
				F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	2	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
CARDIGANSHIRE—1912.

Causes of Death		Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	
ALL CAUSES	M	108	15	4	2	4	4	14	26	39	324	39	3	3	9	16	41	63	150
			F	130	7	—	6	3	10	15	29	60	447	27	3	6	12	22	52	78	247
1	Enteric fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—
			F	2	—	—	2	—	—	—	—	—	1	—	—	1	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—
			F	1	—	—	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—
5	Whooping cough	M	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—
6	Diphtheria and croup	M	1	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—
			F	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—
7	Influenza	M	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	9
			F	2	—	—	—	—	—	—	—	2	10	—	—	—	—	—	—	—	—
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	{	M	12	—	—	—	—	3	5	3	1	40	—	—	—	—	7	13	14	6
			F	12	—	—	1	—	3	7	1	—	51	—	—	1	4	13	16	11	6
10	Tuberculous meningitis	{	M	2	—	1	—	1	—	—	—	—	3	1	—	1	1	—	—	—	—
			F	1	—	—	—	—	1	—	—	—	4	—	—	—	3	1	—	—	—
11	Other tuberculous diseases.	{	M	—	—	—	—	—	—	—	—	—	7	—	—	—	1	2	2	2	—
			F	1	—	—	—	—	—	—	—	1	4	—	—	1	—	—	—	2	1
12	Cancer, malignant disease	{	M	16	—	—	—	—	—	1	10	5	24	—	—	—	1	—	1	7	15
			F	13	—	—	—	—	—	—	1	7	5	39	—	—	—	—	2	15	22
13	Rheumatic fever	M	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
			F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
14	Meningitis	M	2	—	1	—	—	—	1	—	2	1	1	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15	Organic heart disease	M	9	—	—	—	—	2	2	5	43	—	—	—	—	—	1	7	35
			F	22	—	—	—	—	1	—	7	14	65	—	—	—	1	1	5	18	40
16	Bronchitis	M	7	2	—	1	—	—	—	4	17	3	1	—	—	1	1	2	9
			F	8	1	—	—	—	—	—	3	4	40	—	1	—	—	—	2	1	36
17	Pneumonia (all forms)	{	M	7	1	—	—	—	—	1	3	2	12	3	—	—	1	—	1	1	6
			F	5	—	—	1	—	—	—	—	1	3	15	1	1	1	—	—	1	10
18	Other respiratory diseases	{	M	1	—	—	—	—	—	1	—	—	7	—	—	—	1	—	1	3	2
			F	4	—	—	1	—	—	—	1	—	2	12	—	—	—	1	1	2	—
19	Diarrhoea, &c.	M	1	1	—	—	—	—	—	—	4	2	—	—	1	—	—	—	1
			F	2	2	—	—	—	—	—	—	—	9	3	—	—	—	—	1	2	3
20	Appendicitis and typhlitis	{	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	2
21	Cirrhosis of liver	M	1	—	—	—	—	—	—	1	3	—	—	—	—	—	1	2	—
			F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	{	M	9	—	—	—	—	—	—	3	6	16	—	—	—	—	—	3	5	8
			F	12	—	—	—	1	1	1	3	6	23	—	—	—	—	1	3	6	13
23	Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	1	—	—	—	—	—	1	—	—	4	—	—	—	—	—	4	—	—
24	Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	3	—	—	—	—	2	1	—	—	—	8	—	—	—	—	—	8	—
25	Congenital debility, &c.	{	M	6	5	1	—	—	—	—	—	—	8	8	—	—	—	—	—	—	—
			F	2	2	—	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—
26	Violence, apart from suicide.	{	M	3	—	—	—	—	—	1	2	—	12	—	—	—	1	1	4	2	4
			F	—	—	—	—	—	—	—	—	—	7	—	1	—	—	—	—	3	3
27	Suicide	M	—	—	—	—	—	—	—	—	5	—	—	—	—	—	1	3	1
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
28	Other defined diseases	M	26	6	1	—	—	2	2	15	108	18	1	1	—	5	10	12	61
			F	36	2	—	—	—	2	3	6	23	129	8	—	—	—	4	7	15	95
29	Causes ill-defined or unknown.	{	M	1	—	—	—	—	—	—	1	—	5	1	—	—	—	—	1	2	1
			F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
CARMARTHENSHIRE—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	
ALL CAUSES	M	463	107	23	20	22	26	57	99	109		616	143	27	15	35	28	67	106	191	
	F	493	78	16	18	24	16	79	108	154		704	111	22	21	32	45	86	121	266	
1 Enteric fever	M	—	—	—	—	—	—	—	—	—		2	—	—	—	1	1	—	—	—	
	F	1	—	—	—	—	—	1	—	—		2	—	—	—	1	1	—	—	—	
2 Small-pox	M	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
3 Measles	M	20	5	8	5	1	1	—	—	—		6	2	1	2	1	—	—	—	—	
	F	21	7	6	7	1	—	—	—	—		11	3	4	2	2	—	—	—	—	
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—		2	—	—	1	1	—	—	—	—	
	F	1	—	—	—	1	—	—	—	—		1	—	—	1	—	—	—	—	—	
5 Whooping cough	M	6	4	1	—	1	—	—	—	—		8	6	1	1	—	—	—	—	—	
	F	6	3	2	—	1	—	—	—	—		9	5	1	3	—	—	—	—	—	
6 Diphtheria and croup	M	6	—	—	2	4	—	—	—	—		7	1	—	2	4	—	—	—	—	
	F	5	—	1	2	2	—	—	—	—		7	—	—	3	4	—	—	—	—	
7 Influenza	M	4	—	—	—	—	1	—	1	2		4	—	—	—	—	—	1	2	1	
	F	1	—	—	—	—	—	—	—	1		6	—	—	—	—	1	1	1	1	
8 Erysipelas	M	—	—	—	—	—	—	—	—	—		3	2	—	—	—	—	1	—	—	
	F	—	—	—	—	—	—	—	—	—		1	—	—	—	—	1	—	—	—	
9 Pulmonary tuberculosis	M	41	—	—	—	1	6	23	9	2		59	1	—	—	6	8	28	11	5	
	F	31	1	—	1	2	3	18	6	—		63	—	—	—	5	18	25	13	2	
10 Tuberculous meningitis	M	5	—	—	2	2	1	—	—	—		9	3	2	1	3	—	—	—	—	
	F	7	—	—	1	2	—	4	—	—		13	4	1	2	3	2	1	—	—	
11 Other tuberculous diseases.	M	5	—	1	—	—	—	1	3	—		10	1	1	—	—	3	3	1	1	
	F	7	1	—	—	1	2	3	—	—		16	2	—	1	2	3	4	3	1	
12 Cancer, malignant disease	M	21	—	—	—	—	—	—	13	8		33	—	—	—	—	—	—	16	17	
	F	29	—	—	—	—	—	4	17	8		45	—	—	—	—	2	16	16	27	
13 Rheumatic fever	M	1	—	—	—	1	—	—	—	—		4	—	—	—	3	—	1	—	—	
	F	1	—	—	—	—	—	1	—	—		3	—	—	—	—	1	2	—	—	
14 Meningitis	M	3	1	—	—	1	—	—	1	—		13	2	1	1	5	2	2	—	—	
	F	5	—	—	—	—	—	4	1	—		2	—	—	—	1	1	—	—	—	
15 Organic heart disease	M	47	—	—	—	1	5	3	13	25		44	—	—	—	2	3	4	12	23	
	F	69	—	—	—	2	4	11	26	26		88	—	—	—	1	5	9	25	48	
16 Bronchitis	M	33	5	4	1	—	1	1	7	14		37	13	3	—	—	—	1	3	17	
	F	33	7	3	—	—	—	1	3	19		47	5	2	1	—	1	—	8	30	
17 Pneumonia (all forms)...	M	26	8	6	3	—	1	2	2	4		55	11	12	3	1	3	3	10	12	
	F	22	6	—	2	4	1	1	4	4		42	5	7	3	7	—	2	8	10	
18 Other respiratory diseases	M	9	—	—	—	—	1	2	4	2		15	2	1	—	1	—	—	3	8	
	F	5	1	—	—	—	—	1	2	1		10	—	2	—	—	—	1	7	—	
19 Diarrhoea, &c.	M	18	11	1	1	1	—	—	2	2		14	6	—	1	1	—	1	1	4	
	F	9	4	—	1	—	—	—	2	2		12	4	2	—	—	1	1	—	4	
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—		1	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—		1	—	—	—	1	—	—	—	—	
21 Cirrhosis of liver	M	5	—	—	—	—	—	1	2	2		3	—	—	—	—	—	2	1	—	
	F	4	—	—	—	—	—	2	1	1		—	—	—	—	—	—	—	—	—	
21A Alcoholism	M	—	—	—	—	—	—	—	—	—		1	—	—	—	—	—	1	—	—	
	F	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
22 Nephritis and Bright's disease.	M	14	—	—	1	1	1	1	7	3		29	—	1	—	3	1	3	7	14	
	F	25	—	—	—	1	—	9	11	4		22	—	—	—	—	6	7	9	—	
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
	F	4	—	—	—	—	3	1	—	—		7	—	—	—	—	1	6	—	—	
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
	F	6	—	—	—	—	1	5	—	—		11	—	—	—	—	2	9	—	—	
25 Congenital debility, &c.	M	28	28	—	—	—	—	—	—	—		54	54	—	—	—	—	—	—	—	
	F	19	18	1	—	—	—	—	—	—		34	34	—	—	—	—	—	—	—	
26 Violence, apart from suicide.	M	33	2	2	3	4	4	11	4	3		30	1	2	3	2	6	8	6	2	
	F	9	2	1	1	2	—	—	1	2		11	1	1	2	—	—	2	1	4	
27 Suicide	M	7	—	—	—	—	1	3	3	—		8	—	—	—	—	—	1	6	1	
	F	3	—	—	—	—	—	1	2	—		4	—	—	—	—	—	3	1	—	
28 Other defined diseases	M	126	42	—	2	3	3	8	26	42		160	37	2	—	1	1	7	22	90	
	F	170	28	2	3	5	2	12	32	86		230	45	2	3	6	6	11	36	121	
29 Causes ill-defined or unknown.	M	4	1	—	—	—	—	1	2	—		5	1	—	—	—	—	—	4	—	
	F	—	—	—	—	—	—	—	—	—		6	3	—	—	—	—	2	1	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
CARNARVONSHIRE—1912.

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...				M	436	60	16	16	17	17	57	117	136	510	81	16	14	13	24	54	108	200		
				F	444	50	11	13	11	20	61	101	177	563	86	13	12	23	26	62	95	246		
1	Enteric fever	M	1	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—			
				F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—			
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
3	Measles	M	3	—	1	1	1	—	—	—	—	1	—	1	—	—	—	—	—			
				F	1	—	—	1	—	—	—	—	—	2	2	—	—	—	—	—	—			
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
				F	1	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—			
5	Whooping cough	M	5	3	2	—	—	—	—	—	—	10	7	3	—	—	—	—	—			
				F	7	5	1	—	1	—	—	—	—	10	7	1	2	—	—	—	—			
6	Diphtheria and croup	M	3	—	—	3	—	—	—	—	—	3	—	1	2	—	—	—	—			
				F	3	—	—	2	1	—	—	—	—	7	—	—	—	7	—	—	—			
7	Influenza	M	11	—	1	1	—	—	3	—	6	7	—	—	—	—	1	3	3			
				F	9	1	1	—	—	—	—	3	4	7	—	—	—	—	2	2	3			
8	Erysipelas	M	2	—	—	—	—	1	—	1	—	1	1	—	—	—	—	—	—			
				F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—			
9	Pulmonary tuberculosis	{	M	47	—	—	—	4	6	23	13	1	49	—	—	—	—	12	16	15	6			
			F	44	—	—	1	3	9	21	9	1	48	—	1	—	2	15	22	8	—			
10	Tuberculous meningitis	{	M	6	—	1	1	3	—	1	—	—	7	1	1	1	2	1	1	—	—			
			F	1	—	—	1	—	—	—	—	—	6	1	—	1	—	2	1	1	—			
11	Other tuberculous diseases.	{	M	10	—	—	—	3	—	5	1	1	11	—	1	1	2	3	—	3	1			
			F	4	2	1	—	—	—	—	1	—	—	12	—	2	2	2	1	5	—			
12	Cancer, malignant disease	{	M	31	—	—	—	—	1	1	17	12	49	—	—	—	—	1	4	17	27			
			F	48	—	—	—	—	—	—	3	25	20	57	—	—	—	—	3	25	29			
13	Rheumatic fever	...	M	3	—	—	—	—	1	1	—	1	1	—	—	—	—	1	—	—	—			
			F	2	—	—	—	1	1	—	—	—	1	—	—	—	1	—	—	—	—			
14	Meningitis	...	M	3	—	—	2	—	1	—	—	—	7	1	—	2	—	1	1	1	1			
			F	—	—	—	—	—	—	—	—	—	6	3	1	—	1	—	—	1	—			
15	Organic heart disease	...	M	54	—	—	—	1	—	3	25	25	62	—	—	—	—	—	3	17	42			
			F	60	—	—	—	1	1	12	19	27	55	—	—	—	3	2	2	16	32			
16	Bronchitis	...	M	16	3	1	—	—	—	—	3	9	12	—	1	—	—	—	—	4	7			
			F	26	3	—	—	—	—	—	1	22	32	7	2	—	—	—	—	2	21			
17	Pneumonia (all forms)	{	M	33	8	6	4	2	—	1	5	7	32	7	5	4	—	—	5	6	5			
			F	19	5	5	2	1	—	4	1	1	31	9	3	4	1	—	2	4	8			
18	Other respiratory diseases	{	M	5	1	1	1	—	—	—	2	—	9	1	1	—	1	—	2	1	3			
			F	6	2	—	—	—	—	—	—	2	2	6	—	—	—	1	1	1	2			
19	Diarrhoea, &c.	...	M	10	2	—	1	—	—	2	1	4	12	4	1	1	1	—	1	2	2			
			F	7	2	1	—	—	—	—	3	1	10	4	—	—	—	—	1	1	4			
20	Appendicitis and typhlitis	{	M	5	—	—	—	1	2	1	1	—	2	—	—	—	—	1	—	1	—			
			F	1	—	—	—	1	—	—	—	—	—	4	—	—	1	1	—	1	—			
21	Cirrhosis of liver	...	M	2	—	—	—	—	—	—	2	—	3	—	—	—	—	—	1	1	1			
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—			
21A	Alcoholism	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
			F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—			
22	Nephritis and Bright's disease.	{	M	27	—	—	—	1	—	—	—	17	28	1	—	1	—	1	2	9	14			
			F	19	—	—	1	—	—	2	8	8	24	—	—	—	—	3	3	3	15			
23	Puerperal fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
			F	2	—	—	—	—	1	1	—	—	3	—	—	—	—	1	2	—	—			
24	Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
			F	4	—	—	—	—	—	—	4	—	—	5	—	—	—	—	5	—	—			
25	Congenital debility, &c.	{	M	19	18	1	—	—	—	—	—	—	31	31	—	—	—	—	—	—	—			
			F	18	18	—	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—			
26	Violence, apart from suicide.	{	M	14	1	—	—	1	2	5	4	1	17	—	—	2	1	—	6	6	2			
			F	11	—	—	2	—	3	—	2	2	4	7	1	—	1	—	3	—	2			
27	Suicide	...	M	4	—	—	—	—	—	2	2	—	3	—	—	—	—	—	1	1	1			
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
28	Other defined diseases	...	M	118	24	2	1	—	2	9	28	52	151	27	1	—	4	4	9	21	85			
			F	145	12	2	2	2	4	12	26	85	210	37	3	—	3	—	10	29	128			
29	Causes ill-defined or unknown.	{	M	4	—	—	1	—	—	—	3	—	—	—	—	—	—	—	—	—	—			
			F	3	—	—	—	—	—	—	—	2	1	2	—	—	—	—	—	—	2			

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
CHESHIRE—1912.

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES	...	M	3,331	596	142	120	115	154	436	797	971	1,148	164	22	41	40	37	152	248	444
	...	F	3,253	449	126	154	131	115	412	726	1140	1,007	137	24	18	37	37	130	215	409
1	Enteric fever	M	14	—	—	—	3	3	6	2	—	1	—	—	—	—	1	—	—	—
		F	13	—	—	—	1	4	7	—	1	4	—	—	1	1	—	—	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	73	20	21	24	8	—	—	—	—	10	1	4	4	1	—	—	—	—
		F	79	19	26	28	4	—	2	—	—	10	2	3	2	2	1	—	—	—
4	Scarlet fever	M	11	—	1	5	3	1	1	—	—	8	—	—	5	3	—	—	—	—
		F	19	—	1	8	10	—	—	—	—	2	—	1	—	—	—	1	—	—
5	Whooping cough	M	32	18	8	5	1	—	—	—	—	7	2	3	1	1	—	—	—	—
		F	55	28	15	9	3	—	—	—	—	15	10	3	2	—	—	—	—	—
6	Diphtheria and croup	M	30	1	4	7	15	2	1	—	—	6	—	—	5	—	—	1	—	—
		F	29	—	—	14	13	—	2	—	—	6	—	—	1	4	—	1	—	—
7	Influenza	M	27	2	—	—	—	1	5	10	9	14	—	—	1	—	—	3	6	4
		F	37	—	—	—	2	1	6	12	16	11	—	—	—	—	1	2	3	5
8	Erysipelas	M	4	2	—	—	—	—	1	1	—	3	—	—	—	—	—	—	1	2
		F	6	1	—	—	—	—	—	2	3	1	—	—	—	—	—	—	1	—
9	Pulmonary tuberculosis	M	253	—	1	3	1	39	122	81	—	56	—	—	1	1	6	36	7	5
		F	202	1	3	4	14	39	95	33	13	56	—	—	—	2	9	37	6	2
10	Tuberculous meningitis	M	38	8	6	11	9	1	3	—	—	11	2	—	4	5	—	—	—	—
		F	48	11	7	17	12	1	—	—	—	6	—	—	—	4	1	—	1	—
11	Other tuberculous diseases.	M	52	11	6	8	10	4	7	4	2	11	2	1	2	1	1	2	2	—
		F	42	7	4	5	8	5	7	5	1	15	1	—	—	4	5	4	1	—
12	Cancer, malignant disease	M	208	—	—	—	1	1	18	112	76	85	—	—	—	1	1	9	29	45
		F	283	2	1	2	—	1	31	140	106	97	—	—	—	—	2	11	51	33
13	Rheumatic fever	M	15	1	—	—	4	5	2	3	—	5	—	—	—	—	—	4	1	—
		F	22	—	—	—	5	5	6	4	2	3	—	—	—	2	—	1	—	—
14	Meningitis	M	26	12	5	6	—	—	1	2	—	12	4	—	4	3	1	—	—	—
		F	29	8	2	6	6	2	3	1	1	11	4	1	3	1	1	1	—	—
15	Organic heart disease	M	328	—	—	1	5	17	33	125	147	133	—	—	—	1	4	14	40	74
		F	368	—	—	2	10	6	43	144	163	132	—	—	—	3	2	7	46	74
16	Bronchitis	M	247	53	13	5	—	1	7	49	119	68	15	1	—	—	—	—	12	40
		F	262	23	9	7	—	2	9	44	168	63	13	6	3	—	—	—	8	33
17	Pneumonia (all forms)	M	285	44	47	17	12	18	45	53	49	82	14	5	6	—	3	12	25	17
		F	231	53	29	23	13	6	24	41	42	44	11	5	2	1	3	7	10	5
18	Other respiratory diseases	M	56	6	—	2	1	1	9	23	14	21	—	1	—	1	1	2	7	9
		F	39	—	2	3	—	1	3	17	13	10	1	—	—	—	—	1	3	5
19	Diarrhoea, &c.	M	79	47	2	4	2	1	8	10	5	24	9	—	1	2	—	3	3	6
		F	78	39	8	4	1	1	4	6	15	13	9	—	—	—	—	1	2	1
20	Appendicitis and typhlitis	M	23	—	—	—	6	4	5	7	1	10	—	—	—	3	2	2	2	1
		F	12	—	—	1	2	2	3	4	—	11	—	—	—	7	—	3	1	—
21	Cirrhosis of liver	M	32	—	—	—	—	—	8	13	11	13	—	—	—	—	—	3	8	2
		F	20	—	1	—	—	—	4	12	3	5	—	—	—	—	—	2	2	1
21A	Alcoholism	M	2	—	—	—	—	—	—	2	—	3	—	—	—	—	—	3	—	—
		F	3	—	—	—	—	—	3	—	—	2	—	—	—	—	—	1	—	1
22	Nephritis and Bright's disease.	M	104	2	—	1	5	6	16	38	36	37	—	—	—	3	1	6	20	7
		F	91	1	1	1	1	7	24	37	19	19	—	1	—	2	2	1	8	5
23	Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	20	—	—	—	—	2	18	—	—	4	—	—	—	—	1	3	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	39	—	—	—	—	4	34	1	—	17	—	—	—	—	3	14	—	—
25	Congenital debility, &c.	M	236	232	2	1	—	1	—	—	—	69	68	1	—	—	—	—	—	—
		F	173	171	—	1	1	—	—	—	—	64	62	—	—	1	—	1	—	—
26	Violence, apart from suicide.	M	149	8	6	8	13	23	38	31	22	58	3	2	4	7	12	14	9	7
		F	73	13	1	5	9	2	5	13	25	24	1	1	2	1	2	6	4	7
27	Suicide	M	34	—	—	—	—	1	16	11	6	9	—	—	—	—	—	2	6	1
		F	11	—	—	—	—	1	4	6	—	4	—	—	—	—	—	1	2	1
28	Other defined diseases	M	960	129	18	11	16	24	82	214	466	384	42	4	3	7	4	35	69	220
		F	957	72	13	14	16	23	73	198	548	357	23	3	2	2	3	24	64	236
29	Causes ill-defined or unknown.	M	13	—	2	1	—	—	2	6	2	8	2	—	—	—	—	1	1	4
		F	12	—	3	—	—	—	2	6	1	1	—	—	—	—	—	—	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
CORNWALL—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	976	145	36	18	33	45	118	232	349	1,236	168	24	20	32	61	130	280	521		
	F	1,092	112	22	23	34	37	99	212	553	1,293	131	32	19	26	48	124	244	669		
1 Enteric fever ...	M	4	—	—	—	—	—	2	2	—	4	—	—	1	1	—	1	1	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	13	3	6	2	2	—	—	—	—	7	1	3	—	2	1	—	—	—		
	F	6	—	4	2	—	—	—	—	—	3	—	1	—	1	—	1	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	2	—	—	2	—	—	—	—	—		
5 Whooping cough ...	M	11	5	4	2	—	—	—	—	—	11	6	4	—	1	—	—	—	—		
	F	6	4	2	—	—	—	—	—	—	11	4	4	3	—	—	—	—	—		
6 Diphtheria and croup ...	M	9	—	1	5	3	—	—	—	—	3	—	—	1	2	—	—	—	—		
	F	11	—	—	4	6	1	—	—	—	5	—	1	1	3	—	—	—	—		
7 Influenza ...	M	9	—	—	—	—	—	2	2	5	23	—	—	—	2	—	—	—	11		
	F	6	—	—	—	—	—	1	1	4	36	1	—	—	—	—	3	4	28		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1		
9 Pulmonary tuberculosis	M	123	1	2	—	3	15	54	43	5	118	—	—	1	3	20	56	30	8		
	F	69	1	—	2	6	17	24	14	5	97	3	—	1	1	20	39	24	9		
10 Tuberculous meningitis	M	8	—	1	1	6	—	—	—	—	8	3	—	1	3	1	—	—	—		
	F	10	—	3	3	—	—	3	1	—	14	2	1	2	3	3	2	1	—		
11 Other tuberculous diseases.	M	9	2	1	—	1	—	3	2	—	12	3	2	1	1	2	1	1	1		
	F	15	1	—	3	2	1	5	3	—	17	3	1	1	—	3	6	3	—		
12 Cancer, malignant disease	M	65	—	—	—	1	—	2	35	27	88	—	—	—	1	—	6	40	41		
	F	116	—	—	—	—	—	9	54	53	142	—	—	—	—	1	11	58	72		
13 Rheumatic fever ...	M	3	—	—	—	—	2	—	1	—	5	—	—	—	1	—	1	2	1		
	F	1	—	—	—	—	—	1	—	—	5	—	—	—	—	—	3	1	1		
14 Meningitis ...	M	8	1	1	—	—	1	1	4	—	5	2	2	1	—	—	—	—	—		
	F	13	1	1	2	3	2	1	1	2	4	1	—	—	—	2	1	—	—		
15 Organic heart disease ...	M	97	—	—	1	1	2	7	30	56	142	—	—	—	1	—	9	44	88		
	F	165	—	—	—	—	1	9	44	111	178	—	—	—	1	4	10	48	115		
16 Bronchitis ...	M	48	8	2	—	1	—	1	4	32	83	14	4	3	1	1	1	12	47		
	F	83	4	2	1	1	—	1	12	62	65	7	5	—	1	1	—	7	44		
17 Pneumonia (all forms)	M	51	15	8	1	—	2	5	9	11	54	15	2	4	—	2	6	13	12		
	F	51	9	2	2	1	2	6	5	24	52	9	8	2	4	1	—	7	21		
18 Other respiratory diseases	M	28	4	1	3	—	1	5	4	10	33	—	—	1	1	—	5	16	10		
	F	12	—	—	1	2	1	—	4	4	14	1	1	1	1	—	1	3	6		
19 Diarrhoea, &c. ...	M	21	18	1	—	—	1	—	1	—	11	9	—	—	—	—	—	2	—		
	F	16	6	—	—	1	—	—	1	8	13	5	—	2	1	1	—	—	4		
20 Appendicitis and typhlitis	M	8	—	—	—	3	2	—	2	1	4	—	—	—	2	1	—	1	—		
	F	5	—	—	—	2	1	1	1	—	5	—	—	1	1	—	—	2	1		
21 Cirrhosis of liver ...	M	5	—	—	—	—	—	1	3	1	7	—	—	—	—	—	1	6	—		
	F	2	—	—	—	—	—	1	1	—	3	—	—	—	—	—	—	2	1		
21A Alcoholism ...	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	1	—		
	F	2	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	29	—	—	2	—	1	5	16	5	41	—	—	1	—	5	5	11	19		
	F	32	1	—	—	2	3	3	13	10	31	—	—	—	—	—	4	15	12		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	1	—	—	5	—	—	—	—	1	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	8	—	—	—	—	2	6	—	—	10	—	—	—	—	1	8	1	—		
25 Congenital debility, &c.	M	63	62	—	—	1	—	—	—	—	79	79	—	—	—	—	—	—	—		
	F	62	60	2	—	—	—	—	—	—	67	66	1	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	43	—	—	—	5	11	12	7	8	58	2	3	2	1	13	13	17	7		
	F	12	1	—	1	—	1	1	2	6	23	1	3	4	2	—	1	4	8		
27 Suicide ...	M	8	—	—	—	—	—	2	6	—	8	—	—	—	—	1	1	3	3		
	F	6	—	—	—	—	1	2	3	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	305	25	7	1	6	7	15	57	187	419	32	4	2	9	14	19	69	270		
	F	375	24	6	2	7	3	22	50	261	475	28	5	1	4	9	28	56	344		
29 Causes ill-defined or unknown.	M	6	1	1	—	—	—	—	3	1	11	2	—	—	—	—	3	3	3		
	F	4	—	—	—	—	—	—	2	2	11	—	1	—	1	—	1	6	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF CUMBERLAND—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	1,350	278	84	73	55	56	160	292	352	726	124	25	24	19	20	85	154	275		
	F	1,319	208	86	88	50	62	148	275	402	642	97	15	17	26	25	71	121	270		
1 Enteric fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	92	21	41	21	8	—	1	—	—	21	5	10	5	1	—	—	—	—		
	F	102	23	38	34	6	—	1	—	—	27	7	9	6	4	—	1	—	—		
4 Scarlet fever	M	2	—	—	2	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	5	—	1	2	1	—	1	—	—	4	1	—	2	1	—	—	—	—		
5 Whooping cough	M	29	16	4	9	—	—	—	—	—	6	5	—	1	—	—	—	—	—		
	F	30	19	4	6	1	—	—	—	—	4	3	1	—	—	—	—	—	—		
6 Diphtheria and croup	M	9	—	1	4	3	—	1	—	—	6	—	1	2	2	1	—	—	—		
	F	11	—	3	4	3	1	—	—	—	3	—	—	—	2	—	—	1	—		
7 Influenza	M	8	1	1	—	—	1	1	2	2	11	3	—	—	—	—	3	2	3		
	F	17	—	—	—	—	—	3	2	12	14	1	—	—	1	—	—	2	10		
8 Erysipelas	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	93	2	1	2	5	22	44	14	3	42	—	—	1	2	6	19	12	2		
	F	96	1	1	3	7	25	41	15	3	33	1	—	—	4	7	10	9	2		
10 Tuberculous meningitis	M	9	—	2	2	2	—	1	2	—	5	1	—	2	—	—	2	—	—		
	F	11	1	2	5	3	—	—	—	—	5	1	—	—	1	2	—	1	—		
11 Other tuberculous diseases.	M	35	7	3	4	7	4	5	4	1	6	1	—	—	—	—	3	2	—		
	F	23	5	3	3	2	5	2	2	1	7	1	—	—	2	1	2	—	1		
12 Cancer, malignant disease	M	92	—	—	—	—	2	9	51	30	52	—	—	—	—	—	3	27	22		
	F	122	—	—	—	—	2	15	63	42	69	—	—	—	—	1	6	26	36		
13 Rheumatic fever	M	7	—	—	—	3	1	1	2	—	3	—	—	—	2	1	—	—	—		
	F	6	—	—	—	3	2	1	—	—	2	—	—	1	—	—	1	—	—		
14 Meningitis	M	11	6	1	—	1	1	1	1	—	3	—	—	—	—	—	2	1	—		
	F	20	4	3	2	3	3	4	1	—	1	1	—	—	—	—	—	—	—		
15 Organic heart disease	M	126	—	—	1	1	4	11	45	64	78	—	—	—	—	1	7	20	50		
	F	116	—	—	1	5	3	12	41	54	82	—	—	—	1	3	14	19	45		
16 Bronchitis	M	97	32	7	1	2	—	3	15	37	40	11	2	1	—	—	1	10	15		
	F	85	22	4	1	—	1	1	13	43	30	3	1	2	—	—	—	—	24		
17 Pneumonia (all forms)	M	103	20	10	8	5	3	12	32	13	58	14	4	2	2	1	5	17	13		
	F	95	19	14	14	2	3	7	20	16	34	10	1	1	3	1	3	8	7		
18 Other respiratory diseases	M	32	2	—	—	—	—	9	10	11	14	—	1	—	1	—	4	3	5		
	F	17	—	—	2	—	—	3	3	9	7	1	—	1	—	—	2	3	3		
19 Diarrhoea, &c.	M	29	15	6	2	—	—	3	3	—	8	4	1	—	—	—	3	—	—		
	F	22	12	3	1	—	—	1	3	2	9	7	—	—	—	—	—	1	1		
20 Appendicitis and typhlitis	M	12	—	—	—	5	4	1	2	—	4	—	—	—	—	2	—	1	1		
	F	5	—	—	—	2	1	1	—	1	6	—	—	—	2	1	1	2	—		
21 Cirrhosis of liver	M	10	—	—	—	—	—	1	3	6	7	—	—	—	—	—	1	5	1		
	F	7	—	—	—	—	—	2	5	—	2	—	—	—	—	—	1	—	1		
21A Alcoholism	M	5	—	—	—	—	—	3	2	—	2	—	—	—	—	—	—	—	2		
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	37	—	—	1	2	—	9	17	8	13	—	—	—	—	—	3	8	2		
	F	32	1	—	—	—	3	4	15	9	11	—	—	—	—	1	1	3	6		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	—	4	5	—	—	3	—	—	—	—	—	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	15	—	—	—	—	1	13	1	—	4	—	—	—	—	—	4	—	—		
25 Congenital debility, &c.	M	99	98	—	1	—	—	—	—	—	50	49	1	—	—	—	—	—	—		
	F	68	68	—	—	—	—	—	—	—	33	33	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	58	—	—	6	5	5	24	11	7	32	—	1	5	5	3	11	3	4		
	F	21	1	—	5	4	2	2	3	4	11	1	—	—	2	1	1	3	3		
27 Suicide	M	10	—	—	—	—	—	3	5	2	10	—	—	—	—	1	1	3	5		
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases	M	328	57	5	9	6	9	16	61	165	243	31	3	3	4	4	15	36	147		
	F	366	32	7	5	8	6	27	81	200	233	24	3	4	3	7	21	41	130		
29 Causes ill-defined or unknown.	M	15	1	2	—	—	—	—	9	3	11	—	1	1	—	—	2	4	3		
	F	11	—	3	—	—	—	—	4	4	6	2	—	—	—	—	1	3	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
DENBIGHSHIRE—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	363	75	13	14	12	5	35	80	129	668	151	18	23	28	21	67	125	235		
	F	342	29	12	19	6	5	38	88	145	624	96	29	13	18	28	72	127	241		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	18	4	8	4	2	—	—	—	—	8	2	2	3	1	—	—	—	—		
	F	17	1	4	11	1	—	—	—	—	17	3	10	2	2	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	3	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—		
5 Whooping cough ...	M	2	1	—	1	—	—	—	—	—	9	6	3	—	—	—	—	—	—		
	F	2	2	—	—	—	—	—	—	—	7	2	3	2	—	—	—	—	—		
6 Diphtheria and croup ...	M	1	—	—	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	4	—	—	—	4	—	—	—	—		
7 Influenza ...	M	7	—	—	—	1	—	—	1	5	8	—	1	—	—	—	2	4	1		
	F	7	—	1	—	—	1	1	—	4	14	1	3	—	1	1	2	4	2		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	26	2	—	—	1	1	12	9	1	31	1	—	—	2	3	14	10	1		
	F	27	—	—	2	2	2	11	8	2	29	—	—	2	—	7	14	6	—		
10 Tuberculous meningitis	M	6	3	—	—	3	—	—	—	—	7	3	—	1	1	2	—	—	—		
	F	4	—	—	2	2	—	—	—	—	5	1	2	—	1	1	—	—	—		
11 Other tuberculous diseases.	M	7	3	—	1	—	1	1	1	—	6	1	1	—	2	—	1	1	—		
	F	2	—	—	1	1	—	—	—	—	7	—	—	1	—	3	1	1	1		
12 Cancer, malignant disease	M	28	—	—	—	—	—	1	13	14	46	—	—	—	1	2	3	21	19		
	F	39	—	—	—	—	—	2	19	18	55	—	—	—	—	—	6	24	25		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	7	—	—	1	2	—	1	2	1		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	—	—		
14 Meningitis ...	M	3	2	—	—	—	1	—	—	—	5	—	1	2	—	—	1	1	—		
	F	1	—	—	1	—	—	—	—	—	7	4	—	1	—	1	—	1	—		
15 Organic heart disease ...	M	45	—	—	—	—	—	5	12	28	63	—	1	—	—	2	3	18	39		
	F	62	—	—	—	—	—	10	21	31	80	—	—	—	1	1	9	29	40		
16 Bronchitis ...	M	15	4	—	—	—	—	—	2	9	58	21	1	1	1	—	—	6	28		
	F	22	2	—	—	—	—	—	2	18	48	8	1	—	—	—	1	5	33		
17 Pneumonia (all forms)	M	24	10	1	1	—	—	3	5	4	50	11	2	5	—	—	7	12	13		
	F	17	1	4	—	—	—	3	2	7	48	13	5	2	3	3	3	7	12		
18 Other respiratory diseases	M	8	1	—	—	—	—	3	2	2	15	2	—	1	1	1	2	3	5		
	F	5	—	—	—	—	—	1	1	3	8	1	—	—	1	—	1	1	4		
19 Diarrhoea, &c. ...	M	5	2	—	1	—	—	1	—	1	20	11	3	—	1	—	1	2	2		
	F	4	2	—	—	—	—	—	—	2	12	7	1	—	—	—	1	1	3		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	6	—	1	—	2	2	1	—	—		
	F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	2	1	—	—		
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	—	4	—	3	—	—	—	—	—	—	1	2		
	F	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	1		
21A Alcoholism ...	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	8	—	—	—	—	—	1	2	5	25	—	—	—	—	1	2	10	12		
	F	8	—	—	—	—	—	—	4	4	24	1	—	—	—	—	9	4	10		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	1	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	4	—	—	11	—	—	—	—	3	7	1	—		
25 Congenital debility, &c.	M	29	29	—	—	—	—	—	—	—	55	55	—	—	—	—	—	—	—		
	F	15	14	1	—	—	—	—	—	—	25	25	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	17	4	1	—	3	—	2	7	—	33	—	1	3	6	2	12	4	5		
	F	9	1	—	2	—	—	—	3	3	14	1	3	1	2	2	2	—	3		
27 Suicide ...	M	3	—	—	—	—	—	2	1	—	7	—	—	—	—	1	3	2	1		
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	103	10	3	5	1	2	3	20	59	196	38	1	2	6	5	12	27	105		
	F	88	6	—	—	—	2	3	24	53	194	28	1	1	3	2	12	42	105		
29 Causes ill-defined or unknown.	M	3	—	—	—	1	—	1	1	—	3	—	—	—	1	—	1	—	1		
	F	2	—	1	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
DERBYSHIRE—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	1,777	432	83	76	65	84	172	353	512	1,766	366	95	90	74	62	194	349	536		
	F	1,728	305	88	95	70	82	209	330	549	1,563	282	82	66	73	65	171	288	536		
1 Enteric fever	M	7	—	—	—	1	—	3	3	—	7	—	—	1	1	—	3	2	—		
	F	9	—	—	1	—	4	3	1	—	6	—	—	—	2	—	2	2	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	42	12	14	14	2	—	—	—	—	38	8	13	12	5	—	—	—	—		
	F	35	8	8	12	6	1	—	—	—	37	4	20	8	4	—	1	—	—		
4 Scarlet fever	M	8	—	1	1	5	—	1	—	—	16	2	—	8	4	1	1	—	—		
	F	15	1	2	5	5	2	—	—	—	11	—	—	1	10	—	—	—	—		
5 Whooping cough	M	38	18	13	6	1	—	—	—	—	26	13	7	6	—	—	—	—	—		
	F	45	20	13	8	3	—	—	—	1	34	21	7	6	—	—	—	—	—		
6 Diphtheria and croup ...	M	14	—	2	6	5	1	—	—	—	10	—	4	3	3	—	—	—	—		
	F	13	—	—	7	6	—	—	—	—	17	1	2	3	10	1	—	—	—		
7 Influenza	M	20	1	1	1	1	—	3	6	7	29	4	2	4	—	2	4	5	8		
	F	23	—	—	1	1	3	4	5	9	21	2	—	—	1	1	3	4	10		
8 Erysipelas	M	4	2	—	—	—	—	—	1	1	4	1	—	—	—	—	3	—	—		
	F	3	1	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	116	1	1	1	5	24	50	30	4	90	1	1	1	2	12	40	31	2		
	F	116	1	—	1	5	38	51	18	2	87	1	1	2	5	25	39	11	3		
10 Tuberculous meningitis	M	12	5	3	3	1	—	—	—	—	19	2	4	6	5	—	1	1	—		
	F	21	5	3	4	4	3	2	—	—	12	6	1	3	1	—	1	—	—		
11 Other tuberculous diseases.	M	29	6	3	2	4	3	6	3	2	25	7	3	6	4	1	3	—	1		
	F	33	8	5	5	5	2	7	1	—	22	6	1	6	3	1	2	2	1		
12 Cancer, malignant disease	M	94	—	—	—	1	2	11	42	38	93	—	—	1	—	—	5	56	31		
	F	128	—	—	—	—	—	16	62	50	111	—	—	1	1	—	17	49	43		
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	9	—	—	—	4	1	4	—	—		
	F	8	—	—	—	4	1	—	2	1	4	—	—	—	2	2	—	—	—		
14 Meningitis	M	14	5	3	3	1	—	2	—	—	16	7	2	3	3	—	—	1	—		
	F	17	6	—	5	2	2	2	—	—	16	2	2	6	5	—	1	—	—		
15 Organic heart disease ...	M	132	—	—	—	6	5	9	49	63	153	—	—	—	6	8	19	52	68		
	F	174	—	—	—	2	4	28	68	72	161	—	1	—	2	5	17	67	69		
16 Bronchitis	M	151	33	6	5	3	1	1	33	69	133	34	13	4	2	—	2	23	55		
	F	155	24	13	6	1	—	8	22	81	118	19	6	5	—	—	2	12	74		
17 Pneumonia (all forms)	M	142	34	18	13	7	11	16	23	20	146	45	22	13	4	6	17	20	19		
	F	115	27	19	17	4	3	11	17	17	114	32	21	13	9	6	10	7	16		
18 Other respiratory diseases	M	15	2	1	2	1	—	1	2	6	33	2	1	2	1	1	3	8	15		
	F	17	—	—	1	3	1	—	5	7	27	3	2	3	1	1	1	7	9		
19 Diarrhoea, &c.	M	48	32	4	3	—	2	1	6	—	33	21	5	2	1	—	—	2	2		
	F	43	21	9	4	—	—	2	4	3	18	9	3	—	—	—	—	1	5		
20 Appendicitis and typhlitis	M	10	—	—	—	3	4	—	2	1	15	—	—	—	7	2	5	1	—		
	F	5	—	—	—	1	1	1	1	1	7	—	—	—	2	2	1	2	—		
21 Cirrhosis of liver	M	24	—	—	—	—	—	4	11	9	17	—	—	—	—	—	3	10	4		
	F	10	—	—	—	—	—	1	6	3	8	—	—	—	—	—	1	3	4		
21A Alcoholism	M	3	—	—	—	—	—	1	1	1	2	—	—	—	—	—	2	—	—		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	2	—		
22 Nephritis and Bright's disease.	M	39	—	1	—	2	—	4	16	16	45	1	1	—	2	3	8	16	14		
	F	54	1	—	3	3	1	11	19	16	43	—	—	1	2	2	7	16	15		
23 Puerperal fever... ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	10	—	—	—	—	2	8	—	—	14	—	—	—	—	4	10	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	10	—	—	—	—	1	8	1	—	21	—	—	—	—	6	15	—	—		
25 Congenital debility, &c. ...	M	191	188	1	1	1	—	—	—	—	151	148	2	—	—	1	—	—	—		
	F	116	113	2	1	—	—	—	—	—	136	134	—	1	1	—	—	—	—		
26 Violence, apart from suicide.	M	70	4	1	8	6	14	18	12	7	93	2	—	7	2	13	33	23	13		
	F	44	5	1	9	9	2	2	3	13	23	2	4	4	2	1	3	4	3		
27 Suicide	M	21	—	—	—	—	2	5	8	6	19	—	—	—	—	1	6	6	6		
	F	7	—	—	—	—	2	1	3	1	8	—	—	—	—	2	3	3	—		
28 Other defined diseases ...	M	502	88	9	6	8	15	33	90	253	514	68	12	10	17	8	28	80	291		
	F	483	63	12	5	4	9	40	80	270	468	39	10	2	10	5	31	91	280		
29 Causes ill-defined or unknown.	M	31	1	1	1	1	—	3	15	9	30	—	3	1	1	2	4	12	7		
	F	18	1	1	—	2	—	1	11	2	15	1	1	1	—	1	3	5	3		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF DEVONSHIRE—1912.

Causes of Death.			Sex.	AGGREGATE OF URBAN DISTRICTS.								AGGREGATE OF RURAL DISTRICTS.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES	M	1,528	160	36	43	43	70	197	343	636	1,418	189	26	20	44	52	121	311	655
			F	1,669	151	31	32	47	53	184	334	837	1,421	124	28	29	42	53	154	280	711
1 Enteric fever	M	12	—	—	—	—	6	3	2	1	2	—	—	—	—	—	2	—	—
			F	5	—	—	—	—	—	4	1	—	5	—	—	—	—	2	2	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	5	2	—	1	1	—	1	—	—	1	1	—	—	—	—	—	—	—
			F	12	2	5	3	2	—	—	—	—	3	1	1	1	—	—	—	—	—
4 Scarlet fever	M	2	—	—	—	2	—	—	—	—	1	—	1	—	—	—	—	—	—
			F	3	—	1	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—
5 Whooping cough	M	15	5	5	5	—	—	—	—	—	18	13	3	1	—	—	—	—	1
			F	13	8	4	1	—	—	—	—	—	19	11	4	3	1	—	—	—	—
6 Diphtheria and croup	M	17	2	—	7	6	1	—	1	—	15	—	1	2	11	—	1	—	—
			F	14	—	—	5	9	—	—	—	—	11	—	—	5	5	—	1	—	—
7 Influenza	M	21	—	—	1	—	—	4	7	9	26	1	2	—	—	—	—	6	17
			F	35	—	1	1	1	—	2	9	21	26	2	1	1	1	—	3	4	14
8 Erysipelas	M	3	—	—	—	—	—	—	1	2	3	—	—	—	—	—	—	1	2
			F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	{		M	101	—	—	2	—	20	47	28	4	78	1	—	—	2	16	31	22	6
		F	111	—	—	1	4	25	50	24	7	92	—	—	1	4	28	34	23	2	
10 Tuberculous meningitis	{		M	14	1	—	3	5	3	1	1	—	4	—	1	—	2	1	—	—	—
		F	14	1	3	1	5	1	3	—	—	7	—	—	1	4	1	1	—	—	
11 Other tuberculous diseases.	{		M	20	3	—	—	2	4	7	4	—	9	1	—	1	1	1	3	2	—
		F	22	1	1	3	2	1	6	5	3	10	2	1	1	1	1	3	—	1	
12 Cancer, malignant disease	{		M	119	—	—	—	—	1	9	43	66	125	—	—	1	—	—	13	53	58
		F	166	—	—	—	—	—	17	65	84	134	—	—	1	—	1	6	58	68	
13 Rheumatic fever	M	6	—	—	—	2	1	2	1	—	5	—	—	—	1	1	1	2	—
			F	5	—	—	—	—	1	2	2	—	8	—	—	—	2	1	—	5	—
14 Meningitis	M	13	3	4	—	3	—	3	—	—	12	1	1	2	4	2	—	1	1
			F	6	2	—	—	2	—	1	1	—	5	1	—	—	1	1	1	1	—
15 Organic heart disease	M	166	—	—	—	—	3	11	55	97	166	—	—	—	—	4	7	40	115
			F	218	—	—	—	2	4	19	68	125	198	—	—	—	2	2	7	64	123
16 Bronchitis	M	105	9	6	1	1	—	3	10	75	108	11	3	1	1	—	—	11	81
			F	112	11	5	2	—	—	2	9	83	115	11	4	1	—	—	3	8	88
17 Pneumonia (all forms)...	{		M	104	29	11	8	2	6	16	14	18	75	15	7	2	1	2	9	23	16
		F	67	17	4	2	1	2	9	9	23	68	10	12	4	1	—	9	8	24	
18 Other respiratory diseases	{		M	35	—	3	2	2	1	4	7	16	22	1	2	1	2	—	—	7	9
		F	27	1	—	2	1	—	4	3	16	21	—	—	1	—	—	2	7	11	
19 Diarrhoea, &c.	M	22	10	3	—	—	—	2	4	3	15	8	1	—	—	1	—	2	3
			F	26	8	1	—	3	—	2	4	8	16	7	1	—	2	—	1	1	4
20 Appendicitis and typhlitis	{		M	3	—	—	—	1	—	—	2	—	7	—	—	—	4	—	1	2	—
		F	5	—	—	—	2	1	—	—	2	—	12	—	—	1	2	2	4	2	1
21 Cirrhosis of liver	M	16	—	—	—	—	—	1	9	6	2	—	—	—	—	—	1	1	—
			F	8	—	—	—	—	—	1	6	1	8	—	—	—	—	—	4	—	4
21A Alcoholism	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	{		M	59	—	—	—	—	2	14	22	21	56	—	—	—	5	3	8	14	26
		F	43	—	—	—	—	—	—	6	17	20	39	—	—	—	2	—	3	13	21
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	9	—	—	—	—	2	7	—	—	12	—	—	—	—	2	10	—	—
24 Parturition, apart from puerperal fever.	{		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	—	1	6	1	—	11	—	—	—	—	1	10	—	—
25 Congenital debility, &c.	{		M	55	54	—	—	1	—	—	—	—	89	87	—	—	2	—	—	—	—
		F	64	63	—	—	1	—	—	—	—	—	48	46	—	1	1	—	—	—	—
26 Violence, apart from suicide.	{		M	53	3	2	6	5	7	15	7	8	64	6	2	4	1	10	14	20	7
		F	42	8	2	5	4	—	5	—	4	14	26	2	1	1	3	1	1	4	13
27 Suicide	M	17	—	—	—	—	1	8	6	2	22	—	—	—	—	2	7	10	3
			F	4	—	—	—	—	—	1	3	—	4	—	—	—	—	1	2	1	—
28 Other defined diseases	M	538	38	2	7	10	14	43	116	308	482	42	2	5	7	9	22	90	305
			F	622	29	2	5	7	15	37	96	431	516	29	3	6	10	9	45	77	337
29 Causes ill-defined or unknown.	{		M	6	1	—	—	—	—	2	3	—	10	1	—	—	—	—	2	3	4
		F	7	—	2	—	—	—	—	—	—	4	1	6	2	—	—	—	1	3	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
DORSETSHIRE—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	631	97	21	26	33	21	86	131	206	603	54	9	10	9	18	59	126	311		
	F	665	61	14	14	21	25	73	131	326	665	56	7	8	13	29	68	145	339		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	1	—	—	—	1	—	—	—	—	2	1	1	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	5	2	1	—	—	1	1	—	—		
4 Scarlet fever ...	M	4	—	—	1	2	—	1	—	—	1	—	—	1	—	—	—	—	—		
	F	4	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	12	8	3	1	—	—	—	—	—	2	—	2	—	—	—	—	—	—		
	F	5	2	2	1	—	—	—	—	—	6	4	1	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	16	—	—	7	9	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	14	—	1	6	7	—	—	—	—	5	—	—	1	4	—	—	—	—		
7 Influenza ...	M	11	—	—	1	—	3	—	4	3	16	1	—	—	—	—	1	4	10		
	F	15	—	—	—	—	—	3	1	11	20	1	1	—	—	3	2	6	7		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	3	1	—	—	—	—	—	1	1	1	—	—	—	—	—	1	—	—		
9 Pulmonary tuberculosis	M	48	—	—	—	—	5	25	15	3	33	—	—	1	1	5	16	6	4		
	F	31	1	—	—	2	4	14	9	1	36	—	—	—	—	13	13	7	3		
10 Tuberculous meningitis	M	7	2	—	3	2	—	—	—	—	2	1	—	—	—	—	1	—	—		
	F	8	3	—	2	1	—	2	—	—	5	1	1	—	3	—	—	—	—		
11 Other tuberculous diseases.	M	12	—	2	1	1	1	3	3	1	5	—	—	—	2	1	2	—	—		
	F	5	—	1	—	—	—	2	2	—	4	—	—	—	—	—	3	—	—		
12 Cancer, malignant disease	M	46	—	—	—	—	—	4	18	24	51	—	—	—	—	—	1	21	29		
	F	69	—	—	—	—	—	6	32	31	80	—	—	—	—	—	10	32	38		
13 Rheumatic fever ...	M	3	—	—	—	—	1	2	—	—	2	—	—	—	—	1	1	—	—		
	F	2	—	—	—	—	1	—	—	1	1	—	—	—	—	—	1	—	—		
14 Meningitis ...	M	8	1	2	—	4	—	1	—	—	3	—	1	—	1	—	—	—	—		
	F	6	3	—	—	1	—	1	—	1	1	—	—	1	—	—	—	—	—		
15 Organic heart disease ...	M	51	1	—	—	2	—	4	23	21	84	—	—	—	—	—	7	23	54		
	F	100	—	—	—	1	4	4	35	56	83	—	—	—	—	—	4	27	52		
16 Bronchitis ...	M	48	13	3	1	—	—	—	7	24	35	3	4	—	—	—	—	2	26		
	F	39	4	1	1	—	—	—	4	29	49	4	3	—	—	—	—	3	39		
17 Pneumonia (all forms)...	M	33	5	7	1	—	—	5	5	10	24	5	—	2	1	1	—	7	8		
	F	23	4	5	—	—	—	4	2	8	18	3	—	3	1	1	2	3	5		
18 Other respiratory diseases	M	15	1	—	2	2	—	—	3	7	17	—	—	—	—	—	2	2	13		
	F	21	2	1	—	—	—	2	6	10	6	—	—	—	—	—	1	3	2		
19 Diarrhoea, &c. ...	M	8	4	—	1	—	—	—	2	1	5	2	—	—	—	—	1	—	2		
	F	6	1	1	1	—	—	—	1	2	7	2	—	—	—	1	—	1	3		
20 Appendicitis and typhlitis	M	5	—	—	1	2	—	2	—	—	7	—	—	—	1	2	2	1	1		
	F	5	—	—	—	1	2	—	1	1	5	—	—	—	2	1	1	1	1		
21 Cirrhosis of liver ...	M	5	—	—	—	—	—	1	4	—	2	—	—	—	—	—	—	2	—		
	F	5	—	—	—	—	—	1	2	2	4	—	—	—	—	—	—	3	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	18	—	—	2	—	—	5	8	3	17	—	—	—	—	—	3	5	9		
	F	25	—	1	—	—	—	7	7	10	18	—	—	—	1	—	3	11	3		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	1	5	—	—	2	—	—	—	—	2	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	2	4	—	—	6	—	—	—	1	5	—	—	—		
25 Congenital debility, &c.	M	41	39	1	—	1	—	—	—	—	31	29	—	1	—	—	1	—	—		
	F	26	24	—	—	—	—	2	—	—	27	26	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	29	2	—	—	2	6	12	2	5	20	1	—	1	1	4	4	6	3		
	F	9	3	—	1	1	—	1	3	—	9	—	—	—	2	1	2	2	2		
27 Suicide ...	M	5	—	—	—	—	—	3	1	1	9	—	—	—	—	1	1	5	2		
	F	2	—	—	—	—	—	1	1	—	3	—	—	—	—	—	—	2	—		
28 Other defined diseases ...	M	198	21	3	4	5	5	17	34	109	228	11	1	3	2	2	14	39	156		
	F	226	13	1	2	3	10	13	23	161	261	13	—	1	2	5	17	41	182		
29 Causes ill-defined or unknown.	M	7	—	—	—	—	—	1	2	4	3	—	—	—	—	—	1	1	1		
	F	2	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	2	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF DURHAM—1912.

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	{	M	4,116	1017	318	254	161	186	462	824	894	2,877	843	187	161	136	152	290	464	644		
				F	3,570	725	259	237	164	182	477	675	851	2,525	577	163	166	125	122	321	416	635		
1	Enteric fever	...	{	M	23	1	—	2	3	5	9	3	—	14	—	—	—	—	5	6	3	—		
				F	14	—	—	—	1	7	5	1	—	13	—	—	—	2	3	5	3	—		
2	Small-pox	...	{	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	...	{	M	157	34	75	40	8	—	—	—	—	86	22	30	26	7	1	—	—	—		
				F	164	33	62	56	13	—	—	—	—	91	17	32	36	5	—	1	—	—		
4	Scarlet fever	...	{	M	27	1	6	14	6	—	—	—	—	27	3	2	10	10	1	1	—	—		
				F	26	—	3	11	10	1	—	1	—	18	—	—	8	9	1	—	—	—		
5	Whooping cough	...	{	M	70	31	25	14	—	—	—	—	—	47	24	13	10	—	—	—	—	—		
				F	82	36	26	17	3	—	—	—	—	65	35	20	8	2	—	—	—	—		
6	Diphtheria and croup	...	{	M	39	—	4	21	14	—	—	—	—	26	—	4	12	9	—	—	1	—		
				F	41	3	4	19	13	—	2	—	—	46	—	6	20	18	2	—	—	—		
7	Influenza	...	{	M	39	1	1	—	—	—	10	14	13	35	2	1	—	1	5	7	10	9		
				F	28	1	1	1	—	—	7	8	10	20	—	—	2	1	1	3	1	12		
8	Erysipelas	...	{	M	5	—	—	—	—	1	2	2	—	1	—	—	—	—	—	—	—	1		
				F	1	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—	1	—		
9	Pulmonary tuberculosis		{	M	287	1	3	8	11	62	121	74	7	147	—	—	5	9	30	68	31	4		
				F	262	4	6	5	22	76	115	30	4	153	1	1	3	15	36	76	20	1		
10	Tuberculous meningitis		{	M	68	17	13	21	13	3	—	1	—	36	4	7	9	10	5	1	—	—		
				F	46	9	9	10	14	3	1	—	—	31	3	8	8	9	3	—	—	—		
11	Other tuberculous diseases.		{	M	113	19	21	20	16	10	12	14	1	86	20	13	14	17	9	6	6	1		
				F	74	11	10	13	17	7	10	6	—	47	6	7	6	5	6	11	5	1		
12	Cancer, malignant disease		{	M	183	—	—	1	3	1	11	92	75	106	—	—	—	—	1	9	52	44		
				F	260	—	1	1	—	3	35	142	78	143	—	—	—	—	1	25	65	52		
13	Rheumatic fever	...	{	M	13	—	1	—	3	4	3	1	1	7	—	—	—	2	1	4	—	—		
				F	17	—	—	2	6	3	4	2	—	14	—	—	—	3	2	6	3	—		
14	Meningitis	...	{	M	41	8	9	12	5	3	3	1	—	31	12	5	4	6	2	1	—	1		
				F	44	14	7	10	6	1	3	3	—	24	5	3	7	5	—	3	1	—		
15	Organic heart disease	...	{	M	288	—	1	—	7	11	33	110	126	184	—	—	2	4	8	19	61	90		
				F	325	—	—	—	10	15	53	125	122	213	—	—	—	3	12	28	81	89		
16	Bronchitis	...	{	M	271	74	19	6	2	—	4	51	115	203	76	20	2	3	1	7	27	67		
				F	251	64	25	8	2	1	8	35	108	172	50	19	6	—	2	4	22	69		
17	Pneumonia (all forms)		{	M	404	110	67	42	15	15	49	70	36	250	71	40	21	17	8	32	33	28		
				F	301	84	48	39	10	7	31	48	34	188	51	30	26	9	8	21	21	22		
18	Other respiratory diseases		{	M	65	6	3	8	3	1	7	22	15	69	12	4	3	2	3	5	20	20		
				F	49	5	3	6	—	—	8	9	18	30	1	2	2	1	2	4	12	6		
19	Diarrhoea, &c.	...	{	M	108	59	22	3	2	1	3	12	6	96	60	9	5	4	—	5	4	9		
				F	91	52	18	6	2	2	2	3	6	77	32	8	10	2	3	4	7	11		
20	Appendicitis and typhlitis		{	M	14	—	1	1	3	4	4	1	—	14	—	—	—	5	2	4	3	—		
				F	11	—	—	—	2	3	3	3	—	4	—	—	—	—	3	—	—	1		
21	Cirrhosis of liver	...	{	M	18	—	—	—	—	—	5	9	4	22	—	—	—	—	—	2	16	4		
				F	13	—	—	—	—	—	2	9	2	15	—	—	—	—	—	3	8	4		
21A	Alcoholism	...	{	M	7	—	—	—	—	—	4	2	1	4	—	—	—	—	—	3	1	—		
				F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—		
22	Nephritis and Bright's disease.		{	M	98	1	4	5	5	1	16	40	26	59	2	2	3	2	4	11	22	13		
				F	91	1	1	4	5	10	25	30	15	71	1	2	1	7	1	15	26	18		
23	Puerperal fever...	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	12	—	—	—	—	4	8	—	—	19	—	—	—	—	3	15	1	—		
24	Parturition, apart from puerperal fever		{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	54	—	—	—	—	6	46	2	—	39	—	—	—	—	10	28	1	—		
25	Congenital debility, &c.		{	M	425	422	1	—	1	1	—	—	—	368	367	1	—	—	—	—	—	—		
				F	278	276	2	—	—	—	—	—	—	252	249	1	—	1	1	—	—	—		
26	Violence, apart from suicide.		{	M	217	6	4	17	23	35	64	44	24	193	3	3	15	15	47	50	39	21		
				F	86	14	6	15	15	2	7	13	14	46	4	1	8	9	3	2	6	13		
27	Suicide	...	{	M	36	—	—	—	—	2	14	17	3	20	—	—	—	—	1	7	8	4		
				F	9	—	—	—	—	2	4	2	1	13	—	—	—	—	1	6	5	1		
28	Other defined diseases	...	{	M	1,050	225	29	16	15	25	85	220	435	726	163	29	20	13	18	39	117	327		
				F	904	118	21	14	12	28	92	184	435	694	121	19	13	17	18	58	116	332		
29	Causes ill-defined or unknown.		{	M	49	1	9	3	3	—	3	24	6	20	2	4	—	—	—	3	10	1		
				F	35	—	6	—	1	1	6	18	3	24	—	4	2	2	—	2	11	3		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF ELY, ISLE OF—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	273	43	8	9	4	11	43	46	109	204	35	4	8	4	12	14	34	93		
	F	223	33	6	4	5	12	14	37	112	196	28	5	4	8	10	23	23	95		
1 Enteric fever ...	M	1	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	2	—	1	1	—	—	—	—	—	3	—	1	1	—	1	—	—	—		
	F	3	3	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—		
4 Scarlet fever ...	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	4	3	1	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—		
	F	5	5	—	—	—	—	—	—	—	6	3	1	1	1	—	—	—	—		
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—		
7 Influenza ...	M	4	—	—	—	—	—	1	1	2	9	—	—	—	—	1	1	1	6		
	F	3	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	1	—		
8 Erysipelas ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	24	—	—	—	1	7	10	5	1	14	—	—	—	1	6	5	2	—		
	F	12	—	—	—	—	7	4	1	—	15	—	—	—	—	6	8	1	—		
10 Tuberculous meningitis	M	3	—	1	2	—	—	—	—	—	3	—	—	2	1	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	3	1	—	1	—	—	—	—	—		
11 Other tuberculous diseases.	M	1	1	—	—	—	—	—	—	—	3	1	—	1	—	—	1	—	—		
	F	2	—	—	1	—	—	—	1	—	3	—	—	—	1	—	1	1	—		
12 Cancer, malignant disease	M	22	—	—	—	—	—	1	11	10	15	—	—	—	—	—	—	3	12		
	F	25	—	—	—	—	—	—	11	14	20	—	—	—	—	—	2	9	9		
13 Rheumatic fever ...	M	3	—	—	—	1	—	2	—	—	2	—	—	—	—	1	1	—	—		
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	1	—	—	—	1		
14 Meningitis ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	1	1	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	19	—	—	—	—	—	1	8	10	11	—	—	—	—	—	—	3	8		
	F	23	—	—	—	—	1	1	5	16	20	—	—	—	—	—	1	3	16		
16 Bronchitis ...	M	19	5	—	1	—	—	—	—	13	17	2	—	—	—	—	—	1	14		
	F	26	4	—	2	—	—	—	4	16	13	1	—	—	—	—	—	—	12		
17 Pneumonia (all forms)...	M	30	7	3	2	—	—	9	3	6	12	4	1	1	—	—	—	4	2		
	F	17	3	4	—	1	1	1	2	5	9	1	1	1	—	—	—	1	5		
18 Other respiratory diseases	M	9	1	1	1	—	—	1	2	3	4	—	—	—	—	—	—	—	4		
	F	3	—	—	—	1	—	—	1	1	3	—	—	1	—	—	1	1	—		
19 Diarrhoea, &c. ...	M	4	3	1	—	—	—	—	—	—	3	1	—	—	—	—	—	—	2		
	F	5	2	2	1	—	—	—	—	—	8	4	—	—	2	—	—	—	2		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	3	—	—	2	—	—	—	—	—	—	2	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	13	—	—	—	—	—	1	7	5	3	—	—	—	—	—	—	—	3		
	F	6	—	—	—	—	—	—	3	3	5	—	—	—	—	—	—	2	3		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
25 Congenital debility, &c.	M	12	12	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—		
	F	8	8	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	13	—	—	—	1	2	5	1	4	12	1	1	1	—	—	3	3	3		
	F	2	1	—	—	—	—	—	1	—	4	—	1	—	1	—	—	—	2		
27 Suicide ...	M	1	—	—	—	—	—	1	—	—	5	—	—	—	—	1	—	2	2		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1		
28 Other defined diseases ...	M	84	11	—	1	1	1	7	8	55	58	9	—	1	1	—	3	9	35		
	F	77	7	—	—	—	3	6	6	55	59	4	1	—	1	2	7	3	41		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	4	1	—	—	—	—	—	2	1		
	F	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
ESSEX—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ... {	M	4,221	788	131	164	177	204	596	1001	1160	1,688	201	35	46	48	85	191	332	750		
	F	4,154	539	162	137	167	198	569	875	1507	1,506	156	30	40	46	48	156	290	740		
1 Enteric fever ... {	M	7	—	—	—	—	1	4	1	1	2	—	—	—	—	2	—	—			
	F	13	—	—	—	3	5	4	1	—	4	—	—	—	1	2	—	1			
2 Small-pox ... {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
3 Measles ... {	M	62	13	21	19	9	—	—	—	—	13	1	5	5	2	—	—	—			
	F	46	4	22	13	7	—	—	—	—	8	1	1	3	3	—	—	—			
4 Scarlet fever ... {	M	13	—	—	7	5	—	1	—	—	3	—	—	1	1	—	—	—			
	F	9	1	—	5	2	1	—	—	—	4	—	—	1	2	1	—	—			
5 Whooping cough ... {	M	75	41	19	14	1	—	—	—	—	22	12	4	4	2	—	—	—			
	F	104	47	38	15	3	—	—	—	1	27	13	9	5	—	—	—	—			
6 Diphtheria and croup ... {	M	43	1	3	9	30	—	—	—	—	4	—	—	3	1	—	—	—			
	F	42	—	6	14	21	—	1	—	—	10	1	—	2	7	—	—	—			
7 Influenza ... {	M	45	1	1	2	1	4	9	19	8	23	—	—	—	1	7	3	12			
	F	41	3	—	—	2	—	7	13	16	23	1	—	1	1	3	7	9			
8 Erysipelas ... {	M	9	4	—	—	—	—	3	2	—	6	—	—	—	—	—	4	2			
	F	11	—	—	1	—	2	3	4	1	2	—	—	—	—	—	2	—			
9 Pulmonary tuberculosis {	M	435	4	2	5	7	63	219	119	16	108	—	1	2	—	28	46	25			
	F	303	4	4	3	17	67	148	53	7	76	—	—	2	5	19	30	15			
10 Tuberculous meningitis {	M	49	10	9	11	16	—	2	1	—	12	2	1	1	7	—	1	—			
	F	58	10	15	15	16	1	1	—	—	3	1	—	—	1	1	—	—			
11 Other tuberculous diseases. {	M	56	9	7	9	13	5	4	7	2	21	—	3	4	5	2	4	3			
	F	74	8	9	10	8	14	16	6	3	15	1	1	1	—	3	4	2			
12 Cancer, malignant disease {	M	333	—	1	1	4	8	29	159	131	164	—	—	—	—	2	6	67			
	F	439	—	—	2	2	4	63	217	151	157	—	—	2	—	—	16	61			
13 Rheumatic fever ... {	M	18	—	—	1	3	6	4	4	—	5	—	—	1	—	3	—	1			
	F	26	—	—	1	12	5	6	2	—	8	—	—	—	2	2	1	2			
14 Meningitis ... {	M	24	6	1	5	3	4	1	4	—	10	4	—	1	2	—	2	1			
	F	14	3	1	6	1	—	—	1	2	11	—	2	—	5	—	3	1			
15 Organic heart disease ... {	M	396	—	1	2	14	18	45	154	162	168	—	—	—	3	2	9	47			
	F	449	—	—	1	12	23	54	142	217	177	—	—	2	2	1	18	45			
16 Bronchitis ... {	M	266	67	4	8	1	—	3	42	141	112	21	6	2	1	—	2	7			
	F	359	39	10	3	2	2	11	47	245	98	17	—	2	—	—	1	12			
17 Pneumonia (all forms) {	M	320	76	34	25	12	14	52	68	39	88	16	9	8	2	3	12	18			
	F	218	44	32	21	10	6	31	34	40	56	6	6	8	2	3	9	11			
18 Other respiratory diseases {	M	68	2	2	7	7	1	9	19	21	25	1	—	2	3	2	2	2			
	F	64	3	3	6	2	3	7	14	26	22	4	—	—	2	1	—	5			
19 Diarrhoea, &c. ... {	M	86	55	6	3	1	1	2	9	9	22	10	1	—	—	1	1	5			
	F	77	38	8	2	7	1	5	4	12	19	11	1	—	1	—	3	3			
20 Appendicitis and typhlitis {	M	30	—	—	2	7	5	7	7	2	3	—	—	1	1	1	—	—			
	F	25	—	—	2	7	6	5	2	3	6	—	—	—	—	2	3	1			
21 Cirrhosis of liver ... {	M	42	1	—	—	—	—	12	22	7	17	—	—	—	—	—	1	13			
	F	47	—	—	—	—	1	9	30	7	12	—	—	—	—	—	1	7			
21A Alcoholism ... {	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1			
	F	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—			
22 Nephritis and Bright's disease. {	M	135	1	—	3	2	5	16	61	47	47	—	—	1	2	3	7	16			
	F	135	—	1	1	2	2	23	60	46	45	—	2	—	1	—	3	23			
23 Puerperal fever... {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	32	—	—	—	—	7	25	—	—	10	—	—	—	—	2	8	—			
24 Parturition, apart from puerperal fever. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	41	—	—	—	—	4	37	—	—	14	—	—	—	—	—	14	—			
25 Congenital debility, &c. {	M	347	343	—	3	1	—	—	—	—	87	87	—	—	—	—	—	—			
	F	224	220	1	2	—	—	1	—	—	73	71	1	1	—	—	—	—			
26 Violence, apart from suicide. {	M	173	17	3	11	19	24	46	33	20	85	—	1	5	6	17	29	16			
	F	88	17	3	3	5	7	9	18	26	24	3	2	4	1	2	3	5			
27 Suicide ... {	M	39	—	—	—	—	4	15	14	6	22	—	—	—	—	1	8	5			
	F	14	—	—	—	—	3	6	5	—	6	—	—	—	—	1	3	2			
28 Other defined diseases ... {	M	1,137	136	17	17	21	41	110	250	545	608	47	4	5	9	16	50	96			
	F	1,186	96	9	10	26	34	96	216	699	593	26	5	6	10	9	34	84			
29 Causes ill-defined or unknown. {	M	13	1	—	—	—	—	3	6	3	9	—	—	—	1	2	1	3			
	F	12	2	—	1	—	—	1	3	5	3	—	—	—	—	—	2	1			

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
FLINTSHIRE—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	291	52	13	8	9	10	35	66	98	409	64	15	12	5	17	59	77	160		
	F	234	29	9	6	8	5	20	57	100	384	45	16	11	17	14	56	63	162		
1 Enteric fever ...	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	6	1	4	1	—	—	—	—	—	4	—	2	2	—	—	—	—	—		
	F	2	—	1	1	—	—	—	—	—	8	—	5	3	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	1	—	—	1	—	—	—	—	2	—	—	1	1	—	—	—	—		
5 Whooping cough ...	M	3	2	1	—	—	—	—	—	—	10	4	3	3	—	—	—	—	—		
	F	2	—	2	—	—	—	—	—	—	7	4	2	—	1	—	—	—	—		
6 Diphtheria and croup ...	M	3	—	—	1	2	—	—	—	—	3	1	1	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—		
7 Influenza ...	M	10	—	—	—	—	1	1	3	5	10	2	—	—	—	1	1	3	3		
	F	5	—	—	—	—	1	—	1	3	11	—	—	1	2	—	3	—	5		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	13	—	—	—	—	2	6	4	1	36	1	—	1	—	6	19	8	1		
	F	8	—	—	—	—	—	5	2	1	31	—	—	—	4	7	14	3	3		
10 Tuberculous meningitis	M	5	—	1	1	2	—	1	—	—	2	—	1	—	—	—	1	—	—		
	F	1	—	—	1	—	—	—	—	—	3	1	—	1	1	—	—	—	—		
11 Other tuberculous diseases.	M	3	—	—	—	1	1	—	1	—	3	3	—	—	—	—	—	—	—		
	F	3	—	—	—	1	—	—	1	1	4	—	—	—	1	2	1	—	—		
12 Cancer, malignant disease	M	18	—	—	—	—	—	2	6	10	23	—	—	—	1	—	1	10	11		
	F	25	—	—	—	1	—	—	11	13	41	—	—	—	—	—	6	19	16		
13 Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—		
14 Meningitis ...	M	2	1	—	—	—	—	—	—	1	2	1	—	1	—	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	3	—	—	1	—	2	—	—	—		
15 Organic heart disease ...	M	22	—	—	—	—	1	1	11	9	32	—	—	—	—	1	3	5	23		
	F	28	—	—	—	1	1	1	8	17	50	—	—	—	1	—	4	14	31		
16 Bronchitis ...	M	27	4	3	—	—	—	1	5	14	23	3	—	1	—	—	1	6	12		
	F	26	6	4	1	1	—	—	4	10	17	1	1	—	—	—	3	1	11		
17 Pneumonia (all forms)...	M	18	1	1	1	1	—	5	7	2	28	2	4	1	1	2	6	5	7		
	F	12	1	1	1	—	1	3	2	3	22	4	3	2	2	—	3	1	7		
18 Other respiratory diseases	M	7	1	2	—	—	—	1	2	1	7	—	1	—	—	—	4	1	1		
	F	4	1	—	—	—	—	1	1	1	4	—	—	—	—	—	1	1	2		
19 Diarrhoea, &c. ...	M	7	4	—	—	—	1	—	—	2	5	2	—	1	—	—	1	—	1		
	F	8	3	—	—	—	—	1	—	4	3	2	—	—	—	—	—	1	—		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	3	2	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	1	1	1	2	—	—	—	—	—	1	—	1		
	F	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	1		
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	13	—	—	—	—	—	2	6	5	17	—	—	—	—	—	1	5	11		
	F	14	—	—	—	2	1	2	5	4	10	—	—	—	—	—	5	1	4		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	1	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	3	—	—	—	—	—	3	—	—		
25 Congenital debility, &c.	M	29	29	—	—	—	—	—	—	—	29	29	—	—	—	—	—	—	—		
	F	11	11	—	—	—	—	—	—	—	24	24	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	8	—	—	1	2	1	3	1	—	28	—	1	2	—	4	11	6	4		
	F	3	—	—	2	—	—	—	1	—	6	1	1	1	1	—	—	—	2		
27 Suicide ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	88	9	1	3	1	2	9	16	47	134	16	1	—	2	2	6	22	85		
	F	71	4	1	—	1	1	4	18	42	126	8	4	—	2	2	11	20	79		
29 Causes ill-defined or unknown.	M	3	—	—	—	—	—	1	2	—	3	—	1	—	—	—	—	2	—		
	F	2	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
GLAMORGANSHIRE—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	3,894	1164	288	242	164	181	510	765	580	1,309	319	54	61	51	68	177	274	305		
	F	3,401	900	287	270	163	162	478	572	569	1,170	265	55	51	58	57	152	221	311		
1 Enteric fever ...	M	21	—	—	—	5	7	6	3	—	6	—	—	—	—	4	2	—	—		
	F	12	—	—	1	3	2	5	1	—	3	—	—	—	2	1	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
3 Measles ...	M	169	40	61	61	7	—	—	—	—	28	5	11	9	3	—	—	—	—		
	F	173	33	65	60	15	—	—	—	—	33	6	9	9	9	—	—	—	—		
4 Scarlet fever ...	M	32	2	4	15	9	1	1	—	—	6	2	—	—	4	—	—	—	—		
	F	25	1	5	12	7	—	—	—	—	4	—	—	4	—	—	—	—	—		
5 Whooping cough ...	M	131	72	40	17	2	—	—	—	—	22	12	6	4	—	—	—	—	—		
	F	174	83	47	41	3	—	—	—	—	49	28	9	10	2	—	—	—	—		
6 Diphtheria and croup ...	M	25	1	3	16	3	2	—	—	—	13	1	1	6	5	—	—	—	—		
	F	40	1	6	20	12	—	1	—	—	12	—	2	3	7	—	—	—	—		
7 Influenza ...	M	36	—	1	1	—	4	9	14	7	21	—	—	—	—	2	3	11	5		
	F	22	2	—	—	1	3	4	5	7	20	1	—	—	3	—	4	6	6		
8 Erysipelas ...	M	3	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—		
	F	6	1	—	—	1	—	—	2	2	2	—	—	—	—	—	1	1	—		
9 Pulmonary tuberculosis	M	208	4	5	4	7	40	86	56	6	84	3	1	3	3	17	40	13	4		
	F	210	—	1	6	12	60	103	26	2	91	—	1	1	4	23	40	18	4		
10 Tuberculous meningitis	M	34	8	9	5	6	4	1	1	—	14	3	4	3	3	1	—	—	—		
	F	27	5	3	6	8	4	—	1	—	15	5	2	—	4	1	3	—	—		
11 Other tuberculous diseases.	M	50	14	6	6	7	4	9	4	—	22	7	1	4	2	1	7	—	—		
	F	40	10	3	4	5	5	11	2	—	21	5	5	1	3	2	2	1	2		
12 Cancer, malignant disease	M	145	1	1	2	1	3	21	77	39	60	1	—	2	—	2	5	27	23		
	F	206	1	—	—	3	3	38	113	48	87	—	—	—	—	—	18	44	25		
13 Rheumatic fever ...	M	16	—	—	—	7	3	2	4	—	6	—	—	—	1	2	2	1	—		
	F	25	1	—	1	6	8	7	2	—	9	—	—	—	2	3	2	1	1		
14 Meningitis ..	M	49	18	9	7	9	—	3	2	1	11	—	—	3	3	2	3	—	—		
	F	30	9	4	7	5	2	2	—	1	11	1	2	1	1	2	2	2	—		
15 Organic heart disease ...	M	269	—	—	1	7	14	50	110	87	99	—	—	—	2	5	15	38	39		
	F	297	1	—	1	12	12	59	120	92	109	—	—	—	1	3	19	42	44		
16 Bronchitis ...	M	330	118	15	10	3	2	6	75	101	90	26	—	5	—	—	2	20	37		
	F	256	91	27	7	2	1	4	51	73	70	15	4	1	1	—	3	7	39		
17 Pneumonia (all forms)	M	443	165	79	48	16	8	49	58	20	112	37	15	7	1	3	8	24	17		
	F	360	123	91	60	13	8	27	19	19	82	29	11	7	3	4	4	10	14		
18 Other respiratory diseases	M	69	10	3	7	1	1	4	30	13	24	6	—	—	1	—	2	10	5		
	F	34	3	3	4	3	—	5	9	7	18	1	—	—	—	—	2	7	8		
19 Diarrhoea, &c. ...	M	113	75	16	1	4	1	4	9	3	44	29	4	—	1	—	4	3	3		
	F	94	62	7	4	1	1	6	9	4	30	24	1	—	2	—	—	1	2		
20 Appendicitis and typhlitis	M	20	—	—	—	4	4	7	4	1	5	—	—	—	3	—	1	1	—		
	F	16	—	—	—	6	1	5	4	—	5	—	—	1	—	2	2	—	—		
21 Cirrhosis of liver ...	M	14	—	—	—	—	—	2	11	1	11	—	—	—	1	—	1	5	4		
	F	7	—	—	—	—	—	—	7	—	4	—	—	—	—	1	1	1	1		
21A Alcoholism ...	M	3	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	96	1	1	—	5	7	23	45	14	43	2	—	4	2	—	7	18	10		
	F	77	—	—	4	3	9	18	31	12	32	—	—	2	1	—	9	10	10		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	32	—	—	—	—	6	26	—	—	5	—	—	—	—	—	5	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	70	—	—	—	—	14	56	—	—	15	—	—	—	—	4	11	—	—		
25 Congenital debility, &c.	M	373	363	4	—	6	—	—	—	—	94	93	—	—	—	—	1	—	—		
	F	274	273	—	1	—	—	—	—	—	88	88	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	314	6	2	27	33	53	117	57	19	98	2	2	5	10	14	36	26	3		
	F	72	11	5	14	14	1	5	8	14	20	1	2	4	5	3	2	1	2		
27 Suicide ...	M	21	—	—	—	—	2	9	6	4	13	—	—	—	—	2	5	5	1		
	F	8	—	—	—	—	2	4	2	—	2	—	—	—	—	—	—	1	1		
28 Other defined diseases ...	M	896	265	23	14	22	20	97	193	262	375	88	8	6	6	13	31	69	154		
	F	802	188	13	17	27	20	90	159	288	328	61	6	6	8	7	20	68	152		
29 Causes ill-defined or unknown.	M	14	1	6	—	—	—	2	5	—	8	2	1	—	—	—	2	3	—		
	F	11	1	7	—	1	—	2	—	—	4	—	1	1	—	—	2	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF GLOUCESTERSHIRE—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	
ALL CAUSES ...	M	628	68	13	16	20	29	64	143	275		1,482	200	40	43	46	40	148	312	653	
	F	633	56	15	5	17	33	58	126	323		1,421	140	29	29	46	68	143	254	712	
1 Enteric fever ...	M	1	—	—	—	—	—	—	1	—		1	—	—	—	—	—	1	—	—	
	F	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
3 Measles ...	M	6	—	3	2	1	—	—	—	—		15	—	5	7	3	—	—	—	—	
	F	5	2	3	—	—	—	—	—	—		9	1	3	5	—	—	—	—	—	
4 Scarlet fever ...	M	1	—	—	1	—	—	—	—	—		1	—	—	—	1	—	—	—	—	
	F	1	—	—	—	1	—	—	—	—		4	—	—	3	1	—	—	—	—	
5 Whooping cough ...	M	9	6	2	—	1	—	—	—	—		13	10	2	1	—	—	—	—	—	
	F	6	3	3	—	—	—	—	—	—		24	8	10	4	2	—	—	—	—	
6 Diphtheria and croup ...	M	6	—	—	3	3	—	—	—	—		8	—	—	6	2	—	—	—	—	
	F	4	—	—	2	2	—	—	—	—		11	—	1	3	7	—	—	—	—	
7 Influenza ...	M	11	—	—	1	—	—	—	5	5		21	1	1	—	1	—	3	2	13	
	F	8	—	—	—	—	—	—	—	8		22	2	—	—	2	—	2	3	13	
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—		1	—	—	—	—	—	—	—	1	
	F	—	—	—	—	—	—	—	—	—		1	—	—	—	—	—	—	—	1	
9 Pulmonary tuberculosis	M	43	—	—	—	—	8	23	10	2		88	—	1	—	3	19	40	23	2	
	F	40	—	—	—	2	12	19	6	1		87	2	—	—	5	23	40	15	2	
10 Tuberculous meningitis	M	2	—	1	—	1	—	—	—	—		10	4	—	2	4	—	—	—	—	
	F	1	—	—	—	1	—	—	—	—		6	—	—	—	4	2	—	—	—	
11 Other tuberculous diseases.	M	4	—	1	—	1	—	1	1	—		15	1	2	1	2	1	4	3	1	
	F	6	—	—	—	2	1	1	1	1		18	—	1	1	2	6	4	4	—	
12 Cancer, malignant disease	M	52	—	—	—	1	—	2	24	25		113	—	—	—	1	1	5	51	55	
	F	64	—	—	—	—	—	1	30	33		136	—	—	—	—	1	7	48	80	
13 Rheumatic fever ...	M	4	—	—	—	1	2	—	1	—		1	—	—	—	—	—	1	—	—	
	F	1	—	—	—	—	—	—	—	1		9	—	—	—	3	2	2	1	1	
14 Meningitis ...	M	2	—	—	1	1	—	—	—	—		13	3	2	2	3	—	1	2	—	
	F	1	—	—	—	1	—	—	—	—		3	1	—	—	1	—	—	1	—	
15 Organic heart disease ...	M	67	—	—	—	1	1	4	16	45		205	—	—	1	—	3	12	53	136	
	F	73	—	—	—	—	3	4	13	53		208	—	—	—	4	5	17	47	135	
16 Bronchitis ...	M	33	8	—	—	—	—	—	4	21		104	14	3	1	1	—	—	15	70	
	F	37	5	—	—	—	—	—	6	26		115	12	3	2	—	—	—	7	91	
17 Pneumonia (all forms)...	M	30	5	4	4	—	3	3	4	7		92	27	10	7	3	2	11	18	14	
	F	39	11	4	1	1	2	3	5	12		62	12	5	6	4	2	6	13	14	
18 Other respiratory diseases	M	15	1	—	—	1	1	1	5	6		28	2	2	5	1	—	4	5	9	
	F	12	—	—	—	1	—	1	3	7		18	1	—	—	1	1	2	5	8	
19 Diarrhoea, &c. ...	M	10	6	1	—	—	1	1	1	—		33	19	2	1	1	—	2	—	8	
	F	7	3	1	—	—	—	—	—	3		21	7	4	—	—	1	1	3	5	
20 Appendicitis and typhlitis	M	3	—	—	—	1	1	—	1	—		8	—	—	1	3	1	2	—	3	
	F	4	—	—	—	—	—	1	3	—		10	—	—	—	2	2	2	1	3	
21 Cirrhosis of liver ...	M	6	—	—	—	—	—	—	5	1		8	—	—	—	—	—	1	6	1	
	F	3	—	—	—	—	—	—	2	1		6	—	—	—	—	—	1	2	3	
21A Alcoholism ...	M	2	—	—	—	—	—	—	2	—		4	—	—	—	—	—	2	2	—	
	F	1	—	—	—	—	—	—	—	1		—	—	—	—	—	—	—	—	—	
22 Nephritis and Bright's disease.	M	37	—	—	2	—	2	4	13	16		36	—	—	—	—	—	4	10	22	
	F	20	—	—	—	—	1	4	8	7		34	—	—	—	1	1	5	11	16	
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	1	—	—		4	—	—	—	—	—	4	—	—	
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
	F	3	—	—	—	—	1	2	—	—		24	—	—	—	—	5	18	1	—	
25 Congenital debility, &c.	M	26	26	—	—	—	—	—	—	—		86	83	2	1	—	—	—	—	—	
	F	24	23	—	—	1	—	—	—	—		71	70	—	—	—	1	—	—	—	
26 Violence, apart from suicide.	M	19	1	—	—	3	4	3	4	4		66	1	3	2	6	6	16	23	9	
	F	11	1	—	1	2	1	2	2	2		28	3	—	2	—	1	4	9	9	
27 Suicide ...	M	8	—	—	—	—	—	3	2	3		15	—	—	—	—	1	7	6	1	
	F	2	—	—	—	—	1	—	—	1		3	—	—	—	—	2	—	1	—	
28 Other defined diseases ...	M	228	15	1	2	4	6	19	42	139		490	34	5	5	10	6	31	90	309	
	F	256	8	4	3	11	19	45	166	481		481	20	2	3	7	13	28	79	329	
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	1	1		7	1	—	—	1	—	1	3	1	
	F	3	—	—	1	—	—	—	2	—		6	1	—	—	—	—	3	—	2	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
HEREFORDSHIRE—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	230	37	7	8	5	10	21	45	97	546	61	9	5	13	15	48	125	270		
	F	269	21	7	7	13	4	23	59	135	490	49	6	8	8	20	46	98	255		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	4	2	2	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—		
	F	1	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
5 Whooping cough ...	M	4	3	—	1	—	—	—	—	—	3	1	1	—	1	—	—	—	—		
	F	5	2	2	1	—	—	—	—	—	4	2	1	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	1	—	—	—	1	—	—	—	—	3	1	—	—	2	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7 Influenza ...	M	3	—	—	—	—	—	1	1	1	9	—	—	—	—	1	3	5	—		
	F	2	—	—	—	—	—	—	1	1	8	—	—	—	1	2	1	4	—		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	19	—	—	—	—	6	8	3	2	31	—	—	—	—	5	17	7	2		
	F	12	—	—	1	2	3	4	2	—	35	—	1	—	1	8	17	8	—		
10 Tuberculous meningitis	M	2	—	1	1	—	—	—	—	—	2	—	—	—	—	2	—	—	—		
	F	2	—	1	—	—	—	1	—	—	3	—	—	—	2	1	—	—	—		
11 Other tuberculous diseases.	M	2	—	—	1	1	—	—	—	—	6	1	—	—	—	3	—	—	2		
	F	3	1	—	1	1	—	—	—	—	5	—	—	1	1	1	2	—	—		
12 Cancer, malignant disease	M	8	—	—	—	—	—	—	1	7	55	—	—	—	—	1	1	27	26		
	F	26	—	—	—	—	—	2	9	15	44	—	—	—	—	—	2	19	23		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	3	—	1	—	1	—	1	—	—	1	—	—	—	—	1	—	—	—		
15 Organic heart disease ...	M	37	—	—	—	1	1	4	10	21	75	—	—	—	—	—	4	18	53		
	F	43	—	—	1	—	—	3	15	24	85	—	—	—	—	1	3	24	57		
16 Bronchitis ...	M	21	4	—	1	—	—	—	2	14	38	5	—	1	—	—	—	1	31		
	F	25	—	—	—	—	—	—	5	20	32	2	1	—	—	—	—	5	24		
17 Pneumonia (all forms)...	M	8	1	2	—	—	1	—	4	—	34	5	4	—	—	—	2	9	14		
	F	9	1	1	—	1	—	2	1	3	16	2	2	2	—	1	—	3	6		
18 Other respiratory diseases	M	2	—	—	—	—	—	1	1	—	9	—	—	1	1	1	—	4	2		
	F	9	—	—	—	2	—	1	2	4	8	—	—	—	—	—	1	—	7		
19 Diarrhoea, &c. ...	M	3	3	—	—	—	—	—	—	—	12	5	—	—	—	—	1	3	3		
	F	1	—	1	—	—	—	—	—	—	4	1	—	—	—	—	1	—	2		
20 Appendicitis and typhlitis	M	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	1	—	1		
21 Cirrhosis of liver ...	M	6	—	—	—	—	—	1	4	1	3	—	—	—	—	—	—	3	—		
	F	4	—	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	6	—	—	—	—	—	2	2	2	11	—	—	—	—	—	1	3	7		
	F	5	—	—	—	1	—	1	1	2	15	—	—	—	1	—	—	5	9		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	6	—	—	—	—	1	5	—	—		
25 Congenital debility, &c.	M	14	12	1	1	—	—	—	—	—	32	31	—	—	1	—	—	—	—		
	F	12	12	—	—	—	—	—	—	—	30	29	1	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	9	1	1	2	—	—	2	2	1	31	1	1	1	2	1	9	10	6		
	F	1	—	—	1	—	—	—	—	—	9	1	—	1	—	—	2	1	4		
27 Suicide ...	M	2	—	—	—	—	—	1	1	—	7	—	—	—	—	—	3	4	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
28 Other defined diseases ...	M	75	11	—	1	1	1	1	13	47	177	10	3	1	4	2	8	30	119		
	F	99	5	—	1	4	—	6	20	63	170	12	—	1	3	4	6	30	114		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	2	—		
	F	1	—	—	—	—	—	—	1	—	6	—	—	—	—	—	—	2	4		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
HERTFORDSHIRE—1912.

Causes of Death.			Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.																										
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—																			
ALL CAUSES	M	1,062	145	22	25	47	41	132	263	387	630	79	19	8	17	24	88	119	270	F	1,100	114	30	38	26	41	129	218	504	565	56	11	12	26	18	56	113	273
1 Enteric fever	M	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	17	4	4	4	4	—	1	—	—	2	—	2	—	—	—	—	—	—	F	12	3	6	2	1	—	—	—	4	—	2	2	—	—	—	—	—	
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	F	5	—	—	2	3	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	M	13	9	2	2	—	—	—	—	—	3	1	2	—	—	—	—	—	—	F	16	11	1	4	—	—	—	9	4	2	3	—	—	—	—	—	—	
6 Diphtheria and croup	M	8	—	—	1	7	—	—	—	—	7	—	1	1	5	—	—	—	—	F	4	—	—	1	1	—	—	6	—	—	6	—	—	—	—	—	—	
7 Influenza	M	12	—	—	—	—	—	2	7	3	9	2	—	—	—	—	3	2	2	F	21	—	—	1	1	2	3	5	9	8	—	—	1	—	1	1	5	
8 Erysipelas	M	4	2	—	—	—	—	—	1	1	2	1	—	—	—	—	—	—	—	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	{		M	88	—	—	—	2	13	45	27	1	54	1	—	—	—	8	30	15	—	F	75	—	2	—	4	12	35	15	7	39	—	1	—	3	9	13	11	2
10 Tuberculous meningitis			M	7	—	1	1	2	2	1	—	—	—	3	1	—	—	1	1	—	—	—	F	5	1	2	—	1	1	—	—	2	—	—	1	1	—	—	—	—
11 Other tuberculous diseases.	{		M	22	1	—	4	6	4	4	3	—	3	—	—	—	1	—	1	—	—	F	18	3	—	2	3	4	1	4	1	2	1	—	—	—	—	—	—	
12 Cancer, malignant disease			M	94	—	—	—	—	2	2	36	54	58	—	—	—	—	—	—	3	15	40	F	126	—	—	—	—	1	12	44	69	72	—	—	—	7	28	37	—
13 Rheumatic fever	M	9	—	—	—	7	1	1	—	—	6	—	—	—	1	—	—	—	—	F	3	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	
14 Meningitis	M	9	3	1	3	—	—	2	—	—	2	—	—	—	—	—	1	—	—	F	10	2	1	4	—	1	—	2	—	—	—	—	1	—	—	—	—	
15 Organic heart disease	M	134	—	—	—	1	3	12	54	64	64	—	—	—	3	9	15	37	—	F	130	—	—	—	5	2	13	33	77	72	—	—	2	1	7	17	42	
16 Bronchitis	M	68	6	2	2	—	—	2	9	47	52	11	2	1	—	—	—	2	36	F	101	12	4	2	—	1	1	15	66	43	5	—	—	—	3	34	34	
17 Pneumonia (all forms)	{		M	61	11	4	4	3	2	10	16	11	39	6	5	—	2	2	6	6	12	F	51	8	7	8	1	1	6	9	11	24	6	2	2	—	1	4	9	
18 Other respiratory diseases			M	20	2	—	1	—	—	1	6	10	6	—	—	1	—	—	1	2	2	2	F	15	—	1	1	—	—	2	4	7	8	1	—	—	—	2	2	2
19 Diarrhoea, &c.	M	25	14	—	1	—	—	6	—	4	13	7	1	2	—	—	1	1	—	F	11	7	—	—	—	1	1	—	2	5	2	—	—	1	2	1	—	
20 Appendicitis and typhlitis	{		M	5	—	—	1	1	2	—	1	—	4	—	—	—	2	—	2	—	—	F	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—		
21 Cirrhosis of liver			M	17	—	—	—	—	—	1	11	5	6	—	—	—	—	—	—	—	4	2	F	7	—	—	—	—	—	1	5	1	2	—	—	—	2	—	—	
21A Alcoholism	M	5	—	—	—	—	—	—	4	1	1	—	—	—	—	—	—	—	—	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	{		M	28	1	—	—	—	1	3	12	11	18	—	—	—	1	1	3	6	7	F	29	—	—	—	—	8	9	12	10	—	—	—	—	1	4	5		
23 Puerperal fever...			M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	6	—	—	—	—	6	—	—	—	—	—	—	1	4	—	—	
24 Parturition, apart from puerperal fever.	{		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	9	—	—	—	—	2	6	1	—	—	—	—	—	5	—	—	—	
25 Congenital debility, &c.			M	57	56	1	—	—	—	—	—	—	—	34	32	—	—	2	—	—	—	—	F	55	54	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
26 Violence, apart from suicide.	{		M	37	7	3	—	5	2	4	11	5	23	—	—	—	1	2	10	6	4	F	20	2	1	3	—	2	3	—	9	15	3	1	—	3	1	2	2	3
27 Suicide			M	11	—	—	—	1	4	3	3	13	—	—	—	—	2	5	4	2	F	8	—	—	—	—	1	2	1	4	5	—	—	—	1	2	2	—
28 Other defined diseases	M	299	29	3	1	8	8	30	56	164	203	17	4	2	3	2	16	31	128	F	353	10	5	7	6	9	24	64	228	197	10	3	3	6	4	8	33	130
29 Causes ill-defined or unknown.	{		M	9	—	1	—	—	—	1	5	2	5	—	2	—	—	—	—	1	2	—	F	6	1	—	—	—	—	2	3	—	3	1	—	—	—	—	2	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF HUNTINGDONSHIRE—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	139	26	6	5	4	11	13	19	55	200	19	7	3	4	7	14	48	98		
	F	143	22	8	4	2	3	7	30	67	221	25	9	5	6	12	22	34	108		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	3	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	5	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	M	6	3	2	1	—	—	—	—	—	7	2	3	1	1	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	5	3	1	1	—	—	—	—	—		
6 Diphtheria and croup	M	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
7 Influenza	M	4	—	1	—	—	—	—	1	2	3	—	—	—	—	—	—	3	—		
	F	2	1	—	—	—	1	—	—	—	4	—	—	—	1	—	2	1	—		
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	12	—	—	—	1	5	4	2	—	10	—	—	—	1	3	3	3	3		
	F	9	—	—	—	—	1	2	3	3	26	—	—	—	2	7	8	5	4		
10 Tuberculous meningitis	M	1	—	—	1	—	—	—	—	—	2	—	—	—	1	1	—	—	—		
	F	3	1	—	1	—	—	1	—	—	1	—	1	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	1	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—		
	F	2	—	—	—	1	1	—	—	—	2	—	—	—	1	—	1	—	—		
12 Cancer, malignant disease	M	7	—	—	—	—	—	1	1	5	25	—	—	—	—	—	2	11	12		
	F	19	—	—	—	—	—	2	10	7	22	—	—	—	—	2	5	15	15		
13 Rheumatic fever	M	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	6	—	—	—	—	—	—	2	4	21	—	—	—	—	1	—	7	13		
	F	12	—	—	—	—	—	—	4	8	24	—	—	—	—	—	2	4	18		
16 Bronchitis	M	8	4	—	—	—	1	—	—	3	15	4	—	—	—	—	—	4	7		
	F	22	5	—	—	—	—	—	—	17	15	2	1	1	—	—	1	1	9		
17 Pneumonia (all forms)	M	8	6	—	—	—	—	—	1	1	16	3	1	1	—	1	2	6	2		
	F	10	4	1	1	—	—	—	2	2	8	3	2	1	1	—	—	1	—		
18 Other respiratory diseases	M	4	—	—	—	—	—	—	—	4	2	—	—	1	—	—	—	—	1		
	F	1	—	1	—	—	—	—	—	—	3	1	—	1	—	—	—	—	1		
19 Diarrhoea, &c.	M	4	1	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—		
20 Appendicitis and typhlitis	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—		
21 Cirrhosis of liver	M	3	—	—	—	—	—	—	2	1	4	—	—	—	—	—	1	1	2		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—		
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	5	—	—	—	—	—	2	—	3	4	—	—	—	—	1	1	2	—		
	F	—	—	—	—	—	—	—	—	—	4	1	—	—	—	1	1	1	1		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—		
25 Congenital debility, &c.	M	9	8	—	1	—	—	—	—	—	7	7	—	—	—	—	—	—	—		
	F	7	7	—	—	—	—	—	—	—	12	10	1	—	—	1	—	—	—		
26 Violence, apart from suicide.	M	7	—	—	1	1	3	1	1	—	5	—	2	—	—	1	—	2	—		
	F	1	—	—	—	—	—	—	—	1	3	—	—	1	—	1	—	1	—		
27 Suicide	M	2	—	—	—	—	—	—	2	—	4	—	—	—	—	1	1	1	1		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
28 Other defined diseases ...	M	46	2	2	—	2	1	3	7	29	67	—	1	—	1	—	4	7	54		
	F	43	3	1	1	1	—	1	8	28	79	4	1	—	—	1	2	11	60		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	1	—	—	3	1	—	—	—	—	—	—	2		
	F	1	—	—	—	—	—	—	1	—	2	—	1	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF KENT—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	
ALL CAUSES ...	M	4,256	681	121	146	171	175	564	979	1419		1,901	255	55	56	62	73	225	395	70	
	F	4,065	492	138	133	151	149	497	839	1666		1,615	190	36	39	63	54	192	330	70	
1 Enteric fever ...	M	24	—	—	—	2	8	11	3	—		9	—	—	—	1	3	3	2	—	
	F	9	—	—	—	1	2	3	3	—		7	—	1	—	2	1	2	1	—	
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
3 Measles ...	M	42	9	15	13	5	—	—	—	—		16	2	5	5	4	—	—	—	—	
	F	32	9	11	5	5	1	1	—	—		6	1	2	3	—	—	—	—	—	
4 Scarlet fever ...	M	12	—	2	1	5	3	—	1	—		6	—	—	2	3	—	1	—	—	
	F	9	1	1	4	3	—	—	—	—		1	—	—	—	1	—	—	—	—	
5 Whooping cough ...	M	57	33	15	8	1	—	—	—	—		35	26	7	1	1	—	—	—	—	
	F	76	34	26	16	—	—	—	—	—		39	26	4	9	—	—	—	—	—	
6 Diphtheria and croup ...	M	64	3	4	22	34	1	—	—	—		15	—	4	3	8	—	—	—	—	
	F	55	1	4	21	29	—	—	—	—		20	—	—	5	13	—	1	1	—	
7 Influenza ...	M	46	2	—	1	2	1	4	12	24		32	1	—	2	—	—	3	7	1	
	F	56	5	2	2	—	1	6	16	24		27	1	2	2	—	—	1	5	1	
8 Erysipelas ...	M	12	3	—	—	—	—	3	4	2		3	—	—	—	—	—	1	1	—	
	F	6	1	—	1	—	—	—	2	2		4	1	—	—	1	—	—	1	—	
9 Pulmonary tuberculosis	M	380	2	2	4	15	65	183	91	18		145	2	—	1	1	29	76	29	—	
	F	283	1	4	4	14	68	135	45	12		129	—	2	—	9	26	64	19	—	
10 Tuberculous meningitis	M	52	10	13	8	13	5	3	—	—		25	3	6	6	6	1	2	1	—	
	F	45	6	8	11	14	2	3	1	—		19	4	2	2	3	5	2	1	—	
11 Other tuberculous diseases.	M	54	10	3	8	10	9	7	5	2		23	2	2	2	1	4	9	3	—	
	F	59	13	2	8	7	8	14	5	2		17	—	—	1	4	—	5	3	—	
12 Cancer, malignant disease	M	350	1	1	1	—	3	19	158	167		174	—	—	—	—	3	2	73	9	
	F	463	—	—	1	—	1	50	198	213		165	—	—	—	—	—	18	72	7	
13 Rheumatic fever ...	M	14	—	1	—	7	3	2	—	1		2	—	—	—	—	—	1	—	—	
	F	24	—	—	1	9	4	4	4	2		7	—	—	—	3	2	1	—	—	
14 Meningitis ...	M	40	12	5	9	6	—	4	2	2		8	2	—	2	1	3	—	—	—	
	F	35	7	6	6	9	3	2	2	—		8	3	1	2	—	—	1	1	—	
15 Organic heart disease ...	M	401	—	—	1	8	8	33	156	195		202	—	—	—	2	5	13	58	12	
	F	476	—	—	—	6	8	47	134	281		215	—	—	—	6	5	7	62	13	
16 Bronchitis ...	M	276	59	11	8	—	1	5	34	158		111	20	3	6	1	1	2	11	6	
	F	310	41	16	6	2	—	8	28	209		107	18	3	2	—	—	1	7	7	
17 Pneumonia (all forms)...	M	260	62	20	19	8	9	24	70	48		108	17	12	3	7	1	7	26	3	
	F	226	51	26	19	10	8	19	28	65		79	24	11	4	2	—	3	15	2	
18 Other respiratory diseases	M	71	4	4	6	3	1	8	22	23		32	4	1	1	1	1	4	7	1	
	F	47	1	1	4	3	1	4	12	21		30	1	—	1	—	2	6	8	1	
19 Diarrhoea, &c. ...	M	80	56	3	2	3	—	5	3	8		32	17	4	2	1	1	1	1	—	
	F	72	37	3	3	4	2	2	12	9		17	8	2	—	—	1	1	1	—	
20 Appendicitis and typhlitis	M	26	—	—	3	8	5	4	3	3		8	—	—	—	3	—	3	2	—	
	F	16	—	—	—	2	6	4	1	3		7	—	—	—	1	1	1	3	—	
21 Cirrhosis of liver ...	M	43	—	—	—	—	—	6	26	11		15	—	—	—	—	—	2	9	—	
	F	53	—	—	—	1	—	10	28	14		7	—	—	—	—	—	1	4	—	
21A Alcoholism ...	M	7	—	—	—	—	—	2	4	1		7	—	—	—	—	—	2	4	—	
	F	5	—	—	—	—	—	2	3	—		1	—	—	—	—	—	—	—	—	
22 Nephritis and Bright's disease.	M	152	—	—	—	1	2	30	49	70		71	—	—	—	1	4	9	21	3	
	F	129	—	—	—	5	4	20	49	51		50	—	—	—	1	—	9	14	2	
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
	F	16	—	—	—	—	3	13	—	—		7	—	—	—	—	—	6	1	—	
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
	F	29	—	—	—	—	3	26	—	—		10	—	—	—	—	—	10	—	—	
25 Congenital debility, &c.	M	285	279	1	2	2	1	—	—	—		108	104	—	—	2	1	1	—	—	
	F	189	189	—	—	—	—	—	—	—		72	72	—	—	—	—	—	—	—	
26 Violence, apart from suicide.	M	185	14	5	15	12	18	49	48	24		111	8	3	13	7	8	28	31	1	
	F	72	13	6	4	3	2	9	11	24		28	3	2	2	3	—	3	7	—	
27 Suicide ...	M	64	—	—	—	—	7	30	15	12		26	—	—	—	—	2	8	10	—	
	F	12	—	—	—	—	1	7	4	—		4	—	—	—	—	1	1	1	—	
28 Other defined diseases ...	M	1,243	122	13	15	25	25	132	266	645		560	45	8	5	10	4	44	93	35	
	F	1,237	78	20	16	24	21	104	241	733		516	25	3	5	13	10	46	99	31	
29 Causes ill-defined or unknown.	M	16	—	3	—	1	—	—	7	5		17	2	—	2	1	2	3	6	—	
	F	24	4	2	1	—	—	4	12	1		16	3	1	1	1	—	2	4	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF LANCASHIRE—1912.

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	{	M	10603	2028	533	493	421	451	1385	2754	2538	1,539	248	47	65	49	53	206	349	522		
			{	F	10393	1565	519	487	439	480	1330	2438	3135	1,423	199	54	42	50	73	172	305	528		
1 Enteric fever	{	M	86	—	—	2	7	18	42	17	—	5	—	—	—	—	1	3	1	—		
			{	F	57	—	—	3	11	11	22	9	1	4	—	—	—	—	2	2	—	—		
2 Small-pox	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	{	M	268	74	101	74	19	—	—	—	—	21	5	6	8	2	—	—	—	—		
			{	F	251	49	103	77	21	—	1	—	—	20	6	9	4	—	—	1	—	—		
4 Scarlet fever	{	M	46	2	3	16	22	2	—	—	1	6	1	—	3	1	—	1	—	—		
			{	F	49	2	7	16	22	2	—	—	—	3	—	—	1	2	—	—	—	—		
5 Whooping cough	{	M	170	77	49	42	2	—	—	—	—	15	5	5	5	—	—	—	—	—		
			{	F	245	112	67	61	5	—	—	—	—	13	8	4	—	1	—	—	—	—		
6 Diphtheria and croup	{	M	102	8	12	43	37	1	1	—	—	17	1	2	8	5	1	—	—	—		
			{	F	83	2	9	35	35	1	—	—	1	18	1	1	7	7	1	1	—	—		
7 Influenza	{	M	95	1	—	3	3	5	26	38	19	29	—	—	1	3	2	6	9	8		
			{	F	105	1	1	1	2	3	17	33	47	22	—	—	—	—	1	4	5	12		
8 Erysipelas	{	M	16	6	—	—	—	2	3	3	2	1	1	—	—	—	—	—	—	—		
			{	F	18	7	—	1	—	—	2	5	3	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis			{	M	803	9	12	10	18	133	356	238	27	94	1	1	—	2	13	53	20	4		
			{	F	629	5	6	10	36	173	253	129	17	73	—	1	—	6	23	29	13	1		
0 Tuberculous meningitis			{	M	118	28	22	19	35	3	8	3	—	12	2	2	5	2	1	—	—	—		
			{	F	100	16	18	24	26	12	3	1	—	13	4	2	1	2	2	2	—	—		
1 Other tuberculous diseases.			{	M	150	29	16	12	29	7	28	24	5	15	4	2	—	1	—	5	2	1		
			{	F	165	19	18	20	35	26	22	20	5	19	1	2	3	4	2	4	2	1		
2 Cancer, malignant disease			{	M	542	—	—	3	2	6	65	297	169	87	1	—	—	—	—	9	45	32		
			{	F	774	—	1	2	—	4	99	403	265	129	—	—	—	—	1	14	65	49		
3 Rheumatic fever	{	M	46	—	—	2	13	6	11	11	3	7	—	—	—	2	2	2	1	—		
			{	F	79	—	—	4	21	16	23	11	4	10	—	—	—	1	3	5	1	—		
4 Meningitis	{	M	128	32	20	27	20	12	6	8	3	17	6	2	3	1	1	3	1	—		
			{	F	114	25	18	22	30	7	7	2	3	16	2	6	3	3	—	1	—	1		
5 Organic heart disease	{	M	865	—	—	—	16	39	107	347	356	147	—	—	—	2	3	11	50	81		
			{	F	1,120	—	—	4	39	40	179	422	436	163	—	—	—	2	7	23	54	77		
6 Bronchitis	{	M	981	191	50	28	6	6	43	235	422	113	17	1	1	1	—	1	16	76		
			{	F	1,061	162	43	20	12	4	47	221	552	117	12	4	3	1	2	—	23	72		
7 Pneumonia (all forms)			{	M	1,071	225	129	88	44	57	162	247	119	138	30	10	12	6	4	26	24	26		
			{	F	793	190	126	88	32	30	74	130	123	103	19	16	9	3	1	13	21	21		
8 Other respiratory diseases			{	M	193	17	10	17	12	5	23	63	46	31	3	1	5	1	1	4	11	5		
			{	F	137	7	5	10	11	4	19	37	44	20	2	1	2	2	1	—	5	7		
9 Diarrhoea, &c.	{	M	322	203	27	20	9	7	16	25	15	30	16	5	2	—	1	—	3	3		
			{	F	263	149	23	14	11	1	15	25	25	29	14	1	1	1	—	1	5	6		
0 Appendicitis and typhlitis			{	M	60	—	—	2	20	14	11	11	2	9	—	—	—	3	2	3	1	—		
			{	F	45	1	—	1	11	14	8	4	6	8	—	—	—	2	3	2	1	—		
1 Cirrhosis of liver	{	M	86	—	—	—	—	1	10	58	17	11	—	1	—	—	1	1	7	1		
			{	F	53	—	—	—	—	1	7	33	12	4	—	—	—	—	—	1	2	1		
1A Alcoholism	{	M	14	—	—	—	—	—	6	8	—	4	—	—	—	—	—	3	—	1		
			{	F	6	—	—	—	—	—	3	2	1	1	—	—	—	—	—	—	1	—		
2 Nephritis and Bright's disease.			{	M	391	7	5	5	17	11	79	166	101	45	—	—	—	3	1	6	18	17		
			{	F	341	5	3	5	7	12	67	156	86	42	1	—	—	2	1	8	9	21		
3 Puerperal fever	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	63	—	—	—	—	18	45	—	—	6	—	—	—	—	4	2	—	—		
4 Parturition, apart from puerperal fever.			{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	124	—	—	—	—	13	107	4	—	20	—	—	—	—	1	18	1	—		
5 Congenital debility, &c.			{	M	722	715	3	1	3	—	—	—	—	104	102	1	1	—	—	—	—	—		
			{	F	536	528	4	2	2	—	—	—	—	87	86	1	—	—	—	—	—	—		
6 Violence, apart from suicide.			{	M	440	16	11	40	38	46	111	143	35	81	3	1	3	4	6	33	21	10		
			{	F	170	15	6	31	19	10	23	27	39	23	3	2	2	3	4	2	1	6		
7 Suicide	{	M	116	—	—	—	1	10	35	56	14	20	—	—	—	—	1	5	13	1		
			{	F	38	—	—	—	1	8	13	14	2	4	—	—	—	—	4	—	—	—		
8 Other defined diseases	{	M	2,677	386	54	33	46	57	217	717	1167	459	50	7	6	8	12	29	95	252		
			{	F	2,910	270	53	34	50	68	267	720	1448	440	39	4	6	8	12	34	85	252		
9 Causes ill-defined or unknown.			{	M	95	2	9	6	2	3	19	39	15	21	—	—	2	2	—	2	11	4		
			{	F	64	—	8	2	—	2	7	30	15	15	1	—	—	—	—	5	9	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
LEICESTERSHIRE—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	
ALL CAUSES	M	630	121	22	32	23	26	84	138	184		893	136	23	22	30	39	90	196	357	
	F	588	90	22	20	22	43	82	110	199		913	114	30	37	36	40	95	160	401	
1 Enteric fever	M	2	—	—	—	—	—	1	1	—		4	—	—	—	—	1	2	1	—	
	F	1	—	—	—	—	—	1	—	—		4	—	—	—	2	—	2	—	—	
2 Small-pox	M	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
3 Measles	M	13	2	4	6	1	—	—	—	—		13	4	4	4	1	—	—	—	—	
	F	9	1	5	2	1	—	—	—	—		16	1	3	7	5	—	—	—	—	
4 Scarlet fever	M	6	—	—	1	5	—	—	—	—		2	—	—	1	1	—	—	—	—	
	F	1	—	—	1	—	—	—	—	—		8	—	1	3	3	1	—	—	—	
5 Whooping cough	M	10	4	4	2	—	—	—	—	—		10	5	3	2	—	—	—	—	—	
	F	11	5	5	1	—	—	—	—	—		15	8	3	4	—	—	—	—	—	
6 Diphtheria and croup	M	4	—	—	4	—	—	—	—	—		9	1	1	2	3	1	—	—	1	
	F	5	—	—	1	4	—	—	—	—		6	—	2	1	3	—	—	—	—	
7 Influenza	M	8	—	—	—	1	—	1	4	2		11	—	—	—	—	2	1	3	5	
	F	8	—	—	—	—	—	—	3	5		12	—	—	—	—	—	2	2	8	
8 Erysipelas	M	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	1	—		3	—	—	—	—	—	1	1	1	
9 Pulmonary tuberculosis	M	54	—	—	—	1	7	36	10	—		54	—	—	—	2	13	25	13	1	
	F	55	—	—	—	3	27	16	7	2		63	—	1	1	4	18	30	7	2	
10 Tuberculous meningitis	M	10	4	2	1	2	—	1	—	—		7	1	1	—	4	1	—	—	—	
	F	7	1	1	1	2	1	1	—	—		7	1	—	1	3	2	—	—	—	
11 Other tuberculous diseases.	M	10	2	—	3	2	2	1	—	—		15	3	—	2	2	4	3	1	—	
	F	13	3	—	1	1	3	4	1	—		7	—	—	1	1	2	1	2	—	
12 Cancer, malignant disease	M	43	—	—	—	—	1	3	15	24		69	—	2	1	—	1	2	31	32	
	F	47	—	—	—	—	—	9	19	19		100	—	—	—	—	—	5	44	51	
13 Rheumatic fever	M	3	—	—	—	1	—	1	1	—		6	—	—	—	2	—	—	1	1	
	F	2	—	—	—	—	1	1	—	—		6	—	—	2	1	1	2	—	—	
14 Meningitis	M	8	1	1	3	1	1	1	—	—		7	1	1	—	2	—	1	2	—	
	F	2	—	—	1	—	1	—	—	—		5	1	—	2	1	—	1	—	—	
15 Organic heart disease	M	62	—	—	—	1	1	9	31	20		101	—	—	1	1	3	4	42	50	
	F	70	—	—	—	—	1	12	22	35		104	—	—	—	2	1	6	37	58	
16 Bronchitis	M	48	8	1	3	2	—	—	8	26		53	11	1	1	—	—	—	4	36	
	F	41	3	4	2	—	—	1	10	21		67	17	3	1	—	—	—	4	42	
17 Pneumonia (all forms)	M	50	14	4	4	1	4	5	11	7		57	11	7	2	4	—	8	12	13	
	F	33	7	4	5	5	1	4	3	4		48	13	8	4	2	1	6	3	11	
18 Other respiratory diseases	M	8	3	—	—	—	—	1	2	2		15	1	—	2	1	—	2	6	3	
	F	5	—	—	2	—	—	—	2	1		14	—	1	—	—	—	2	1	10	
19 Diarrhoea, &c.	M	4	1	1	—	—	1	—	—	1		13	6	—	—	—	1	1	2	3	
	F	10	4	—	2	—	—	2	—	2		13	4	1	1	—	—	—	—	7	
20 Appendicitis and typhlitis	M	9	—	—	—	3	1	3	1	1		3	—	—	—	—	—	3	—	—	
	F	1	—	—	—	—	—	1	—	—		5	—	—	—	1	2	2	—	—	
21 Cirrhosis of liver	M	6	—	—	—	—	—	—	2	4		5	—	—	—	—	—	—	4	1	
	F	3	—	—	—	—	—	1	1	1		5	—	—	—	—	—	—	4	1	
21A Alcoholism	M	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
22 Nephritis and Bright's disease.	M	15	1	—	1	—	3	3	5	2		23	—	—	—	—	3	2	6	12	
	F	7	—	—	—	—	—	1	5	1		21	1	—	—	1	2	5	4	8	
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
	F	4	—	—	—	—	—	4	—	—		2	—	—	—	—	—	2	—	—	
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
	F	9	—	—	—	—	3	6	—	—		9	—	—	—	—	—	9	—	—	
25 Congenital debility, &c.	M	55	54	—	—	1	—	—	—	—		61	60	—	—	—	—	1	—	—	
	F	47	46	1	—	—	—	—	—	—		47	43	2	1	1	—	—	—	—	
26 Violence, apart from suicide.	M	20	2	1	4	1	1	5	2	4		37	3	2	2	1	3	10	7	9	
	F	4	—	—	—	1	—	1	1	1		15	1	—	2	3	1	4	—	4	
27 Suicide	M	8	—	—	—	—	1	2	2	3		13	—	—	—	—	1	3	7	2	
	F	3	—	—	—	—	1	—	2	—		5	—	—	—	—	1	1	1	2	
28 Other defined diseases ...	M	165	23	3	—	—	3	10	40	86		299	27	1	2	6	5	19	52	187	
	F	186	20	2	1	5	4	17	30	107		299	24	5	6	3	8	13	45	195	
29 Causes ill-defined or unknown.	M	9	2	1	—	—	—	1	3	2		6	2	—	—	—	—	1	2	1	
	F	3	—	—	—	—	—	—	3	—		7	—	—	—	—	—	1	5	1	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF LINCOLNSHIRE (PARTS OF HOLLAND)—1912.

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	268	43	6	6	9	6	38	52	108	306	58	9	4	10	7	28	55	135	
			F	272	39	12	2	10	9	32	47	121	261	40	8	11	11	13	21	39	118	
1	Enteric fever	M	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	
			F	2	—	—	—	1	—	1	—	—	2	—	—	1	—	1	—	—	—	
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	M	2	—	1	1	—	—	—	—	5	1	2	—	2	—	—	—	—	
			F	3	1	1	—	1	—	—	—	—	3	1	1	1	—	—	—	—	—	
4	Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
			F	1	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
5	Whooping cough	M	6	5	1	—	—	—	—	—	2	1	—	1	—	—	—	—	—	
			F	10	6	4	—	—	—	—	—	—	7	2	4	1	—	—	—	—	—	
6	Diphtheria and croup	M	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
			F	1	—	—	—	1	—	—	—	—	2	—	—	1	1	—	—	—	—	
7	Influenza	M	3	—	—	—	—	2	—	1	5	1	—	—	—	—	1	—	3	
			F	10	—	—	—	—	—	2	3	5	1	—	—	—	1	—	—	—	—	
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	Pulmonary tuberculosis	{	M	23	—	—	—	—	2	15	6	—	15	—	—	1	—	5	7	2	—	
			F	21	—	—	—	—	5	9	7	—	14	—	—	—	1	3	7	3	—	
10	Tuberculous meningitis	{	M	4	—	1	—	2	—	1	—	—	4	1	—	—	2	—	1	—	—	
			F	4	—	1	—	2	—	—	—	1	—	4	—	—	1	1	1	—	—	
11	Other tuberculous diseases.	{	M	5	—	—	1	1	2	1	—	—	1	—	—	—	—	1	—	—	—	
			F	8	2	—	—	2	1	3	—	—	3	—	—	1	—	1	—	1	—	
12	Cancer, malignant disease	{	M	27	—	—	—	—	—	1	12	14	24	—	—	—	—	—	1	9	14	
			F	32	—	—	—	—	—	1	2	11	18	25	—	—	—	—	—	10	15	
13	Rheumatic fever	M	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
			F	3	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	
14	Meningitis	M	6	3	—	2	1	—	—	—	3	—	1	—	1	—	—	1	—	
			F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
15	Organic heart disease	M	16	—	—	—	—	1	5	10	30	—	—	—	—	—	2	10	18	
			F	25	—	—	—	—	—	1	8	16	21	—	—	—	—	—	1	5	15	
16	Bronchitis	M	19	—	—	—	—	—	4	15	19	—	1	1	—	—	1	—	16	
			F	18	3	1	1	—	—	1	—	12	18	1	—	—	1	—	—	2	14	
17	Pneumonia (all forms)...	{	M	12	2	—	—	2	—	2	5	1	19	2	1	—	1	—	4	4	7	
			F	7	1	2	—	1	1	1	—	—	1	9	2	1	2	—	1	1	2	
18	Other respiratory diseases	{	M	7	—	—	1	—	—	1	1	4	5	—	—	—	—	—	—	3	2	
			F	3	—	—	—	—	—	—	—	3	1	1	—	—	—	—	—	—	—	
19	Diarrhoea, &c.	M	6	5	—	—	—	—	—	1	5	5	—	—	—	—	—	—	—	
			F	6	1	1	—	—	—	—	1	3	3	1	—	—	—	—	—	—	2	
20	Appendicitis and typhlitis	{	M	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	
			F	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	
21	Cirrhosis of liver	M	1	—	—	—	—	—	—	1	4	—	—	—	—	—	1	2	1	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22	Nephritis and Bright's disease.	{	M	7	—	1	—	1	—	—	2	3	12	—	—	—	—	—	—	3	9	
			F	11	—	—	—	—	—	—	3	3	5	2	—	—	—	—	1	1	—	—
23	Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
24	Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	4	—	—	—	—	—	—	4	—	—	3	—	—	—	—	3	—	—	—
25	Congenital debility, &c.	{	M	18	18	—	—	—	—	—	—	—	30	29	1	—	—	—	—	—	—	
			F	16	16	—	—	—	—	—	—	—	—	21	21	—	—	—	—	—	—	—
26	Violence, apart from suicide.	{	M	11	2	1	1	1	—	1	3	2	10	1	2	—	1	2	3	—	1	
			F	6	—	—	1	—	—	—	2	2	1	4	—	—	1	1	1	—	—	1
27	Suicide	M	3	—	—	—	—	1	—	2	2	—	—	—	—	—	1	1	—	
			F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
28	Other defined diseases	M	86	7	1	—	—	1	11	13	53	107	17	1	—	3	—	5	18	
			F	79	9	1	—	—	1	1	10	57	110	9	2	2	3	5	7	16	66	
29	Causes ill-defined or unknown.	{	M	2	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	
			F	—	—	—	—	—	—	—	—	—	—	4	1	—	—	—	—	—	—	3

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
LINCOLNSHIRE (PARTS OF KESTEVEN)—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	275	32	7	6	9	10	30	65	116	417	58	9	13	11	13	52	73	188		
	F	253	20	3	5	7	11	27	50	130	428	59	8	8	18	17	41	63	214		
1 Enteric fever	M	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	—	—	—	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
5 Whooping cough	M	1	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	6	4	1	1	—	—	—	—	—		
6 Diphtheria and croup	M	3	—	—	1	1	1	—	—	—	3	—	—	—	3	—	—	—	—		
	F	3	—	—	1	2	—	—	—	—	8	—	—	2	6	—	—	—	—		
7 Influenza	M	—	—	—	—	—	—	—	—	—	8	—	—	1	—	—	1	1	5		
	F	4	—	—	—	—	—	—	2	2	4	—	—	—	—	—	3	—	1		
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	20	—	—	—	2	1	11	5	1	22	—	1	—	—	3	13	3	2		
	F	13	—	—	—	—	4	5	2	2	29	—	—	—	2	7	15	3	2		
10 Tuberculous meningitis	M	3	—	—	1	—	1	1	—	—	7	1	2	—	2	2	—	—	—		
	F	2	—	—	1	1	—	—	—	—	3	—	—	2	1	—	—	—	—		
11 Other tuberculous diseases.	M	2	—	1	—	—	—	—	—	1	5	1	—	—	—	1	3	—	—		
	F	1	—	—	—	—	—	1	—	—	10	1	1	—	1	3	3	—	1		
12 Cancer, malignant disease	M	26	—	—	—	—	—	1	13	12	40	—	—	—	—	—	3	21	16		
	F	25	—	—	—	—	—	4	11	10	44	—	—	—	—	—	1	19	24		
13 Rheumatic fever	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—		
14 Meningitis	M	1	—	—	—	—	1	—	—	—	2	1	—	1	—	—	—	—	—		
	F	4	2	1	—	—	—	—	1	—	3	—	—	1	—	1	1	—	—		
15 Organic heart disease	M	34	—	—	—	—	—	3	10	21	36	—	—	—	—	—	7	6	23		
	F	30	—	—	—	—	1	2	8	19	49	—	—	—	—	2	2	13	32		
16 Bronchitis	M	27	4	1	—	3	1	—	2	16	26	6	1	—	—	—	1	1	17		
	F	12	3	—	—	—	—	—	—	9	34	6	1	1	—	—	—	1	25		
17 Pneumonia (all forms)...	M	17	3	2	1	—	—	3	3	5	23	3	2	2	—	1	3	6	6		
	F	8	2	1	—	1	—	1	1	2	18	7	1	—	1	1	2	1	5		
18 Other respiratory diseases	M	5	1	—	—	—	—	1	1	2	9	1	—	1	1	—	—	3	3		
	F	1	—	—	1	—	—	—	—	—	9	—	—	—	2	—	1	3	3		
19 Diarrhoea, &c.	M	4	3	—	—	—	—	—	1	—	8	4	1	—	—	—	—	1	2		
	F	3	2	—	—	—	—	—	—	1	7	5	—	—	—	—	1	—	1		
20 Appendicitis and typhlitis	M	1	—	—	—	—	1	—	—	—	5	—	—	—	2	—	2	1	—		
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver	M	4	—	—	—	—	—	—	1	3	2	—	—	—	—	—	—	1	1		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
22 Nephritis and Bright's disease.	M	9	—	—	—	1	1	2	1	4	17	—	—	1	1	1	1	4	9		
	F	7	—	—	—	—	—	2	1	4	7	—	—	—	—	2	1	—	4		
23 Puerperal fever... ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—		
25 Congenital debility, &c.	M	11	11	—	—	—	—	—	—	—	22	21	1	—	—	—	—	—	—		
	F	5	5	—	—	—	—	—	—	—	28	28	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	8	1	—	1	1	1	1	1	2	15	3	—	—	1	7	2	—	2		
	F	3	—	—	—	—	—	1	—	2	4	1	1	—	1	1	—	—	—		
27 Suicide	M	9	—	—	—	—	—	4	5	—	4	—	—	—	1	3	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases	M	86	9	3	1	1	1	3	20	48	154	15	1	4	2	3	7	21	101		
	F	118	6	—	1	2	4	6	20	79	153	6	1	—	4	2	5	20	115		
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	1	1		
	F	4	—	—	—	—	1	—	3	—	6	1	—	1	—	—	1	2	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
LINCOLNSHIRE (PARTS OF LINDSEY)—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	625	138	18	21	17	32	69	116	214	901	156	22	16	25	36	71	161	414		
	F	629	114	22	24	14	29	79	100	247	875	120	21	18	26	28	101	139	422		
1 Enteric fever ...	M	2	—	—	—	1	—	1	—	—	3	—	—	—	1	1	1	—	—		
	F	6	—	—	—	—	1	4	1	—	1	—	—	—	—	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	2	1	1	—	—	—	—	—	—	6	—	2	2	1	—	1	—	—		
	F	2	1	1	—	—	—	—	—	—	7	2	2	3	—	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	12	8	1	2	1	—	—	—	—	4	3	1	—	—	—	—	—	—		
	F	16	7	6	3	—	—	—	—	—	5	2	3	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	3	—	—	2	—	1	—	—	—	3	—	1	1	1	—	—	—	—		
	F	5	—	1	2	2	—	—	—	—	5	—	—	1	3	—	1	—	—		
7 Influenza ...	M	13	—	1	1	—	—	3	2	6	19	1	—	—	—	—	1	5	12		
	F	5	—	—	2	—	—	—	—	3	14	2	—	—	—	1	—	2	9		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	2		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2		
9 Pulmonary tuberculosis	M	51	—	—	—	1	12	24	11	3	45	1	—	—	3	8	20	10	3		
	F	38	2	—	—	1	12	18	4	1	53	—	1	—	2	17	23	6	4		
10 Tuberculous meningitis	M	7	1	1	3	2	—	—	—	—	8	—	2	1	3	1	—	1	—		
	F	7	1	3	—	1	1	1	—	—	10	—	1	4	3	1	1	—	—		
11 Other tuberculous diseases.	M	14	3	—	1	1	3	4	1	1	10	—	2	—	2	2	4	—	—		
	F	11	—	—	4	1	2	4	—	—	14	1	1	1	1	—	8	2	—		
12 Cancer, malignant disease	M	39	—	—	—	—	—	2	12	25	65	—	—	—	—	—	5	20	40		
	F	56	—	—	—	—	—	5	25	26	98	—	—	—	—	—	8	33	57		
13 Rheumatic fever ...	M	2	—	—	—	—	—	1	1	—	4	—	—	1	1	—	1	1	—		
	F	3	—	—	—	—	1	1	1	—	1	—	—	—	—	—	1	—	—		
14 Meningitis ...	M	3	1	1	—	—	—	1	—	—	5	2	1	—	1	—	—	1	—		
	F	3	1	—	—	—	1	1	—	—	8	2	—	2	1	2	—	—	1		
15 Organic heart disease ...	M	54	—	—	—	—	—	9	16	29	97	—	—	—	—	1	5	29	62		
	F	38	—	—	—	2	3	4	14	15	98	—	—	—	—	1	8	27	62		
16 Bronchitis ...	M	46	14	2	1	—	—	3	5	21	49	14	2	2	1	—	—	2	28		
	F	53	13	—	—	—	—	—	10	30	58	14	4	—	—	—	—	1	39		
17 Pneumonia (all forms)...	M	35	10	4	4	—	2	1	5	9	40	11	3	3	1	3	3	6	10		
	F	44	14	5	6	2	1	4	5	7	34	10	5	1	—	1	3	6	8		
18 Other respiratory diseases	M	13	—	1	—	2	—	1	3	6	12	2	2	2	—	—	1	2	3		
	F	3	—	—	1	—	—	—	—	2	13	2	—	1	—	—	2	4	4		
19 Diarrhoea, &c. ...	M	7	6	—	—	—	1	—	—	—	11	7	2	1	—	—	—	—	1		
	F	9	4	2	1	—	—	1	—	1	13	7	—	—	2	—	1	—	3		
20 Appendicitis and typhlitis	M	4	—	—	—	3	—	1	—	—	2	—	—	—	—	2	—	—	—		
	F	2	—	—	—	—	—	1	—	1	5	—	—	—	1	2	2	—	—		
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	—	3	1	8	—	—	—	—	—	—	5	3		
	F	4	—	—	—	—	—	1	1	2	5	—	—	—	—	—	—	3	2		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
22 Nephritis and Bright's disease.	M	13	—	—	1	1	—	—	8	3	17	1	—	—	1	—	2	4	9		
	F	20	—	—	—	—	1	5	4	10	15	—	—	—	—	—	3	8	4		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	5	—	—	—	—	—	5	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	11	—	—	—	—	3	8	—	—	6	—	—	—	—	—	5	1	—		
25 Congenital debility, &c.	M	53	53	—	—	—	—	—	—	—	69	69	—	—	—	—	—	—	—		
	F	47	47	—	—	—	—	—	—	—	56	56	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	31	3	1	1	2	9	5	7	3	36	2	—	2	3	9	9	8	3		
	F	14	—	—	4	1	—	—	3	6	19	3	—	2	4	—	4	1	5		
27 Suicide ...	M	7	—	—	—	—	—	2	4	1	17	—	—	—	1	3	5	3	5		
	F	4	—	—	—	—	—	3	1	—	4	—	—	—	—	2	1	1	—		
28 Other defined diseases ...	M	204	38	5	4	3	3	11	36	104	363	42	4	1	4	6	13	62	231		
	F	225	24	3	1	4	3	17	31	142	321	19	3	2	9	3	23	42	220		
29 Causes ill-defined or unknown.	M	4	—	—	1	—	—	—	1	2	4	—	—	—	1	—	—	1	2		
	F	2	—	1	—	—	—	—	—	1	4	—	1	1	—	—	—	1	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
MERIONETHSHIRE—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M F	144 191	17 21	1 7	5 3	6 6	4 7	16 28	34 46	61 73	201 199	25 18	4 2	4 2	2 3	11 10	21 34	50 43	8 8		
1 Enteric fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
2 Small-pox	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
3 Measles	M F	4 1	1 —	— —	2 1	1 —	— —	— —	— —	— —	4 6	1 —	1 2	— 1	1 2	— —	1 —	— —	— —		
4 Scarlet fever	M F	1 1	— —	— —	— 1	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
5 Whooping cough	M F	3 2	3 1	— —	— —	1 1	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —		
6 Diphtheria and croup	M F	3 3	— —	— —	2 —	1 2	— 1	— —	— —	— —	— 1	— —	— —	— —	— —	1 —	— —	— —	— —		
7 Influenza	M F	4 3	— 1	— —	— —	— —	— —	— —	3 2	1 —	3 5	— —	— —	— —	— —	— —	1 —	— —	2 5		
8 Erysipelas	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
9 Pulmonary tuberculosis {	M F	18 22	— —	— —	— 1	— 1	1 4	5 12	5 3	7 1	20 20	— —	— —	— —	— —	4 5	9 8	7 6	— 1		
10 Tuberculous meningitis {	M F	1 1	— —	— —	— —	— —	— —	— 1	1 —	— —	1 1	— —	— —	1 —	— —	— —	1 —	— —	— —		
11 Other tuberculous dis- eases.	M F	2 2	— —	— —	— —	— —	— —	— 1	2 —	— 1	5 2	1 —	1 —	— —	— 1	1 1	1 —	1 —	— —		
12 Cancer, malignant disease {	M F	9 22	— —	— —	— —	— —	— —	— 2	3 14	6 6	21 23	— —	— —	— —	— —	— —	2 4	10 14	9 5		
13 Rheumatic fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	2 —	— —	— —	— —		
14 Meningitis	M F	2 5	1 1	— 2	— —	1 —	— —	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
15 Organic heart disease	M F	16 18	— —	— —	— —	— —	— —	— 1	4 7	11 10	28 23	— —	— —	— —	— —	— —	1 2	8 4	19 17		
16 Bronchitis	M F	4 11	— 2	— —	— —	— —	— —	— —	— 1	4 8	8 10	8 1	— —	— —	— —	— —	— —	1 2	4 7		
17 Pneumonia (all forms)... ..	M F	11 8	1 —	1 3	— —	1 —	2 —	3 —	2 2	1 3	11 11	1 1	1 —	— —	— —	— 1	3 4	4 —	2 5		
18 Other respiratory diseases {	M F	4 1	— —	— —	— —	— —	— —	— —	1 1	3 —	2 3	1 1	— —	— —	— —	— —	— —	1 1	— 1		
19 Diarrhoea, &c.	M F	3 3	3 2	— —	— —	— —	— —	— —	— 1	— —	2 2	1 —	— —	— —	— —	— —	— 2	1 —	— —		
20 Appendicitis and typhlitis {	M F	2 2	— —	— —	— —	1 1	— 1	— —	1 —	— —	1 1	— —	— —	— —	— —	— —	1 1	— —	— —		
21 Cirrhosis of liver	M F	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	1 1	— —	— —	— —	— —	— —	— —	1 —	— 1		
21A Alcoholism	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
22 Nephritis and Bright's disease.	M F	5 7	— —	— —	— —	— —	— —	— —	2 1	3 6	3 15	1 —	— —	— —	— —	1 —	— —	2 5	1 8		
23 Puerperal fever... ..	M F	— 3	— —	— —	— —	— —	— —	— —	— 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
24 Parturition, apart from puerperal fever.	M F	— 2	— —	— —	— —	— —	— —	— 2	— —	— —	— 5	— —	— —	— —	— —	— —	— 5	— —	— —		
25 Congenital debility, &c. {	M F	5 10	5 9	— —	— —	— 1	— —	— —	— —	— —	10 7	10 6	— —	— 1	— —	— —	— —	— —	— —		
26 Violence, apart from suicide.	M F	6 2	— —	— 1	— —	— —	1 —	2 —	1 —	1 1	11 3	— —	— —	2 —	— —	3 —	1 1	3 1	2 1		
27 Suicide	M F	— 2	— —	— —	— —	— —	— —	— —	— 2	— —	1 —	— —	— —	— —	— —	— —	— —	1 —	— —		
28 Other defined diseases	M F	39 59	3 5	— 1	— —	— —	— 1	5 5	8 10	23 37	62 59	5 8	1 —	1 —	1 —	— 1	1 5	10 10	43 35		
29 Causes ill-defined or un- known.	M F	1 1	— —	— —	— —	— —	— —	— —	— 1	— —	4 1	1 —	— —	— —	— —	1 —	1 —	— —	1 —		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF MIDDLESEX—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	5,671	1171	221	194	206	227	796	1357	1499	248	53	6	6	9	15	20	54	85		
	F	5,687	851	193	238	210	223	735	1207	2030	239	29	7	9	10	12	33	44	95		
1 Enteric fever ...	M	15	—	—	—	—	4	9	2	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	—	3	4	1	1	2	—	—	—	—	2	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	78	16	32	21	9	—	—	—	—	2	1	1	—	—	—	—	—	—		
	F	93	15	31	38	8	1	—	—	—	2	—	1	1	—	—	—	—	—		
4 Scarlet fever ...	M	14	—	1	8	5	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	11	1	—	4	6	—	—	—	—	2	—	—	—	2	—	—	—	—		
5 Whooping cough ...	M	97	56	28	11	2	—	—	—	—	4	3	—	1	—	—	—	—	—		
	F	123	61	28	32	2	—	—	—	—	9	5	2	2	—	—	—	—	—		
6 Diphtheria and croup ...	M	45	1	4	20	19	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	59	3	3	27	25	—	1	—	—	3	—	—	—	3	—	—	—	—		
7 Influenza ...	M	61	2	2	2	3	1	7	23	21	3	2	—	—	—	—	—	1	—		
	F	59	1	1	1	1	4	8	10	33	—	—	—	—	—	—	—	—	—		
8 Erysipelas ...	M	17	2	—	2	—	—	—	9	4	—	—	—	—	—	—	—	—	—		
	F	11	3	—	1	—	—	1	—	6	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	537	1	6	7	9	78	247	162	27	21	—	—	—	2	6	6	6	1		
	F	408	5	4	6	19	72	203	81	18	11	—	—	—	1	2	5	3	—		
10 Tuberculous meningitis	M	79	18	18	20	19	1	3	—	—	3	—	—	1	1	—	—	—	—		
	F	57	11	14	12	12	4	4	—	—	2	—	—	—	1	—	—	1	—		
11 Other tuberculous diseases.	M	63	12	4	6	12	5	15	9	—	3	1	—	—	1	—	—	1	—		
	F	71	9	6	10	17	10	12	4	3	4	—	—	—	1	1	2	—	—		
12 Cancer, malignant disease	M	420	—	—	1	2	3	45	201	168	17	—	—	—	—	—	—	8	9		
	F	667	2	—	1	1	3	75	319	266	22	—	1	—	—	1	3	10	7		
13 Rheumatic fever ...	M	20	—	—	—	7	4	4	4	1	1	—	—	—	1	—	—	—	—		
	F	26	—	—	—	9	4	8	3	2	1	—	—	1	—	—	—	—	—		
14 Meningitis ...	M	39	11	7	7	6	2	3	2	1	1	—	—	—	—	—	—	1	—		
	F	54	18	9	6	10	5	1	2	3	3	1	—	—	1	—	1	—	—		
15 Organic heart disease ...	M	497	—	—	—	11	15	54	182	235	26	—	—	—	—	1	1	8	16		
	F	658	—	2	1	19	24	84	196	332	26	—	—	—	—	1	3	10	12		
16 Bronchitis ...	M	386	92	18	5	—	1	12	67	191	11	7	—	—	—	—	—	—	4		
	F	419	60	11	8	1	3	5	58	273	16	2	—	1	—	—	—	1	12		
17 Pneumonia (all forms)...	M	500	137	60	30	21	14	75	93	70	21	4	3	2	—	—	5	6	1		
	F	371	86	48	37	17	11	31	47	94	12	2	1	1	—	1	4	2	1		
18 Other respiratory diseases	M	114	13	4	4	4	1	9	37	42	5	—	1	—	—	—	1	1	2		
	F	103	5	4	8	4	2	6	18	56	1	—	—	—	—	1	—	—	—		
19 Diarrhoea, &c. ...	M	150	100	8	3	3	1	11	14	10	6	4	1	—	—	—	1	—	—		
	F	105	61	6	2	—	1	10	6	19	4	3	—	—	—	—	1	—	—		
20 Appendicitis and typhlitis	M	48	—	—	6	8	9	11	13	1	2	—	—	—	—	1	—	—	—		
	F	29	—	—	1	10	7	6	4	1	2	—	—	—	—	2	—	—	—		
21 Cirrhosis of liver ...	M	48	—	1	—	1	—	8	27	11	1	—	—	—	—	—	—	1	—		
	F	45	—	—	—	—	—	7	27	11	3	—	—	—	—	—	—	1	2		
21A Alcoholism ...	M	7	—	—	—	—	—	4	3	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	—	3	3	1	1	—	—	—	—	—	1	—	—		
22 Nephritis and Bright's disease.	M	183	2	—	1	5	6	32	76	61	9	—	—	—	—	—	—	2	7		
	F	178	—	—	4	2	4	21	76	71	6	—	—	—	1	—	—	2	3		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	42	—	—	—	—	7	35	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	45	—	—	—	—	9	36	—	—	3	—	—	—	—	1	2	—	—		
25 Congenital debility, &c.	M	479	474	2	1	1	1	—	—	—	22	21	—	—	1	—	—	—	—		
	F	358	349	3	3	3	—	—	—	—	8	8	—	—	—	—	—	—	—		
26 Violence, apart from suicide	M	227	23	6	20	24	30	57	48	19	6	—	—	2	1	2	1	—	—		
	F	108	22	5	13	14	7	8	22	17	9	2	—	2	—	1	1	1	2		
27 Suicide ...	M	74	—	—	—	—	4	21	35	14	3	—	—	—	—	1	1	1	—		
	F	28	—	—	—	—	4	15	9	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	1,465	209	18	19	35	46	166	350	622	80	10	—	—	3	2	3	18	44		
	F	1,539	139	16	23	30	38	151	320	822	85	6	1	1	—	1	7	13	56		
29 Causes ill-defined or unknown.	M	8	2	2	—	—	1	2	—	1	1	—	—	—	—	—	1	—	—		
	F	4	—	2	—	—	—	—	1	1	1	—	1	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
MONMOUTHSHIRE—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,900	527	198	134	68	74	214	349	336	326	49	10	14	12	13	34	70	12		
	F	1,730	426	175	149	75	88	215	289	313	238	31	6	9	6	9	19	59	99		
1 Enteric fever ...	M	13	—	—	—	3	6	3	1	—	1	—	—	—	—	—	—	—	—		
	F	10	—	—	1	2	3	2	2	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	178	36	78	57	6	—	1	—	—	9	1	1	4	2	1	—	—	—		
	F	151	26	57	56	12	—	—	—	—	6	1	2	2	1	—	—	—	—		
4 Scarlet fever ...	M	4	—	1	2	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	9	—	3	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	38	20	13	4	1	—	—	—	—	2	1	1	—	—	—	—	—	—		
	F	50	18	17	13	2	—	—	—	—	1	1	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	14	1	4	5	4	—	—	—	—	5	—	—	1	3	—	1	—	—		
	F	9	1	1	3	4	—	—	—	—	1	—	—	—	—	—	—	—	—		
7 Influenza ...	M	19	1	—	1	2	1	5	5	4	2	1	—	—	—	—	—	1	—		
	F	14	1	1	1	—	1	1	4	5	1	—	—	—	—	—	—	—	1		
8 Erysipelas ...	M	3	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—		
	F	4	2	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	73	3	2	5	3	11	31	18	—	12	2	1	—	1	2	3	3	—		
	F	105	2	4	3	7	24	44	19	2	11	—	—	—	4	3	3	1	—		
10 Tuberculous meningitis	M	7	2	—	—	3	1	1	—	—	—	—	—	—	—	—	—	—	—		
	F	12	1	—	4	6	1	—	—	—	—	—	—	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	22	4	3	2	8	3	2	—	—	2	—	—	—	—	1	1	—	—		
	F	13	2	2	1	2	2	3	1	—	5	—	1	2	—	—	—	—	—		
12 Cancer, malignant disease	M	73	—	1	—	1	1	12	42	16	16	—	—	—	—	—	10	6	—		
	F	87	—	—	—	1	—	17	51	18	21	—	—	—	—	2	9	10	—		
13 Rheumatic fever ...	M	5	1	—	—	2	1	1	—	—	2	—	—	—	1	—	—	—	—		
	F	7	—	—	—	2	3	2	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	21	8	1	3	4	2	1	2	—	1	—	—	—	1	—	—	—	—		
	F	12	2	3	3	2	1	1	—	—	2	—	—	1	1	—	—	—	—		
15 Organic heart disease ...	M	121	—	1	1	3	6	17	52	41	39	—	—	—	—	2	11	26	—		
	F	135	—	—	—	3	6	27	53	46	28	—	—	—	—	—	15	13	—		
16 Bronchitis ...	M	162	50	11	6	—	—	5	32	58	15	2	—	—	1	—	2	5	15		
	F	141	40	16	3	—	1	3	27	51	24	2	—	—	2	—	5	8	—		
17 Pneumonia (all forms)...	M	237	83	53	23	6	8	20	27	17	29	9	1	1	1	4	7	5	—		
	F	164	56	40	30	7	2	10	6	13	16	5	1	2	—	—	3	5	—		
18 Other respiratory diseases	M	39	7	2	5	2	—	7	12	4	8	—	1	1	—	—	2	3	—		
	F	33	6	7	1	—	1	3	9	6	1	—	—	—	—	—	1	—	—		
19 Diarrhoea, &c. ...	M	57	41	8	2	1	—	1	4	—	10	4	1	—	1	—	2	2	—		
	F	66	39	9	6	—	2	3	3	4	9	3	2	1	1	—	—	1	—		
20 Appendicitis and typhlitis	M	3	—	—	—	—	1	2	—	—	1	—	—	—	—	1	—	—	—		
	F	7	—	—	—	5	2	—	—	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver ...	M	5	—	—	—	—	—	2	3	—	2	—	—	—	—	1	1	—	—		
	F	6	—	—	—	—	—	—	5	1	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	4	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	38	—	—	—	2	—	10	19	7	12	—	—	—	—	2	3	7	—		
	F	41	—	—	1	1	5	16	12	6	8	—	—	—	—	2	3	3	—		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	8	—	—	—	—	2	6	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	41	—	—	—	—	11	29	1	—	2	—	—	—	1	1	—	—	—		
25 Congenital debility, &c.	M	160	159	1	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—		
	F	150	149	—	1	—	—	—	—	—	12	12	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	139	2	8	12	9	23	43	30	12	27	—	1	5	1	4	9	5	2		
	F	23	1	3	8	5	1	3	1	1	3	—	—	—	1	—	—	—	2		
27 Suicide ...	M	13	—	—	—	—	2	7	3	1	2	—	—	—	—	—	1	1	—		
	F	6	—	—	—	1	4	1	—	—	1	—	—	—	—	—	1	—	—		
28 Other defined diseases ...	M	431	106	9	6	7	8	38	88	169	105	10	2	2	1	7	20	62	—		
	F	412	78	10	9	11	15	42	90	157	85	5	—	1	2	9	19	48	—		
29 Causes ill-defined or unknown.	M	21	3	2	—	—	—	3	7	6	4	—	1	—	—	1	1	1	—		
	F	14	2	2	2	—	—	2	3	3	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF MONTGOMERYSHIRE--1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	142	15	2	6	6	5	15	29	64	213	38	6	2	3	10	24	40	90		
	F	138	12	5	2	4	5	16	26	68	221	26	3	9	5	13	21	40	104		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	5	—	—	3	2	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	3	—	2	1	—	—	—	—	—	3	1	1	1	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	4	2	1	—	1	—	—	—	—	6	4	2	—	—	—	—	—	—		
	F	3	1	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
	F	1	—	—	—	1	—	—	—	—	2	—	—	1	1	—	—	—	—		
7 Influenza ...	M	1	—	—	—	—	—	1	—	—	5	—	—	—	—	—	—	—	5		
	F	1	—	—	—	1	—	—	—	—	3	—	—	—	—	—	—	1	2		
8 Erysipelas ...	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	12	—	—	—	—	5	3	3	1	11	—	—	—	—	2	6	3	—		
	F	12	—	1	—	1	3	6	1	—	13	—	—	—	1	1	8	3	—		
10 Tuberculous meningitis	M	2	—	—	2	—	—	—	—	—	5	1	1	2	—	—	1	—	—		
	F	1	1	—	—	—	—	—	—	—	3	—	—	2	—	1	—	—	—		
11 Other tuberculous diseases.	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	3	—		
	F	1	—	—	—	—	—	1	—	—	2	1	—	—	—	1	—	—	—		
12 Cancer, malignant disease	M	9	—	—	—	—	—	—	3	6	16	—	—	—	—	—	—	7	9		
	F	16	—	—	—	—	—	3	7	6	25	—	—	—	—	—	3	10	12		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—		
14 Meningitis ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
15 Organic heart disease ...	M	11	—	—	—	—	—	—	3	8	24	—	—	—	1	—	—	5	18		
	F	17	—	—	—	—	1	1	5	10	39	—	—	—	—	1	3	10	25		
16 Bronchitis ...	M	11	1	1	—	—	—	1	—	8	7	3	—	—	—	—	—	—	4		
	F	14	2	1	—	—	—	—	1	10	19	2	—	1	—	—	—	3	13		
17 Pneumonia (all forms)...	M	6	1	—	—	1	—	1	2	1	11	2	1	—	—	1	1	4	2		
	F	3	1	—	—	1	—	—	1	—	7	4	1	1	—	—	1	—	—		
18 Other respiratory diseases	M	4	1	—	—	1	—	—	—	2	4	—	—	—	—	1	—	1	2		
	F	1	—	—	—	—	—	—	—	1	2	—	1	—	—	—	—	—	1		
19 Diarrhoea, &c. ...	M	3	—	—	1	—	—	—	1	1	7	2	—	—	—	—	—	1	4		
	F	—	—	—	—	—	—	—	—	—	3	1	—	1	1	—	—	—	—		
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	3	—	—	—	—	2	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	7	—	—	—	—	—	—	3	4	3	—	—	—	—	—	—	3	—		
	F	9	—	—	—	—	—	1	5	3	8	—	—	—	—	1	1	3	3		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	2	2	—	—		
25 Congenital debility &c.	M	6	6	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—		
	F	5	4	—	—	—	—	1	—	—	9	9	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	7	2	—	—	—	—	2	3	—	9	—	—	—	1	—	5	1	2		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
27 Suicide ...	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	45	2	—	—	1	—	5	9	28	78	12	1	—	1	2	8	11	43		
	F	47	2	—	—	—	—	3	4	38	71	7	—	2	1	3	2	10	46		
29 Causes ill-defined or unknown.	M	3	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	1	—		
	F	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF NORFOLK—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	421	64	10	14	11	9	57	74	182	1,720	242	34	35	42	60	153	314	840		
	F	419	50	14	10	9	20	25	72	219	1,774	205	38	29	42	65	180	268	947		
1 Enteric fever ...	M	3	—	—	—	1	—	2	—	—	7	—	—	—	—	—	4	3	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	5	—	3	1	1	—	—	—	—	11	2	2	3	4	—	—	—	—		
	F	2	—	1	1	—	—	—	—	—	10	1	2	3	3	—	1	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	1	—	1	1	—	—		
5 Whooping cough ...	M	8	3	2	3	—	—	—	—	—	27	19	5	3	—	—	—	—	—		
	F	9	5	2	2	—	—	—	—	—	51	27	17	7	—	—	—	—	—		
6 Diphtheria and croup ...	M	3	—	—	1	2	—	—	—	—	4	—	—	2	2	—	—	—	—		
	F	2	—	1	—	—	1	—	—	—	7	—	—	—	6	—	1	—	—		
7 Influenza ...	M	3	—	—	—	—	—	—	—	3	40	1	—	—	1	3	4	15	16		
	F	8	—	—	—	—	—	—	2	6	42	—	—	—	1	4	4	9	24		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	4	—	1	—	1	—	—	1	1		
	F	1	—	—	—	—	—	—	—	1	3	1	—	—	—	—	—	—	2		
9 Pulmonary tuberculosis	M	37	—	1	—	2	4	20	7	3	90	—	—	—	5	17	47	14	7		
	F	19	—	—	—	—	8	9	1	1	119	1	—	—	6	28	53	22	9		
10 Tuberculous meningitis	M	2	—	—	1	1	—	—	—	—	9	2	—	4	2	1	—	—	—		
	F	7	—	1	3	2	—	1	—	—	11	1	1	3	5	1	—	—	—		
11 Other tuberculous diseases.	M	5	—	1	1	1	—	2	—	—	21	7	1	1	1	2	7	1	1		
	F	3	—	—	—	—	2	—	—	1	17	1	2	—	2	2	7	—	3		
12 Cancer, malignant disease	M	43	—	—	—	—	—	4	14	25	166	—	1	—	—	2	7	65	91		
	F	40	—	—	—	1	—	4	21	14	191	—	—	—	—	2	19	62	108		
13 Rheumatic fever ...	M	3	—	—	—	1	—	1	—	1	8	—	—	—	6	2	—	—	—		
	F	2	—	—	—	—	2	—	—	—	1	—	—	—	1	—	—	—	—		
14 Meningitis ...	M	2	1	—	1	—	—	—	—	—	7	—	2	2	1	—	—	1	1		
	F	1	—	1	—	—	—	—	—	—	3	2	—	1	—	—	—	—	—		
15 Organic heart disease ...	M	41	—	—	—	1	1	3	11	25	240	—	—	—	2	4	14	59	161		
	F	41	—	—	—	—	1	—	11	29	196	—	—	—	—	5	12	39	140		
16 Bronchitis ...	M	26	4	—	1	—	—	—	2	19	110	24	4	3	—	—	—	9	70		
	F	38	3	1	—	—	—	—	4	30	132	16	3	3	—	1	2	12	95		
17 Pneumonia (all forms)...	M	37	12	2	3	1	2	5	8	4	73	19	4	5	1	3	7	14	20		
	F	21	5	6	1	—	—	1	3	5	41	9	4	3	2	—	3	7	13		
18 Other respiratory diseases	M	6	—	1	—	—	—	1	—	4	23	—	—	1	1	1	2	7	11		
	F	5	—	—	—	—	—	1	—	4	19	—	—	1	1	—	2	4	11		
19 Diarrhoea, &c. ...	M	3	2	—	—	—	1	—	—	—	23	12	2	—	1	—	1	3	4		
	F	1	—	—	—	—	—	—	—	1	20	9	2	—	1	—	1	1	6		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	6	—	—	—	2	1	1	—	2		
	F	6	—	—	1	2	—	—	2	1	5	—	—	—	2	1	1	—	1		
21 Cirrhosis of liver ..	M	4	—	—	—	—	—	—	1	3	15	—	—	—	—	—	1	5	9		
	F	5	—	—	—	1	—	—	3	1	6	—	—	—	—	—	—	2	4		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	2	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	11	—	—	—	—	—	—	3	8	47	1	—	—	2	2	2	15	25		
	F	5	—	—	—	—	—	—	4	1	33	—	—	—	1	2	6	8	16		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	6	—	—	—	—	—	6	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	18	—	—	—	—	3	14	1	—		
25 Congenital debility, &c.	M	25	25	—	—	—	—	—	—	—	96	95	1	—	—	—	—	—	—		
	F	25	25	—	—	—	—	—	—	—	95	91	2	—	1	1	—	—	—		
26 Violence, apart from suicide.	M	16	—	—	—	—	—	8	4	4	67	2	—	5	4	9	16	13	18		
	F	10	—	1	—	2	1	2	2	2	32	2	1	3	3	2	2	5	14		
27 Suicide ...	M	5	—	—	—	—	—	3	1	1	17	—	—	—	—	3	3	4	7		
	F	2	—	—	—	—	1	—	—	1	6	—	—	—	—	—	1	4	1		
28 Other defined diseases ...	M	130	16	—	2	—	1	7	22	82	589	52	9	5	6	10	34	83	390		
	F	163	12	—	2	1	4	7	18	119	690	41	3	4	7	10	41	88	496		
29 Causes ill-defined or unknown.	M	2	1	—	—	—	—	—	1	—	16	6	2	—	—	—	1	2	5		
	F	2	—	—	—	—	—	—	—	2	15	3	1	—	—	1	2	4	4		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF NORTHAMPTONSHIRE—1912.

Causes of Death.			Sex.	AGGREGATE OF URBAN DISTRICTS.								AGGREGATE OF RURAL DISTRICTS.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES	{ M F	563 486	111 67	15 14	20 11	29 27	33 33	77 65	117 83	161 186	795 753	86 82	17 16	15 18	27 38	31 23	68 59	169 137	382 380
1 Enteric fever	{ M F	— 2	— —	— —	— —	— —	— 1	— —	— 1	— —	— 1	— —	— —	— —	— 1	— —	— —	— —	— —
2 Small-pox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
3 Measles	{ M F	12 5	5 —	2 1	4 2	1 1	— —	— —	— —	— 1	9 9	4 —	2 4	1 2	1 3	— —	1 —	— —	— —
4 Scarlet fever	{ M F	— 1	— —	— 1	— —	— —	— —	— —	— —	— —	— 2	— —	— —	— —	— 2	— —	— —	— —	— —
5 Whooping cough	{ M F	7 2	5 1	1 —	1 1	— —	— —	— —	— —	— —	6 7	5 3	— 3	1 1	— —	— —	— —	— —	— —
6 Diphtheria and croup	{ M F	4 10	— —	— —	— 3	4 6	— —	— —	— —	— —	5 11	— —	— 1	2 2	— 10	— —	— —	— —	— —
7 Influenza	{ M F	3 4	— —	— —	— —	— —	— —	— —	2 —	1 4	16 12	1 —	— —	— —	— 1	1 2	2 1	3 2	9 6
8 Erysipelas	{ M F	— 1	— —	— —	— —	— —	— —	— —	— 1	— —	2 3	— —	— —	— —	— 2	— —	1 —	— 1	— —
9 Pulmonary tuberculosis			{ M F	67 48	— —	— —	— —	2 4	18 19	33 18	11 7	3 —	53 34	— —	— —	1 1	3 3	8 6	23 17	16 7	2 —
10 Tuberculous meningitis			{ M F	9 3	2 1	— —	2 —	3 2	1 —	1 —	— —	— —	4 3	— 1	1 —	2 1	— 1	1 —	— —	— —	— —
11 Other tuberculous diseases.			{ M F	9 8	1 1	1 1	2 —	— 1	— 1	4 2	— 1	1 1	9 12	3 5	1 —	1 —	— 3	1 2	1 1	1 1	— —
12 Cancer, malignant disease			{ M F	36 51	— —	— —	— —	— —	1 —	3 7	20 13	12 31	71 91	— —	— —	— —	— —	— —	3 6	32 43	36 42
13 Rheumatic fever	...		{ M F	1 2	— —	— —	— —	1 1	— 1	— —	— —	— —	1 2	— —	— —	— —	1 —	— 1	— —	— 1	— —
14 Meningitis	{ M F	6 5	1 1	— 1	1 1	3 2	— —	1 —	— —	— —	4 7	2 1	1 2	— 1	1 1	— —	— —	— 1	— —
15 Organic heart disease	...		{ M F	56 52	— —	— —	— 1	1 —	2 2	4 5	21 15	28 29	95 98	— —	— —	1 —	1 3	2 2	8 5	19 31	64 57
16 Bronchitis	{ M F	30 41	8 7	1 2	— —	— —	— 1	— —	3 4	18 27	54 51	10 8	2 —	— 1	3 1	— —	— 1	9 7	30 33
17 Pneumonia (all forms)...			{ M F	40 30	9 5	6 4	7 2	— 1	3 1	3 6	7 5	5 6	45 32	7 11	3 4	4 2	3 —	3 1	5 2	5 2	15 10
18 Other respiratory diseases			{ M F	14 7	3 —	1 —	2 —	1 2	— 1	1 4	3 —	3 —	12 10	1 —	— —	— 2	2 —	— —	2 —	3 1	4 7
19 Diarrhoea, &c.	{ M F	11 5	7 4	— —	— —	— —	— —	2 —	1 —	1 1	9 10	4 4	— 1	1 1	1 —	— —	— —	3 —	— 4
20 Appendicitis and typhlitis			{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	5 3	— —	— —	— —	2 1	1 —	— 1	1 —	1 1
21 Cirrhosis of liver	...		{ M F	5 3	— —	— —	— —	— —	— —	— 1	5 2	— —	6 4	— —	— —	— —	— —	— —	— 1	5 1	1 2
21A Alcoholism	{ M F	2 1	— —	— —	— —	— —	— —	— 1	1 —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	1 —
22 Nephritis and Bright's disease.			{ M F	15 11	— 1	— —	1 —	4 1	1 —	1 2	5 3	3 4	30 22	— —	— —	— —	— —	3 2	1 4	13 3	13 13
23 Puerperal fever...	{ M F	— 5	— —	— —	— —	— —	— 1	— 4	— —	— —	— 6	— —	— —	— —	— —	— 2	— 4	— —	— —
24 Parturition, apart from puerperal fever.			{ M F	— 3	— —	— —	— —	— —	— 2	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	— 1	— —	— —
25 Congenital debility, &c.			{ M F	54 37	53 35	— 1	— —	1 1	— —	— —	— —	— —	36 31	36 31	— —	— —	— —	— —	— —	— —	— —
26 Violence, apart from suicide.			{ M F	20 5	2 1	— 1	— 1	2 —	1 —	7 1	6 —	2 1	28 12	— 3	1 —	— 1	4 2	4 —	3 —	8 3	8 3
27 Suicide	{ M F	8 3	— —	— —	— —	— —	— 1	3 —	5 2	— —	15 1	— —	— —	— —	— —	2 —	6 —	6 —	1 1
28 Other defined diseases	...		{ M F	150 139	15 9	3 1	— —	5 5	6 2	13 12	26 29	82 81	273 274	13 15	4 2	— 4	3 4	5 4	12 15	41 32	195 198
29 Causes ill-defined or unknown.			{ M F	4 2	— 1	— 1	— —	1 —	— —	1 —	1 —	1 —	6 4	— —	1 —	1 —	— —	— —	— —	4 1	— 3

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF NORTHUMBERLAND—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,864	435	122	90	82	90	216	368	461	683	106	18	17	18	38	70	146	270		
	F	1,772	343	98	112	89	97	209	358	466	653	82	15	13	19	34	72	139	279		
1 Enteric fever ...	M	9	—	—	1	1	3	4	—	—	1	—	—	—	—	—	1	—	—		
	F	7	—	—	1	—	2	4	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	61	11	31	15	4	—	—	—	—	14	4	7	2	—	1	—	—	—		
	F	49	6	23	17	3	—	—	—	—	8	1	4	2	—	1	—	—	—		
4 Scarlet fever ...	M	15	1	2	4	7	1	—	—	—	2	—	1	—	1	—	—	—	—		
	F	24	—	2	9	12	1	—	—	—	2	—	—	1	1	—	—	—	—		
5 Whooping cough ...	M	23	9	9	4	1	—	—	—	—	5	4	—	1	—	—	—	—	—		
	F	42	20	5	15	1	—	—	1	—	16	9	2	3	2	—	—	—	—		
6 Diphtheria and croup ...	M	19	—	3	10	6	—	—	—	—	5	—	1	2	2	—	—	—	—		
	F	26	—	3	8	14	—	1	—	—	5	—	1	1	3	—	—	—	—		
7 Influenza ...	M	10	—	—	—	—	—	1	5	4	12	—	1	—	—	1	1	1	8		
	F	11	—	—	—	1	—	1	4	5	16	—	—	—	—	—	1	4	11		
8 Erysipelas ...	M	11	4	—	—	1	—	—	4	2	3	1	—	—	—	1	—	—	1		
	F	2	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	122	2	1	3	3	26	55	29	3	56	1	—	1	3	8	25	16	2		
	F	129	1	—	1	12	39	53	21	2	49	—	—	—	1	11	25	8	4		
10 Tuberculous meningitis	M	18	5	6	3	2	1	1	—	—	2	1	—	—	—	1	—	—	—		
	F	26	7	5	5	5	2	2	—	—	5	—	2	—	2	—	1	—	—		
11 Other tuberculous diseases.	M	43	9	7	6	6	2	9	2	2	16	1	2	3	2	2	3	1			
	F	41	10	8	12	5	2	1	1	2	12	—	—	—	3	3	3	2	1		
12 Cancer, malignant disease	M	93	1	—	—	1	—	10	47	34	63	—	—	—	—	—	2	29	32		
	F	130	—	—	—	—	—	15	61	54	69	—	—	—	—	6	33	30			
13 Rheumatic fever ...	M	2	—	—	—	1	—	—	1	—	1	—	—	—	1	—	—	—	—		
	F	9	—	—	—	2	2	2	3	—	2	—	—	—	—	—	1	—	1		
14 Meningitis ...	M	28	7	5	6	2	3	4	1	—	10	3	1	—	1	3	1	1	—		
	F	28	14	3	2	4	2	3	—	—	5	1	—	2	2	—	—	—	—		
15 Organic heart disease ...	M	178	—	—	—	5	4	16	68	85	77	—	—	—	—	4	1	17	55		
	F	207	—	—	—	9	7	27	81	83	80	—	—	—	—	—	3	30	47		
16 Bronchitis ...	M	106	32	8	6	—	—	—	20	40	34	7	1	—	1	—	—	2	23		
	F	91	13	6	5	—	—	1	19	47	39	10	1	1	—	—	2	5	20		
17 Pneumonia (all forms)...	M	139	35	21	15	8	7	18	24	11	43	5	2	3	2	4	9	9	9		
	F	109	23	21	19	4	4	12	15	11	27	6	2	—	—	—	4	5	10		
18 Other respiratory diseases	M	27	—	1	2	1	2	3	10	8	12	—	—	—	1	—	—	2	9		
	F	25	1	1	3	1	1	4	5	9	9	2	1	—	—	1	—	1	4		
19 Diarrhoea, &c. ...	M	50	24	10	1	—	—	4	5	6	17	10	—	—	—	—	1	2	4		
	F	34	19	4	1	1	1	2	2	4	8	4	—	—	—	—	—	3	1		
20 Appendicitis and typhlitis	M	5	—	—	—	2	1	1	1	—	5	—	—	—	1	2	—	1	1		
	F	4	—	—	—	1	2	1	—	—	2	—	—	1	—	—	—	—	—		
21 Cirrhosis of liver ...	M	12	—	—	—	—	—	—	7	5	5	—	—	—	—	—	1	3	1		
	F	5	—	—	—	—	—	2	2	1	2	—	—	—	—	—	—	1	1		
21A Alcoholism ...	M	2	—	—	—	—	—	2	—	—	2	—	—	—	—	—	1	1	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	50	1	1	2	2	5	5	22	12	18	—	—	—	—	—	2	6	10		
	F	49	2	—	1	—	2	11	26	7	14	—	—	—	—	—	3	3	8		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	15	—	—	—	—	5	10	—	—	4	—	—	—	—	1	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	20	—	—	—	—	7	13	—	—	8	—	—	—	—	1	7	—	—		
25 Congenital debility, &c.	M	200	198	1	—	1	—	—	—	—	46	46	—	—	—	—	—	—	—		
	F	167	163	2	1	1	—	—	—	—	39	38	—	—	—	—	—	1	—		
26 Violence, apart from suicide.	M	134	7	2	7	16	23	41	28	10	31	—	—	4	1	2	7	11	6		
	F	27	2	3	5	4	1	2	5	5	9	—	1	1	1	3	—	1	2		
27 Suicide ...	M	17	—	—	—	—	2	7	7	1	9	—	—	—	—	2	5	2	—		
	F	6	—	—	—	—	1	2	3	—	3	—	—	—	—	2	—	1	—		
28 Other defined diseases ...	M	479	89	13	4	12	9	34	82	236	187	23	2	1	2	7	10	35	107		
	F	482	60	10	7	9	16	39	105	236	215	9	1	1	4	10	13	40	137		
29 Causes ill-defined or unknown.	M	11	—	1	1	—	1	1	5	2	7	—	—	—	—	—	1	5	1		
	F	6	—	2	—	—	—	1	3	—	4	2	—	—	—	—	—	1	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF NOTTINGHAMSHIRE—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	1,401	356	80	87	53	58	151	261	355	767	154	29	17	22	34	68	134	309
	F	1,260	238	82	75	58	54	144	217	392	785	108	27	25	26	34	84	149	332
1 Enteric fever ...	M	9	—	—	—	—	3	5	1	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	60	7	25	22	6	—	—	—	—	9	4	3	—	2	—	—	—	—
	F	50	7	25	14	4	—	—	—	—	15	2	5	6	2	—	—	—	—
4 Scarlet fever ...	M	3	—	1	2	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	5	—	—	—	5	—	—	—	—	2	—	—	—	2	—	—	—	—
5 Whooping cough ...	M	16	7	4	5	—	—	—	—	—	8	4	1	3	—	—	—	—	—
	F	15	8	2	3	2	—	—	—	—	5	2	3	—	—	—	—	—	—
6 Diphtheria and croup ...	M	15	—	1	8	5	1	—	—	—	2	—	—	2	—	—	—	—	—
	F	11	—	—	3	8	—	—	—	—	5	—	—	2	3	—	—	—	—
7 Influenza ...	M	9	1	—	—	—	—	2	4	2	13	3	—	—	—	—	—	4	6
	F	7	1	1	—	—	2	1	—	2	13	—	—	1	1	—	1	1	9
8 Erysipelas ...	M	3	1	—	—	—	—	—	1	1	3	1	—	—	—	—	1	—	1
	F	1	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	80	1	—	2	2	18	35	21	1	44	—	—	—	—	15	17	9	3
	F	80	—	—	2	5	22	34	15	2	40	—	—	—	2	11	19	7	1
10 Tuberculous meningitis	M	24	2	6	4	8	2	2	—	—	6	1	—	1	2	2	—	—	—
	F	18	3	5	4	2	3	1	—	—	3	1	—	—	—	2	—	—	—
11 Other tuberculous diseases.	M	32	7	3	4	5	1	9	2	1	13	3	2	—	2	2	3	1	—
	F	20	4	3	3	3	—	2	2	3	16	1	1	3	2	5	3	—	1
12 Cancer, malignant disease	M	79	—	—	—	1	—	8	39	31	65	—	—	—	—	—	3	24	38
	F	96	—	—	—	—	—	11	49	36	72	—	—	—	—	—	6	33	33
13 Rheumatic fever ...	M	4	—	—	—	1	2	—	1	—	2	—	—	—	—	1	—	—	1
	F	6	—	—	—	2	2	1	1	—	5	—	—	—	3	1	1	—	—
14 Meningitis ...	M	11	2	1	5	2	—	1	—	—	4	2	—	1	—	—	1	—	—
	F	11	3	2	4	1	—	1	—	—	4	2	—	—	1	—	1	—	—
15 Organic heart disease ...	M	112	—	—	—	2	6	8	36	60	86	—	—	—	1	1	4	29	51
	F	133	—	—	—	4	3	16	43	67	104	—	—	—	2	2	11	34	55
16 Bronchitis ...	M	110	32	3	6	1	—	1	12	55	43	17	6	—	—	—	—	—	20
	F	101	29	7	3	1	—	2	12	47	70	22	3	1	—	—	1	5	38
17 Pneumonia (all forms)...	M	117	35	12	14	4	9	15	19	9	51	13	9	3	2	1	7	4	12
	F	96	27	14	19	4	2	11	9	10	51	9	7	6	2	—	5	6	16
18 Other respiratory diseases	M	20	1	1	1	—	—	3	8	6	20	5	1	2	3	—	—	5	4
	F	28	1	1	4	2	2	4	4	10	11	1	—	2	1	—	1	2	4
19 Diarrhoea, &c. ...	M	42	27	4	—	—	—	2	3	6	19	8	2	1	—	—	2	3	3
	F	26	15	3	1	1	2	1	—	3	15	9	1	—	—	—	1	2	2
20 Appendicitis and typhlitis	M	12	—	—	1	3	3	1	3	1	1	—	—	—	—	—	—	—	1
	F	5	—	—	—	2	1	1	1	—	3	—	—	—	1	1	1	—	—
21 Cirrhosis of liver ...	M	11	—	—	—	—	—	2	7	2	3	—	—	—	—	—	—	1	2
	F	9	—	—	—	—	—	2	4	3	6	—	—	—	—	1	—	5	—
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	30	—	—	—	2	1	7	11	9	25	1	—	—	3	1	3	9	8
	F	25	—	1	—	2	—	4	9	9	16	—	—	—	—	1	4	8	3
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	4	5	—	—	3	—	—	—	—	1	2	—	—
24 Parturition, apart from puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	12	—	—	—	—	2	10	—	—	8	—	—	—	—	1	6	1	—
25 Congenital debility, &c.	M	170	168	—	2	—	—	—	—	—	63	61	—	1	—	1	—	—	—
	F	94	91	—	—	1	1	1	—	—	38	38	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	48	2	3	7	2	5	17	6	6	40	4	1	2	—	6	13	5	9
	F	23	1	2	5	4	2	5	1	3	13	—	4	2	1	1	2	1	2
27 Suicide ...	M	23	—	—	—	—	1	10	10	2	6	—	—	—	—	1	1	3	1
	F	4	—	—	—	—	1	1	1	1	3	—	—	—	—	—	2	1	—
28 Other defined diseases ...	M	352	63	16	3	9	6	21	72	162	232	27	3	1	7	3	13	31	147
	F	362	47	14	10	5	4	29	59	194	257	20	3	2	3	7	15	40	167
29 Causes ill-defined or unknown.	M	8	—	—	1	—	—	1	5	1	8	—	1	—	—	—	—	5	2
	F	11	1	2	—	—	—	—	6	2	5	—	—	—	—	—	1	3	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF OXFORDSHIRE--1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	
ALL CAUSES	M	232	24	7	9	8	5	17	59	103		661	91	13	16	18	28	59	115	321	
	F	220	25	2	11	9	10	22	45	96		634	50	7	16	16	18	58	145	324	
1 Enteric fever	M	—	—	—	—	—	—	—	—	—		1	—	—	—	—	—	—	1	—	
	F	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
2 Small-pox	M	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
3 Measles	M	5	—	3	2	—	—	—	—	—		7	—	5	—	—	—	2	—	—	
	F	9	—	—	8	1	—	—	—	—		3	1	1	1	—	—	—	—	—	
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—		3	1	—	2	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—		1	—	—	1	—	—	—	—	—	
5 Whooping cough	M	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
	F	3	2	—	1	—	—	—	—	—		1	1	—	—	—	—	—	—	—	
6 Diphtheria and croup	M	—	—	—	—	—	—	—	—	—		6	—	—	—	6	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—		2	—	—	—	2	—	—	—	—	
7 Influenza	M	2	1	—	—	—	—	1	—	—		7	1	—	—	—	1	—	1	4	
	F	3	—	—	—	—	—	—	1	2		4	1	—	—	—	—	1	1	1	
8 Erysipelas	M	1	—	—	—	—	—	—	1	—		2	1	—	—	—	—	—	—	1	
	F	—	—	—	—	—	—	—	—	—		2	—	—	—	—	—	1	—	1	
9 Pulmonary tuberculosis {	M	13	—	—	1	1	2	6	3	—		41	—	—	1	1	11	18	10	—	
	F	13	—	—	—	1	1	6	5	—		40	1	—	—	1	11	19	8	—	
10 Tuberculous meningitis {	M	2	—	—	—	2	—	—	—	—		1	—	—	—	—	—	1	—	—	
	F	3	2	—	—	—	1	—	—	—		2	—	—	1	—	—	1	—	—	
11 Other tuberculous dis- {	M	1	—	—	—	1	—	—	—	—		5	—	—	—	—	—	1	3	1	
eases. {	F	2	—	—	—	1	1	—	—	—		8	1	—	2	1	1	1	2	—	
12 Cancer, malignant disease {	M	23	—	—	—	—	—	1	10	12		71	—	—	—	—	—	2	24	45	
	F	22	—	—	—	—	—	3	7	12		80	—	—	—	—	—	9	36	35	
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—		3	—	—	—	—	2	—	—	1	
	F	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
14 Meningitis	M	1	1	—	—	—	—	—	—	—		7	1	—	3	1	2	—	—	—	
	F	3	—	1	—	1	1	—	—	—		2	1	—	1	—	—	—	—	—	
15 Organic heart disease ... {	M	24	—	—	—	1	—	—	6	17		73	—	—	—	2	3	2	14	52	
	F	28	—	—	—	3	2	2	7	14		102	—	—	—	2	—	5	34	61	
16 Bronchitis	M	23	4	—	1	1	—	—	3	14		56	11	—	—	—	—	—	5	40	
	F	21	1	—	—	—	—	—	1	19		59	5	2	2	1	—	1	4	44	
17 Pneumonia (all forms)... {	M	12	2	2	2	1	—	—	4	1		39	11	4	3	2	—	7	6	6	
	F	6	1	—	1	—	—	1	2	1		18	5	1	3	2	—	1	1	5	
18 Other respiratory diseases {	M	4	1	—	—	—	—	—	1	2		7	1	—	1	—	—	—	4	1	
	F	6	—	—	—	—	—	—	1	5		10	1	—	—	—	—	1	3	5	
19 Diarrhoea, &c.	M	1	1	—	—	—	—	—	—	—		7	4	1	—	—	—	—	1	1	
	F	7	5	—	1	—	—	—	—	1		10	2	1	—	—	—	—	3	4	
20 Appendicitis and typhlitis {	M	3	—	—	1	—	1	—	1	—		5	—	—	—	—	2	2	1	—	
	F	1	—	—	—	—	—	—	1	—		2	—	—	—	1	—	—	—	1	
21 Cirrhosis of liver	M	3	—	—	—	—	—	—	2	1		6	—	—	—	—	—	2	—	4	
	F	2	—	—	—	—	—	1	—	1		7	—	—	—	—	—	1	1	5	
21A Alcoholism	M	1	—	—	—	—	—	—	1	—		2	—	—	—	—	—	2	—	—	
	F	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
22 Nephritis and Bright's {	M	8	—	—	—	—	—	1	2	5		19	—	—	—	1	—	3	5	10	
disease. {	F	8	—	—	—	—	1	1	5	1		13	—	—	—	—	1	2	3	7	
23 Puerperal fever... ..	M	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—		3	—	—	—	—	1	2	—	—	
24 Parturition, apart from {	M	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
puerperal fever. {	F	1	—	—	—	—	—	1	—	—		—	—	—	—	—	—	—	—	—	
25 Congenital debility, &c. {	M	4	4	—	—	—	—	—	—	—		42	41	—	1	—	—	—	—	—	
	F	10	10	—	—	—	—	—	—	—		24	22	1	—	1	—	—	—	—	
26 Violence, apart from {	M	10	1	—	1	1	1	1	3	2		27	4	—	1	2	1	6	9	4	
suicide. {	F	1	—	—	—	1	—	—	—	—		10	2	—	2	—	—	1	—	5	
27 Suicide	M	3	—	—	—	—	—	—	3	—		4	—	—	—	—	—	—	2	2	
	F	1	—	—	—	—	—	—	1	—		6	—	—	—	—	—	3	2	1	
28 Other defined diseases ... {	M	87	9	2	1	—	1	7	18	49		216	13	3	4	3	6	10	29	148	
	F	69	4	1	—	1	3	7	13	40		222	7	—	3	5	4	9	46	148	
29 Causes ill-defined or un- {	M	1	—	—	—	—	—	—	1	—		4	2	—	—	—	—	1	—	1	
known. {	F	1	—	—	—	—	—	—	1	—		3	—	1	—	—	—	—	1	1	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF PEMBROKESHIRE—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	260	35	5	12	7	15	42	61	83	337	44	9	3	12	25	40	65	139		
	F	267	52	5	8	8	6	16	56	116	391	30	5	3	17	21	61	72	182		
1 Enteric fever ...	M	2	—	—	—	—	1	1	—	—	3	—	—	—	—	1	1	1	—		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	—	—	—	—	—	—	—	—	—	4	—	2	1	—	—	—	—	—		
	F	2	2	—	—	—	—	—	—	—	4	1	—	1	1	1	—	—	—		
4 Scarlet fever ...	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—		
6 Diphtheria and croup ...	M	4	—	—	4	—	—	—	—	—	6	—	—	1	5	—	—	—	—		
	F	3	—	—	1	2	—	—	—	—	4	1	—	1	2	—	—	—	—		
7 Influenza ...	M	5	—	—	1	1	—	1	1	1	5	—	—	—	1	—	2	2	—		
	F	7	—	—	—	—	—	1	3	3	8	—	—	—	1	1	3	1	2		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
9 Pulmonary tuberculosis	M	22	—	—	1	—	5	10	5	1	27	—	—	—	1	11	12	3	—		
	F	18	—	—	—	2	3	6	6	1	27	—	—	—	—	8	13	6	—		
10 Tuberculous meningitis	M	2	—	—	2	—	—	—	—	—	2	—	—	—	1	1	—	—	—		
	F	2	1	—	1	—	—	—	—	—	5	—	—	—	2	2	1	—	—		
11 Other tuberculous diseases.	M	4	—	—	—	1	—	3	—	—	5	—	1	—	—	1	1	2	—		
	F	3	—	—	2	—	—	—	—	1	9	—	—	—	1	2	5	—	1		
12 Cancer, malignant disease	M	18	—	—	—	—	—	1	9	8	24	—	—	—	—	—	1	11	12		
	F	13	—	—	—	—	—	1	7	5	30	—	—	—	—	—	4	10	16		
13 Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	—		
14 Meningitis ...	M	1	1	—	—	—	—	—	—	—	3	1	1	—	1	—	—	—	—		
	F	3	1	—	—	—	1	1	—	—	4	—	—	—	2	—	2	—	—		
15 Organic heart disease ...	M	31	—	—	—	1	1	5	11	13	40	—	—	—	1	1	4	7	27		
	F	43	—	—	—	1	—	1	10	31	49	—	—	—	1	1	6	11	30		
16 Bronchitis ...	M	12	1	—	—	—	—	—	3	8	18	1	1	—	—	—	—	2	14		
	F	23	1	3	1	—	—	—	4	14	32	—	—	1	1	—	—	4	26		
17 Pneumonia (all forms)...	M	15	6	1	1	—	2	—	1	4	24	6	1	—	—	2	4	5	6		
	F	8	4	1	2	1	—	—	—	—	17	2	1	—	—	1	4	5	4		
18 Other respiratory diseases	M	3	—	1	—	—	1	1	—	—	8	1	1	1	—	1	—	1	3		
	F	4	—	—	—	—	—	—	1	3	6	—	1	—	—	—	—	1	4		
19 Diarrhoea, &c. ...	M	4	1	—	—	—	—	—	2	1	2	1	—	—	—	—	—	—	1		
	F	9	7	—	—	—	—	1	—	1	8	4	—	—	—	—	—	1	3		
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	1	—	1	4	—	—	—	—	—	2	1	1		
	F	3	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	1	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—		
22 Nephritis and Bright's disease.	M	11	—	—	1	—	1	2	6	1	11	—	—	—	—	—	3	6	2		
	F	8	—	—	—	—	—	2	2	4	9	—	—	—	—	—	1	5	3		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	1	—	—	11	—	—	—	—	1	9	1	—		
25 Congenital debility, &c.	M	17	17	—	—	—	—	—	—	—	21	21	—	—	—	—	—	—	—		
	F	25	25	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—		
26 Violence, apart from puerperal fever.	M	14	—	1	1	3	1	4	1	3	9	—	—	—	—	2	2	2	3		
	F	—	—	—	—	—	—	—	—	—	7	—	—	—	1	—	—	1	5		
27 Suicide ...	M	3	—	—	—	—	—	2	1	—	3	—	—	—	—	—	1	1	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	83	8	1	1	1	3	9	19	41	111	12	2	—	1	5	5	18	68		
	F	83	11	1	—	2	1	2	16	50	132	7	3	—	4	1	10	20	87		
29 Causes ill-defined or unknown.	M	3	—	—	—	—	—	—	2	1	3	1	—	—	—	—	—	1	1		
	F	5	—	—	—	—	—	—	4	1	4	—	—	—	—	—	—	3	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
PETERBOROUGH, SOKE OF—1912.

Causes of Death.		Sex.	URBAN DISTRICT.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	{	M	221	42	11	10	7	11	33	37	70	109	18	4	3	7	4	3	16	54	
			F	231	32	9	8	11	8	23	44	96	74	12	2	3	1	2	2	11	41	
1	Enteric fever	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	Small-pox	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	...	{	M	7	2	3	—	2	—	—	—	4	1	1	2	—	—	—	—	—	
			F	11	3	2	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	Scarlet fever	...	{	M	—	—	—	—	—	—	—	—	4	—	—	—	4	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	Whooping cough	...	{	M	4	1	1	2	—	—	—	—	1	—	—	—	1	—	—	—	—	
			F	4	—	2	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
6	Diphtheria and croup	...	{	M	4	—	1	2	1	—	—	—	1	—	—	—	1	—	—	—	—	
			F	3	—	—	1	2	—	—	—	—	1	—	—	—	—	—	—	—	—	
7	Influenza	...	{	M	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	
			F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
8	Erysipelas	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	Pulmonary tuberculosis	{	M	16	—	—	—	—	4	6	6	—	2	—	—	—	—	—	1	1	—	
			F	15	—	1	—	1	5	4	4	—	4	—	—	—	1	1	—	1	1	
10	Tuberculous meningitis	{	M	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
			F	2	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
11	Other tuberculous diseases.	{	M	2	—	1	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	
			F	5	—	—	—	1	1	1	—	2	—	—	—	—	—	—	—	—	—	
12	Cancer, malignant disease	{	M	20	—	—	—	—	1	1	9	9	8	—	—	—	—	—	—	4	4	
			F	32	—	—	—	—	—	—	4	13	15	7	—	—	—	—	—	3	4	
13	Rheumatic fever	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	
14	Meningitis	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	2	1	—	—	—	—	—	1	—	2	—	—	—	1	—	—	—	—	
15	Organic heart disease	...	{	M	23	—	—	—	—	4	7	12	11	—	—	—	—	1	—	2	8	
			F	20	—	—	—	—	—	1	8	11	5	—	—	—	—	—	2	3	3	
16	Bronchitis	...	{	M	15	1	1	1	—	1	1	2	9	2	—	—	—	—	—	1	6	
			F	19	4	—	1	—	—	1	2	11	14	4	1	—	—	—	—	9	9	
17	Pneumonia (all forms)...	{	M	15	4	3	1	—	1	3	1	2	4	1	1	1	—	—	1	—	—	
			F	10	2	2	—	—	—	2	1	3	—	—	—	—	—	—	—	—	—	
18	Other respiratory diseases	{	M	2	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	1	
			F	2	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	1	
19	Diarrhoea, &c.	...	{	M	5	—	1	—	1	—	—	2	2	1	—	—	—	—	—	1	1	
			F	5	3	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	
20	Appendicitis and typhlitis	{	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
21	Cirrhosis of liver	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
21A	Alcoholism	...	{	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
22	Nephritis and Bright's disease.	{	M	2	—	—	—	1	—	—	—	1	2	—	—	—	1	—	1	—	—	
			F	5	—	—	—	—	—	—	1	3	1	1	—	—	—	1	—	—	—	
23	Puerperal fever...	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
24	Parturition, apart from puerperal fever	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	
25	Congenital debility, &c.	{	M	25	25	—	—	—	—	—	—	—	7	7	—	—	—	—	—	—	—	
			F	11	11	—	—	—	—	—	—	—	—	5	5	—	—	—	—	—	—	
26	Violence, apart from suicide.	{	M	7	1	—	1	—	1	2	1	1	6	1	—	—	1	—	1	3	3	
			F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
27	Suicide	...	{	M	1	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
28	Other defined diseases	...	{	M	69	8	—	2	1	2	11	10	35	43	5	2	—	—	5	30	30	
			F	75	7	—	—	3	2	6	7	50	30	3	1	—	—	—	4	22	22	
29	Causes ill-defined or unknown.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF RADNORSHIRE—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	27	6	1	3	2	—	2	3	10	112	23	4	—	3	3	10	14	55
	F	34	2	1	1	1	—	2	11	16	108	14	4	3	2	9	8	20	48
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	1	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	5	3	2	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza ...	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	1	2
	F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	1	—	—	—	1	—	—	—	—	5	—	—	—	—	—	3	1	1
	F	1	—	—	—	1	—	—	—	—	7	—	—	—	—	4	1	1	1
10 Tuberculous meningitis	M	1	—	—	—	1	—	—	—	—	2	—	—	—	1	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—
11 Other tuberculous diseases.	M	1	1	—	—	—	—	—	—	—	2	—	1	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
12 Cancer, malignant disease	M	2	—	—	—	—	—	—	1	1	9	—	—	—	—	—	—	3	6
	F	5	—	—	—	—	—	—	4	1	9	—	—	—	—	—	1	3	5
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
14 Meningitis ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	1	1	—	—
15 Organic heart disease ...	M	3	—	—	—	—	—	—	1	2	14	—	—	—	—	—	—	2	12
	F	6	—	—	—	—	—	—	3	3	16	—	—	—	—	1	—	4	11
16 Bronchitis ...	M	2	1	—	—	—	—	—	—	1	7	1	—	—	—	—	—	—	6
	F	2	—	—	—	—	—	—	—	2	5	1	—	—	1	—	—	2	1
17 Pneumonia (all forms)...	M	3	—	1	1	—	—	1	—	—	4	—	—	—	—	—	1	2	1
	F	1	—	1	—	—	—	—	—	—	3	2	—	—	—	—	1	—	—
18 Other respiratory diseases	M	1	—	—	—	—	—	—	1	—	3	1	—	—	1	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
19 Diarrhoea, &c. ...	M	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	1
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21 Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
22 Nephritis and Bright's disease.	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	2	—
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—
25 Congenital debility, &c.	M	3	3	—	—	—	—	—	—	—	12	12	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	6	6	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	—	—	—	—	—	—	—	—	—	2	1	—	—	—	1	—	—	—
	F	1	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—
27 Suicide ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
28 Other defined diseases ...	M	8	1	—	1	—	—	—	—	6	40	4	—	—	—	1	3	5	27
	F	11	1	—	—	—	—	—	1	9	39	2	—	—	—	2	1	6	28
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
RUTLANDSHIRE—1912.

Causes of Death.	Sex.	URBAN DISTRICT.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	16	1	—	1	—	1	2	6	5	91	8	1	1	2	3	11	22	43		
	F	24	2	3	—	1	—	1	2	15	88	5	3	2	2	1	8	23	44		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7 Influenza ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	1	2		
	F	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	1	—	—	—	—	—	1	—	—	5	—	—	—	—	1	3	1	—		
	F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	3	2	—		
10 Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
12 Cancer, malignant disease	M	1	—	—	—	—	—	—	1	—	11	—	—	—	—	—	1	5	5		
	F	3	—	—	—	—	—	—	—	3	10	—	—	—	—	—	—	3	7		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	4	—	—	—	—	—	—	3	1	11	—	—	—	—	—	1	2	8		
	F	7	—	—	—	—	—	—	2	5	14	—	—	—	—	—	1	9	4		
16 Bronchitis ...	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	1	3		
	F	1	—	—	—	—	—	—	—	1	6	—	1	1	—	—	—	1	3		
17 Pneumonia (all forms)...	M	3	1	—	1	—	—	1	—	—	1	1	—	—	—	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	3	—	1	—	—	—	—	—	2		
18 Other respiratory diseases	M	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	1		
19 Diarrhoea, &c. ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—		
	F	1	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	5	—	—	—	1	—	—	3	1		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
25 Congenital debility, &c.	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	2	4	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	1	—	1		
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
27 Suicide ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	5	—	—	—	—	1	—	2	2	33	3	1	—	—	1	1	7	20		
	F	7	1	—	—	—	—	—	—	6	34	2	1	—	—	3	4	24	—		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF SHROPSHIRE—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	751	99	36	19	18	24	71	183	301	897	133	13	18	25	28	81	190	409		
	F	770	82	21	27	23	25	98	160	334	818	78	22	18	23	36	84	132	425		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	7	2	2	3	—	—	—	—	—	3	—	—	1	2	—	—	—	—		
	F	12	1	4	5	2	—	—	—	—	2	—	—	1	—	—	1	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—		
	F	2	—	—	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
5 Whooping cough ...	M	7	2	3	2	—	—	—	—	—	5	1	2	2	—	—	—	—	—		
	F	8	5	3	—	—	—	—	—	—	8	5	2	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	4	—	—	2	2	—	—	—	—	6	—	—	1	3	—	2	—	—		
	F	5	—	—	2	2	1	—	—	—	4	—	2	—	1	—	1	—	—		
7 Influenza ...	M	10	1	—	—	—	1	—	1	7	12	1	—	—	—	—	2	3	6		
	F	14	—	—	—	—	—	1	3	10	23	—	—	—	1	—	3	5	14		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	59	—	—	—	1	5	29	23	1	54	—	—	—	—	13	26	11	4		
	F	47	—	—	1	4	11	22	8	1	43	—	—	—	1	15	21	5	1		
10 Tuberculous meningitis	M	5	1	3	—	1	—	—	—	—	5	1	—	1	2	—	1	—	—		
	F	4	1	1	—	1	1	—	—	—	9	2	3	—	2	1	1	—	—		
11 Other tuberculous diseases.	M	7	1	1	1	—	2	2	—	—	8	3	—	1	1	—	2	1	—		
	F	15	—	—	2	1	2	5	4	1	11	1	—	—	2	3	5	—	—		
12 Cancer, malignant disease	M	40	—	—	—	—	1	1	22	16	77	—	—	—	2	—	2	35	38		
	F	70	—	—	—	—	—	5	38	27	86	—	—	—	—	—	12	32	42		
13 Rheumatic fever ...	M	6	—	—	—	1	2	2	1	—	3	—	—	—	—	—	1	2	—		
	F	5	—	—	—	1	2	1	1	—	5	—	—	1	2	2	—	—	—		
14 Meningitis ...	M	8	—	4	1	1	—	1	1	—	5	2	—	1	—	—	—	1	1		
	F	5	—	1	2	1	1	—	—	—	4	—	—	—	3	—	1	—	—		
15 Organic heart disease ...	M	81	—	—	—	—	—	5	19	57	113	—	—	—	4	—	4	29	76		
	F	90	—	—	—	2	—	10	19	59	125	—	—	—	1	4	4	21	95		
16 Bronchitis ...	M	58	7	2	2	—	—	1	9	37	56	9	1	1	—	1	1	8	35		
	F	69	12	1	2	1	—	—	8	45	47	6	3	1	—	—	—	2	35		
17 Pneumonia (all forms)	M	51	11	13	2	7	4	3	7	4	50	8	3	3	2	3	7	9	15		
	F	38	6	7	3	1	—	5	10	6	42	7	3	6	2	1	2	11	10		
18 Other respiratory diseases	M	16	1	1	1	—	—	3	7	3	17	2	—	1	1	—	2	1	10		
	F	7	—	—	—	1	—	1	2	3	16	3	—	2	—	—	2	3	6		
19 Diarrhoea, &c. ...	M	14	7	1	1	—	—	2	3	—	17	9	2	—	—	1	2	—	3		
	F	6	—	—	1	—	—	—	3	2	13	3	3	—	1	—	—	1	5		
20 Appendicitis and typhlitis	M	4	—	—	—	—	1	—	3	—	7	—	—	—	2	1	1	2	1		
	F	4	—	—	—	1	3	—	—	—	5	—	—	—	1	—	1	2	1		
21 Cirrhosis of liver ...	M	10	—	—	—	—	—	2	7	1	10	—	—	—	—	—	1	4	5		
	F	5	—	—	—	—	—	3	—	2	6	—	—	—	—	—	2	2	2		
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	—	4	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
22 Nephritis and Bright's disease.	M	38	—	—	—	—	—	4	14	20	27	—	—	—	1	—	2	8	16		
	F	27	—	—	—	—	—	4	12	11	23	1	—	—	1	1	1	8	11		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	3	—	—	—	—	2	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	1	4	1	—	9	—	—	—	—	2	7	—	—		
25 Congenital debility, &c.	M	42	42	—	—	—	—	—	—	—	68	67	1	—	—	—	—	—	—		
	F	32	32	—	—	—	—	—	—	—	36	36	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	26	3	1	2	4	4	5	4	3	47	2	2	—	2	5	11	20	5		
	F	11	—	1	3	—	—	1	2	4	11	—	2	3	1	1	1	—	3		
27 Suicide ...	M	10	—	—	—	—	1	1	5	3	12	—	—	—	—	—	2	6	4		
	F	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	1	—		
28 Other defined diseases ...	M	237	19	4	2	1	3	9	52	147	277	27	2	4	3	4	12	40	185		
	F	276	23	2	4	5	3	32	45	162	275	14	2	3	4	4	17	34	197		
29 Causes ill-defined or unknown.	M	10	2	1	—	—	—	1	4	2	12	1	—	—	—	—	—	6	5		
	F	7	2	1	—	—	—	1	2	1	9	—	1	—	—	—	1	4	3		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
SOMERSETSHIRE—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	965	133	14	20	20	41	119	224	394	1,476	170	33	22	42	56	139	355	659		
	F	1,041	76	24	20	30	41	97	241	512	1,509	132	28	31	43	66	149	306	754		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
	F	1	—	—	—	—	1	—	—	—	4	—	—	—	1	1	1	—	1		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	2	1	1	—	—	—	—	—	—	5	—	1	—	4	—	—	—	—		
	F	4	—	1	—	3	—	—	—	—	3	—	1	1	1	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	—	1	—	—	—	—	2	—	1	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
5 Whooping cough ...	M	15	10	2	3	—	—	—	—	—	25	13	8	2	2	—	—	—	—		
	F	9	4	4	—	1	—	—	—	—	30	11	12	5	2	—	—	—	—		
6 Diphtheria and croup ...	M	8	1	—	5	2	—	—	—	—	8	—	1	2	4	1	—	—	—		
	F	5	—	—	4	1	—	—	—	—	8	1	—	4	3	—	—	—	—		
7 Influenza ...	M	15	—	—	—	—	1	4	3	7	23	—	—	—	—	2	1	8	12		
	F	20	—	—	2	—	1	3	4	10	22	3	—	1	—	1	1	2	14		
8 Erysipelas ...	M	1	—	—	—	—	—	—	—	1	3	—	—	—	—	—	1	1	1		
	F	4	—	—	—	—	—	—	1	3	3	1	—	—	—	—	1	—	1		
9 Pulmonary tuberculosis	M	80	1	—	—	—	20	37	20	2	71	—	1	1	3	16	36	11	3		
	F	74	—	1	2	4	21	26	18	2	78	1	—	2	4	21	31	12	7		
10 Tuberculous meningitis	M	5	—	—	3	1	1	—	—	—	3	—	—	—	2	1	—	—	—		
	F	10	1	1	—	5	2	1	—	—	7	1	—	—	4	2	—	—	—		
11 Other tuberculous diseases.	M	7	2	—	1	1	—	3	—	—	17	1	—	—	1	4	5	4	2		
	F	10	—	—	—	1	3	3	—	3	16	1	—	—	2	2	9	2	—		
12 Cancer, malignant disease	M	80	—	—	—	1	1	5	32	41	110	—	—	—	—	2	6	52	50		
	F	113	—	—	—	1	2	5	52	53	156	—	—	—	1	2	11	74	68		
13 Rheumatic fever ...	M	3	—	—	—	1	—	1	1	—	6	—	—	—	2	1	1	2	—		
	F	2	—	—	—	1	—	1	—	—	6	—	—	—	3	—	2	1	—		
14 Meningitis ...	M	8	2	1	1	1	2	1	—	—	9	1	1	1	3	1	—	2	—		
	F	5	—	1	2	2	—	—	—	—	4	1	—	1	1	—	1	—	—		
15 Organic heart disease ...	M	104	—	—	—	1	3	9	32	59	198	1	1	—	4	5	12	74	101		
	F	134	—	—	—	2	1	7	43	81	220	—	—	—	2	4	14	58	142		
16 Bronchitis ...	M	58	10	2	—	—	—	—	8	38	102	12	1	1	1	—	—	11	76		
	F	73	6	1	—	1	1	1	10	53	112	8	3	1	1	—	—	14	85		
17 Pneumonia (all forms)	M	61	15	3	3	—	—	8	13	19	90	14	5	4	4	4	10	31	18		
	F	57	10	8	1	2	—	6	14	16	68	10	6	5	1	3	7	17	19		
18 Other respiratory diseases	M	15	—	1	—	2	—	2	8	2	29	1	—	—	1	2	3	5	17		
	F	16	—	—	—	2	1	3	3	7	17	1	—	—	2	1	1	5	7		
19 Diarrhoea, &c. ...	M	20	13	2	—	—	—	1	2	2	35	18	3	1	—	—	3	2	8		
	F	14	4	2	1	—	—	1	1	5	19	4	2	1	—	1	2	4	5		
20 Appendicitis and typhlitis	M	4	—	—	—	—	—	2	—	2	4	—	—	—	1	—	2	—	1		
	F	3	—	—	—	2	—	1	—	—	8	—	—	—	2	3	2	1	—		
21 Cirrhosis of liver ...	M	10	—	—	—	—	—	1	4	5	13	—	—	—	—	—	3	8	2		
	F	8	—	—	—	—	—	—	6	2	5	—	—	—	—	—	2	2	1		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
	F	4	—	—	—	—	—	1	2	1	2	—	—	—	—	—	—	2	—		
22 Nephritis and Bright's disease.	M	19	—	—	—	—	1	2	8	8	56	—	—	—	—	2	6	24	24		
	F	34	—	—	1	—	—	3	10	20	43	1	—	—	—	1	5	18	18		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	2	2	—	—	6	—	—	—	—	2	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	8	—	—	—	—	1	7	—	—	9	—	—	—	—	2	7	—	—		
25 Congenital debility, &c.	M	50	47	—	1	1	—	1	—	—	74	72	—	2	—	—	—	—	—		
	F	39	37	1	1	—	—	—	—	—	69	68	—	1	—	—	—	—	—		
26 Violence, apart from suicide.	M	35	5	—	1	1	4	10	6	8	70	4	1	4	7	3	19	21	11		
	F	17	1	—	3	—	1	1	5	6	28	3	—	4	1	2	3	3	12		
27 Suicide ...	M	9	—	—	—	—	1	4	3	1	21	—	—	—	—	2	10	6	3		
	F	4	—	—	—	—	—	2	2	—	5	—	—	—	—	2	—	2	1		
28 Other defined diseases ...	M	353	26	2	2	7	7	27	83	199	493	32	9	4	2	9	20	88	329		
	F	364	13	4	2	2	4	22	67	250	558	17	4	4	12	16	45	88	372		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	1	—	7	1	—	—	—	—	1	4	1		
	F	5	—	—	1	—	—	1	3	—	2	—	—	—	—	—	—	1	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF SOUTHAMPTON—1912.

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES				M	1,196	208	41	43	52	85	188	250	329	1,322	155	28	19	40	57	177	281	565		
				F	995	143	35	36	35	33	117	197	399	1,207	129	20	18	39	55	138	224	584		
1 Enteric fever				M	6	—	—	—	—	3	2	—	1	6	—	—	—	3	1	1	1	—		
				F	2	—	—	—	—	—	1	1	—	4	—	—	—	—	2	—	—	—		
2 Small-pox				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles				M	30	7	9	10	2	2	—	—	—	9	2	1	2	4	—	—	—	—		
				F	30	5	12	8	4	1	—	—	—	5	1	—	2	2	—	—	—	—		
4 Scarlet fever				M	3	—	—	—	1	2	—	—	—	1	—	—	1	—	—	—	—	—		
				F	1	—	—	1	—	—	—	—	—	2	—	—	2	—	—	—	—	—		
5 Whooping cough				M	11	7	1	2	1	—	—	—	—	7	4	2	1	—	—	—	—	—		
				F	20	12	7	1	—	—	—	—	13	9	3	—	1	—	—	—	—	—		
6 Diphtheria and croup				M	20	—	1	9	10	—	—	—	—	14	—	1	4	8	—	—	1	—		
				F	12	—	—	2	9	1	—	—	—	6	—	—	3	3	—	—	—	—		
7 Influenza				M	14	—	—	—	1	3	2	3	5	30	—	2	1	1	—	2	4	20		
				F	14	—	—	—	—	—	3	3	8	24	3	—	—	—	—	2	7	12		
8 Erysipelas				M	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	1	1		
				F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
9 Pulmonary tuberculosis				M	108	1	2	2	—	17	45	36	5	93	—	—	—	3	20	46	22	2		
				F	46	1	—	—	2	9	22	9	3	102	2	1	—	3	21	51	19	5		
0 Tuberculous meningitis				M	14	1	1	4	6	2	—	—	—	10	5	—	—	1	2	2	—	—		
				F	6	—	2	3	1	—	—	—	—	8	—	1	3	1	1	2	—	—		
1 Other tuberculous diseases.				M	19	2	2	1	3	2	6	2	1	17	4	1	2	—	3	5	2	—		
				F	13	1	1	1	1	2	7	—	—	14	2	1	2	1	2	3	3	—		
2 Cancer, malignant disease				M	82	—	—	—	1	—	8	40	33	118	—	—	—	—	1	8	47	62		
				F	109	1	—	—	—	—	16	50	42	129	—	—	—	—	3	11	54	61		
3 Rheumatic fever				M	6	—	—	—	1	2	3	—	—	4	—	—	—	—	—	3	—	1		
				F	4	—	—	—	2	—	1	1	—	8	—	—	—	3	2	2	—	1		
4 Meningitis				M	15	5	2	1	2	2	3	—	—	7	3	—	—	—	2	1	1	—		
				F	9	1	1	2	3	1	1	—	—	4	—	—	—	1	1	1	1	—		
5 Organic heart disease				M	124	—	—	—	3	3	22	33	63	167	—	—	—	1	2	19	45	100		
				F	109	—	—	—	1	3	11	37	57	185	—	—	—	1	4	16	39	125		
6 Bronchitis				M	49	10	2	2	1	—	2	9	23	72	7	4	1	—	1	2	9	48		
				F	70	12	3	1	—	1	2	10	41	68	6	4	—	—	—	—	7	51		
7 Pneumonia (all forms)...				M	91	27	16	3	2	12	11	12	8	69	12	8	3	—	4	11	10	21		
				F	60	8	6	8	2	2	9	8	17	38	12	4	2	1	1	3	5	10		
8 Other respiratory diseases				M	19	—	—	—	2	—	4	6	7	16	—	—	—	—	1	2	3	10		
				F	12	—	—	1	—	—	1	3	7	17	1	1	1	2	—	2	2	10		
9 Diarrhoea, &c.				M	19	13	1	1	—	—	1	1	2	19	5	3	1	1	—	2	4	3		
				F	25	10	1	2	—	2	2	4	4	17	8	—	—	1	1	—	1	6		
0 Appendicitis and typhlitis				M	16	—	—	—	4	3	4	3	2	7	—	—	—	1	1	—	3	2		
				F	8	—	—	1	1	—	2	2	2	9	1	—	—	3	2	1	2	—		
1 Cirrhosis of liver				M	8	—	—	—	—	—	2	6	—	18	—	—	—	—	—	6	7	5		
				F	6	—	—	—	—	—	2	4	—	8	—	—	—	—	1	—	3	4		
1A Alcoholism				M	4	—	—	—	—	—	3	1	—	1	—	—	—	—	—	1	—	—		
				F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
2 Nephritis and Bright's disease.				M	58	—	—	1	—	1	11	23	22	61	—	—	—	1	2	6	19	33		
				F	37	1	—	—	—	1	3	19	13	46	1	—	—	2	—	4	17	22		
3 Puerperal fever				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	4	—	—	—	—	1	3	—	—	5	—	—	—	—	2	3	—	—		
4 Parturition, apart from puerperal fever.				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	8	—	—	—	—	1	7	—	—	13	—	—	—	—	3	10	—	—		
5 Congenital debility, &c.				M	97	96	—	—	1	—	—	—	—	91	87	1	1	2	—	—	—	—		
				F	71	70	—	—	—	—	1	—	—	56	53	1	—	1	1	—	—	—		
6 Violence, apart from suicide.				M	53	3	1	2	4	13	17	11	2	44	3	3	—	6	3	11	10	8		
				F	11	2	—	—	1	—	2	1	5	19	4	—	2	3	—	2	1	7		
7 Suicide				M	17	—	—	—	—	5	5	6	1	23	—	—	—	—	2	12	7	2		
				F	4	—	—	—	—	—	1	3	—	6	—	—	—	—	1	3	2	—		
8 Other defined diseases				M	304	34	3	5	7	13	34	57	151	404	20	2	2	6	12	34	83	245		
				F	300	19	1	5	8	7	19	41	200	391	25	4	1	6	7	23	57	268		
9 Causes ill-defined or unknown.				M	8	2	—	—	—	—	3	1	2	12	3	—	—	2	—	3	2	2		
				F	3	—	1	—	—	1	—	1	—	9	1	—	2	—	—	4	—	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF STAFFORDSHIRE—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES.	M	3,474	857	210	170	140	131	423	660	883	1,417	289	54	41	41	63	139	284	506		
	F	3,215	655	205	163	161	123	339	561	1008	1,251	176	57	42	45	43	130	242	516		
1 Enteric fever ...	M	11	—	—	—	—	3	7	1	—	3	—	—	—	—	1	1	1	—		
	F	10	—	—	—	1	2	4	3	—	4	—	—	—	—	1	1	2	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	105	26	38	35	6	—	—	—	—	10	3	5	1	1	—	—	—	—		
	F	92	21	40	23	8	—	—	—	—	11	1	4	4	2	—	—	—	—		
4 Scarlet fever ...	M	14	—	2	8	4	—	—	—	—	5	—	1	1	2	—	1	—	—		
	F	11	—	2	7	2	—	—	—	—	3	1	—	1	1	—	—	—	—		
5 Whooping cough ...	M	65	30	20	11	4	—	—	—	—	23	12	4	7	—	—	—	—	—		
	F	73	29	25	16	3	—	—	—	—	23	10	8	5	—	—	—	—	—		
6 Diphtheria and croup ...	M	24	2	—	11	8	—	1	2	—	10	—	1	6	2	1	—	—	—		
	F	21	1	2	6	11	—	—	1	—	11	—	2	3	6	—	—	—	—		
7 Influenza ...	M	55	6	1	2	1	4	11	14	16	20	1	1	—	1	2	2	2	11		
	F	31	—	—	1	1	2	3	10	14	21	—	1	—	1	—	2	8	9		
8 Erysipelas ...	M	5	—	—	—	—	—	2	1	2	2	1	—	—	—	—	—	—	1		
	F	10	2	—	—	1	2	1	1	3	1	—	—	—	1	—	—	—	—		
9 Pulmonary tuberculosis	M	263	2	1	4	9	42	121	74	10	76	2	3	—	1	14	35	16	5		
	F	183	—	—	3	19	41	85	33	2	65	1	—	3	4	18	27	8	4		
10 Tuberculous meningitis	M	29	4	4	8	9	2	2	—	—	13	3	2	4	3	—	1	—	—		
	F	49	5	15	10	14	3	1	1	—	15	—	4	4	5	2	—	—	—		
11 Other tuberculous diseases.	M	62	22	10	4	10	6	8	2	—	22	1	3	1	3	6	5	2	1		
	F	54	13	7	9	10	7	5	2	1	20	5	2	1	1	1	6	3	1		
12 Cancer, malignant disease	M	166	—	—	1	—	1	15	83	66	81	—	—	—	—	—	5	44	32		
	F	233	1	—	—	—	—	24	115	93	103	—	—	—	—	1	7	45	50		
13 Rheumatic fever ...	M	12	—	—	1	6	—	3	2	—	7	—	—	2	2	1	1	1	—		
	F	18	—	—	2	8	1	4	2	1	3	—	—	—	—	—	—	3	—		
14 Meningitis ...	M	32	13	7	5	6	—	—	1	—	10	4	3	—	—	2	1	—	—		
	F	29	8	6	6	5	—	3	1	—	7	2	1	3	1	—	—	—	—		
15 Organic heart disease ...	M	220	—	—	—	6	10	31	73	100	150	—	—	—	3	—	10	43	94		
	F	252	—	—	1	9	15	32	82	113	154	—	—	—	—	4	9	56	85		
16 Bronchitis ...	M	331	95	16	5	2	1	8	71	133	121	22	5	1	—	—	2	22	69		
	F	313	72	22	5	—	1	14	44	155	123	19	7	1	1	—	2	19	74		
17 Pneumonia (all forms)...	M	313	85	53	35	12	7	41	48	32	96	26	9	5	3	5	11	26	11		
	F	222	61	43	27	17	5	14	21	34	91	25	19	4	4	2	9	14	14		
18 Other respiratory diseases	M	48	1	2	8	1	1	7	18	10	11	1	—	1	1	1	3	2	2		
	F	32	1	1	4	4	3	3	6	10	9	2	—	1	—	—	—	2	4		
19 Diarrhoea, &c. ...	M	92	45	17	5	2	—	3	12	8	33	22	2	1	—	—	1	1	6		
	F	81	41	14	6	—	3	4	4	9	14	5	2	1	—	—	—	2	4		
20 Appendicitis and typhlitis	M	15	1	—	—	5	3	5	1	—	12	—	—	1	—	5	3	2	1		
	F	9	—	—	—	2	1	3	2	1	10	—	—	—	3	—	4	3	—		
21 Cirrhosis of liver ...	M	15	—	—	—	—	—	2	10	3	12	—	—	—	—	—	—	7	5		
	F	29	—	—	—	—	—	5	19	5	15	—	—	—	—	4	5	6	—		
21A Alcoholism ...	M	3	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	80	2	3	—	2	3	17	33	20	26	2	—	—	—	1	5	13	5		
	F	64	1	—	1	4	2	15	24	17	19	—	2	—	—	1	4	6	6		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	18	—	—	—	—	3	15	—	—	12	—	—	—	—	3	9	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	34	—	—	—	—	6	28	—	—	21	—	—	—	—	1	20	—	—		
25 Congenital debility, &c.	M	339	337	1	1	—	—	—	—	—	143	139	2	1	1	—	—	—	—		
	F	288	285	—	3	—	—	—	—	—	79	79	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	189	19	7	6	28	23	45	38	23	87	4	8	4	7	13	15	26	10		
	F	83	11	3	18	12	4	11	8	16	23	1	—	6	7	—	2	2	5		
27 Suicide ...	M	31	—	—	—	—	2	15	10	4	21	—	—	—	—	5	3	8	5		
	F	12	—	—	—	1	6	1	3	1	4	—	—	—	—	2	1	1	—		
28 Other defined diseases ...	M	919	161	18	17	19	21	75	157	451	417	44	5	4	10	6	34	67	247		
	F	929	100	11	15	28	15	60	168	532	385	24	5	5	8	7	23	62	251		
29 Causes ill-defined or unknown.	M	36	6	10	3	—	2	3	7	5	6	2	—	1	1	—	—	1	1		
	F	31	3	14	—	1	1	1	10	1	5	1	—	—	—	—	—	1	3		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
SUFFOLK, EAST—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	493	96	19	20	17	12	50	99	180	731	102	10	20	13	40	65	128	353		
	F	539	77	19	15	22	18	49	113	226	735	75	17	13	23	33	79	123	372		
1 Enteric fever ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	10	3	5	2	—	—	—	—	—	3	—	—	1	2	—	—	—	—		
	F	8	2	6	—	—	—	—	—	—	8	3	2	2	1	—	—	—	—		
4 Scarlet fever ...	M	5	—	1	3	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	5	—	1	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	6	4	2	—	—	—	—	—	—	9	6	1	2	—	—	—	—	—		
	F	3	1	1	1	—	—	—	—	—	8	3	2	2	1	—	—	—	—		
6 Diphtheria and croup ...	M	5	—	—	2	3	—	—	—	—	4	—	—	2	1	1	—	—	—		
	F	7	—	—	4	3	—	—	—	—	10	1	—	2	7	—	—	—	—		
7 Influenza ...	M	6	—	—	1	—	1	—	1	3	12	—	—	—	—	2	2	1	7		
	F	9	1	—	—	—	—	1	1	6	17	1	—	1	—	1	2	1	11		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	1		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	32	—	—	1	1	4	15	9	2	49	1	—	—	—	10	23	11	4		
	F	35	—	—	—	—	7	16	8	4	49	—	—	—	3	12	22	10	2		
10 Tuberculous meningitis	M	2	1	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	5	1	—	2	2	—	—	—	—	7	1	1	—	1	1	3	—	—		
11 Other tuberculous diseases.	M	8	4	—	2	—	—	—	2	—	10	1	—	1	1	2	2	1	2		
	F	10	1	1	—	3	4	—	1	—	7	—	—	—	2	—	3	1	1		
12 Cancer, malignant disease	M	28	—	—	1	—	—	1	10	16	56	—	—	—	—	—	3	23	30		
	F	62	—	—	—	—	1	2	32	27	67	—	—	—	—	—	5	23	39		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	5	—	—	1	2	1	—	—	1		
	F	4	—	—	—	2	—	—	1	1	4	—	—	—	—	2	2	—	—		
14 Meningitis ...	M	4	—	—	2	1	—	1	—	—	7	1	—	—	2	3	—	1	—		
	F	4	3	1	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—		
15 Organic heart disease ...	M	46	—	—	—	—	1	5	13	27	73	—	—	—	—	1	3	21	48		
	F	59	—	—	—	1	1	3	20	34	96	—	—	—	—	3	3	31	59		
16 Bronchitis ...	M	23	5	3	1	—	—	—	1	13	41	4	1	1	—	2	1	2	30		
	F	36	4	2	—	1	—	—	4	25	45	7	3	—	—	—	1	4	30		
17 Pneumonia (all forms)...	M	29	15	3	3	2	—	1	4	1	34	9	2	4	—	2	5	4	8		
	F	29	11	6	2	2	—	1	1	6	27	5	2	4	—	3	2	4	7		
18 Other respiratory diseases	M	5	1	—	—	—	—	—	2	2	8	2	—	—	—	—	—	1	5		
	F	8	1	—	—	1	—	1	2	3	13	1	—	—	—	—	2	2	8		
19 Diarrhoea, &c. ...	M	4	—	—	1	—	—	—	2	1	13	4	1	1	—	—	1	2	4		
	F	1	—	—	—	—	—	—	—	1	10	2	1	—	—	—	1	2	4		
20 Appendicitis and typhlitis	M	2	—	—	—	—	—	1	1	—	6	—	—	1	1	3	—	—	1		
	F	1	—	—	—	—	—	—	1	—	3	—	—	1	1	—	—	—	1		
21 Cirrhosis of liver ...	M	4	—	—	—	1	—	—	2	1	8	—	—	—	—	—	—	7	1		
	F	4	—	—	—	—	—	1	2	1	4	—	—	—	—	—	—	—	4		
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	20	—	—	—	—	—	2	7	11	26	—	—	—	—	1	4	6	15		
	F	21	—	—	1	—	—	5	7	8	23	—	—	—	—	1	3	7	12		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	1	3	1	—	2	—	—	—	—	1	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	7	—	—	—	—	1	6	—	—		
25 Congenital debility, &c.	M	40	40	—	—	—	—	—	—	—	56	55	1	—	—	—	—	—	—		
	F	36	34	—	1	—	—	1	—	—	36	35	—	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	23	3	—	1	4	2	5	6	2	31	—	—	3	3	6	9	6	4		
	F	8	1	—	—	1	—	1	2	3	11	1	1	—	1	—	—	—	8		
27 Suicide ...	M	11	—	—	—	—	2	6	3	—	10	—	—	—	—	2	1	4	3		
	F	5	—	—	—	—	—	1	3	1	2	—	—	—	—	—	2	—	—		
28 Other defined diseases ...	M	172	19	4	—	3	2	11	32	101	256	17	1	2	1	3	9	34	189		
	F	168	17	1	3	4	4	10	24	105	269	15	4	1	4	8	19	34	184		
29 Causes ill-defined or unknown.	M	5	1	1	—	—	—	1	2	—	9	1	2	—	—	1	1	4	—		
	F	1	—	—	—	—	—	—	1	—	7	—	1	—	—	—	1	3	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
SUFFOLK, WEST—1912.

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	287	43	6	8	3	11	36	80	100	503	52	7	8	13	20	58	95	250	
			F	306	27	6	10	6	16	37	68	136	503	42	10	8	19	16	60	77	271	
1	Enteric fever	...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	
			F	1	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	
2	Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	...	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	2	—	—	2	—	—	—	—	—	4	—	2	—	2	—	—	—	—	
4	Scarlet fever	...	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
5	Whooping cough	...	M	2	1	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	
6	Diphtheria and croup	...	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
7	Influenza	...	M	3	—	—	—	—	—	—	1	2	2	—	—	—	—	—	—	—	2	
			F	3	1	—	—	—	1	—	—	1	13	—	—	1	1	—	3	2	6	
8	Erysipelas	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	
9	Pulmonary tuberculosis		M	25	—	—	—	—	3	13	7	2	37	1	1	—	1	1	16	9	8	
			F	24	—	—	—	1	5	10	8	—	38	—	—	—	3	8	20	5	2	
10	Tuberculous meningitis		M	3	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	3	1	—	—	2	—	—	—	—	
11	Other tuberculous diseases.		M	2	—	—	—	—	—	2	—	—	5	1	—	—	—	2	2	—	—	
			F	7	2	—	1	1	—	—	2	1	5	—	—	—	—	—	3	2	—	
12	Cancer, malignant disease		M	36	—	—	—	—	—	3	18	15	58	—	—	1	—	1	3	25	28	
			F	48	—	—	1	—	—	10	20	17	47	—	—	1	—	—	2	17	27	
13	Rheumatic fever	...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
14	Meningitis	...	M	3	2	—	1	—	—	—	—	—	3	—	1	—	2	—	—	—	—	
			F	4	—	—	2	1	—	—	1	—	1	—	—	—	—	—	1	—	—	
15	Organic heart disease	...	M	28	—	—	—	—	—	3	8	17	54	—	—	—	—	—	2	16	36	
			F	34	—	—	—	—	1	3	11	19	65	—	—	—	1	—	5	18	41	
16	Bronchitis	...	M	12	3	1	—	—	—	—	5	3	30	8	—	—	1	—	1	—	20	
			F	22	—	—	1	—	—	2	2	17	28	1	1	—	—	—	—	1	25	
17	Pneumonia (all forms)...		M	15	2	1	4	—	—	2	5	1	14	2	—	1	—	—	5	3	3	
			F	12	3	1	1	—	1	—	1	5	23	2	3	2	1	—	2	4	9	
18	Other respiratory diseases		M	7	—	1	—	—	1	1	1	3	8	—	—	2	—	—	1	1	4	
			F	2	—	—	—	—	—	—	—	2	6	—	—	—	—	—	—	1	5	
19	Diarrhoea, &c.	...	M	3	3	—	—	—	—	—	—	—	12	5	1	—	1	—	—	1	4	
			F	4	2	1	—	—	—	—	1	—	2	—	—	—	—	—	2	—	—	
20	Appendicitis and typhlitis		M	3	—	—	—	—	—	2	—	1	3	—	—	—	2	—	—	—	1	
			F	4	—	—	—	2	1	—	—	1	3	—	—	—	3	—	—	—	—	
21	Cirrhosis of liver	...	M	6	—	—	—	—	1	1	4	—	5	—	—	—	—	—	1	1	3	
			F	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	1	2	3	
21A	Alcoholism	...	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	
			F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
22	Nephritis and Bright's disease.		M	12	—	—	1	—	1	—	5	5	25	—	—	—	1	1	6	5	12	
			F	6	—	—	—	—	1	—	—	5	11	—	—	—	—	—	2	5	4	
23	Puerperal fever...	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	2	—	—	—	—	—	2	—	—	3	—	—	—	—	—	3	—	—	
24	Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	2	—	—	—	—	—	2	—	—	7	—	—	—	—	2	5	—	—	
25	Congenital debility, &c.		M	22	22	—	—	—	—	—	—	—	29	29	—	—	—	—	—	—	—	
			F	14	14	—	—	—	—	—	—	—	30	29	1	—	—	—	—	—	—	
26	Violence, apart from suicide.		M	6	1	—	1	1	—	—	—	2	25	1	—	—	3	6	4	6	5	
			F	4	—	—	—	—	2	—	1	1	8	—	—	1	1	—	—	—	5	
27	Suicide	...	M	3	—	—	—	—	—	—	2	1	12	—	—	—	—	2	5	3	2	
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
28	Other defined diseases	...	M	87	8	1	—	—	4	8	18	48	171	5	2	3	1	7	10	23	120	
			F	105	4	4	2	1	3	6	19	66	184	6	1	2	4	4	9	17	141	
29	Causes ill-defined or unknown.		M	3	—	—	—	—	—	—	3	—	6	—	1	—	—	—	2	1	2	
			F	2	1	—	—	—	—	—	—	1	8	1	1	—	—	—	1	2	3	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF SURREY—1912.

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.								AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES {		M	2202	356	55	56	69	78	275	559	754	1065	163	18	33	42	45	132	241	391
		F	2345	272	48	62	93	108	277	506	979	976	109	22	25	40	38	132	205	405
1	Enteric fever {	M	5	—	—	—	—	1	2	2	—	4	—	—	—	—	2	2	—	—
		F	3	—	—	—	—	1	1	—	1	1	—	—	—	—	1	—	—	—
2	Small-pox {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles {	M	5	2	2	1	—	—	—	—	—	2	1	1	—	—	—	—	—	—
		F	9	1	6	1	1	—	—	—	—	4	3	—	—	1	—	—	—	—
4	Scarlet fever {	M	5	1	—	2	2	—	—	—	—	3	—	—	—	3	—	—	—	—
		F	6	—	—	3	3	—	—	—	—	1	—	—	—	1	—	—	—	—
5	Whooping cough {	M	19	11	5	2	1	—	—	—	—	6	4	—	2	—	—	—	—	—
		F	33	21	7	3	2	—	—	—	—	9	3	4	—	2	—	—	—	—
6	Diphtheria and croup ... {	M	23	3	2	6	11	—	—	1	—	7	1	1	3	2	—	—	—	—
		F	26	2	—	10	14	—	—	—	—	13	—	—	5	7	—	1	—	—
7	Influenza {	M	29	3	—	1	1	1	2	9	12	23	3	—	—	1	1	4	4	10
		F	55	2	1	—	3	3	7	13	26	12	1	1	—	—	1	—	1	8
8	Erysipelas {	M	7	1	—	—	—	—	—	4	2	2	1	—	—	—	—	1	—	—
		F	5	2	—	—	—	—	—	—	3	3	—	—	—	—	1	2	—	—
9	Pulmonary tuberculosis {	M	198	1	1	3	7	28	92	61	5	84	—	—	1	3	10	43	23	4
		F	147	2	3	—	7	28	66	30	11	83	2	—	—	5	15	39	18	4
10	Tuberculous meningitis {	M	21	2	3	4	7	1	3	1	—	13	2	2	4	2	1	2	—	—
		F	26	2	—	5	11	3	3	2	—	13	2	3	5	2	—	1	—	—
11	Other tuberculous dis- {	M	18	2	4	2	4	—	4	2	—	15	2	2	2	4	1	4	—	—
eases.		F	22	2	1	3	2	4	7	2	1	18	2	1	1	4	1	—	5	4
12	Cancer, malignant disease {	M	198	1	1	—	—	3	9	90	94	103	—	—	—	—	—	5	51	47
		F	305	—	1	1	3	—	39	138	123	132	—	—	—	1	—	15	55	61
13	Rheumatic fever {	M	9	—	—	—	1	—	2	1	5	6	—	—	—	2	2	—	2	—
		F	14	—	—	1	5	3	3	1	1	3	—	—	—	1	1	—	1	—
14	Meningitis {	M	21	5	5	4	2	1	2	2	—	8	2	1	1	3	1	—	—	—
		F	14	3	3	3	1	3	1	—	—	6	2	1	—	1	1	1	—	—
15	Organic heart disease ... {	M	233	1	—	—	2	5	20	75	130	112	—	—	—	1	4	7	33	67
		F	279	—	—	1	8	13	15	85	157	118	—	—	—	1	4	11	27	75
16	Bronchitis {	M	143	23	6	2	2	—	3	18	89	68	11	1	2	—	—	1	9	44
		F	160	13	2	1	1	—	1	18	124	63	4	2	3	1	—	1	9	43
17	Pneumonia (all forms)... {	M	129	35	11	7	2	1	18	25	30	65	15	4	5	1	3	9	18	10
		F	110	20	6	13	6	8	14	14	29	49	13	5	3	1	1	6	9	11
18	Other respiratory diseases {	M	34	7	—	—	—	—	1	5	21	14	—	—	—	—	1	—	4	9
		F	46	2	2	4	1	2	4	7	24	12	1	—	—	1	—	—	3	7
19	Diarrhoea, &c. {	M	56	38	4	2	—	1	2	4	5	21	17	—	1	—	—	—	—	3
		F	44	30	4	1	—	—	3	1	5	17	9	2	—	—	1	2	2	1
20	Appendicitis and typhlitis {	M	21	—	—	2	5	5	3	6	—	7	—	—	1	—	2	1	1	2
		F	27	1	—	1	5	5	9	4	2	13	—	—	—	3	—	6	—	4
21	Cirrhosis of liver {	M	36	—	—	—	—	—	6	23	7	7	—	—	—	—	—	1	6	—
		F	26	—	—	—	—	—	1	18	7	5	—	—	—	—	—	—	2	3
21A	Alcoholism {	M	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	2	—	—
		F	3	—	—	—	—	—	1	2	—	2	—	—	—	—	—	1	1	—
22	Nephritis and Bright's {	M	76	—	—	1	1	2	9	37	26	43	—	—	—	1	—	6	18	18
disease.		F	67	—	—	—	—	2	10	23	32	28	—	—	—	—	1	2	11	14
23	Puerperal fever {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	18	—	—	—	—	4	14	—	—	6	—	—	—	—	1	5	—	—
24	Parturition, apart from {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
puerperal fever.		F	18	—	—	—	—	3	15	—	—	9	—	—	—	—	—	9	—	—
25	Congenital debility, &c. {	M	145	140	2	—	—	3	—	—	—	79	74	—	—	4	—	1	—	—
		F	124	121	1	1	1	—	—	—	—	39	39	—	—	—	—	—	—	—
26	Violence, apart from {	M	89	14	2	9	6	10	19	23	6	65	5	4	6	5	7	15	16	7
suicide.		F	49	5	3	7	6	3	3	6	16	28	3	—	4	4	1	2	7	7
27	Suicide {	M	34	—	—	—	—	1	11	18	4	17	—	—	—	1	1	7	6	2
		F	6	—	—	—	—	1	1	2	2	8	—	—	—	—	3	2	2	1
28	Other defined diseases ... {	M	641	66	7	8	15	15	66	146	318	287	23	2	5	9	9	22	49	168
		F	692	40	7	3	12	21	59	137	413	279	24	3	4	4	6	24	52	162
29	Causes ill-defined or un- {	M	5	—	—	—	—	—	—	5	—	2	2	—	—	—	—	—	—	—
known.		F	11	3	1	—	1	1	—	3	2	2	1	—	—	—	—	1	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF SUSSEX, EAST—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	617	58	9	12	20	31	59	145	283	716	73	10	9	21	24	84	154	341		
	F	698	47	10	15	20	23	75	181	327	640	67	8	5	23	23	62	135	317		
1 Enteric fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	1	—	—	—	1	—	—	—	—	2	—	1	1	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	3	1	1	—	1	—	—	—	—		
4 Scarlet fever	M	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—		
5 Whooping cough	M	3	2	—	1	—	—	—	—	—	5	4	1	—	—	—	—	—	—		
	F	3	1	1	1	—	—	—	—	—	5	3	1	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	4	—	—	—	4	—	—	—	—	4	—	—	—	4	—	—	—	—		
	F	6	—	1	—	5	—	—	—	—	1	—	—	—	1	—	—	—	—		
7 Influenza	M	14	—	—	—	—	1	1	2	10	14	2	—	—	—	1	1	3	7		
	F	11	—	—	—	—	—	1	4	6	12	—	—	—	—	—	—	4	8		
8 Erysipelas	M	2	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	1	—		
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	53	—	1	1	—	9	18	22	2	59	—	—	—	—	10	26	18	5		
	F	48	—	—	1	2	11	22	12	—	49	—	—	—	7	14	15	9	4		
10 Tuberculous meningitis	M	9	—	2	3	4	—	—	—	—	3	—	—	1	2	—	—	—	—		
	F	5	—	—	1	4	—	—	—	—	5	—	1	—	1	2	—	1	—		
11 Other tuberculous diseases.	M	8	1	1	1	1	1	2	1	—	13	1	1	1	2	2	2	3	1		
	F	8	1	—	—	1	—	2	3	1	2	—	—	—	1	—	1	—	—		
12 Cancer, malignant disease	M	70	—	—	—	—	1	6	18	45	71	—	—	—	—	1	6	25	39		
	F	105	—	—	—	—	1	5	53	46	68	—	—	—	1	1	7	32	27		
13 Rheumatic fever	M	1	—	—	—	—	—	—	—	1	4	—	—	—	2	—	2	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	—		
14 Meningitis	M	7	1	1	1	2	2	—	—	—	5	3	—	—	1	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	4	—	1	—	1	1	1	—	—		
15 Organic heart disease ...	M	72	—	—	—	—	2	5	20	45	90	—	—	—	—	1	5	21	63		
	F	92	—	—	—	2	—	3	28	59	108	—	—	—	—	1	5	24	78		
16 Bronchitis	M	23	—	—	—	—	—	—	1	22	39	3	3	1	—	—	—	2	30		
	F	46	3	1	1	—	—	1	3	37	43	4	1	—	—	—	1	6	31		
17 Pneumonia (all forms)...	M	27	7	2	1	1	1	1	8	6	34	8	2	1	3	—	6	4	10		
	F	31	3	1	3	2	—	2	3	17	32	4	2	1	1	—	2	2	20		
18 Other respiratory diseases	M	13	3	—	—	—	—	—	2	8	11	—	—	—	—	1	3	5	2		
	F	11	—	—	1	—	—	1	3	6	12	—	—	—	—	1	—	4	7		
19 Diarrhœa, &c.	M	11	7	—	—	—	—	—	1	3	11	5	1	—	1	—	1	3	—		
	F	10	3	1	1	—	1	1	2	1	8	4	—	—	1	—	—	1	2		
20 Appendicitis and typhlitis	M	2	—	—	—	1	1	—	—	—	4	—	—	—	—	1	—	2	1		
	F	7	—	—	—	—	3	3	1	—	2	—	—	—	1	—	—	—	1		
21 Cirrhosis of liver	M	12	—	—	—	—	—	1	7	4	6	—	—	—	—	—	—	4	2		
	F	11	—	—	—	—	—	1	7	3	3	—	—	—	—	—	—	2	1		
21A Alcoholism	M	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	24	—	—	—	1	1	2	11	9	22	—	—	—	—	2	2	7	11		
	F	22	—	—	—	—	—	2	10	10	15	1	—	—	1	—	1	7	5		
23 Puerperal fever... ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	1	3	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	1	6	—	—	6	—	—	—	—	1	5	—	—		
25 Congenital debility, &c. ...	M	27	27	—	—	—	—	—	—	—	38	37	—	1	—	—	—	—	—		
	F	23	22	1	—	—	—	—	—	—	42	41	—	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	16	1	—	1	1	4	3	4	2	30	2	—	3	2	2	5	10	6		
	F	14	3	1	—	—	—	3	4	3	11	1	—	1	1	—	1	1	6		
27 Suicide	M	7	—	—	—	—	1	2	3	1	11	—	—	—	—	—	4	4	3		
	F	4	—	—	—	—	1	2	1	—	1	—	—	—	—	—	—	1	—		
28 Other defined diseases ...	M	205	9	2	1	4	6	16	44	123	231	8	—	—	4	3	19	38	159		
	F	224	10	1	6	4	3	16	46	138	199	8	—	2	4	2	21	39	123		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	—	1	7	—	1	—	—	—	—	4	2		
	F	3	—	2	—	—	—	—	1	—	3	—	—	—	—	—	—	—	3		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF SUSSEX, WEST—1912.

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	488	52	9	13	15	18	53	109	219	570	80	9	15	18	18	53	134	243		
		F	538	36	9	16	13	16	64	103	281	464	45	2	11	15	14	47	93	237		
1 Enteric fever	...	M	2	—	—	—	—	—	1	1	—	3	—	—	—	—	2	—	1	—		
		F	1	—	—	—	—	1	—	—	—	2	—	—	—	—	1	—	—	—		
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
		F	—	—	—	—	—	—	—	—	—	3	2	—	1	—	—	—	—	—		
4 Scarlet fever	...	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	...	M	8	5	2	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
		F	5	3	—	1	1	—	—	—	—	4	3	—	1	—	—	—	—	—		
6 Diphtheria and croup	...	M	5	—	2	2	1	—	—	—	—	3	—	—	2	1	—	—	—	—		
		F	2	—	—	1	1	—	—	—	—	6	—	—	3	3	—	—	—	—		
7 Influenza	...	M	6	—	—	—	—	2	—	—	4	5	—	—	—	—	—	1	2	2		
		F	6	—	—	—	—	—	1	—	5	1	—	—	—	—	—	—	1	—		
8 Erysipelas	...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
		F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
9 Pulmonary tuberculosis		M	31	—	—	1	2	3	17	5	3	41	—	—	—	2	6	15	17	1		
		F	39	1	—	—	1	9	17	11	—	29	—	—	1	1	2	13	9	3		
10 Tuberculous meningitis		M	7	—	2	2	3	—	—	—	—	6	—	—	2	3	—	1	—	—		
		F	5	—	1	1	1	1	—	—	—	2	—	—	—	2	—	—	—	—		
11 Other tuberculous diseases.		M	2	—	—	—	2	—	—	—	—	8	1	—	4	—	1	1	1	—		
		F	8	1	—	2	2	1	2	—	—	3	—	—	—	2	—	—	—	1		
12 Cancer, malignant disease		M	43	—	—	—	—	—	1	21	21	61	—	—	—	2	—	5	19	35		
		F	77	—	—	—	—	1	7	26	43	54	—	—	—	—	—	4	21	29		
13 Rheumatic fever	...	M	2	—	—	—	—	1	1	—	—	2	—	—	—	—	—	—	—	2		
		F	1	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—		
14 Meningitis	...	M	3	2	—	—	1	—	—	—	—	2	—	—	—	—	—	1	1	—		
		F	2	1	—	1	—	—	—	—	—	4	2	—	—	—	2	—	—	—		
15 Organic heart disease	...	M	65	—	—	—	—	1	5	14	45	65	—	—	—	1	—	4	25	35		
		F	77	—	—	—	2	1	2	19	53	72	1	—	—	—	2	3	22	44		
16 Bronchitis	...	M	28	7	—	—	—	—	—	3	18	28	4	—	—	—	1	1	1	21		
		F	30	4	—	1	—	—	—	4	21	28	3	—	1	—	—	1	2	21		
17 Pneumonia (all forms)		M	20	2	1	2	1	1	2	5	6	33	12	6	2	—	—	1	5	7		
		F	24	2	6	3	2	—	1	—	10	19	3	—	2	—	—	3	4	7		
18 Other respiratory diseases		M	9	—	—	—	—	—	—	2	7	10	3	—	1	1	—	—	1	4		
		F	4	—	—	—	—	—	1	2	1	8	—	—	—	—	1	1	—	6		
19 Diarrhoea, &c.	...	M	7	3	—	—	—	—	—	2	2	16	7	1	1	—	—	1	4	2		
		F	7	3	1	—	—	—	—	1	2	4	1	—	—	—	—	1	1	1		
20 Appendicitis and typhlitis		M	3	—	—	—	—	—	1	1	1	3	—	—	—	—	1	—	2	—		
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—		
21 Cirrhosis of liver	...	M	5	—	—	—	—	—	1	1	3	4	—	—	—	1	—	—	2	1		
		F	6	—	—	—	—	—	1	3	2	4	—	—	—	—	—	—	2	2		
21A Alcoholism	...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
		F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
22 Nephritis and Bright's disease.		M	14	—	—	—	1	—	1	9	3	19	1	—	—	1	—	2	9	6		
		F	21	—	—	—	—	—	3	6	12	7	—	—	—	1	—	1	1	4		
23 Puerperal fever...	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	2	—	—		
24 Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	2	—	—	—	—	—	2	—	—	4	—	—	—	—	—	4	—	—		
25 Congenital debility, &c.		M	22	21	—	—	1	—	—	—	—	37	35	1	—	—	—	1	—	—		
		F	16	15	—	—	—	—	1	—	—	21	20	—	—	1	—	—	—	—		
26 Violence, apart from suicide.		M	25	2	—	2	—	3	7	8	3	29	3	—	1	3	3	7	8	4		
		F	12	1	—	3	—	—	1	1	6	10	—	2	1	2	—	—	2	3		
27 Suicide	...	M	11	—	—	—	—	1	2	5	3	10	—	—	—	—	—	1	7	2		
		F	2	—	—	—	—	—	—	2	—	5	—	—	—	—	—	3	1	1		
28 Other defined diseases	...	M	167	10	1	3	3	6	14	30	100	182	13	1	2	3	4	11	28	120		
		F	184	4	1	3	1	2	21	27	125	165	9	—	—	2	5	11	24	114		
29 Causes ill-defined or unknown.		M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
		F	5	1	—	—	1	—	2	—	1	1	1	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF WARWICKSHIRE—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	778	148	29	31	25	24	82	181	258	1,135	183	37	44	33	48	121	230	435		
	F	844	110	35	35	28	28	98	159	351	987	127	35	45	49	42	108	178	403		
1 Enteric fever ...	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	1	—	1	—		
	F	3	—	—	—	1	—	2	—	—	1	—	—	—	—	—	—	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	24	6	9	7	2	—	—	—	—	13	1	4	7	1	—	—	—	—		
	F	28	1	10	15	2	—	—	—	—	18	2	5	8	3	—	—	—	—		
4 Scarlet fever ...	M	5	1	—	4	—	—	—	—	—	4	—	—	2	2	—	—	—	—		
	F	5	—	—	3	2	—	—	—	—	11	—	1	5	5	—	—	—	—		
5 Whooping cough ...	M	9	5	2	2	—	—	—	—	—	33	19	7	7	—	—	—	—	—		
	F	7	2	3	2	—	—	—	—	—	28	11	6	9	2	—	—	—	—		
6 Diphtheria and croup ...	M	4	—	1	3	—	—	—	—	—	7	—	1	3	3	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	8	1	—	3	3	—	—	1	—		
7 Influenza ...	M	12	2	1	1	1	—	2	2	3	11	1	—	1	—	2	1	3	3		
	F	13	—	—	—	—	—	1	4	8	19	—	1	—	—	—	1	5	12		
8 Erysipelas ...	M	3	1	—	—	—	—	—	1	1	2	—	—	—	—	—	1	—	1		
	F	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	—	2	2		
9 Pulmonary tuberculosis	M	46	1	—	1	—	7	17	18	2	72	—	—	1	2	13	37	16	3		
	F	39	—	—	—	3	14	16	5	1	44	—	—	—	6	10	18	7	3		
10 Tuberculous meningitis	M	9	2	3	1	2	—	1	—	—	6	2	2	—	1	1	—	—	—		
	F	9	1	3	1	2	1	1	—	—	6	2	—	1	2	—	1	—	—		
11 Other tuberculous diseases.	M	13	4	4	1	1	2	1	—	—	14	1	1	2	2	3	5	—	—		
	F	12	3	—	—	1	2	4	2	—	12	2	1	—	3	2	3	1	—		
12 Cancer, malignant disease	M	65	—	—	—	—	—	4	25	36	79	—	—	—	—	—	2	34	43		
	F	100	—	—	—	1	—	10	42	47	111	—	—	1	1	—	10	47	52		
13 Rheumatic fever ...	M	3	—	—	1	2	—	—	—	—	5	—	—	—	2	—	2	1	—		
	F	3	—	—	—	1	2	—	—	—	9	—	—	1	—	3	5	—	—		
14 Meningitis ...	M	6	3	1	—	1	—	1	—	—	9	3	1	2	1	—	1	1	—		
	F	1	—	—	—	—	1	—	—	—	11	3	1	1	4	1	—	1	—		
15 Organic heart disease ...	M	85	—	—	—	2	2	8	26	47	103	—	—	—	—	3	4	35	61		
	F	99	—	—	—	—	2	15	23	59	137	—	—	1	4	1	9	36	86		
16 Bronchitis ...	M	41	15	—	1	1	—	—	9	15	78	13	2	2	—	—	2	11	48		
	F	49	5	1	2	—	—	3	3	35	51	6	2	2	1	—	—	5	35		
17 Pneumonia (all forms)...	M	62	19	4	4	—	3	9	15	8	79	22	9	7	3	2	6	19	11		
	F	58	5	10	3	4	—	8	10	18	59	7	12	5	3	6	7	7	12		
18 Other respiratory diseases	M	9	1	1	—	—	—	—	1	6	15	—	—	2	1	—	3	5	4		
	F	12	1	—	1	—	—	4	1	5	12	3	—	1	1	1	1	3	2		
19 Diarrhoea, &c. ...	M	15	7	2	1	—	—	2	2	1	31	13	4	—	1	2	2	4	5		
	F	13	8	3	—	—	—	—	—	2	11	4	—	1	—	2	2	—	4		
20 Appendicitis and typhlitis	M	4	—	—	—	1	—	2	1	—	7	—	—	—	1	1	2	2	1		
	F	5	—	—	—	1	—	1	2	1	4	—	—	—	2	2	—	—	—		
21 Cirrhosis of liver ...	M	8	—	—	—	—	—	—	5	3	10	—	—	—	—	—	1	6	3		
	F	8	—	—	—	—	—	1	4	3	7	—	—	—	—	—	2	3	2		
21A Alcoholism ...	M	3	—	—	—	—	—	2	1	—	2	—	—	—	—	—	1	—	1		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—		
22 Nephritis and Bright's disease.	M	25	—	—	—	2	—	4	8	11	37	—	—	1	1	2	4	15	14		
	F	21	—	—	—	2	—	1	7	11	20	—	—	—	—	2	4	5	9		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	10	—	—	—	—	3	7	—	—	8	—	—	—	—	—	8	—	—		
25 Congenital debility, &c.	M	54	53	1	—	—	—	—	—	—	72	72	—	—	—	—	—	—	—		
	F	62	62	—	—	—	—	—	—	—	68	68	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	31	3	—	1	3	2	10	8	4	53	3	2	4	7	6	15	9	7		
	F	13	1	—	2	3	—	3	3	1	24	3	3	4	3	2	1	2	6		
27 Suicide ...	M	13	—	—	—	—	1	2	8	2	11	—	—	—	—	—	7	3	1		
	F	4	—	—	—	—	—	2	2	—	5	—	—	—	—	—	5	—	—		
28 Other defined diseases ...	M	224	25	—	3	7	7	15	50	117	374	33	4	3	5	12	24	62	231		
	F	263	21	5	5	5	3	17	48	159	291	14	3	2	6	12	28	48	178		
29 Causes ill-defined or unknown.	M	4	—	—	—	—	—	1	1	2	6	—	—	—	—	—	1	3	2		
	F	3	—	—	—	—	—	—	2	1	4	1	—	—	—	—	—	3	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF WESTMORLAND—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	155	17	4	6	3	3	17	40	65	254	33	4	1	8	11	24	55	118		
	F	171	19	4	2	3	8	17	44	74	198	20	5	3	4	2	18	52	94		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	1	1	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—		
	F	3	—	2	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough ...	M	1	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
7 Influenza ...	M	3	—	—	—	—	—	—	—	3	7	1	—	—	—	—	1	—	5		
	F	6	1	—	—	—	—	—	2	3	6	—	—	1	—	—	1	3	1		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—		
9 Pulmonary tuberculosis	M	12	—	1	—	1	—	5	4	1	13	—	1	—	—	3	4	5	—		
	F	8	—	—	—	—	4	2	2	—	5	—	—	—	—	4	—	—	1		
10 Tuberculous meningitis	M	1	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	2	—	—	2	—	—	—	—	—	2	—	—	—	—	—	1	1	—		
	F	3	—	—	—	—	—	3	—	—	3	1	—	—	—	—	—	1	1		
12 Cancer, malignant disease	M	18	—	—	—	—	1	2	7	8	25	—	—	—	—	1	1	7	16		
	F	18	—	—	—	—	—	1	7	10	24	—	—	—	1	—	1	9	13		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
	F	1	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—		
15 Organic heart disease ...	M	17	—	—	—	—	—	1	7	9	38	—	—	—	—	1	3	8	26		
	F	24	—	—	—	—	1	1	10	12	24	—	—	—	2	—	—	10	12		
16 Bronchitis ...	M	8	1	—	—	—	—	1	2	4	6	3	—	—	—	—	—	1	2		
	F	16	3	—	—	—	—	1	5	7	10	—	1	—	—	—	—	1	8		
17 Pneumonia (all forms)...	M	12	4	—	—	—	—	2	3	3	14	1	2	—	—	—	2	5	4		
	F	8	—	1	1	—	—	1	1	4	7	1	1	—	—	—	1	1	3		
18 Other respiratory diseases	M	3	—	1	—	—	—	—	1	1	6	2	—	—	1	—	—	2	1		
	F	2	—	—	—	—	—	—	2	—	4	1	—	—	—	—	—	2	1		
19 Diarrhoea, &c. ...	M	2	1	1	—	—	—	—	—	—	6	1	—	—	1	—	1	1	2		
	F	2	1	—	—	1	—	—	—	—	3	—	1	—	—	—	1	1	1		
20 Appendicitis and typhlitis	M	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	1	1	1	2	—	—	—	—	—	—	1	1		
	F	2	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—	2	—		
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	4	—	—	—	—	—	—	3	1	8	1	—	—	—	—	1	2	4		
	F	6	—	—	—	—	—	1	2	3	3	—	—	—	—	—	—	1	2		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	5	—	—	—	—	—	5	—	—		
25 Congenital debility, &c.	M	7	7	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—		
	F	10	10	—	—	—	—	—	—	—	8	8	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	7	1	—	1	—	1	2	1	1	13	—	—	—	—	5	3	4	1		
	F	3	—	—	—	1	1	1	—	—	1	—	—	—	—	—	—	—	1		
27 Suicide ...	M	4	—	—	—	—	—	1	3	—	8	—	—	—	—	—	2	5	1		
	F	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	2	—		
28 Other defined diseases ...	M	44	1	—	2	2	—	2	5	32	74	8	—	—	2	—	4	10	50		
	F	51	4	1	—	—	1	2	10	33	80	7	1	—	—	2	6	16	48		
29 Causes ill-defined or unknown.	M	3	—	—	—	—	—	—	2	1	6	—	—	—	—	—	—	1	5		
	F	2	—	—	—	1	—	—	1	—	4	—	—	—	—	—	—	2	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
WIGHT, ISLE OF—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.									RURAL DISTRICT								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES	M F	352 377	33 38	10 6	7 5	6 8	11 18	47 37	86 70	152 195	166 161	13 16	4 2	1 4	2 2	2 7	18 27	44 34	82 69
1 Enteric fever	M F	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
2 Small-pox'	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
3 Measles	M F	2 1	— —	— 1	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
4 Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
5 Whooping cough	M F	5 4	3 3	2 —	— 1	— —	— —	— —	— —	— —	1 3	1 1	— 2	— —	— —	— —	— —	— —	— —
6 Diphtheria and croup	M F	4 4	— —	1 —	1 3	1 —	1 —	— 1	— —	— —	2 2	— —	— —	1 1	1 —	— —	— —	— —	— —
7 Influenza	M F	5 7	— —	— —	— —	— —	— —	1 —	1 1	3 6	4 3	— —	1 —	— —	— —	— —	— —	1 1	2 2
8 Erysipelas	M F	1 3	— —	— —	— —	— —	1 —	— —	— —	1 2	— 2	— —	— —	— —	— —	— —	1 —	— —	1 1
9 Pulmonary tuberculosis {	M F	30 27	1 —	— —	— 1	— —	2 6	14 13	11 5	2 2	10 18	— —	— —	— —	— —	1 3	4 12	4 3	1 —
10 Tuberculous meningitis {	M F	— 4	— 1	— 1	— —	— 2	— —	— —	— —	— —	— 3	— —	— —	— 1	— —	— —	— 2	— —	— —
11 Other tuberculous diseases.	M F	5 3	— —	— —	— —	1 1	1 1	— —	2 1	— —	2 1	— 1	— —	— —	— —	— —	— —	1 —	1 —
12 Cancer, malignant disease {	M F	43 34	— —	1 —	— —	— —	— 1	4 4	20 18	18 11	19 16	— —	— —	— —	— —	— 1	— 3	8 9	11 3
13 Rheumatic fever	M F	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
14 Meningitis	M F	1 1	1 1	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	1 —	— —
15 Organic heart disease	M F	50 56	— —	— —	— —	— —	2 1	4 6	12 12	32 37	26 23	— —	— —	— —	— —	— —	1 1	7 6	18 16
16 Bronchitis	M F	15 26	— —	1 —	1 —	1 —	— —	— —	1 2	11 24	8 6	— 2	— —	— —	— —	— —	— —	— —	8 4
17 Pneumonia (all forms)... {	M F	15 21	4 4	2 3	2 —	— 1	— —	2 1	2 2	3 10	7 8	2 3	— —	— 2	— —	— 1	3 —	— 1	2 1
18 Other respiratory diseases {	M F	6 7	— —	1 —	— —	1 —	— —	— —	3 4	1 3	3 3	— 1	1 —	— —	— 1	— —	1 —	— —	1 1
19 Diarrhoea, &c.	M F	4 6	1 4	— 1	— —	— —	— —	— —	— —	3 1	1 4	1 1	— —	— —	— —	— —	1 —	— —	2 —
20 Appendicitis and typhlitis {	M F	3 3	— —	— —	— —	1 1	1 —	— —	1 1	— 1	1 —	— —	— —	— —	— —	— 1	— —	— —	— —
21 Cirrhosis of liver	M F	6 —	— —	— —	— —	— —	— —	— —	4 —	2 —	— 1	— —	— —	— —	— —	— 1	— —	— —	— —
21A Alcoholism	M F	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
22 Nephritis and Bright's disease.	M F	14 10	— 1	— —	— —	— —	— —	3 1	5 2	6 6	10 2	— —	— —	— —	— —	— —	2 —	3 —	5 2
23 Puerperal fever... ..	M F	— 2	— —	— —	— —	— —	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
24 Parturition, apart from puerperal fever.	M F	— 1	— —	— —	— —	— —	— —	— 1	— —	— —	— 2	— —	— —	— —	— —	— —	— 2	— —	— —
25 Congenital debility, &c. {	M F	16 16	16 16	— —	— —	— —	— —	— —	— —	— —	7 5	7 5	— —	— —	— —	— —	— —	— —	— —
26 Violence, apart from suicide.	M F	8 3	1 —	— —	— —	— —	— 1	2 —	4 —	1 2	9 2	— —	1 —	— —	1 —	1 1	3 —	3 1	— —
27 Suicide	M F	2 1	— —	— —	— —	— —	2 1	— —	— —	— —	2 —	— —	— —	— —	— —	— —	1 —	1 —	— —
28 Other defined diseases	M F	113 132	6 7	2 —	1 —	1 3	2 4	14 10	19 20	68 88	52 56	2 2	1 —	— —	— —	— 1	15 12	33 37	
29 Causes ill-defined or unknown.	M F	1 5	— 1	— —	— —	— —	— —	— —	— 2	1 2	2 —	— —	— —	— —	— —	— —	1 —	1 —	— —

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF WILTSHIRE—1912.

Causes of Death.			Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	703	101	20	18	32	27	82	179	244	982	111	20	21	25	34	97	192	482		
			F	698	76	25	17	19	18	74	144	325	951	105	19	10	36	18	106	189	468		
1 Enteric fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	10	1	2	2	4	1	—	—	—	1	1	—	—	—	—	—	—	—		
			F	8	—	3	3	2	—	—	—	—	1	—	1	—	—	—	—	—	—		
4 Scarlet fever	M	2	—	—	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
			F	1	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
5 Whooping cough	M	4	3	1	—	—	—	—	—	—	6	3	2	1	—	—	—	—	—		
			F	8	4	2	2	—	—	—	—	—	17	10	4	2	1	—	—	—	—		
6 Diphtheria and croup	M	5	—	1	2	2	—	—	—	—	2	—	—	—	2	—	—	—	—		
			F	1	—	—	1	—	—	—	—	—	3	—	—	—	3	—	—	—	—		
7 Influenza	M	4	—	—	1	—	1	—	1	1	9	—	1	1	1	—	—	1	5		
			F	5	—	—	—	—	—	—	1	4	16	—	—	—	—	—	3	5	8		
8 Erysipelas	M	2	1	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—		
			F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	{		M	61	—	—	—	2	12	27	19	1	65	—	1	—	1	9	39	13	2		
		F	40	—	1	—	2	8	21	6	2	46	—	—	—	4	4	24	9	5			
10 Tuberculous meningitis	{		M	11	1	1	3	6	—	—	—	—	5	1	1	—	1	2	—	—	—		
		F	4	1	1	1	—	—	1	—	—	3	—	1	—	1	—	1	—	—	—		
11 Other tuberculous diseases.	{		M	6	2	—	1	1	—	2	—	—	15	4	1	2	1	2	3	2	—		
		F	3	1	1	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—		
12 Cancer, malignant disease	{		M	53	—	—	—	—	—	4	23	26	78	—	—	—	—	—	6	24	48		
		F	81	—	—	—	—	2	4	35	40	107	—	—	1	—	—	9	51	46			
13 Rheumatic fever	M	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
			F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	2	1	—		
14 Meningitis	M	2	—	—	—	2	—	—	—	—	3	—	1	1	—	—	—	1	—		
			F	6	3	—	—	2	—	—	1	—	4	1	—	—	3	—	—	—	—		
15 Organic heart disease	M	80	—	—	—	4	2	7	29	38	132	—	1	—	—	1	6	34	90		
			F	109	—	—	—	1	3	7	32	66	142	—	—	—	6	3	10	33	90		
16 Bronchitis	M	47	7	—	—	—	—	—	11	29	58	8	1	1	—	2	—	7	39		
			F	52	4	—	—	1	—	—	6	41	50	6	1	2	—	—	2	4	35		
17 Pneumonia (all forms)	{		M	48	13	9	1	4	1	5	13	2	39	9	3	5	1	2	1	5	13		
		F	32	7	8	4	2	—	3	3	5	44	6	8	—	2	1	6	5	16			
18 Other respiratory diseases	{		M	9	1	—	—	—	1	2	2	3	16	—	2	1	—	—	1	8	4		
		F	11	1	—	1	—	—	2	1	6	15	1	—	2	—	2	1	3	6			
19 Diarrhoea, &c.	M	16	6	—	1	—	1	1	4	3	18	6	3	1	1	—	—	2	5		
			F	16	5	3	1	1	—	1	1	4	12	7	1	—	1	—	2	1	—		
20 Appendicitis and typhlitis	{		M	7	—	—	1	—	2	2	2	—	6	—	—	—	3	—	—	2	—		
		F	6	—	—	—	3	—	—	—	2	1	4	—	—	—	4	—	—	—	—		
21 Cirrhosis of liver	M	12	—	—	—	—	—	—	10	2	7	—	—	—	—	—	4	3			
			F	4	—	—	—	—	—	—	3	1	5	—	—	—	—	—	3	2			
21A Alcoholism	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	—	1		
			F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
22 Nephritis and Bright's disease.	{		M	30	1	1	1	1	—	6	9	11	24	—	—	—	—	—	1	9	14		
		F	21	—	—	—	—	—	—	6	7	8	28	—	—	1	—	1	3	13	10		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	3	—	—		
24 Parturition, apart from puerperal fever.	{		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	9	—	—	—	—	—	—	9	—	—	—	15	—	—	—	—	1	14	—		
25 Congenital debility, &c.	{		M	54	51	2	1	—	—	—	—	—	52	51	—	—	—	1	—	—	—		
		F	34	34	—	—	—	—	—	—	—	—	50	49	1	—	—	—	—	—	—		
26 Violence, apart from suicide.	{		M	20	2	—	2	2	3	4	4	3	55	2	2	8	3	4	9	18	9		
		F	15	4	2	1	1	1	1	1	1	4	19	5	—	1	2	3	—	3	5		
27 Suicide	M	6	—	—	—	—	—	2	3	1	12	—	—	—	—	—	5	3	4		
			F	2	—	—	—	—	—	2	—	—	3	—	—	—	—	—	2	1	—		
28 Other defined diseases	M	208	12	3	—	2	2	18	47	124	362	25	1	—	9	11	23	53	240		
			F	223	12	4	1	3	4	15	42	142	348	19	1	1	7	3	26	51	240		
29 Causes ill-defined or unknown.	{		M	2	—	—	—	1	—	—	1	—	12	1	—	—	1	—	1	5	4		
		F	4	—	—	1	—	—	—	—	2	1	9	—	1	—	—	—	—	4	4		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF WORCESTERSHIRE—1912.

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	1,048	208	47	30	29	43	109	236	346	897	119	22	24	30	28	96	210	368	
			F	964	154	39	31	31	39	95	188	387	843	110	25	22	31	32	75	146	402	
1	Enteric fever	...	M	5	—	—	—	—	1	3	1	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	
2	Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	...	M	7	1	3	2	1	—	—	—	—	4	—	3	1	—	—	—	—	—	
			F	9	1	3	4	1	—	—	—	—	5	—	5	—	—	—	—	—	—	
4	Scarlet fever	...	M	2	1	—	1	—	—	—	—	—	2	—	—	—	2	—	—	—	—	
			F	4	1	—	2	1	—	—	—	—	2	—	—	1	1	—	—	—	—	
5	Whooping cough	...	M	29	13	10	5	1	—	—	—	—	15	6	5	4	—	—	—	—	—	
			F	32	10	9	10	3	—	—	—	—	20	8	6	6	—	—	—	—	—	
6	Diphtheria and croup	...	M	5	—	—	1	4	—	—	—	—	7	—	1	2	4	—	—	—	—	
			F	3	—	—	2	—	1	—	—	—	8	—	—	2	6	—	—	—	—	
7	Influenza	...	M	19	4	—	1	—	—	3	5	6	15	1	—	—	1	—	3	7	3	
			F	13	1	—	—	1	—	1	4	6	10	1	—	—	—	—	1	1	7	
8	Erysipelas	...	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	1	—	—	—	3	—	—	—	—	—	1	2	—	
9	Pulmonary tuberculosis		M	67	1	—	—	1	13	28	22	2	59	—	—	—	4	9	24	19	3	
			F	60	1	1	—	5	12	29	10	2	40	—	—	—	1	15	19	4	1	
10	Tuberculous meningitis		M	9	1	2	2	2	—	—	1	1	7	1	1	—	4	1	—	—	—	
			F	12	2	2	2	6	—	—	—	—	8	—	1	1	5	—	1	—	—	
11	Other tuberculous diseases.		M	7	1	2	1	3	—	—	—	—	11	2	—	1	2	2	2	2	—	
			F	7	1	1	1	2	1	—	—	1	5	1	—	—	1	—	2	1	—	
12	Cancer, malignant disease		M	77	—	—	—	—	1	8	33	35	60	—	—	—	—	1	4	21	34	
			F	103	—	—	—	—	2	13	46	42	87	—	—	1	—	—	6	38	42	
13	Rheumatic fever	...	M	5	—	—	—	—	2	2	—	1	3	—	—	—	—	2	1	—	—	
			F	5	—	—	—	—	3	—	2	—	4	—	—	—	2	1	—	1	—	
14	Meningitis	...	M	11	4	2	—	1	—	2	2	—	3	1	1	—	—	1	—	—	—	
			F	7	3	3	—	—	—	—	1	—	3	1	1	1	—	—	—	—	—	
15	Organic heart disease	...	M	97	—	—	—	3	4	11	36	43	117	—	—	—	1	2	6	38	70	
			F	99	—	—	—	2	2	8	35	52	111	—	—	—	3	2	2	37	67	
16	Bronchitis	...	M	110	34	6	—	—	1	4	20	45	52	10	—	1	—	—	4	6	31	
			F	103	19	5	3	—	—	3	16	57	66	7	1	—	1	—	1	9	47	
17	Pneumonia (all forms)...		M	75	17	8	11	1	3	7	14	14	70	12	6	8	2	1	10	19	12	
			F	56	15	10	2	3	2	4	6	14	54	18	5	4	2	4	7	2	12	
18	Other respiratory diseases		M	17	—	1	1	—	—	2	6	7	15	1	1	1	1	—	—	7	4	
			F	9	1	1	—	—	—	1	5	1	12	2	—	1	1	1	1	1	5	
19	Diarrhoea, &c.	...	M	31	18	4	1	—	1	—	2	5	20	12	—	—	1	—	—	3	4	
			F	26	18	2	2	—	—	—	2	2	17	5	1	—	—	—	—	3	8	
20	Appendicitis and typhlitis		M	11	—	—	—	2	4	3	2	—	2	—	—	—	—	1	1	—	—	
			F	5	—	—	—	—	1	1	2	1	4	—	—	—	1	1	2	—	—	
21	Cirrhosis of liver	...	M	10	—	—	—	—	—	1	6	3	11	—	—	—	—	—	1	6	4	
			F	3	—	—	—	—	—	1	2	—	5	—	—	—	—	—	—	2	3	
21A	Alcoholism	...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	
22	Nephritis and Bright's disease.		M	36	—	1	—	—	1	8	17	9	30	—	1	—	—	—	3	9	17	
			F	24	—	1	—	—	1	3	9	10	21	—	—	1	—	1	1	8	10	
23	Puerperal fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	4	—	—	—	—	1	2	1	—	1	—	—	—	—	—	1	—	—	
24	Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	10	—	—	—	—	5	5	—	—	6	—	—	—	—	—	6	—	—	
25	Congenital debility, &c.		M	77	76	1	—	—	—	—	—	—	46	46	—	—	—	—	—	—	—	
			F	59	59	—	—	—	—	—	—	—	48	47	1	—	—	—	—	—	—	
26	Violence, apart from suicide.		M	41	2	2	2	5	7	9	7	7	42	3	—	4	2	1	10	11	11	
			F	23	6	—	2	2	1	2	—	10	12	2	—	2	1	1	—	2	4	
27	Suicide	...	M	11	—	—	—	—	1	4	4	2	10	—	—	—	—	1	7	2	—	
			F	4	—	—	—	—	1	1	2	—	3	—	—	—	—	1	—	2	—	
28	Other defined diseases	...	M	280	35	5	2	5	4	13	52	164	284	21	3	2	4	5	19	57	173	
			F	275	16	1	1	5	5	19	44	184	282	18	3	2	5	4	25	31	194	
29	Causes ill-defined or unknown.		M	6	—	—	—	—	—	1	3	2	12	3	—	—	2	1	1	3	2	
			F	6	—	—	—	—	—	1	—	5	4	—	1	—	—	—	—	3	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF YORKSHIRE, EAST RIDING—1912.

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	{	M	377	43	13	8	12	16	50	89	146	648	104	16	12	18	28	57	117	296		
				F	376	41	16	13	10	18	38	73	167	545	71	9	15	13	19	61	112	245		
1	Enteric fever	...	{	M	2	—	—	—	1	—	—	1	—	3	—	—	—	—	3	—	—	—		
				F	2	—	—	—	—	—	1	1	—	3	—	—	—	—	—	2	1	—		
2	Small-pox	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	...	{	M	4	1	1	1	1	—	—	—	—	5	3	1	1	—	—	—	—	—		
				F	2	1	—	—	—	—	1	—	—	2	1	—	—	1	—	—	—	—		
4	Scarlet fever	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	1	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
5	Whooping cough	...	{	M	—	—	—	—	—	—	—	—	—	5	2	2	1	—	—	—	—	—		
				F	2	—	1	1	—	—	—	—	—	10	4	3	3	—	—	—	—	—		
6	Diphtheria and croup	...	{	M	3	—	—	1	2	—	—	—	—	2	—	—	1	1	—	—	—	—		
				F	3	—	—	1	—	1	1	—	—	6	—	—	3	2	—	—	1	—		
7	Influenza	...	{	M	8	—	—	—	1	—	1	2	4	7	1	—	—	—	1	—	2	3		
				F	7	1	—	—	—	—	1	1	4	6	—	—	—	—	—	2	2	2		
8	Erysipelas	...	{	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
				F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
9	Pulmonary tuberculosis		{	M	31	—	—	1	1	5	19	5	—	28	—	—	—	2	5	13	7	1		
				F	25	—	—	—	1	10	11	2	1	40	—	—	—	1	10	22	5	2		
10	Tuberculous meningitis		{	M	1	—	—	1	—	—	—	—	—	6	1	2	—	2	1	—	—	—		
				F	6	—	1	4	1	—	—	—	—	7	1	1	2	2	1	—	—	—		
11	Other tuberculous diseases.		{	M	3	—	—	—	—	3	—	—	—	6	1	—	—	2	—	3	—	—		
				F	6	—	1	1	3	—	—	1	—	4	1	—	1	—	1	1	—	—		
12	Cancer, malignant disease		{	M	26	—	—	—	—	—	1	14	11	49	—	—	—	—	—	2	17	30		
				F	44	—	—	—	—	—	6	18	20	60	—	—	—	—	—	8	27	25		
13	Rheumatic fever	...	{	M	1	—	—	—	—	—	1	—	—	4	—	—	—	—	—	1	2	1		
				F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
14	Meningitis	...	{	M	4	2	1	—	—	—	1	—	—	4	2	1	—	—	1	—	—	—		
				F	2	—	—	—	1	—	1	—	—	5	—	—	1	3	—	—	1	—		
15	Organic heart disease	...	{	M	37	—	—	—	—	—	4	12	21	77	—	—	—	—	2	4	19	52		
				F	42	—	—	—	—	—	3	12	27	68	—	—	—	—	1	1	22	44		
16	Bronchitis	...	{	M	22	3	2	1	—	—	—	4	12	32	10	—	—	—	1	—	3	18		
				F	22	4	1	1	—	—	—	2	14	40	8	2	—	—	—	—	1	29		
17	Pneumonia (all forms)...		{	M	19	3	2	1	1	—	4	2	6	43	7	6	3	2	1	6	7	11		
				F	18	4	7	1	—	1	—	1	4	20	4	—	1	1	1	8	2	3		
18	Other respiratory diseases		{	M	8	—	1	2	1	—	—	3	1	11	—	—	1	1	—	3	2	4		
				F	4	—	—	—	—	—	—	3	1	9	—	—	1	—	—	1	3	4		
19	Diarrhoea, &c.	...	{	M	7	5	—	—	—	—	—	1	1	6	5	—	—	—	—	—	—	1		
				F	5	3	—	—	—	—	1	—	1	7	2	1	—	—	—	—	—	4		
20	Appendicitis and typhlitis		{	M	3	—	—	—	2	—	—	1	—	3	—	—	—	—	—	1	2	—		
				F	—	—	—	—	—	—	—	—	—	4	—	—	—	2	—	2	—	—		
21	Cirrhosis of liver	...	{	M	8	—	—	—	—	—	3	1	4	8	—	—	—	—	—	1	3	4		
				F	6	—	—	—	—	—	—	4	2	1	—	—	—	—	—	—	1	—		
21A	Alcoholism	...	{	M	3	—	—	—	—	—	1	2	—	1	—	—	—	—	—	—	1	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.		{	M	23	—	—	—	1	—	1	8	13	25	—	—	—	1	—	2	9	13		
				F	8	—	—	—	—	1	1	2	4	14	—	1	—	—	1	1	7	4		
23	Puerperal fever	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	1	—	—	—	—	1	—	—	—	2	—	—	—	—	1	1	—	—		
24	Parturition, apart from puerperal fever.		{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	1	—	—	—	—	1	—	—	—	7	—	—	—	—	2	5	—	—		
25	Congenital debility, &c.		{	M	16	16	—	—	—	—	—	—	—	45	45	—	—	—	—	—	—	—		
				F	20	17	1	—	1	1	—	—	—	30	30	—	—	—	—	—	—	—		
26	Violence, apart from suicide.		{	M	10	1	—	—	—	3	1	5	—	25	—	1	3	2	3	5	4	7		
				F	4	—	1	—	—	—	—	2	1	6	2	—	1	—	—	—	—	3		
27	Suicide	...	{	M	7	—	—	—	—	—	2	3	2	11	—	—	—	—	1	1	8	1		
				F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—		
28	Other defined diseases	...	{	M	124	12	6	—	1	5	10	21	69	236	27	3	1	5	8	15	29	148		
				F	140	11	3	2	3	2	9	23	87	190	18	1	1	1	1	5	38	125		
29	Causes ill-defined or unknown.		{	M	7	—	—	—	—	—	1	4	2	5	—	—	1	—	1	—	2	1		
				F	2	—	—	1	—	—	—	—	1	1	—	—	—	—	—	1	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
YORKSHIRE, NORTH RIDING—1912.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	1385	245	94	72	67	65	189	260	393	948	120	25	24	37	33	84	182	443		
	F	1341	217	77	73	84	47	150	244	449	837	107	21	25	29	33	92	162	368		
1 Enteric fever	M	8	—	—	—	—	1	6	—	1	5	—	—	—	1	—	4	—	—		
	F	7	—	—	—	2	1	3	—	1	3	—	—	—	—	3	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	48	7	25	12	4	—	—	—	—	5	1	1	—	1	2	—	—	—		
	F	43	5	17	14	7	—	—	—	—	1	—	1	—	—	—	—	—	—		
4 Scarlet fever	M	9	—	1	4	4	—	—	—	—	4	—	—	3	1	—	—	—	—		
	F	6	—	1	2	3	—	—	—	—	5	—	—	4	1	—	—	—	—		
5 Whooping cough	M	14	6	3	4	1	—	—	—	—	11	7	3	1	—	—	—	—	—		
	F	19	10	7	1	1	—	—	—	—	8	5	—	2	1	—	—	—	—		
6 Diphtheria and croup	M	29	—	2	13	13	1	—	—	—	9	—	—	2	6	1	—	—	—		
	F	30	2	3	9	15	1	—	—	—	9	—	—	3	6	—	—	—	—		
7 Influenza	M	26	—	—	—	1	—	6	5	14	28	1	1	—	1	—	2	8	15		
	F	28	—	—	—	2	1	2	7	16	21	1	—	1	1	—	1	5	12		
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	75	—	1	—	5	17	36	13	3	46	1	—	—	1	8	21	11	4		
	F	83	1	2	2	12	21	35	7	3	48	—	—	1	3	11	26	4	3		
10 Tuberculous meningitis	M	20	6	5	4	4	—	1	—	—	9	1	—	2	4	1	—	1	—		
	F	16	5	2	3	4	1	1	—	—	3	2	—	—	—	—	—	1	—		
11 Other tuberculous diseases.	M	21	3	4	1	3	3	4	2	1	10	—	1	1	1	2	5	—	—		
	F	26	3	1	3	8	4	5	1	1	14	—	1	1	2	2	4	3	1		
12 Cancer, malignant disease	M	92	—	—	1	—	2	8	37	44	75	—	—	—	—	—	5	28	42		
	F	120	—	—	—	1	2	18	60	39	76	—	—	—	—	—	6	37	33		
13 Rheumatic fever	M	8	—	—	—	3	1	—	3	1	5	—	—	—	1	1	1	—	2		
	F	4	—	—	—	4	—	—	—	—	5	—	—	—	—	2	1	1	1		
14 Meningitis	M	15	4	5	1	3	1	—	1	—	8	1	2	2	2	—	1	—	—		
	F	17	1	7	4	—	2	1	2	—	4	1	1	1	1	—	—	—	—		
15 Organic heart disease	M	123	—	—	—	1	3	14	50	55	110	—	—	—	1	1	7	24	77		
	F	151	1	—	—	2	2	13	49	84	87	—	—	—	1	—	2	23	61		
16 Bronchitis	M	87	15	11	5	1	—	2	15	38	55	15	3	1	—	—	—	8	28		
	F	105	15	8	7	1	1	5	9	59	59	14	6	—	1	—	1	3	34		
17 Pneumonia (all forms)... ..	M	153	22	19	12	10	11	32	26	21	64	8	4	2	1	5	6	17	21		
	F	77	19	9	10	4	1	11	7	16	60	8	8	6	2	1	10	5	20		
18 Other respiratory diseases	M	23	5	3	2	—	—	2	7	4	16	—	1	1	1	—	—	4	9		
	F	25	2	3	6	—	—	3	3	8	18	1	—	—	1	1	—	5	10		
19 Diarrhoea, &c.	M	34	20	3	2	2	—	1	2	4	9	2	1	1	—	—	1	1	3		
	F	19	10	4	1	1	—	1	2	—	17	7	—	—	1	1	1	2	5		
20 Appendicitis and typhlitis	M	6	—	—	—	3	2	—	1	—	6	—	—	—	3	1	1	1	—		
	F	5	—	—	—	1	2	1	—	1	4	—	—	1	—	1	2	—	—		
21 Cirrhosis of liver	M	11	—	—	—	—	—	2	3	6	8	—	—	—	—	—	—	4	4		
	F	8	—	—	—	1	—	—	6	1	5	—	—	—	—	—	—	3	2		
21A Alcoholism	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	40	—	—	—	3	—	13	13	11	26	—	—	—	—	—	4	8	14		
	F	29	—	—	—	—	—	6	9	14	19	—	—	—	—	1	1	7	10		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	11	—	—	—	—	1	10	—	—	11	—	—	—	—	1	10	—	—		
25 Congenital debility, &c.	M	108	106	—	—	1	—	1	—	—	57	54	—	1	1	—	—	—	—		
	F	96	96	—	—	—	—	—	—	—	46	46	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	56	6	3	4	3	16	12	10	2	47	1	2	2	5	6	9	13	9		
	F	24	5	—	3	3	1	1	5	6	12	—	—	—	1	1	4	1	5		
27 Suicide	M	24	—	—	—	—	1	19	4	—	9	—	—	—	—	—	6	2	1		
	F	4	—	—	—	—	—	3	1	—	4	—	—	—	—	2	—	2	—		
28 Other defined diseases	M	349	44	8	7	2	6	29	66	187	319	28	5	5	6	4	11	50	210		
	F	377	42	11	7	12	5	29	73	198	289	22	3	5	7	5	21	55	171		
29 Causes ill-defined or unknown.	M	4	1	1	—	—	—	1	—	1	6	—	1	—	—	—	—	2	3		
	F	7	—	2	—	—	—	—	3	2	7	—	1	—	—	1	—	5	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF YORKSHIRE, WEST RIDING—1912.

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	8,336	1606	426	378	332	371	969	2067	2187	2,640	561	136	100	100	137	334	532	740	
			F	8,061	1173	391	382	363	368	982	1733	2669	2,253	415	137	103	97	88	241	415	757	
1	Enteric fever	M	49	—	—	1	4	13	17	14	—	12	—	—	—	1	3	5	3	—
			F	35	—	—	—	3	9	15	8	—	7	—	—	—	1	2	4	—	—	
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	M	222	48	80	75	19	—	—	—	—	71	18	28	18	6	—	1	—	—
			F	204	34	79	77	14	—	—	—	—	—	64	6	31	19	8	—	—	—	—
4	Scarlet fever	M	65	—	5	27	27	6	—	—	—	11	1	—	5	4	1	—	—	—
			F	54	2	5	21	18	4	4	—	—	—	3	—	—	2	1	—	—	—	—
5	Whooping cough	M	114	64	29	18	3	—	—	—	—	20	12	5	4	1	—	—	—	—
			F	125	59	36	27	3	—	—	—	—	—	54	26	15	12	1	—	—	—	—
6	Diphtheria and croup	M	61	2	6	23	28	1	1	—	—	15	1	1	5	8	—	—	—	—
			F	77	3	7	31	32	2	2	—	—	—	17	—	1	7	7	—	1	1	—
7	Influenza	M	75	6	1	—	—	4	16	21	27	25	5	—	1	1	2	8	2	6
			F	86	5	—	5	4	3	—	15	20	34	13	—	—	1	2	1	2	3	4
8	Erysipelas	M	17	5	—	—	—	1	2	7	—	7	1	—	—	—	—	—	2	4
			F	15	3	1	—	1	2	2	2	3	3	1	—	—	1	—	—	—	—	—
9	Pulmonary tuberculosis	{	M	546	4	5	11	21	93	217	182	13	143	1	2	1	8	30	61	36	4	
			F	503	6	8	12	31	128	216	81	21	125	—	1	4	11	24	57	22	6	
10	Tuberculous meningitis	{	M	101	23	20	27	21	3	5	2	—	13	2	3	2	3	2	1	—	—	
			F	91	17	10	27	25	5	4	3	—	15	1	3	6	5	—	—	—	—	
11	Other tuberculous diseases.	{	M	153	26	19	20	19	21	25	19	4	41	14	5	6	3	1	5	6	1	
			F	137	19	12	18	25	24	20	16	3	42	7	7	7	2	2	8	5	4	
12	Cancer, malignant disease	{	M	483	—	1	1	—	3	47	248	183	139	1	—	—	1	2	7	68	60	
			F	678	—	—	1	3	5	63	334	272	172	—	—	1	—	1	15	88	67	
13	Rheumatic fever	M	21	—	—	—	10	5	4	2	—	12	—	—	—	6	2	3	1	—
			F	39	—	—	1	11	7	5	9	6	11	—	—	—	4	2	3	2	—	
14	Meningitis	M	85	25	18	14	13	8	4	2	1	21	4	5	5	6	1	—	—	—
			F	72	17	16	14	11	5	4	4	1	17	3	1	3	6	1	3	—	—	—
15	Organic heart disease	M	839	—	1	2	19	29	88	354	346	217	—	—	—	2	6	26	83	100
			F	941	2	—	1	27	34	110	329	438	215	—	1	—	3	6	28	74	103	
16	Bronchitis	M	693	141	40	15	5	1	17	148	326	175	43	9	5	2	2	4	28	82
			F	722	109	43	11	6	4	13	120	416	194	36	14	2	3	—	1	24	114	
17	Pneumonia (all forms)...	{	M	684	139	104	53	29	28	109	137	85	222	51	40	19	10	7	23	41	31	
			F	506	124	98	52	32	13	57	65	65	153	37	27	15	8	5	14	17	30	
18	Other respiratory diseases	{	M	135	15	6	16	4	4	13	42	35	47	5	5	3	1	1	8	13	11	
			F	120	7	2	17	6	8	16	28	36	24	3	2	2	2	2	3	4	6	
19	Diarrhoea, &c.	M	191	118	23	4	4	5	9	16	12	85	51	9	4	2	1	4	7	7
			F	142	71	17	6	6	2	7	15	18	69	30	10	6	4	2	5	2	10	
20	Appendicitis and typhlitis	{	M	57	—	—	3	7	18	19	7	3	16	1	—	—	4	5	2	2	2	
			F	40	2	—	2	11	7	13	2	3	10	—	—	—	3	4	1	2	—	
21	Cirrhosis of liver	M	62	—	—	—	—	15	40	7	21	—	—	—	—	—	4	14	3	
			F	42	1	—	—	—	—	12	23	6	14	—	—	—	—	—	—	10	4	
21A	Alcoholism	M	9	—	—	—	—	5	3	1	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	
22	Nephritis and Bright's disease.	{	M	326	4	5	6	12	21	50	152	76	66	—	2	3	2	4	11	23	21	
			F	276	2	4	9	15	8	48	104	86	64	2	2	3	4	1	8	29	15	
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	48	—	—	—	—	6	42	—	—	9	—	—	—	—	3	6	—	—	
24	Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	112	—	—	—	—	24	86	2	—	—	27	—	—	—	—	3	22	2	—
25	Congenital debility, &c.	{	M	621	617	2	—	2	—	—	—	—	228	223	1	1	2	1	—	—	—	
			F	457	449	4	—	3	1	—	—	—	—	177	174	—	—	1	2	—	—	—
26	Violence, apart from suicide.	{	M	388	21	9	32	43	56	102	91	34	227	5	3	7	12	41	93	47	19	
			F	137	19	5	15	25	8	11	13	41	43	43	1	4	5	10	2	5	5	11
27	Suicide	M	103	—	—	—	7	35	45	16	29	—	—	—	—	2	13	9	5	
			F	42	—	—	—	—	5	23	13	1	9	—	—	—	1	4	—	3	1	
28	Other defined diseases	M	2,210	345	45	29	42	44	169	527	1009	760	122	16	10	14	23	53	144	378
			F	2,327	221	37	32	51	54	190	533	1209	687	86	12	6	10	21	54	117	381	
29	Causes ill-defined or unknown.	{	M	26	3	7	1	—	—	—	8	7	17	—	4	1	1	—	2	3	6	
			F	32	1	7	3	—	—	—	4	8	9	16	3	6	1	—	—	5	1	1

ANGLESEY.

Causes of Death.	Amlwch U.D.		Beaumaris M.B.		Holyhead U.D.		Llangefni U.D.		Menai Bridge U.D.				Aethwy R.D.		Dwyran R.D.		
	M	F	M	F	M	F	M	F	M	F			M	F	M	F	
ALL CAUSES	19	21	13	17	64	70	16	13	6	12			65	53	32	29	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—			1	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—			—	—	—	—	3
3 Measles	—	—	—	—	—	1	—	—	—	—			—	1	—	1	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—			—	—	—	—	5
5 Whooping cough	—	—	—	—	—	1	—	—	—	—			1	—	—	—	6
6 Diphtheria and croup	—	—	—	—	1	2	1	1	—	1			—	1	2	—	7
7 Influenza... ..	1	—	—	—	—	—	—	—	—	1			2	2	1	2	8
8 Erysipelas	—	—	—	—	—	—	1	—	—	—			—	—	—	—	9
9 Pulmonary tuberculosis	—	3	—	1	9	3	—	—	—	—			3	10	2	4	10
10 Tuberculous meningitis	—	—	—	—	1	1	—	—	—	—			1	—	1	—	11
11 Other tuberculous diseases	1	—	—	—	—	2	—	—	—	—			—	2	—	1	12
12 Cancer, malignant disease	3	3	—	3	5	4	—	3	—	4			2	2	3	2	13
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	—			—	—	—	—	14
14 Meningitis	—	—	—	—	—	—	—	—	—	—			1	—	—	1	15
15 Organic heart disease ...	4	3	1	4	3	8	2	1	2	—			9	6	4	3	16
16 Bronchitis	1	2	—	1	5	5	1	2	—	1			2	2	1	1	17
17 Pneumonia (all forms)... ..	—	1	—	—	4	2	1	—	—	1			4	—	—	1	18
18 Other respiratory diseases	2	—	1	1	—	—	—	—	—	—			2	—	1	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	—	—	—	—			4	1	—	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	1	—	—	—	—			—	1	—	—	21
21 Cirrhosis of liver	—	—	1	—	—	—	1	—	—	—			—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	1	—	—			—	—	—	—	22
22 Nephritis and Bright's dis.	—	—	—	—	6	1	2	—	—	—			1	1	2	—	23
23 Puerperal fever	—	—	—	—	—	—	—	1	—	—			—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	2	—	—	—	—			—	1	—	—	25
25 Congenital debility, &c.	—	1	1	—	7	1	1	—	—	—			2	5	1	2	26
26 Violence, apart from 27	—	—	—	—	1	1	—	—	1	—			1	—	—	—	27
27 Suicide	—	—	1	—	—	—	—	—	—	—			—	—	1	—	28
28 Other defined diseases ...	7	8	7	6	20	34	4	4	3	4			29	17	12	11	29
29 Causes ill-defined or un- known.	—	—	1	1	2	1	2	—	—	—			—	1	1	—	

ANGLESEY—cont.

BEDFORDSHIRE.

Causes of Death.	Twrcelyn R.D.		Valley R.D.				Amphill U.D.		Bedford M.B.		Biggles- wade U.D.		Dun- stable M.B.		Kemp- ston U.D.		
	M	F	M	F			M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	72	69	83	80			11	16	221	207	39	45	37	37	37	34	1
1 Enteric fever	—	—	—	—			—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—			—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	1			—	—	6	7	1	2	4	3	—	—	4
4 Scarlet fever	—	—	—	—			—	—	1	1	2	—	—	—	—	—	5
5 Whooping cough	—	1	—	—			—	—	5	8	—	1	—	—	1	—	6
6 Diphtheria and croup ...	1	—	—	1			—	—	2	2	—	—	—	—	1	—	7
7 Influenza	1	2	3	4			—	—	3	2	1	—	1	2	1	1	8
8 Erysipelas	—	1	—	—			—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	7	6	9	10			1	1	19	7	2	5	2	3	3	3	10
10 Tuberculous meningitis	—	—	—	—			—	—	—	1	—	—	1	—	—	—	11
11 Other tuberculous diseases	—	—	3	—			—	—	1	—	1	—	—	—	1	—	12
12 Cancer, malignant disease	12	4	5	6			—	1	17	15	2	8	4	3	3	1	13
13 Rheumatic fever	—	1	—	1			—	—	—	—	—	—	—	—	1	—	14
14 Meningitis	—	—	—	1			—	—	—	2	—	1	—	—	1	—	15
15 Organic heart disease ...	12	10	7	6			3	2	29	31	6	2	3	2	3	3	16
16 Bronchitis	1	5	5	1			—	1	11	13	5	6	2	3	3	1	17
17 Pneumonia (all forms)... ..	8	4	7	—			—	—	18	13	2	1	—	—	3	3	18
18 Other respiratory diseases	—	—	2	—			1	1	6	2	1	—	1	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	2	1	1	3			—	—	1	—	1	1	—	—	—	—	20
20 Appendicitis and typhlitis	—	—	1	—			—	—	1	1	—	1	—	—	—	—	21
21 Cirrhosis of liver	—	—	—	—			—	—	3	1	—	—	—	—	—	1	21A
21A Alcoholism	—	—	—	—			—	—	1	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	3	—	3	4			—	1	5	6	2	1	1	—	2	—	23
23 Puerperal fever	—	—	—	1			—	—	—	1	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	2	—	—			—	—	—	1	—	—	—	—	—	—	25
25 Congenital debility, &c.	—	1	2	5			—	—	18	8	2	—	4	2	4	3	26
26 Violence, apart from 27	—	—	—	—			—	—	7	1	4	1	2	—	1	1	27
27 Suicide	1	—	—	—			3	1	4	—	—	—	—	—	1	—	28
28 Other defined diseases ...	21	31	34	36			3	7	62	82	6	15	12	19	8	17	29
29 Causes ill-defined or un- known.	3	—	1	—			—	1	1	2	—	—	—	—	—	—	

ADMINISTRATIVE AREAS, 1912.

BEDFORDSHIRE—cont.

	Leighton Buzzard U.D.		Luton M.B.			Amphthill R.D.		Bedford R.D.		Biggleswade R.D.		Eaton Bray R.D.		Eaton Socon R.D.		Luton R.D.				
	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F			
1	46	54	270	307		133	136	124	141	158	141	31	28	18	25	41	56			1
2	—	—	2	2		—	—	—	—	—	—	—	—	—	—	1	—			2
3	—	1	3	4		—	—	1	—	—	2	—	—	—	—	—	—			3
4	—	—	—	—		—	—	—	—	—	1	1	1	—	—	—	—			4
5	—	—	4	12		3	1	3	—	4	2	—	—	—	1	—	—			5
6	—	—	—	2		—	1	—	—	1	2	—	—	—	—	1	—			6
7	—	—	1	3		3	2	1	2	5	3	1	1	—	—	—	1			7
8	—	—	—	1		—	—	1	1	1	—	—	—	—	—	1	—			8
9	3	2	18	24		5	8	5	9	16	7	1	1	3	4	5	3			9
10	—	1	2	4		2	3	—	1	—	1	—	—	—	—	—	—			10
11	—	2	4	4		1	—	1	—	5	2	—	—	—	—	—	1			11
12	7	8	15	28		12	19	16	20	14	19	—	3	4	5	1	12			12
13	—	—	2	1		1	—	1	—	—	—	—	—	—	—	—	—			13
14	—	—	3	3		—	—	—	1	—	—	—	—	—	—	—	—			14
15	5	6	33	48		15	18	13	22	4	13	4	5	3	3	7	5			15
16	3	4	19	19		14	13	11	12	9	13	1	1	1	1	4	6			16
17	3	3	19	13		8	9	5	3	14	6	1	—	—	—	4	6			17
18	—	2	—	4		1	—	1	1	3	—	—	—	1	1	—	1			18
19	—	—	6	6		—	2	—	—	2	3	1	—	—	—	—	—			19
20	—	—	4	2		2	1	—	—	—	1	—	—	—	—	—	2			20
21	1	—	1	3		5	—	2	—	2	2	—	1	—	—	—	1			21
21A	—	—	1	—		—	—	—	—	—	—	—	—	—	—	—	—			21A
22	3	1	10	7		4	4	1	4	5	7	4	—	1	—	1	1			22
23	—	—	—	1		—	1	—	—	—	—	—	1	—	—	—	—			23
24	—	1	—	2		—	2	—	1	—	—	—	—	—	—	—	—			24
25	4	2	29	19		7	7	2	9	9	8	1	1	—	1	2	1			25
26	—	1	12	6		3	—	4	1	6	2	1	—	2	—	1	—			26
27	—	—	4	1		1	—	3	—	5	—	—	—	—	—	1	—			27
28	16	20	75	85		44	43	52	53	51	46	15	13	3	9	12	16			28
29	1	—	3	3		2	2	1	1	2	1	—	—	—	—	—	—			29

BERKSHIRE.

	Abingdon M.B.		Maidenhead M.B.		Newbury M.B.		New Windsor M.B.		Wallingford M.B.		Wantage U.D.		Wokingham M.B.			Abingdon R.D.		Bradfield R.D.		Cookham R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	
1	44	38	105	80	85	89	76	64	13	19	15	20	34	33		49	67	82	83	53	65	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	2
3	1	2	—	—	3	3	—	—	—	—	—	—	—	—		1	4	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	4
5	—	—	2	2	1	1	—	1	—	—	—	—	—	—		—	1	1	1	2	—	5
6	—	—	2	—	1	1	—	1	—	—	—	—	—	—		—	—	—	—	—	3	6
7	1	—	—	1	—	1	—	—	—	—	—	1	1	1		1	2	2	2	—	—	7
8	—	—	1	—	—	—	1	—	—	—	—	—	—	—		—	—	—	—	1	—	8
9	4	5	6	9	5	5	9	2	—	1	3	1	6	—		7	8	4	4	—	1	9
10	2	1	1	1	1	4	1	2	—	—	—	1	1	—		—	1	2	—	—	1	10
11	1	—	—	1	1	2	1	1	1	—	—	—	2	—		—	—	2	—	—	—	11
12	2	3	7	9	5	9	10	16	1	2	—	1	2	1		1	4	7	11	4	10	12
13	—	—	1	1	1	—	—	—	—	—	—	—	—	—		—	—	—	2	—	—	13
14	—	—	1	—	—	—	—	—	—	—	—	—	—	—		1	—	—	—	—	—	14
15	3	1	11	6	14	10	8	6	6	6	5	3	8	7		3	3	13	8	6	7	15
16	3	2	11	8	9	7	1	4	1	3	—	—	1	2		9	1	3	6	5	8	16
17	—	5	4	6	—	—	4	5	1	—	—	—	2	1		2	7	7	5	5	5	17
18	—	—	5	1	1	3	3	—	—	—	1	1	1	—		1	1	2	1	—	1	18
19	2	—	1	—	—	—	2	1	—	—	—	—	—	—		—	—	—	2	—	—	19
20	1	—	—	2	—	—	—	—	1	—	—	—	—	—		—	—	2	—	—	—	20
21	—	—	2	—	3	1	—	—	—	—	1	—	—	2		—	1	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	21A
22	—	—	5	3	2	4	5	2	—	—	—	—	3	1		2	3	3	4	4	1	22
23	—	—	—	1	—	—	—	—	—	—	—	—	—	—		—	—	—	1	—	—	23
24	—	—	—	—	—	—	—	—	—	—	—	1	—	—		—	—	—	—	—	—	24
25	4	1	12	3	2	1	4	4	—	—	1	—	2	1		5	2	6	7	2	2	25
26	3	—	2	—	2	—	4	—	—	2	2	1	1	—		2	1	3	1	4	2	26
27	—	1	1	1	1	—	1	—	—	—	—	—	—	—		—	—	—	—	—	—	27
28	15	17	28	25	32	37	22	19	2	5	3	9	9	11		13	28	24	26	20	21	28
29	2	—	2	—	1	—	—	—	—	—	—	—	—	—		1	—	1	2	—	2	29

BERKSHIRE—cont.

Causes of Death.	Easthampstead R.D.		Faringdon (pt.) R.D.*		Hungerford R.D.		Newbury R.D.		Wallingford R.D.		Wantage R.D.		Windsor R.D.		Wokingham R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	81	83	73	57	69	46	61	71	66	40	86	79	91	68	93	110	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	1	—	—	1	—	—	1	2	—	1	1	1	2	—	—	4
4 Scarlet fever	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	1	—	—	1	3	—	—	—	2	2	4	1	—	6
6 Diphtheria and croup ...	1	1	—	—	1	—	1	2	—	—	1	—	—	—	—	2	7
7 Influenza	3	1	2	2	—	1	—	—	1	—	2	—	—	—	3	—	8
8 Erysipelas	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	9
9 Pulmonary tuberculosis	6	3	7	—	5	4	4	3	5	2	3	—	3	10	8	4	10
10 Tuberculous meningitis	—	—	—	—	2	—	—	3	—	1	3	—	3	—	1	1	11
11 Other tuberculous diseases	—	1	1	—	—	1	—	1	2	1	2	—	1	2	1	—	12
12 Cancer, malignant disease	5	6	4	6	6	3	2	6	2	5	8	11	11	2	11	11	13
13 Rheumatic fever	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	14
14 Meningitis	—	2	1	—	—	—	1	—	—	—	1	—	—	—	1	1	15
15 Organic heart disease ...	13	10	11	10	4	8	10	12	10	7	13	13	8	5	11	24	16
16 Bronchitis	2	7	7	3	2	2	3	6	3	—	5	9	2	2	7	7	17
17 Pneumonia (all forms) ...	3	2	4	4	3	3	2	1	1	—	6	1	7	8	3	3	18
18 Other respiratory diseases	2	2	—	3	—	—	3	1	—	—	—	—	—	2	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	1	—	—	—	—	—	—	—	—	—	—	2	—	2	—	20
20 Appendicitis and typhlitis	—	—	—	1	1	—	—	1	—	—	1	—	—	—	1	1	21
21 Cirrhosis of liver	—	3	—	—	1	—	1	—	—	—	1	—	—	1	—	2	21A
21A Alcoholism	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	22
22 Nephritis and Bright's dis.	6	5	1	—	4	2	—	1	2	1	2	3	2	2	4	3	23
23 Puerperal fever	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	24
24 Parturition, apart from 23	—	1	—	—	—	—	—	—	—	—	—	3	—	—	—	1	25
25 Congenital debility, &c.	1	—	5	3	6	1	5	2	3	1	5	3	2	—	3	8	26
26 Violence, apart from 27	3	1	4	2	1	1	4	—	—	—	5	1	7	1	7	7	27
27 Suicide	3	—	—	—	—	—	—	1	1	—	1	—	3	—	2	—	28
28 Other defined diseases ...	32	36	18	20	30	16	22	27	32	20	25	31	32	26	25	35	29
29 Causes ill-defined or unknown.	—	—	5	—	2	3	1	—	1	1	1	—	3	—	1	—	

BRECKNOCKSHIRE.

Causes of Death.	Brecknock U.D.†		Brynmawr U.D.		Builth Wells U.D.		Hay U.D.		Llanwrtyd U.D.			Brecknock R.D.		Builth R.D.		
	M	F	M	F	M	F	M	F	M	F		M	F	M	F	
ALL CAUSES	35	44	57	50	16	9	12	13	3	4		46	58	24	33	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—		—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—		—	—	—	—	3
3 Measles	1	—	5	1	—	—	—	—	—	—		—	—	—	—	4
4 Scarlet fever	—	—	1	—	—	—	—	—	—	—		—	—	—	—	5
5 Whooping cough	—	2	3	1	—	—	—	—	—	—		1	1	—	—	6
6 Diphtheria and croup ...	—	—	—	2	—	—	—	—	—	—		—	2	—	—	7
7 Influenza	1	—	1	—	—	—	—	—	—	—		1	1	—	1	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—		—	—	1	—	9
9 Pulmonary tuberculosis	5	4	5	1	—	—	—	—	—	—		2	4	—	6	10
10 Tuberculous meningitis	—	2	—	—	—	—	—	—	—	—		1	—	—	—	11
11 Other tuberculous diseases	1	2	—	—	—	—	—	—	—	—		2	—	1	—	12
12 Cancer, malignant disease	1	2	1	5	3	2	—	—	—	—		6	8	5	2	13
13 Rheumatic fever	—	—	—	—	—	—	—	1	—	—		—	—	—	—	14
14 Meningitis	—	—	—	—	—	—	—	—	—	—		—	—	—	—	15
15 Organic heart disease ...	4	2	3	1	1	2	3	4	—	—		3	3	2	1	16
16 Bronchitis	3	2	5	7	1	—	2	—	—	1		1	2	2	—	17
17 Pneumonia (all forms) ...	1	2	5	8	—	1	—	—	—	—		—	2	—	3	18
18 Other respiratory diseases	—	1	—	1	—	—	—	—	—	—		3	—	1	1	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	1	2	1	—	—	—	—	—		—	—	—	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—		1	—	1	—	21
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—		—	—	1	—	21A
21A Alcoholism	1	—	—	—	—	—	—	—	—	—		1	—	—	—	22
22 Nephritis and Bright's dis	2	1	3	1	1	1	—	—	—	—		2	6	—	—	23
23 Puerperal fever	—	—	—	1	—	—	—	—	—	—		—	—	—	—	24
24 Parturition, apart from 23	—	—	—	3	—	—	—	—	—	—		—	1	—	1	25
25 Congenital debility, &c.	3	5	4	4	1	—	—	1	—	—		2	6	1	5	26
26 Violence, apart from 27	2	1	3	1	—	1	—	1	1	—		2	1	2	2	27
27 Suicide	1	—	—	—	—	—	—	1	—	—		—	2	—	—	28
28 Other defined diseases ...	7	17	17	11	8	2	7	5	2	3		18	18	7	11	29
29 Causes ill-defined or unknown.	2	1	—	—	—	—	—	—	—	—		—	1	—	—	

* The remainder of Faringdon R.D. is in Gloucestershire ; see page 485.
† Brecknock U.D. includes Brecknock M.B. and the Civil Parishes of Castle Inn and Christ's College.

ADMINISTRATIVE AREAS, 1912—continued.
BRECKNOCKSHIRE—cont.

BUCKINGHAMSHIRE.

	Crick-howell R.D.		Hay R.D.		Vaynor and Penderyn R.D.		Ystrad- gynlais R.D.		Ystrad- fellte C.P.*		Llan- wrthwl C.P.†			Ayles- bury U.D.		Beacons- field U.D.		Bletchley. U.D.		Bucking- ham M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	
1	53	61	26	28	40	44	74	50	10	3	4	3		68	71	20	16	34	23	18	19	1
2	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	1	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	3
4	2	6	1	4	—	1	9	3	—	—	—	—		—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	5
6	4	1	1	3	3	2	1	—	—	—	—	—		1	2	1	—	—	—	—	—	6
7	—	—	—	—	1	—	1	1	—	—	—	—		—	—	—	—	—	—	1	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—		1	3	—	1	4	1	—	—	8
9	1	3	2	2	3	—	2	3	2	—	1	—		—	3	2	—	1	—	2	3	9
10	—	1	—	—	—	1	1	—	—	—	—	—		5	3	1	1	—	—	—	—	10
11	2	2	—	—	1	—	1	—	—	—	—	—		—	1	1	1	—	—	—	—	11
12	4	4	1	5	—	1	—	1	1	—	1	—		7	12	2	1	5	2	4	—	12
13	1	—	—	—	—	—	2	1	—	—	—	—		—	—	—	—	—	—	—	—	13
14	—	—	—	—	—	—	—	1	—	—	—	—		2	—	—	—	—	—	—	—	14
15	7	4	4	3	2	11	6	3	—	—	—	1		11	6	—	2	4	2	1	4	15
16	2	2	2	2	2	6	3	2	—	—	—	—		4	8	1	1	2	1	—	—	16
17	3	4	—	—	2	3	8	5	1	2	—	1		6	5	1	—	—	—	—	1	17
18	2	1	—	—	—	—	—	3	—	—	—	—		—	1	1	—	1	1	—	—	18
19	—	3	—	—	1	1	2	—	1	—	—	—		1	—	1	—	—	—	—	—	19
20	—	1	—	—	1	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	20
21	2	—	—	—	1	—	—	1	—	—	—	—		1	—	—	—	2	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	21A
22	2	2	1	—	—	—	—	—	—	—	—	—		5	3	1	—	1	1	1	—	22
23	—	1	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	23
24	—	1	—	—	—	2	—	2	—	—	—	—		—	—	—	1	—	—	—	—	24
25	4	2	2	1	4	3	14	8	1	—	1	—		3	4	2	—	2	1	2	1	25
26	5	1	1	—	3	—	15	2	1	—	—	—		2	2	—	—	2	—	1	—	26
27	—	1	1	—	1	1	—	—	—	—	—	—		—	—	—	—	—	—	—	—	27
28	12	21	10	8	15	12	8	13	2	1	1	—		19	21	7	7	9	13	7	9	28
29	—	—	—	—	—	—	1	—	1	—	—	—		—	—	—	—	—	—	—	—	29

BUCKINGHAMSHIRE—cont.

	Chepping Wycombe M.B.		Chesham U.D.		Eton U.D.		Linslade U.D.		Marlow U.D.		Newport Pagnell U.D.		Slough U.D.			Amer- sham R.D.		Ayles- bury R.D.		Bucking- ham R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	
1	110	117	46	58	11	10	13	13	26	27	27	25	85	89		103	90	123	108	50	49	1
2	1	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	3
4	1	—	—	—	1	—	—	—	—	—	—	1	2	1		1	1	—	2	—	—	4
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	5
6	2	2	2	2	—	—	—	—	1	—	—	—	1	—		3	3	2	2	—	—	6
7	—	—	—	—	—	—	—	—	—	—	—	—	—	—		1	—	—	2	—	—	7
8	1	—	1	2	—	—	—	—	1	—	—	—	—	1		2	1	3	—	—	—	8
9	3	2	1	1	—	—	—	—	—	—	—	—	—	—		—	—	—	1	—	—	9
10	8	11	4	6	—	1	1	—	2	2	—	1	5	9		8	4	10	7	3	3	10
11	—	2	—	1	—	—	1	—	1	—	—	—	1	—		—	1	2	1	—	—	11
12	2	1	—	—	—	—	—	—	—	—	2	—	1	1		1	1	—	1	—	1	12
13	10	9	6	7	2	2	—	1	1	1	3	4	7	6		14	12	6	9	2	1	13
14	—	1	—	—	—	—	—	1	—	—	—	—	—	—		—	—	1	—	—	—	14
15	—	—	—	—	1	—	—	—	—	—	1	—	—	1		—	1	—	1	—	—	15
16	2	14	9	7	1	—	3	4	3	1	2	1	9	10		16	14	25	14	6	9	16
17	12	13	3	5	—	3	1	2	1	3	—	—	11	8		9	4	5	11	4	5	17
18	9	9	—	3	—	1	—	1	1	—	—	—	5	6		1	5	3	7	3	2	18
19	3	3	2	2	—	—	—	—	—	—	1	—	—	—		3	3	2	1	—	1	19
20	2	2	2	2	—	—	—	—	—	—	—	—	1	—		1	2	1	3	—	—	20
21	1	1	—	—	—	—	—	—	—	—	—	—	—	—		—	—	1	—	1	—	21
21A	—	—	—	—	—	—	—	—	—	—	2	—	1	1		2	1	3	—	—	—	21A
22	1	—	—	—	—	—	—	—	—	—	1	—	—	—		1	—	—	—	—	—	22
23	1	2	3	1	—	—	—	—	—	1	2	—	9	5		3	4	3	2	2	—	23
24	—	—	—	—	—	—	—	—	—	—	—	1	—	1		—	—	—	—	—	—	24
25	—	1	—	1	—	—	—	1	—	1	—	—	—	—		—	—	—	1	—	—	25
26	11	3	2	5	—	—	1	1	2	4	1	1	9	6		6	5	8	3	3	4	26
27	4	2	—	—	1	2	—	—	—	1	1	—	2	—		4	—	5	1	3	1	27
28	—	—	—	—	—	—	—	—	—	—	—	—	—	—		3	—	1	—	—	—	28
29	36	38	11	13	4	1	6	2	12	13	9	15	20	32		22	27	42	39	23	21	29
	—	1	—	—	1	—	—	—	—	—	2	—	—	1		2	1	—	—	—	—	

* Administered by Neath R.D.C. (Glamorganshire).

† Administered by Rhayader R.D.C. (Radnorshire).

BUCKINGHAMSHIRE—cont.

Causes of Death.	Eton R.D.		Hamble- den R.D.		Long Crendon R.D.		Newport Pagnell R.D.		Stratford and Wolverton R.D.		Wing R.D.		Winslow R.D.		Wycombe R.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	142	117	14	14	38	43	122	128	60	65	37	44	48	51	159	137
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	1	—	—	—	—	2	2	—	2	—	—	—	—	2	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	4
5 Whooping cough	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	3
6 Diphtheria and croup	—	—	—	—	2	1	1	1	3	2	—	—	1	—	1	1
7 Influenza	5	2	1	—	—	2	3	6	1	2	—	1	—	—	1	1
8 Erysipelas	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	1
9 Pulmonary tuberculosis	7	6	1	1	2	4	8	10	5	3	1	3	1	2	8	7
10 Tuberculous meningitis	1	2	—	—	—	—	—	1	1	—	—	—	—	—	1	—
11 Other tuberculous diseases	2	4	1	—	—	1	1	—	2	—	1	3	1	—	1	1
12 Cancer, malignant disease	9	14	1	5	3	7	14	14	3	7	3	7	5	4	9	8
13 Rheumatic fever	—	2	—	—	—	—	1	1	—	—	—	—	—	—	2	—
14 Meningitis	—	—	—	—	1	—	—	—	1	1	1	—	—	—	1	—
15 Organic heart disease	16	18	2	—	2	4	16	19	4	2	3	4	6	2	15	20
16 Bronchitis	14	14	—	1	7	4	10	4	2	3	5	3	1	4	16	15
17 Pneumonia (all forms)	9	6	2	—	1	3	8	6	7	2	2	3	2	2	13	11
18 Other respiratory diseases	3	—	—	—	—	1	2	2	—	1	1	1	2	1	2	3
19 Diarrhœa, &c. (under 2 yrs.)	—	2	—	—	—	—	—	2	2	1	—	—	—	—	2	—
20 Appendicitis and typhlitis	2	1	—	—	—	2	—	1	—	—	—	—	—	—	2	1
21 Cirrhosis of liver	—	2	1	—	1	—	2	—	1	1	1	—	—	—	1	—
21A Alcoholism	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
22 Nephritis and Bright's dis.	6	5	—	2	—	3	7	7	8	1	2	—	1	4	7	3
23 Puerperal fever	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
24 Parturition, apart from 23	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
25 Congenital debility, &c.	12	6	2	1	1	—	5	5	1	2	1	1	1	3	15	9
26 Violence, apart from 27	10	1	—	—	2	—	4	2	—	1	1	1	6	—	4	4
27 Suicide	3	1	—	1	1	—	4	—	—	—	—	—	1	—	2	2
28 Other defined diseases	40	29	3	3	15	11	32	44	19	31	13	16	19	29	51	39
29 Causes ill-defined or un- known.	1	1	—	—	—	—	1	—	—	—	1	—	1	—	—	4

CAMBRIDGESHIRE.

Causes of Death.	Cam- bridge M.B.		Chester- ton U.D.*		Caxton and Arrington R.D.		Chester- ton R.D.		Linton R.D.		Melbourn R.D.		New- market R.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	357	327	24	21	51	46	161	170	70	67	65	63	129	120
1 Enteric fever	1	—	—	—	—	—	—	1	1	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	3	—	—	—	—	—	1	—	—	—	—	—	—	—
4 Scarlet fever	4	2	—	1	—	—	3	1	—	—	1	—	1	—
5 Whooping cough	9	10	—	—	1	1	1	3	—	—	—	1	1	1
6 Diphtheria and croup	25	22	—	1	—	—	5	4	—	—	1	3	1	1
7 Influenza	4	3	—	—	—	2	3	1	2	3	1	—	6	—
8 Erysipelas	1	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	24	20	1	1	4	—	15	11	6	5	7	6	10	7
10 Tuberculous meningitis	4	5	1	1	—	—	—	1	1	—	—	—	2	—
11 Other tuberculous diseases	5	2	1	—	—	—	2	—	—	—	1	2	3	3
12 Cancer, malignant disease	28	35	2	—	7	9	16	31	6	5	8	5	19	7
13 Rheumatic fever	2	3	—	—	—	—	2	—	—	—	—	—	—	—
14 Meningitis	1	2	—	—	1	—	2	—	—	1	—	—	1	1
15 Organic heart disease	35	23	2	3	5	9	13	24	12	12	12	12	12	19
16 Bronchitis	22	28	3	—	8	4	9	19	3	6	5	3	7	8
17 Pneumonia (all forms)	26	14	—	1	1	3	6	5	12	6	2	2	3	5
18 Other respiratory diseases	7	7	—	1	1	—	4	2	—	—	—	—	4	3
19 Diarrhœa, &c. (under 2 yrs.)	3	1	—	—	2	—	1	—	—	—	1	—	1	3
20 Appendicitis and typhlitis	1	—	2	—	—	—	—	—	—	—	—	—	—	—
21 Cirrhosis of liver	—	7	1	1	—	—	2	2	1	—	2	—	—	1
21A Alcoholism	2	1	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	10	10	1	1	1	—	5	—	—	3	2	2	4	2
23 Puerperal fever	—	2	—	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from 23	—	—	—	—	—	1	—	—	—	—	—	—	—	1
25 Congenital debility, &c.	16	9	4	2	—	—	12	12	4	4	3	3	6	4
26 Violence, apart from 27	6	2	2	—	2	—	7	—	3	—	1	—	4	3
27 Suicide	4	5	—	—	—	—	—	1	2	2	1	—	1	—
28 Other defined diseases	113	113	4	8	16	17	50	51	16	19	17	24	42	50
29 Causes ill-defined or un- known.	1	1	—	—	2	—	2	1	1	1	—	—	1	1

* Chesterton U.D. abolished, 1st April, 1912.

ADMINISTRATIVE AREAS, 1912—continued.
CAMBRIDGESHIRE—cont.

CARDIGANSHIRE.

		Swavesey R.D.			Aberayron U.D.		Aberys- twyth M.B.		Cardigan M.B.		Lampeter M.B.		New Quay U.D.			Aberayron R.D.		Aberys- twyth R.D.		Cardigan R.D.	
		M	F		M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F
1	20	14			14	17	43	59	26	27	15	13	10	14		55	78	106	147	32	35
1	1	—			—	—	—	—	1	—	—	—	—	—		—	—	—	—	—	—
2	—	—			—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—
3	—	—			—	—	—	1	—	—	—	1	—	—		—	—	—	1	—	—
4	1	—			—	—	—	—	—	—	—	1	—	—		—	—	2	1	—	1
5	—	—			—	—	—	—	—	—	—	—	—	—		—	—	—	2	—	—
6	—	—			—	—	—	—	1	1	—	—	—	—		1	—	—	1	—	—
7	—	—			—	1	—	1	—	—	—	—	—	—		—	3	—	4	—	—
8	—	—			—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—
9	—	—			3	1	3	7	3	2	2	1	1	1		3	14	13	12	2	7
10	—	—			—	—	1	—	1	—	—	—	—	1		1	—	1	1	—	1
11	—	—			—	—	—	1	—	—	—	—	—	—		2	2	2	2	—	—
12	1	3			4	3	4	3	5	3	2	1	1	3		4	5	6	11	7	8
13	—	—			—	—	—	—	—	—	1	1	—	—		—	—	—	—	—	—
14	—	—			—	—	1	—	—	—	1	1	—	—		1	—	—	—	—	—
15	1	1			1	2	6	10	2	4	—	3	—	3		9	13	16	24	2	2
16	3	2			1	2	5	4	1	2	—	—	—	—		—	5	5	16	3	3
17	1	—			1	1	4	3	—	—	2	1	—	—		2	2	4	5	1	—
18	—	1			1	—	—	1	—	2	—	—	—	1		1	5	2	4	1	1
19	—	—			—	1	1	1	—	—	—	—	—	—		1	—	1	1	—	—
20	—	—			—	—	1	—	1	—	—	—	—	—		—	1	—	—	—	—
21	—	—			—	—	1	1	—	—	—	—	—	—		—	—	—	—	—	—
21A	—	—			—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—
22	—	—			1	—	1	8	1	3	4	—	2	1		4	2	1	7	3	1
23	—	—			—	—	—	—	—	1	—	—	—	—		—	—	—	3	—	—
24	—	—			—	—	—	2	—	1	—	—	—	—		—	3	—	1	—	1
25	1	—			—	—	3	2	2	—	—	—	1	—		2	2	1	2	2	—
26	—	—			—	—	1	—	1	—	1	—	—	—		2	1	3	1	3	1
27	—	—			—	—	—	—	—	—	—	—	—	—		2	—	1	—	—	—
28	10	7			2	6	10	14	7	8	2	4	5	4		20	20	43	48	7	9
29	1	—			—	—	1	—	—	—	—	—	—	—		—	—	4	—	1	—

CARDIGANSHIRE—cont.

CARMARTHENSHIRE.

	Lampeter R.D.		Llandysil R.D.		Tregaron R.D.		Ysgubor y coed C.P.*			Amman- ford U.D.		Burry Port U.D.		Car- marthen M.B.		Cwm- amman† U.D.		Kidwelly M.B.		Llandilo U.D.		
	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F	
1	32	34	46	82	48	70	5	1		36	27	33	33	67	85	19	26	30	25	20	16	1
2	—	—	—	1	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	3
4	2	—	—	—	—	—	—	—		1	—	—	1	—	1	—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—		—	—	—	—	—	1	—	—	—	—	—	—	5
6	1	—	—	—	—	—	—	—		1	1	2	2	—	1	—	—	—	1	—	—	6
7	—	—	—	—	—	—	—	—		—	—	1	—	—	—	1	1	—	—	—	—	7
8	—	1	1	2	—	—	—	—		2	—	—	—	—	—	—	—	—	—	—	—	8
9	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	9
10	7	4	6	4	8	10	1	—		1	2	—	1	11	5	1	2	1	5	2	2	10
11	—	—	1	1	—	1	—	—		—	—	—	1	1	2	—	—	—	1	—	—	11
12	1	—	1	—	1	—	—	—		1	1	—	—	3	1	—	—	1	—	—	—	12
13	2	1	4	5	1	9	—	—		1	3	—	—	3	6	—	1	2	1	2	1	13
14	—	—	—	—	1	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	14
15	—	—	—	—	—	—	—	—		—	—	—	1	—	1	1	—	—	—	—	—	15
16	5	4	4	8	6	14	1	—		1	5	3	1	6	20	—	3	5	5	4	1	16
17	2	1	4	11	3	4	—	—		3	2	3	1	5	8	—	4	6	—	—	1	17
18	—	1	1	4	4	3	—	—		2	1	1	2	2	—	1	1	2	2	2	—	18
19	1	—	2	2	—	—	—	—		1	—	—	1	2	—	—	—	—	—	1	—	19
20	—	—	—	—	—	—	—	—		1	1	2	—	—	—	2	—	—	—	—	—	20
21	—	1	—	—	—	1	—	—		—	—	—	—	—	—	—	—	—	—	—	—	21
21A	1	1	1	—	1	—	—	—		—	—	1	—	1	2	1	—	—	—	—	—	21A
22	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	22
22	2	5	2	5	4	3	—	—		—	1	1	1	4	8	—	2	1	1	—	—	22
23	—	—	—	—	—	1	—	—		—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	2	—	1	—	—		—	1	—	1	—	1	—	—	—	—	—	—	24
25	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	25
25	—	2	1	5	2	3	—	—		—	1	2	3	3	—	1	—	—	—	—	—	25
26	1	1	2	3	—	—	1	—		3	1	4	1	2	1	3	—	1	—	1	—	26
27	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	27
27	—	1	1	—	1	—	—	—		2	—	—	—	1	2	—	—	1	—	—	—	27
28	7	11	15	28	16	18	2	1		16	7	12	16	23	27	5	11	10	10	6	11	28
29	—	—	—	—	—	1	—	—		—	—	1	—	—	—	—	—	—	—	1	—	29

* Administered by Machynlleth R.D.C., (Montgomeryshire).

† Cwnamman U.D. created 1st April, 1912.

CARMARTHENSHIRE—cont.

Causes of Death.				Llan-doverly M.B.		Llanelly U.D.		Newcastle Emlyn U.D.		Car-marthen R.D.		Llandilo Fawr R.D.		Llan-doverly R.D.		Llanelly R.D.	
				M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES ...				15	24	236	244	7	13	167	169	147	152	37	60	174	180
1	Enteric fever ...			—	—	—	1	—	—	—	—	—	1	—	—	2	1
2	Small-pox ...			—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles ...			1	—	17	20	—	—	1	1	—	—	—	—	5	10
4	Scarlet fever ...			—	—	—	—	—	—	—	—	—	—	—	—	1	1
5	Whooping cough ...			—	1	1	2	—	—	1	1	4	2	—	1	3	4
6	Diphtheria and croup ...			—	—	3	4	1	—	2	3	—	1	—	—	2	1
7	Influenza ...			—	—	1	1	1	—	3	2	—	2	—	—	1	—
8	Erysipelas ...			—	—	—	—	—	—	1	1	—	—	—	—	2	—
9	Pulmonary tuberculosis			4	2	20	8	1	4	16	17	12	11	3	5	15	14
10	Tuberculous meningitis ...			—	—	4	3	—	—	2	4	1	6	—	1	4	1
11	Other tuberculous diseases			—	3	—	2	—	—	2	7	3	2	—	1	5	4
12	Cancer, malignant disease			1	1	11	16	1	—	12	16	10	7	1	5	5	5
13	Rheumatic fever ...			—	—	1	1	—	—	1	—	—	—	—	—	2	1
14	Meningitis ...			—	—	2	2	—	—	1	—	7	1	—	—	4	—
15	Organic heart disease ...			3	3	25	31	—	—	11	21	6	23	3	9	12	19
16	Bronchitis ...			2	1	14	14	—	2	10	12	11	8	3	4	11	12
17	Pneumonia (all forms) ..			—	1	16	14	—	1	14	5	16	10	2	4	17	18
18	Other respiratory diseases			—	1	5	3	—	—	2	4	2	1	1	—	5	1
19	Diarrhœa,&c.(under 2 yrs.)			—	—	7	3	—	—	—	1	1	3	1	—	4	2
20	Appendicitis and typhlitis			—	—	—	—	—	—	—	—	—	—	—	1	1	—
21	Cirrhosis of liver ...			—	—	2	2	—	—	1	—	—	—	—	—	1	—
21A	Alcoholism ...			—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's dis.			—	—	8	11	—	1	9	7	4	2	2	1	5	6
23	Puerperal fever ...			—	—	—	3	—	—	—	1	—	2	—	1	—	3
24	Parturition, apart from 23			—	—	—	4	—	—	—	2	—	4	—	1	—	3
25	Congenital debility, &c.			—	2	19	13	3	—	16	8	19	7	1	—	15	11
26	Violence, apart from 27			—	1	19	5	—	—	8	1	9	1	2	1	10	4
27	Suicide ...			1	1	2	—	—	—	2	1	4	1	1	1	1	—
28	Other defined diseases ...			3	7	57	81	—	5	52	54	35	56	17	24	39	55
29	Causes ill-defined or un-known.			—	—	2	—	—	—	—	—	3	1	—	—	2	4

CARMARTHENSHIRE—cont.

CARNARVONSHIRE.

Causes of Death.				Llan-ybyther R.D.		Newcastle in Emlyn R.D.		Whitland R.D.		Bangor M.B.		Bethesda U.D.		Bettws y Coed U.D.		Car-narvon M.B.	
				M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES ...				27	40	27	44	37	59	80	79	41	62	11	10	88	81
1	Enteric fever ...			—	—	—	—	—	—	1	1	—	—	—	—	—	—
2	Small-pox ...			—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles ...			—	—	—	—	—	—	2	—	—	—	—	—	—	—
4	Scarlet fever ...			—	—	—	—	1	—	—	1	—	—	—	—	—	—
5	Whooping cough ...			—	—	—	—	—	1	—	1	3	4	—	—	1	1
6	Diphtheria and croup ...			—	—	3	2	—	—	2	1	—	—	—	—	—	—
7	Influenza ...			—	1	—	—	—	1	6	4	—	3	—	—	1	—
8	Erysipelas ...			—	—	—	—	—	—	—	—	—	—	—	—	1	—
9	Pulmonary tuberculosis			2	6	4	5	7	5	12	12	2	5	5	—	12	9
10	Tuberculous meningitis			—	—	—	—	2	1	2	1	—	—	—	—	1	—
11	Other tuberculous diseases			—	2	—	—	—	—	—	1	1	—	—	—	4	—
12	Cancer, malignant disease			2	6	2	1	1	5	5	6	1	5	1	—	6	12
13	Rheumatic fever ...			1	1	—	—	—	1	—	—	1	—	—	—	—	—
14	Meningitis ...			—	—	—	—	1	1	—	—	—	—	—	—	1	—
15	Organic heart disease ...			6	4	4	5	2	7	7	4	6	10	1	—	10	13
16	Bronchitis ...			1	4	1	5	—	2	—	4	3	—	—	1	6	7
17	Pneumonia (all forms) ...			2	2	1	1	3	2	6	2	3	2	—	—	8	8
18	Other respiratory diseases			2	—	—	2	3	2	—	2	1	—	1	—	2	3
19	Diarrhœa,&c.(under 2 yrs.)			—	—	—	—	—	—	1	2	—	—	—	—	—	1
20	Appendicitis and typhlitis			—	—	—	—	—	—	2	—	—	1	—	—	—	—
21	Cirrhosis of liver ...			—	—	—	—	1	—	2	—	—	—	—	—	—	—
21A	Alcoholism ...			—	—	1	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's dis.			7	2	—	—	2	4	3	2	3	2	—	1	7	6
23	Puerperal fever ...			—	—	—	—	—	—	—	1	—	—	—	—	—	—
24	Parturition, apart from 23			—	—	—	1	—	—	—	—	—	—	—	1	—	—
25	Congenital debility, &c.			1	3	2	3	—	2	2	6	1	1	—	—	4	1
26	Violence, apart from 27			—	1	1	1	—	2	2	4	—	1	—	1	1	1
27	Suicide ...			—	—	—	1	—	—	1	—	—	—	—	—	1	—
28	Other defined diseases ...			3	8	8	16	14	23	22	24	15	28	3	6	22	18
29	Causes ill-defined or un-known.			—	—	—	1	—	—	2	—	1	—	—	—	—	1

ADMINISTRATIVE AREAS, 1912—continued.
CARNARVONSHIRE—cont.

	Conway M.B.		Criccieth U.D.		Llan- dudno U.D.		Llan- fairfechan U.D.		Penmaen- mawr U.D.		Pwllheli M.B.		Ynyscyn- haiarn U.D.			Conway R.D.		Geirio- nydd R.D.		Glaslyn R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	
	33	40	6	10	61	67	25	17	28	25	20	19	43	34		37	41	34	39	27	32	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	1	1	—		—	1	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	4
5	—	1	—	—	1	—	—	—	—	—	—	—	—	—		—	—	2	—	—	—	5
6	1	1	—	—	—	1	—	—	—	—	—	—	—	—		—	—	—	—	—	—	6
7	1	2	—	—	—	—	2	—	—	—	—	—	—	—		—	2	—	1	2	—	7
8	—	—	—	—	—	1	—	—	—	—	—	—	1	—		—	—	—	—	—	—	8
9	2	3	—	1	3	3	4	2	4	2	1	2	2	5		1	3	3	4	1	5	9
10	2	—	—	—	1	—	—	—	—	—	—	—	—	—		—	—	1	2	—	1	10
11	—	1	1	—	1	1	2	—	—	1	—	—	1	—		—	—	1	—	—	1	11
12	3	5	—	2	5	4	2	4	2	1	3	5	3	4		6	3	2	4	—	5	12
13	—	—	—	—	1	—	—	—	—	2	—	—	1	—		1	—	—	—	—	—	13
14	—	—	—	—	1	—	—	—	1	—	—	—	—	—		1	—	—	—	1	1	14
15	3	6	2	2	13	8	2	—	1	5	3	4	6	8		6	4	3	3	2	2	15
16	2	4	—	—	1	4	—	4	1	1	1	—	2	1		1	3	—	2	1	1	16
17	4	2	—	—	1	1	3	1	1	2	2	—	5	1		4	2	3	6	6	3	17
18	—	—	—	—	1	—	—	—	—	—	—	—	—	1		1	2	1	2	—	—	18
19	—	—	—	—	1	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	19
20	—	—	—	—	1	—	1	—	1	—	—	—	—	—		—	—	1	—	—	—	20
21	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	1	—	—	—	—		—	—	—	—	—	—	21A
22	3	1	1	—	1	1	—	2	3	—	3	1	3	3		—	2	2	2	3	1	22
23	—	—	—	—	—	—	—	—	—	—	—	1	—	—		—	—	—	—	—	—	23
24	—	—	—	—	—	2	—	—	—	—	—	—	—	1		—	—	—	—	—	—	24
25	1	—	—	—	3	7	3	—	2	3	—	—	3	—		3	1	3	1	1	—	25
26	—	—	1	—	3	1	1	2	2	—	2	1	2	—		2	2	—	—	—	—	26
27	1	—	—	—	1	—	—	—	—	—	—	—	—	—		—	—	—	—	1	—	27
28	10	14	1	5	21	32	4	2	10	6	5	4	13	10		11	16	10	12	9	12	28
29	—	—	—	—	—	1	1	—	—	1	—	—	—	—		—	—	—	—	—	—	29

CARNARVONSHIRE—cont. CHESHIRE.

	Gwyrfai R.D.		Lleyn R.D.		Ogwen R.D.			Alderley Edge U.D.		Alsager U.D.		Altrinc- ham U.D.		Ashton upon Mersey U.D.		Bolling- ton U.D.		Bowdon U.D.		Bredbury and Romiley U.D.		
	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	229	250	136	148	47	53		17	20	13	16	132	113	38	39	33	41	14	24	53	50	
1	1	—	—	—	—	1		—	—	—	—	—	—	—	1	—	—	—	—	1	1	1
2	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	1	—	—		1	—	—	—	2	4	—	1	—	—	—	1	—	—	3
4	—	1	—	—	—	—		—	—	—	—	1	—	—	—	—	—	—	1	—	—	4
5	2	5	4	4	2	1		—	—	—	—	—	—	1	—	—	—	—	—	1	—	5
6	2	6	—	—	1	1		—	—	—	—	1	1	—	—	1	—	—	—	1	—	6
7	3	—	2	3	—	1		—	—	—	1	—	1	—	—	1	1	—	—	—	—	7
8	1	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	25	23	11	11	8	2		1	2	1	—	21	15	2	2	1	3	—	1	3	2	9
10	6	3	—	—	—	—		—	—	—	—	1	2	—	—	—	—	—	1	1	1	10
11	9	6	—	5	1	—		—	—	1	—	2	—	1	—	—	—	—	2	—	—	11
12	22	28	15	11	4	6		2	4	—	2	8	8	5	2	3	4	2	1	3	5	12
13	—	1	—	—	—	—		1	—	—	—	2	—	2	1	—	—	—	—	1	—	13
14	2	2	2	2	1	1		—	—	—	—	2	—	1	1	—	—	—	—	—	—	14
15	29	29	17	12	5	5		1	5	1	—	18	10	3	5	5	5	1	6	6	11	15
16	6	14	3	9	1	3		1	1	—	—	10	7	3	3	4	5	—	1	4	4	16
17	10	15	7	4	2	1		—	—	3	2	5	6	3	1	—	—	—	—	1	2	17
18	1	2	5	—	1	—		—	1	—	—	2	—	1	—	—	2	1	—	1	—	18
19	3	4	2	—	—	—		—	—	—	1	2	1	—	—	—	—	—	—	—	—	19
20	—	1	—	2	1	1		—	—	—	—	1	—	—	—	—	—	—	—	1	—	20
21	1	1	1	—	—	—		—	—	1	—	3	2	—	—	1	—	—	—	—	1	21
21A	1	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	12	12	7	6	4	1		1	—	—	1	2	5	1	1	3	1	—	2	6	1	22
23	—	2	—	1	—	—		—	—	—	—	—	3	—	—	—	—	—	—	—	—	23
24	—	3	—	1	—	1		—	—	—	—	—	—	—	1	—	—	—	—	—	1	24
25	19	10	4	1	1	2		2	1	—	—	10	6	1	2	3	—	1	2	2	2	25
26	8	3	5	1	2	1		1	—	2	2	5	4	1	2	1	1	1	—	—	1	26
27	2	—	—	—	—	—		1	—	—	1	2	—	1	—	—	—	—	—	—	—	27
28	64	78	51	73	13	25		5	6	4	6	32	37	12	15	10	18	7	6	19	12	28
29	—	1	—	1	—	—		—	—	—	—	—	1	—	—	1	—	—	—	—	—	29

CHESHIRE—cont.

Causes of Death.	Brom-borough U.D.		Bug-lawton U.D.		Cheadle and Gatley U.D.		Compstall U.D.		Congle-ton M.B.		Crewe M.B.		Dukin-field M.B.		Ellesmere Port and Whitby U.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	7	10	15	11	64	50	7	7	79	100	297	277	159	162	74	58
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	2	—	—	1	1	1	2	4	13	13	6	6	1	—
4 Scarlet fever	—	1	—	—	1	—	—	—	—	1	1	1	—	1	—	—
5 Whooping cough	—	—	—	—	—	—	—	—	—	—	7	9	1	2	3	8
6 Diphtheria and croup	—	—	—	—	1	1	—	—	1	—	2	6	—	1	—	2
7 Influenza	—	—	—	—	1	—	—	—	—	1	2	2	—	1	—	—
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	1	1	—	1	1	—
9 Pulmonary tuberculosis	1	—	—	1	4	3	—	1	7	8	22	15	13	13	6	1
10 Tuberculous meningitis	1	—	1	—	1	—	—	—	2	2	3	9	2	4	3	2
11 Other tuberculous diseases	—	—	—	—	—	1	1	—	3	—	4	5	4	1	2	2
12 Cancer, malignant disease	—	2	1	—	9	3	—	—	4	7	22	27	4	8	2	3
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	1	1	2	—	2	—	—
14 Meningitis	—	2	—	—	1	—	—	—	—	1	—	1	2	2	—	—
15 Organic heart disease	—	1	1	2	7	6	3	2	9	15	36	20	15	22	5	4
16 Bronchitis	—	1	2	2	5	5	—	—	12	8	19	20	13	6	6	4
17 Pneumonia (all forms)	1	—	1	—	10	5	—	—	3	10	18	21	16	15	10	8
18 Other respiratory diseases	—	1	—	—	—	1	—	—	1	—	8	2	2	—	1	1
19 Diarrhoea, &c. (under 2 yrs.)	1	—	—	—	1	1	—	1	—	5	4	4	7	11	2	1
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	2	4	1	—	—	—
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	3	2	—	2	—	—
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
22 Nephritis and Bright's dis.	—	—	—	1	1	—	—	—	1	2	6	4	4	3	2	1
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
24 Parturition, apart from 23	—	—	—	—	—	2	—	—	—	—	—	1	—	4	—	1
25 Congenital debility, &c.	—	1	—	—	3	3	—	—	7	4	23	14	17	10	6	7
26 Violence, apart from 27	—	—	1	3	1	1	—	—	7	3	11	9	9	4	7	—
27 Suicide	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
28 Other defined diseases	3	1	6	2	18	17	2	2	20	28	91	83	41	41	17	12
29 Causes ill-defined or un-known.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CHESHIRE—cont.

Causes of Death.	Hale U.D.		Hand-forth U.D.		Hazel Grove and Bramhall U.D.		Higher Bebington U.D.		Holling-worth U.D.		Hoole U.D.		Hoylake and West Kirby U.D.		Hyde M.B.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	31	35	9	2	59	59	11	11	25	24	34	37	57	70	258	268
1 Enteric fever	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	1	—	—	—	—	—	—	—	2	2	2	—	—	1	—	—
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
5 Whooping cough	—	—	—	—	—	—	—	—	—	—	—	2	—	—	6	6
6 Diphtheria and croup	1	2	—	—	—	—	—	—	—	—	—	—	—	—	4	1
7 Influenza	—	—	1	—	1	—	—	—	—	—	2	—	—	2	2	5
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	2	2	2	1	8	3	1	2	1	2	3	3	5	7	19	15
10 Tuberculous meningitis	—	—	—	—	—	3	1	—	1	—	1	2	—	—	1	1
11 Other tuberculous diseases	1	—	—	—	1	1	—	—	—	—	—	1	—	1	3	3
12 Cancer, malignant disease	5	2	1	—	6	9	1	2	2	—	2	4	7	4	13	22
13 Rheumatic fever	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1	2
14 Meningitis	—	1	—	—	—	—	—	—	—	—	—	—	2	1	4	3
15 Organic heart disease	2	3	1	—	6	5	—	—	—	3	3	6	4	8	22	28
16 Bronchitis	1	2	1	—	5	9	—	—	5	4	3	5	6	7	23	33
17 Pneumonia (all forms)	1	2	1	—	7	4	2	—	—	1	4	2	2	4	39	24
18 Other respiratory diseases	2	1	—	—	—	—	—	—	1	—	1	—	4	2	6	5
19 Diarrhoea, &c. (under 2 yrs.)	1	1	—	—	1	1	—	—	—	—	—	1	—	1	—	—
20 Appendicitis and typhlitis	—	1	—	—	—	—	—	—	—	—	—	—	—	1	2	—
21 Cirrhosis of liver	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
22 Nephritis and Bright's dis.	1	2	—	—	1	2	—	1	1	—	1	—	2	—	8	3
23 Puerperal fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—
24 Parturition, apart from 23	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	4
25 Congenital debility, &c.	1	1	—	—	4	4	2	1	2	2	1	2	3	3	20	15
26 Violence, apart from 27	1	—	1	—	1	2	1	—	2	1	2	2	1	4	6	3
27 Suicide	—	—	—	—	1	—	—	—	—	—	—	—	—	—	3	2
28 Other defined diseases	11	13	1	1	15	14	3	4	5	8	9	7	20	25	73	85
29 Causes ill-defined or un-known.	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	1

ADMINISTRATIVE AREAS, 1912—continued.

CHESHIRE—cont.

	Knuts- ford U.D.		Lower Bebington U.D.		Lymm U.D.		Maccles- field M.B.		Marple U.D.		Middle- wich U.D.		Mottram in Longden- dale U.D.		Nantwich U.D.		Neston and Parkgate U.D.		North- wich U.D.		Runcorn U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	42	27	64	61	35	33	259	292	38	43	27	22	17	27	58	52	26	29	126	105	142	126	1
2	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	1	—	2	1	2
3	4	5	—	1	2	—	5	2	2	1	3	1	—	—	1	—	—	—	—	1	3	2	3
4	—	—	—	1	1	—	2	5	—	—	—	—	—	—	—	—	—	—	—	1	—	—	4
5	—	—	—	—	1	—	—	1	—	—	—	—	1	1	—	—	—	—	1	—	2	4	5
6	—	—	—	1	—	—	1	—	—	2	2	—	—	—	—	—	—	—	2	—	2	2	6
7	—	—	4	—	1	4	1	3	—	—	—	—	—	—	—	—	—	—	2	2	3	2	7
8	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	8
9	5	—	4	1	1	—	20	22	2	1	—	—	—	3	3	1	1	5	10	8	11	9	9
10	—	—	1	1	1	1	3	5	1	—	—	—	—	1	—	—	—	—	2	—	—	4	10
11	—	—	3	2	—	—	5	—	—	—	1	—	—	—	1	3	—	1	2	3	3	3	11
12	3	3	1	6	—	2	15	22	1	6	1	2	—	—	11	7	2	4	8	9	5	7	12
13	—	1	—	—	1	1	—	1	—	—	—	—	2	—	—	—	—	—	—	2	—	3	13
14	—	—	—	2	—	—	3	2	—	—	—	—	—	—	—	1	—	—	—	1	2	—	14
15	5	7	9	9	6	7	25	37	3	9	2	3	5	5	11	6	4	3	10	11	12	10	15
16	3	—	4	4	3	1	18	28	10	4	3	1	1	4	5	6	3	1	5	5	5	6	16
17	—	1	5	2	—	1	16	15	1	3	2	2	—	2	2	5	2	2	10	7	13	17	17
18	—	—	2	—	—	—	3	2	—	—	1	—	1	—	1	—	—	—	—	4	—	3	18
19	—	—	2	1	1	—	5	3	—	—	1	—	—	—	—	—	2	—	3	1	4	3	19
20	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	20
21	—	—	—	—	2	—	5	—	2	—	—	1	—	—	—	—	—	—	1	3	—	—	21
21A	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	5	1	3	2	—	1	16	20	2	—	—	1	—	1	—	—	1	3	5	4	1	1	22
23	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	23
24	—	1	—	1	—	—	—	2	—	—	—	—	—	1	—	—	—	1	—	1	—	2	24
25	2	2	5	6	7	2	17	10	—	3	2	3	—	2	1	5	1	—	9	11	16	6	25
26	4	—	2	—	2	1	7	4	—	1	1	—	2	—	5	—	—	1	9	4	11	1	26
27	—	—	—	—	—	—	2	1	1	—	—	—	—	1	—	—	1	—	2	—	4	—	27
28	11	6	19	18	5	11	87	103	12	12	9	7	4	6	15	15	9	—	42	28	43	38	28
29	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1	—	1	—	29

CHESHIRE—cont.

	Sale U.D.		Sandbach U.D.		Staly- bridge M.B.		Tarporey U.D.		Wallasey M.B.		Wilms- low U.D.		Winsford U.D.		Yeardsley cum Whaley U.D.			Bucklow R.D.		Chester R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	
1	81	90	50	31	222	219	18	13	489	465	46	49	88	81	17	4		134	117	60	65	1
2	2	1	—	—	1	1	—	—	2	1	—	—	1	—	—	—		—	—	—	—	2
3	3	3	—	—	—	3	—	—	10	10	1	—	9	16	—	—		3	2	—	—	3
4	—	—	—	—	2	—	—	—	1	5	—	—	—	1	—	—		2	—	—	—	4
5	—	1	—	—	2	11	—	—	7	8	—	1	—	—	—	—		—	—	—	2	5
6	—	—	—	—	3	1	—	—	7	2	—	1	3	6	—	—		—	—	—	—	6
7	1	1	1	—	—	2	—	—	3	5	1	2	—	1	—	—		3	2	2	2	7
8	—	—	—	—	—	1	—	—	1	—	1	—	—	—	—	—		—	—	1	—	8
9	5	3	1	1	15	10	1	1	43	28	4	4	4	3	—	—		5	9	5	4	9
10	1	—	2	—	1	1	—	—	7	6	—	1	—	1	—	—		1	1	—	—	10
11	2	1	1	—	4	5	—	—	6	5	—	1	—	2	—	—		1	3	1	1	11
12	6	9	2	4	14	14	2	1	25	57	1	6	5	5	2	—		10	11	4	6	12
13	—	—	—	1	2	2	—	—	2	1	—	—	—	—	—	—		1	—	—	1	13
14	—	3	1	—	4	3	—	1	3	1	—	1	1	2	—	—		2	—	—	1	14
15	5	9	2	3	16	20	—	1	44	46	1	1	16	13	3	1		18	11	9	13	15
16	6	8	—	1	27	34	2	2	20	22	5	5	3	2	1	1		6	8	—	4	16
17	9	6	3	2	20	15	1	—	63	38	2	2	9	1	—	1		7	8	5	1	17
18	1	2	1	—	3	5	1	—	10	3	—	—	—	—	1	—		4	1	1	1	18
19	—	—	—	1	6	2	—	—	2	5	—	—	1	4	1	—		1	2	—	—	19
20	1	1	—	1	3	1	—	—	4	1	2	—	1	—	1	—		2	—	—	—	20
21	—	1	1	—	4	3	1	—	4	3	2	1	—	—	—	—		1	—	1	—	21
21A	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	1	—	21A
22	4	4	2	3	6	4	1	1	12	11	2	2	3	2	—	—		5	1	3	—	22
23	—	1	—	—	—	—	—	—	—	7	—	—	—	2	—	—		—	—	—	—	23
24	—	2	—	—	—	4	—	—	—	5	—	—	—	2	—	—		—	3	—	2	24
25	1	3	6	—	14	10	1	—	37	24	1	2	5	4	3	—		9	6	3	6	25
26	4	4	2	—	5	2	2	—	24	12	2	1	5	—	—	—		9	5	5	1	26
27	3	—	—	—	4	1	1	—	4	—	1	1	—	1	—	—		2	1	—	—	27
28	26	27	23	13	64	63	5	6	145	155	20	17	22	13	5	1		42	42	18	19	28
29	—	—	2	1	2	1	—	—	3	4	—	—	—	—	—	—		—	1	—	—	29

CHESHIRE—cont.

Causes of Death.	Congle- ton R.D.		Disley R.D.		Maccles- field R.D.		Malpas R.D.		Nantwich R.D.		North- wich R.D.		Runcorn R.D.		Tarvin R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	100	78	22	15	101	101	32	29	179	142	165	128	159	159	83	71	1
1 Enteric fever	—	—	—	—	—	—	—	—	1	1	—	1	—	2	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	3	—	—	1	1	1	1	—	—	5	1	—	—	—	—	4
4 Scarlet fever	1	—	—	—	1	1	—	—	1	1	—	—	—	—	1	—	5
5 Whooping cough	—	2	—	—	—	—	—	1	3	6	—	—	1	—	1	2	6
6 Diphtheria and croup	2	—	—	—	—	—	—	—	—	—	1	3	1	—	—	—	7
7 Influenza	2	2	—	—	—	2	—	—	4	1	1	—	—	2	2	—	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	9
9 Pulmonary tuberculosis	1	2	2	—	6	3	1	1	9	10	5	7	9	9	2	4	10
10 Tuberculous meningitis	—	1	1	—	1	—	—	—	4	1	—	—	4	1	—	1	11
11 Other tuberculous diseases	2	2	—	—	—	1	—	—	5	2	—	2	—	2	—	1	12
12 Cancer, malignant disease	7	9	2	3	6	15	2	5	11	12	14	8	9	13	11	4	13
13 Rheumatic fever	—	—	—	—	—	—	1	—	—	—	1	2	1	—	1	—	14
14 Meningitis	—	—	—	—	1	—	1	—	2	1	2	2	3	5	1	2	15
15 Organic heart disease	10	10	2	—	16	20	5	1	22	19	16	18	18	19	8	5	16
16 Bronchitis	5	1	1	1	6	8	2	1	13	9	6	8	14	9	9	8	17
17 Pneumonia (all forms)	14	2	2	—	11	3	1	2	11	10	14	4	9	8	2	2	18
18 Other respiratory diseases	—	1	1	—	3	—	—	—	3	3	5	1	2	2	2	—	19
19 Diarrhœa, &c. (under 2 yrs.)	—	1	—	—	2	—	—	1	1	—	1	2	2	1	—	1	20
20 Appendicitis and typhlitis	1	2	—	—	1	1	1	—	2	3	1	—	1	4	—	—	21
21 Cirrhosis of liver	2	—	—	—	—	1	—	—	2	1	1	1	1	—	—	2	21A
21A Alcoholism	1	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	22
22 Nephritis and Bright's dis.	1	1	1	1	4	3	1	—	4	3	5	3	7	3	2	1	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	1	—	3	—	—	—	—	24
24 Parturition, apart from 23	—	3	—	—	—	1	—	—	—	4	—	1	—	2	—	—	25
25 Congenital debility, &c.	8	3	1	2	3	7	1	1	11	7	12	11	11	12	3	4	26
26 Violence, apart from 27	6	1	—	—	5	2	2	3	8	2	6	4	11	2	4	2	27
27 Suicide	1	—	—	—	1	—	—	—	1	1	—	1	—	1	2	—	28
28 Other defined diseases	34	31	9	8	33	32	13	12	61	44	67	45	54	60	29	32	29
29 Causes ill-defined or un- known.	2	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	29

CHESHIRE—cont.

CORNWALL.

Causes of Death.	Tint- wistle R.D.		Wirral R.D.				Bodmin M.B.		Callington U.D.		Cam- borne U.D.		Falmouth M.B.		Hayle U.D.		
	M	F	M	F			M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	12	19	101	83			37	43	6	15	106	110	95	89	9	11	1
1 Enteric fever	—	—	—	—			—	—	—	—	—	—	—	1	—	—	2
2 Small-pox	—	—	—	—			—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	1	—	1			1	—	—	—	3	1	—	—	—	—	4
4 Scarlet fever	—	—	2	—			—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	2	2			—	—	—	1	—	—	—	—	—	—	6
6 Diphtheria and croup	—	—	2	3			—	—	—	1	—	1	—	1	—	—	7
7 Influenza	—	—	—	—			—	—	—	—	2	3	3	—	—	—	8
8 Erysipelas	—	—	1	—			—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	—	1	11	6			4	4	—	1	29	7	8	1	2	1	10
10 Tuberculous meningitis	—	—	—	1			—	—	—	—	2	1	1	2	—	—	11
11 Other tuberculous diseases	—	—	2	1			2	2	—	—	—	1	1	—	—	—	12
12 Cancer, malignant disease	—	1	9	10			—	2	—	3	8	11	6	9	—	1	13
13 Rheumatic fever	—	—	—	—			—	—	—	—	—	—	—	—	—	—	14
14 Meningitis	—	—	—	—			—	1	—	—	—	—	—	2	—	1	15
15 Organic heart disease	1	2	8	14			5	7	—	2	6	22	12	16	2	—	16
16 Bronchitis	—	1	6	5			3	2	1	3	4	5	6	11	—	1	17
17 Pneumonia (all forms)	—	1	6	3			3	5	—	1	7	3	1	3	—	1	18
18 Other respiratory diseases	—	—	—	1			—	—	—	1	1	—	3	2	2	—	19
19 Diarrhœa, &c. (under 2 yrs.)	—	—	2	1			1	—	—	—	3	2	2	1	—	—	20
20 Appendicitis and typhlitis	—	1	1	—			—	—	—	—	—	2	1	—	—	—	21
21 Cirrhosis of liver	2	—	3	—			—	—	—	—	—	—	1	—	—	—	21A
21A Alcoholism	—	—	—	—			—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	—	4	2			2	—	—	—	2	4	3	2	—	2	23
23 Puerperal fever	—	—	—	—			—	—	—	—	—	—	—	1	—	—	24
24 Parturition, apart from 23	—	—	—	1			—	—	—	—	1	—	—	2	—	1	25
25 Congenital debility, &c.	1	1	6	4			—	1	—	1	12	7	3	4	—	1	26
26 Violence, apart from 27	—	1	2	1			1	—	1	—	3	—	7	1	—	—	27
27 Suicide	1	—	1	—			—	1	1	—	—	2	3	—	—	—	28
28 Other defined diseases	7	9	32	27			15	16	3	2	22	37	31	30	3	2	29
29 Causes ill-defined or un- known.	—	—	1	—			—	2	—	—	1	—	2	—	—	—	29

ADMINISTRATIVE AREAS, 1912—continued.

CORNWALL—cont.

	Helston M.B.		Launceston M.B.		Liskeard M.B.		Looe U.D.		Lostwithiel M.B.		Ludgvan U.D.		Madron U.D.		Newquay U.D.		Padstow U.D.		Paul U.D.		Penryn M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	20	21	27	31	24	30	20	20	7	14	18	19	29	27	31	24	14	19	30	42	18	27	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	5
6	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	6
7	1	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	2	—	6	3	3	1	1	—	1	1	3	—	4	2	5	2	—	—	—	1	3	—	9
10	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	1	1	—	—	10
11	—	—	—	1	—	—	—	2	1	—	—	—	1	—	—	—	1	1	—	—	—	—	11
12	—	2	2	2	1	5	3	2	1	—	—	1	2	5	2	1	2	1	3	5	1	3	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	13
14	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	14
15	2	4	2	8	2	6	1	2	—	—	4	9	7	2	6	4	1	3	3	4	—	—	15
16	—	—	2	5	2	5	1	1	—	1	—	1	—	—	2	3	—	1	—	2	—	—	16
17	2	2	2	1	—	3	1	1	1	1	2	1	—	—	1	—	—	1	3	—	3	1	17
18	—	—	—	—	—	2	2	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1	18
19	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	19
20	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	20
21	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	2	1	—	—	—	2	2	—	—	—	—	2	—	—	—	1	2	1	1	1	2	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	24
25	1	2	1	1	—	1	—	—	—	—	—	2	1	3	1	1	1	—	1	3	2	2	25
26	1	1	—	—	—	—	—	—	—	—	1	—	—	—	1	1	1	—	2	—	3	—	26
27	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	27
28	9	7	9	9	10	7	9	10	3	9	7	4	8	14	11	12	7	8	14	22	6	14	28
29	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	29

CORNWALL—cont.

	Penzance M.B.		Phillack U.D.		Redruth U.D.		St. Austell U.D.		St. Ives M.B.		St. Just U.D.		Saltash M.B.		Stratton and Bude U.D.		Torpoint U.D.		Truro M.B.		Wade- bridge U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	79	106	24	30	92	102	21	24	51	58	45	56	23	18	24	8	25	26	85	103	16	19	1
2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2
3	—	—	—	—	1	—	—	—	5	4	—	—	—	—	—	—	—	—	3	1	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	4
5	—	—	3	—	—	—	—	—	2	2	—	—	1	2	—	—	—	2	—	—	1	—	5
6	—	2	—	—	1	—	—	—	2	—	3	3	1	1	—	—	—	—	—	—	—	—	6
7	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	7	5	2	2	15	6	—	2	3	5	9	5	3	1	2	1	3	4	10	9	—	3	9
10	1	—	—	—	1	3	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	10
11	1	3	—	—	1	1	—	—	1	1	—	3	—	—	—	—	—	—	1	—	—	—	11
12	5	13	—	7	4	5	3	2	3	13	—	2	4	3	3	3	5	1	6	10	1	4	12
13	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	13
14	1	2	—	1	1	1	—	—	1	—	—	1	1	—	—	—	—	1	—	2	—	—	14
15	6	17	1	7	9	16	1	7	7	4	5	3	2	3	2	3	2	2	7	11	2	3	15
16	3	8	1	2	7	15	1	—	2	2	3	4	2	1	—	—	1	1	6	8	—	1	16
17	7	7	2	1	3	6	1	—	4	4	1	1	2	—	—	—	1	1	3	6	1	1	17
18	3	1	2	—	4	2	—	—	1	—	3	1	—	—	1	—	1	—	3	—	1	1	18
19	1	—	1	—	4	—	—	—	1	—	—	—	1	—	1	—	1	—	—	3	1	—	19
20	1	1	—	—	1	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	1	—	20
21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2	1	—	—	—	21A
22	5	4	—	1	2	3	—	—	1	1	—	—	—	1	—	—	1	—	4	5	—	—	22
23	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	1	24
25	8	4	4	2	8	4	3	2	4	3	5	4	—	1	—	—	2	4	6	9	—	—	25
26	1	1	1	—	6	2	1	1	3	2	7	—	—	—	1	—	—	—	1	3	—	—	26
27	—	1	—	—	—	1	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—	27
28	29	34	6	7	22	36	11	10	12	16	5	29	4	6	10	1	6	6	29	32	6	5	28
29	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	29

CORNWALL—*cont.*

Causes of Death.			Bodmin R.D.		Calstock R.D.		Camel- ford R.D.		East Kerrier R.D.		Helston R.D.		Hols- worthy (pt.) R.D.*		Laun- ceston R.D.		Liskeard R.D.	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	70	78	38	39	45	52	58	55	130	138	1	1	59	52	99	110
1 Enteric fever	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	3
4 Scarlet fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	4
5 Whooping cough	—	1	—	—	2	—	—	—	4	3	—	—	1	1	1	5
6 Diphtheria and croup	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	6
7 Influenza	5	3	1	—	1	2	1	3	4	7	—	—	2	3	2	7
8 Erysipelas	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	8
9 Pulmonary tuberculosis	3	3	7	1	4	2	7	4	14	12	—	—	—	3	7	9
10 Tuberculous meningitis	1	—	2	—	—	—	—	—	1	1	—	—	1	—	3	10
11 Other tuberculous diseases	1	—	—	—	—	1	—	—	2	2	—	1	1	—	—	11
12 Cancer, malignant disease	5	11	2	3	5	4	5	4	11	16	—	—	4	10	9	12
13 Rheumatic fever...	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	13
14 Meningitis	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	14
15 Organic heart disease	11	17	3	11	2	9	6	7	10	16	—	—	4	3	15	15
16 Bronchitis	3	3	3	3	—	2	3	2	7	6	—	—	9	4	6	16
17 Pneumonia (all forms)	4	1	4	2	2	1	1	2	4	5	—	—	4	2	4	17
18 Other respiratory diseases	2	3	—	—	—	1	—	2	4	1	—	—	3	1	2	18
19 Diarrhoea, &c. (under 2 yrs.)	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	19
20 Appendicitis and typhlitis	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21 Cirrhosis of liver	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	21
21A Alcoholism	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	—	—	2	1	—	1	3	—	7	3	—	—	2	2	7	22
23 Puerperal fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	24
25 Congenital debility, &c.	5	3	—	—	5	2	3	3	6	12	—	—	2	—	5	25
26 Violence, apart from 27	5	1	3	1	1	2	3	—	7	2	1	—	2	1	2	26
27 Suicide	—	—	1	—	—	—	—	—	1	—	—	—	—	—	2	27
28 Other defined diseases	21	27	9	16	23	24	25	23	41	49	—	—	21	19	36	28
29 Causes ill-defined or un- known.	1	2	1	—	—	—	—	2	2	—	—	—	1	—	1	29

CORNWALL—*cont.*

Causes of Death.			Redruth R.D.		St. Austell R.D.		St. Columb Major R.D.		St. Ger- mans R.D.		Scilly Isles of R.D.		Stratton R.D.		Truro R.D.		West Penwith R.D.	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	145	143	207	211	65	66	75	97	16	8	28	36	138	144	62	63
1 Enteric fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	3	—	2	1	—	—	—	—	—	—	—	—	1	1	1	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	4
5 Whooping cough	—	2	2	—	—	1	—	2	—	—	—	—	—	—	1	5
6 Diphtheria and croup	1	1	1	—	1	—	—	—	—	—	1	—	—	—	1	6
7 Influenza	3	1	1	2	1	3	—	4	—	—	1	1	5	1	—	7
8 Erysipelas	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	34	11	18	15	4	2	7	8	—	2	2	5	7	14	4	9
10 Tuberculous meningitis	1	1	1	4	—	—	2	—	—	—	1	1	1	—	1	10
11 Other tuberculous diseases	1	2	2	7	—	—	1	2	—	—	1	—	2	1	1	11
12 Cancer, malignant disease	11	12	11	22	4	7	8	10	2	2	—	4	5	19	6	12
13 Rheumatic fever...	1	—	—	2	—	1	—	2	—	—	—	—	—	—	—	13
14 Meningitis	—	—	1	1	—	1	2	1	—	—	1	—	—	—	—	14
15 Organic heart disease	11	23	23	23	17	15	5	8	—	—	6	5	17	15	12	15
16 Bronchitis	6	5	12	11	3	3	7	8	—	—	2	5	19	5	3	16
17 Pneumonia (all forms)	4	8	12	8	3	2	4	3	—	—	1	1	2	7	5	17
18 Other respiratory diseases	6	1	5	1	4	1	1	2	1	—	—	1	3	—	2	18
19 Diarrhoea, &c. (under 2 yrs.)	2	2	2	—	2	—	—	1	—	—	—	—	1	—	—	19
20 Appendicitis and typhlitis	1	1	—	1	—	1	1	1	1	—	—	—	—	—	—	20
21 Cirrhosis of liver	3	—	1	—	1	—	—	1	—	—	—	—	1	—	—	21
21A Alcoholism	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	3	5	11	9	—	2	1	—	—	—	—	1	3	3	2	22
23 Puerperal fever	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	1	—	3	—	1	—	1	—	—	—	1	—	—	—	24
25 Congenital debility, &c.	15	13	17	11	2	4	2	1	—	—	4	3	10	8	3	25
26 Violence, apart from 27	9	4	7	3	2	1	4	1	1	—	2	—	6	4	3	26
27 Suicide	—	—	—	—	2	—	1	—	—	—	1	—	—	—	—	27
28 Other defined diseases	29	49	74	84	18	21	31	37	11	3	7	6	58	59	17	28
29 Causes ill-defined or un- known.	1	—	2	—	1	—	—	2	—	1	1	1	—	2	1	29

* The remainder of Holsworthy R.D. is in Devonshire; see page 473.

ADMINISTRATIVE AREAS, 1912—continued.

CUMBERLAND.

		Arledon and Frizington U.D.		Aspatria U.D.		Carlisle M.B.		Cleator Moor U.D.		Cocker- mouth U.D.		Egremont U.D.		Harring- ton U.D.		Holme Cultram U.D.		Keswick U.D.		Maryport U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1		53	43	24	12	407	395	66	79	22	45	71	50	39	27	33	27	34	50	95	89	1
2		—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3		3	5	—	—	21	23	5	11	—	—	9	6	2	2	2	1	2	2	19	19	3
4		—	—	—	—	—	2	—	—	—	1	—	—	1	—	—	1	—	—	—	1	4
5		—	—	—	—	10	8	4	6	—	1	—	—	—	—	—	—	—	—	—	—	5
6		1	—	1	—	3	3	1	1	—	1	1	1	3	2	—	1	1	1	—	1	6
7		—	—	—	—	3	7	—	2	—	1	—	—	—	—	—	—	—	—	1	2	7
8		—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9		2	6	3	—	38	29	4	6	—	4	5	3	—	3	1	1	—	1	3	4	9
10		1	—	1	—	—	5	—	—	—	1	—	—	—	1	—	—	1	—	—	—	10
11		3	4	3	1	33	34	3	5	1	8	4	2	3	2	4	3	2	1	1	1	11
12		—	—	—	—	3	2	1	—	—	1	—	—	1	—	—	—	—	—	—	—	12
13		—	—	—	—	3	6	2	1	—	—	1	—	—	—	—	—	—	—	—	—	13
14		1	—	—	1	3	—	2	1	—	—	1	1	—	—	—	—	—	—	—	4	14
15		3	2	1	2	49	40	5	4	8	5	2	3	2	2	2	3	6	5	11	4	15
16		11	5	1	—	10	21	7	6	1	1	6	3	4	—	1	1	2	2	5	3	16
17		2	2	—	1	32	41	5	2	—	4	4	2	7	4	3	—	2	7	7	2	17
18		1	1	—	—	6	5	4	—	2	2	4	—	—	—	1	1	1	4	1	—	18
19		1	—	1	—	9	5	—	2	—	—	—	1	1	1	2	—	—	1	1	—	19
20		1	—	—	—	6	2	—	—	—	—	1	—	—	—	1	—	—	3	—	—	20
21		—	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	1	—	21
21A		1	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	21A
22		3	—	—	—	15	13	4	2	1	3	—	—	1	—	2	1	—	1	1	1	22
23		—	—	—	—	—	5	—	1	—	—	—	1	—	—	—	1	—	—	—	—	23
24		—	—	—	—	—	5	—	2	—	—	—	—	—	—	—	—	—	—	—	—	24
25		7	6	2	1	32	16	2	3	—	1	8	9	3	3	1	3	—	—	4	1	25
26		4	—	2	—	18	11	1	—	1	1	1	—	—	—	1	1	—	—	8	1	26
27		—	—	1	—	4	2	—	—	—	—	—	—	—	—	—	—	—	—	2	—	27
28		6	11	8	6	102	101	15	22	7	11	23	16	8	7	13	9	9	14	20	35	28
29		2	—	—	—	3	3	1	2	—	—	—	—	—	—	—	—	1	1	3	1	29

CUMBERLAND—cont.

		Millom U.D.		Penrith U.D.		White- haven M.B.		Wigton U.D.		Working- ton M.B.		Alston with Garrigill R.D.		Bootle R.D.		Brampton R.D.		Carlisle R.D.		Cocker- mouth R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1		70	63	53	57	161	154	21	30	201	198	30	26	35	23	55	65	134	102	153	141	1
2		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2
3		—	—	2	3	4	8	—	—	23	22	—	—	—	—	—	—	1	1	7	14	3
4		—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	4
5		3	—	2	2	—	2	—	—	5	5	—	—	—	—	1	1	2	—	2	1	5
6		1	3	—	—	1	—	1	1	1	2	—	—	1	—	—	—	—	4	4	1	6
7		1	—	—	1	2	2	—	—	—	—	2	1	1	1	—	—	1	6	—	2	7
8		—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9		2	7	7	6	9	12	3	2	16	12	5	4	1	3	5	4	8	5	3	7	9
10		1	—	1	1	2	—	—	1	4	2	—	1	—	—	1	1	—	—	—	1	10
11		2	3	3	—	5	2	1	—	11	10	1	—	1	1	1	2	1	1	1	1	11
12		3	7	2	8	12	11	—	6	11	16	—	5	1	2	7	9	11	9	12	14	12
13		—	—	—	—	1	2	—	—	1	1	—	—	—	—	—	—	—	—	1	—	13
14		—	—	1	—	—	—	—	1	3	6	—	1	1	—	—	—	—	—	1	—	14
15		5	5	3	6	14	12	1	1	14	22	3	2	2	5	8	10	16	14	11	14	15
16		7	7	3	1	22	24	1	2	16	9	—	1	3	1	2	5	4	7	5	5	16
17		8	6	4	5	11	6	3	—	14	13	1	2	6	—	4	4	10	5	15	10	17
18		2	3	1	—	2	—	1	1	6	—	1	—	2	—	2	1	3	1	2	2	18
19		1	—	—	—	2	2	—	—	3	3	—	—	—	—	—	—	—	2	3	1	19
20		—	—	—	—	2	—	—	—	1	—	1	—	—	—	1	—	—	1	2	—	20
21		3	1	2	1	2	1	—	—	—	3	—	—	2	—	—	—	2	—	1	—	21
21A		—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	1	—	—	—	21A
22		2	1	1	1	3	7	1	—	3	2	2	1	—	—	—	3	3	4	4	—	22
23		—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	23
24		—	—	—	1	—	3	—	—	—	4	—	—	—	—	—	—	1	—	—	1	24
25		2	1	4	2	16	10	2	3	16	9	—	1	—	—	5	2	12	4	13	11	25
26		1	—	5	—	9	5	—	—	7	2	3	1	1	2	2	6	1	3	3	3	26
27		2	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	3	—	1	—	27
28		24	19	10	17	40	42	8	12	43	51	9	7	11	8	16	26	47	42	58	44	28
29		—	—	1	1	3	1	—	—	1	2	2	—	2	—	—	—	2	—	2	3	29

CUMBERLAND—cont.

CAUSES OF DEATH IN
DENBIGHSHIRE.

Causes of Death.	Longtown R.D.		Penrith R.D.		White- haven R.D.		Wigton R.D.			Abergele and Pensarn U.D.		Colwyn Bay and Colwyn U.D.		Denbigh M.B.		
	M	F	M	F	M	F	M	F		M	F	M	F	M	F	
ALL CAUSES ...	48	41	79	64	112	87	80	93		21	19	60	76	49	50	1
1 Enteric fever ...	—	—	—	—	—	—	—	—		—	—	—	—	—	—	2
2 Small-pox ...	—	—	—	—	—	—	—	—		—	—	—	—	—	—	3
3 Measles ...	1	2	—	—	11	5	1	5		—	—	—	1	—	—	4
4 Scarlet fever ...	—	1	—	—	1	2	—	—		—	—	—	—	—	—	5
5 Whooping cough ...	—	—	—	1	—	—	1	1		—	—	—	1	—	—	6
6 Diphtheria and croup ...	—	—	—	—	1	1	—	1		—	—	—	1	—	—	7
7 Influenza ...	—	—	3	3	2	—	2	1		2	2	2	1	1	—	8
8 Erysipelas ...	—	—	—	—	—	1	—	—		—	—	—	—	—	—	9
9 Pulmonary tuberculosis	4	3	4	2	6	3	6	2		2	1	8	8	3	1	10
10 Tuberculous meningitis	—	—	1	1	3	1	—	—		—	—	—	1	1	1	11
11 Other tuberculous diseases	1	—	—	1	1	1	—	—		3	—	2	1	—	1	12
12 Cancer, malignant disease	3	5	6	11	9	8	3	6		2	4	4	14	5	5	13
13 Rheumatic fever...	—	—	—	—	1	2	1	—		—	—	—	—	—	—	14
14 Meningitis ...	—	—	—	—	—	—	1	—		—	—	1	1	—	—	15
15 Organic heart disease ...	10	10	12	6	8	6	8	15		2	1	4	12	11	11	16
16 Bronchitis ...	4	4	5	1	6	6	8	4		1	—	2	8	6	6	17
17 Pneumonia (all forms) ...	2	3	5	—	11	7	4	3		2	2	6	2	3	1	18
18 Other respiratory diseases	—	—	2	1	1	1	1	1		—	—	1	1	1	3	19
19 Diarrhoea, &c. (under 2 yrs.)	1	1	—	—	1	1	—	2		—	—	—	—	1	—	20
20 Appendicitis and typhlitis	—	—	—	2	—	—	—	3		—	—	—	1	—	—	21
21 Cirrhosis of liver ...	—	—	—	1	1	1	1	—		—	—	2	1	—	—	21A
21A Alcoholism ...	—	—	—	—	—	—	1	—		—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	—	1	—	1	3	2	—		1	—	1	2	2	1	23
23 Puerperal fever ...	—	—	—	—	—	—	—	1		—	—	—	1	—	—	24
24 Parturition, apart from 23	—	—	—	1	—	—	—	1		—	—	—	—	—	1	25
25 Congenital debility, &c.	1	1	4	3	9	5	6	6		1	1	4	—	2	—	26
26 Violence, apart from 27	1	1	5	1	7	2	4	—		—	2	4	—	1	2	27
27 Suicide ...	1	—	1	—	1	—	2	—		—	—	1	1	1	—	28
28 Other defined diseases ...	19	10	29	28	30	29	27	41		5	6	18	18	11	17	29
29 Causes ill-defined or un- known.	—	—	1	1	1	2	1	—		—	—	—	—	—	—	

DENBIGHSHIRE—cont.

Causes of Death.	Llangollen U.D.		Llanrwst U.D.		Ruthin M.B.		Wrexham M.B.			Chirk R.D.		Llan- gollen R.D.		Llanrwst R.D.		
	M	F	M	F	M	F	M	F		M	F	M	F	M	F	
ALL CAUSES ...	34	23	22	16	28	27	149	131		33	30	35	24	28	31	1
1 Enteric fever ...	—	—	—	—	—	—	—	—		—	—	—	—	—	—	2
2 Small-pox ...	—	—	—	—	—	—	—	—		—	—	—	—	—	—	3
3 Measles ...	—	—	—	—	2	3	16	13		—	—	1	—	—	—	4
4 Scarlet fever ...	—	—	—	—	—	—	—	—		1	1	—	—	—	—	5
5 Whooping cough ...	—	1	—	—	—	—	2	—		—	—	—	—	—	—	6
6 Diphtheria and croup ...	—	—	—	—	—	—	1	—		—	—	—	—	—	—	7
7 Influenza ...	1	1	—	—	—	—	1	3		1	1	2	2	—	—	8
8 Erysipelas ...	—	—	—	—	—	—	—	—		—	—	—	—	—	—	9
9 Pulmonary tuberculosis	—	—	1	2	1	1	11	14		1	2	2	2	2	—	10
10 Tuberculous meningitis	—	—	—	—	1	—	4	2		—	—	—	—	—	—	11
11 Other tuberculous diseases	—	—	1	—	—	—	1	—		—	—	—	—	—	1	12
12 Cancer, malignant disease	6	2	1	—	3	3	7	11		3	6	5	2	—	2	13
13 Rheumatic fever...	—	—	—	—	—	—	—	—		—	—	—	—	—	—	14
14 Meningitis ...	—	—	—	—	1	—	1	—		1	—	—	—	—	1	15
15 Organic heart disease ...	5	6	3	3	2	7	18	22		6	5	5	3	2	5	16
16 Bronchitis ...	2	1	—	3	1	1	3	3		2	1	2	—	1	4	17
17 Pneumonia (all forms) ...	3	1	3	1	1	2	6	8		1	1	2	1	2	—	18
18 Other respiratory diseases	3	—	—	—	2	1	1	—		2	—	—	—	1	1	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	1	—	—	—	—	2		1	—	1	—	—	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	—		—	1	—	—	—	—	21
21 Cirrhosis of liver ...	—	—	—	—	—	—	2	1		2	1	—	—	—	—	21A
21A Alcoholism ...	—	—	1	—	—	—	—	—		—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	1	2	—	1	—	—	3	2		—	—	2	—	1	2	23
23 Puerperal fever ...	—	—	—	—	—	—	—	—		—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	—	—	3		—	—	—	1	—	1	25
25 Congenital debility, &c.	3	1	3	2	1	1	15	10		3	2	4	2	3	1	26
26 Violence, apart from 27	1	—	3	1	2	1	6	3		1	—	4	1	2	2	27
27 Suicide ...	—	—	—	1	1	—	—	—		—	—	—	—	—	—	28
28 Other defined diseases ...	9	8	5	2	9	6	49	33		8	9	5	9	13	11	29
29 Causes ill-defined or un- known.	—	—	—	—	1	1	2	1		—	—	—	1	—	—	

ADMINISTRATIVE AREAS, 1912—continued.

DENBIGHSHIRE—cont.

DERBYSHIRE.

	Llan-silin R.D.		Ruthin R.D.		St. Asaph (Denbigh) R.D.		Uwchaled R.D.		Wrexham R.D.		Llanelian and Llan-santffraid C.P's.*		Alfreton U.D.		Alvaston and Boulton U.D.		Ashbourne U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	26	20	60	77	46	59	22	13	399	356	19	14	129	115	14	9	26	19	1
2	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—	1	—	—	2
3	—	—	—	—	—	1	—	—	7	16	—	—	6	5	—	—	—	—	3
4	—	—	—	—	—	—	—	—	2	1	—	—	1	1	—	—	—	—	4
5	—	—	—	—	—	—	—	—	9	7	—	—	5	6	—	—	—	—	5
6	—	—	—	—	1	—	—	—	1	4	—	—	3	1	1	—	1	1	6
7	—	—	1	—	1	3	—	1	3	6	—	1	3	3	—	1	—	1	7
8	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	8
9	—	1	6	6	1	2	1	—	18	16	—	—	3	3	—	—	3	1	9
10	—	—	—	2	1	—	—	—	6	3	—	—	1	1	—	1	1	—	10
11	—	1	—	—	—	3	—	—	6	2	—	—	2	5	—	1	—	—	11
12	—	1	4	11	4	7	3	2	25	23	2	1	9	8	2	—	4	2	12
13	—	—	1	1	2	—	—	—	4	2	—	—	—	—	—	—	—	—	13
14	—	2	—	—	—	3	—	—	4	1	—	—	—	1	—	—	—	—	14
15	1	1	9	16	3	8	6	4	30	36	1	2	11	5	—	1	2	2	15
16	3	—	5	1	2	7	—	1	42	32	1	2	11	6	—	1	—	—	16
17	—	1	4	6	1	2	3	1	34	34	3	2	9	11	1	—	—	—	17
18	3	—	2	—	1	—	—	—	5	6	1	1	1	2	—	1	—	1	18
19	—	—	—	—	—	—	—	—	10	8	1	—	2	—	—	—	—	—	19
20	—	1	—	—	1	—	—	—	5	1	—	—	1	1	—	—	—	—	20
21	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	21A
22	2	2	1	2	8	3	1	—	9	14	1	1	1	1	1	1	—	—	22
23	—	—	—	1	—	—	—	—	—	2	—	—	—	3	—	—	—	—	23
24	—	—	—	—	—	—	—	1	—	8	—	—	—	1	—	—	—	—	24
25	1	3	3	—	2	1	3	1	34	14	2	1	14	6	3	—	2	2	25
26	—	—	5	1	3	—	1	—	16	9	1	1	7	3	1	—	—	1	26
27	—	—	—	—	1	—	—	—	6	—	—	—	—	—	1	—	1	—	27
28	14	7	19	29	14	19	4	2	119	110	6	2	37	38	4	1	10	7	28
29	2	—	—	1	—	—	—	—	1	—	—	—	2	2	—	—	—	—	29

DERBYSHIRE—cont.

	Bakewell U.D.		Baslow and Bubnell U.D.		Belper U.D.		Bolsover U.D.		Bonsall U.D.		Brampton and Walton U.D.		Buxton U.D.		Chesterfield M.B.		Clay Cross U.D.		Dronfield U.D.		Fairfield U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	24	16	14	11	85	59	74	49	9	12	7	21	35	49	260	247	69	61	27	27	20	18	1
2	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2
3	—	—	—	—	—	—	5	3	—	—	—	—	1	—	2	1	2	1	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2	7	3	2	—	1	—	—	4
5	—	—	—	1	—	—	—	—	—	—	1	—	—	—	6	6	2	—	—	—	1	—	5
6	—	—	—	—	1	1	2	3	—	—	—	—	1	—	2	1	—	—	—	—	—	—	6
7	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	1	1	—	—	1	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	8
9	2	1	—	—	4	5	4	1	—	2	1	1	3	3	22	24	7	4	1	1	4	—	9
10	—	1	—	1	—	—	1	1	—	—	—	—	—	1	1	3	1	1	1	—	2	1	10
11	—	—	—	—	—	1	—	—	—	—	—	—	—	—	3	5	3	3	—	1	—	—	11
12	1	1	1	2	9	3	2	2	1	1	—	1	6	6	11	10	4	4	2	1	2	—	12
13	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	13
14	—	—	—	—	1	—	—	1	—	—	—	—	—	1	3	1	1	2	—	—	—	—	14
15	3	2	5	2	6	5	2	3	2	2	—	3	5	6	21	31	4	7	6	3	—	2	15
16	1	—	—	—	12	6	3	3	—	1	—	2	3	6	28	19	6	4	4	2	3	3	16
17	3	2	—	—	10	2	8	3	—	—	—	3	3	1	22	17	4	4	—	3	—	—	17
18	—	1	—	—	—	1	3	1	—	—	—	—	—	—	1	—	1	—	—	—	—	1	18
19	—	—	—	—	1	1	3	1	—	—	—	—	—	—	4	9	2	4	1	—	—	—	19
20	—	—	—	—	—	—	1	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	20
21	—	—	—	—	1	—	1	—	1	—	—	—	1	1	4	3	1	1	—	—	1	—	21
21A	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	21A
22	1	1	1	1	2	4	1	1	—	—	—	—	2	7	9	—	1	1	3	—	—	—	22
23	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	2	23
24	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	4	—	—	—	—	—	—	24
25	1	—	—	—	9	5	11	9	1	1	—	2	3	1	29	19	5	6	2	1	1	—	25
26	1	—	—	—	3	—	2	2	1	—	—	—	—	—	10	8	5	2	—	1	—	1	26
27	2	—	—	—	1	1	3	—	—	1	1	—	—	—	4	—	1	—	—	—	—	—	27
28	8	6	6	4	24	23	20	12	2	3	5	7	8	18	70	65	15	12	7	10	5	4	28
29	1	—	1	—	—	—	2	—	1	—	—	—	—	—	4	1	—	1	2	—	—	3	29

* Llanelian yn Rhôs and Llansantffraid Glan Conway C. P's.—Administered by Conway R.D.C. (Garnarvonshire).

DERBYSHIRE—cont.

Causes of Death.			Glossop		Heage		Heanor		Ilkeston.		Long Eaton		Matlock		Matlock Bath and Scarthin Nick		New Mills	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	140	173	20	11	114	95	195	195	97	88	32	39	8	8	56	76
1 Enteric fever	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	11	10	—	—	—	—	10	8	4	—	1	—	—	—	1	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	4
5 Whooping cough	1	2	—	—	2	—	1	5	1	4	—	—	—	—	2	5
6 Diphtheria and croup	—	1	1	—	1	—	—	1	—	1	—	—	—	—	1	6
7 Influenza	2	1	—	—	1	3	8	7	—	1	—	—	—	—	1	7
8 Erysipelas	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—	8
9 Pulmonary tuberculosis	10	15	1	—	4	12	9	10	10	8	3	5	2	—	5	9
10 Tuberculous meningitis	—	1	—	—	1	2	2	2	1	3	1	—	1	—	—	10
11 Other tuberculous diseases	6	1	—	—	—	1	4	2	1	3	—	1	—	—	2	11
12 Cancer, malignant disease	8	14	1	1	4	9	5	20	3	7	3	4	—	—	2	12
13 Rheumatic fever...	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	13
14 Meningitis	1	4	1	—	1	2	3	2	1	1	—	—	—	—	—	14
15 Organic heart disease	7	17	—	2	7	6	12	11	9	10	5	8	—	2	1	15
16 Bronchitis	8	23	1	—	9	7	25	22	9	8	1	5	—	—	3	16
17 Pneumonia (all forms)	10	9	2	3	8	5	24	14	2	5	2	3	3	1	5	17
18 Other respiratory diseases	2	4	—	—	1	—	1	1	—	—	—	1	—	—	—	18
19 Diarrhoea, &c. (under 2 yrs.)	6	1	1	—	4	3	1	4	6	1	—	—	—	—	1	19
20 Appendicitis and typhlitis	1	2	—	—	1	—	—	1	—	—	—	—	—	—	1	20
21 Cirrhosis of liver	4	—	—	—	3	1	—	—	—	—	2	—	—	—	1	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	21A
22 Nephritis and Bright's dis.	6	6	—	1	1	2	4	8	2	3	1	2	1	—	1	22
23 Puerperal fever	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	24
25 Congenital debility, &c.	10	3	1	—	11	4	32	17	9	4	4	2	—	1	5	25
26 Violence, apart from 27	3	3	2	—	7	1	9	6	3	2	2	1	—	—	2	26
27 Suicide	1	—	—	—	1	—	1	2	1	—	—	—	—	—	—	27
28 Other defined diseases	38	53	7	4	45	33	41	48	30	19	8	6	1	4	22	28
29 Causes ill-defined or unknown.	4	—	2	—	2	3	3	1	1	1	—	—	—	—	—	29

DERBYSHIRE—cont.

Causes of Death.			North Darley		Ripley		South Darley		Swadlin-cote District		Whitting-ton and Newbold		Wirks-worth					
			M	F	M	F	M	F	M	F	M	F	M	F				
ALL CAUSES	14	17	64	76	2	3	111	119	107	94	24	21				1
1 Enteric fever	—	—	1	1	—	—	1	—	—	—	—	—				2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—				3
3 Measles	—	—	—	—	—	—	—	—	—	2	—	—				4
4 Scarlet fever	—	—	1	—	—	—	—	—	—	2	1	—				5
5 Whooping cough	—	2	4	2	—	—	11	11	2	3	—	—				6
6 Diphtheria and croup	—	—	1	1	—	—	—	—	—	—	—	1				7
7 Influenza	—	—	—	1	—	—	1	1	1	1	—	—				8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—				9
9 Pulmonary tuberculosis	1	—	3	5	—	1	7	5	6	5	1	—				10
10 Tuberculous meningitis	—	—	—	—	—	—	—	—	1	1	—	1				11
11 Other tuberculous diseases	1	—	1	2	—	—	2	—	2	1	—	—				12
12 Cancer, malignant disease	1	2	4	2	—	—	2	8	3	9	4	3				13
13 Rheumatic fever...	—	—	—	—	—	—	—	1	—	—	—	—				14
14 Meningitis	—	—	—	—	—	—	2	2	—	—	—	—				15
15 Organic heart disease	4	2	4	7	—	—	7	12	6	16	3	4				16
16 Bronchitis	—	1	7	13	—	1	6	12	11	5	—	—				17
17 Pneumonia (all forms)	—	—	2	5	—	—	7	7	16	9	1	1				18
18 Other respiratory diseases	—	—	—	1	—	—	3	1	2	1	—	—				19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	1	2	3	3	—	—				20
20 Appendicitis and typhlitis	1	—	—	—	—	—	—	—	1	—	—	—				21
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	2	2	—				21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—				22
22 Nephritis and Bright's dis.	—	—	—	2	—	—	6	3	2	2	—	—				23
23 Puerperal fever	—	1	—	—	—	—	—	—	—	—	—	—				24
24 Parturition, apart from 23	—	—	—	—	—	—	—	3	—	—	—	—				25
25 Congenital debility, &c.	1	1	10	3	—	—	15	17	9	7	3	—				26
26 Violence, apart from 27	—	1	4	4	—	—	4	3	3	4	1	—				27
27 Suicide	—	—	1	1	—	—	—	1	2	—	—	—				28
28 Other defined diseases	4	7	21	26	2	1	33	28	33	20	8	10				29
29 Causes ill-defined or unknown.	1	—	—	—	—	—	2	2	3	1	—	1				

ADMINISTRATIVE AREAS, 1912—continued.

DERBYSHIRE—cont.

	Ashbourne R.D.		Bakewell R.D.		Belper R.D.		Blackwell R.D.		Chapel en le Frith R.D.		Chester- field R.D.		Clowne R.D.		Glossop Dale R.D.		Hartshorn and Seals R.D.		Hayfield R.D.		Norton R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	66	50	131	135	148	139	273	248	90	83	483	413	118	112	34	23	37	38	37	27	21	19	1
2	—	—	—	—	—	—	3	3	—	—	1	1	1	—	—	1	—	—	—	—	—	—	2
3	—	—	1	1	—	—	24	21	—	2	—	6	8	3	1	1	—	—	—	—	—	—	3
4	—	—	—	—	—	—	1	2	—	—	11	4	2	3	—	1	—	—	—	—	—	—	4
5	—	1	3	—	1	—	1	—	1	2	16	23	—	—	—	—	—	—	1	—	—	1	5
6	—	1	—	2	1	1	1	3	1	—	4	3	—	5	1	—	1	—	—	—	—	—	6
7	—	2	2	3	3	1	6	2	1	1	5	2	2	—	—	1	1	—	1	—	—	—	7
8	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	8
9	—	4	5	3	8	11	14	15	8	4	26	19	5	2	1	5	—	3	4	3	1	2	9
10	—	—	1	1	1	—	5	4	—	—	8	5	—	1	—	—	1	—	—	—	—	—	10
11	—	1	—	1	5	2	5	9	1	—	4	3	4	1	—	—	3	1	—	—	1	—	11
12	4	2	14	12	12	8	10	12	4	6	21	29	5	7	—	2	1	4	3	2	2	2	12
13	1	—	—	1	—	—	1	—	1	1	2	1	—	1	—	—	1	—	—	—	—	—	13
14	—	—	—	2	—	1	2	5	—	—	4	4	3	4	1	—	3	—	1	—	1	—	14
15	4	4	15	17	11	15	21	14	9	9	43	39	3	9	1	5	3	2	8	3	2	5	15
16	3	3	10	14	6	8	17	18	11	12	47	25	5	6	6	2	2	5	—	2	2	—	16
17	6	4	5	4	10	9	34	23	4	3	41	39	14	12	5	1	—	—	2	6	1	3	17
18	1	—	6	5	3	2	7	7	1	—	6	3	2	5	1	—	—	—	—	—	2	—	18
19	—	—	1	1	1	—	5	6	—	—	13	1	2	2	1	—	—	—	—	—	—	—	19
20	—	—	2	1	1	—	2	1	1	—	4	3	1	1	—	—	1	—	—	1	—	—	20
21	1	—	2	1	2	1	1	1	2	1	3	1	1	—	1	—	1	—	—	—	2	—	21
21A	—	—	—	—	—	—	—	—	—	—	1	2	—	1	—	—	—	—	—	—	—	—	21A
22	2	1	2	7	4	3	4	5	1	1	13	16	2	1	1	—	2	1	1	—	—	—	22
23	—	1	—	1	—	1	—	3	—	1	—	4	—	2	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	1	—	4	—	3	—	6	—	3	—	—	—	1	—	—	—	—	24
25	3	2	6	5	12	9	39	37	3	5	37	37	23	13	—	—	2	3	3	3	—	—	25
26	2	3	6	3	4	2	16	4	10	—	30	7	2	1	—	—	1	—	1	1	—	—	26
27	—	1	—	1	2	1	3	1	2	—	7	2	—	—	1	—	1	1	—	—	—	—	27
28	37	19	48	49	60	62	45	46	29	32	128	121	29	27	11	4	14	14	10	5	6	6	28
29	2	1	1	—	1	1	5	2	—	—	6	6	4	2	2	—	1	1	2	—	1	—	29

DERBYSHIRE—cont.

DEVONSHIRE.

	Repton R.D.		Shardlow R.D.		Sudbury R.D.		Codnor Park and Shipley C. P.'s*			Ash- burton U.D.		Bampton U.D.		Barn- staple M.B.		Bideford M.B.		Brixham U.D.		Buck- fastleigh U.D.		
	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F	
1	117	79	190	178	16	15	5	4		18	24	21	9	111	123	49	63	50	67	19	21	1
2	2	—	—	—	—	1	—	—		—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	1	3	—	—	1	—		—	—	—	—	1	—	—	—	—	—	—	—	3
4	2	1	—	—	—	—	—	—		—	—	—	—	—	1	—	—	—	—	—	—	4
5	3	5	—	2	—	—	—	—		1	—	—	—	1	—	3	2	—	—	—	—	5
6	1	1	1	—	—	—	—	—		1	1	—	—	1	2	2	1	1	4	—	—	6
7	5	4	3	4	—	—	—	1		—	2	—	—	4	5	—	1	2	2	1	1	7
8	—	—	1	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	8
9	7	4	10	11	1	1	—	—		—	1	1	—	10	9	1	4	1	6	3	2	9
10	—	—	3	1	—	—	—	—		—	—	—	—	1	1	—	—	—	1	—	—	10
11	1	—	1	3	—	—	—	1		1	—	—	—	1	2	2	1	—	—	—	—	11
12	6	7	11	15	—	2	—	1		1	1	1	2	4	13	4	4	3	8	—	1	12
13	—	—	2	—	—	—	1	—		—	—	—	—	1	2	1	—	—	—	—	—	13
14	—	—	1	—	—	—	—	—		1	—	—	—	2	—	1	—	—	1	—	—	14
15	14	17	18	19	1	3	—	—		—	1	5	2	8	10	4	4	8	6	2	4	15
16	6	6	18	15	—	1	—	1		2	4	3	1	7	9	8	5	2	6	2	1	16
17	10	1	14	9	—	—	—	—		—	—	2	—	6	6	2	3	5	2	2	—	17
18	2	—	2	5	—	—	—	—		1	1	—	1	1	2	2	—	1	2	1	—	18
19	2	—	1	2	—	—	—	—		—	—	—	—	1	1	—	3	—	—	—	—	19
20	1	—	2	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	1	—	20
21	—	1	1	2	—	—	—	—		—	—	—	—	1	1	—	—	—	—	—	—	21
21A	—	—	1	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	21A
22	7	1	6	5	2	—	—	—		2	2	—	1	11	5	1	3	2	1	—	1	22
23	—	—	—	1	—	—	—	—		—	—	—	—	—	—	—	3	—	—	—	—	23
24	—	2	—	1	—	—	—	—		—	—	—	—	—	1	—	1	—	—	—	—	24
25	7	7	15	15	1	—	—	—		—	2	1	—	4	6	2	1	3	1	2	2	25
26	8	—	12	2	1	—	—	—		—	1	—	—	6	2	1	1	2	1	—	1	26
27	—	—	3	1	—	—	—	—		—	—	—	—	2	—	1	—	—	—	—	—	27
28	33	22	58	60	10	7	3	—		8	8	8	2	37	45	14	26	19	26	5	8	28
29	—	—	5	2	—	—	—	—		—	—	—	—	1	—	—	—	—	—	—	—	29

* Administered by Basford R.D.C. (Nottinghamshire).

DEVONSHIRE—cont.

Causes of Death.	Budleigh Salterton U.D.		Crediton U.D.		Dartmouth M.B.		Dawlish U.D.		East Stonehouse U.D.		Exmouth U.D.		Great Torrington M.B.		Heavitree U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	20	15	32	35	36	43	28	43	126	101	72	75	24	32	45	70	1
1 Enteric fever	—	—	1	—	—	—	—	—	8	—	—	2	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	2	—	—	2	9	—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	1	—	1	—	—	4	—	—	—	1	1	1	5
5 Whooping cough	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	6
6 Diphtheria and croup	—	—	1	—	1	—	—	—	1	—	2	—	—	—	4	—	7
7 Influenza	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	2	1	1	5	2	1	2	—	9	8	4	7	1	1	1	7	10
10 Tuberculous meningitis	—	—	—	—	—	1	—	—	1	1	—	—	—	—	1	—	11
11 Other tuberculous diseases	—	—	—	—	—	1	—	—	2	1	1	1	—	—	2	5	12
12 Cancer, malignant disease	2	1	4	5	3	3	3	10	9	9	5	6	2	3	—	—	13
13 Rheumatic fever... ..	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	14
14 Meningitis	—	—	—	—	—	—	—	—	3	—	1	1	—	—	—	—	15
15 Organic heart disease	1	2	4	3	1	5	1	2	10	11	10	11	3	5	7	9	16
16 Bronchitis	2	—	2	1	2	7	3	2	6	6	3	4	1	—	3	10	17
17 Pneumonia (all forms)	—	1	—	—	4	1	2	2	13	3	9	5	—	1	2	1	18
18 Other respiratory diseases	1	—	—	—	1	1	1	1	4	2	2	—	1	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	2	—	1	—	—	—	—	—	—	—	1	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	21
21 Cirrhosis of liver	1	—	—	—	—	1	—	1	—	1	—	—	—	—	3	1	21A
21A Alcoholism	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	—	1	—	1	—	2	1	5	1	7	4	2	2	3	—	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	24
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	25
25 Congenital debility, &c.	—	—	1	2	3	2	—	3	3	6	2	2	—	—	4	—	26
26 Violence, apart from 27	1	1	1	1	3	2	—	2	5	2	1	1	1	1	—	2	27
27 Suicide	—	—	1	—	—	—	—	—	1	—	2	2	—	—	1	—	28
28 Other defined diseases	7	9	15	18	11	17	12	18	43	36	23	29	11	7	14	25	29
29 Causes ill-defined or unknown.	—	—	—	—	1	—	—	1	1	1	—	—	—	1	1	1	29

DEVONSHIRE—cont.

Causes of Death.	Hols-worthy U.D.		Honiton M.B.		Ilfracombe U.D.		Ivybridge U.D.		Kings-bridge U.D.		Lynton U.D.		Newton Abbot U.D.		Northam U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	12	10	23	22	59	64	17	10	20	23	15	5	88	97	35	32	1
1 Enteric fever	—	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	—	2	2	—	—	1	—	—	2	—	—	—	—	6
6 Diphtheria and croup	1	—	—	—	4	3	—	—	—	—	—	—	1	2	—	2	7
7 Influenza	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	1	—	1	1	11	4	1	1	—	1	—	—	8	4	3	3	10
10 Tuberculous meningitis	—	—	—	—	—	1	—	—	—	—	—	—	1	1	1	1	11
11 Other tuberculous diseases	1	1	—	—	1	1	—	—	—	—	—	—	—	2	—	2	12
12 Cancer, malignant disease	1	—	2	1	6	7	—	1	1	3	1	1	11	9	1	1	13
13 Rheumatic fever... ..	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	1	14
14 Meningitis	—	—	—	—	1	—	—	—	—	—	1	—	2	—	—	—	15
15 Organic heart disease	—	2	1	4	6	10	3	1	3	1	1	1	8	16	3	4	16
16 Bronchitis	1	—	3	3	3	2	2	1	1	—	2	—	1	4	1	1	17
17 Pneumonia (all forms)	—	1	1	1	2	1	—	1	—	—	2	1	5	6	4	2	18
18 Other respiratory diseases	—	—	1	—	1	2	—	—	1	—	—	—	1	4	3	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	2	1	—	—	—	1	—	—	1	—	—	—	20
20 Appendicitis and typhlitis	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	21
21 Cirrhosis of liver	—	—	—	1	2	—	1	—	2	—	—	—	1	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	—	—	—	1	4	1	—	1	—	—	—	1	3	2	1	23
23 Puerperal fever	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	25
25 Congenital debility, &c.	1	—	—	1	1	2	2	—	—	—	—	—	4	3	2	2	26
26 Violence, apart from 27	2	—	—	1	—	2	2	—	1	—	3	—	4	2	3	1	27
27 Suicide	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	28
28 Other defined diseases	3	5	13	8	14	21	4	4	8	17	5	—	38	38	10	9	29
29 Causes ill-defined or unknown.	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	29

ADMINISTRATIVE AREAS, 1912—continued.

DEVONSHIRE—cont.

	Okehampton M.B.		Ottery St. Mary U.D.		Paignton U.D.		Salcombe U.D.		Seaton U.D.		Sidmouth U.D.		South Molton M.B.		Tavistock U.D.		Teignmouth U.D.		Tiverton M.B.		Torquay M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	24	18	25	31	83	71	15	15	12	15	28	41	19	23	32	36	57	63	55	79	224	261	1
2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	3
4	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	1	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	5	5
6	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	2	2	1	1	6	6
7	1	—	—	—	2	1	—	1	—	—	1	—	—	—	—	—	—	—	6	3	5	7	7
8	—	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—	8
9	2	1	2	1	8	9	—	—	1	1	3	3	2	2	3	2	1	3	1	1	12	20	9
10	—	1	1	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	6	5	10	10
11	1	—	1	1	1	—	—	—	—	1	—	1	—	—	—	1	—	—	1	3	2	3	11
12	2	—	4	4	1	9	1	2	3	1	3	4	1	7	3	2	5	7	4	8	21	25	12
13	—	—	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	1	13
14	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	14
15	2	4	3	4	8	5	2	2	1	1	1	3	4	3	—	6	11	17	7	13	34	40	15
16	1	1	3	2	6	3	—	1	—	—	—	4	2	1	1	2	4	4	5	8	22	17	16
17	—	1	3	1	7	4	3	1	1	—	2	1	2	—	2	2	2	2	6	2	15	10	17
18	—	—	—	—	2	3	—	—	—	—	1	—	1	—	2	—	2	—	1	2	3	4	18
19	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	2	2	19
20	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	20
21	—	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1	1	1	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	—	—	1	—	1	—	—	—	—	2	1	2	1	2	—	3	2	1	4	3	4	22
23	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	23
24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	24
25	—	1	—	3	2	5	—	—	—	—	—	2	2	—	1	1	1	2	4	1	9	14	25
26	—	1	—	—	3	1	—	—	—	—	2	2	—	—	2	1	3	3	—	3	6	7	26
27	1	—	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1	1	1	27
28	11	7	7	13	35	29	7	8	5	10	11	18	2	9	13	18	22	23	20	21	79	96	28
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	29

DEVONSHIRE—cont.

	Totnes M.B.		Axminster R.D.		Barnstaple R.D.		Bideford R.D.		Broadwood Widger R.D.		Crediton R.D.		Culmstock R.D.		Hols- worthy (pt.) R.D.*		Honiton R.D.		Kings- bridge R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	34	32	81	80	116	123	38	46	15	10	94	67	23	26	42	49	53	63	87	74	1
2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	4
5	—	—	—	2	1	2	1	2	—	—	2	1	—	1	2	1	—	1	1	—	5
6	—	—	—	—	4	1	1	—	—	—	1	—	—	1	—	1	1	1	1	—	6
7	—	1	—	—	1	2	—	1	1	—	1	2	—	—	—	—	—	—	—	—	7
8	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	3	2	8	6	1	7	1	3	—	1	3	3	1	1	4	5	5	2	4	3	9
10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	10
11	2	—	—	—	1	—	—	—	—	—	—	1	—	—	—	3	—	2	3	—	11
12	5	3	5	5	10	7	1	3	1	—	10	7	2	1	7	8	5	5	8	13	12
13	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	13
14	—	1	—	1	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	14
15	4	6	11	12	8	10	5	9	3	3	10	16	7	5	4	2	8	9	9	6	15
16	1	2	10	15	15	16	5	3	1	1	8	4	2	3	2	2	2	4	3	5	16
17	2	5	2	2	12	6	2	2	1	—	6	1	1	—	4	3	1	4	5	4	17
18	—	1	—	—	1	1	—	2	—	—	1	—	2	1	1	1	1	—	1	—	18
19	—	—	—	—	1	—	—	1	1	—	2	—	—	—	—	—	1	2	2	—	19
20	—	—	—	—	1	6	3	1	—	1	—	—	—	1	—	—	—	—	—	1	20
21	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	—	3	—	8	3	2	1	1	—	2	—	—	—	1	2	1	—	5	1	22
23	—	—	—	2	—	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	23
24	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	24
25	1	—	8	6	6	3	4	2	2	1	7	—	1	1	1	4	3	3	1	2	25
26	1	—	3	—	4	1	3	1	—	—	7	2	1	1	1	—	—	—	4	—	26
27	—	—	3	—	1	—	1	—	—	—	—	—	1	—	—	—	1	—	1	—	27
28	13	11	25	24	38	56	8	14	4	2	34	27	5	9	11	15	21	26	32	34	28
29	—	—	—	—	—	—	—	—	—	—	1	2	—	—	1	—	—	—	1	—	29

* The remainder of Holsworthy R.D. is in Cornwall ; see page 466

DEVONSHIRE—*cont.*

Causes of Death.	Newton Abbot R.D.		Oke- hampton R.D.		Plympton St. Mary R.D.		St. Thomas R.D.		South Molton R.D.		Tavistock R.D.		Tiverton R.D.		Torrington R.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	119	144	82	74	121	121	187	171	64	69	96	82	81	88	47	58
1 Enteric fever	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	3
4 Scarlet fever	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	1	2	1	—	1	2	2	4	2	1	1	—	1	1	1	5
6 Diphtheria	1	—	—	—	—	—	4	4	—	1	—	1	—	—	—	6
7 Influenza	4	3	—	—	3	3	4	1	3	2	2	2	1	—	4	7
8 Erysipelas	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	5	16	9	6	8	9	5	7	2	4	11	3	5	8	3	9
10 Tuberculous meningitis	1	1	—	—	1	3	—	—	—	1	—	1	—	—	—	10
11 Other tuberculous diseases	—	—	—	—	2	1	2	3	—	—	—	—	1	—	—	11
12 Cancer, malignant disease	11	14	5	4	10	11	22	13	3	10	10	9	6	5	2	12
13 Rheumatic fever... ..	—	2	—	—	2	—	—	1	—	—	—	—	—	1	—	13
14 Meningitis	1	—	2	—	2	2	1	—	—	—	2	1	—	—	—	14
15 Organic heart disease ...	9	17	7	10	19	16	18	27	3	9	11	18	15	10	10	15
16 Bronchitis	8	12	6	8	7	8	17	13	3	6	9	4	5	5	1	16
17 Pneumonia (all forms) ...	11	10	—	4	7	6	8	7	5	1	1	3	2	9	2	17
18 Other respiratory diseases	1	3	2	2	1	1	5	1	1	2	2	2	2	5	—	18
19 Diarrhoea, &c. (under 2 yrs.)	—	1	—	—	—	—	—	2	—	—	—	1	1	—	—	19
20 Appendicitis and typhlitis	—	—	—	—	1	—	2	1	—	—	—	1	—	—	—	20
21 Cirrhosis of liver	—	1	—	1	—	—	—	3	—	—	—	—	—	—	—	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	21A
22 Nephritis and Bright's dis.	5	8	2	3	2	2	9	8	6	4	2	1	3	3	3	22
23 Puerperal fever	—	1	—	—	—	—	—	2	—	2	—	—	—	1	—	23
24 Parturition, apart from 23	—	—	—	—	—	4	—	—	—	1	—	—	—	1	—	24
25 Congenital debility, &c.	7	2	3	2	12	4	11	7	6	—	7	4	3	3	3	25
26 Violence, apart from 27	5	3	3	1	8	2	7	9	5	—	1	—	2	1	3	26
27 Suicide	4	1	—	—	1	—	5	1	1	—	1	—	—	1	1	27
28 Other defined diseases ...	43	45	38	33	34	44	65	56	22	24	35	31	32	34	13	28
29 Causes ill-defined or un- known.	1	1	3	—	—	1	—	—	1	1	—	—	2	—	—	29

DEVONSHIRE—*cont.*

DORSETSHIRE.

Causes of Death.	Totnes R.D.		Blandford Forum M.B.		Bridport M.B.		Dorchester M.B.		Lyme Regis M.B.		Poole M.B.		Portland U.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	72	76	—	—	21	22	37	49	46	44	15	17	222	238
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	1	1	—	—	1	—	—	2	—	—	—	—	—	5
6 Diphtheria and croup	—	—	—	—	—	—	1	2	—	2	—	—	11	9
7 Influenza	—	4	—	—	—	2	—	—	2	2	—	—	3	1
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	2
9 Pulmonary tuberculosis	3	4	—	—	1	5	4	3	1	2	3	14	15	7
10 Tuberculous meningitis	1	1	—	—	1	—	—	—	—	—	—	2	3	1
11 Other tuberculous diseases	—	—	—	—	1	—	—	—	1	—	—	6	3	1
12 Cancer, malignant disease	7	12	—	—	1	—	2	5	7	10	—	3	13	24
13 Rheumatic fever... ..	—	—	—	—	—	—	—	1	—	—	—	—	1	1
14 Meningitis	2	—	—	—	—	—	2	1	—	—	—	—	—	2
15 Organic heart disease ...	9	14	—	—	3	2	4	3	2	9	2	4	10	35
16 Bronchitis	4	4	—	—	1	—	2	2	4	3	3	1	24	12
17 Pneumonia (all forms) ...	5	3	—	—	2	—	2	2	3	1	1	—	6	8
18 Other respiratory diseases	1	—	—	—	1	1	—	4	2	1	1	—	6	7
19 Diarrhoea, &c. (under 2 yrs.)	1	1	—	—	1	—	—	—	—	—	—	—	2	2
20 Appendicitis and typhlitis	—	—	—	—	—	2	1	—	—	—	—	—	2	1
21 Cirrhosis of liver	—	—	—	—	1	—	—	—	—	—	—	—	2	2
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	1
22 Nephritis and Bright's dis.	1	3	—	—	1	—	2	4	2	—	1	2	8	2
23 Puerperal fever	—	1	—	—	—	—	—	—	1	—	—	—	—	1
24 Parturition, apart from 23	—	—	—	—	—	2	—	—	—	—	—	—	—	3
25 Congenital debility, &c.	4	1	—	—	—	—	3	—	4	2	1	—	20	11
26 Violence, apart from 27	4	1	—	—	—	1	—	—	2	1	—	—	8	3
27 Suicide	1	—	—	—	—	—	—	—	—	—	—	—	3	1
28 Other defined diseases ...	28	25	—	—	6	10	14	19	11	10	4	5	75	78
29 Causes ill-defined or un- known.	—	1	—	—	1	—	—	2	—	—	1	—	1	—

ADMINISTRATIVE AREAS, 1912—continued.

DORSETSHIRE—cont.

	Shaftesbury M.B.		Sherborne U.D.		Swanage U.D.		Wareham M.B.		Weymouth and Melcombe Regis M.B.		Wimborne Minster U.D.				Beaminster R.D.		Blandford R.D.		Bridport R.D.		Cerne R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F			M	F	M	F	M	F	M	F	
1	10	11	32	39	26	22	8	17	119	137	19	22			65	64	39	51	40	49	27	33	1
2	—	—	—	—	—	—	—	—	—	—	—	—			1	—	—	—	—	1	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—			—	—	1	—	—	—	—	2	3
4	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	4
5	—	—	2	1	1	1	—	—	—	1	—	—			—	—	—	—	—	—	—	—	5
6	—	—	—	—	—	—	—	—	3	—	—	—			—	1	—	1	—	1	—	—	6
7	—	1	2	1	—	1	—	—	3	5	—	—			1	1	—	—	2	2	—	1	7
8	—	—	—	—	—	1	—	—	—	—	—	—			—	—	—	—	—	—	—	—	8
9	—	—	3	—	4	—	3	3	5	4	2	—			2	3	3	2	2	3	1	3	9
10	—	—	1	—	—	—	—	—	3	3	—	—			—	1	1	—	—	—	1	—	10
11	1	—	—	—	—	—	—	1	2	—	—	—			—	—	2	—	—	—	—	—	11
12	1	2	2	2	2	1	—	2	14	9	1	4			6	4	4	6	3	2	3	5	12
13	—	—	—	—	—	—	—	—	—	1	—	—			—	—	—	—	—	—	—	—	13
14	—	—	—	—	—	—	—	—	4	4	—	—			—	—	1	1	—	—	—	—	14
15	—	1	3	8	7	1	1	3	13	22	—	3			7	9	3	7	4	7	2	1	15
16	1	2	2	5	1	3	1	—	3	8	2	1			3	4	2	7	3	3	—	—	16
17	—	—	1	3	5	1	1	—	5	4	—	—			—	2	2	3	2	—	—	1	17
18	—	2	—	2	1	—	—	—	3	2	—	2			—	—	2	2	3	—	1	1	18
19	—	—	—	—	—	—	—	—	1	—	—	—			1	1	—	—	—	—	—	—	19
20	1	—	—	—	—	1	—	—	1	—	—	1			—	—	1	—	—	—	1	1	20
21	—	—	—	1	—	—	—	—	2	1	—	1			—	1	1	—	—	—	—	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	21A
22	—	1	3	3	—	2	—	—	6	4	—	—			4	3	1	—	1	5	3	2	22
23	—	—	—	—	—	—	—	—	—	3	—	—			—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	24
25	—	—	3	1	—	1	—	2	6	6	—	1			3	2	2	1	—	2	—	1	25
26	—	—	—	—	1	1	—	—	8	1	—	2			1	—	2	—	2	3	1	1	26
27	—	—	—	—	—	—	—	—	1	—	—	1			1	—	—	—	2	1	—	—	27
28	6	2	10	12	4	8	2	6	36	59	12	6			34	32	11	21	16	17	11	12	28
29	—	—	—	—	—	—	—	—	—	—	2	—			1	—	—	—	—	1	—	—	29

DORSETSHIRE—cont.

DURHAM.

	Dorchester R.D.		Poole R.D.		Shaftesbury R.D.		Sherborne R.D.		Sturminster R.D.		Wareham and Purbeck R.D.		Weymouth R.D.		Wimborne and Cranborne R.D.				Annfield Plain U.D.		Barnard Castle U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			M	F	M	F	
1	39	65	40	47	70	66	33	48	55	52	62	65	54	52	79	73			113	75	33	33	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			3	1	—	—	2
3	—	1	—	1	—	—	—	—	—	1	—	—	1	—	—	—			4	—	—	1	3
4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	4
5	—	1	—	1	—	—	1	—	1	—	—	1	—	3	—	—			2	1	—	—	5
6	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—			—	2	1	—	6
7	1	5	—	2	3	2	1	1	1	2	1	1	3	2	3	1			1	3	—	1	7
8	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1			—	—	—	—	8
9	3	1	5	5	5	4	1	—	1	2	—	3	2	4	8	6			10	3	6	4	9
10	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	1			2	1	1	—	10
11	—	2	—	—	1	—	—	—	—	—	2	—	—	—	—	1			3	2	1	—	11
12	2	11	3	5	6	8	1	5	6	12	4	11	8	6	5	5			9	6	3	1	12
13	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1			—	—	—	—	13
14	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—			1	—	—	—	14
15	6	8	6	8	13	4	5	8	5	7	14	14	5	5	14	5			8	1	4	2	15
16	3	3	2	2	5	11	2	6	2	1	4	6	—	4	6	2			8	7	—	2	16
17	3	1	1	1	3	2	—	—	2	—	4	2	4	3	3	3			9	8	2	3	17
18	3	—	1	—	2	1	—	1	—	—	1	—	3	1	1	—			3	2	—	—	18
19	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—			3	2	—	—	19
20	1	1	1	1	—	—	1	—	1	—	1	1	—	1	—	—			—	—	—	—	20
21	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—			—	—	—	1	21
21A	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—			—	—	—	—	21A
22	—	—	1	—	—	1	1	3	1	1	2	—	1	2	2	1			1	3	4	4	22
23	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1			—	1	—	—	23
24	—	2	—	—	—	—	—	—	—	2	—	—	—	1	—	—			—	1	—	—	24
25	2	1	3	2	3	4	—	3	1	1	5	1	3	2	7	7			9	9	1	2	25
26	1	2	—	2	1	—	—	—	3	—	4	1	2	—	2	—			8	—	1	—	26
27	—	—	—	1	—	—	1	—	4	1	—	—	—	1	—	—			—	—	—	—	27
28	14	23	14	16	26	26	16	20	22	21	20	23	22	17	25	38			27	22	9	12	28
29	—	1	—	—	—	—	—	—	—	—	—	—	—	—	2	—			2	—	—	—	29

DURHAM—cont.

Causes of Death.		Benfield-side U.D.		Bishop Auckland U.D.		Blaydon U.D.		Brandon and Byshottles U.D.		Chester le Street U.D.		Consett U.D.		Crook U.D.		Darlington M.B.	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	...	48	62	119	92	240	207	108	99	108	89	79	69	89	86	362	355
1 Enteric fever	...	—	—	—	1	2	—	2	—	1	—	1	—	1	—	2	—
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	...	—	1	—	4	28	25	1	2	3	3	5	5	2	1	5	9
4 Scarlet fever	...	2	1	1	—	—	—	1	3	1	—	—	—	—	3	6	6
5 Whooping cough	...	—	3	1	1	3	2	2	1	1	2	5	1	—	—	7	8
6 Diphtheria and croup	...	—	1	1	—	2	3	—	—	—	1	—	—	1	1	2	3
7 Influenza	...	1	—	1	1	1	1	—	—	2	—	—	—	1	1	5	11
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	...	5	4	9	3	11	11	4	4	10	8	5	4	4	6	28	31
10 Tuberculous meningitis	...	1	—	2	—	2	2	—	—	1	2	1	1	3	2	8	2
11 Other tuberculous diseases	...	1	—	7	3	4	1	2	1	1	4	1	3	2	1	8	5
12 Cancer, malignant disease	...	1	9	3	7	5	15	6	10	4	4	6	4	5	9	25	31
13 Rheumatic fever...	...	—	1	—	—	1	1	—	—	—	—	1	—	1	—	1	1
14 Meningitis	...	—	—	1	—	—	1	3	2	—	2	—	—	2	3	6	3
15 Organic heart disease	...	2	12	9	9	9	10	6	7	8	9	2	8	11	9	20	36
16 Bronchitis	...	—	3	9	7	12	15	10	4	5	6	4	3	5	3	31	22
17 Pneumonia (all forms)	...	8	4	4	3	37	26	17	12	11	4	5	8	6	8	24	9
18 Other respiratory diseases	...	—	—	2	2	4	2	2	—	2	2	1	2	1	3	5	7
19 Diarrhoea, &c. (under 2 yrs.)	...	1	1	1	2	8	4	2	3	4	5	—	2	2	2	1	6
20 Appendicitis and typhlitis	...	—	—	—	—	—	—	2	—	3	—	—	—	—	1	2	1
21 Cirrhosis of liver	...	—	—	3	—	—	—	—	—	—	—	1	—	3	—	1	3
21A Alcoholism	...	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
22 Nephritis and Bright's dis.	...	—	—	5	—	8	7	3	3	1	2	2	2	2	—	10	8
23 Puerperal fever	...	—	—	—	—	—	1	—	—	—	—	1	—	—	1	—	1
24 Parturition, apart from 23	...	—	1	—	—	—	2	—	5	—	3	—	—	—	1	—	4
25 Congenital debility, &c.	...	2	4	8	9	26	23	12	9	14	7	7	2	7	11	25	21
26 Violence, apart from 27	...	2	2	8	6	15	5	4	3	7	4	1	1	6	3	9	8
27 Suicide	...	1	—	1	1	—	2	1	1	—	—	2	—	—	—	7	1
28 Other defined diseases	...	20	14	36	29	57	44	26	29	29	21	30	20	24	17	114	111
29 Causes ill-defined or unknown.	...	1	1	1	4	5	4	1	—	—	—	—	1	—	—	10	7

DURHAM—cont.

Causes of Death.		Durham M.B.		Felling U.D.		Hartlepool M.B.		Hebburn U.D.		Hetton U.D.		Houghton le Spring U.D.		Jarrow M.B.		Leadgate U.D.	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	...	145	111	216	190	200	160	205	198	117	95	77	66	331	248	47	38
1 Enteric fever	...	1	—	1	—	—	—	2	3	1	—	1	—	1	1	—	—
2 Small-pox	...	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
3 Measles	...	2	2	13	16	5	8	16	14	—	—	—	1	7	6	1	3
4 Scarlet fever	...	—	—	—	—	—	—	—	—	1	—	1	—	—	1	—	—
5 Whooping cough	...	2	2	1	5	—	—	12	11	2	4	—	3	6	12	3	—
6 Diphtheria and croup	...	2	2	3	3	—	1	2	—	1	—	1	3	1	4	—	3
7 Influenza	...	—	1	1	—	2	—	1	—	—	—	1	—	6	1	—	—
8 Erysipelas	...	—	—	—	—	—	—	2	—	—	—	1	—	2	1	—	—
9 Pulmonary tuberculosis	...	18	1	16	19	10	11	8	15	10	7	2	3	30	15	2	6
10 Tuberculous meningitis	...	—	—	—	4	4	3	8	5	3	2	—	1	4	3	—	—
11 Other tuberculous diseases	...	4	1	6	5	11	2	3	2	3	1	1	1	10	4	3	—
12 Cancer, malignant disease	...	11	13	8	10	6	11	4	17	3	7	6	4	17	12	1	2
13 Rheumatic fever...	...	1	—	—	1	—	—	1	—	—	1	—	—	1	2	—	—
14 Meningitis	...	1	—	5	1	1	1	1	2	—	4	2	1	4	7	—	—
15 Organic heart disease	...	17	7	18	12	27	25	16	13	6	9	5	6	22	22	4	1
16 Bronchitis	...	5	13	9	10	15	16	9	13	13	2	3	—	31	20	6	3
17 Pneumonia (all forms)	...	12	8	20	17	18	6	21	23	10	3	6	8	45	26	2	6
18 Other respiratory diseases	...	3	4	1	1	5	1	5	6	2	—	2	—	3	6	—	—
19 Diarrhoea, &c. (under 2 yrs.)	...	2	1	6	4	3	1	8	5	—	—	—	2	7	5	—	2
20 Appendicitis and typhlitis	...	1	1	—	1	1	—	1	3	—	1	—	—	1	—	—	1
21 Cirrhosis of liver	...	1	1	—	—	1	3	1	1	1	—	—	—	—	1	—	2
21A Alcoholism	...	—	—	1	—	2	—	—	—	—	—	—	—	1	—	—	—
22 Nephritis and Bright's dis.	...	7	4	6	10	2	1	3	3	—	3	2	1	5	10	3	1
23 Puerperal fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
24 Parturition, apart from 23	...	—	4	—	2	—	1	—	1	—	3	—	—	—	1	—	—
25 Congenital debility, &c.	...	8	5	20	15	19	7	23	23	25	15	16	8	27	15	4	—
26 Violence, apart from 27	...	7	1	10	2	12	3	11	5	6	1	3	1	24	5	4	1
27 Suicide	...	1	—	2	—	—	—	3	—	—	1	1	—	3	1	—	—
28 Other defined diseases	...	37	39	69	48	53	59	39	30	29	27	22	21	67	65	15	9
29 Causes ill-defined or unknown.	...	2	1	—	4	2	—	5	3	1	4	1	1	6	1	—	—

ADMINISTRATIVE AREAS, 1912—continued.

DURHAM—cont.

	Ryton U.D.		Seaham Harbour U.D.		Shildon U.D.		South- wick on Wear U.D.		Spenny- moor U.D.		Stanhope U.D.		Stanley U.D.		Stockton on Tees M.B.		Tanfield U.D.		Tow Law U.D.		Whickham U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	90	60	124	122	117	90	94	92	147	122	18	12	164	167	449	369	77	71	19	25	131	111	
1	—	—	—	—	—	4	—	—	—	—	—	—	—	—	2	—	77	71	—	25	131	111	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	5	3	16	14	2	2	4	5	—	1	11	9	10	24	—	—	—	—	10	6	3
4	—	—	—	—	6	3	—	—	6	2	—	—	1	2	—	—	—	—	—	—	1	1	4
5	2	3	5	1	1	1	1	2	4	5	—	—	—	3	5	3	3	2	—	—	3	6	5
6	2	1	—	—	1	—	—	—	—	1	1	—	—	4	3	6	4	2	2	—	1	5	6
7	—	—	—	—	4	—	—	—	1	1	—	—	—	4	4	5	—	1	1	—	1	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	5	3	7	10	9	11	6	9	8	7	1	2	9	12	33	34	6	6	2	3	12	8	9
10	5	—	2	—	1	1	—	1	3	2	1	—	3	3	10	6	—	—	—	—	3	5	10
11	4	1	9	6	2	3	2	3	3	3	—	—	3	9	14	8	1	2	1	—	3	1	11
12	6	6	5	6	1	6	6	4	6	10	—	—	5	7	16	30	6	11	1	—	8	6	12
13	1	2	—	1	—	—	—	—	1	2	—	—	1	1	3	3	—	1	—	—	—	—	13
14	—	1	1	—	—	1	2	2	4	1	—	—	—	2	4	8	2	1	—	1	—	—	14
15	4	6	6	9	9	9	10	12	10	10	3	3	5	13	38	42	2	8	—	1	5	7	15
16	3	1	10	10	11	6	5	12	10	11	1	—	13	13	29	31	2	2	3	3	4	7	16
17	18	4	19	26	6	2	4	9	18	16	3	—	16	12	39	30	9	6	3	2	11	9	17
18	—	—	3	1	2	1	1	1	3	—	—	—	3	2	6	2	3	—	—	—	2	2	18
19	—	—	6	7	1	—	4	—	3	7	—	—	3	3	10	2	4	—	—	—	2	3	19
20	—	—	—	1	—	1	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	20
21	—	—	—	—	1	—	1	—	2	—	—	—	1	—	2	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	21A
22	—	1	1	4	1	1	1	2	9	2	1	1	5	5	12	8	—	—	—	—	2	5	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	2	23
24	—	2	—	2	—	2	—	4	—	1	—	—	—	2	—	5	—	—	—	—	1	1	24
25	16	5	19	10	6	3	8	7	10	7	—	—	29	24	45	18	14	3	4	2	14	9	25
26	2	3	7	1	6	2	3	1	8	2	—	—	10	4	29	15	3	2	1	—	8	4	26
27	1	—	—	—	1	—	1	—	1	1	—	—	1	—	7	—	—	—	—	1	2	—	27
28	20	20	19	24	30	19	33	19	33	26	6	5	35	32	123	92	19	19	4	8	33	25	28
29	1	1	—	—	3	—	4	—	—	—	—	—	2	—	—	1	—	1	—	—	—	—	29

DURHAM—cont.

	Willington U.D.			Auckland R.D.		Barnard Castle. R.D.		Chester le Street R.D.		Darlington R.D.		Durham R.D.		Easington R.D.		Hartlepool R.D.		Houghton le Spring R.D.		Lanchester R.D.		
	M	F		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	49	56		402	373	82	81	479	405	69	61	229	204	463	436	18	14	186	172	241	172	
1	—	—		1	2	—	—	3	1	—	2	3	1	1	4	—	—	2	—	1	1	1
2	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	2	1		15	18	2	2	13	15	3	3	3	4	10	8	—	—	5	8	14	11	3
4	1	1		8	9	—	—	2	—	—	—	1	—	11	7	—	—	1	—	1	—	4
5	—	—		3	4	1	2	14	15	—	—	1	3	11	22	1	—	7	10	1	1	5
6	1	1		7	8	1	1	2	3	—	2	3	7	5	10	—	—	1	4	2	2	6
7	1	—		7	3	1	—	4	4	3	1	2	—	7	8	2	—	2	1	3	—	7
8	—	—		—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	8
9	1	2		19	26	5	4	23	20	5	3	14	13	26	18	1	1	7	7	10	13	9
10	—	—		5	7	3	2	4	10	—	—	1	1	6	3	1	—	2	1	2	3	10
11	—	2		12	8	2	1	17	11	1	—	5	2	15	8	1	—	4	4	3	2	11
12	—	2		10	15	3	4	17	23	1	7	11	17	21	17	2	1	9	10	4	8	12
13	1	—		1	3	1	—	1	2	—	—	—	1	1	5	—	—	—	—	1	2	13
14	1	—		7	1	1	1	4	5	1	—	2	1	3	5	1	—	1	3	2	2	14
15	2	7		29	31	9	9	28	31	1	9	17	25	12	27	1	1	16	15	16	15	15
16	5	6		44	28	1	7	25	24	5	5	15	11	33	27	1	2	12	9	17	15	16
17	1	3		29	20	—	3	47	28	4	—	17	11	54	32	—	—	17	21	20	16	17
18	1	2		8	5	4	1	14	7	3	—	4	2	6	2	—	—	4	3	8	2	18
19	—	1		8	7	2	—	13	7	1	—	5	5	11	6	1	—	4	4	8	5	19
20	—	—		3	—	—	—	1	1	—	—	1	—	—	—	—	—	—	1	1	—	20
21	—	—		1	5	2	1	3	1	—	—	4	—	1	2	—	—	1	—	2	2	21
21A	—	—		1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	—		6	10	—	3	19	17	—	2	6	8	10	13	—	—	1	1	3	3	22
23	—	—		—	2	—	1	—	1	—	1	—	1	—	6	—	1	—	—	—	2	23
24	—	3		—	7	—	—	—	5	—	—	—	4	—	8	—	1	—	1	—	4	24
25	7	5		50	36	9	4	71	43	7	4	31	26	66	58	1	—	32	17	25	16	25
26	2	1		25	5	5	2	28	6	6	2	19	3	44	9	2	—	17	6	20	1	26
27	—	—		2	2	1	—	2	1	2	—	1	1	2	2	—	—	—	3	2	—	27
28	19	19		96	104	29	32	118	123	25	18	63	57	106	122	3	7	39	42	72	42	28
29	2	—		5	6	—	1	5	1	1	2	—	—	1	5	—	—	2	1	2	4	29

DURHAM—cont.

Causes of Death.				Sedgefield R.D.		South Shields R.D.		Stockton R.D.		Sunderland R.D.		Weardale R.D.		Chatteris U.D.		Ely U.D.	
				M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES ...				202	184	111	91	108	95	212	176	75	61	33	36	61	47
1	Enteric fever	1	—	—	1	1	—	1	—	—	1	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	13	15	5	4	3	1	—	2	—	—	—	—	—	3
4	Scarlet fever	2	1	—	1	—	—	—	—	1	—	—	—	1	4
5	Whooping cough	1	2	5	3	—	—	2	3	—	—	1	—	2	5
6	Diphtheria and croup	2	3	—	—	2	—	1	5	—	1	—	—	—	6
7	Influenza	1	—	1	1	1	1	1	1	—	—	1	1	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	1	8
9	Pulmonary tuberculosis	8	16	4	2	3	10	17	19	5	1	2	2	5	9
10	Tuberculous meningitis	3	1	1	—	6	1	1	2	1	—	—	—	—	10
11	Other tuberculous diseases	2	5	6	1	5	2	11	3	2	—	1	1	—	11
12	Cancer, malignant disease	6	9	5	8	3	11	9	12	5	1	3	2	6	12
13	Rheumatic fever...	2	—	—	—	—	1	—	—	—	—	—	—	—	13
14	Meningitis	—	2	1	1	2	1	5	2	1	—	—	—	—	14
15	Organic heart disease	12	19	14	4	5	9	17	5	7	13	1	1	5	15
16	Bronchitis	11	11	6	7	6	4	23	21	4	1	1	2	4	16
17	Pneumonia (all forms)	21	16	11	12	10	13	16	13	4	3	9	7	9	17
18	Other respiratory diseases	4	—	2	2	3	2	7	4	2	—	—	—	2	18
19	Diarrhoea, &c. (under 2 yrs.)	6	1	2	—	2	1	4	4	2	—	—	—	1	19
20	Appendicitis and typhlitis	3	1	1	—	—	—	3	1	1	—	—	—	—	20
21	Cirrhosis of liver	1	1	1	—	3	—	3	2	—	1	—	—	1	21
21A	Alcoholism	—	—	1	—	—	—	1	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	5	3	4	2	1	1	—	5	4	3	2	—	—	22
23	Puerperal fever	—	2	—	—	—	—	—	2	—	—	—	—	—	23
24	Parturition, apart from 23	—	4	—	1	—	1	—	1	—	2	—	—	—	24
25	Congenital debility, &c.	26	19	6	6	15	4	26	17	3	2	—	1	2	25
26	Violence, apart from 27	10	3	4	2	7	1	6	5	—	1	2	—	4	26
27	Suicide	2	1	3	—	—	3	2	—	1	—	—	—	—	27
28	Other defined diseases	59	49	27	33	30	28	55	45	31	29	10	19	20	28
29	Causes ill-defined or un- known.	1	—	1	—	—	—	1	2	1	2	—	—	—	29

ELY, ISLE OF—cont.

Causes of Death.				March U.D.		Whittlesey U.D.		Wisbech M.B.		Ely R.D.		North Witchford R.D.		Thorney R.D.		Whittle- sey R.D.	
				M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES ...				58	51	36	22	85	67	82	83	29	27	9	7	19	13
1	Enteric fever	—	—	—	—	1	—	1	1	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	2	—	—	2	1	1	—	—	—	—	—	—	3
4	Scarlet fever	—	—	1	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough	2	2	—	—	—	1	2	1	—	2	—	—	—	5
6	Diphtheria and croup	—	—	—	—	—	1	—	1	1	—	—	—	—	6
7	Influenza	—	—	—	1	3	1	1	—	—	—	—	—	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	1	—	—	—	—	8
9	Pulmonary tuberculosis	6	3	1	1	10	2	5	7	2	1	1	—	1	9
10	Tuberculous meningitis	—	—	—	—	3	—	1	1	1	—	—	—	1	10
11	Other tuberculous diseases	—	—	—	—	—	—	2	2	1	—	—	—	—	11
12	Cancer, malignant disease	3	5	4	4	6	10	5	4	1	3	2	—	3	12
13	Rheumatic fever...	—	—	1	—	2	1	—	1	1	—	—	—	1	13
14	Meningitis	—	—	—	—	—	—	1	—	—	—	—	—	—	14
15	Organic heart disease	3	8	1	2	9	6	4	10	—	3	1	1	1	15
16	Bronchitis	5	5	4	3	5	11	11	4	1	1	1	2	1	16
17	Pneumonia (all forms)	3	4	8	2	1	2	8	5	1	1	1	—	2	17
18	Other respiratory disease	5	1	1	—	1	2	3	—	1	1	—	—	—	18
19	Diarrhoea, &c. (under 2 yrs.)	1	2	—	1	2	1	—	3	—	—	1	—	—	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver	—	—	1	—	1	—	—	1	1	—	—	—	1	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	1	21A
22	Nephritis and Bright's dis.	4	2	2	—	5	2	3	4	—	—	—	—	—	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	—	1	24
25	Congenital debility, &c.	6	3	1	—	3	4	4	6	4	1	—	1	2	25
26	Violence, apart from 27	3	—	1	—	3	2	2	3	2	—	1	—	1	26
27	Suicide	—	—	—	—	1	—	2	1	2	—	—	—	—	27
28	Other defined diseases	17	14	10	8	27	20	26	28	7	13	—	3	6	28
29	Causes ill-defined or un- known.	—	—	—	—	—	—	—	—	2	1	1	—	—	29

ADMINISTRATIVE AREAS, 1912—continued.
ELY, ISLE OF—cont.

ESSEX.

Wisbech R.D.		Barking Town U.D.		Braintree U.D.		Brentwood U.D.		Bright- lingsea U.D.		Buckhurst Hill U.D.		Burnham on Crouch U.D.		Chelms- ford M.B.		Chingford U.D.		Clacton U.D.		
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
65	66	187	143	37	55	23	23	33	32	23	22	24	21	89	99	45	41	49	41	1
1	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	2
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	2	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	4
4	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	5
5	—	3	10	5	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	6
6	—	—	1	1	—	—	—	—	—	—	—	—	—	1	2	—	1	2	1	7
7	8	1	3	5	—	—	1	2	—	—	—	—	—	1	—	—	—	—	2	8
8	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9	5	7	18	11	2	6	—	3	—	2	2	—	—	9	3	3	1	6	2	10
10	1	1	3	1	—	1	1	1	—	—	—	—	—	—	1	2	2	1	—	11
11	—	—	1	4	—	1	1	1	—	—	—	—	—	—	1	—	—	1	—	12
12	4	11	11	11	—	2	3	1	2	6	3	6	2	5	9	13	6	4	1	13
13	—	—	—	2	—	—	—	—	—	1	1	—	—	—	1	—	—	1	—	14
14	2	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	15
15	5	6	26	14	4	2	4	1	5	2	4	3	—	7	17	2	3	3	2	16
16	3	4	16	11	4	7	—	—	2	4	3	—	3	8	5	—	4	2	1	17
17	—	3	17	16	—	2	3	1	1	—	—	1	—	1	2	4	3	3	2	18
18	—	2	2	—	1	—	2	—	—	1	—	—	1	1	2	1	2	1	—	19
19	—	—	1	2	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	20
20	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	21
21	1	—	1	1	1	—	—	—	—	—	—	—	—	1	—	2	1	1	1	21A
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	22
22	—	1	3	4	1	2	1	1	—	—	—	—	—	7	3	3	—	3	—	23
23	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—	1	—	—	25
25	5	6	20	14	3	3	1	—	1	1	—	1	1	5	10	8	1	4	2	26
26	6	1	8	1	4	1	—	—	4	2	1	1	—	6	2	1	1	2	1	27
27	1	1	—	—	—	1	—	—	1	—	—	—	—	2	1	—	—	—	—	28
28	21	16	45	31	17	26	6	13	16	11	5	7	13	9	26	31	13	11	16	29
29	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	

ESSEX—cont.

	Colchester M.B.		East Ham M.B.		Epping U.D.		Frinton on Sea U.D.		Grays Thurrock U.D.		Halstead U.D.		Harwich M.B.		Ilford U.D.		Leigh on Sea. U.D.		Leyton U.D.		Loughton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	238	237	736	740	25	14	4	9	91	70	25	44	81	73	300	333	41	51	672	684	35	24	1
2	—	1	1	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	3	—	—	2
3	3	3	23	16	—	—	—	—	—	1	—	—	3	5	3	1	—	—	7	5	—	—	3
4	—	—	5	2	1	—	—	—	—	—	—	—	—	—	—	1	—	—	2	3	—	—	4
5	—	1	16	23	—	—	—	—	2	4	—	—	4	5	7	9	—	—	14	26	—	—	5
6	1	1	3	7	—	—	—	—	2	—	—	—	2	—	3	3	—	—	13	10	—	—	6
7	2	4	11	4	1	1	—	—	—	—	—	—	1	—	4	5	2	—	4	6	—	1	7
8	—	—	—	2	—	—	—	—	2	1	—	—	—	—	1	2	—	—	1	—	—	—	8
9	26	15	93	70	2	—	—	—	5	7	3	4	5	2	27	21	2	4	71	51	3	2	9
10	5	3	8	8	—	—	1	1	1	3	—	—	4	1	6	4	—	1	7	9	1	—	10
11	3	4	9	13	1	—	1	2	2	1	—	—	—	3	6	5	2	3	8	15	—	—	11
12	23	24	51	61	2	2	1	2	8	7	2	10	6	6	26	48	3	6	50	48	3	4	12
13	—	—	5	9	—	—	—	—	—	1	—	—	—	1	2	3	1	1	2	2	—	—	13
14	1	—	5	—	—	—	—	—	1	1	—	—	—	—	1	2	1	—	1	4	1	—	14
15	32	33	47	75	6	—	—	1	6	1	1	2	6	8	31	44	7	6	62	80	6	—	15
16	19	13	55	75	2	2	—	—	9	6	—	3	3	6	9	29	1	1	56	61	—	3	16
17	6	14	67	43	2	1	—	—	8	3	1	2	6	3	20	9	—	2	57	42	2	2	17
18	2	3	8	7	2	—	—	1	1	4	1	2	2	1	9	6	—	1	15	16	3	1	18
19	2	3	14	9	—	—	—	—	1	1	—	—	1	1	5	2	—	1	15	9	1	—	19
20	3	1	4	5	—	—	—	—	—	—	1	—	—	1	5	7	—	—	2	1	1	—	20
21	3	7	9	6	—	—	—	—	1	2	—	—	2	—	3	1	—	—	8	5	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	5	5	23	31	—	—	—	2	2	2	1	2	4	2	10	7	—	—	26	26	1	—	22
23	—	—	6	—	—	—	—	—	—	1	—	2	—	—	—	4	—	—	—	5	—	1	23
24	—	4	—	6	—	—	—	—	—	—	—	1	—	1	—	2	—	1	—	6	—	—	24
25	14	13	65	42	—	1	—	1	8	1	1	2	10	5	28	16	3	3	45	47	2	1	25
26	9	6	38	22	—	—	—	—	3	—	—	1	1	1	9	7	3	1	20	17	1	2	26
27	2	—	2	4	1	—	—	—	—	—	—	—	3	—	3	3	—	—	6	1	1	—	27
28	75	79	174	191	5	7	2	1	29	23	14	13	17	20	82	90	16	20	178	185	9	7	28
29	2	—	1	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1	1	—	—	29

ESSEX—cont.

Causes of Death.		Maldon M.B.		Romford U.D.		Saffron Walden M.B.		Shoebury- ness U.D.		Southend on Sea M.B.		Tilbury U.D.*		Waltham Holy Cross U.D.		Waltham- stow. U.D.	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	...	54	41	93	97	27	36	32	16	333	316	35	21	41	40	639	649
1	Enteric fever	1	—	1	—	—	—	—	—	—	1	—	—	—	—	2	—
2	Small-pox...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	1	—	—	—	—	—	2	—	1	1	3	—	—	—	14	9
4	Scarlet fever	—	—	2	1	—	—	—	—	2	—	—	—	—	—	—	2
5	Whooping cough	1	1	1	3	2	—	—	—	—	1	—	—	1	—	14	22
6	Diphtheria and croup	—	—	2	—	1	—	—	—	3	3	—	—	—	—	9	12
7	Influenza	—	—	—	1	—	—	—	—	6	4	1	1	—	—	6	2
8	Erysipelas	—	—	—	—	—	—	—	—	1	1	—	—	—	—	3	1
9	Pulmonary tuberculosis	5	2	9	8	1	2	4	—	42	25	3	—	8	4	71	44
10	Tuberculous meningitis	—	—	1	2	—	—	—	—	3	5	1	—	1	1	3	14
11	Other tuberculous diseases	—	—	2	3	—	1	—	1	5	3	—	—	—	—	12	13
12	Cancer, malignant disease	6	6	12	5	3	7	1	—	33	50	—	2	3	7	43	70
13	Rheumatic fever...	—	—	—	—	1	—	—	—	2	—	—	—	—	—	5	5
14	Meningitis	—	—	—	1	1	—	1	—	2	3	1	—	—	—	5	1
15	Organic heart disease	7	8	10	17	2	4	3	2	28	33	4	1	8	4	47	61
16	Bronchitis	4	4	3	5	1	6	—	1	18	26	—	2	1	2	35	67
17	Pneumonia (all forms)	—	1	8	6	1	1	1	1	18	11	3	1	3	2	70	37
18	Other respiratory diseases	—	—	—	—	1	1	—	1	3	5	—	—	—	—	9	10
19	Diarrhoea, &c. (under 2 yrs.)	—	—	—	2	—	—	—	—	4	—	—	—	—	1	13	12
20	Appendicitis and typhlitis	—	—	1	—	—	—	—	1	2	2	—	—	1	—	5	2
21	Cirrhosis of liver	1	—	—	1	—	—	—	—	—	4	1	2	2	1	4	10
21A	Alcoholism	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—
22	Nephritis and Bright's dis.	—	2	3	3	1	—	—	1	14	10	—	—	1	3	19	22
23	Puerperal fever	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	5
24	Parturition, apart from 23	—	1	—	1	—	—	—	1	—	5	—	—	—	—	—	7
25	Congenital debility, &c.	3	1	6	3	2	—	7	1	28	12	2	1	4	2	58	34
26	Violence, apart from 27	—	1	2	1	—	—	2	—	17	2	1	—	1	—	29	13
27	Suicide	2	—	—	—	1	—	1	—	1	4	—	—	—	—	10	—
28	Other defined diseases	21	14	30	30	10	12	10	6	97	100	15	10	7	13	155	173
29	Causes ill-defined or un- known.	2	—	—	2	—	—	—	—	3	4	—	—	—	—	3	1

ESSEX—cont.

Causes of Death.		Walton on the Naze U.D.		Wanstead U.D.		Witham U.D.		Wivenhoe U.D.		Woodford U.D.				Belchamp R.D.		Billericay R.D.	
		M	F	M	F	M	F	M	F	M	F			M	F	M	F
ALL CAUSES	...	10	14	58	49	21	30	14	17	106	72			30	35	128	116
1	Enteric fever	—	—	—	—	1	—	—	1	—	—			—	—	—	—
2	Small-pox...	—	—	—	—	—	—	—	—	—	—			—	—	—	—
3	Measles	—	—	—	2	—	—	—	—	1	—			—	—	—	1
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—			—	—	—	—
5	Whooping cough	—	—	—	—	—	—	—	—	—	—			—	—	1	—
6	Diphtheria and croup	—	—	—	—	—	—	—	—	2	2			—	—	—	—
7	Influenza	1	—	—	—	—	2	—	—	1	1			—	—	4	2
8	Erysipelas	—	—	—	1	—	—	—	—	1	1			—	—	—	—
9	Pulmonary tuberculosis	1	2	5	2	2	1	3	2	4	5			3	2	8	5
10	Tuberculous meningitis	—	—	—	—	1	—	—	1	—	—			1	—	1	—
11	Other tuberculous diseases	—	—	—	1	—	1	—	—	1	—			—	—	2	—
12	Cancer, malignant disease	1	—	5	5	1	7	1	1	12	7			3	5	4	12
13	Rheumatic fever...	—	—	—	—	—	—	1	—	2	—			—	—	1	—
14	Meningitis	—	—	—	—	—	—	—	—	1	—			—	—	—	—
15	Organic heart disease	2	1	6	10	6	2	2	1	9	7			2	6	12	19
16	Bronchitis	1	2	3	3	2	2	—	—	6	7			2	6	6	8
17	Pneumonia (all forms)	—	2	5	3	—	—	1	1	11	4			1	—	5	3
18	Other respiratory diseases	1	—	1	—	—	—	—	—	1	—			1	—	1	2
19	Diarrhoea, &c. (under 2 yrs.)	—	—	1	—	—	—	—	—	1	2			—	—	—	—
20	Appendicitis and typhlitis	—	—	2	—	—	—	—	—	2	—			—	—	2	—
21	Cirrhosis of liver	—	—	1	1	—	—	—	—	2	3			2	—	—	—
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—			—	—	—	—
22	Nephritis and Bright's dis.	—	1	2	1	2	1	—	—	3	4			—	1	7	7
23	Puerperal fever	—	—	—	1	—	—	—	—	—	—			—	—	—	—
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	1			—	1	—	1
25	Congenital debility, &c.	1	1	5	1	1	—	—	1	10	3			2	1	3	5
26	Violence, apart from 27	2	2	2	—	—	1	2	1	4	1			—	—	5	3
27	Suicide	—	—	1	—	—	—	—	—	1	—			2	—	—	1
28	Other defined diseases	—	3	19	17	5	13	4	8	31	24			11	13	64	47
29	Causes ill-defined or un- known.	—	—	—	1	—	—	—	—	—	—			—	—	2	—

* Tilbury U.D. created 1st April, 1912.

ADMINISTRATIVE AREAS, 1912—continued.

ESSEX—cont.

	Braintree R.D.		Bumpstead R.D.		Chelmsford R.D.		Dunmow R.D.		Epping R.D.		Halstead R.D.		Lexden and Winstree R.D.		Maldon R.D.		Ongar R.D.		Orsett R.D.		Rochford R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	144	133	25	20	152	124	114	105	84	84	48	79	139	99	136	93	53	52	111	101	113	82	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	—	—	1	—	—	3	—	—	1	—	1	2	—	3	2	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	4
5	1	1	—	1	5	3	3	5	—	1	—	3	1	1	—	2	—	2	2	2	1	1	5
6	2	1	—	—	2	1	—	—	1	2	—	—	—	—	—	1	—	—	—	1	1	1	6
7	1	3	—	1	—	—	1	3	—	1	1	1	2	—	2	1	—	1	1	1	1	3	7
8	2	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	1	—	1	—	—	8
9	8	10	2	—	5	7	12	4	4	4	2	3	11	9	9	3	4	1	6	4	7	3	9
10	—	1	—	1	1	—	—	—	—	—	1	—	—	—	1	—	1	—	1	—	2	—	10
11	1	2	1	—	2	2	3	—	—	—	2	—	1	1	1	5	1	—	1	1	1	2	11
12	11	13	5	2	13	16	13	15	14	7	3	9	15	14	18	4	7	8	14	11	11	8	12
13	—	1	—	—	1	—	1	—	—	1	—	—	—	—	—	1	1	—	—	3	—	—	13
14	1	1	—	—	—	1	1	—	2	1	—	—	—	—	—	—	—	2	3	—	—	1	14
15	15	10	3	1	19	8	11	14	7	9	11	12	15	9	17	20	2	5	2	11	13	6	15
16	4	9	3	3	14	8	10	5	5	6	4	8	3	4	7	3	3	1	9	8	7	3	16
17	4	4	—	—	3	2	5	3	6	5	3	3	12	6	8	4	2	1	8	6	5	3	17
18	2	4	—	—	1	1	2	—	2	1	—	—	2	1	2	1	—	1	2	1	1	—	18
19	—	—	—	1	1	1	1	1	1	—	1	—	—	—	2	1	—	1	1	2	—	2	19
20	—	—	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	1	1	—	—	20
21	5	1	—	—	—	1	1	—	2	1	—	—	1	—	—	2	—	2	—	1	3	2	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	21A
22	4	7	2	1	3	2	1	3	7	2	1	2	5	1	1	4	—	1	4	4	3	1	22
23	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—	1	—	—	—	—	23
24	—	1	—	—	—	1	—	—	—	1	—	2	—	—	—	—	—	1	—	3	—	1	24
25	8	8	2	—	14	7	2	6	2	2	3	2	2	2	4	4	3	3	7	4	7	5	25
26	5	2	—	—	11	2	6	1	5	3	1	1	8	1	5	2	2	1	10	3	5	2	26
27	4	—	—	—	2	2	2	—	—	—	1	1	1	2	1	—	—	1	—	—	—	—	27
28	67	53	7	8	53	57	35	41	25	33	14	29	57	46	54	33	20	24	27	29	50	32	28
29	—	1	—	—	2	1	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	—	29

ESSEX—cont.

FLINTSHIRE.

	Romford R.D.		Saffron Walden R.D.		Stansted R.D.		Tendring R.D.			Buckley U.D.		Connah's Quay U.D.		Flint M.B.		Holywell U.D.		Mold U.D.		Prestatyn U.D.		
	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F	
1	140	136	80	78	48	42	143	127		45	38	31	21	57	27	23	23	47	41	14	8	1
2	—	—	—	—	—	—	—	—		1	—	—	—	—	—	—	—	—	—	—	—	2
3	2	1	—	—	—	—	2	1		—	—	2	—	—	—	2	1	2	1	—	—	3
4	1	2	—	1	—	—	—	—		—	1	—	—	—	—	—	1	—	—	—	—	4
5	4	1	2	—	—	—	2	4		—	1	—	—	2	1	—	—	—	—	—	—	5
6	—	—	—	2	—	—	—	1		2	—	—	—	—	—	—	—	1	—	—	—	6
7	3	2	1	1	—	2	5	1		—	2	—	1	5	—	1	—	1	1	1	—	7
8	—	1	—	—	1	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	8
9	9	10	5	2	1	2	12	7		—	—	—	—	1	—	—	—	2	1	1	—	9
10	—	—	—	1	—	—	3	—		—	1	1	—	1	—	1	—	—	—	—	—	10
11	2	1	3	—	—	—	—	1		—	—	—	—	1	1	1	—	—	1	—	—	11
12	9	15	12	6	4	3	8	9		5	1	1	2	4	2	1	2	2	3	1	—	12
13	—	—	—	1	—	—	1	—		—	—	1	—	—	—	—	—	—	—	—	—	13
14	—	2	1	—	—	2	1	—		—	—	—	—	1	—	—	—	1	1	—	—	14
15	11	13	3	11	4	11	16	8		4	9	1	3	3	2	1	4	5	2	1	3	15
16	8	9	6	4	6	3	15	10		4	4	2	2	6	5	3	1	5	8	1	—	16
17	15	5	3	4	2	1	6	6		2	2	5	—	3	—	—	—	1	1	2	—	17
18	5	2	1	—	1	3	2	5		—	—	—	—	4	—	—	1	—	2	—	—	18
19	3	1	—	—	—	—	1	2		—	—	—	2	2	—	—	—	1	—	—	—	19
20	—	1	—	—	—	—	1	1		—	—	—	—	—	—	—	—	—	—	—	—	20
21	1	—	—	1	1	—	1	1		1	—	1	—	—	1	—	—	—	—	—	—	21
21A	—	—	—	—	1	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	3	2	1	2	3	3	2		2	4	1	—	1	1	3	3	3	4	3	1	22
23	—	3	—	1	—	—	—	1		—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	2	—	—	—	—	—	—		—	—	—	1	—	—	—	—	—	1	—	—	24
25	11	10	2	1	5	1	10	12		3	2	4	3	7	2	2	2	7	2	—	—	25
26	11	1	2	—	3	—	6	2		5	1	—	1	1	—	—	—	2	—	—	1	26
27	3	—	3	—	—	—	1	—		—	—	—	—	—	—	—	—	—	—	—	—	27
28	37	51	34	41	17	11	47	52		16	10	10	6	14	10	8	8	14	13	4	3	28
29	3	—	—	—	—	—	—	—		—	—	2	—	1	2	—	—	—	—	—	—	29

CAUSES OF DEATH IN
GLAMORGANSHIRE.

FLINTSHIRE—cont.

Causes of Death.	Rhyl U.D.		Hawarden R.D.		Holywell R.D.		Overton R.D.		St. Asaph (Flint) R.D.		Aberavon M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	74	76	131	105	200	214	28	23	50	42	81	60	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	3	2	5	2	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	2	—	—	—	—	—	—	5
5 Whooping cough	1	—	—	1	10	6	—	—	—	—	8	10	6
6 Diphtheria and croup	—	—	2	—	1	1	—	1	—	—	—	—	7
7 Influenza	2	1	1	2	5	4	—	—	4	5	—	—	8
8 Erysipelas	—	1	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	9	7	10	10	18	17	3	3	5	1	5	3	10
10 Tuberculous meningitis	2	—	—	—	1	3	1	—	—	—	1	1	11
11 Other tuberculous diseases	1	1	1	2	1	1	1	—	—	1	1	1	12
12 Cancer, malignant disease	4	15	7	16	14	18	1	1	1	6	4	4	13
13 Rheumatic fever... ..	—	—	—	—	1	1	—	—	—	1	—	1	14
14 Meningitis	—	—	1	—	—	3	—	—	1	—	1	—	15
15 Organic heart disease	7	5	10	9	13	34	3	4	6	3	10	12	16
16 Bronchitis	6	6	10	2	11	11	—	1	2	3	9	3	17
17 Pneumonia (all forms)	5	9	7	4	18	15	1	1	2	2	9	7	18
18 Other respiratory diseases	3	1	2	—	4	3	1	1	—	—	—	1	19
19 Diarrhoea, &c. (under 2 yrs.)	1	1	1	—	—	1	—	1	1	—	1	—	20
20 Appendicitis and typhlitis	—	—	2	—	1	—	—	—	2	—	1	—	21
21 Cirrhosis of liver	1	1	1	1	1	—	—	—	—	—	1	—	21A
21A Alcoholism	1	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	1	4	3	6	5	2	1	5	1	3	—	23
23 Puerperal fever	—	1	—	2	—	1	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	1	—	2	—	—	—	—	—	—	25
25 Congenital debility, &c.	6	—	10	12	16	8	2	2	1	2	6	5	26
26 Violence, apart from 27	—	—	15	3	10	3	1	—	2	—	3	—	27
27 Suicide	—	—	1	—	—	—	1	—	—	—	—	—	28
28 Other defined diseases ...	25	26	45	34	67	69	8	7	17	17	18	12	29
29 Causes ill-defined or un- known.	—	—	1	—	—	1	1	—	1	—	—	—	

GLAMORGANSHIRE—cont.

Causes of Death.	Aberdare U.D.		Barry U.D.		Bridgend U.D.		Briton Ferry U.D.		Caerphilly U.D.		Cow- bridge M.B.		Gelligaer U.D.		Glyn- coerwg U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	364	355	214	156	44	46	62	53	258	198	10	6	264	254	61	56	1
1 Enteric fever	—	—	6	2	—	—	—	—	2	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	2	8	8	8	—	—	—	—	23	20	—	—	31	34	2	—	4
4 Scarlet fever	7	7	—	—	—	—	—	—	3	4	—	—	—	1	—	—	5
5 Whooping cough	8	7	5	6	2	1	9	8	6	7	—	1	6	9	13	—	6
6 Diphtheria and croup	2	2	—	4	—	1	—	—	3	3	—	—	1	3	—	—	7
7 Influenza	5	1	1	—	2	1	—	—	—	1	1	—	6	—	1	—	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	9
9 Pulmonary tuberculosis	20	21	24	15	3	5	4	4	9	13	—	—	6	19	3	4	10
10 Tuberculous meningitis	4	1	3	2	1	—	—	—	2	1	—	—	4	5	—	—	11
11 Other tuberculous diseases	3	5	2	4	—	—	—	1	5	2	—	—	8	9	2	1	12
12 Cancer, malignant disease	11	16	14	12	4	8	3	6	6	11	3	2	4	3	3	1	13
13 Rheumatic fever... ..	2	1	2	1	—	—	—	1	—	2	—	—	3	3	—	—	14
14 Meningitis	7	6	5	2	—	—	1	—	7	2	—	—	—	3	—	1	15
15 Organic heart disease	24	45	20	20	7	3	4	4	15	7	2	1	18	19	—	—	16
16 Bronchitis	37	36	10	9	3	3	4	8	17	13	—	—	28	14	6	3	17
17 Pneumonia (all forms)	37	29	15	17	5	8	8	2	30	20	—	—	38	30	4	6	18
18 Other respiratory diseases	8	3	3	1	—	—	1	—	4	2	—	—	7	2	1	—	19
19 Diarrhoea, &c. (under 2 yrs.)	6	2	2	2	1	—	2	1	2	2	—	—	7	7	—	—	20
20 Appendicitis and typhlitis	2	2	1	1	—	1	—	—	3	1	—	—	—	—	—	—	21
21 Cirrhosis of liver	—	1	2	1	1	1	—	—	2	—	—	—	—	1	—	—	21A
21A Alcoholism	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	22
22 Nephritis and Bright's dis.	6	4	4	3	1	4	1	2	8	5	1	—	5	4	1	3	23
23 Puerperal fever	—	2	—	—	—	—	—	4	—	5	—	—	—	3	—	—	24
24 Parturition, apart from 23	—	12	—	3	—	1	—	—	—	6	—	—	—	3	—	2	25
25 Congenital debility, &c.	28	29	18	12	1	1	2	—	25	16	—	—	30	20	1	6	26
26 Violence, apart from 27	37	7	19	—	1	—	4	3	25	7	—	—	16	4	5	1	27
27 Suicide	5	—	—	—	1	—	—	1	3	—	—	—	1	—	—	—	28
28 Other defined diseases ...	102	108	49	30	11	8	19	8	57	46	3	2	49	61	20	14	29
29 Causes ill-defined or un- known.	—	—	1	1	—	—	—	—	1	1	—	—	1	—	2	—	

ADMINISTRATIVE AREAS, 1912—continued.

GLAMORGANSHIRE—cont.

	Maesteg U.D.		Margam U.D.		Mountain Ash U.D.		Neath M.B.		Ogmore and Garw U.D.		Oyster- mouth U.D.		Penarth U.D.		Ponty- pridd U.D.		Porthcawl U.D.		Rhondda U.D.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
1	162	160	88	77	306	266	142	136	188	173	33	40	88	80	310	270	16	23	1203	992		
2	1	1	—	—	1	—	1	—	1	1	—	—	—	—	—	1	—	—	9	7		1
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
4	—	—	1	1	22	28	—	5	2	3	—	—	2	1	7	6	—	—	69	59		3
5	13	19	4	3	10	13	5	7	3	15	—	1	1	1	10	10	1	1	12	7		4
6	1	—	2	3	2	7	2	—	1	5	—	1	1	1	1	1	—	—	36	45		5
7	—	1	2	1	7	4	—	1	1	1	1	2	1	—	2	1	—	—	9	10		6
8	—	—	—	—	1	1	—	2	1	—	—	—	—	—	1	1	—	—	7	7		7
9	6	8	8	4	24	8	13	14	8	9	1	3	4	6	13	16	—	2	—	1		8
10	—	2	—	—	2	5	1	1	3	—	—	1	1	—	2	2	—	—	57	56		9
11	2	2	—	—	5	2	4	—	3	3	2	—	—	1	2	2	—	—	12	6		10
12	6	10	6	4	10	13	6	11	7	15	3	2	2	5	7	23	—	3	11	7		11
13	—	1	1	1	1	3	1	1	—	—	—	—	—	2	—	2	—	—	46	57		12
14	2	2	1	—	2	1	1	1	1	1	—	—	2	—	4	3	—	1	6	6		13
15	10	13	9	7	22	15	12	9	14	13	—	5	8	8	18	23	1	3	15	7		14
16	11	8	3	6	25	28	4	10	13	8	3	—	5	9	27	24	1	—	75	90		15
17	21	21	10	10	33	25	15	9	23	20	2	2	6	2	30	26	1	1	124	74		16
18	3	3	1	—	8	4	1	—	5	2	1	—	1	1	6	4	—	—	156	125		17
19	12	4	3	2	7	5	6	7	7	2	—	—	1	1	5	4	—	—	19	10		18
20	3	—	1	—	—	—	—	2	—	—	1	—	1	2	—	2	—	—	29	30		19
21	—	—	1	—	1	—	1	—	—	—	—	1	—	—	1	—	—	—	7	5		20
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	2		21
22	4	6	2	3	9	9	5	5	6	5	1	2	5	1	10	4	1	1	23	16		21A
23	—	—	—	1	—	2	—	2	—	6	—	—	—	—	—	1	—	—	—	6		22
24	—	4	—	2	—	1	—	3	—	3	—	1	—	2	—	8	—	1	—	18		23
25	17	19	5	6	30	23	17	6	20	12	—	1	7	7	38	16	2	—	126	95		24
26	19	2	7	4	25	8	7	2	20	9	2	1	6	2	26	5	—	—	92	17		25
27	—	—	1	—	—	—	1	1	—	—	—	—	1	1	2	2	—	—	6	3		26
28	30	34	20	19	55	59	39	37	46	39	16	17	32	27	94	75	9	9	249	222		27
29	1	—	—	—	2	1	—	—	1	1	—	1	1	—	1	2	—	—	3	4		28

GLAMORGANSHIRE—cont.

GLOUCESTERSHIRE.

	Cowbridge R.D.		Gower R.D.		Llandaff and Dinas Powis R.D.		Llantri- sant and Llantwit- fardre R.D.		Neath R.D.		Penybont R.D.		Pontar- dawe R.D.		Swansea R.D.				Awre U.D.		Charlton Kings U.D.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			M	F	M	F		
1	52	35	48	51	193	159	129	110	250	270	143	118	205	177	289	250			6	2	26	25		1
2	—	—	—	—	4	—	—	1	2	1	—	—	—	—	—	1			—	—	—	—		2
3	1	1	—	—	1	6	1	2	12	9	—	1	8	11	5	3			—	—	1	—		3
4	—	—	1	—	—	2	2	—	1	1	2	1	—	—	—	—			—	—	—	—		4
5	1	—	—	—	—	6	5	9	6	18	8	7	1	1	1	8			—	—	—	—		5
6	—	—	—	—	2	2	2	—	4	5	1	2	2	—	2	3			—	—	—	—		6
7	4	3	1	1	1	6	2	—	9	5	3	3	1	—	—	2			1	—	—	—		7
8	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—			—	—	—	—		8
9	1	2	1	8	25	12	4	6	12	17	7	6	18	13	16	27			—	—	4	4		9
10	—	1	1	—	1	2	2	3	—	2	3	1	3	2	4	4			—	—	—	1		10
11	1	1	3	—	—	2	2	3	3	5	2	5	7	5	4	—			—	—	—	—		11
12	3	3	3	3	6	16	4	6	7	21	6	5	10	11	21	22			—	—	4	3		12
13	—	—	—	—	—	—	1	1	1	3	2	3	2	2	—	—			—	—	—	—		13
14	1	—	1	—	1	2	—	—	1	4	1	1	2	—	4	4			—	—	—	—		14
15	6	4	3	3	17	15	11	12	17	27	15	15	13	11	17	22			1	1	4	3		15
16	—	2	3	2	17	10	7	12	21	9	13	11	12	8	17	16			1	—	1	3		16
17	5	—	4	6	12	6	10	8	21	21	14	8	16	13	30	20			—	—	1	1		17
18	3	—	2	2	3	5	2	—	3	5	3	—	3	3	5	3			1	—	1	—		18
19	1	—	1	—	5	3	4	1	5	10	—	—	7	4	10	7			—	—	1	—		19
20	1	—	—	—	—	2	2	—	—	—	1	—	—	—	1	3			—	—	—	—		20
21	—	—	—	—	1	2	1	1	—	—	2	—	2	1	5	—			—	—	1	—		21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—		21A
22	2	2	3	1	7	3	2	2	6	9	1	—	7	6	15	9			—	—	2	1		22
23	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	2			—	—	—	—		23
24	—	—	—	1	—	1	—	3	—	2	—	1	—	6	—	1			—	—	—	—		24
25	2	7	4	4	10	8	15	12	24	23	3	1	10	14	26	19			—	—	—	1		25
26	4	1	2	1	16	1	13	1	23	6	8	2	16	4	16	4			1	—	1	—		26
27	2	—	—	—	5	—	1	—	2	—	1	1	1	1	—	—			—	1	—	—		27
28	14	8	13	18	57	44	36	26	69	65	47	44	62	59	88	69			1	—	4	8		28
29	—	—	2	1	2	—	—	1	1	1	—	—	2	—	1	1			—	—	—	—		29

GLOUCESTERSHIRE—cont.

Causes of Death.		Cheltenham M.B.		Cirencester U.D.		Coleford U.D.		Kingswood U.D.		Nailsworth U.D.		Newnham U.D.		Stow on the Wold U.D.		Stroud U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES		311	348	53	47	20	17	68	58	15	12	6	9	2	9	64	49	1
1	Enteric fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	1	—	—	—	—	—	2	2	—	—	—	—	—	—	2	3	3
4	Scarlet fever	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	4
5	Whooping cough	6	4	2	2	—	—	1	—	—	—	—	—	—	—	—	—	5
6	Diphtheria and croup	1	1	—	—	—	1	2	1	—	—	—	—	—	—	2	—	6
7	Influenza	5	6	3	1	—	—	—	—	1	—	—	—	1	—	—	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	25	15	2	3	—	1	7	4	—	3	—	—	—	1	4	5	9
10	Tuberculous meningitis	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
11	Other tuberculous diseases	2	4	1	1	—	—	—	1	—	—	—	—	—	—	1	—	11
12	Cancer, malignant disease	29	36	—	3	2	2	5	5	1	2	—	1	—	—	8	7	12
13	Rheumatic fever... ..	2	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	13
14	Meningitis	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	14
15	Organic heart disease	33	46	6	4	3	1	9	5	—	1	1	—	—	2	3	7	15
16	Bronchitis	11	20	2	3	2	—	7	5	1	—	—	—	—	1	3	—	16
17	Pneumonia (all forms)	18	22	3	3	—	2	5	5	—	—	—	—	—	—	2	3	17
18	Other respiratory diseases	7	6	3	1	—	—	2	—	—	—	—	—	—	1	1	3	18
19	Diarrhoea, &c. (under 2 yrs.)	3	2	—	—	—	1	2	—	—	—	—	—	—	—	—	—	19
20	Appendicitis and typhlitis	—	3	2	1	—	—	1	—	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver	2	2	—	—	2	—	1	1	—	—	—	—	—	—	—	—	21
21A	Alcoholism	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	18	13	4	—	—	—	1	1	—	—	—	1	—	—	6	1	22
23	Puerperal fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	12	11	2	2	4	2	1	6	2	—	2	2	—	—	2	—	25
26	Violence, apart from 27	5	6	1	2	—	—	1	—	2	—	—	1	—	—	5	—	26
27	Suicide	6	—	—	—	—	—	2	—	—	—	—	—	—	—	—	1	27
28	Other defined diseases	118	146	21	19	7	7	16	19	8	6	3	4	1	4	23	18	28
29	Causes ill-defined or un- known.	—	—	—	1	—	—	1	1	—	—	—	—	—	—	1	1	29

GLOUCESTERSHIRE—cont.

Causes of Death.		Tetbury U.D.		Tewkes- bury M.B.		Westbury on Severn U.D.		Campden R.D.		Cheltenham R.D.		Chipping Sodbury R.D.		Cirencester R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES		19	17	27	29	11	11	31	45	31	33	150	110	72	71	1
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	1	—	—	—	1	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough	—	—	—	—	—	—	—	—	2	—	—	—	1	1	5
6	Diphtheria and croup	1	1	—	—	—	—	—	—	1	3	1	—	—	—	6
7	Influenza	—	—	—	—	—	1	1	—	2	—	1	5	3	1	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	—	—	1	2	—	2	3	2	3	2	6	5	4	5	9
10	Tuberculous meningitis	—	—	—	—	—	—	—	—	1	—	1	1	—	—	10
11	Other tuberculous diseases	—	—	—	—	—	—	—	1	1	1	3	1	—	2	11
12	Cancer, malignant disease	—	1	1	2	2	2	1	4	2	6	14	9	8	6	12
13	Rheumatic fever... ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis	—	—	—	—	—	—	—	—	—	—	—	1	1	—	14
15	Organic heart disease	2	1	4	2	1	—	7	4	6	7	16	20	7	13	15
16	Bronchitis	2	2	3	2	—	1	—	3	2	1	14	7	3	4	16
17	Pneumonia (all forms)... ..	1	1	—	2	—	—	2	4	2	2	11	4	7	3	17
18	Other respiratory diseases	—	—	—	1	—	—	1	2	1	—	1	2	—	1	18
19	Diarrhoea, &c. (under 2 yrs.)	—	—	—	1	—	—	—	—	—	—	3	2	1	—	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	1	—	—	1	—	—	2	20
21	Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	1	1	1	—	21
21A	Alcoholism	—	—	—	—	—	—	1	—	—	—	2	—	—	—	21A
22	Nephritis and Bright's dis.	4	1	1	2	1	—	1	2	2	1	2	2	—	1	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	1	—	—	—	—	—	2	24
25	Congenital debility, &c.	—	—	—	—	1	—	1	4	1	1	9	5	5	1	25
26	Violence, apart from 27	—	2	1	—	2	—	—	—	—	—	5	2	3	2	26
27	Suicide	—	—	—	—	—	—	—	—	—	—	1	—	—	—	27
28	Other defined diseases	9	8	16	15	4	5	11	17	8	9	55	41	26	26	28
29	Causes ill-defined or un- known.	—	—	—	—	—	—	1	—	—	—	—	—	1	1	29

ADMINISTRATIVE AREAS, 1912—continued.

GLOUCESTERSHIRE—cont.

	Dursley R.D.		East Dean and United Parishes R.D.		Faringdon (pt.) R.D.*		Gloucester R.D.		Lydney R.D.		Marston Sicca R.D.		Newent R.D.		Northleach R.D.		Pebworth R.D.		Stow on the Wold (pt.) R.D.†		Stroud R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	74	90	138	122	8	11	65	76	56	60	11	8	57	42	42	68	22	24	51	39	190	182	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	5	2	—	—	—	—	—	—	—	1	1	—	1	1	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	4
5	1	—	3	9	—	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	1	1	5
6	—	1	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	1	1	6
7	1	2	1	—	—	—	1	1	1	1	—	—	1	—	1	—	—	1	1	—	2	6	7
8	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	8
9	6	2	4	11	—	—	5	4	3	5	1	—	1	—	—	5	2	—	5	3	13	13	9
10	5	1	1	2	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	10
11	—	1	2	2	—	—	1	—	1	1	—	—	1	1	1	—	—	1	1	—	3	—	11
12	7	7	7	5	—	1	5	10	2	5	—	—	5	6	4	6	—	1	6	3	14	27	12
13	—	1	—	—	—	1	—	1	1	1	—	—	—	1	—	—	—	—	—	—	—	2	13
14	—	—	2	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1	1	14
15	5	14	15	14	2	2	12	8	8	10	2	1	14	8	8	10	4	5	2	6	29	18	15
16	4	8	15	12	—	2	2	10	4	4	—	—	2	8	3	7	1	1	5	3	13	13	16
17	5	4	15	8	—	—	1	6	2	2	1	1	3	1	5	4	3	1	1	1	7	9	17
18	1	—	4	2	1	1	1	—	1	—	—	1	1	—	—	—	—	2	1	3	3	3	18
19	—	—	2	5	1	—	1	—	—	—	—	—	—	—	2	—	—	—	—	3	—	—	19
20	—	2	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—	2	1	—	20
21	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	6	—	3	1	—	—	1	2	—	2	—	—	2	—	1	2	—	—	5	—	2	5	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	5	—	—	—	—	—	7	—	—	—	—	—	1	—	—	—	1	—	1	24
25	7	1	11	9	—	—	5	9	3	2	—	—	4	2	3	3	1	3	2	2	12	7	25
26	1	4	6	3	—	—	5	4	3	—	2	—	3	2	—	—	1	—	2	1	9	2	26
27	1	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—	1	1	27
28	26	40	39	30	4	2	21	21	24	17	5	4	17	11	13	27	10	11	17	17	76	65	28
29	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	—	—	2	—	29

GLOUCESTERSHIRE—cont.

HEREFORDSHIRE.

	Tetbury (pt.) R.D.‡		Tewkesbury (pt.) R.D.†		Thornbury R.D.		Warmley R.D.		West Dean R.D.		Wheaten-hurst R.D.		Winchcomb (pt.) R.D.†				Bromyard U.D.		Hereford M.B.		Kington U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F			M	F	M	F	M	F	
1	23	24	38	34	130	112	108	100	92	76	39	43	54	51			8	7	131	156	10	9	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	2
3	—	—	—	—	—	—	3	2	1	3	1	—	1	—			—	—	1	—	—	—	3
4	—	—	—	—	—	—	1	3	—	—	—	—	—	—			—	—	—	1	—	—	4
5	—	—	5	1	—	—	1	2	—	5	—	—	—	—			—	—	3	3	—	—	5
6	—	1	—	—	—	1	1	2	1	1	—	—	—	—			—	—	—	—	—	—	6
7	—	1	—	—	—	4	1	—	1	—	1	—	2	—			1	—	1	1	—	1	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	1	—	—	8
9	3	1	1	3	14	6	6	8	5	5	—	1	3	6			1	—	16	8	—	—	9
10	—	—	—	—	1	—	1	1	1	—	—	—	—	—			—	—	1	1	—	—	10
11	—	—	—	—	—	1	2	2	1	—	—	1	1	—			—	—	2	2	—	—	11
12	—	3	2	4	9	13	8	7	5	2	9	6	5	5			—	1	4	15	—	—	12
13	—	—	—	—	—	—	—	2	—	—	—	—	—	—			—	—	—	—	—	—	13
14	—	—	1	—	1	—	1	—	2	—	1	—	—	1			—	—	1	3	1	—	14
15	3	4	3	4	20	20	15	17	11	6	4	6	12	11			1	—	22	27	2	4	15
16	4	—	1	2	5	8	9	10	13	8	1	3	3	1			—	—	11	10	1	—	16
17	1	1	4	—	7	4	9	2	5	3	1	1	—	1			1	—	2	7	—	—	17
18	—	1	—	—	3	1	3	1	4	—	1	1	—	1			—	—	1	5	—	—	18
19	—	—	—	—	2	1	5	—	1	2	—	—	—	1			—	—	2	1	—	—	19
20	1	—	—	1	2	—	—	—	—	—	—	1	1	—			—	—	1	—	—	—	20
21	—	—	—	—	3	3	—	1	—	—	—	—	—	—			—	1	4	3	1	—	21
21A	—	—	—	—	1	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	21A
22	2	—	1	2	2	6	2	5	3	1	1	1	—	1			—	1	4	3	1	—	22
23	—	—	—	—	—	—	—	—	—	3	—	—	—	—			—	—	—	—	—	1	23
24	—	—	—	—	—	—	—	2	—	1	—	1	—	1			—	—	—	1	—	—	24
25	—	1	3	1	2	5	9	6	5	4	1	2	2	3			—	—	7	10	—	—	25
26	1	1	3	1	10	2	2	—	10	2	1	1	1	1			—	—	5	—	1	—	26
27	—	—	1	—	5	—	1	—	—	—	1	—	1	—			—	—	1	—	—	—	27
28	8	10	12	15	43	37	27	27	23	30	16	16	21	18			4	4	42	54	2	3	28
29	—	—	1	—	—	—	1	—	—	—	—	2	1	—			—	—	—	—	1	—	29

* The remainder of Faringdon R.D. is in Berkshire; see page 456.
† The remaining parts of Stow on the Wold, Tewkesbury and Winchcombe Rural Districts are in Worcestershire; see page 539.
‡ The remainder of Tetbury R.D. is in Wiltshire; see page 538.

HEREFORDSHIRE—cont.

Causes of Death.				Ledbury U.D.		Leo- minster M.B.		Ross U.D.		Bred- wardine R.D.		Bromyard R.D.		Dore R.D.		Hereford R.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...				19	22	32	39	30	36	22	10	56	58	45	37	99	94	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	3	1	—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	4
5	Whooping cough	—	—	—	—	1	2	—	—	—	—	—	—	—	2	5
6	Diphtheria and croup	1	—	—	—	—	1	—	—	—	—	—	—	—	—	6
7	Influenza	1	—	—	—	—	—	2	—	—	1	1	—	2	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	—	2	2	—	—	2	3	1	3	4	3	2	10	9	9
10	Tuberculous meningitis	—	—	—	—	1	1	—	—	—	1	1	1	1	1	10
11	Other tuberculous diseases	—	—	—	—	—	1	—	—	—	—	—	1	1	1	11
12	Cancer, malignant disease	2	4	1	1	1	5	—	1	10	8	2	5	12	7	12
13	Rheumatic fever...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
15	Organic heart disease	4	1	5	7	3	4	4	1	7	15	6	2	11	22	15
16	Bronchitis	—	3	4	7	5	5	—	—	3	2	2	4	9	11	16
17	Pneumonia (all forms)	1	1	2	1	2	—	2	—	2	2	1	1	3	1	17
18	Other respiratory diseases	—	1	1	3	—	—	—	—	1	—	—	—	2	—	18
19	Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	1	—	—	—	1	—	—	—	—	—	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	—	—	—	1	20
21	Cirrhosis of liver	—	—	—	—	1	—	—	—	—	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—	—	—	1	1	1	1	1	3	2	—	—	2	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	1	—	1	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	2	—	—	24
25	Congenital debility, &c.	2	1	4	1	1	—	—	—	4	5	3	—	6	4	25
26	Violence, apart from 27	—	—	2	1	1	—	1	—	2	1	3	—	5	2	26
27	Suicide	—	—	—	1	1	—	—	—	2	—	—	—	1	—	27
28	Other defined diseases	8	9	11	16	8	13	9	6	20	16	21	18	36	28	28
29	Causes ill-defined or un- known.	—	—	—	1	—	—	—	—	—	—	—	—	—	1	29

HEREFORDSHIRE—cont.

Causes of Death.				Kington R.D.		Ledbury R.D.		Leo- minster R.D.		Ross R.D.		Weobley R.D.		Whit- church R.D.		Wigmore R.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...				41	33	51	51	67	64	74	64	51	41	9	13	31	25	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	1	1	—	—	1	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	4
5	Whooping cough	—	—	—	—	—	—	1	1	2	1	—	—	—	—	5
6	Diphtheria and croup	—	—	1	—	1	—	—	—	1	—	—	—	—	—	6
7	Influenza	1	—	—	2	2	3	1	2	—	—	—	—	—	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	3	3	—	6	2	1	3	2	3	1	—	—	1	6	9
10	Tuberculous meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
11	Other tuberculous diseases	1	—	1	—	—	—	—	1	2	—	1	1	1	—	11
12	Cancer, malignant disease	8	1	5	5	6	5	2	8	6	4	1	—	3	—	12
13	Rheumatic fever...	1	—	—	—	1	—	—	—	—	—	—	—	—	—	13
14	Meningitis	—	—	—	—	—	—	—	—	1	—	—	—	—	—	14
15	Organic heart disease	7	10	7	4	8	15	15	6	4	7	2	1	4	2	15
16	Bronchitis	1	1	4	1	9	4	6	5	2	3	—	1	2	—	16
17	Pneumonia (all forms)	3	2	2	1	4	3	7	4	3	1	2	1	5	—	17
18	Other respiratory diseases	2	1	1	1	—	2	2	1	—	2	—	—	1	1	18
19	Diarrhoea, &c. (under 2 yrs.)	2	—	1	—	—	—	1	1	—	—	—	—	—	—	19
20	Appendicitis and typhlitis	—	1	—	1	1	—	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver	—	—	—	—	1	—	—	—	2	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	2	1	—	1	1	3	4	2	1	—	1	—	—	22
23	Puerperal fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	1	—	2	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	2	—	6	6	6	3	2	6	3	2	—	1	—	3	25
26	Violence, apart from 27	1	—	2	—	4	5	4	—	6	1	1	—	2	—	26
27	Suicide	1	—	—	—	1	—	—	1	1	—	—	—	1	—	27
28	Other defined diseases	8	11	19	20	20	20	25	20	14	16	2	7	10	11	28
29	Causes ill-defined or un- known.	—	—	—	2	—	—	1	1	—	1	1	—	—	1	29

ADMINISTRATIVE AREAS, 1912--continued.

HERTFORDSHIRE.

	Baldock U.D.		Barnet U.D.		Bishop's Stortford U.D.		Bushey U.D.		Cheshunt U.D.		East Barnet Valley U.D.		Great Berk- hampstead U.D.		Harpenden U.D.		Hemel Hempstead M.B.		Hertford M.B.		Hitchin U.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1	19	15	57	72	58	36	42	40	64	74	66	53	37	47	28	37	73	75	52	66	80	74
2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
3	—	—	1	—	2	1	—	—	—	2	—	—	1	—	—	—	—	—	—	—	7	4
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
5	—	—	1	—	1	—	—	2	2	3	—	—	—	—	1	—	—	—	—	1	1	—
6	—	—	—	—	—	—	—	1	2	—	1	—	—	—	—	—	—	—	2	—	—	—
7	—	1	—	—	2	—	—	—	—	4	2	1	1	1	—	—	—	—	—	2	—	1
8	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
9	2	1	5	3	2	2	—	2	8	4	2	3	4	2	5	3	4	6	7	9	2	4
10	1	—	—	1	—	1	1	1	—	—	—	—	1	—	1	—	—	—	—	—	1	—
11	2	—	—	1	2	—	2	1	4	1	—	2	—	1	1	—	1	1	—	1	2	2
12	—	2	4	5	5	3	4	8	7	10	4	9	6	2	1	7	11	8	9	14	8	6
13	—	—	1	—	1	1	3	—	—	—	—	—	—	1	—	—	1	—	—	—	2	—
14	—	—	4	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	—	—	—	1
15	4	—	6	4	5	4	5	6	5	3	7	5	5	6	8	6	11	10	1	7	16	16
16	3	1	3	8	2	4	2	3	3	6	8	6	2	4	1	2	3	5	3	4	6	6
17	3	2	1	7	1	1	1	1	2	3	5	3	1	2	1	—	4	4	4	2	5	5
18	—	—	4	1	—	1	1	—	2	2	2	1	1	2	—	1	1	1	2	1	—	—
19	—	—	2	—	1	—	—	—	1	1	2	—	—	—	—	1	1	2	—	—	1	—
20	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—
21	1	1	2	—	—	—	—	—	—	1	1	1	—	—	1	—	—	—	2	—	1	—
21A	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	1	—
22	—	—	3	3	7	2	5	1	2	—	—	1	—	1	—	—	2	2	2	2	2	—
23	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—
24	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25	—	2	1	6	6	3	1	1	4	3	2	3	1	4	1	1	5	5	2	2	3	3
26	—	—	1	1	4	1	1	1	3	3	2	1	—	—	—	1	5	3	3	2	2	2
27	—	—	—	—	—	—	—	—	1	1	—	1	—	1	—	—	1	—	—	—	—	1
28	3	5	17	32	15	12	16	9	16	25	25	15	13	19	6	15	26	29	15	19	18	23
29	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—

HERTFORDSHIRE—cont.

	Hoddesdon U.D.		Rickmans- worth U.D.		Royston U.D.		St. Albans M.B.		Sawbridge- worth U.D.		Stevenage U.D.		Tring U.D.		Ware U.D.		Watford U.D.			Ashwell R.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F
1	18	24	34	43	26	18	108	108	11	6	31	25	37	35	36	43	185	209		29	17
2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—		—	—
3	1	1	—	—	—	—	3	3	—	—	—	—	—	—	1	—	1	1		—	—
4	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	1	4		—	—
5	1	—	—	—	1	3	5	—	—	—	—	—	—	—	—	3	1	2		—	—
6	—	—	—	1	—	—	—	—	—	—	—	—	2	—	—	—	1	2		—	—
7	—	—	1	—	—	—	2	5	—	—	—	—	—	—	—	—	4	6		2	—
8	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	1		1	—
9	1	3	4	3	3	1	8	5	—	—	2	1	2	1	4	3	23	19		—	3
10	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	1	1		—	—
11	—	—	—	—	—	—	2	1	—	—	1	—	1	2	—	—	4	5		—	—
12	4	3	2	4	1	2	10	10	2	—	4	2	1	3	1	5	10	23		4	2
13	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1		—	—
14	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	2	2	2		—	—
15	1	3	3	5	4	2	17	16	2	—	5	5	2	7	5	4	22	21		5	1
16	2	2	—	8	1	2	7	14	2	1	2	3	1	2	5	3	12	17		3	1
17	1	—	3	—	4	1	5	2	—	—	3	—	5	3	1	2	11	13		3	—
18	—	1	1	—	—	—	2	—	1	—	—	1	—	1	—	—	3	2		1	—
19	1	—	—	—	—	—	2	—	—	—	1	—	—	—	1	—	2	2		1	—
20	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		—	—
21	1	—	—	1	1	—	1	1	—	—	1	—	—	1	—	—	4	1		—	—
21A	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—		—	—
22	—	—	1	1	—	—	—	6	—	1	—	1	1	—	1	1	2	7		—	1
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3		—	—
24	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	5		—	—
25	1	—	3	2	—	—	6	6	1	—	1	2	3	2	4	3	12	7		1	—
26	—	1	2	1	1	1	6	1	—	—	1	2	2	—	1	—	7	2		—	—
27	—	—	1	—	1	—	4	—	1	—	1	—	1	—	—	—	1	4		—	—
28	4	10	13	13	10	8	24	27	2	4	9	6	15	13	10	17	53	56		8	9
29	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	2	5	3		—	—

CAUSES OF DEATH IN

HERTFORDSHIRE—*cont.*

Causes of Death.				Barnet R.D.		Berkham- stead R.D.		Bunting- ford R.D.		Hadham R.D.		Hatfield R.D		Hemel Hempstead R.D.		Hertford R.D.		Hitchin R.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES				13	24	23	42	32	25	35	29	44	41	51	38	37	43	86	97	1
1	Enteric fever			—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2	Small-pox			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles			—	—	—	—	—	—	—	—	1	—	—	—	—	1	1	—	4
4	Scarlet fever			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5	Whooping cough			—	—	—	1	—	—	—	—	—	2	—	1	—	—	—	—	6
6	Diphtheria and croup			1	—	—	—	—	1	—	—	—	—	—	—	2	—	—	1	7
7	Influenza			1	1	—	—	—	1	—	1	1	1	1	—	1	1	2	1	8
8	Erysipelas			—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis			2	2	1	1	1	—	2	—	6	6	4	2	4	2	7	9	10
10	Tuberculous meningitis			—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	11
11	Other tuberculous diseases			—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	12
12	Cancer, malignant disease			—	1	2	4	3	5	—	2	4	7	6	9	6	7	4	16	13
13	Rheumatic fever... ..			—	—	1	—	1	—	—	—	2	—	—	—	—	—	1	1	14
14	Meningitis			—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	15
15	Organic heart disease			—	2	4	7	2	6	5	3	3	6	3	4	2	4	6	13	16
16	Bronchitis			—	3	2	4	5	1	2	2	5	4	3	2	4	3	5	6	17
17	Pneumonia (all forms)			1	3	—	4	2	—	4	2	2	—	3	4	1	1	3	5	18
18	Other respiratory diseases			—	—	1	—	—	—	—	—	—	—	2	—	1	—	1	—	19
19	Diarrhoea, &c. (under 2 yrs.)			—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	20
20	Appendicitis and typhlitis			1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	21
21	Cirrhosis of liver			—	—	—	—	—	—	1	—	1	—	2	—	1	—	—	—	21A
21A	Alcoholism			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.			1	1	1	1	1	1	—	—	1	1	1	1	1	1	3	—	23
23	Puerperal fever			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	24
24	Parturition, apart from 23			—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	25
25	Congenital debility, &c.			1	1	2	2	1	1	4	2	2	1	1	1	2	4	7	4	26
26	Violence, apart from 27			1	2	1	2	—	—	—	—	4	1	2	—	1	—	4	3	27
27	Suicide			—	1	—	—	—	—	—	—	2	1	—	1	1	1	2	—	28
28	Other defined diseases			4	6	7	15	15	9	14	16	11	19	23	13	10	15	32	35	29
29	Causes ill-defined or un- known.			—	—	—	—	1	—	—	—	—	1	—	—	—	1	3	—	

HERTFORDSHIRE—*cont.*

HUNTINGDONSHIRE.

Causes of Death.				St. Albans R.D.		Ware R.D.		Watford R.D.		Welwyn R.D.		God- manchester M.B.		Hunting- don M.B.		Old Fletton U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	96	72	63	55	104	70	17	12	9	11	27	25	20	24	1
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	—	1	—	—	—	2	—	—	—	1	2	5	1	—	4
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5	Whooping cough	—	4	—	—	3	1	—	—	—	—	2	—	—	—	6
6	Diphtheria and croup	—	—	—	—	3	2	—	3	—	—	—	—	—	—	7
7	Influenza	—	—	1	1	—	1	—	—	—	—	—	—	—	—	8
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	1	—	—	9
9	Pulmonary tuberculosis	8	5	2	4	15	5	2	—	—	—	2	1	2	1	10
10	Tuberculous meningitis	1	—	—	1	1	1	—	—	—	—	—	—	—	2	11
11	Other tuberculous diseases	2	—	—	2	—	—	—	—	—	—	1	—	—	—	12
12	Cancer, malignant disease	11	7	9	4	9	8	—	—	—	—	4	7	—	5	13
13	Rheumatic fever...	—	—	—	—	1	—	—	—	—	—	—	—	—	—	14
14	Meningitis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	15
15	Organic heart disease	19	13	7	5	7	6	1	2	2	1	—	1	—	2	16
16	Bronchitis	9	5	9	10	5	2	—	—	—	3	4	3	2	2	17
17	Pneumonia (all forms)	4	1	5	2	8	1	3	1	2	1	2	1	—	—	18
18	Other respiratory diseases	1	2	—	2	1	1	—	1	—	—	—	—	—	—	19
19	Diarrhoea, &c. (under 2 yrs.)	1	—	1	2	1	—	1	—	—	—	—	—	—	—	20
20	Appendicitis and typhlitis	1	—	—	—	—	1	1	—	—	—	—	—	—	—	21
21	Cirrhosis of liver	—	—	1	—	—	2	—	—	—	—	—	—	1	—	21A
21A	Alcoholism	1	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	5	—	1	2	3	1	—	—	—	—	1	—	—	—	23
23	Puerperal fever	—	3	—	—	—	1	—	—	—	—	—	—	—	—	24
24	Parturition, apart from 23	—	—	—	—	—	2	—	—	—	—	—	—	—	1	25
25	Congenital debility, &c.	6	1	1	—	5	6	1	—	—	—	2	1	3	4	26
26	Violence, apart from 27	2	2	3	3	4	2	1	—	—	—	1	—	1	—	27
27	Suicide	2	1	2	—	4	—	—	—	—	—	—	—	—	—	28
28	Other defined diseases	23	26	21	16	33	25	7	5	5	5	6	5	10	6	28
29	Causes ill-defined or un- known.	—	—	—	1	1	—	—	—	—	—	—	—	—	1	29

ADMINISTRATIVE AREAS, 1912—continued.

HUNTINGDONSHIRE—cont.

	Ramsey U.D.		St. Ives M.B.		St. Neots U.D.				Huntingdon R.D.		Norman Cross R.D.		Oundle (pt.) R.D.*		St. Ives R.D.		St. Neots R.D.		Thrapston (pt.) R.D.*		Sibson cum Stibington C.P.†		
	M	F	M	F	M	F			M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	39	29	15	25	29	20			40	45	26	36	5	12	64	65	52	54	9	9	4	1	1
2	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—			—	—	—	—	—	—	—	1	—	—	—	—	—	—	3
4	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	4	1	—	—	—	—			1	—	—	—	—	—	5	5	1	—	—	—	—	—	5
6	—	—	—	—	—	—			1	—	1	—	—	—	—	—	1	—	—	—	—	—	6
7	1	1	—	—	3	1			1	—	1	—	—	—	1	1	1	1	—	1	—	—	7
8	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	2	2	2	1	4	4			1	1	—	8	—	2	3	6	6	7	—	2	—	—	9
10	—	—	1	—	—	1			—	—	—	—	—	—	1	1	—	1	1	—	—	—	10
11	—	1	—	—	—	1			—	—	1	—	—	—	—	—	1	—	1	—	—	—	11
12	2	1	—	4	1	2			6	6	3	3	1	—	8	7	5	6	1	—	1	—	12
13	—	—	1	—	—	—			1	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
15	3	—	—	4	1	4			7	7	1	2	—	1	5	7	7	6	1	1	—	—	15
16	—	5	1	5	1	4			—	5	4	—	—	1	7	2	4	6	—	1	—	—	16
17	3	5	1	1	—	2			3	3	4	3	—	—	6	1	2	1	1	—	—	—	17
18	1	1	2	—	1	—			—	—	1	—	—	—	—	2	1	1	—	—	—	—	18
19	—	—	—	—	1	—			—	—	—	—	—	—	—	—	1	—	—	—	—	—	19
20	—	—	—	—	1	—			—	—	—	1	—	—	—	1	—	—	—	—	—	—	20
21	1	1	1	—	—	—			—	—	2	—	—	—	—	1	2	—	—	—	—	—	21
21A	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	—	—	—	3	—			—	1	—	2	—	1	1	—	3	—	—	—	—	—	22
23	—	—	—	—	—	—			—	—	—	1	—	—	—	1	—	—	—	—	—	—	23
24	—	—	—	—	—	—			—	—	—	—	—	—	—	—	1	—	—	—	—	—	24
25	2	—	—	—	2	2			3	1	—	4	—	—	2	4	1	2	1	1	—	—	25
26	5	1	—	—	—	—			—	2	—	—	—	—	3	1	2	—	—	—	—	—	26
27	2	—	—	—	—	—			1	—	1	1	—	—	2	—	—	—	—	—	—	—	27
28	12	10	5	10	11	8			14	19	8	9	4	7	19	23	16	19	4	2	2	—	28
29	—	—	1	—	—	—			1	—	—	1	—	—	1	1	1	—	—	—	—	—	29

KENT.

	Ashford U.D.		Beckenham U.D.		Bexley U.D.		Broadstairs and St. Peter's U.D.		Bromley M.B.		Chatham M.B.		Cheriton U.D.		Chislehurst U.D.		Dartford U.D.		Deal M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	71	96	151	151	92	90	42	32	154	166	306	259	33	28	30	38	128	100	86	71	1
2	1	—	2	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	2
3	—	—	—	—	—	1	—	—	2	1	—	—	4	4	—	—	—	—	—	—	3
4	—	—	—	2	—	—	—	—	2	2	—	—	—	—	—	—	1	1	—	—	4
5	1	—	1	5	3	1	—	—	1	—	3	8	—	—	—	—	—	—	—	—	5
6	—	1	3	2	1	1	—	—	1	3	5	10	1	—	—	—	1	—	—	—	6
7	1	3	6	2	—	2	—	1	1	4	2	1	—	—	—	1	2	—	1	—	7
8	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	8
9	5	4	17	5	6	3	5	5	13	14	31	26	3	5	3	1	15	8	9	1	9
10	—	1	1	—	1	—	—	—	5	3	1	4	3	1	—	—	1	—	3	—	10
11	—	1	4	3	3	1	1	—	3	4	5	10	2	1	—	—	4	1	—	—	11
12	7	9	20	21	8	13	3	4	13	23	20	21	3	2	6	3	11	8	10	4	12
13	—	1	1	—	1	—	—	—	—	—	1	1	—	—	—	1	1	—	—	—	13
14	—	2	3	—	1	1	—	—	—	—	2	2	1	1	—	2	1	3	—	—	14
15	7	13	6	18	16	10	6	5	19	17	41	28	2	2	—	7	17	6	6	8	15
16	5	11	12	9	6	3	2	4	13	8	20	23	4	2	1	3	15	6	8	5	16
17	1	4	16	11	11	7	—	2	11	11	29	22	—	1	3	3	15	8	3	7	17
18	1	1	1	3	—	—	—	—	6	2	1	1	—	—	—	2	3	4	—	2	18
19	2	1	2	1	2	1	—	—	1	2	9	2	—	1	—	—	2	4	—	—	19
20	—	—	—	1	2	—	—	—	1	—	1	1	—	—	1	—	1	1	—	—	20
21	—	—	—	1	—	1	1	1	1	2	1	—	—	—	1	—	1	2	1	3	21
21A	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	21A
22	1	3	5	9	2	4	1	—	4	3	11	5	—	—	1	—	2	3	4	1	22
23	—	3	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	23
24	—	1	—	2	—	—	—	—	—	—	—	4	—	1	—	—	—	1	—	—	24
25	2	4	12	6	6	5	1	—	8	8	24	20	1	3	3	1	11	4	5	1	25
26	4	3	6	5	5	6	2	—	4	1	16	5	—	—	—	2	1	—	5	—	26
27	5	—	2	—	—	—	1	—	4	—	5	2	—	1	—	1	1	—	1	—	27
28	28	28	31	45	17	30	16	9	37	57	76	60	11	2	11	12	31	32	31	33	28
29	—	2	—	—	—	—	3	1	1	—	2	2	—	—	—	—	—	—	—	3	29

* The remaining parts of Oundle and Thrapston Rural Districts are in Northamptonshire; see pages 511 and 512.
† Administered by Barnack R.D.C. (Soke of Peterborough).

KENT—cont

Causes of Death.		Dover M.B.		Erith U.D.		Faver- sham M.B.		Folke- stone* M.B.		Folke- stone U.D.		Gilling- ham M.B.		Gravesend M.B.		Herne Bay U.D.	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	...	286	272	173	161	80	63	190	219	25	33	292	242	194	174	49	48
1 Enteric fever	...	—	—	1	—	1	1	2	—	—	—	1	—	—	—	—	—
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	...	1	—	6	4	—	1	10	2	—	—	—	—	—	—	1	1
4 Scarlet fever	...	1	—	—	—	—	—	—	—	—	—	3	1	—	—	—	1
5 Whooping cough	...	4	12	6	6	1	—	3	4	—	2	2	10	1	—	1	1
6 Diphtheria and croup	...	2	9	3	1	1	1	4	—	—	1	9	7	2	2	—	—
7 Influenza	...	6	10	1	—	4	2	—	1	1	1	1	—	3	5	1	—
8 Erysipelas	...	1	—	—	2	1	—	1	—	—	—	1	—	—	1	—	—
9 Pulmonary tuberculosis	...	28	21	22	14	3	6	14	8	1	—	26	27	18	11	8	2
10 Tuberculous meningitis	...	2	1	—	—	—	1	4	3	1	1	6	2	2	2	—	—
11 Other tuberculous diseases	...	2	2	2	1	—	—	3	7	—	—	2	2	2	2	—	—
12 Cancer, malignant disease	...	27	20	9	19	9	7	14	33	2	6	17	16	21	24	11	7
13 Rheumatic fever...	...	—	1	—	—	—	2	1	—	—	—	—	2	—	2	—	1
14 Meningitis	...	6	—	3	1	—	—	1	3	—	—	1	2	—	2	1	—
15 Organic heart disease	...	24	32	25	18	6	4	19	22	2	2	21	20	16	23	4	8
16 Bronchitis	...	20	24	10	6	5	5	11	20	—	2	11	31	19	20	2	1
17 Pneumonia (all forms)	...	19	5	13	14	6	2	7	7	3	2	17	15	6	6	1	1
18 Other respiratory diseases	...	4	2	8	2	2	3	1	4	—	—	2	1	3	2	3	—
19 Diarrhoea, &c. (under 2 yrs.)	...	3	3	1	3	2	—	3	1	—	1	4	—	2	4	—	—
20 Appendicitis and typhlitis	...	1	2	1	1	1	—	1	1	2	1	5	4	2	—	1	1
21 Cirrhosis of liver	...	1	4	—	—	—	1	3	4	1	1	2	3	5	5	—	2
21A Alcoholism	...	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	...	10	8	5	7	2	1	10	10	2	1	18	8	4	4	2	—
23 Puerperal fever	...	—	1	—	3	—	—	—	—	—	—	—	2	—	—	—	—
24 Parturition, apart from 23	...	—	3	—	3	—	—	—	1	—	—	—	1	—	2	—	—
25 Congenital debility, &c.	...	27	10	11	5	5	4	11	6	3	—	25	15	10	6	1	—
26 Violence, apart from 27	...	16	7	10	3	3	1	8	5	—	—	17	4	17	3	—	1
27 Suicide	...	7	—	1	1	1	2	4	1	—	1	7	1	3	—	—	—
28 Other defined diseases	...	72	90	35	47	27	19	54	76	7	11	93	67	58	47	12	21
29 Causes ill-defined or un- known.	...	1	5	—	—	—	—	—	—	—	—	1	1	—	1	—	—

KENT—cont.

Causes of Death.		Hythe M.B.		Lydd M.B.		Maidstone M.B.		Margate M.B.		Milton Regis U.D.		New Romney M.B.		Northfleet U.D.		Penge U.D.	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	...	26	49	19	16	234	219	165	146	56	47	9	8	84	89	139	124
1 Enteric fever	...	—	—	—	—	—	—	2	—	1	—	—	—	—	1	1	—
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	...	—	—	—	—	—	—	5	2	—	—	—	—	—	—	—	—
4 Scarlet fever	...	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
5 Whooping cough	...	—	1	—	—	3	6	4	1	—	—	—	—	—	1	1	2
6 Diphtheria and croup	...	—	—	—	—	2	—	1	1	2	—	—	—	3	—	—	1
7 Influenza	...	1	1	—	1	—	—	1	—	1	3	—	—	—	—	1	7
8 Erysipelas	...	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—
9 Pulmonary tuberculosis	...	1	4	1	2	20	16	17	12	5	2	1	—	7	5	12	9
10 Tuberculous meningitis	...	1	1	—	—	2	1	2	4	2	—	—	—	—	2	2	2
11 Other tuberculous diseases	...	—	—	—	—	3	3	3	1	3	1	—	—	—	—	4	3
12 Cancer, malignant disease	...	1	6	—	3	15	25	11	23	4	5	—	—	8	8	13	15
13 Rheumatic fever...	...	1	1	—	—	3	2	—	3	—	1	—	—	—	1	—	—
14 Meningitis	...	1	—	—	—	1	2	2	2	—	2	—	—	3	2	3	—
15 Organic heart disease	...	3	8	—	—	27	27	13	17	4	2	—	1	12	13	13	15
16 Bronchitis	...	—	2	1	1	16	12	7	3	1	1	3	1	4	5	8	13
17 Pneumonia (all forms)	...	1	5	1	1	13	13	7	7	1	4	2	—	8	10	5	6
18 Other respiratory diseases	...	—	1	1	—	5	1	4	4	—	—	—	—	2	—	4	2
19 Diarrhoea, &c. (under 2 yrs.)	...	—	1	—	—	5	1	5	—	—	—	—	—	4	3	1	5
20 Appendicitis and typhlitis	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
21 Cirrhosis of liver	...	2	2	1	—	5	2	—	5	—	1	—	—	1	1	2	—
21A Alcoholism	...	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—
22 Nephritis and Bright's dis.	...	1	—	1	—	8	7	6	7	2	1	—	—	2	6	6	7
23 Puerperal fever	...	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—
24 Parturition, apart from 23	...	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—	1
25 Congenital debility, &c.	...	3	1	—	3	13	13	15	10	6	7	—	—	4	2	6	4
26 Violence, apart from 27	...	1	—	3	1	10	4	2	3	2	1	—	—	7	1	3	2
27 Suicide	...	—	—	1	—	5	1	4	1	—	—	—	—	—	—	1	—
28 Other defined diseases	...	9	15	9	4	77	78	52	36	19	15	3	6	18	27	51	36
29 Causes ill-defined or un- known.	...	—	—	—	—	1	1	1	1	—	—	—	—	—	—	1	—

* The civil parish of Folkestone next Sandgate is included in Sandgate U.D.

ADMINISTRATIVE AREAS, 1912—continued.

KENT—cont.

	Queen-borough M.B.		Ramsgate M.B.		Rochester M.B.		Sandgate* U.D.		Sandwich M.B.		Sevenoaks U.D.		Sheerness U.D.		Sitting-bourne U.D.		South-borough U.D.		Tenterden M.B.		Tonbridge U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	17	8	220	215	198	202	8	17	24	21	42	47	122	90	50	49	52	55	19	24	88	82	1
2	—	—	—	—	8	3	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	2
3	—	1	12	12	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	3
4	—	—	—	1	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	4
5	1	—	7	8	4	2	—	—	—	—	1	2	5	3	—	1	—	—	—	—	—	1	5
6	—	1	3	1	4	4	—	—	—	—	—	—	—	2	1	—	7	1	—	—	1	2	6
7	1	—	4	1	2	3	—	—	—	—	1	1	1	3	1	1	—	1	—	—	1	—	7
8	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	—	1	17	10	19	14	2	1	2	—	3	4	7	5	5	2	3	6	4	4	8	8	9
10	1	—	2	6	2	2	1	—	—	—	—	1	2	—	—	—	1	1	—	2	1	—	10
11	—	—	3	4	3	2	—	—	—	—	—	1	2	—	1	—	—	—	1	—	—	—	11
12	1	1	20	22	16	23	—	4	1	3	5	7	9	9	4	5	2	3	2	5	6	7	12
13	—	—	2	1	1	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	1	13
14	—	—	—	1	1	3	—	—	—	—	3	1	2	—	—	—	—	—	—	—	2	1	14
15	3	—	15	26	14	26	—	1	4	2	—	7	5	5	6	4	5	7	—	5	9	12	15
16	—	1	15	19	12	13	—	—	4	4	4	1	11	10	1	3	7	7	—	2	9	2	16
17	3	—	11	14	18	12	—	1	1	—	3	1	8	2	2	—	3	3	—	—	3	2	17
18	1	—	5	2	2	1	—	—	—	—	—	2	2	—	—	—	2	—	—	1	1	—	18
19	—	—	2	1	2	1	—	—	—	2	—	—	1	—	2	—	1	1	—	—	1	1	19
20	—	—	1	2	3	—	—	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—	20
21	—	—	6	5	1	1	—	—	—	—	1	1	2	—	—	1	—	1	—	—	1	—	21
21A	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	—	7	7	3	8	1	1	—	2	1	1	4	3	—	—	2	1	1	—	7	4	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	23
24	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	24
25	—	—	15	9	17	7	—	—	1	2	—	3	7	6	5	4	3	3	—	—	5	6	25
26	1	—	5	5	8	1	—	—	2	1	2	1	8	3	2	—	2	1	—	—	3	1	26
27	—	—	1	—	3	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	27
28	3	2	67	53	54	70	3	8	9	5	13	13	47	34	15	25	14	19	10	6	27	30	28
29	—	—	—	4	—	—	—	—	—	—	2	1	—	—	—	1	—	—	—	—	2	1	29

KENT—cont.

	Tunbridge Wells M.B.		Walmer U.D.		Whitstable U.D.		Wrotham U.D.			Blean R.D.		Bridge R.D.		Bromley R.D.		Cranbrook R.D.		Dartford R.D.		Dover R.D.		
	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F	
1	182	220	24	22	60	54	36	18		46	42	83	65	128	114	77	88	217	167	56	35	1
2	1	—	—	—	—	—	—	—		1	—	—	—	—	—	—	—	2	—	—	—	2
3	1	—	—	—	—	1	—	—		—	—	—	—	1	—	1	—	1	—	—	2	3
4	—	—	—	—	1	—	—	—		—	—	—	—	1	—	—	2	—	—	—	—	4
5	—	—	—	—	3	—	1	—		1	—	2	—	—	2	5	4	5	8	3	—	5
6	7	3	—	—	—	1	—	—		—	2	—	2	1	1	—	—	3	3	—	—	6
7	3	4	—	—	—	2	—	—		1	—	3	4	1	2	2	1	4	2	—	1	7
8	1	—	—	—	—	—	—	—		—	—	—	—	—	1	—	—	—	—	—	—	8
9	12	13	1	—	6	3	—	1		2	2	7	6	18	12	4	4	17	19	4	2	9
10	2	2	1	—	—	1	—	1		—	—	—	—	2	3	2	1	5	5	—	—	10
11	1	2	—	1	1	1	1	1		1	1	1	—	1	—	—	1	2	1	1	—	11
12	10	41	2	1	6	5	3	2		2	3	9	5	14	16	5	10	23	11	8	3	12
13	—	2	—	—	—	—	—	—		—	—	—	1	—	—	—	—	2	—	—	—	13
14	1	1	1	—	—	—	—	1		1	2	—	—	—	—	—	1	3	2	—	—	14
15	17	36	3	1	7	11	4	1		3	9	16	3	18	16	9	14	23	8	3	6	15
16	12	16	1	5	2	4	3	4		2	2	8	5	8	9	2	5	15	18	4	2	16
17	6	15	1	—	1	2	1	—		3	1	4	8	12	6	6	—	15	10	3	1	17
18	6	2	1	1	—	1	—	—		—	—	3	3	3	2	—	2	4	1	2	—	18
19	—	—	—	—	2	—	—	—		—	—	1	1	2	—	2	—	4	1	1	1	19
20	—	—	—	—	—	—	—	—		—	—	2	—	1	—	2	1	1	—	1	2	20
21	2	2	—	—	—	1	1	—		1	1	—	—	2	1	1	—	1	—	1	—	21
21A	1	—	—	—	—	—	—	—		—	1	1	—	—	—	—	1	1	—	—	—	21A
22	11	5	1	—	2	2	—	—		—	—	3	2	2	7	3	4	1	1	1	—	22
23	—	1	—	—	—	—	—	—		—	—	—	—	—	—	—	1	—	—	—	—	23
24	—	1	—	—	—	—	—	—		—	—	—	1	—	1	—	1	—	—	—	—	24
25	12	4	—	4	2	3	5	—		3	1	3	1	5	4	3	4	12	11	5	1	25
26	4	—	1	1	4	—	1	—		7	—	6	1	5	—	5	3	13	4	3	1	26
27	1	—	—	—	1	—	2	—		2	—	—	—	1	—	1	—	5	—	1	—	27
28	70	70	11	8	22	16	14	7		16	17	16	20	29	31	23	31	55	49	15	13	28
29	1	—	—	—	—	—	—	—		—	—	—	—	1	—	1	—	—	1	—	—	29

* Including the civil parish of Folkestone next Sandgate.

KENT—cont.

Causes of Death.	East Ashford R.D.		Eastry R.D.		Elham R.D.		Faversham R.D.		Hollingbourne R.D.		Hoo R.D.		Isle of Thanet R.D.		Maidstone R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	92	75	76	65	37	39	90	68	85	70	39	33	71	64	114	105	1
1 Enteric fever	—	—	—	1	—	—	—	2	—	1	1	—	—	1	—	1	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	1	—	1	—	1	—	—	—	—	—	6	2	2	—	4
4 Scarlet fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	—	—	—	—	—	4	7	1	1	1	1	1	3	6
6 Diphtheria and croup	1	1	1	—	1	—	—	1	—	—	—	—	1	—	1	4	7
7 Influenza	3	1	—	2	2	—	1	—	—	1	—	—	—	—	1	—	8
8 Erysipelas	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—	1	9
9 Pulmonary tuberculosis	3	2	4	7	—	1	10	4	10	7	3	5	6	4	8	13	10
10 Tuberculous meningitis	—	—	1	1	—	—	1	1	2	1	1	1	3	1	—	2	11
11 Other tuberculous diseases	1	—	1	—	—	1	1	1	1	—	—	—	1	1	4	2	12
12 Cancer, malignant disease	9	7	6	12	6	5	8	7	10	7	6	3	5	6	6	9	13
13 Rheumatic fever... ..	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	14
14 Meningitis	1	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	15
15 Organic heart disease	7	16	5	11	5	7	7	6	10	5	5	5	7	6	9	6	16
16 Bronchitis	5	5	4	5	2	1	7	4	7	5	2	2	1	2	4	11	17
17 Pneumonia (all forms)	3	2	5	4	—	2	3	3	4	3	3	2	5	4	12	6	18
18 Other respiratory diseases	2	4	1	—	1	—	2	2	—	3	2	2	2	2	1	1	19
19 Diarrhoea, &c. (under 2 yrs.)	1	1	—	—	1	—	2	—	—	—	—	—	1	—	1	2	20
20 Appendicitis and typhlitis	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	21
21 Cirrhosis of liver	—	—	—	—	—	—	3	—	—	2	—	—	—	—	—	1	21A
21A Alcoholism	1	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	22
22 Nephritis and Bright's dis.	2	4	4	2	2	2	4	2	—	2	1	3	—	3	4	2	23
23 Puerperal fever	—	1	—	—	—	—	—	—	—	—	—	—	—	2	—	—	24
24 Parturition, apart from 23	—	1	—	—	—	—	—	—	—	—	—	—	—	2	—	—	25
25 Congenital debility, &c.	2	3	7	4	1	—	7	3	4	3	2	1	7	2	8	7	26
26 Violence, apart from 27	4	1	2	—	—	1	3	2	5	1	6	—	1	—	15	3	27
27 Suicide	1	—	1	—	—	—	1	—	—	1	—	—	—	1	—	—	28
28 Other defined diseases	44	26	30	16	15	18	28	27	26	18	6	6	22	22	35	30	29
29 Causes ill-defined or unknown.	1	—	—	—	—	—	—	1	1	2	—	2	1	2	1	1	29

KENT—cont.

Causes of Death.	Malling R.D.		Milton R.D.		Romney Marsh R.D.		Sevenoaks R.D.		Sheppey R.D.		Strood R.D.		Tenterden R.D.		Tonbridge R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	136	148	61	60	15	11	143	123	30	13	109	69	44	27	111	88	1
1 Enteric fever	—	—	1	—	—	1	1	—	—	—	2	—	1	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	2	—	—	—	—	2	—	—	—	—	4
4 Scarlet fever	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	5
5 Whooping cough	3	3	1	—	—	—	1	3	2	—	—	1	1	1	3	3	6
6 Diphtheria and croup	1	—	—	—	—	—	—	2	1	—	3	2	—	—	1	1	7
7 Influenza	3	4	—	1	—	—	6	2	—	2	1	1	—	—	2	2	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	9
9 Pulmonary tuberculosis	11	14	2	7	1	2	10	5	—	—	11	4	1	1	11	7	10
10 Tuberculous meningitis	3	1	—	—	—	—	2	—	1	—	2	1	—	—	—	1	11
11 Other tuberculous diseases	2	3	1	—	—	—	1	2	—	1	2	1	—	—	1	—	12
12 Cancer, malignant disease	9	9	5	7	2	2	13	15	1	1	9	8	3	5	9	8	13
13 Rheumatic fever... ..	1	—	—	2	—	—	—	—	—	—	—	—	—	—	1	—	14
14 Meningitis	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	15
15 Organic heart disease	10	28	3	10	3	1	18	8	3	3	6	8	9	6	14	16	16
16 Bronchitis	14	10	2	1	2	—	4	8	2	2	10	6	2	—	4	—	17
17 Pneumonia (all forms)	7	4	2	2	—	—	5	6	3	2	6	3	—	2	7	6	18
18 Other respiratory diseases	3	1	2	—	—	—	3	2	—	—	—	—	—	1	1	3	19
19 Diarrhoea, &c. (under 2 yrs.)	—	1	—	—	—	—	1	2	—	—	3	1	—	—	1	—	20
20 Appendicitis and typhlitis	—	1	—	—	—	—	—	—	—	—	—	1	—	—	1	—	21
21 Cirrhosis of liver	1	—	—	—	—	—	1	2	1	—	—	—	—	—	1	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	22
22 Nephritis and Bright's dis.	11	5	16	1	—	—	7	3	1	—	5	1	—	—	4	4	23
23 Puerperal fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	24
24 Parturition, apart from 23	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	25
25 Congenital debility, &c.	8	2	4	7	—	—	3	7	1	—	7	3	4	2	11	4	26
26 Violence, apart from 27	4	3	2	—	2	1	5	3	4	—	9	3	2	1	7	—	27
27 Suicide	3	—	1	—	—	1	3	—	1	—	3	—	—	—	2	1	28
28 Other defined diseases	38	53	18	22	5	3	53	50	9	2	27	22	21	8	28	27	29
29 Causes ill-defined or unknown.	3	3	1	—	—	—	3	1	—	—	2	—	—	—	1	3	29

ADMINISTRATIVE AREAS, 1912—continued.

KENT—cont.

LANCASHIRE.

	West Ashford R.D.			Abram U.D.		Accerington M.B.		Addlington U.D.		Allerton U.D.		Ashton in Makerfield U.D.		Ashton under Lyne M.B.		Aspull U.D.		Atherton U.D.		Audenshaw U.D.		
	M	F		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	41	46		55	39	257	275	22	33	8	4	139	138	391	376	73	62	104	124	51	54	1
2	—	—		2	—	2	3	1	—	—	—	—	1	12	2	2	—	—	—	1	—	2
3	—	—		1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	3
4	1	—		—	—	—	3	—	—	—	—	—	2	—	—	1	—	2	4	4	5	4
5	1	2		—	2	1	—	1	2	—	—	3	3	4	7	1	7	1	2	1	—	5
6	—	1		1	—	1	2	2	—	—	—	2	1	2	1	3	1	—	1	1	—	6
7	2	1		—	—	5	6	—	—	—	—	2	1	4	2	—	—	2	1	1	—	7
8	1	—		—	1	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	8
9	2	1		2	—	21	15	3	4	—	—	9	11	30	28	3	5	6	10	4	1	9
10	—	—		1	—	5	6	1	—	—	—	4	1	2	1	1	—	1	3	1	1	10
11	1	2		—	1	2	4	—	—	—	—	1	3	9	10	—	—	3	3	—	—	11
12	6	6		1	3	14	15	1	3	—	1	9	10	15	29	—	4	7	7	1	1	12
13	—	1		—	—	2	1	—	—	—	—	—	1	1	4	—	1	—	1	—	—	13
14	—	—		1	1	6	1	—	—	—	—	—	2	7	3	2	1	—	—	—	2	14
15	9	7		3	5	21	26	2	5	1	1	11	9	33	49	3	3	5	14	5	8	15
16	—	4		3	4	17	23	—	1	—	—	8	20	49	56	7	4	12	12	3	5	16
17	—	2		7	5	13	13	3	7	1	—	18	20	48	24	13	10	14	11	7	3	17
18	—	1		1	—	6	7	—	—	—	—	7	3	7	6	1	1	1	—	1	1	18
19	—	—		4	2	7	—	—	—	1	—	4	6	10	8	2	2	5	5	2	—	19
20	—	—		—	—	3	4	—	—	—	—	—	—	—	—	—	—	3	—	—	1	20
21	2	—		2	—	4	—	—	—	—	—	2	—	—	3	1	—	1	—	1	—	21
21A	1	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	2		3	—	9	13	—	2	1	—	4	4	11	9	3	2	4	8	1	2	22
23	—	1		—	—	—	3	—	—	—	—	—	2	—	2	—	1	—	—	—	—	23
24	—	1		—	—	—	4	—	—	—	—	—	—	—	5	—	1	—	2	—	—	24
25	1	2		5	5	17	10	—	—	1	—	16	11	28	18	7	9	6	6	3	3	25
26	1	—		2	—	7	7	1	1	1	—	12	1	14	3	4	—	5	4	1	1	26
27	—	—		—	—	4	5	—	—	—	—	—	—	4	1	1	—	—	1	—	—	27
28	12	12		16	10	82	101	5	6	2	2	27	25	81	92	14	10	26	28	13	19	28
29	1	—		—	—	6	2	2	1	—	—	—	—	—	1	1	—	—	—	1	—	29

LANCASHIRE—cont.

	Bacup M.B.		Barrowford U.D.		Billinge U.D.		Birkdale* U.D.		Bispham with Norbreck U.D.		Blackrod U.D.		Brierfield U.D.		Carnforth U.D.		Chadderton U.D.		Childwall U.D.		Chorley M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	199	168	32	40	27	32	35	31	15	12	20	33	55	58	17	15	236	251	3	1	278	218	1
2	—	1	—	—	—	—	—	—	—	—	—	—	1	2	—	—	3	1	—	—	—	—	2
3	12	8	1	—	2	1	—	—	—	—	—	—	1	—	—	—	9	10	—	—	5	2	3
4	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	3	—	5	1	—	4
5	—	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	4	4	—	—	9	11	5
6	4	1	1	1	1	—	1	—	—	—	—	—	1	—	—	—	2	2	—	2	2	2	6
7	2	2	—	1	—	—	1	1	—	—	—	1	—	—	—	—	2	4	—	—	1	1	7
8	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	3	8
9	13	11	—	2	1	1	3	2	—	1	1	—	4	2	1	1	15	12	—	—	21	12	9
10	3	2	—	—	1	1	1	1	—	—	—	—	1	—	—	—	1	3	—	—	1	3	10
11	2	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	5	3	—	—	2	1	11
12	8	8	3	1	3	—	4	—	—	1	1	1	4	3	2	3	12	18	—	—	10	10	12
13	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	3	4	—	—	4	1	13
14	—	1	—	—	—	2	—	—	—	—	—	—	1	—	—	—	2	2	—	—	3	2	14
15	13	21	3	3	1	6	4	6	2	1	—	4	5	6	4	1	17	31	—	1	25	22	15
16	24	19	3	3	1	2	5	2	1	—	1	3	8	10	—	—	22	27	—	—	27	28	16
17	14	10	2	2	2	1	3	4	—	—	1	2	3	5	—	—	29	19	—	—	37	22	17
18	3	3	—	—	—	—	1	—	1	1	—	—	1	—	—	—	3	4	1	—	7	1	18
19	3	2	3	2	3	1	—	—	1	—	—	1	2	1	—	—	3	3	—	—	4	5	19
20	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	1	1	—	—	—	3	20
21	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	1	2	—	—	—	1	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	6	8	2	—	1	—	1	4	—	—	1	1	4	1	—	—	18	6	—	—	9	5	22
23	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	3	—	—	—	—	23
24	—	—	—	2	—	—	—	—	—	—	—	2	—	—	—	—	—	6	—	—	—	6	24
25	13	10	3	2	5	5	—	1	—	1	2	1	5	6	1	—	16	12	—	—	22	16	25
26	6	2	—	1	1	2	—	—	—	1	1	—	2	1	—	—	5	7	—	—	10	3	26
27	1	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	5	—	—	—	2	1	27
28	64	56	11	18	4	10	7	8	7	5	6	12	12	15	6	7	58	63	2	—	60	51	28
29	3	—	—	—	1	—	—	—	2	1	—	—	1	1	—	1	—	2	—	—	8	4	29

* Birkdale U.D. was abolished on 1st April, 1912.

LANCASHIRE—cont.

Causes of Death.				Church U.D.		Clayton le Moors U.D.		Clitheroe M.B.		Colne M.B.		Crompton U.D.		Croston U.D.		Dalton in Furness U.D.		Darwen M.B.	
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES ...				39	43	66	65	97	68	195	181	112	130	10	25	116	84	275	289
1	Enteric fever	—	—	1	1	1	—	—	3	—	—	—	—	—	—	2	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	6	7	1	1	7	6	2	3	—	—	—	—	3	7
4	Scarlet fever	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	4
5	Whooping cough	—	—	1	—	1	—	3	5	2	—	1	2	—	2	8	9
6	Diphtheria and croup	—	1	—	—	1	—	5	4	2	1	1	—	1	—	1	3
7	Influenza	—	—	—	2	—	1	—	1	—	2	—	—	1	2	3	2
8	Erysipelas	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	1
9	Pulmonary tuberculosis	4	4	2	2	11	6	18	7	7	8	—	—	10	5	15	16
10	Tuberculous meningitis	—	—	1	—	2	—	1	2	1	1	—	—	1	—	2	2
11	Other tuberculous diseases	—	1	1	1	—	3	5	2	1	1	—	1	2	2	3	3
12	Cancer, malignant disease	4	3	2	5	7	3	7	15	7	7	1	1	10	8	19	24
13	Rheumatic fever...	—	—	—	—	—	—	—	1	—	1	—	—	—	1	6	4
14	Meningitis	1	2	—	—	1	—	—	1	—	1	—	—	—	—	2	2
15	Organic heart disease	3	4	4	7	12	8	21	16	10	16	3	2	8	13	24	35
16	Bronchitis	3	8	9	5	5	4	22	22	12	13	2	1	11	6	24	21
17	Pneumonia (all forms)	—	1	5	3	3	5	32	18	15	4	1	—	11	8	31	15
18	Other respiratory diseases	1	—	1	—	1	—	2	2	2	—	—	—	5	—	2	5
19	Diarrhœa, &c. (under 2 yrs.)	1	—	1	—	3	—	5	3	1	1	—	1	2	2	3	4
20	Appendicitis and typhlitis	—	1	—	1	—	—	1	3	—	—	—	—	4	1	1	1
21	Cirrhosis of liver	—	—	1	—	1	—	1	—	1	2	—	—	—	—	3	—
21A	Alcoholism	—	—	1	—	1	—	—	—	—	—	—	—	—	—	1	—
22	Nephritis and Bright's dis.	3	2	1	3	4	6	8	8	3	8	—	2	3	2	14	17
23	Puerperal fever	—	—	—	—	—	1	—	3	—	1	—	—	—	—	—	4
24	Parturition, apart from 23	—	—	—	2	—	—	—	—	—	2	—	—	—	—	—	7
25	Congenital debility, &c.	2	1	4	—	6	6	7	9	16	9	—	1	6	4	15	13
26	Violence, apart from 27	2	—	2	3	4	1	2	2	2	1	—	1	4	1	13	4
27	Suicide	1	—	—	1	1	—	2	—	2	1	—	—	—	—	3	1
28	Other defined diseases	14	13	23	21	29	23	43	46	26	47	1	11	35	26	77	82
29	Causes ill-defined or un- known.	—	1	—	—	2	—	3	1	—	—	—	—	—	—	—	5

LANCASHIRE—cont.

Causes of Death.				Denton U.D.		Droylsden U.D.		Eccles M.B.		Failsworth U.D.		Farnworth U.D.		Fleetwood U.D.		Formby U.D.		Fulwood U.D.	
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES ...				116	134	90	111	295	292	113	128	188	199	138	92	39	23	51	51
1	Enteric fever	—	1	1	1	—	4	1	2	4	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	2	3	3	6	15	16	4	4	2	3	3	4	2	—	2	3
4	Scarlet fever	—	—	—	—	1	—	—	—	1	1	—	1	1	—	1	4
5	Whooping cough	1	2	3	6	9	17	2	3	1	1	1	3	—	—	1	5
6	Diphtheria and croup	1	1	—	1	4	2	1	1	—	—	1	1	1	—	1	6
7	Influenza	1	—	2	2	2	2	—	—	—	1	1	—	1	1	4	7
8	Erysipelas	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	15	8	7	6	37	23	15	11	15	15	6	6	3	2	3	9
10	Tuberculous meningitis	1	1	1	1	1	1	1	3	1	—	1	3	—	—	1	10
11	Other tuberculous diseases	2	6	3	1	5	4	1	1	5	3	—	1	1	—	—	11
12	Cancer, malignant disease	3	11	8	7	11	24	6	12	15	14	8	5	2	2	—	12
13	Rheumatic fever...	1	—	2	—	1	2	—	1	—	1	—	—	—	—	—	13
14	Meningitis	1	1	1	—	1	2	7	2	1	4	2	1	—	—	—	14
15	Organic heart disease	5	16	6	13	32	33	11	18	15	19	16	9	3	1	5	15
16	Bronchitis	12	12	7	10	24	27	6	9	17	33	6	8	1	1	5	16
17	Pneumonia (all forms)	12	11	6	8	29	16	10	10	13	10	17	6	5	5	4	17
18	Other respiratory diseases	5	—	2	1	5	3	3	1	2	5	1	1	2	1	—	18
19	Diarrhœa, &c. (under 2 yrs.)	1	1	2	1	2	3	1	1	8	4	6	2	—	—	1	19
20	Appendicitis and typhlitis	—	—	—	—	2	1	—	—	2	—	3	1	—	—	—	20
21	Cirrhosis of liver	—	1	1	3	—	1	1	1	2	1	2	—	—	1	—	21
21A	Alcoholism	—	—	2	—	—	—	—	—	—	—	—	—	1	—	—	21A
22	Nephritis and Bright's dis.	4	4	3	4	7	7	5	3	8	5	5	3	2	—	3	22
23	Puerperal fever	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	2	—	2	—	2	—	1	—	2	—	—	—	24
25	Congenital debility, &c.	13	7	6	7	14	13	6	7	16	12	11	10	1	1	2	25
26	Violence, apart from 27	3	5	2	2	4	3	3	4	5	2	7	4	2	1	2	26
27	Suicide	2	1	—	—	5	1	—	1	1	1	—	—	—	—	1	27
28	Other defined diseases	31	41	22	29	82	82	26	31	52	63	40	20	12	7	15	28
29	Causes ill-defined or un- known.	—	—	—	—	2	—	2	—	1	—	1	1	—	—	—	29

ADMINISTRATIVE AREAS, 1912—continued.

LANCASHIRE—cont.

	Golborne U.D.		Grange U.D.		Great Crosby U.D.		Great Harwood U.D.		Haslingden M.B.		Haydock U.D.		Heaton Norris U.D.		Heysham U.D.		Heywood M.B.		Hindley U.D.		Horwich U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	54	56	7	7	86	85	81	75	142	152	71	56	56	58	28	25	204	227	233	198	117	105	1
2	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	2	2	1	—	—	1	2
3	—	—	—	—	3	7	2	1	1	1	—	—	—	—	—	—	6	4	26	21	3	6	3
4	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	1	2	—	—	1	1	—	4
5	7	10	—	—	1	1	—	—	3	1	4	7	—	1	—	—	2	2	7	15	1	5	5
6	—	1	1	—	5	4	1	1	—	1	—	—	—	—	—	—	—	—	3	3	2	2	6
7	—	—	—	—	1	1	—	—	1	2	2	—	1	2	—	3	2	4	—	—	3	—	7
8	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	8
9	1	4	—	—	6	8	8	5	10	10	1	3	5	4	3	1	20	28	16	16	3	10	9
10	—	—	—	—	1	—	1	—	3	1	1	—	—	—	1	1	6	2	—	1	1	4	10
11	—	1	—	—	1	—	1	—	3	2	—	2	—	—	—	1	1	2	6	5	3	2	11
12	2	4	1	—	10	11	6	9	7	13	4	4	4	8	3	1	8	19	4	14	8	7	12
13	1	—	—	2	—	—	—	—	1	5	—	—	—	—	—	—	—	2	—	—	—	—	13
14	2	1	—	—	2	1	2	2	—	—	—	1	—	—	1	—	2	3	5	3	1	—	14
15	3	2	3	—	10	6	13	11	23	28	2	3	5	10	1	4	13	22	9	11	11	7	15
16	2	6	—	—	2	9	6	6	11	10	10	12	7	5	4	3	20	26	23	11	6	6	16
17	2	2	—	1	4	6	3	6	12	8	9	7	1	—	2	1	10	8	44	40	20	6	17
18	3	1	—	—	1	—	2	1	1	1	1	1	3	3	1	—	1	4	1	—	5	3	18
19	—	3	—	—	1	2	1	—	—	3	4	2	—	1	—	—	5	3	2	2	1	—	19
20	—	—	—	—	1	—	—	1	—	—	—	—	1	1	—	—	2	2	1	1	1	—	20
21	—	—	—	—	—	—	—	1	1	—	—	—	2	1	—	—	2	1	2	1	1	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	21A
22	2	—	—	—	2	3	5	3	8	9	1	—	1	3	1	1	6	5	10	4	1	7	22
23	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	2	—	—	—	2	23
24	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	4	—	2	—	1	24
25	6	4	—	—	6	5	6	3	8	4	7	3	2	3	1	—	16	7	13	13	6	4	25
26	4	1	—	—	2	—	4	1	4	—	5	1	2	1	1	—	6	3	18	2	5	—	26
27	1	—	—	—	—	—	—	—	2	3	—	—	1	—	—	—	2	1	—	—	—	—	27
28	18	14	2	4	25	20	20	21	41	46	19	8	21	15	8	7	66	70	41	30	31	31	28
29	—	1	—	—	1	—	—	2	2	1	1	—	—	—	—	—	4	1	1	1	2	—	29

LANCASHIRE—cont.

	Hurst U.D.		Huyton with Roby U.D.		Ince in Makerfield U.D.		Irlam U.D.		Kearsley U.D.		Kirkham U.D.		Lancaster M.B.		Lathom and Burscough U.D.		Lees U.D.		Leigh M.B.		Leyland U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	56	69	37	22	205	200	54	18	50	70	19	37	271	230	43	39	22	36	333	342	53	65	1
2	1	—	—	—	1	2	—	—	—	—	1	2	1	—	—	—	—	—	4	2	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	4	4	—	—	1	2	—	3	—	—	3
4	3	—	1	2	4	12	—	—	—	1	—	—	1	—	—	—	—	—	3	2	1	—	4
5	2	1	—	—	3	6	—	—	—	—	—	2	6	3	—	—	—	—	4	6	—	1	5
6	—	—	—	—	2	—	1	—	1	—	—	—	—	3	1	—	—	—	1	5	1	2	6
7	—	—	—	—	4	—	—	—	1	—	—	1	3	—	—	—	—	—	1	2	—	1	7
8	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—	—	8
9	7	5	1	2	11	11	5	2	3	2	2	1	28	15	—	2	2	1	28	26	2	6	9
10	—	—	—	—	—	2	—	—	—	2	—	—	9	4	—	—	—	1	5	4	—	1	10
11	1	—	—	1	2	1	—	—	2	5	1	—	6	3	1	—	—	1	4	4	1	1	11
12	2	6	—	4	6	10	1	2	2	1	1	1	18	21	4	4	2	3	14	30	1	4	12
13	—	1	—	—	—	3	—	—	1	—	1	—	—	—	1	—	—	—	2	—	—	—	13
14	—	—	—	—	7	3	—	—	—	1	—	—	5	3	1	—	—	—	8	8	2	—	14
15	6	11	5	2	4	9	—	2	4	8	2	2	19	24	4	9	6	5	20	33	5	8	15
16	10	5	2	1	21	30	5	2	3	5	1	—	22	28	5	3	1	2	59	47	5	12	16
17	3	7	4	2	32	28	4	4	3	6	1	1	22	18	7	3	—	5	44	21	7	2	17
18	3	1	—	—	3	4	1	—	—	1	—	—	9	3	1	—	—	—	3	4	—	1	18
19	1	—	1	—	12	4	5	—	2	—	—	1	3	—	—	1	—	1	12	9	—	1	19
20	1	—	—	1	1	1	1	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	20
21	—	—	1	—	1	1	1	—	—	1	—	—	2	1	—	—	—	—	—	—	—	—	21
21A	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	21A
22	1	2	3	—	5	4	1	—	1	1	—	3	8	3	1	—	1	—	4	11	1	3	22
23	—	1	—	—	—	1	—	—	—	—	—	2	1	—	—	—	—	—	—	5	—	1	23
24	—	—	—	—	—	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	24
25	2	1	1	2	19	10	3	—	5	4	4	6	19	10	1	3	3	2	28	28	2	1	25
26	3	1	3	—	11	6	5	1	2	—	2	—	10	5	7	1	—	—	16	5	2	—	26
27	1	—	—	—	2	1	1	—	—	—	—	—	2	—	1	—	—	—	2	4	—	—	27
28	9	27	14	5	51	44	20	5	19	32	3	14	74	76	9	11	6	13	61	76	19	19	28
29	—	—	—	—	1	2	—	—	1	—	—	—	—	1	—	—	—	—	2	3	2	1	29

LANCASHIRE—cont.

Causes of Death.			Litherland U.D.		Little- borough U.D.		Little Crosby U.D.		Little Hulton U.D.		Little Lever U.D.		Little Woolton U.D.		Longridge U.D.		Lytham U.D.		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	104	81	85	98	7	6	48	57	46	34	11	6	31	34	61	58	
1	Enteric fever	...	—	—	1	—	—	—	—	1	1	2	1	—	—	—	—	1	2
2	Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	...	3	2	—	1	—	—	—	2	1	—	—	—	—	—	—	—	4
4	Scarlet fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	3
5	Whooping cough	...	—	—	5	3	—	—	1	1	—	1	—	—	1	—	2	—	5
6	Diphtheria and croup	...	1	1	—	—	—	—	2	—	—	—	—	—	2	1	—	1	6
7	Influenza	...	—	1	1	2	—	—	—	—	1	—	—	1	—	—	—	3	7
8	Erysipelas	...	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	8
9	Pulmonary tuberculosis	...	13	3	9	10	—	—	4	4	3	2	—	1	2	1	2	3	9
10	Tuberculous meningitis	...	—	1	—	1	—	—	1	—	—	—	—	—	—	—	1	—	10
11	Other tuberculous diseases	...	1	3	1	1	1	—	1	—	—	—	—	—	—	1	—	1	11
12	Cancer, malignant disease	...	7	9	3	10	—	—	2	5	2	4	—	—	4	2	2	6	12
13	Rheumatic fever...	...	—	2	—	1	—	—	—	—	1	2	—	—	—	—	—	1	13
14	Meningitis	...	2	1	—	1	—	—	1	2	—	—	—	—	—	1	1	—	14
15	Organic heart disease	...	8	10	8	11	—	—	4	5	2	4	1	—	1	6	7	6	15
16	Bronchitis	...	18	6	8	12	1	—	4	6	7	9	—	—	—	3	4	3	16
17	Pneumonia (all forms)	...	10	7	10	4	1	—	3	2	—	—	2	—	4	2	7	2	17
18	Other respiratory diseases	...	1	—	1	—	—	1	—	2	1	—	—	—	3	—	2	1	18
19	Diarrhoea, &c. (under 2 yrs.)	...	3	4	—	—	—	—	—	1	1	1	—	—	—	2	1	1	19
20	Appendicitis and typhlitis	...	—	1	—	—	—	—	2	—	1	—	—	—	—	—	—	—	20
21	Cirrhosis of liver	...	—	—	3	—	—	—	—	—	—	—	—	—	1	—	2	1	21
21A	Alcoholism	...	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	21A
22	Nephritis and Bright's dis.	...	2	2	7	5	—	1	1	3	1	1	1	—	—	—	3	2	22
23	Puerperal fever	...	—	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	23
24	Parturition, apart from 23	...	—	1	—	1	—	—	—	1	—	—	—	—	—	1	—	—	24
25	Congenital debility, &c.	...	4	3	7	—	—	—	2	4	6	2	—	1	1	1	2	1	25
26	Violence, apart from 27	...	6	3	2	1	1	1	6	—	7	1	—	—	3	1	—	2	26
27	Suicide	...	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	27
28	Other defined diseases	...	23	15	17	34	2	3	14	16	11	5	4	2	8	10	22	21	28
29	Causes ill-defined or un- known.	...	—	3	—	—	—	—	—	1	—	—	1	—	—	—	2	1	29

LANCASHIRE—cont.

Causes of Death.			Middleton M.B.		Milnrow U.D.		More- cambe M.B.		Mossley M.B.		Much Woolton U.D.		Nelson M.B.		Newton in Maker- field U.D.		Norden U.D.		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	224	204	64	65	101	102	112	96	33	31	231	245	136	109	18	32	
1	Enteric fever	...	2	—	—	1	1	—	1	—	—	—	2	1	1	—	—	—	1
2	Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	...	11	4	—	—	1	—	2	2	—	—	3	6	1	4	1	—	3
4	Scarlet fever	...	—	1	—	1	1	—	—	—	—	—	1	1	2	—	—	—	4
5	Whooping cough	...	—	—	1	—	1	1	4	1	—	—	11	11	3	5	—	—	5
6	Diphtheria and croup	...	—	—	2	—	—	—	1	1	—	—	—	1	3	1	1	—	6
7	Influenza	...	3	6	1	1	2	2	1	—	—	1	1	1	1	2	—	1	7
8	Erysipelas	...	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	8
9	Pulmonary tuberculosis	...	27	11	7	3	9	5	4	7	3	3	16	7	23	9	2	2	9
10	Tuberculous meningitis	...	1	3	1	1	2	—	2	1	—	—	4	4	1	—	—	—	10
11	Other tuberculous diseases	...	5	1	—	2	1	4	1	3	—	—	4	5	—	3	—	1	11
12	Cancer, malignant disease	...	9	13	1	5	5	13	4	8	1	3	11	18	8	10	2	2	12
13	Rheumatic fever...	...	—	2	—	—	—	3	1	1	—	—	2	—	—	—	—	—	13
14	Meningitis	...	—	1	—	—	4	—	—	1	—	—	2	2	1	2	—	1	14
15	Organic heart disease	...	15	22	9	7	13	18	5	13	3	2	25	46	10	12	—	5	15
16	Bronchitis	...	32	24	4	7	7	9	7	7	3	5	23	32	10	3	1	4	16
17	Pneumonia (all forms)	...	24	17	3	2	5	4	12	10	6	3	21	14	14	7	—	1	17
18	Other respiratory diseases	...	3	3	1	—	7	2	2	3	1	1	6	1	—	1	—	2	18
19	Diarrhoea, &c. (under 2 yrs.)	...	8	4	1	1	1	—	2	—	—	1	2	3	5	2	—	—	19
20	Appendicitis and typhlitis	...	3	1	1	—	—	—	—	—	—	—	3	1	—	1	—	—	20
21	Cirrhosis of liver	...	1	2	1	2	1	1	—	—	1	—	2	1	4	1	—	—	21
21A	Alcoholism	...	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	21A
22	Nephritis and Bright's dis.	...	7	9	2	2	1	3	11	5	1	—	13	2	4	3	—	1	22
23	Puerperal fever	...	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	23
24	Parturition, apart from 23	...	—	2	—	—	—	2	—	—	—	—	—	3	—	—	—	2	24
25	Congenital debility, &c.	...	15	12	4	3	3	3	8	2	3	2	15	8	9	9	1	1	25
26	Violence, apart from 27	...	5	1	2	—	—	3	2	3	—	—	7	5	8	2	3	—	26
27	Suicide	...	4	1	—	—	2	—	4	1	1	—	3	1	—	1	—	—	27
28	Other defined diseases	...	46	59	23	27	32	27	37	27	9	10	50	67	27	30	7	9	28
29	Causes ill-defined or un- known.	...	3	3	—	—	2	1	1	—	1	—	3	4	—	—	—	—	29

ADMINISTRATIVE AREAS, 1912—continued.

LANCASHIRE—cont.

	Ormskirk U.D.		Orrell U.D.		Oswald- twistle. U.D.		Padiham U.D.		Poulton le Fylde U.D.		Preesall U.D.		Prescot U.D.		Prestwich U.D.		Radcliffe U.D.		Rainford U.D.		Rams- bottom U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	54	44	35	54	100	96	90	106	9	23	8	4	59	56	96	101	164	186	28	18	108	106	1
2	—	—	2	—	2	2	1	—	—	—	—	—	—	—	2	—	4	2	—	—	4	3	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	2	2	—	—	1	1	1	7	—	—	—	—	1	—	3	2	—	3	—	—	1	1	4
5	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6	—	—	1	1	4	1	1	1	—	—	—	—	—	2	—	—	—	—	—	—	3	—	6
7	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	3	3	—	—	3	2	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	9	4	1	2	3	4	6	5	2	—	—	—	3	8	11	3	10	11	1	—	4	5	9
10	1	—	1	—	—	2	1	—	—	—	—	—	1	—	1	—	2	2	—	—	—	3	10
11	1	1	2	—	2	2	—	1	—	1	—	—	—	—	—	2	—	1	—	—	3	3	11
12	2	2	—	—	7	6	4	7	—	2	2	—	3	5	7	12	9	12	—	2	6	11	12
13	—	—	—	—	—	1	—	1	—	—	—	—	—	2	—	2	4	—	—	—	—	—	13
14	2	—	—	—	2	2	2	2	—	2	1	—	1	1	—	1	3	1	—	1	—	1	14
15	6	5	5	4	8	13	6	8	—	4	2	—	6	2	9	13	9	9	—	2	13	12	15
16	2	7	3	7	14	9	4	12	1	4	—	—	7	4	10	14	22	24	2	2	2	5	16
17	5	2	5	4	5	3	6	6	—	2	—	—	4	5	7	10	12	11	8	2	13	7	17
18	1	1	2	3	1	1	2	5	—	—	—	—	—	—	3	1	1	2	1	1	1	2	18
19	—	1	1	3	1	3	3	3	—	—	—	—	3	2	2	—	3	1	—	—	4	1	19
20	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	4	1	—	—	—	—	20
21	—	1	—	—	—	—	2	3	—	—	—	—	1	—	1	—	—	5	—	—	2	1	21
21A	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	1	1	2	6	3	5	2	1	—	—	—	2	4	3	3	6	7	1	—	4	4	22
23	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	23
24	—	—	—	—	—	3	—	1	—	—	—	—	—	1	—	—	—	7	—	—	—	—	24
25	2	1	3	7	8	5	7	4	—	—	—	—	7	1	6	3	4	9	—	1	7	3	25
26	5	—	1	—	4	2	4	4	—	—	1	—	3	1	4	3	10	3	2	—	2	—	26
27	—	—	—	—	1	—	2	—	—	—	—	—	1	—	1	—	6	2	—	—	—	1	27
28	14	14	7	15	27	33	28	30	4	8	1	3	13	18	25	29	51	57	12	7	34	40	28
29	—	—	—	1	2	—	4	3	—	—	—	—	2	—	—	—	—	1	—	—	1	1	29

LANCASHIRE—cont.

	Rawten- stall M.B.		Rishton U.D.		Royton U.D.		St. Anne's on the Sea U.D.		Skelmers- dale U.D.		Standish with Langtree U.D.		Stretford U.D.		Swinton and Pendle- bury U.D.		Thornton U.D.		Tottington U.D.		Trawden U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	229	209	36	46	126	127	43	57	55	47	46	36	264	229	211	215	33	38	37	39	18	26	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	6	5	1	—	7	8	—	—	8	2	1	—	6	5	3	3	—	—	—	—	—	—	3
4	2	—	—	—	—	—	—	—	1	—	—	—	—	1	—	2	2	1	—	1	—	—	4
5	—	2	—	—	—	1	1	—	—	—	1	2	1	3	5	11	—	—	—	1	1	—	5
6	4	1	1	—	—	—	—	—	—	—	1	1	2	1	1	2	—	—	—	—	—	—	6
7	1	4	—	—	—	—	1	2	—	—	—	—	4	2	—	—	—	—	1	2	—	—	7
8	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	8
9	11	5	2	3	8	6	1	1	—	4	1	3	25	8	23	18	2	1	3	4	3	2	9
10	2	4	1	1	—	—	2	1	—	—	1	1	2	—	11	4	—	—	—	—	—	—	10
11	4	7	2	—	1	1	1	—	—	—	2	—	1	5	4	4	—	—	—	—	—	2	11
12	14	14	—	4	8	3	2	9	—	1	1	2	24	25	9	16	2	2	2	6	1	1	12
13	—	4	—	—	—	1	—	—	—	1	—	—	2	—	2	3	—	—	—	—	—	2	13
14	1	3	—	1	—	6	1	—	—	—	—	—	1	3	4	—	—	—	—	—	—	—	14
15	14	16	6	8	11	22	6	11	5	3	5	4	16	28	15	13	2	3	7	3	6	5	15
16	15	28	5	1	16	15	1	3	11	3	5	3	10	30	21	15	2	2	5	2	—	—	16
17	17	12	5	4	10	11	3	3	7	7	4	2	25	15	28	25	1	1	4	—	3	2	17
18	4	2	—	1	1	1	—	1	1	1	—	—	6	4	1	1	—	—	—	—	—	—	18
19	8	5	—	—	2	—	—	—	2	—	—	2	2	1	8	5	1	1	—	—	—	—	19
20	—	1	1	—	1	1	1	2	1	—	—	—	1	1	—	—	—	—	—	—	—	—	20
21	1	2	—	—	1	—	—	1	—	—	—	—	1	3	1	1	—	—	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	21A
22	11	9	2	2	5	4	3	3	3	—	—	1	10	6	2	6	3	2	—	—	—	1	22
23	—	1	—	—	—	2	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	23
24	—	2	—	2	—	1	—	—	5	—	—	—	—	1	—	4	—	1	—	—	—	—	24
25	18	6	3	2	13	6	3	1	6	4	6	2	17	9	13	14	2	3	1	2	—	3	25
26	7	4	1	—	3	2	1	—	—	1	4	1	15	2	13	4	1	1	1	—	—	1	26
27	3	—	2	—	7	1	—	—	1	—	1	—	4	2	1	—	—	—	—	—	—	—	27
28	82	71	4	15	32	33	15	19	8	14	11	11	86	72	44	59	14	19	12	18	4	7	28
29	4	1	—	1	1	1	1	—	—	—	2	—	—	—	1	—	—	1	—	—	—	—	29

LANCASHIRE—cont.

Causes of Death.	Turton U.D.		Tyldesley with Shakerley U.D.		Ulverston U.D.		Upholland U.D.		Urmston U.D.		Walton le Dale U.D.		Wardle U.D.		Waterloo with Sea- forth U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	49	79	108	117	70	67	43	44	48	42	81	83	28	45	169	157	
1 Enteric fever	—	—	2	1	—	—	2	—	—	—	—	—	—	—	—	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	2	—	1	2	—	—	—	—	1	—	1	—	—	—	6	6	3
4 Scarlet fever	—	—	—	—	1	1	—	—	—	—	1	2	—	—	—	—	4
5 Whooping cough	—	2	3	9	—	—	3	2	1	—	—	—	1	—	3	1	5
6 Diphtheria and croup	1	1	1	1	—	—	—	1	—	—	1	—	—	—	1	2	6
7 Influenza	—	—	—	—	2	2	—	—	—	—	1	—	—	—	5	3	7
8 Erysipelas... ..	—	1	—	—	1	—	—	—	—	—	—	—	—	—	1	—	8
9 Pulmonary tuberculosis	—	4	11	8	5	4	1	1	5	2	10	7	3	3	19	6	9
10 Tuberculous meningitis	—	—	1	1	2	—	2	—	—	—	—	—	—	—	2	4	10
11 Other tuberculous diseases	1	—	2	2	3	—	1	—	—	1	2	4	—	1	1	2	11
12 Cancer, malignant disease	1	5	10	9	4	6	1	3	2	6	3	3	2	4	14	10	12
13 Rheumatic fever... ..	—	1	2	—	—	—	—	—	—	—	—	2	—	—	—	1	13
14 Meningitis	2	2	—	—	2	1	—	—	1	1	1	—	1	—	1	3	14
15 Organic heart disease	5	4	6	11	6	4	6	5	4	1	10	16	—	3	10	10	15
16 Bronchitis	7	10	13	7	4	7	4	2	7	3	3	5	3	8	10	17	16
17 Pneumonia (all forms)	3	8	12	19	3	6	2	4	3	5	5	6	2	2	12	13	17
18 Other respiratory diseases	1	1	2	1	1	—	—	1	—	1	1	2	—	1	2	4	18
19 Diarrhoea, &c. (under 2 yrs.)	2	—	6	4	1	2	1	—	1	2	—	—	—	1	3	4	19
20 Appendicitis and typhlitis	—	—	2	—	1	1	—	1	—	1	—	—	—	—	1	—	20
21 Cirrhosis of liver	2	—	—	—	2	—	—	—	1	—	1	—	—	—	1	1	21
21A Alcoholism	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	2	3	2	2	3	1	—	3	1	2	5	6	2	1	4	4	22
23 Puerperal fever	—	1	—	—	—	—	—	—	—	1	—	3	—	—	—	1	23
24 Parturition, apart from 23	—	2	—	1	—	1	—	—	—	—	—	—	—	1	—	—	24
25 Congenital debility, &c.	1	1	7	8	1	1	3	6	4	2	6	3	3	2	13	8	25
26 Violence, apart from 27	2	1	2	3	1	3	6	—	1	—	4	1	—	1	9	5	26
27 Suicide	—	1	1	—	1	—	—	—	2	—	—	—	1	—	2	—	27
28 Other defined diseases	17	30	21	28	25	26	10	15	15	13	25	23	11	15	47	50	28
29 Causes ill-defined or un- known.	—	1	1	—	—	1	1	—	—	—	1	—	—	1	2	—	29

LANCASHIRE—cont.

Causes of Death.	West- houghton U.D.		Whitefield U.D.		Whit- worth U.D.		Widnes M.B.		Withnell U.D.		Worsley U.D.				Barton upon Irwell R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F			M	F	
ALL CAUSES	110	117	53	38	79	96	311	247	23	12	91	77			62	51	
1 Enteric fever	1	1	—	1	1	—	1	1	—	—	2	—			—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—			—	—	2
3 Measles	—	1	1	—	2	3	18	7	1	2	1	1			—	—	3
4 Scarlet fever	2	4	—	—	1	—	3	2	3	—	1	—			—	—	4
5 Whooping cough	5	3	1	1	—	—	9	11	—	—	2	4			—	1	5
6 Diphtheria and croup	3	5	—	—	1	—	3	6	—	—	1	1			—	—	6
7 Influenza	3	3	—	—	—	2	6	2	—	—	—	2			2	2	7
8 Erysipelas	—	1	—	—	1	—	—	—	—	—	—	—			—	—	8
9 Pulmonary tuberculosis	5	4	2	2	6	5	13	9	—	—	3	5			6	—	9
10 Tuberculous meningitis	1	2	—	—	1	1	3	3	—	—	1	1			2	—	10
11 Other tuberculous diseases	3	1	1	—	2	2	7	5	—	1	1	1			—	—	11
12 Cancer, malignant disease	2	4	6	1	6	11	7	19	2	1	5	4			3	5	12
13 Rheumatic fever... ..	1	2	1	2	2	—	—	2	—	1	—	—			1	1	13
14 Meningitis	1	1	—	1	—	—	13	9	—	—	—	—			1	—	14
15 Organic heart disease	5	15	7	6	7	14	17	12	1	1	9	8			4	5	15
16 Bronchitis	8	10	5	5	4	8	33	24	2	—	9	4			8	3	16
17 Pneumonia (all forms)	22	10	5	5	10	5	45	29	3	—	7	9			6	4	17
18 Other respiratory diseases	—	2	1	1	—	2	14	2	—	—	3	—			1	1	18
19 Diarrhoea, &c. (under 2 yrs.)	2	3	2	—	—	—	8	12	—	—	—	1			—	—	19
20 Appendicitis and typhlitis	—	—	—	—	—	1	—	1	2	—	—	—			—	1	20
21 Cirrhosis of liver	—	—	—	—	—	—	1	1	1	—	1	—			—	—	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—			2	—	21A
22 Nephritis and Bright's dis.	7	1	—	3	9	8	7	1	—	—	12	4			1	2	22
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—			—	—	23
24 Parturition, apart from 23	—	2	—	—	—	2	—	1	—	—	—	1			—	1	24
25 Congenital debility, &c.	7	8	2	1	8	4	20	22	1	—	7	2			2	1	25
26 Violence, apart from 27	11	1	2	—	3	—	17	6	1	—	6	1			6	—	26
27 Suicide	4	1	—	—	1	1	2	—	—	—	1	1			2	—	27
28 Other defined diseases	17	31	16	9	14	27	58	58	6	6	19	27			15	24	28
29 Causes ill-defined or un- known.	—	1	1	—	—	—	6	2	—	—	—	—			—	—	29

ADMINISTRATIVE AREAS, 1912—continued.

LANCASHIRE—cont.

	Blackburn R.D.		Burnley R.D.		Bury R.D.		Chorley R.D.		Clitheroe R.D.		Fylde R.D.		Garstang R.D.		Lancaster R.D.		Leigh R.D.		Lime- hurst R.D.		Lunesdale R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	57	63	126	116	54	54	148	151	43	39	65	61	62	67	66	59	77	59	79	79	45	28	1
2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	6	—	2	—	3	2	—	1	1	—	—	—	1	3	2	1	1	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	4
5	—	1	1	2	1	—	5	2	—	—	—	—	—	—	—	1	1	1	2	2	—	—	5
6	1	1	—	1	1	—	4	4	1	1	—	—	—	—	—	—	2	2	—	1	1	3	6
7	1	—	3	2	1	1	2	1	1	—	2	—	2	2	—	—	2	—	—	—	2	1	7
8	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	8
9	2	4	8	6	3	3	10	8	3	1	2	3	3	1	4	1	1	5	9	4	1	3	9
10	—	1	2	1	1	1	1	—	—	—	—	—	—	—	—	1	2	—	—	1	1	—	10
11	—	—	1	—	—	1	1	—	—	—	1	1	1	—	1	—	—	1	—	5	—	—	11
12	3	5	5	5	1	8	8	14	1	7	3	6	2	4	4	11	1	4	5	9	1	—	12
13	1	—	2	1	—	—	1	2	—	2	—	—	—	1	—	—	—	—	1	1	—	—	13
14	—	1	—	2	—	2	1	—	—	—	2	1	—	—	1	—	3	1	1	1	—	—	14
15	4	7	19	12	3	6	13	14	2	7	5	9	10	5	6	4	5	4	9	8	7	—	15
16	2	6	10	14	8	4	9	16	5	2	5	3	3	8	3	9	7	4	6	7	2	1	16
17	6	4	13	11	4	3	20	15	3	3	7	5	1	3	8	6	3	5	4	6	5	2	17
18	2	—	2	2	1	1	2	3	2	—	1	—	2	—	3	1	2	1	—	—	3	1	18
19	—	—	1	2	3	—	1	—	—	1	1	2	2	2	—	—	5	1	—	2	—	—	19
20	—	—	1	—	—	—	2	1	—	—	—	—	—	—	—	2	—	—	4	—	—	—	20
21	—	—	1	—	1	—	—	2	2	—	—	—	1	—	—	—	1	—	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	21A
22	4	4	3	3	1	1	8	6	1	1	—	—	2	3	6	—	2	1	—	3	—	1	22
23	—	1	—	—	—	—	2	—	—	2	—	2	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	3	—	1	—	2	—	2	—	—	—	—	—	—	—	1	—	1	—	1	24
25	6	6	9	4	5	5	13	10	4	1	3	2	4	8	3	3	9	8	5	4	5	—	25
26	3	1	7	2	3	1	7	3	—	1	3	2	2	2	2	—	2	1	4	1	2	—	26
27	3	—	3	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—	2	—	27
28	16	20	32	34	15	13	36	41	16	10	27	22	23	27	20	19	22	14	24	21	12	14	28
29	1	—	—	1	1	1	1	2	—	—	1	2	4	1	1	—	1	2	1	—	—	1	29

LANCASHIRE—cont.

LEICESTERSHIRE.

	Preston R.D.		Sefton R.D.		Ulverston R.D.		Warring- ton R.D.		West Lan- cashire R.D.		Whiston R.D.		Wigan R.D.			Ashby de la Zouch U.D.		Ashby Woulds U.D.		Coalville U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	
	146	123	26	33	110	120	88	81	125	92	122	106	38	41		37	29	11	7	115	109	
1	1	1	—	—	—	—	—	1	—	—	—	—	—	1		—	—	—	—	2	—	2
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	3
3	1	1	—	—	—	—	—	1	3	—	5	2	—	—		—	1	—	—	—	1	4
4	2	1	—	—	—	—	—	—	2	—	—	—	—	1		—	—	1	—	—	—	5
5	1	—	—	—	1	1	2	—	—	—	1	2	—	—		—	—	—	—	3	1	6
6	—	—	—	—	1	—	—	—	3	2	3	2	—	1		—	—	—	—	—	3	7
7	2	—	—	—	1	6	2	—	2	3	2	3	—	1		2	1	—	—	2	2	8
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	9
9	14	5	3	3	4	6	6	8	6	3	9	7	—	2		3	3	—	—	3	9	10
10	1	1	—	—	—	1	1	3	—	—	—	2	1	1		—	1	—	—	3	2	11
11	5	2	—	1	1	1	1	2	1	1	1	3	1	1		—	1	—	—	5	2	12
12	8	13	3	4	9	7	11	8	9	6	8	8	2	5		1	2	1	1	10	8	13
13	—	—	—	—	—	—	—	—	—	—	—	2	—	—		—	—	—	—	—	—	14
14	1	—	1	2	—	2	5	1	—	—	1	1	—	2		—	—	1	—	1	—	15
15	14	19	4	6	16	20	3	11	13	13	7	11	3	2		1	4	1	—	12	12	16
16	12	5	5	3	11	15	5	3	3	8	6	4	3	2		3	—	—	1	9	10	17
17	7	5	1	1	6	7	10	5	12	7	15	9	7	2		1	2	1	—	9	8	18
18	2	3	—	—	4	2	2	1	2	2	—	2	—	—		1	—	—	—	2	1	19
19	1	1	—	—	2	2	3	—	1	—	—	2	1	—		—	—	—	—	1	2	20
20	—	2	—	—	1	2	1	—	—	—	—	—	—	—		1	—	1	—	—	1	21
21	—	1	—	1	—	—	1	—	—	—	—	—	2	—		—	—	—	—	—	1	21A
21A	—	—	—	—	1	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	22
22	5	7	—	—	3	2	1	1	3	4	2	2	3	1		3	—	—	—	2	2	23
23	—	—	—	—	—	1	—	—	—	—	—	—	—	—		—	1	—	—	—	—	24
24	—	1	—	—	—	2	—	2	—	1	—	—	—	—		—	—	—	—	—	3	25
25	8	6	—	2	2	2	8	5	7	6	9	10	2	4		3	—	1	2	17	13	26
26	5	1	1	—	8	1	6	—	10	1	8	4	2	2		—	—	—	—	3	1	27
27	3	1	—	1	2	—	—	—	—	2	2	—	—	—		1	1	—	—	—	—	28
28	51	44	7	8	36	40	20	29	46	33	39	28	11	13		15	12	4	3	31	27	29
29	2	3	1	1	1	—	—	—	2	—	4	1	—	—		2	—	—	—	—	—	

LEICESTERSHIRE—cont.

Causes of Death.		Hinckley U.D.		Lough- borough M.B.		Market Har- borough U.D.		Melton Mowbray U.D.		Quorndon U.D.		Shepshed U.D.		Thur- maston U.D.		Wigston Magna U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	96	78	123	143	57	46	78	58	19	12	43	34	20	16	31	56	1
1	Enteric fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	1	—	—	—	—	—	11	4	—	—	—	—	—	—	1	3	4
4	Scarlet fever	2	—	1	1	—	—	1	—	—	—	—	—	—	—	1	—	5
5	Whooping cough	2	2	1	1	—	1	2	4	—	—	—	—	—	2	2	—	6
6	Diphtheria and croup	—	—	1	—	1	1	1	1	—	—	—	—	—	—	1	—	7
7	Influenza	1	2	3	1	—	1	—	—	—	—	—	—	—	—	—	1	8
8	Erysipelas	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis	16	5	12	15	4	5	5	6	1	—	8	3	—	4	2	5	10
10	Tuberculous meningitis	1	1	2	1	1	1	1	—	—	—	2	1	—	—	—	—	11
11	Other tuberculous diseases	1	—	2	7	2	2	—	—	—	—	—	—	—	—	—	1	12
12	Cancer, malignant disease	7	5	4	11	7	4	4	6	1	—	3	3	2	1	3	6	13
13	Rheumatic fever... ..	1	—	—	—	—	—	2	—	—	1	—	1	—	—	—	—	14
14	Meningitis	—	—	2	1	3	—	—	—	1	—	—	—	—	—	—	1	15
15	Organic heart disease	12	9	18	22	4	3	5	3	—	2	3	5	2	2	4	8	16
16	Bronchitis	10	7	8	12	2	3	5	4	1	1	4	1	1	—	5	2	17
17	Pneumonia (all forms)	7	5	9	8	5	3	8	4	2	1	2	—	4	—	2	2	18
18	Other respiratory diseases	3	1	1	1	—	1	1	—	—	—	—	—	—	—	—	1	19
19	Diarrhoea, &c. (under 2 yrs.)	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	20
20	Appendicitis and typhlitis	—	—	—	—	4	—	2	—	—	—	—	—	1	—	—	—	21
21	Cirrhosis of liver	—	—	1	—	1	1	3	1	—	—	1	—	—	—	—	—	21A
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	—	3	4	—	1	1	3	1	—	—	—	—	1	—	1	—	23
23	Puerperal fever	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	1	24
24	Parturition, apart from 23	—	1	—	3	—	—	—	—	—	—	2	—	—	—	—	—	25
25	Congenital debility, &c.	9	7	14	11	3	4	2	2	—	—	3	3	—	1	3	4	26
26	Violence, apart from 27	2	—	7	2	3	—	2	—	1	—	1	—	—	—	2	—	27
27	Suicide	1	1	3	—	—	—	—	—	1	—	1	—	1	—	—	1	28
28	Other defined diseases	16	28	26	41	16	13	20	22	11	7	16	14	8	5	4	20	29
29	Causes ill-defined or un- known.	4	—	3	1	—	1	—	—	—	—	—	—	—	1	—	—	

LEICESTERSHIRE—cont.

Causes of Death.		Ashby de la Zouch R.D.		Barrow upon Soar R.D.		Belvoir R.D.		Billesdon R.D.		Blaby R.D.		Castle Doning- ton R.D.		Hallaton R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	96	83	148	162	24	20	37	36	103	105	48	37	11	8	1
1	Enteric fever	—	—	—	1	1	—	—	—	1	—	—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	2	—	1	3	—	—	—	—	1	1	—	1	—	—	4
4	Scarlet fever	1	—	1	2	—	—	—	—	—	2	—	—	—	—	5
5	Whooping cough	—	—	1	1	1	1	—	—	—	—	—	—	—	—	6
6	Diphtheria and croup	2	—	—	—	1	—	—	—	3	2	—	—	—	—	7
7	Influenza	—	—	3	2	1	2	—	—	1	—	2	3	—	—	8
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis	2	3	17	14	—	1	—	3	8	4	—	2	—	—	10
10	Tuberculous meningitis	—	—	2	1	—	—	—	—	—	—	—	1	—	—	11
11	Other tuberculous diseases	3	—	2	2	—	—	1	—	2	—	2	—	—	1	12
12	Cancer, malignant disease	7	5	9	19	2	3	5	4	11	8	4	3	—	—	13
13	Rheumatic fever... ..	—	—	2	1	—	—	—	—	—	3	1	—	—	—	14
14	Meningitis	2	2	3	1	—	—	—	—	—	—	1	1	—	—	15
15	Organic heart disease	6	11	15	19	5	3	5	3	7	16	7	5	—	2	16
16	Bronchitis	6	6	6	8	—	2	4	8	11	6	2	—	1	2	17
17	Pneumonia (all forms)	5	4	8	5	2	—	1	1	8	10	3	—	1	—	18
18	Other respiratory diseases	2	1	4	2	—	—	—	—	1	2	2	3	1	—	19
19	Diarrhoea, &c. (under 2 yrs.)	2	1	—	1	—	—	—	—	—	—	—	—	—	—	20
20	Appendicitis and typhlitis	—	—	—	—	—	—	1	—	—	—	—	—	1	—	21
21	Cirrhosis of liver	—	—	1	1	1	—	—	—	1	—	—	1	—	—	21A
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	4	2	6	2	—	—	1	—	2	2	—	1	1	—	23
23	Puerperal fever	—	1	—	1	—	—	—	—	—	—	—	—	—	—	24
24	Parturition, apart from 23	—	1	—	2	—	—	—	1	—	—	—	—	—	—	25
25	Congenital debility, &c.	14	7	11	12	—	—	3	3	3	7	3	3	1	—	26
26	Violence, apart from 27	6	3	6	2	1	—	2	1	2	1	3	—	—	1	27
27	Suicide	1	1	3	—	1	—	—	1	2	—	2	1	—	—	28
28	Other defined diseases	28	31	46	59	8	8	14	11	38	41	16	10	4	1	29
29	Causes ill-defined or un- known.	1	1	1	1	—	—	—	—	1	—	—	2	1	1	

ADMINISTRATIVE AREAS, 1912—continued.

LEICESTERSHIRE—cont.

LINCOLNSHIRE (PARTS OF HOLLAND).

	Hinckley R.D.		Lough- borough R.D.		Lutter- worth R.D.		Market Bosworth R.D.		Market Har- borough R.D.		Melton Mowbray R.D.				Boston M.B.		Holbeach U.D.		Long Sutton U.D.		Spalding U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F			M	F	M	F	M	F	M	F	
1	70	86	28	30	70	74	120	136	48	38	90	98			119	117	34	41	20	28	81	70	1
2	1	1	1	1	—	—	—	—	—	—	—	1			—	2	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	3
4	5	5	—	1	—	—	2	2	—	—	2	3			—	—	1	2	2	—	—	—	4
5	—	2	—	—	—	—	—	2	—	—	—	—			1	—	—	—	1	—	—	—	5
6	3	2	—	—	—	1	3	3	—	1	—	3			2	3	—	—	—	—	4	7	6
7	—	—	—	—	—	—	1	1	—	1	2	2			—	—	—	1	—	—	—	—	7
8	1	—	—	—	1	2	—	1	1	—	1	2			2	6	—	1	—	1	1	2	8
9	—	—	—	—	—	1	—	1	—	—	—	1			—	—	—	—	—	—	—	—	9
10	9	10	3	3	3	3	6	10	3	4	3	6			12	8	3	4	—	3	8	4	10
11	—	—	1	—	—	1	2	1	—	1	2	2			2	1	1	—	—	1	1	1	11
12	—	—	—	—	1	1	3	1	1	1	—	1			5	2	—	2	—	1	—	3	12
13	5	7	3	2	4	6	4	18	2	7	13	18			10	14	3	4	4	2	9	8	13
14	1	—	—	—	—	1	2	1	—	—	—	—			1	—	—	2	—	—	1	1	14
15	—	—	—	—	—	—	1	1	—	—	—	—			1	—	1	—	1	—	3	—	15
16	8	12	4	3	9	11	17	7	2	4	16	8			12	10	2	4	—	2	1	9	16
17	3	3	1	3	7	7	6	15	3	3	3	4			4	13	3	2	1	—	8	1	17
18	4	6	2	4	3	5	7	8	6	1	7	4			5	4	2	1	2	—	3	2	18
19	—	—	—	—	2	—	2	5	—	—	—	1			2	2	1	—	1	—	3	1	19
20	1	—	1	—	1	1	1	2	—	—	—	—			3	1	—	—	1	—	—	—	20
21	1	3	—	—	—	1	—	1	—	—	—	—			1	—	—	—	—	—	—	—	21
21A	—	—	—	—	1	—	1	1	—	1	—	1			1	—	—	—	—	—	—	—	21A
22	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	22
23	1	4	1	2	2	1	2	5	1	—	2	2			4	4	1	3	1	3	1	1	23
24	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	1	24
25	—	2	—	—	—	1	—	1	—	—	—	1			—	3	—	—	—	—	—	1	25
26	6	1	1	1	5	5	8	6	3	—	3	2			5	6	5	1	2	1	5	5	26
27	2	1	3	1	3	—	5	4	3	—	1	1			6	3	—	—	—	1	3	2	27
28	—	—	—	—	2	—	—	—	1	—	1	2			—	—	1	—	—	1	2	—	28
29	19	27	7	9	26	26	47	39	20	14	33	31			39	35	11	15	5	9	27	21	29
	—	—	—	—	—	—	—	—	2	—	—	2			1	—	—	—	—	—	1	—	—

LINCOLNSHIRE (PARTS OF HOLLAND)—cont.

LINCOLNSHIRE (PARTS OF KESTEVEN).

		Sutton Bridge U.D.				Boston R.D.		Crowland R.D.		East Elloe R.D.		Spalding R.D.				Bourne U.D.		Brace- bridge U.D.		Grantham M.B.		Rusking- ton U.D.			
		M	F			M	F	M	F	M	F	M	F			M	F	M	F	M	F	M	F		
1		14	16			149	123	21	16	59	51	77	71			30	21	12	13	114	110	15	14		1
2		—	—			1	2	—	—	—	—	—	—			1	1	—	—	—	—	—	—	—	2
3		—	—			—	—	—	—	—	—	—	—			—	1	—	—	—	—	—	—	—	3
4		—	—			—	1	—	—	1	2	1	—			—	—	—	—	—	—	—	—	—	4
5		—	—			—	3	—	—	—	—	2	4			—	—	—	—	1	1	—	—	—	5
6		—	—			1	1	—	—	—	1	—	—			—	—	—	—	2	1	—	—	—	6
7		—	—			4	—	—	—	—	1	1	—			—	—	—	—	—	—	—	—	—	7
8		—	—			—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	8
9		—	2			4	7	—	—	7	4	4	3			2	1	1	1	10	7	3	—	—	9
10		—	1			1	3	1	—	1	1	1	—			—	—	—	—	1	—	—	1	—	10
11		—	—			—	—	—	—	—	2	1	1			1	—	—	—	—	—	—	—	—	11
12		1	4			13	11	3	2	5	3	3	9			1	4	2	—	14	9	1	1	—	12
13		—	—			—	—	—	—	—	—	—	—			—	—	—	—	—	1	—	—	—	13
14		—	—			1	—	—	—	—	—	2	1			—	1	—	—	—	2	—	—	—	14
15		1	—			20	10	2	1	4	5	4	5			6	4	1	3	10	10	2	1	—	15
16		3	2			6	12	1	2	4	1	8	3			3	—	—	—	12	10	3	—	—	16
17		—	—			12	5	—	1	2	—	5	3			3	—	1	2	3	1	—	—	—	17
18		—	—			3	—	1	—	1	—	—	1			2	—	—	—	2	1	—	—	—	18
19		1	1			5	1	—	—	—	—	—	—			1	—	—	—	1	1	—	—	—	19
20		—	—			1	2	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	20
21		—	—			2	—	—	—	1	—	1	—			1	—	—	—	—	—	1	—	—	21
21A		—	—			—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	21A
22		—	—			7	—	1	1	3	1	1	—			2	1	—	—	3	2	—	2	—	22
23		—	—			—	—	—	—	—	—	—	—			—	—	—	—	—	1	—	—	—	23
24		—	—			—	2	—	1	—	—	—	—			—	—	—	1	—	—	—	—	—	24
25		1	3			11	7	2	1	8	3	9	10			2	1	—	—	4	3	—	—	—	25
26		2	—			7	2	1	—	—	1	2	1			—	—	—	—	4	1	—	—	—	26
27		—	—			—	—	—	—	—	—	2	—			1	—	1	—	5	—	—	—	—	27
28		5	3			50	52	6	6	22	25	29	29			4	7	6	6	40	57	5	8	—	28
29		—	—			—	2	—	—	—	1	1	1			—	—	—	—	2	2	—	1	—	29

LINCOLNSHIRE (PARTS OF KESTEVEN)—*cont.*

Causes of Death.		Sleaford U.D.		Stamford M.B.				Bourne R.D.		Branston R.D.		Claypole R.D.		Grantham R.D.		Sleaford R.D.		
		M	F	M	F			M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	40	40	64	55			105	82	89	75	37	71	71	87	105	105	1
1	Enteric fever	—	—	—	—			1	—	—	—	—	—	—	—	—	—	2
2	Small-pox	—	—	—	—			—	—	2	—	—	—	1	1	—	—	3
3	Measles	—	—	—	—			—	—	—	—	—	—	—	—	—	—	4
4	Scarlet fever	—	—	—	—			1	—	—	—	—	—	—	—	—	1	4
5	Whooping cough	—	—	—	—			—	1	—	—	1	—	—	—	1	4	5
6	Diphtheria and croup	1	2	—	—			—	—	2	1	4	2	1	—	—	1	6
7	Influenza	—	3	—	1			—	2	—	—	1	2	—	—	6	1	7
8	Erysipelas	—	—	—	—			—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	2	2	2	2			10	7	5	5	1	3	4	8	2	5	9
10	Tuberculous meningitis	2	—	—	1			3	1	1	1	—	—	1	1	2	—	10
11	Other tuberculous diseases	1	—	—	1			1	—	—	1	—	3	—	3	4	3	11
12	Cancer, malignant disease	1	5	7	6			13	5	5	15	3	6	10	8	9	9	12
13	Rheumatic fever... ..	—	—	1	—			—	—	—	—	—	1	—	—	1	—	13
14	Meningitis	—	1	1	—			2	1	—	—	—	1	—	—	—	1	14
15	Organic heart disease	8	9	7	3			11	11	9	9	4	7	4	13	8	9	15
16	Bronchitis	5	—	4	2			5	8	8	6	3	3	2	7	6	9	16
17	Pneumonia (all forms)	3	2	7	3			4	6	6	3	2	1	5	6	5	2	17
18	Other respiratory diseases	—	—	1	—			2	4	1	—	1	2	3	1	2	2	18
19	Diarrhoea, &c. (under 2 yrs.)	—	—	1	1			1	—	—	—	1	1	2	1	1	3	19
20	Appendicitis and typhlitis	1	—	—	1			1	—	2	—	—	—	1	—	1	—	20
21	Cirrhosis of liver	2	—	—	1			1	—	—	—	—	—	—	—	1	—	21
21A	Alcoholism	—	—	—	—			—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	2	3	—			9	3	3	—	—	2	2	1	2	1	22
23	Puerperal fever	—	—	—	—			—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	1			—	—	—	—	1	—	—	—	—	1	24
25	Congenital debility, &c....	1	1	4	—			5	3	6	6	1	1	2	10	8	8	25
26	Violence, apart from 27...	3	—	1	2			3	1	2	1	3	—	4	—	3	2	26
27	Suicide	1	1	1	—			—	—	1	—	1	—	1	—	1	—	27
28	Other defined diseases	8	11	24	30			32	27	38	25	15	32	25	25	42	42	28
29	Causes ill-defined or un- known.	—	1	—	—			—	2	—	1	1	1	—	1	—	1	29

LINCOLNSHIRE (PARTS OF KESTEVEN)—*cont.*

LINCOLNSHIRE (PARTS OF LINDSEY).

Causes of Death.		Uffington R.D.				Alford U.D.		Barton upon Humber U.D.		Brigg U.D.		Broughton U.D.		Brumby and Froding- ham U.D.		Cleethorpe with Thrunscoe U.D.		
		M	F			M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	10	8			18	13	49	42	22	19	3	6	27	19	123	140	1
1	Enteric fever	—	—			—	—	—	—	—	—	—	1	—	—	1	2	2
2	Small-pox..	—	—			—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	—	—			1	1	—	—	—	—	—	—	—	—	1	—	4
4	Scarlet fever	—	—			—	—	—	—	—	—	—	—	—	—	4	7	5
5	Whooping cough	—	—			—	—	—	—	—	—	—	—	—	—	1	4	6
6	Diphtheria and croup	—	—			—	—	1	—	—	—	—	—	—	—	—	—	7
7	Influenza	—	—			1	—	2	1	1	—	—	1	—	—	—	—	8
8	Erysipelas	—	—			—	—	—	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis	—	1			1	—	5	3	2	1	—	—	1	2	11	12	10
10	Tuberculous meningitis	—	—			—	—	—	—	—	—	1	—	—	1	4	3	11
11	Other tuberculous diseases	—	—			1	—	—	1	1	—	—	—	1	1	1	1	12
12	Cancer, malignant disease	—	1			2	—	2	2	3	4	—	—	—	1	4	8	13
13	Rheumatic fever... ..	—	—			—	—	—	—	—	—	—	—	—	—	—	1	14
14	Meningitis	—	—			1	—	—	—	—	—	—	—	1	—	—	—	15
15	Organic heart disease	—	—			1	—	2	2	2	—	1	—	3	3	10	9	16
16	Bronchitis	2	1			—	2	5	6	—	1	—	—	2	2	10	13	17
17	Pneumonia (all forms)	1	—			—	—	3	3	4	2	—	—	1	1	14	14	18
18	Other respiratory diseases	—	—			—	—	—	1	—	—	—	—	—	—	1	—	19
19	Diarrhoea, &c. (under 2 yrs.)	—	—			—	—	—	—	1	—	—	—	—	—	—	—	20
20	Appendicitis and typhlitis	—	—			—	—	—	—	—	—	—	—	—	—	—	—	21
21	Cirrhosis of liver	—	—			1	—	1	—	—	—	—	—	—	—	—	—	21A
21A	Alcoholism	—	1			—	—	—	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	1	—			—	—	3	—	—	1	—	1	—	2	3	5	23
23	Puerperal fever	—	—			—	—	—	—	—	—	—	—	—	—	—	—	24
24	Parturition, apart from 23	—	—			—	1	—	—	—	—	—	—	—	—	—	2	25
25	Congenital debility, &c....	—	—			—	1	—	1	1	1	—	—	4	2	15	14	26
26	Violence, apart from 27...	—	—			—	—	7	—	1	—	—	—	6	—	1	2	27
27	Suicide	—	—			—	—	1	—	1	—	—	—	—	—	—	2	28
28	Other defined diseases	5	4			9	8	16	21	4	9	1	3	7	4	41	41	29
29	Causes ill-defined or un- known.	1	—			—	—	2	—	1	—	—	—	1	—	—	—	29

ADMINISTRATIVE AREAS, 1912—continued.

LINCOLNSHIRE (PARTS OF LINDSEY)—cont.

	Crowle U.D.		Gains- borough U.D.		Horn- castle U.D.		Louth M.B.		Mable- thorpe U.D.		Market Rasen U.D.		Roxby cum Risby U.D.		Scun- thorpe U.D.		Skegness U.D.		Winterton U.D.		Woodhall Spa U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	22	27	116	111	30	28	95	82	4	7	21	20	4	2	53	60	20	21	10	16	8	16	1
2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	3	3	1	1	3	5	—	—	—	—	—	—	1	—	—	—	—	—	—	—	5
6	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	6
7	—	—	4	—	—	—	2	1	—	—	—	—	—	—	1	1	2	—	—	—	—	1	7
8	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	1	—	12	9	3	1	12	2	—	—	—	1	—	—	2	3	1	3	—	—	—	1	9
10	—	—	1	2	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	10
11	—	1	5	4	1	1	—	1	—	—	3	—	—	—	—	—	1	1	—	—	—	—	11
12	2	3	8	16	4	3	4	6	—	—	2	3	—	—	5	5	1	3	1	1	1	1	12
13	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	13
14	1	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	14
15	2	1	10	7	2	2	7	5	1	—	—	—	—	—	3	5	5	—	3	3	2	1	15
16	1	3	10	9	5	1	10	8	—	—	1	3	—	1	1	3	1	1	—	—	—	—	16
17	—	1	7	5	—	4	3	4	—	—	—	1	—	—	3	7	—	1	—	1	—	—	17
18	—	—	2	—	—	—	3	—	—	—	3	—	—	—	2	—	1	—	1	—	—	2	18
19	—	—	—	—	1	—	—	3	—	—	1	—	—	—	2	3	1	—	—	—	—	—	19
20	1	—	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	20
21	—	2	1	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	1	2	1	1	1	3	—	1	—	—	1	—	3	1	—	—	—	1	—	2	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	23
24	—	1	—	1	—	—	—	2	—	—	—	—	—	—	—	4	—	—	—	—	—	—	24
25	5	1	15	16	—	—	3	3	—	—	—	1	2	1	7	5	1	1	—	—	—	—	25
26	1	2	4	2	—	3	2	1	1	1	1	—	—	—	6	1	—	—	1	—	—	2	26
27	—	—	2	—	—	—	2	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	27
28	8	11	28	30	10	10	42	37	2	4	7	9	1	—	16	18	6	10	3	8	4	5	28
29	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	29

LINCOLNSHIRE (PARTS OF LINDSEY)—cont.

	Caistor R.D.		Gains- borough R.D.		Glanford Brigg R.D.		Grimsby R.D.		Horn- castle R.D.		Isle of Axholme R.D.		Louth R.D.		Sibsey R.D.		Spilsby R.D.		Welton R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	108	83	92	97	182	170	59	63	82	80	53	59	109	107	18	26	138	130	60	60	1
2	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	3	1	—	2	2	1	—	2	—	—	—	1	—	—	—	—	1	—	—	—	4
5	—	—	—	—	—	—	—	—	1	—	—	—	—	2	3	—	—	—	—	—	5
6	—	—	1	1	1	1	1	—	—	—	—	—	—	1	—	—	1	2	—	—	6
7	4	1	7	6	1	—	—	—	2	1	2	—	2	2	—	—	1	3	—	1	7
8	—	—	—	—	—	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—	8
9	2	4	5	1	8	11	5	6	3	6	4	1	4	6	1	2	10	12	3	4	9
10	1	1	—	2	3	1	1	—	1	1	1	—	—	2	1	1	2	1	—	1	10
11	—	2	4	—	5	—	—	1	2	—	—	1	2	2	—	1	2	2	—	—	11
12	9	5	3	13	11	19	3	3	6	13	5	6	10	17	3	3	13	16	2	3	12
13	1	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	13
14	—	1	1	—	2	2	—	2	—	—	—	1	—	—	—	1	1	—	1	—	14
15	14	11	9	10	15	16	8	6	9	14	7	10	12	14	1	1	14	10	8	6	15
16	6	6	5	13	7	8	5	5	3	3	4	4	8	6	1	2	7	7	3	4	16
17	4	4	5	3	8	11	5	4	1	1	4	1	7	4	—	1	3	4	3	1	17
18	—	2	—	1	1	4	—	—	2	1	2	—	2	1	—	—	3	2	2	2	18
19	2	2	—	1	3	2	—	—	—	—	1	1	—	1	—	—	1	—	2	—	19
20	—	—	—	1	1	1	—	—	—	—	—	—	—	2	—	—	1	1	—	—	20
21	—	—	1	—	5	1	—	2	—	—	—	—	—	—	—	1	2	1	—	—	21
21A	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	21A
22	4	2	2	2	3	2	1	2	1	1	—	2	1	1	2	1	1	1	2	1	22
23	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	1	—	—	—	—	23
24	—	—	—	1	—	—	—	2	—	1	—	—	—	2	—	—	—	—	—	—	24
25	3	3	8	2	15	12	6	6	8	5	2	5	7	8	3	2	13	9	4	4	25
26	5	—	4	3	9	4	3	2	3	1	2	2	4	3	—	1	5	1	1	2	26
27	2	1	1	—	4	1	—	1	2	—	3	—	1	—	1	—	3	—	—	1	27
28	48	36	36	33	79	63	20	18	39	29	15	24	42	31	5	8	53	57	28	28	28
29	—	—	—	—	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	29

MERIONETHSHIRE.

Causes of Death.		Bala U.D.		Barmouth U.D.		Dolgelley U.D.		Ffestiniog U.D.		Mallwyd U.D.		Towyn U.D.			
		M	F	M	F	M	F	M	F	M	F	M	F		
ALL CAUSES	...	18	18	17	19	16	22	66	95	3	3	24	34		
1 Enteric fever	...	—	—	—	—	—	—	—	—	—	—	—	—		1
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—		2
3 Measles	...	1	—	—	—	1	—	2	—	—	—	—	1		3
4 Scarlet fever	...	—	—	—	—	—	—	1	1	—	—	—	—		4
5 Whooping cough	...	—	—	1	—	—	1	—	—	—	—	2	1		5
6 Diphtheria and croup	...	—	—	—	—	—	—	3	3	—	—	—	—		6
7 Influenza	...	—	—	1	1	—	—	3	1	—	1	—	—		7
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—		8
9 Pulmonary tuberculosis	...	3	—	1	1	1	—	11	13	—	1	2	7		9
10 Tuberculous meningitis	...	—	—	—	—	—	—	1	1	—	—	—	—		10
11 Other tuberculous diseases	...	—	1	—	—	—	1	2	—	—	—	—	—		11
12 Cancer, malignant disease	...	3	4	2	3	1	3	2	7	—	—	1	5		12
13 Rheumatic fever...	...	—	—	—	—	—	—	—	—	—	—	—	—		13
14 Meningitis	...	—	—	—	—	—	—	1	4	—	—	1	1		14
15 Organic heart disease	...	2	1	2	—	4	3	4	9	—	1	4	4		15
16 Bronchitis	...	—	2	—	3	—	2	3	3	—	—	1	1		16
17 Pneumonia (all forms)	...	—	3	—	—	6	—	5	1	—	—	—	4		17
18 Other respiratory diseases	...	—	—	—	—	—	—	4	1	—	—	—	—		18
19 Diarrhoea, &c. (under 2 yrs.)	...	—	—	—	—	—	—	3	2	—	—	—	—		19
20 Appendicitis and typhlitis	...	—	—	—	—	—	—	2	1	—	—	—	1		20
21 Cirrhosis of liver	...	—	—	1	—	—	—	—	—	—	—	—	—		21
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—		21A
22 Nephritis and Bright's dis.	...	—	1	2	2	—	1	2	3	—	—	1	—		22
23 Puerperal fever	...	—	1	—	2	—	—	—	—	—	—	—	—		23
24 Parturition, apart from 23	...	—	—	—	—	—	1	—	1	—	—	—	—		24
25 Congenital debility, &c.	...	1	—	1	—	1	2	—	7	—	—	2	1		25
26 Violence, apart from 27	...	—	—	3	—	—	—	3	2	—	—	—	—		26
27 Suicide	...	—	—	—	—	—	—	—	2	—	—	—	—		27
28 Other defined diseases	...	8	5	3	7	2	8	14	32	3	—	9	8		28
29 Causes ill-defined or un-known.	...	—	—	—	—	—	—	—	1	—	—	1	—		29

MERIONETHSHIRE—cont.

MIDDLESEX.

Causes of Death.		Deudraeth R.D.		Dolgelley R.D.		Edeirnion R.D.		Penllyn R.D.		Pennal C.P.*		Acton U.D.		Brentford U.D.			
		M	F	M	F	M	F	M	F	M	F	M	F	M	F		
ALL CAUSES	...	57	49	56	70	44	48	39	28	5	4	322	322	108	94		
1 Enteric fever	...	—	—	—	—	—	—	—	—	—	—	1	1	—	—		1
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3 Measles	...	—	4	3	1	1	—	—	1	—	—	8	5	—	2		3
4 Scarlet fever	...	—	—	—	—	—	—	—	—	—	—	3	2	—	1		4
5 Whooping cough	...	1	—	—	—	—	—	—	—	—	—	6	5	1	4		5
6 Diphtheria and croup	...	—	—	—	—	1	—	—	—	—	—	5	4	—	—		6
7 Influenza	...	—	2	2	2	—	1	1	—	—	—	4	3	1	1		7
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	2	2	—	—		8
9 Pulmonary tuberculosis	...	7	2	6	3	3	12	3	3	1	—	21	20	14	10		9
10 Tuberculous meningitis	...	—	—	—	1	—	—	1	—	—	—	5	4	3	—		10
11 Other tuberculous diseases	...	2	1	1	1	—	—	2	—	—	—	3	4	—	2		11
12 Cancer, malignant disease	...	8	5	5	9	5	5	3	4	—	—	20	38	4	7		12
13 Rheumatic fever...	...	2	—	—	—	—	—	—	—	—	—	—	1	1	1		13
14 Meningitis	...	—	—	—	—	—	—	—	—	—	—	4	6	—	1		14
15 Organic heart disease	...	8	5	11	14	4	3	3	1	2	—	21	32	4	8		15
16 Bronchitis	...	4	1	—	5	2	3	2	1	—	—	25	33	8	6		16
17 Pneumonia (all forms)	...	3	1	3	6	3	2	2	2	—	—	39	25	9	8		17
18 Other respiratory diseases	...	—	3	1	—	—	—	1	—	—	—	6	4	1	3		18
19 Diarrhoea, &c. (under 2 yrs.)	...	1	—	—	—	—	—	—	—	—	—	9	6	1	1		19
20 Appendicitis and typhlitis	...	—	—	1	—	—	1	—	—	—	—	3	1	2	1		20
21 Cirrhosis of liver	...	1	—	—	1	—	—	—	—	—	—	4	4	2	1		21
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	1	1	1	—		21A
22 Nephritis and Bright's dis.	...	3	4	—	7	—	4	—	—	—	—	11	7	3	—		22
23 Puerperal fever	...	—	—	—	—	—	—	—	—	—	—	—	1	—	—		23
24 Parturition, apart from 23	...	—	1	—	2	—	—	—	2	—	—	—	—	—	—		24
25 Congenital debility, &c.	...	3	1	—	2	3	2	4	1	—	1	22	24	14	3		25
26 Violence, apart from 27	...	3	1	3	2	2	—	3	—	—	—	13	6	9	1		26
27 Suicide	...	—	—	—	—	1	—	—	—	—	—	7	—	3	—		27
28 Other defined diseases	...	11	17	19	14	17	14	14	13	2	3	78	83	27	33		28
29 Causes ill-defined or un-known.	...	—	1	1	—	3	—	—	—	—	—	1	—	—	—		29

* Administered by Machynlleth R.D.C (Montgomeryshire).

ADMINISTRATIVE AREAS, 1912—continued.

MIDDLESEX—cont.

	Chiswick U.D.		Ealing M.B.		Edmonton U.D.		Enfield U.D.		Feltham U.D.		Finchley U.D.		Friern Barnet U.D.		Greenford U.D.		Hampton U.D.		Hampton Wick U.D.		Hanwell U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	209	218	319	318	344	335	286	292	26	36	202	185	71	66	12	4	43	50	12	18	93	92	1
2	—	1	2	—	1	—	2	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	1	1	1	2	4	11	1	1	—	—	3	1	4	5	—	—	—	—	—	—	3	2	4
5	6	3	3	5	10	13	3	7	2	6	2	5	4	2	—	—	2	2	—	—	6	4	5
6	1	1	—	4	7	6	3	4	—	1	3	6	1	—	—	—	1	—	—	—	1	1	6
7	1	3	4	3	3	1	1	1	—	—	1	1	2	2	—	—	1	1	—	—	—	—	7
8	1	—	—	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	8
9	19	16	28	17	35	31	22	24	1	4	16	13	5	2	—	—	5	2	1	1	5	9	9
10	4	4	4	2	6	7	4	1	—	1	1	3	1	—	—	—	1	—	—	2	3	10	10
11	1	3	2	3	2	4	3	3	—	2	3	2	1	2	—	—	—	—	1	1	4	11	11
12	17	30	28	48	23	29	25	24	2	3	15	23	7	6	2	—	3	9	—	4	9	8	12
13	—	2	1	2	1	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	3	1	3	4	1	—	1	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	14
15	23	18	22	31	35	42	32	39	1	1	21	22	7	7	—	1	1	6	2	2	7	12	15
16	18	8	13	25	20	21	15	15	—	1	14	9	2	6	—	—	3	5	—	2	7	5	16
17	24	13	21	14	45	22	28	13	1	—	11	9	5	1	1	1	3	2	2	8	5	17	17
18	4	8	11	8	4	3	5	1	—	—	7	6	3	—	1	—	2	1	—	1	2	1	18
19	3	2	3	2	6	9	7	6	—	1	5	1	1	1	—	—	1	—	1	—	—	—	19
20	1	1	4	—	5	—	3	3	—	—	4	2	1	2	—	—	—	—	—	—	2	—	20
21	5	5	5	4	3	1	1	2	—	—	1	—	1	4	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	3	14	13	7	7	8	10	11	—	1	7	3	5	3	1	—	2	2	—	—	3	2	22
23	—	3	—	1	—	3	—	4	—	—	—	—	—	—	—	—	1	—	—	—	—	—	23
24	—	4	—	1	—	4	—	3	—	—	—	4	—	1	—	—	—	2	—	—	—	—	24
25	18	9	34	14	32	22	28	24	5	4	20	8	5	4	1	1	2	3	—	—	7	7	25
26	5	3	11	6	12	9	6	2	—	—	7	2	—	2	—	—	2	2	—	—	6	2	26
27	3	—	3	2	5	2	3	—	—	—	2	1	—	—	1	—	—	—	—	2	1	—	27
28	46	60	100	111	73	85	70	90	14	11	57	62	13	17	5	1	14	12	6	5	24	25	28
29	—	—	1	—	2	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	29

MIDDLESEX—cont.

	Harrow on the Hill U.D.		Hayes U.D.		Hendon U.D.		Heston and Isleworth U.D.		Hornsey M.B.		Kingsbury U.D.		Ruislip North- wood U.D.		Southall Norwood U.D.		Southgate U.D.		Staines U.D.		Sunbury on Thames U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	63	79	34	21	181	182	260	232	399	443	3	3	33	29	137	113	161	136	40	26	28	26	1
2	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	1	—	—	1	1	1	1	2	3	—	—	—	—	2	1	2	1	—	—	1	—	3
4	—	—	—	—	2	—	1	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	4
5	1	—	1	—	5	2	2	2	2	2	—	—	—	—	3	3	—	—	1	—	1	—	5
6	—	—	—	—	2	2	1	4	1	1	—	—	—	—	1	1	2	1	—	—	—	—	6
7	1	1	—	—	3	2	—	1	13	7	—	—	1	—	1	1	1	5	—	—	—	—	7
8	—	—	1	1	—	—	2	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	8
9	5	3	3	1	20	11	25	15	25	19	—	1	1	1	13	11	14	6	2	—	3	2	9
10	2	—	—	—	1	2	1	2	2	6	—	—	—	1	1	—	2	2	—	1	—	—	10
11	—	2	—	1	2	2	3	—	5	3	—	—	—	2	2	1	3	2	—	—	—	—	11
12	7	16	—	3	9	29	21	25	37	80	—	1	2	2	8	8	15	15	2	2	4	3	12
13	—	—	1	—	—	—	4	5	3	2	—	—	—	—	—	—	1	—	—	—	—	—	13
14	—	1	1	1	—	3	—	1	3	6	—	—	1	—	1	—	3	1	—	—	—	—	14
15	8	10	3	3	12	18	26	18	45	50	2	—	3	2	5	11	17	27	5	2	1	6	15
16	2	5	—	1	8	15	18	30	29	29	—	—	3	2	15	7	13	3	6	3	4	2	16
17	3	4	1	1	11	7	20	14	26	24	—	—	2	1	12	14	13	5	3	—	1	2	17
18	—	1	1	2	1	6	3	3	8	11	—	—	1	—	2	1	3	2	—	1	—	—	18
19	2	—	1	—	2	—	7	5	7	7	—	—	1	—	2	3	4	1	1	—	—	—	19
20	—	1	—	—	2	—	2	1	4	5	—	—	—	—	—	—	1	2	—	1	—	—	20
21	—	1	—	—	2	1	—	3	9	4	1	—	1	—	2	1	1	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	1	—	—	—	—	—	21A
22	—	1	1	1	6	2	11	14	9	10	—	—	1	2	8	4	5	2	—	2	1	—	22
23	—	1	—	—	—	1	—	1	—	2	—	—	—	—	—	1	—	1	—	—	—	—	23
24	—	—	—	—	—	—	—	2	—	4	—	—	—	—	—	—	—	—	—	—	—	—	24
25	6	2	2	2	19	11	21	14	29	19	—	—	3	2	14	14	16	12	1	4	5	3	25
26	4	2	3	—	12	5	15	7	13	6	—	—	2	1	7	—	3	1	3	1	—	1	26
27	—	—	1	—	4	1	2	2	8	3	—	—	—	—	—	—	1	1	—	—	1	—	27
28	22	27	14	4	57	61	74	61	118	135	—	1	11	12	38	30	43	41	14	7	5	—	28
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	29

MIDDLESEX—cont.

Causes of Death.	Teddington U.D.		Tottenham U.D.		Twickenham U.D.		Uxbridge U.D.		Wealdstone U.D.		Wembley U.D.		Willesden U.D.		Wood Green U.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	105	102	811	807	148	163	53	73	51	53	43	33	801	854	244	255
1 Enteric fever	—	—	3	3	—	—	—	—	—	—	—	—	2	1	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	8	16	1	1	—	—	—	1	—	—	20	23	6	2
4 Scarlet fever	—	—	1	1	—	—	—	—	—	—	—	—	1	—	—	4
5 Whooping cough	—	3	18	25	2	1	1	1	2	3	—	—	13	17	1	7
6 Diphtheria and croup ...	1	2	7	8	2	2	—	—	—	—	—	—	5	5	1	5
7 Influenza	5	1	4	4	—	1	—	—	—	1	—	2	6	11	8	6
8 Erysipelas	—	—	2	3	—	—	—	—	—	—	—	—	4	2	—	1
9 Pulmonary tuberculosis	8	5	94	75	11	12	4	6	9	8	2	3	98	59	27	20
10 Tuberculous meningitis	1	1	17	7	2	1	—	—	—	—	2	—	9	6	7	2
11 Other tuberculous diseases	—	3	13	12	—	—	1	—	1	—	1	—	13	13	3	—
12 Cancer, malignant disease	11	12	47	73	16	16	1	11	3	8	2	5	58	98	21	29
13 Rheumatic fever	—	—	3	3	—	—	—	—	—	—	—	—	3	5	—	1
14 Meningitis	2	—	3	7	—	3	1	—	—	—	—	—	10	13	3	1
15 Organic heart disease ...	11	11	86	110	10	23	1	9	3	7	5	1	57	76	20	49
16 Bronchitis	4	5	63	64	7	8	6	6	2	2	5	1	55	77	18	19
17 Pneumonia (all forms) ...	7	5	84	82	10	14	6	4	7	2	2	1	76	64	18	13
18 Other respiratory diseases	—	3	15	15	5	2	3	—	1	1	2	1	15	13	7	5
19 Diarrhoea, &c. (under 2 yrs.)	1	1	19	7	—	2	2	—	1	—	3	—	13	9	3	4
20 Appendicitis and typhlitis	1	1	8	2	—	—	—	—	—	—	—	—	6	3	1	1
21 Cirrhosis of liver	—	—	2	3	4	2	—	2	1	—	—	—	3	6	—	1
21A Alcoholism	1	—	—	1	—	—	—	—	—	—	—	—	1	—	1	1
22 Nephritis and Bright's dis.	5	5	19	26	7	4	3	2	1	1	4	—	24	36	13	7
23 Puerperal fever	—	—	—	6	—	3	—	2	—	2	—	—	—	7	—	2
24 Parturition, apart from 23	—	—	—	3	—	—	—	2	—	—	—	—	—	8	—	4
25 Congenital debility, &c.	6	12	68	48	12	5	3	1	5	3	2	8	62	59	16	14
26 Violence, apart from 27	3	5	31	15	8	4	1	2	2	—	5	2	31	17	7	2
27 Suicide	1	1	9	2	1	2	—	—	—	—	—	—	11	7	5	2
28 Other defined diseases ...	36	26	187	186	50	57	20	25	13	14	8	9	203	218	57	56
29 Causes ill-defined or unknown.	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	29

MIDDLESEX—cont.

Causes of Death.	Yiewsley U.D.		Hendon R.D.		South Mimms R.D.		Staines R.D.		Uxbridge R.D.							
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	29	27	—	—	57	61	14	14	131	107	46	57	—	—	—	—
1 Enteric fever	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	3
4 Scarlet fever	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	4
5 Whooping cough	1	1	—	—	—	1	—	2	6	1	3	—	—	—	—	5
6 Diphtheria and croup ...	—	1	—	1	—	—	—	—	—	—	2	—	—	—	—	6
7 Influenza	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	7
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	1	1	—	2	2	1	1	10	4	8	4	—	—	—	—	9
10 Tuberculous meningitis	1	1	—	1	—	—	—	1	1	2	—	—	—	—	—	10
11 Other tuberculous diseases	—	—	—	1	2	—	—	2	2	—	—	—	—	—	—	11
12 Cancer, malignant disease	1	2	—	5	7	1	1	8	9	3	5	—	—	—	—	12
13 Rheumatic fever... ..	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	13
14 Meningitis	—	—	—	1	1	—	—	—	2	—	—	—	—	—	—	14
15 Organic heart disease ...	1	4	—	6	8	2	2	14	9	4	7	—	—	—	—	15
16 Bronchitis	3	4	—	4	3	—	1	6	7	1	5	—	—	—	—	16
17 Pneumonia (all forms) ...	1	1	—	6	4	1	1	13	4	1	3	—	—	—	—	17
18 Other respiratory diseases	1	—	—	—	1	1	—	2	—	2	—	—	—	—	—	18
19 Diarrhoea, &c. (under 2 yrs.)	1	—	—	1	—	—	—	4	1	—	2	—	—	—	—	19
20 Appendicitis and typhlitis	—	—	—	—	2	—	—	—	—	2	—	—	—	—	—	20
21 Cirrhosis of liver	—	—	—	—	2	—	—	1	1	—	—	—	—	—	—	21
21A Alcoholism	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	—	1	—	3	2	2	1	4	2	—	1	—	—	—	—	22
23 Puerperal fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	1	—	—	1	—	—	—	1	—	1	—	—	—	—	24
25 Congenital debility, &c.	1	2	—	8	2	—	—	11	3	3	3	—	—	—	—	25
26 Violence, apart from 27	6	2	—	2	3	—	1	4	3	—	2	—	—	—	—	26
27 Suicide	1	—	—	1	—	—	—	2	—	—	—	—	—	—	—	27
28 Other defined diseases ...	10	5	—	16	17	5	5	42	46	18	18	—	—	—	—	28
29 Causes ill-defined or unknown.	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	29

ADMINISTRATIVE AREAS, 1912—continued.

MONMOUTHSHIRE.

	Abercarn U.D.		Aber- gavenny M.B.		Aber- sychan U.D.		Aber- tillery U.D.		Bedwas and Machen U.D.*		Bedwellty U.D.		Blaenavon U.D.		Caerleon U.D.		Chepstow U.D.		Ebbw Vale U.D.		Llanfrech- fa Upper U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	128	116	51	83	128	146	261	189	9	4	166	145	112	100	13	7	23	24	265	226	26	29	1
2	—	—	—	1	1	—	2	1	—	—	2	1	1	1	—	—	1	—	4	1	—	—	2
3	36	23	3	8	1	5	48	32	—	—	20	13	18	15	—	—	—	—	20	21	2	1	3
4	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	3	—	—	4
5	6	6	—	2	2	3	4	3	—	—	5	4	2	4	—	—	—	—	10	14	—	—	5
6	—	1	—	—	3	3	2	—	—	—	1	—	—	—	—	—	—	—	2	1	1	—	6
7	1	2	2	—	—	—	8	4	—	—	—	1	1	2	—	—	—	—	2	—	1	—	7
8	—	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—	8
9	3	8	3	5	4	14	2	6	1	1	4	6	4	3	2	2	3	1	11	15	3	—	9
10	—	1	1	—	2	2	1	2	—	—	1	2	—	—	—	—	—	—	—	1	—	—	10
11	1	1	1	1	2	—	1	—	—	—	—	2	—	1	—	—	—	—	5	1	—	—	11
12	4	7	4	6	6	11	9	7	1	1	10	8	2	—	1	—	—	—	6	6	—	3	12
13	—	—	—	1	—	1	3	2	—	—	—	—	1	—	—	—	—	—	1	—	—	—	13
14	—	1	1	1	3	—	—	1	—	—	—	2	—	—	—	—	—	1	6	4	—	—	14
15	7	3	2	17	10	7	4	13	1	1	10	7	7	3	—	—	2	7	13	18	—	1	15
16	7	11	4	5	13	12	17	12	2	—	4	3	13	18	4	1	1	2	23	23	2	5	16
17	9	9	1	3	14	18	40	35	—	1	28	18	6	6	2	—	3	1	28	12	2	2	17
18	—	—	1	1	2	1	2	3	—	—	—	2	1	1	—	—	2	—	17	13	1	1	18
19	—	2	—	—	—	2	19	6	—	—	6	7	6	4	—	—	—	1	8	5	—	—	19
20	—	—	—	—	2	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	20
21	—	—	—	2	—	—	1	—	—	—	1	—	—	—	—	—	—	—	2	2	—	—	21
21A	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	5	1	2	2	1	1	3	—	1	—	2	4	2	7	1	—	1	—	5	7	—	—	22
23	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	1	23
24	—	1	—	1	—	4	—	3	—	—	—	7	—	3	—	—	—	—	—	7	—	1	24
25	10	12	4	1	13	19	27	12	1	—	25	26	5	3	1	—	—	2	22	15	4	6	25
26	8	—	2	—	15	1	18	1	2	—	19	—	10	2	—	—	—	—	16	2	—	1	26
27	2	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—	1	1	—	—	1	27
28	29	25	20	26	35	39	45	40	—	—	27	28	31	27	2	4	10	8	57	49	9	6	28
29	—	1	—	—	1	2	3	—	—	—	1	1	1	—	—	—	—	—	5	5	—	—	29

MONMOUTHSHIRE—cont.

	Llantar- nam U.D.		Monmouth M.B.		Mynyddis- lwyn U.D.		Nantyglo and Blaina U.D.		Panteg U.D.		Pontypool U.D.		Rhymney U.D.		Risca U.D.		Tredegar U.D.		Usk U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	50	41	30	41	76	68	84	74	51	51	43	39	87	90	92	82	195	160	10	15	1
2	—	—	1	—	—	—	—	1	—	1	—	1	—	—	—	—	1	2	—	—	2
3	—	2	—	—	4	10	—	—	—	1	1	—	12	14	3	2	8	3	2	1	3
4	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2	5	—	—	—	—	4
5	—	—	1	—	1	1	—	2	3	1	1	—	—	—	3	6	—	4	—	—	5
6	1	1	—	—	1	—	1	1	—	—	—	1	—	—	1	1	—	1	—	—	6
7	—	1	—	—	1	1	—	—	1	—	—	—	1	1	2	1	—	—	—	—	7
8	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	8
9	—	1	3	3	4	3	2	4	2	3	—	4	5	2	7	6	10	17	—	1	9
10	1	—	—	—	2	—	3	1	1	—	—	—	1	1	1	—	1	—	—	—	10
11	3	1	1	—	—	—	3	3	2	—	—	—	1	1	2	1	—	1	—	—	11
12	2	2	1	2	4	3	4	4	1	4	1	3	3	5	7	6	7	7	—	2	12
13	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	13
14	—	—	—	—	4	1	3	—	1	—	—	—	—	—	—	—	3	1	—	—	14
15	4	5	5	7	2	2	11	6	7	5	4	3	10	9	10	13	12	5	—	3	15
16	8	3	4	6	5	5	5	5	5	4	7	4	11	6	7	5	19	11	1	—	16
17	7	3	—	4	18	11	18	5	6	4	6	5	9	5	6	5	34	17	—	—	17
18	—	2	1	2	—	—	2	—	—	1	1	1	1	3	2	—	5	2	1	—	18
19	1	—	—	—	2	—	—	—	1	—	1	—	3	5	2	4	4	8	—	—	19
20	—	—	—	1	1	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	20
21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	21
21A	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	21A
22	1	1	1	—	1	—	1	4	1	1	2	4	3	2	1	3	3	3	1	1	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	3	—	—	—	—	23
24	—	1	—	—	2	—	4	—	2	—	—	1	—	—	—	—	4	—	—	—	24
25	5	1	1	2	11	8	6	6	3	5	2	2	4	9	8	8	8	12	—	1	25
26	3	2	1	—	4	3	9	—	4	—	—	3	2	5	1	17	8	1	—	—	26
27	—	—	1	—	1	—	2	—	—	—	1	—	—	—	2	1	2	—	—	—	27
28	14	15	9	14	15	12	17	24	13	16	14	8	16	23	19	10	53	51	4	5	28
29	—	—	—	—	—	—	—	2	1	—	—	1	1	1	2	—	6	1	—	—	29

* Bedwas and Machen U.D. created 1st October, 1912.

CAUSES OF DEATH IN

MONTGOMERYSHIRE

MONTMOUTHSHIRE—cont.

Causes of Death.	Aber-gavenny R.D.		Chepstow R.D.		Magor R.D.		Monmouth R.D.		Pontypool R.D.		St. Mellons R.D.		Llanfyllin M.B.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	71	46	48	43	32	21	60	31	32	31	83	66	15	5
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	2	1	1	2	2	1	—	—	—	—	4	2	—	—
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—
5 Whooping cough	1	—	—	—	—	—	—	—	1	—	—	1	—	—
6 Diphtheria and croup	—	—	—	—	2	1	1	—	—	—	2	—	—	—
7 Influenza	—	1	—	—	—	—	—	—	1	—	1	—	—	—
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	1	—	—
9 Pulmonary tuberculosis	5	1	—	1	2	1	1	4	1	2	3	2	1	—
10 Tuberculous meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Other tuberculous diseases	1	—	1	1	—	—	—	1	—	—	—	3	—	—
12 Cancer, malignant disease	4	5	3	6	2	2	3	4	1	2	3	2	1	3
13 Rheumatic fever... ..	1	—	—	—	—	—	—	—	—	—	1	—	—	—
14 Meningitis	—	—	—	1	—	—	—	—	—	1	1	—	—	—
15 Organic heart disease	3	5	8	5	3	1	11	5	7	5	7	7	2	—
16 Bronchitis	3	7	1	3	—	1	6	4	2	4	3	5	—	—
17 Pneumonia (all forms)	3	4	4	1	5	3	5	—	4	—	8	8	—	—
18 Other respiratory diseases	1	1	1	—	1	—	—	—	2	—	3	—	—	—
19 Diarrhoea, &c. (under 2 yrs.)	1	—	1	—	—	—	—	—	—	—	3	5	—	—
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	—	1	—	—	—	1	—
21 Cirrhosis of liver	—	—	—	—	—	—	1	—	—	—	1	—	—	—
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	2	—	2	1	3	2	2	1	—	1	3	3	—	1
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from 23	—	1	—	—	—	—	—	—	—	1	—	—	—	—
25 Congenital debility, &c.	5	3	5	2	—	1	4	—	—	—	5	6	1	—
26 Violence, apart from 27	5	—	4	—	4	1	3	—	1	1	10	1	—	—
27 Suicide	—	—	—	1	—	—	1	—	1	—	—	—	—	—
28 Other defined diseases ...	32	17	17	19	8	7	22	12	10	14	21	20	8	1
29 Causes ill-defined or unknown.	2	—	—	—	—	—	—	—	—	—	2	—	—	—

MONTGOMERYSHIRE—cont.

Causes of Death.	Llanidloes M.B.		Machynlleth U.D.		Montgomery M.B.		Newtown and Llanllwchaearn U.D.		Welshpool M.B.		Forden R.D.		Llanfyllin R.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	21	20	7	15	13	8	34	38	52	52	38	30	75	90
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	—	—	—	—	5	3	—	—	1	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	2	2	—	—	—	—	2	1	—	—	3	—	—	—
6 Diphtheria and croup	—	—	—	—	—	—	—	—	—	1	—	—	1	—
7 Influenza	—	—	—	—	1	—	—	—	—	1	—	—	2	2
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	1	—	—	—
9 Pulmonary tuberculosis	—	1	1	2	3	—	3	4	4	5	2	1	2	4
10 Tuberculous meningitis	1	—	—	1	—	—	—	—	1	—	2	—	2	—
11 Other tuberculous diseases	—	—	—	1	—	—	—	—	—	—	—	—	1	2
12 Cancer, malignant disease	3	—	—	2	—	—	3	5	2	6	4	4	2	17
13 Rheumatic fever... ..	—	—	—	—	—	—	—	—	—	—	1	—	—	—
14 Meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15 Organic heart disease	2	—	1	1	3	1	1	4	2	11	3	8	11	10
16 Bronchitis	1	4	—	—	1	1	3	5	6	4	2	1	3	8
17 Pneumonia (all forms)	1	1	1	1	—	—	2	—	2	1	1	—	2	2
18 Other respiratory diseases	2	—	—	—	—	—	1	—	1	1	—	—	2	1
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	—	—	—	—	—	—	1	1
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21 Cirrhosis of liver	—	—	—	—	1	—	—	1	1	—	—	—	—	1
21A Alcoholism	—	—	1	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	—	3	—	—	—	—	2	—	5	5	—	1	2	3
23 Puerperal fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	—	—	1
25 Congenital debility, &c.	1	2	—	—	1	1	—	1	3	1	—	—	11	4
26 Violence, apart from 27	2	—	—	—	—	—	2	—	3	—	1	—	3	1
27 Suicide	1	—	—	—	—	—	—	—	—	1	—	—	—	—
28 Other defined diseases ...	5	7	3	7	2	5	14	16	16	11	15	13	29	30
29 Causes ill-defined or unknown.	—	—	—	—	1	—	1	1	1	—	1	1	—	—

ADMINISTRATIVE AREAS, 1912--continued.

MONTGOMERYSHIRE--cont.

NORFOLK.

Machyn- lleth R.D.		Newtown and Llanidloes R.D.		Cromer U.D.		Diss U.D.		Downham Market U.D.		East Dereham U.D.		King's Lynn M.B.		New Hun- stanton U.D.		North Walsham U.D.		Shering- ham U.D.				
	M 33	F 43	M 67	F 58			M 19	F 18	M 25	F 30	M 26	F 21	M 40	F 39	M 150	F 162	M 11	F 9	M 27	F 28	M 23	F 24
1	—	—	—	—			—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
2	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	—	—	—	—			1	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—
4	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	2	1	1	—			—	—	—	—	—	—	—	1	—	5	1	—	—	—	—	—
6	—	2	—	—			—	—	—	—	—	—	—	—	6	3	2	—	—	—	—	1
7	2	—	1	—			1	1	—	—	—	—	—	1	2	1	—	—	—	—	—	2
8	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	4	4	3	4			1	—	—	—	2	2	6	3	15	7	1	—	3	1	4	2
10	—	1	1	2			1	—	—	—	—	—	—	2	1	1	—	—	—	1	—	1
11	—	—	2	—			—	1	—	—	—	—	—	1	1	—	1	—	1	1	—	—
12	3	2	7	2			1	1	1	2	3	2	5	1	18	17	1	1	1	3	4	1
13	—	—	—	2			1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—
14	—	1	—	—			—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
15	4	8	6	13			4	1	5	2	2	3	2	6	10	12	1	1	5	3	3	1
16	1	2	1	8			—	2	1	5	—	—	4	5	14	16	—	—	—	2	1	—
17	2	2	6	3			1	3	3	—	1	1	4	2	16	9	—	—	1	1	2	2
18	—	—	2	1			—	—	—	—	—	—	—	1	2	—	1	2	—	—	—	—
19	—	—	1	—			—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
20	—	—	3	—			—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	2
21	—	—	—	—			—	—	1	—	—	—	1	1	1	1	—	—	—	1	—	—
21A	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	1	3	—	1			1	1	2	—	—	—	—	—	—	—	—	—	1	—	—	—
23	—	—	—	1			—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
24	—	2	—	1			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25	1	3	2	2			—	2	4	1	3	3	5	1	5	10	1	—	1	1	1	2
26	—	—	5	—			—	—	—	1	2	—	1	—	2	7	1	—	1	1	1	—
27	—	—	—	—			—	—	1	—	—	—	—	—	1	2	1	—	2	—	—	—
28	13	12	26	18			7	5	7	19	10	10	12	12	42	63	3	6	8	12	6	10
29	—	—	—	—			—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	—

NORFOLK--cont.

Swaffham U.D.		Thetford M.B.		Walsoken U.D.		Wells U.D.		Aylsham R.D.		Blofield R.D.		Depwade R.D.		Docking R.D.		Downham R.D.		East and West Flegg R.D.	
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1	14	16	31	30	31	26	24	119	117	82	81	143	133	106	104	114	121	65	53
2	—	—	—	—	1	—	—	—	—	—	—	2	—	1	1	1	—	1	—
3	—	—	1	1	1	—	—	—	—	1	—	1	—	—	—	2	3	—	—
4	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
5	—	1	—	1	1	—	—	4	2	2	5	1	1	1	6	3	2	2	—
6	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—
7	—	—	—	2	—	—	—	2	6	—	—	4	3	5	6	1	2	4	3
8	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
9	2	1	—	—	3	3	—	6	7	8	7	5	14	5	4	1	6	4	5
10	—	—	—	1	—	1	—	—	1	—	1	—	—	1	1	2	—	—	—
11	—	—	—	—	1	—	1	2	1	—	—	1	—	1	—	2	2	1	—
12	—	4	4	4	1	3	4	6	14	5	7	19	19	14	8	9	17	4	3
13	—	—	—	—	—	—	1	—	—	—	—	1	—	1	1	1	1	1	—
14	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—
15	2	5	4	2	—	1	3	17	17	14	9	21	16	15	8	20	22	8	1
16	1	—	2	3	2	5	1	12	13	6	4	5	12	3	7	7	8	7	6
17	—	—	3	—	5	1	1	11	3	3	4	4	3	5	3	3	—	2	3
18	—	—	1	2	1	1	—	2	1	3	1	1	1	1	1	1	2	—	—
19	—	—	1	—	—	—	—	1	1	1	—	1	1	1	2	2	1	—	1
20	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—
21	1	—	—	2	—	—	—	1	—	—	1	—	1	3	—	2	—	—	1
21A	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
22	1	—	—	—	—	—	1	4	2	1	—	6	—	2	1	4	3	2	3
23	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—
24	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	2	—	1
25	—	1	2	1	2	2	1	5	6	5	2	6	5	5	4	12	7	4	3
26	—	—	—	1	5	—	3	2	5	1	1	5	2	4	1	4	—	6	1
27	—	—	—	—	—	—	—	2	—	—	—	2	—	—	1	—	1	—	—
28	7	4	13	9	7	8	9	41	36	30	37	53	50	38	46	35	42	18	21
29	—	—	—	—	—	—	1	1	—	—	—	3	1	—	2	—	—	—	1

NORFOLK—cont.

Causes of Death.			Erping- ham R.D.		Forehoe R.D.		Freebridge Lynn R.D.		Henstead R.D.		King's Lynn R.D.		Loddon and Clavering R.D.		Marshland R.D.		Mitford and Launditch R.D.	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	86	118	84	77	81	82	59	74	4	5	77	90	96	91	122	120
1 Enteric fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	4	1	1	1	3
4 Scarlet fever	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	4
5 Whooping cough	3	5	—	—	1	6	—	—	—	—	2	3	6	1	2	5
6 Diphtheria and croup	—	—	1	—	—	—	—	—	—	—	2	1	—	2	1	6
7 Influenza	3	5	3	—	—	2	—	—	—	—	2	2	1	1	5	7
8 Erysipelas	—	1	—	—	—	—	—	—	—	—	1	—	1	—	—	8
9 Pulmonary tuberculosis	6	6	4	5	2	1	1	2	1	—	1	9	4	6	10	9
10 Tuberculous meningitis	—	1	—	—	1	2	—	—	—	—	2	1	—	1	1	10
11 Other tuberculous diseases	1	3	1	—	2	1	—	—	—	—	—	1	—	3	—	11
12 Cancer, malignant disease	7	11	9	2	6	10	5	13	1	2	6	8	10	8	17	12
13 Rheumatic fever...	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	13
14 Meningitis	—	—	—	—	2	—	—	—	—	—	—	—	—	1	1	14
15 Organic heart disease	6	6	12	16	12	8	14	10	—	—	12	7	7	6	10	15
16 Bronchitis	5	6	13	10	4	6	2	1	—	1	7	11	8	10	7	16
17 Pneumonia (all forms)	3	6	2	2	5	2	2	2	—	—	1	1	7	5	1	17
18 Other respiratory diseases	—	2	2	1	2	2	1	2	—	—	2	1	1	1	2	18
19 Diarrhoea, &c. (under 2 yrs.)	1	2	—	—	1	—	—	—	—	—	—	—	1	—	2	19
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	20
21 Cirrhosis of liver	—	—	—	2	1	—	1	—	—	—	1	—	—	—	1	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	—	3	1	1	3	3	1	1	—	—	2	2	7	1	4	22
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	2	—	2	—	2	—	—	—	—	—	2	—	—	—	24
25 Congenital debility, &c.	10	4	7	4	6	1	4	4	—	1	6	9	8	17	3	25
26 Violence, apart from 27	3	2	2	1	2	—	1	3	—	—	5	2	1	1	6	26
27 Suicide	1	—	—	1	—	—	3	—	—	—	—	1	1	1	2	27
28 Other defined diseases	37	52	24	28	29	36	21	35	2	1	27	27	30	23	47	28
29 Causes ill-defined or un- known.	—	1	3	2	2	—	1	—	—	—	2	3	—	—	—	29

NORFOLK—cont.

NORTHAMPTONSHIRE.

Causes of Death.			St. Faith's R.D.		Small- burgh R.D.		Swaffham R.D.		Thetford R.D.		Walsing- ham R.D.		Wayland R.D.				Brackley M.B.	
			M	F	M	F	M	F	M	F	M	F	M	F			M	F
ALL CAUSES	61	77	85	100	62	55	71	79	112	102	91	95			8	12
1 Enteric fever	—	—	1	—	—	—	1	—	—	—	—	—			—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—			—	2
3 Measles	—	—	—	—	—	1	3	3	—	—	—	—			1	3
4 Scarlet fever	—	2	—	—	—	—	—	—	—	—	—	—			—	4
5 Whooping cough	—	2	1	1	—	—	—	4	5	7	—	—			—	5
6 Diphtheria and croup	—	—	—	1	—	—	—	1	—	—	—	—			—	6
7 Influenza	1	1	5	1	1	1	3	—	2	1	3	3			—	7
8 Erysipelas	—	—	—	1	—	—	—	—	—	—	—	—			—	8
9 Pulmonary tuberculosis	6	6	7	7	4	3	2	7	9	6	4	6			—	9
10 Tuberculous meningitis	1	—	—	—	1	1	—	1	—	1	—	—			—	10
11 Other tuberculous diseases	1	2	1	1	—	1	3	1	1	4	1	—			—	11
12 Cancer, malignant disease	10	8	7	8	6	4	5	7	12	16	8	11			1	12
13 Rheumatic fever...	—	—	3	—	—	—	—	—	—	—	—	—			—	13
14 Meningitis	—	—	—	—	1	—	—	—	—	—	1	1			—	14
15 Organic heart disease	7	9	10	11	13	6	12	8	18	10	12	10			1	15
16 Bronchitis	1	4	3	5	5	1	5	5	4	5	6	12			—	16
17 Pneumonia (all forms)	3	1	2	1	5	—	4	—	4	2	6	1			1	17
18 Other respiratory diseases	—	—	1	—	—	—	1	1	1	1	3	—			—	18
19 Diarrhoea, &c. (under 2 yrs.)	1	—	—	1	—	—	—	1	1	—	2	—			—	19
20 Appendicitis and typhlitis	—	—	1	—	—	—	—	—	—	2	—	2			—	20
21 Cirrhosis of liver	1	—	1	—	1	1	1	—	—	—	1	—			1	21
21A Alcoholism	—	—	—	—	—	—	—	—	1	—	—	—			—	21A
22 Nephritis and Bright's dis.	1	1	4	5	1	3	3	2	—	1	1	1			—	22
23 Puerperal fever	—	—	—	3	—	—	—	—	—	—	—	—			—	23
24 Parturition, apart from 23	—	—	—	1	—	1	—	1	—	—	—	—			—	24
25 Congenital debility, &c.	—	3	3	5	2	2	2	5	2	6	6	2			2	25
26 Violence, apart from 27	2	2	4	1	3	1	4	2	10	1	2	2			—	26
27 Suicide	—	—	—	—	1	1	1	—	3	—	—	—			—	27
28 Other defined diseases	25	35	31	47	17	25	21	30	37	39	35	43			1	28
29 Causes ill-defined or un- known.	1	1	—	—	1	3	1	—	1	—	—	1			—	29

ADMINISTRATIVE AREAS, 1912—continued.

NORTHAMPTONSHIRE—cont.

	Daventry M.B.		Des- borough U.D.		Finedon U.D.		Higham Ferrers M.B.		Irthling- borough U.D.		Kettering U.D.		Oundle U.D.		Raunds U.D.		Rothwell U.D.		Rushden U.D.		Welling- borough U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	24	20	20	17	31	30	15	12	24	33	175	156	21	16	17	18	33	24	74	52	121	96	1
2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2
3	—	—	1	—	—	—	1	—	1	—	5	4	—	—	—	—	—	—	—	—	3	1	3
4	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	4
5	1	—	—	—	2	—	—	—	—	—	2	—	1	—	—	—	—	1	—	1	1	1	5
6	1	—	—	—	—	—	—	—	—	—	3	5	—	—	—	1	—	2	—	2	—	—	6
7	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1	7
8	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	8
9	1	2	1	1	3	1	2	—	4	5	29	16	1	2	2	2	3	3	11	7	10	8	9
10	—	—	—	—	—	—	1	—	—	—	2	—	—	—	1	—	1	1	4	1	—	1	10
11	1	1	—	—	1	1	—	—	1	—	—	3	—	—	—	1	1	—	2	1	3	1	11
12	3	2	—	4	1	3	4	2	2	3	6	18	2	1	1	2	2	2	5	1	9	13	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	13
14	—	—	1	—	—	—	—	—	—	1	3	3	—	—	—	—	1	—	—	—	1	1	14
15	2	1	6	2	5	3	1	—	1	1	16	14	3	3	—	4	4	3	3	4	14	15	15
16	3	—	—	—	1	3	—	1	5	7	7	14	2	1	1	1	3	2	5	3	3	9	16
17	2	2	—	—	4	2	—	1	1	—	24	15	—	1	—	—	—	—	1	1	7	7	17
18	—	—	—	—	—	—	2	—	—	1	7	2	—	—	—	2	1	—	2	1	2	1	18
19	—	—	—	—	—	—	1	—	—	1	—	3	—	—	—	—	—	3	—	3	—	—	19
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	3	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	1	—	21A
22	1	—	1	—	1	—	—	1	1	1	4	5	—	—	1	—	2	—	1	—	3	3	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	3	—	1	23
24	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2	—	—	24
25	2	—	1	—	2	3	—	2	2	1	19	14	3	—	—	2	3	2	6	8	14	5	25
26	—	—	—	—	2	—	—	—	1	—	6	2	1	—	—	—	2	—	3	1	5	2	26
27	1	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	1	—	—	—	3	1	27
28	6	9	8	9	9	13	2	3	5	11	39	34	9	7	10	3	8	7	23	17	34	21	28
29	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	1	—	—	1	—	29

NORTHAMPTONSHIRE—cont.

	Brackley R.D.		Brixworth R.D.		Crick R.D.		Daventry R.D.		Easton on the Hill R.D.		Gretton R.D.		Harding- stone R.D.		Kettering R.D.		Middleton Cheney R.D.		Northamp- ton R.D.		Oundle (pt.) R.D.*		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	42	52	79	72	16	23	87	95	5	10	6	6	55	38	95	85	19	24	36	40	52	48	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	3	1	—	—	—	—	—	—	—	—	—	—	1	1	2	3	—	2	—	—	—	1	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	1	—	1	—	—	2	3	—	—	—	—	1	1	—	—	—	—	—	—	—	—	5
6	—	—	1	—	—	—	—	2	—	—	—	1	2	1	2	1	—	—	—	—	—	—	6
7	2	—	—	1	2	1	3	2	—	—	—	1	—	1	2	—	—	—	1	—	1	—	7
8	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	8
9	3	2	7	4	1	1	3	4	—	1	—	—	2	1	6	4	1	—	4	4	4	2	9
10	—	—	1	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	10
11	1	—	—	—	—	—	—	—	—	—	—	—	—	2	1	2	—	1	1	—	—	—	11
12	2	5	6	9	2	3	9	13	1	3	—	—	5	5	5	11	—	2	4	3	6	5	12
13	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	13
14	1	—	1	2	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	14
15	4	9	4	16	2	1	8	5	1	1	1	—	6	3	12	6	3	—	2	3	6	7	15
16	7	1	5	4	—	—	4	6	—	—	—	—	3	—	4	9	5	3	2	3	8	5	16
17	2	2	5	4	—	1	7	6	—	1	—	—	3	1	5	7	1	1	3	2	3	—	17
18	—	3	—	2	—	1	3	3	—	—	—	—	—	—	4	1	—	1	1	—	1	—	18
19	1	1	—	1	—	—	—	—	—	—	—	—	—	—	1	1	—	1	1	—	—	—	19
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	1	20
21	—	1	—	—	—	—	1	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	21A
22	1	2	3	1	1	—	2	5	—	—	—	1	3	1	1	—	—	2	2	1	—	1	22
23	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	23
24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	24
25	—	2	7	5	—	2	4	2	—	—	—	—	2	2	7	5	1	2	1	1	—	1	25
26	1	—	4	—	2	—	3	4	—	—	—	—	4	—	—	—	—	—	—	—	2	3	26
27	—	—	1	—	—	—	2	—	1	—	—	—	2	—	3	—	—	—	—	—	—	—	27
28	14	21	34	20	6	12	35	39	2	3	5	2	20	16	34	31	6	8	13	20	19	21	28
29	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—	29

* The remainder of Oundle R.D. is in Huntingdonshire; see page 489.

NORTHAMPTONSHIRE—*cont.*

Causes of Death.	Oxendon R.D.		Potters- purv R.D.		Thrap- ston (pt.) R.D.*		Towcester R.D.		Welling- borough R.D.		Alnwick U.D.		Amble U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	27	23	42	29	76	62	70	75	88	71	47	51	33	35	1
1 Enteric fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	1	—	—	—	—	—	2	1	3	—	—	—	4
4 Scarlet fever	—	—	—	—	—	2	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	—	3	—	—	—	—	1	—	2	—	—	6
6 Diphtheria and croup	—	—	—	1	—	—	—	4	—	1	—	—	—	—	7
7 Influenza	—	—	—	—	4	1	—	2	2	2	—	—	—	—	8
8 Erysipelas	—	—	—	—	—	—	—	—	1	1	—	—	1	—	9
9 Pulmonary tuberculosis	2	—	4	4	4	—	3	3	9	4	—	4	—	—	10
10 Tuberculous meningitis	—	—	—	—	—	—	—	—	2	—	1	—	—	—	11
11 Other tuberculous diseases	—	1	1	—	2	1	—	1	3	4	1	—	1	3	12
12 Cancer, malignant disease	6	3	4	9	6	5	3	8	12	7	6	6	3	1	13
13 Rheumatic fever... ..	—	—	—	—	1	—	—	—	—	—	—	—	—	—	14
14 Meningitis	—	—	—	—	1	—	—	—	1	—	1	—	—	—	15
15 Organic heart disease	5	4	6	3	17	11	7	12	11	17	2	6	5	5	16
16 Bronchitis	—	—	2	2	6	8	3	5	5	5	1	3	1	1	17
17 Pneumonia (all forms)	1	—	1	—	5	2	7	1	2	4	1	1	3	1	18
18 Other respiratory diseases	—	—	1	—	1	—	—	—	1	—	1	—	1	1	19
19 Diarrhœa, &c. (under 2 yrs.)	1	—	—	—	—	—	—	—	—	1	1	1	—	—	20
20 Appendicitis and typhlitis	—	1	—	—	—	—	1	—	—	1	1	1	—	—	21
21 Cirrhosis of liver	—	—	—	—	—	1	2	1	1	—	1	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	2	1	6	—	2	3	5	3	2	1	2	3	—	—	23
23 Puerperal fever	—	—	—	—	—	2	—	—	—	1	—	—	—	1	24
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	25
25 Congenital debility, &c.	1	—	1	1	6	5	4	1	2	2	3	3	3	6	26
26 Violence, apart from 27	1	1	2	—	5	—	3	2	1	2	3	2	4	—	27
27 Suicide	—	—	1	—	—	—	1	1	2	—	—	1	—	—	28
28 Other defined diseases	8	12	12	8	11	21	31	29	28	16	19	18	11	12	29
29 Causes ill-defined or un- known.	—	—	—	—	2	—	—	1	1	—	—	—	—	—	

NORTHUMBERLAND—*cont.*

Causes of Death.	Ashington U.D.		Bedling- tonshire U.D.		Berwick upon Tweed M.B.		Blyth U.D.		Cramling- ton U.D.		Earsdon U.D.		Gosforth U.D.		Hexham U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	166	155	186	180	73	112	237	234	51	47	72	70	74	74	73	57	1
1 Enteric fever	1	1	2	1	—	—	—	—	—	—	1	—	—	1	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	5	9	8	7	1	2	10	8	3	1	—	1	—	—	1	1	4
4 Scarlet fever	2	—	5	9	—	—	3	3	—	1	1	2	—	—	—	—	5
5 Whooping cough	—	2	1	1	2	2	10	10	1	1	—	2	1	7	—	—	6
6 Diphtheria and croup	—	2	2	—	—	2	1	8	—	1	3	—	1	—	—	—	7
7 Influenza	—	1	1	—	2	1	2	2	—	2	1	—	—	1	—	—	8
8 Erysipelas	1	—	1	—	2	—	1	1	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	12	9	9	10	6	8	19	31	—	1	7	7	6	4	6	5	10
10 Tuberculous meningitis	3	1	2	—	—	1	5	4	—	1	—	2	—	—	2	4	11
11 Other tuberculous diseases	3	2	7	6	—	2	7	8	1	1	3	1	—	1	2	1	12
12 Cancer, malignant disease	5	10	11	12	6	9	9	14	4	4	4	4	6	7	1	4	13
13 Rheumatic fever... ..	—	—	1	2	—	1	—	—	—	—	—	1	—	—	—	—	14
14 Meningitis	2	5	2	2	1	4	2	5	2	—	2	1	1	—	1	—	15
15 Organic heart disease	15	9	20	16	7	6	24	22	5	10	9	18	1	7	13	10	16
16 Bronchitis	9	6	9	5	2	8	11	8	10	2	3	2	2	5	3	5	17
17 Pneumonia (all forms)	17	20	20	17	5	11	20	12	2	1	3	2	5	6	1	1	18
18 Other respiratory diseases	4	5	1	4	3	2	1	1	—	1	2	2	—	1	1	—	19
19 Diarrhœa, &c. (under 2 yrs.)	5	5	5	4	1	—	4	5	2	1	1	—	—	—	1	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	21
21 Cirrhosis of liver	—	1	1	—	—	—	—	2	—	—	1	1	—	—	1	—	21A
21A Alcoholism	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	2	7	5	5	1	3	7	4	2	1	—	1	5	2	4	2	23
23 Puerperal fever	—	—	—	4	—	1	—	1	—	—	—	1	—	—	—	—	24
24 Parturition, apart from 23	—	4	—	3	—	—	—	2	—	—	—	1	—	—	—	—	25
25 Congenital debility, &c.	20	19	21	18	2	4	21	23	5	5	7	15	8	11	3	—	26
26 Violence, apart from 27	16	2	9	—	3	6	16	3	3	—	5	—	6	—	11	—	27
27 Suicide	1	1	2	—	1	—	3	—	—	—	1	—	—	—	1	—	28
28 Other defined diseases	42	33	37	54	28	39	58	56	9	13	17	5	31	21	21	23	29
29 Causes ill-defined or un- known.	1	1	3	—	—	—	—	1	2	—	1	—	—	—	—	—	

* The remainder of Thrapston R.D. is in Huntingdonshire; see page 489.

ADMINISTRATIVE AREAS, 1912—continued.

NORTHUMBERLAND—cont.

	Long-benton U.D.*		Morpeth M.B.		Newbiggin by the Sea U.D.		Newburn U.D.		Prudhoe U.D.		Rothbury U.D.		Seaton Delaval U.D.*		Seghill U.D.		Wallsend M.B.		Weetslade U.D.		Whitley and Monk- seaton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	69	58	70	56	27	34	137	106	48	33	8	4	40	34	19	17	298	263	58	42	78	110	1
2	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—	—	1	2	—	—	2	—	2
3	2	1	2	2	6	1	9	5	1	1	—	—	—	—	—	1	7	7	—	1	1	1	3
4	—	1	3	—	—	2	1	2	—	—	—	—	—	—	—	—	—	3	—	—	—	—	4
5	—	1	—	1	1	1	1	4	—	—	—	—	—	—	—	—	5	2	1	3	—	1	5
6	1	2	1	—	1	—	2	2	—	—	—	—	—	—	—	—	5	7	—	—	2	2	6
7	—	2	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	1	—	—	1	1	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	2	—	—	—	8
9	5	6	11	1	2	1	7	6	3	1	—	—	1	5	1	—	18	23	5	3	4	2	9
10	—	1	1	1	—	1	—	1	—	—	—	—	—	1	—	—	4	8	—	—	—	—	10
11	2	1	—	1	—	1	3	1	1	—	—	—	—	1	—	—	8	11	2	—	—	—	11
12	4	5	2	6	—	1	4	3	3	3	2	—	2	1	—	—	12	14	—	3	8	18	12
13	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	—	1	1	—	—	—	13
14	—	2	1	—	—	—	3	—	1	—	—	—	1	—	—	—	5	9	2	—	1	—	14
15	6	8	6	10	2	6	6	9	5	6	—	2	2	2	2	2	25	24	11	4	12	25	15
16	2	3	4	2	2	—	12	12	4	—	—	—	3	—	2	1	23	23	2	2	1	3	16
17	3	1	6	3	5	4	9	5	3	3	—	—	4	—	2	—	22	13	3	3	5	5	17
18	1	1	2	—	—	1	1	1	—	—	—	—	1	—	—	—	7	4	—	—	1	1	18
19	—	1	—	—	1	—	3	2	2	—	—	—	—	—	—	—	8	4	—	—	—	—	19
20	—	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	1	—	—	—	20
21	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	4	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	21A
22	2	4	4	2	1	—	2	5	1	1	1	—	1	1	—	—	6	6	—	—	4	2	22
23	—	1	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	2	—	—	—	1	23
24	—	1	—	—	—	—	—	7	—	—	—	—	—	—	—	—	—	—	2	—	—	—	24
25	16	5	6	6	1	3	16	11	2	3	2	—	5	5	2	2	47	18	7	6	3	4	25
26	3	2	2	1	—	2	17	1	3	—	—	—	3	2	1	1	21	3	5	2	3	—	26
27	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	6	2	—	—	—	1	27
28	21	8	17	19	5	10	37	26	17	10	2	2	12	8	7	9	63	73	16	12	25	42	28
29	—	—	—	—	—	—	1	1	—	—	1	—	—	—	1	—	1	2	—	1	—	—	29

NORTHUMBERLAND—cont.

	Alnwick R.D.		Belford R.D.		Belling- ham R.D.		Castle Ward R.D.		Glendale R.D.		Halt- whistle R.D.		Hexham R.D.		Morpeth R.D.		Norham and Island- shires R.D.		Rothbury R.D.		Tyn- mouth R.D.†		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	74	77	26	36	38	49	68	50	56	72	57	52	142	132	110	97	37	34	35	21	40	33	1
2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	2	2	—	—	1	1	1	—	—	—	1	2	2	1	7	1	—	1	—	—	—	—	3
4	—	—	—	—	—	—	—	1	—	—	1	—	1	—	—	1	—	—	—	—	—	—	4
5	—	2	—	—	—	1	—	1	1	1	1	1	2	4	—	1	—	2	1	3	—	—	5
6	—	1	—	—	—	—	1	1	2	—	—	—	—	1	2	2	—	—	—	—	—	—	6
7	—	—	—	—	—	—	—	1	1	4	1	1	6	8	—	1	1	2	—	1	—	—	7
8	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	1	—	8
9	6	6	2	1	4	4	3	4	8	6	2	4	17	9	8	9	—	3	4	2	2	1	9
10	1	—	—	—	—	—	—	—	—	—	—	1	—	1	1	2	—	1	—	—	—	—	10
11	3	3	—	—	—	3	2	—	3	2	1	1	2	—	5	2	—	—	1	—	—	—	11
12	5	8	6	5	5	4	9	6	6	9	9	8	4	12	11	9	2	4	4	1	2	3	12
13	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	13
14	2	1	—	—	1	—	2	—	—	—	—	1	2	—	2	2	—	—	1	—	—	1	14
15	5	9	3	7	2	5	10	5	7	9	3	3	20	23	9	12	9	2	5	3	4	2	15
16	3	3	1	1	4	4	5	5	2	2	—	2	7	9	7	4	1	3	—	3	4	3	16
17	6	3	1	—	1	2	3	1	1	3	5	—	11	10	5	5	3	2	3	1	4	—	17
18	1	—	—	—	1	—	2	—	2	1	1	2	4	2	1	3	—	—	—	—	—	1	18
19	—	—	2	1	1	—	2	2	—	—	1	—	—	—	1	1	2	—	1	—	—	—	19
20	—	—	1	1	—	—	—	—	—	1	—	—	1	—	2	—	—	—	1	—	—	—	20
21	—	1	—	—	—	—	1	—	1	—	—	—	1	—	—	—	1	—	—	—	1	—	21
21A	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	1	1	1	1	—	21A
22	—	—	—	—	1	1	2	2	1	—	5	3	3	5	—	1	—	—	—	—	—	—	22
23	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	23
24	—	—	—	1	—	1	—	—	—	1	—	2	—	1	—	2	—	—	—	—	—	—	24
25	5	3	1	—	1	2	3	4	5	3	5	4	7	6	15	7	1	1	—	1	3	8	25
26	3	2	2	1	—	—	5	1	2	2	5	—	3	1	7	2	—	—	1	—	3	—	26
27	—	—	—	—	1	1	—	—	1	1	1	1	3	—	2	—	1	—	—	—	—	—	27
28	28	32	7	18	13	16	16	15	13	27	12	15	45	36	25	28	12	13	10	5	13	14	28
29	2	1	—	—	2	2	—	—	1	—	2	—	—	1	—	—	—	—	—	—	—	—	29

* Longbenton and Seaton Delaval U.D.'s created 1st April, 1912.
† Tynemouth R.D. abolished 1st April, 1912.

NOTTINGHAMSHIRE.

Causes of Death.		Arnold U.D.		Beeston U.D.		Carlton U.D.		East Retford M.B.		Eastwood U.D.		Hucknall Torkard U.D.		Huthwaite U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	78	57	71	62	78	73	96	84	40	40	109	82	37	32	1
1 Enteric fever	...	—	—	—	—	—	—	1	1	1	—	—	—	1	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	2	4	2	2	5	2	—	—	2	1	6	4	5	4	4
4 Scarlet fever	...	1	—	1	—	1	—	—	1	—	—	—	—	—	1	5
5 Whooping cough	...	—	3	1	—	—	3	5	4	—	—	4	1	—	—	6
6 Diphtheria and croup	...	2	1	—	1	3	1	2	—	—	—	—	—	1	—	7
7 Influenza	...	1	—	—	—	—	—	—	1	—	—	—	—	—	—	8
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	...	1	2	6	5	7	9	9	6	1	1	6	13	1	2	10
10 Tuberculous meningitis	...	3	—	1	—	—	3	4	—	—	1	3	2	—	—	11
11 Other tuberculous diseases	...	2	1	—	3	2	2	1	1	—	—	4	3	—	—	12
12 Cancer, malignant disease	...	6	3	8	9	2	7	5	12	4	4	1	6	—	—	13
13 Rheumatic fever...	...	—	1	—	—	—	—	—	1	—	—	1	—	—	—	14
14 Meningitis	...	—	—	—	—	—	—	—	1	—	—	—	2	—	—	15
15 Organic heart disease	...	4	2	9	9	5	5	8	8	3	—	15	5	7	6	16
16 Bronchitis	...	7	6	5	5	3	5	4	5	2	8	10	10	5	7	17
17 Pneumonia (all forms)	...	7	8	8	3	4	4	7	3	6	4	10	3	1	2	18
18 Other respiratory diseases	...	4	3	3	—	1	3	1	—	—	2	2	3	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	...	3	1	—	1	1	—	3	1	—	—	1	1	—	—	20
20 Appendicitis and typhlitis	...	—	—	—	—	—	—	1	1	—	—	—	—	—	—	21
21 Cirrhosis of liver	...	1	—	—	—	—	—	—	1	—	1	—	—	—	—	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	4	—	2	—	1	—	3	1	2	—	1	2	—	—	23
23 Puerperal fever	...	—	—	—	—	—	1	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	...	—	1	—	1	—	1	—	—	—	—	—	1	—	—	25
25 Congenital debility, &c.	...	6	3	6	3	12	2	5	4	4	1	11	5	4	2	26
26 Violence, apart from 27	...	2	2	2	—	3	—	1	2	1	3	5	2	2	—	27
27 Suicide	...	2	—	—	—	2	—	2	—	—	—	2	—	2	—	28
28 Other defined diseases	...	20	16	17	20	24	22	33	30	14	14	27	19	8	8	29
29 Causes ill-defined or unknown.	...	—	—	—	—	2	3	1	1	—	—	—	—	—	—	29

NOTTINGHAMSHIRE—cont.

Causes of Death.		Kirkby in Ashfield U.D.		Mansfield M.B.		Mansfield Wood- house U.D.		Newark M.B.		Sutton in Ashfield U.D.		Warsop U.D.		West Bridgford U.D.		Worksop U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	107	89	229	225	78	54	101	121	162	152	34	21	54	52	127	116	1
1 Enteric fever	...	—	1	1	—	—	—	1	—	3	—	—	—	—	—	1	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	12	8	9	5	7	6	1	—	7	10	—	1	—	—	2	3	4
4 Scarlet fever	...	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	5
5 Whooping cough	...	—	—	—	1	—	—	—	—	2	2	—	—	—	—	4	1	6
6 Diphtheria and croup	...	1	—	2	1	—	1	2	2	2	3	—	—	—	—	—	1	7
7 Influenza	...	4	1	1	2	—	—	1	1	1	—	1	—	—	—	—	2	8
8 Erysipelas	...	1	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	...	4	6	9	11	4	1	8	9	10	4	3	2	5	4	6	5	10
10 Tuberculous meningitis	...	—	1	4	3	1	1	1	2	3	2	—	—	—	—	4	3	11
11 Other tuberculous diseases	...	3	—	7	4	4	1	4	1	1	2	—	—	—	1	4	1	12
12 Cancer, malignant disease	...	6	4	17	18	2	3	6	12	4	8	—	—	5	5	13	5	13
13 Rheumatic fever...	...	1	2	—	—	—	—	—	—	—	2	1	—	—	—	1	—	14
14 Meningitis	...	—	—	3	3	—	—	—	1	5	3	1	—	—	—	2	1	15
15 Organic heart disease	...	12	5	18	32	—	7	7	16	8	18	1	—	4	6	11	14	16
16 Bronchitis	...	11	3	11	8	10	3	7	10	12	11	7	3	1	3	15	14	17
17 Pneumonia (all forms)	...	9	13	22	21	4	6	6	6	18	12	4	1	4	3	7	7	18
18 Other respiratory diseases	...	1	1	—	7	2	1	2	1	1	3	—	—	1	1	2	3	19
19 Diarrhoea, &c. (under 2 yrs.)	...	—	2	12	6	6	2	—	1	3	3	1	—	—	1	1	—	20
20 Appendicitis and typhlitis	...	—	1	4	—	2	—	2	1	2	1	—	—	1	—	—	1	21
21 Cirrhosis of liver	...	—	—	1	3	—	—	5	1	—	—	—	—	—	—	4	3	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	22
22 Nephritis and Bright's dis.	...	—	3	1	6	2	1	3	5	4	1	1	1	4	4	2	1	23
23 Puerperal fever	...	—	1	—	2	—	1	—	—	—	2	—	1	—	—	—	—	24
24 Parturition, apart from 23	...	—	—	—	2	—	4	—	—	—	1	—	—	—	—	—	1	25
25 Congenital debility, &c.	...	16	11	32	14	14	6	9	9	28	22	4	2	5	1	14	9	26
26 Violence, apart from 27	...	—	3	9	4	4	1	1	2	8	2	3	—	1	1	6	1	27
27 Suicide	...	—	—	5	—	—	1	1	—	5	1	—	—	1	1	1	1	28
28 Other defined causes	...	25	23	59	70	14	6	34	38	34	35	7	10	22	20	25	39	29
29 Causes ill-defined or unknown.	...	1	—	1	1	2	2	—	1	—	3	—	—	—	—	1	—	29

ADMINISTRATIVE AREAS, 1912—continued.

NOTTINGHAMSHIRE—cont.

	Basford R.D.		Bingham R.D.		Blyth and Cuckney R.D.		East Retford R.D.		Leake R.D.		Misterton R.D.		Newark R.D.		Skegby R.D.		Southwell R.D.		Stapleford R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	255	243	84	84	28	34	77	86	24	26	16	17	52	55	47	40	118	138	65	60	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	4	6	2	1	—	1	—	—	—	—	—	—	1	1	2	—	—	—	—	6	4
5	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	5
6	4	1	—	1	—	—	—	—	—	—	—	1	1	—	—	—	1	1	2	1	6
7	1	4	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	7
8	2	3	3	2	—	—	2	—	1	—	—	—	1	2	—	—	5	5	—	—	8
9	—	—	1	1	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	9
10	15	11	5	3	2	5	6	2	—	1	1	2	2	3	2	3	7	6	4	4	10
11	—	1	1	—	—	—	—	—	1	—	—	—	1	—	1	—	1	1	1	1	11
12	8	6	—	1	—	1	1	—	1	2	—	—	1	2	—	1	2	—	—	3	12
13	20	16	10	8	5	3	5	11	4	4	2	1	8	6	1	3	6	18	4	2	13
14	1	2	—	1	—	—	—	—	1	—	—	—	1	1	—	—	—	1	—	—	14
15	—	3	—	—	1	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—	15
16	29	28	13	16	3	8	10	11	—	1	—	1	4	5	5	3	19	24	3	7	16
17	21	24	2	6	—	1	1	9	1	3	1	3	3	2	4	4	6	11	4	7	17
18	25	14	3	6	1	1	5	2	—	2	1	—	2	6	3	7	8	10	3	2	18
19	8	3	—	1	—	—	2	1	1	1	—	—	1	3	3	1	4	1	1	—	19
20	2	3	—	—	—	1	—	1	1	—	—	—	—	—	2	2	1	—	4	3	20
21	—	—	—	—	—	1	—	2	—	—	—	—	1	—	—	—	—	—	—	—	21
21A	2	1	—	2	—	1	—	1	—	—	—	—	—	—	—	—	1	—	—	1	21A
22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
23	8	3	3	1	1	1	1	2	1	—	1	1	1	—	3	1	2	6	4	1	23
24	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—	—	24
25	—	3	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	1	25
26	20	21	4	—	1	1	7	3	1	—	5	—	6	3	9	3	2	1	8	6	26
27	11	5	1	—	2	1	5	1	2	—	1	1	3	2	2	1	7	2	6	—	27
28	3	2	1	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	28
29	67	80	33	33	11	8	28	37	11	10	4	6	12	19	9	8	44	46	21	14	29
	4	2	1	—	1	—	1	2	—	—	—	—	—	—	1	1	—	—	—	—	

NOTTINGHAMSHIRE—cont.

OXFORDSHIRE.

	Kingston upon Soar and Rat- cliffe upon Soar C.P.s*		Banbury M.B.		Bicester U.D.		Chipping Norton M.B.		Henley on Thames M.B.		Thame U.D.		Wheatley U.D.		Witney U.D.		Wood- stock M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	1	2	87	90	23	23	30	20	37	36	13	16	5	9	23	20	14	6	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	4	9	1	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	5
6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6
7	—	—	1	—	—	—	1	2	—	—	—	—	—	—	1	—	—	—	7
8	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	—	—	3	5	3	1	2	2	2	2	—	—	—	1	2	1	1	1	9
10	—	—	—	1	—	—	—	—	1	—	—	1	1	—	—	1	—	—	10
11	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11
12	—	—	6	6	4	2	2	5	2	2	4	4	—	1	2	1	3	1	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	—	1	1	—	—	—	1	—	1	—	—	—	—	—	—	14
15	—	—	10	11	2	5	1	4	4	3	1	1	1	—	4	4	1	—	15
16	—	—	11	10	2	1	3	2	2	4	3	1	—	1	2	1	—	1	16
17	—	1	5	3	1	—	1	—	1	2	—	—	2	1	2	—	—	—	17
18	—	—	—	2	—	1	2	1	—	2	—	—	—	—	2	—	—	—	18
19	—	—	1	1	—	—	—	—	—	1	—	—	—	1	—	2	—	—	19
20	—	—	2	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	20
21	—	—	2	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	21A
22	—	—	5	5	—	—	2	—	1	2	—	—	—	—	—	1	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25	—	—	—	8	—	—	1	—	—	1	1	1	—	—	2	—	—	—	25
26	—	—	5	1	1	—	1	—	1	—	—	—	—	—	1	—	1	—	26
27	—	—	1	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	27
28	1	1	29	22	7	11	12	4	20	14	4	6	1	3	6	8	8	3	28
29	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	29

* Administered by Shardlow R.D.C., (Derbyshire).

OXFORDSHIRE—cont.

Causes of Death.		Banbury R.D.		Bicester R.D.		Chipping Norton R.D.		Crow-marsh R.D.		Culham R.D.		Goring R.D.		Heading-ton R.D.		Henley R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	80	88	47	65	85	67	38	30	19	15	18	16	82	79	68	58	1
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	1	1	—	—	3	—	—	—	—	—	—	—	1	1	—	—	4
4	Scarlet fever	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	5
5	Whooping cough	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	6
6	Diphtheria and croup	—	—	—	—	—	—	2	1	—	—	—	—	1	—	3	1	7
7	Influenza	1	—	—	1	1	—	—	—	—	—	1	—	—	—	1	—	8
8	Erysipelas	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis	3	1	1	7	6	5	3	1	1	2	—	2	7	7	7	3	10
10	Tuberculous meningitis	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	11
11	Other tuberculous diseases	3	2	—	1	—	—	—	1	—	—	—	2	1	1	—	—	12
12	Cancer, malignant disease	11	10	6	9	9	6	1	4	2	2	2	5	6	12	10	8	13
13	Rheumatic fever... ..	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	14
14	Meningitis	1	—	—	—	—	—	—	—	—	—	—	—	1	1	2	—	15
15	Organic heart disease	7	10	7	10	14	10	4	5	1	5	1	3	9	13	7	9	16
16	Bronchitis	4	9	5	7	7	5	2	2	—	1	—	1	5	6	6	5	17
17	Pneumonia (all forms)	6	3	1	3	4	—	1	3	2	1	3	—	9	2	6	2	18
18	Other respiratory diseases	3	2	1	—	—	1	1	1	—	—	—	—	1	—	—	—	19
19	Diarrhoea, &c (under 2 yrs.)	1	—	—	1	—	—	—	—	1	—	—	—	—	1	1	—	20
20	Appendicitis and typhlitis	1	—	—	—	—	—	—	1	1	—	—	—	1	—	1	1	21
21	Cirrhosis of liver	1	1	1	2	—	—	—	—	—	—	—	—	—	1	—	2	21A
21A	Alcoholism	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	2	—	—	1	3	2	1	2	—	—	2	—	1	—	—	1	23
23	Puerperal fever	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	24
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	25
25	Congenital debility, &c.	7	7	4	1	6	1	1	1	1	1	—	—	7	3	4	3	26
26	Violence, apart from 27	1	1	6	—	2	2	1	1	1	—	1	—	2	—	4	2	27
27	Suicide	1	1	—	—	1	1	—	—	—	—	—	—	1	1	—	1	28
28	Other defined diseases ...	25	36	14	20	29	34	17	7	9	3	8	3	28	28	16	20	29
29	Causes ill-defined or un-known.	1	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	

OXFORDSHIRE—cont.

PEMBROKESHIRE.

Causes of Death.		Thame R.D.		Witney R.D.		Wood-stock R.D.		Fishguard U.D.		Haverford-west M.B.		Milford Haven U.D.		Narberth U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	40	37	123	98	61	81	23	27	52	40	31	45	8	6	1
1	Enteric fever	—	—	—	—	1	—	—	—	2	—	—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	—	—	2	—	—	1	—	—	2	—	—	—	—	—	4
4	Scarlet fever	—	—	2	—	—	1	—	—	—	—	1	—	—	—	5
5	Whooping cough	—	—	—	—	—	—	—	—	—	—	1	—	—	—	6
6	Diphtheria and croup	—	—	—	—	—	—	—	1	1	—	1	1	1	—	7
7	Influenza	1	—	2	2	—	1	—	—	1	3	—	—	—	—	8
8	Erysipelas	—	—	—	—	1	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis	2	1	9	7	2	4	2	2	4	2	1	3	1	—	10
10	Tuberculous meningitis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	11
11	Other tuberculous diseases	1	—	—	1	—	—	2	1	—	—	—	—	—	—	12
12	Cancer, malignant disease	4	4	13	11	7	9	4	2	2	3	2	—	—	—	13
13	Rheumatic fever... ..	—	—	2	—	—	—	—	—	—	—	—	—	—	—	14
14	Meningitis	1	—	1	—	1	1	—	—	1	1	1	1	—	—	15
15	Organic heart disease	4	8	12	15	7	14	3	3	3	7	3	9	—	1	16
16	Bronchitis	6	4	13	10	8	9	1	3	2	4	—	1	—	—	17
17	Pneumonia (all forms)	—	—	6	2	1	2	1	3	3	—	4	3	—	—	18
18	Other respiratory diseases	—	1	—	3	1	2	—	—	2	—	1	2	—	—	19
19	Diarrhoea, &c. (under 2 yrs.)	—	1	2	—	—	—	—	—	1	1	—	5	—	—	20
20	Appendicitis and typhlitis	—	—	1	—	—	—	—	—	—	—	—	—	—	1	21
21	Cirrhosis of liver	—	—	4	1	—	—	—	—	—	—	—	1	—	—	21A
21A	Alcoholism	—	—	1	—	—	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	5	1	2	3	3	3	—	—	4	1	—	—	—	—	23
23	Puerperal fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	24
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	25
25	Congenital debility, &c.	2	3	5	1	5	3	2	3	—	1	4	9	—	—	26
26	Violence, apart from 27	3	—	4	1	2	3	3	—	2	—	3	—	1	—	27
27	Suicide	—	1	1	—	—	1	—	—	1	—	—	—	—	—	28
28	Other defined diseases ...	10	12	41	39	21	27	5	9	24	14	9	10	3	4	29
29	Causes ill-defined or un-known.	1	—	—	1	1	—	—	—	—	1	—	—	2	—	

ADMINISTRATIVE AREAS, 1912—continued.

PEMBROKESHIRE—cont.

		Neyland U.D.		Pembroke M.B.		Tenby M.B.				Haverford- west R.D.		Llanfyr- nach R.D.		Narberth R.D.		Pembroke R.D.		St. Dogmells R.D.							
		M	F	M	F	M	F			M	F	M	F	M	F	M	F	M	F						
1	18	16	97	93	31	40				127	148	14	19	74	85	66	54	56	85						1
2	—	1	—	—	—	—	—			1	—	—	—	1	—	1	1	—	—						2
3	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—						3
4	—	—	—	—	—	—	—			2	2	—	—	2	2	—	—	—	—						4
5	—	—	—	—	—	—	—			—	1	—	—	—	1	—	—	—	—						5
6	—	—	1	1	—	—	—			3	3	—	—	2	1	—	—	1	—						6
7	1	—	2	1	1	3	—			2	5	—	—	—	1	3	2	—	—						7
8	—	—	—	—	—	—	—			—	—	—	—	1	—	—	—	—	1						8
9	1	—	12	10	1	1	—			7	6	1	3	8	4	8	6	3	8						9
10	—	—	2	2	—	—	—			1	3	—	—	—	1	—	1	1	1						10
11	—	—	2	2	—	—	—			—	1	1	—	1	1	1	3	2	4						11
12	—	2	8	3	2	3	—			8	7	2	3	7	11	3	5	4	4						12
13	—	—	1	—	—	—	—			—	—	—	—	1	2	—	—	—	—						13
14	—	—	—	—	—	1	—			2	2	—	—	—	1	1	—	—	1						14
15	2	4	13	12	7	7	—			17	16	3	6	7	12	6	2	7	13						15
16	3	3	5	7	1	5	—			2	10	3	1	3	5	4	5	6	11						16
17	3	1	4	1	—	—	—			10	9	2	1	5	3	4	1	3	3						17
18	—	—	—	2	—	—	—			3	2	—	—	4	2	1	—	—	2						18
19	—	—	—	—	—	1	—			1	2	—	—	—	—	—	—	—	2						19
20	—	—	1	—	—	—	—			—	1	—	—	—	—	—	—	1	—						20
21	1	—	—	2	1	—	—			1	1	—	—	2	—	1	—	—	—						21
21A	—	—	—	—	—	1	—			1	—	—	—	—	—	—	1	—	—						21A
22	1	—	5	4	1	3	—			5	3	1	1	2	1	1	3	2	1						22
23	—	—	—	—	—	—	—			—	1	—	—	—	—	—	—	—	—						23
24	—	—	—	2	—	—	—			—	8	—	1	—	1	—	—	—	1						24
25	1	2	6	8	4	2	—			10	7	—	—	3	—	5	4	3	4						25
26	1	—	3	—	1	—	—			4	4	—	—	3	1	2	—	—	2						26
27	—	—	2	—	—	—	—			—	—	—	—	—	—	2	—	1	—						27
28	4	3	29	32	12	13	—			45	53	1	3	21	34	23	20	22	26						28
29	—	—	1	4	—	—	—			2	1	—	—	1	1	—	1	—	1						29

PETERBOROUGH, SOKE OF.

RADNORSHIRE.

		Peter- borough M.B.		Barnack R.D.		Peter- borough R.D.				Knighton U.D.		Llan- drindod Wells U.D.		Presteigne U.D.				Colwyn R.D.		Knighton R.D.					
		M	F	M	F	M	F			M	F	M	F	M	F			M	F	M	F				
1	221	231			24	11	85	63		12	14	12	10	3	10			7	13	31	28				1
2	—	—			—	—	—	—		—	—	—	—	—	—			—	—	—	—				2
3	7	11			—	—	4	—		1	—	—	—	—	—			—	1	—	—				3
4	—	—			—	—	4	—		—	—	—	—	—	—			—	—	—	—				4
5	4	4			—	—	1	1		—	—	—	—	—	—			1	1	1	2				5
6	4	3			—	—	1	1		—	—	—	—	—	—			—	—	—	—				6
7	—	1			1	—	1	—		—	—	—	1	—	—			—	—	1	—				7
8	—	—			—	—	—	—		—	—	—	—	—	—			—	—	—	—				8
9	16	15			—	—	2	4		1	1	—	—	—	—			—	1	1	3				9
10	2	2			—	—	—	—		—	—	1	—	—	—			—	1	1	—				10
11	2	5			—	—	1	—		—	—	—	—	1	—			—	—	2	—				11
12	20	32			2	3	6	4		1	—	1	—	—	5			—	—	3	4				12
13	—	2			—	—	—	—		—	—	—	—	—	—			—	—	—	—				13
14	—	2			—	—	—	2		—	—	—	1	—	—			—	1	—	—				14
15	23	20			6	1	5	4		1	3	2	3	—	—			1	2	2	4				15
16	15	19			2	3	7	11		2	1	—	—	—	1			1	1	1	1				16
17	15	10			—	—	4	—		2	—	1	1	—	—			—	—	1	2				17
18	2	2			—	—	1	1		1	—	—	—	—	—			—	—	1	—				18
19	1	4			—	—	1	—		—	—	—	—	—	—			—	—	—	—				19
20	1	2			—	—	—	—		—	—	—	—	—	—			—	—	—	—				20
21	—	2			—	—	—	—		—	1	—	—	—	—			—	—	—	—				21
21A	1	1			—	—	—	—		—	—	—	—	—	—			—	—	—	—				21A
22	2	5			—	—	2	1		—	—	1	1	—	—			—	—	—	—				22
23	—	—			—	—	—	—		—	—	—	—	—	—			—	—	—	—				23
24	—	1			—	—	—	1		—	—	—	—	—	1			—	—	—	—				24
25	25	11			1	1	6	4		—	1	2	—	1	—			1	6	5					25
26	7	1			—	—	6	—		—	1	—	—	—	—			—	1	—	—				26
27	1	—			—	—	1	1		—	—	—	—	—	—			—	—	—	1				27
28	73	76			12	3	32	28		3	5	4	3	1	3			4	4	10	6				28
29	—	—			—	—	—	—		—	1	—	—	—	—			—	—	—	—				29

RADNORSHIRE—cont.

RUTLANDSHIRE.

Causes of Death.	New Radnor R.D.		Paincastle R.D.		Rhayader R.D.		Oakham U.D.		Ketton R.D.		Oakham R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	14	19	25	14	35	34	16	24	16	14	41	37	1
1 Enteric fever	—	—	—	—	—	—	—	1	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	1	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	1	1	—	—	—	1	—	—	5
5 Whooping cough	—	—	—	—	3	—	—	—	—	—	1	—	6
6 Diphtheria and croup	—	—	—	—	—	—	—	—	—	—	—	—	7
7 Influenza	1	—	2	1	—	—	—	1	2	—	1	—	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	1	—	1	—	2	3	1	—	2	—	1	2	10
10 Tuberculous meningitis	1	—	—	—	—	1	—	—	—	—	1	—	11
11 Other tuberculous diseases	—	1	—	—	—	—	—	—	—	—	—	1	12
12 Cancer, malignant disease	1	2	2	1	3	2	1	3	1	1	4	3	13
13 Rheumatic fever... ..	—	—	—	—	—	1	—	—	—	—	—	—	14
14 Meningitis	1	1	—	—	—	—	—	—	—	—	—	—	15
15 Organic heart disease	1	5	3	2	7	3	4	7	3	2	7	8	16
16 Bronchitis	1	—	1	2	3	1	—	1	—	1	1	1	17
17 Pneumonia (all forms)	1	—	1	1	1	—	3	1	—	1	1	—	18
18 Other respiratory diseases	1	—	—	1	1	—	—	—	—	1	2	1	19
19 Diarrhœa, &c. (under 2 yrs.)	—	—	—	1	1	—	—	1	—	—	—	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	1	1	21
21 Cirrhosis of liver	—	—	—	—	—	—	1	—	—	—	1	1	21A
21A Alcoholism	—	—	—	—	—	1	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	—	—	—	—	2	—	—	1	1	—	—	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	1	—	—	—	1	—	—	—	—	—	—	25
25 Congenital debility, &c.	2	—	2	—	2	—	—	1	1	—	2	1	26
26 Violence, apart from 27	—	—	—	—	1	1	1	1	1	—	—	—	27
27 Suicide	—	—	—	—	—	—	—	—	—	—	1	—	28
28 Other defined diseases	3	9	13	4	10	17	5	7	4	6	17	17	29
29 Causes ill-defined or unknown.	—	—	—	—	—	—	—	—	1	—	1	—	

RUTLANDSHIRE—cont.

SHROPSHIRE.

Causes of Death.	Uppingham R.D.		Bishop's Castle M.B.		Bridg-north M.B.		Church Stretton U.D.		Dawley U.D.		Ellesmere U.D.		Ludlow M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	34	37	15	12	30	53	8	14	68	65	8	12	39	35	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	1	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	—	—	—	—	—	1	—	—	—	1	—	6
6 Diphtheria and croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7
7 Influenza	—	1	—	—	—	2	—	—	—	—	—	—	—	—	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	2	3	4	3	3	1	—	6	6	1	—	5	2	—	10
10 Tuberculous meningitis	1	—	—	—	—	—	—	—	—	—	1	—	—	—	11
11 Other tuberculous diseases	1	—	—	—	2	—	1	1	1	—	—	—	3	—	12
12 Cancer, malignant disease	6	6	—	2	2	7	1	2	5	6	—	1	5	3	13
13 Rheumatic fever... ..	—	—	—	—	—	—	—	1	1	—	—	1	—	1	14
14 Meningitis	1	—	—	—	—	—	—	1	6	13	1	2	1	5	15
15 Organic heart disease	1	4	1	3	3	5	—	1	7	9	—	1	4	3	16
16 Bronchitis	3	4	—	—	3	5	—	—	5	3	—	1	3	1	17
17 Pueumonia (all forms)	—	2	1	—	1	2	—	—	1	—	—	—	—	—	18
18 Other respiratory diseases	1	—	—	—	2	—	—	—	1	1	—	—	3	1	19
19 Diarrhœa, &c. (under 2 yrs.)	—	—	1	—	2	—	—	—	1	—	—	—	—	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	—	1	—	—	—	—	—	21
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	—	—	1	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	4	1	—	2	3	—	—	5	3	—	—	3	1	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	25
25 Congenital debility, &c.	1	1	—	—	5	3	—	1	4	2	1	1	2	1	26
26 Violence, apart from 27	1	—	—	1	—	1	—	2	1	—	—	—	—	—	27
27 Suicide	1	—	1	—	1	—	—	1	—	—	—	—	—	—	28
28 Other defined diseases	15	12	6	3	4	24	6	8	22	17	4	4	9	14	29
29 Causes ill-defined or unknown.	—	—	—	—	—	—	—	—	1	1	—	—	1	—	

ADMINISTRATIVE AREAS, 1912—continued.

SHROPSHIRE—cont.

	Newport U.D.		Oaken- gates U.D.		Oswestry M.B.		Shrews- bury M.B.		Welling- ton U.D.		Wem U.D.		Wenlock M.B.		Whit- church U.D.			Atcham R.D.		Bridg- north R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	
1	13	18	71	63	70	68	211	194	52	50	12	13	112	122	42	51		146	147	60	51	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	2
3	—	—	—	—	—	—	4	7	—	—	—	—	—	—	2	5		—	—	1	—	3
4	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		1	—	—	—	4
5	2	—	—	4	1	—	2	—	—	—	—	—	1	3	—	—		3	2	—	—	5
6	—	—	1	—	—	—	3	4	—	—	—	—	—	1	—	—		3	—	1	—	6
7	—	—	1	3	1	1	3	5	1	1	1	1	3	—	—	1		3	2	2	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—		—	—	—	—	8
9	1	—	—	4	4	9	17	13	5	2	—	—	10	6	3	1		12	12	1	5	9
10	—	—	1	—	1	2	2	—	—	1	—	—	1	—	—	—		1	—	—	—	10
11	—	—	1	—	2	2	—	3	1	1	—	—	—	3	—	1		2	4	—	1	11
12	3	3	2	5	2	4	8	13	1	4	2	1	4	16	5	3		10	18	7	4	12
13	—	—	1	1	—	1	3	1	—	—	—	—	—	—	1	—		—	1	1	—	13
14	1	—	1	—	1	—	3	2	1	1	—	—	—	—	—	1		—	1	1	—	14
15	2	2	8	7	5	5	26	21	6	4	1	1	18	17	3	4		23	13	6	10	15
16	1	3	6	5	10	3	15	25	2	4	3	—	7	9	—	2		10	6	2	8	16
17	—	—	14	7	2	4	11	8	5	2	—	1	7	9	2	—		9	11	3	—	17
18	—	1	—	—	1	—	4	2	—	1	—	—	3	1	2	—		2	5	2	—	18
19	—	—	—	—	—	—	2	—	1	—	—	—	1	—	—	—		2	2	2	—	19
20	—	—	1	—	—	—	1	1	—	—	—	—	2	—	—	2		1	—	1	—	20
21	1	—	—	1	1	—	5	2	1	—	—	—	—	1	1	1		—	2	1	1	21
21A	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		1	—	1	—	21A
22	—	—	1	3	8	7	10	5	3	2	2	—	3	3	—	—		3	4	1	1	22
23	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—		—	1	—	—	23
24	—	1	—	—	—	2	—	2	—	—	—	—	—	—	—	1		—	2	—	1	24
25	—	—	2	1	5	3	8	7	6	3	—	—	7	9	2	1		7	6	2	4	25
26	—	—	2	1	6	1	10	3	—	—	—	—	4	2	1	1		8	2	5	1	26
27	—	1	2	—	1	—	2	—	—	—	—	—	1	1	1	—		1	—	—	—	27
28	2	7	25	21	19	23	69	66	17	23	2	7	39	38	19	27		43	51	16	14	28
29	—	—	2	—	—	1	2	3	2	—	1	—	1	2	—	—		1	2	3	1	29

SHROPSHIRE—cont.

	Burford R.D.		Chirbury R.D.		Church Stretton R.D.		Cleobury Mortimer R.D.		Clun R.D.		Drayton R.D.		Ellesmere R.D.		Ludlow R.D.		Newport R.D.		Oswestry R.D.		Shifnal R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	11	8	24	22	32	25	38	37	42	43	62	88	49	43	57	45	34	23	130	81	68	53	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	1	2	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	1	—	5
6	—	—	1	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	6
7	1	—	1	1	—	1	1	—	3	1	3	—	—	—	1	—	1	1	1	4	—	1	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	1	—	4	1	2	1	2	3	1	3	2	4	2	1	—	2	1	—	16	3	2	2	9
10	—	—	—	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	2	2	4	10
11	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	1	—	—	1	—	1	1	11
12	—	—	1	2	2	1	1	3	4	6	9	10	3	6	8	5	3	4	15	8	3	8	12
13	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	1	—	—	13
14	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	1	—	—	14
15	—	2	1	3	2	4	5	6	7	7	9	18	10	10	3	5	3	5	17	15	9	6	15
16	—	—	1	—	2	1	4	2	4	1	5	3	2	6	2	3	3	2	4	6	4	3	16
17	—	—	1	—	1	2	1	3	2	3	1	5	1	2	4	4	1	2	8	5	2	1	17
18	—	—	—	—	—	—	1	—	1	1	1	3	1	—	—	1	—	2	2	1	2	—	18
19	—	1	1	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	1	19
20	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—	1	—	1	1	2	—	20
21	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	5	1	1	1	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	21A
22	—	1	2	—	1	2	—	—	—	—	2	—	2	1	3	2	—	—	3	2	6	4	22
23	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	23
24	—	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	24
25	—	—	2	1	—	—	3	4	3	2	7	2	7	3	4	2	3	—	15	2	3	3	25
26	—	—	1	—	2	—	3	—	1	1	—	4	2	—	8	1	—	—	6	2	2	—	26
27	—	—	—	—	—	—	1	—	—	1	—	—	1	—	1	—	1	—	2	—	2	—	27
28	3	2	8	11	17	12	14	11	17	13	21	27	15	12	21	18	12	6	32	25	24	16	28
29	1	—	—	—	1	—	—	1	—	—	1	—	—	—	1	—	1	—	—	1	2	1	29

SHROPSHIRE—cont.

CAUSES OF DEATH IN
SOMERSETSHIRE.

Causes of Death.		Teme R.D.		Welling- ton R.D.		Wem R.D.		Whit- church R.D.		Bridg- water M.B.		Burnham U.D.		Chard M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES		5	5	66	81	62	62	11	4	101	110	23	25	24	24	1
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	—	—	—	—	1	2	—	—	—	2	—	1	—	—	4
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5	Whooping cough	—	—	—	—	—	1	—	—	—	—	—	—	1	1	6
6	Diphtheria and croup	—	—	—	—	1	—	—	1	2	2	—	—	1	—	7
7	Influenza	—	—	—	5	1	1	—	—	1	4	—	1	—	—	8
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis	1	—	4	3	2	3	1	—	11	8	2	2	1	1	10
10	Tuberculous meningitis	—	—	—	—	1	—	—	—	—	—	1	—	1	—	11
11	Other tuberculous diseases	—	—	2	1	—	1	—	—	—	—	1	1	—	—	12
12	Cancer, malignant disease	1	—	2	6	6	3	2	2	3	5	1	5	1	2	13
13	Rheumatic fever... ..	—	—	1	1	—	—	—	—	—	1	—	—	—	—	14
14	Meningitis	—	—	—	1	—	1	—	—	—	—	—	—	2	2	15
15	Organic heart disease	—	1	7	12	10	7	1	1	7	13	3	—	5	2	16
16	Bronchitis	—	1	10	2	3	3	—	—	6	9	2	2	—	4	17
17	Pneumonia (all forms)	1	—	10	3	1	2	1	—	9	7	—	—	1	—	18
18	Other respiratory diseases	—	1	1	1	3	1	—	—	3	1	1	—	—	—	19
19	Diarrhoea, &c. (under 2 yrs.)	—	—	1	—	2	1	1	—	3	1	1	—	—	—	20
20	Appendicitis and typhlitis	—	—	—	2	—	—	—	—	—	1	—	—	—	—	21
21	Cirrhosis of liver	—	—	—	—	—	—	—	—	3	—	—	—	—	1	21A
21A	Alcoholism	—	—	—	—	1	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	—	—	1	2	3	3	—	—	1	3	1	—	—	—	23
23	Puerperal fever	—	—	—	—	—	—	—	—	—	3	—	1	—	—	24
24	Parturition, apart from 23	—	—	—	2	—	1	—	—	—	—	—	—	—	—	25
25	Congenital debility, &c.	—	—	6	4	5	3	1	—	4	3	1	1	3	1	26
26	Violence, apart from 27	1	—	5	—	2	—	—	—	3	3	—	1	1	1	27
27	Suicide	—	—	—	—	—	—	—	—	1	—	—	—	—	—	28
28	Other defined diseases	1	2	15	35	20	27	4	—	44	44	9	10	7	9	29
29	Causes ill-defined or un- known.	—	—	1	1	—	2	—	—	—	—	—	—	—	—	

SOMERSETSHIRE—cont.

Causes of Death.		Clevedon U.D.		Crewkerne U.D.		Frome U.D.		Glaston- bury M.B.		High- bridge U.D.		Ilminster U.D.		Midsomer Norton U.D.		Minehead U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES		43	43	24	23	69	81	30	28	10	16	14	15	31	32	25	17	1
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	4
4	Scarlet fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5	Whooping cough	2	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	6
6	Diphtheria and croup	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	7
7	Influenza	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	8
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	9
9	Pulmonary tuberculosis	5	3	2	2	6	3	4	3	3	2	—	2	2	1	2	3	10
10	Tuberculous meningitis	—	—	1	—	1	—	—	—	1	—	—	—	—	—	3	—	11
11	Other tuberculous diseases	—	—	—	—	1	—	1	—	—	1	—	—	—	1	1	—	12
12	Cancer, malignant disease	3	5	1	2	7	12	7	2	—	1	1	1	5	4	6	1	13
13	Rheumatic fever... ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	14
14	Meningitis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	15
15	Organic heart disease	6	7	2	2	9	14	1	8	—	6	1	5	2	5	3	—	16
16	Bronchitis	4	3	3	2	2	5	—	3	1	1	2	—	4	1	1	1	17
17	Pneumonia (all forms)	—	—	2	1	5	10	1	3	—	—	—	—	1	2	1	—	18
18	Other respiratory diseases	2	1	—	1	1	1	1	—	—	1	—	—	—	—	1	—	19
19	Diarrhoea, &c. (under 2 yrs.)	3	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	20
20	Appendicitis and typhlitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
21	Cirrhosis of liver	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	21A
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	1	6	—	1	—	2	—	1	1	1	—	—	—	1	1	—	23
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	25
25	Congenital debility, &c.	1	1	2	—	3	2	2	—	—	1	—	—	2	1	—	—	26
26	Violence, apart from 27	1	1	1	—	1	1	—	—	—	1	—	—	1	2	2	—	27
27	Suicide	—	—	—	2	—	—	—	—	—	—	—	—	2	—	—	—	28
28	Other defined diseases	11	14	10	9	32	30	12	7	3	3	7	6	11	10	5	7	29
29	Causes ill-defined or un- known.	—	—	—	—	—	—	—	—	1	—	—	1	—	1	—	—	

ADMINISTRATIVE AREAS, 1912—continued.

SOMERSETSHIRE—cont.

	Portishead U.D.		Radstock U.D.		Shepton Mallet U.D.		Street U.D.		Taunton M.B.		Watchet U.D.		Wellington U.D.		Wells M.B.		Weston super Mare U.D.		Wivelis- combe U.D.		Yeovil M.B.		
	M 23	F 25	M 17	F 18	M 26	F 37	M 24	F 21	M 134	F 148	M 14	F 11	M 52	F 69	M 26	F 27	M 155	F 185	M 14	F 6	M 86	F 80	
1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—	7	4	—	—	—	—	—	—	5	1	—	—	—	1	5
6	—	—	—	—	—	—	—	—	3	1	—	—	—	1	—	—	2	—	—	—	—	—	6
7	—	—	—	—	—	1	—	—	6	1	1	1	—	2	3	1	1	6	—	—	1	1	7
8	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	1	—	—	8
9	2	2	—	—	—	—	2	2	10	13	1	1	3	3	4	2	14	14	—	—	6	7	9
10	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	4	—	—	—	—	10
11	—	—	—	—	—	—	2	1	—	—	1	—	—	1	—	—	1	4	—	—	—	—	11
12	3	1	2	—	1	5	4	1	12	22	2	1	1	7	2	2	11	20	3	—	4	14	12
13	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	13
14	—	—	—	—	—	—	—	1	1	—	—	—	2	—	—	—	1	1	—	—	1	1	14
15	1	1	3	1	4	6	4	4	13	10	—	—	5	9	2	4	19	24	2	1	12	12	15
16	1	1	3	—	2	1	1	2	7	10	—	—	4	10	1	4	8	12	1	—	5	2	16
17	1	1	1	2	1	4	6	1	6	6	1	3	—	—	3	2	14	10	1	—	7	5	17
18	—	1	—	—	—	—	2	—	—	5	—	1	1	—	—	—	2	1	—	—	1	3	18
19	—	—	—	—	1	—	1	—	3	2	—	—	1	—	—	—	1	1	—	—	—	—	19
20	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	3	—	—	—	—	—	20
21	—	—	—	1	—	—	—	—	1	3	—	—	1	1	1	1	1	1	—	—	1	—	21
21A	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—	—	—	1	21A
22	—	1	1	2	4	3	—	—	—	3	—	1	2	—	—	—	6	9	—	—	1	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	4	24
25	2	1	1	1	2	2	1	2	10	10	—	—	1	1	1	2	8	7	—	—	5	4	25
26	1	—	1	—	2	—	—	—	5	3	—	—	2	1	1	—	7	2	1	—	4	2	26
27	—	—	—	1	—	—	—	—	2	1	—	—	1	—	—	—	2	—	—	—	1	—	27
28	12	15	5	9	9	14	3	4	45	49	8	3	28	31	7	9	48	64	6	4	36	21	28
29	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	1	29

SOMERSETSHIRE—cont.

	Axbridge R.D.		Bath R.D.		Bridg- water R.D.		Chard R.D.		Clutton R.D.		Dulverton R.D.		Frome R.D.		Keynsham R.D.		Langport R.D.		Long Ashton R.D.		
	M 168	F 138	M 82	F 88	M 113	F 120	M 86	F 79	M 93	F 113	M 42	F 33	M 67	F 58	M 49	F 55	M 89	F 126	M 101	F 104	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	1	1	1	—	—	3
4	—	—	—	1	—	—	2	1	2	10	2	—	1	1	1	—	3	5	1	—	4
5	2	4	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6	2	—	—	1	1	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	6
7	2	4	1	—	1	1	2	1	2	2	5	2	3	—	—	—	1	—	1	2	7
8	1	1	—	—	—	—	6	2	5	3	3	1	2	2	4	2	5	12	6	9	8
9	8	8	5	4	4	5	6	—	—	—	—	—	—	—	—	—	—	1	—	—	9
10	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	10
11	2	3	—	—	2	1	1	1	—	1	—	—	2	—	—	—	1	—	2	1	11
12	14	18	6	9	8	18	7	7	7	7	3	4	4	5	2	8	4	13	5	7	12
13	—	—	1	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	2	—	13
14	1	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	2	—	1	—	14
15	32	17	11	16	9	18	14	10	8	19	3	5	11	8	13	6	9	11	13	19	15
16	13	6	4	6	9	7	4	10	11	14	3	1	5	2	3	5	6	13	5	8	16
17	6	4	6	5	6	5	6	5	9	4	2	2	2	4	3	2	6	9	7	3	17
18	2	—	—	—	2	1	2	1	—	—	1	1	4	2	—	1	3	2	—	2	18
19	2	—	—	—	3	—	2	—	4	—	—	—	—	—	—	—	1	—	1	—	19
20	—	1	—	1	—	1	1	1	—	—	—	—	—	—	1	1	—	1	—	—	20
21	2	1	2	—	—	1	1	—	1	1	2	—	—	—	1	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	21A
22	9	9	6	4	7	3	1	1	4	2	1	—	—	4	—	—	3	2	4	4	22
23	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	23
24	—	1	—	2	—	—	—	1	—	1	—	—	—	—	—	2	—	—	—	—	24
25	9	5	7	3	5	4	6	7	7	3	3	—	4	6	3	3	3	3	9	3	25
26	10	5	7	1	6	1	4	—	2	3	1	1	3	—	4	2	2	—	9	4	26
27	1	1	1	—	2	1	—	—	3	—	—	—	1	—	1	—	1	—	2	—	27
28	48	48	23	31	47	51	27	28	27	43	13	16	21	20	12	20	37	51	32	36	28
29	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	29

SOMERSETSHIRE—cont.

Causes of Death.				Shepton Mallet R.D.		Taunton R.D.		Welling- ton R.D.		Wells R.D.		Williton R.D.		Wincan- ton R.D.		Yeovil R.D.			
				M	F	M	F	M	F	M	F	M	F	M	F	M	F		
ALL CAUSES	66	49	117	122	48	36	67	72	74	89	106	114	108	113		
1	Enteric fever	—	—	—	2	—	—	—	—	—	—	—	—	—	—		1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3	Measles	—	—	—	—	—	—	1	—	—	—	—	—	—	—		3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—		4
5	Whooping cough	1	—	5	5	—	—	—	—	1	—	1	2	3	—		5
6	Diphtheria and croup	—	—	1	1	—	—	1	1	1	2	—	2	—	—		6
7	Influenza	1	2	—	1	—	—	2	—	—	2	2	3	—	2		7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	1	—	1	—		8
9	Pulmonary tuberculosis	3	1	3	5	1	2	2	5	3	4	7	7	4	6		9
10	Tuberculous meningitis	—	1	—	—	—	—	—	1	1	2	—	—	1	—		10
11	Other tuberculous diseases	1	—	2	—	2	—	1	3	—	—	—	3	1	3		11
12	Cancer, malignant disease	3	7	11	7	6	3	4	5	4	8	13	13	9	17		12
13	Rheumatic fever...	—	—	2	—	1	—	—	1	—	1	—	—	—	—		13
14	Meningitis	1	1	—	1	—	—	—	—	—	—	—	—	1	—		14
15	Organic heart disease	9	6	13	13	3	6	10	10	11	17	14	20	15	19		15
16	Bronchitis	4	3	3	10	5	1	4	6	4	5	5	7	14	8		16
17	Pneumonia (all forms)	9	—	6	11	3	3	4	1	5	2	5	6	5	2		17
18	Other respiratory diseases	—	1	8	1	1	—	—	—	—	4	4	—	2	1		18
19	Diarrhoea, &c. (under 2 yrs.)	1	1	2	—	—	1	2	1	1	—	—	—	—	2		19
20	Appendicitis and typhlitis	1	—	—	1	—	—	—	—	1	—	—	—	1	—		20
21	Cirrhosis of liver	—	—	1	—	—	—	2	—	—	—	1	—	—	1		21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	1	—		21A
22	Nephritis and Bright's dis.	4	3	4	2	—	—	6	1	1	2	2	5	4	1		22
23	Puerperal fever	—	—	—	—	—	1	—	—	—	—	—	1	—	1		23
24	Parturition, apart from 23	—	—	—	—	—	—	—	1	—	—	—	—	—	1		24
25	Congenital debility, &c.	2	5	4	8	2	3	1	2	5	2	1	5	3	7		25
26	Violence, apart from 27	4	—	2	5	4	—	3	3	3	1	2	1	4	1		26
27	Suicide	—	—	4	—	—	—	1	1	3	—	2	1	—	1		27
28	Other defined diseases	22	18	45	49	20	16	23	30	28	37	45	38	37	39		28
29	Causes ill-defined or un- known.	—	—	1	—	—	—	—	—	2	—	1	—	1	1		29

SOUTHAMPTON.

Causes of Death.				Aldershot U.D.		Alton U.D.		Andover M.B.		Basing- stoke M.B.		Christ- church M.B.		Eastleigh and Bishop- stoke U.D.		Fareham U.D.		Farn- borough U.D.			
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
ALL CAUSES	191	112	38	35	46	58	61	55	30	28	60	51	85	61	69	51		
1	Enteric fever	—	—	1	—	1	—	—	—	1	—	2	—	—	—	—	—		1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3	Measles	7	10	—	—	—	1	—	—	—	—	2	1	—	—	4	3		3
4	Scarlet fever	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—		4
5	Whooping cough	2	3	—	1	—	—	—	3	—	—	1	4	2	2	1	1		5
6	Diphtheria and croup	—	1	—	—	—	1	—	—	—	—	—	—	2	1	—	—		6
7	Influenza	4	—	2	—	—	1	1	1	—	—	—	—	—	1	—	1		7
8	Erysipelas	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		8
9	Pulmonary tuberculosis	24	9	4	—	4	3	4	3	—	1	6	4	8	—	5	1		9
10	Tuberculous meningitis	3	—	—	—	—	—	1	1	—	—	2	—	1	—	—	1		10
11	Other tuberculous diseases	3	2	1	—	1	—	—	—	1	—	—	2	1	—	2	1		11
12	Cancer, malignant disease	6	2	3	3	2	11	2	4	4	5	3	2	6	4	2	6		12
13	Rheumatic fever...	1	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—		13
14	Meningitis	2	—	—	—	—	1	1	2	1	1	1	1	1	—	2	1		14
15	Organic heart disease	13	9	6	6	5	6	11	6	5	3	4	4	13	6	6	3		15
16	Bronchitis	9	10	1	1	1	5	—	1	1	4	1	3	2	10	4	2		16
17	Pneumonia (all forms)	23	6	2	3	9	3	2	2	—	1	7	6	6	4	7	5		17
18	Other respiratory diseases	4	4	—	—	—	—	—	—	1	—	—	—	2	2	4	1		18
19	Diarrhoea, &c. (under 2 yrs.)	6	5	—	—	—	—	—	1	—	—	—	—	2	—	1	1		19
20	Appendicitis and typhlitis	2	2	—	1	2	—	2	—	—	—	2	1	1	—	1	—		20
21	Cirrhosis of liver	2	2	—	—	—	1	1	—	—	1	—	—	—	—	1	—		21
21A	Alcoholism	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		21A
22	Nephritis and Bright's dis.	6	2	4	2	2	3	4	1	2	2	4	4	5	4	—	1		22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		23
24	Parturition, apart from 23	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—		24
25	Congenital debility, &c.	20	13	2	—	6	1	6	3	5	1	3	2	2	6	5	6		25
26	Violence, apart from 27	14	2	—	—	1	—	1	1	2	—	4	1	—	1	8	—		26
27	Suicide	3	—	1	—	—	—	—	—	—	—	2	1	1	—	2	—		27
28	Other defined diseases	34	28	11	18	11	19	22	24	7	9	16	14	28	19	14	16		28
29	Causes ill-defined or un- known.	2	1	—	—	—	—	—	—	—	—	—	1	2	—	—	1		29

ADMINISTRATIVE AREAS, 1912—continued.

SOUTHAMPTON—cont.

	Fleet U.D.		Gosport and Alverstoke U.D.		Havant U.D.		Itchen U.D.		Lymington M.B.		Petersfield U.D.		Romsey M.B.		Warbling- ton U.D.		Win- chester M.B.				Alresford R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			M	F	
1	14	24	225	148	23	22	116	108	26	30	15	19	28	27	32	26	137	140			55	35	1
2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—		—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	3
4	—	—	5	6	—	—	—	—	1	—	—	—	—	—	—	—	11	9	—		—	—	4
5	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	5
6	—	—	—	—	—	1	1	2	—	—	—	—	—	1	—	—	4	2	—		1	—	6
7	—	—	5	4	—	—	11	5	—	—	—	—	1	—	—	—	1	—	—		—	—	7
8	—	—	4	1	—	—	1	—	—	—	—	1	1	3	1	3	—	2	—		1	—	8
9	—	1	24	9	—	—	10	6	3	2	1	—	4	2	2	—	9	5	—		4	7	9
10	—	—	3	1	1	—	3	2	—	—	—	1	—	—	—	—	—	—	—		—	—	10
11	—	1	6	—	—	—	1	4	—	—	1	—	—	2	—	—	2	1	—		1	1	11
12	1	4	15	16	3	3	11	15	4	4	1	2	1	4	5	2	13	22	—		8	4	12
13	—	—	1	—	1	—	—	1	—	1	—	—	—	—	—	—	2	—	—		—	—	13
14	—	—	4	2	—	—	1	1	—	—	—	—	—	—	—	—	2	—	—		1	—	14
15	1	2	18	15	4	3	13	10	4	5	1	3	5	4	2	6	13	18	—		5	4	15
16	2	—	13	15	—	3	2	4	1	—	—	—	2	—	2	—	8	12	—		2	2	16
17	—	4	15	8	2	1	6	2	1	1	2	1	4	1	—	—	5	12	—		2	—	17
18	1	—	2	1	—	1	2	—	—	—	—	—	—	—	—	—	3	3	—		—	—	18
19	—	—	1	—	1	1	1	2	—	—	—	—	—	—	—	—	2	1	—		—	1	19
20	—	1	4	—	—	—	—	2	—	—	—	—	—	—	—	—	2	1	—		—	1	20
21	—	—	1	1	—	—	—	1	—	—	—	—	1	—	—	—	2	—	—		—	1	21
21A	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—	—	—		—	—	21A
22	1	—	13	6	1	—	4	4	3	3	1	2	1	—	—	1	7	2	—		4	1	22
23	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—		—	—	23
24	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—		—	—	24
25	—	1	17	15	4	1	9	13	1	3	1	1	1	1	5	1	10	3	—		8	2	25
26	1	—	11	2	—	—	5	3	—	—	—	—	2	1	3	—	1	—	—		1	—	26
27	—	—	5	—	—	—	—	—	2	—	—	1	—	—	1	—	—	2	—		2	—	27
28	7	10	55	42	6	8	33	29	6	11	7	7	5	8	10	9	37	43	—		15	10	28
29	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—		—	1	29

SOUTHAMPTON—cont.

	Alton R.D.		Andover R.D.		Basing- stoke R.D.		Cathering- ton R.D.		Christ- church R.D.		Droxford R.D.		Fareham R.D.		Fording- bridge R.D.		Hartley Wintney R.D.		Havant R.D.		Hursley R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	100	70	97	60	81	73	21	25	31	29	77	77	85	87	37	34	99	93	26	27	26	31	1
2	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	3
4	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	1	2	—	1	2	1	—	1	—	—	—	1	4	—	—	—	—	—	—	—	—	—	5
6	2	—	1	—	—	—	2	1	—	—	—	1	1	1	1	1	—	—	1	2	1	1	6
7	—	—	3	2	2	—	—	1	1	1	3	4	1	1	—	—	1	—	—	—	—	—	7
8	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	8
9	6	7	5	5	3	4	1	1	2	2	3	4	9	8	4	4	6	4	3	6	2	4	9
10	—	2	—	—	1	—	—	—	1	—	—	—	2	1	—	—	—	1	—	1	—	—	10
11	2	—	2	1	2	1	—	—	—	—	—	—	3	2	—	—	3	—	1	—	—	—	11
12	3	4	5	8	5	7	5	3	2	3	7	6	7	8	1	6	13	8	4	4	3	3	12
13	1	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—	13
14	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1	14
15	17	19	11	11	12	12	5	6	6	6	9	8	6	13	6	8	12	11	4	3	4	4	15
16	6	6	5	2	5	1	2	2	4	1	7	4	6	2	—	2	7	7	2	—	—	1	16
17	5	1	6	3	5	6	—	—	1	1	—	4	2	3	1	—	8	6	—	—	—	—	17
18	—	—	3	—	3	2	1	1	—	—	1	3	—	3	—	—	3	—	1	—	—	1	18
19	2	—	1	—	—	2	—	—	—	1	—	—	—	1	1	—	—	1	—	—	—	—	19
20	—	—	—	1	1	2	—	—	1	—	—	1	—	—	1	1	1	—	—	—	—	—	20
21	2	1	1	—	1	—	—	—	—	—	1	—	1	—	—	—	2	—	1	—	1	—	21
21A	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	1	6	2	1	6	2	—	1	2	5	3	6	4	2	1	2	4	1	2	—	—	22
23	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	23
24	—	3	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	24
25	8	—	6	7	8	4	—	1	1	—	4	2	4	4	1	—	6	8	—	—	—	5	25
26	3	—	4	—	4	2	—	—	1	—	3	4	4	1	1	—	1	3	1	—	1	—	26
27	2	1	4	—	1	—	—	—	—	—	—	—	3	—	2	—	2	1	—	—	—	—	27
28	35	22	29	14	24	22	3	7	10	11	26	28	28	28	16	11	28	34	10	6	9	8	28
29	1	1	2	—	—	1	—	—	—	—	2	2	1	—	—	—	3	2	—	—	—	—	29

SOUTHAMPTON—cont.

Causes of Death.				Kingsclere R.D.		Lymington R.D.		New Forest R.D.		Petersfield R.D.		Ringwood R.D.		Romsey R.D.		South Stoneham R.D.		Stock- bridge R.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	46	43	69	70	94	96	53	57	44	30	40	39	108	90	45	46	1
1 Enteric fever	—	—	—	—	—	—	—	1	5	1	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	1	1	1	1	—	1	—	—	2	—	—	—	1	—	—	—	4
4 Scarlet fever	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	5
5 Whooping cough	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	6
6 Diphtheria and croup	2	1	—	—	—	—	1	—	—	—	1	1	1	—	1	1	7
7 Influenza	1	1	—	—	4	—	1	—	—	—	5	5	2	1	2	1	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	2	3	8	5	4	3	4	6	4	2	—	4	20	14	1	3	10
10 Tuberculous meningitis	—	—	—	—	3	—	—	—	—	1	1	—	1	—	1	1	11
11 Other tuberculous diseases	1	—	1	1	2	1	—	—	—	—	—	—	—	2	—	2	12
12 Cancer, malignant disease	1	3	11	7	11	19	4	3	2	3	1	5	14	10	3	6	13
13 Rheumatic fever...	—	—	—	1	—	—	—	1	—	1	—	—	—	1	—	—	14
14 Meningitis	—	—	—	—	—	1	—	1	—	—	—	1	—	—	1	—	15
15 Organic heart disease	6	8	7	6	5	9	5	8	8	3	5	7	13	15	9	10	16
16 Bronchitis	1	2	4	6	3	12	3	3	3	4	1	2	3	4	—	—	17
17 Pneumonia (all forms)	1	1	6	2	8	4	1	2	6	2	4	—	4	2	2	—	18
18 Other respiratory diseases	2	1	—	1	2	2	—	1	—	—	—	—	1	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—	—	20
20 Appendicitis and typhlitis	1	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—	21
21 Cirrhosis of liver	2	1	1	2	2	—	—	—	—	—	—	—	3	1	—	1	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	1	—	4	5	6	2	1	3	1	—	2	1	6	3	2	1	23
23 Puerperal fever	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	1	—	1	—	—	—	—	—	—	—	2	—	2	25
25 Congenital debility, &c.	3	1	7	5	3	3	10	2	3	—	4	1	3	4	3	3	26
26 Violence, apart from 27	—	—	1	—	4	1	1	3	2	1	3	—	5	2	2	1	27
27 Suicide	—	1	1	—	2	—	3	1	—	—	—	—	—	1	—	—	28
28 Other defined diseases	21	19	16	23	35	34	18	21	7	11	13	10	28	27	17	14	29
29 Causes ill-defined or unknown.	—	—	—	1	—	—	1	—	1	1	—	—	—	—	—	—	

SOUTHAMPTON—cont.

STAFFORDSHIRE.

Causes of Death.				Whit- church R.D.		Winches- ter R.D.		Amble- cote U.D.		Audley U.D.		Biddulph U.D.		Bilston U.D.		Brierley Hill U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	35	35	53	60	23	19	109	75	57	53	234	222	112	77	1
1 Enteric fever	—	—	—	—	—	1	1	—	1	—	1	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	1	—	4	3	2	—	19	13	3	8	4
4 Scarlet fever	—	—	—	—	1	—	1	3	—	—	—	2	—	—	5
5 Whooping cough	1	—	1	2	—	—	—	—	—	1	7	11	2	1	6
6 Diphtheria and croup	—	—	1	—	—	—	2	1	2	2	1	—	1	—	7
7 Influenza	—	2	—	—	2	—	—	—	1	—	12	1	—	—	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	1	—	1	9
9 Pulmonary tuberculosis	1	3	1	3	2	1	5	5	3	3	19	6	11	4	10
10 Tuberculous meningitis	—	1	—	—	—	—	1	2	—	—	1	4	1	1	11
11 Other tuberculous diseases	—	2	—	—	2	—	—	3	—	1	2	5	1	—	12
12 Cancer, malignant disease	4	1	4	8	2	—	7	3	7	9	13	3	5	—	13
13 Rheumatic fever...	—	—	—	—	—	1	1	—	1	1	—	—	—	—	14
14 Meningitis	1	—	—	—	—	—	—	—	1	2	1	1	—	—	15
15 Organic heart disease	4	5	8	9	1	2	8	7	3	2	9	12	5	3	16
16 Bronchitis	5	2	3	3	2	1	11	5	7	2	42	41	10	5	17
17 Pneumonia (all forms)	2	—	4	—	2	3	4	—	7	3	17	17	6	4	18
18 Other respiratory diseases	—	1	—	—	1	—	3	1	1	1	3	1	2	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	1	—	—	—	3	3	—	—	4	4	3	1	20
20 Appendicitis and typhlitis	1	—	—	1	1	—	—	—	—	—	—	1	1	—	21
21 Cirrhosis of liver	1	—	—	—	—	—	—	—	1	—	3	4	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	2	1	5	4	—	2	4	—	—	1	3	4	3	1	23
23 Puerperal fever	—	—	—	1	—	—	—	2	—	1	—	1	—	—	24
24 Parturition, apart from 23	—	—	—	1	—	1	—	2	—	2	—	3	—	—	25
25 Congenital debility, &c.	2	1	5	3	—	—	8	4	7	3	22	21	17	6	26
26 Violence, apart from 27	1	—	1	1	—	2	12	—	4	1	9	2	7	5	27
27 Suicide	—	—	1	—	—	—	—	—	—	—	1	1	3	—	28
28 Other defined diseases	10	16	17	24	5	4	34	27	13	19	45	51	32	31	29
29 Causes ill-defined or unknown.	—	—	1	—	1	1	1	—	—	1	4	2	1	1	

ADMINISTRATIVE AREAS, 1912—continued.

STAFFORDSHIRE—cont.

	Brown-hills U.D.		Cannock U.D.		Coseley U.D.		Darlaston U.D.		Heath- town or Wednes- field Heath U.D.		Kids- grove U.D.		Leek U.D.		Lichfield M.B.		Newcastle under Lyme M.B.		Perry Barr U.D.		Quarry Bank U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	136	122	210	183	163	150	148	152	67	74	64	68	121	159	86	54	151	140	19	16	64	50	1
2	—	1	—	—	1	—	1	1	—	—	1	1	—	—	—	—	1	1	—	—	—	—	2
3	17	9	10	8	8	8	12	14	—	—	7	4	3	6	—	2	3	1	—	—	—	—	3
4	—	—	—	—	2	—	1	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	4
5	5	6	6	7	3	2	5	6	—	2	—	2	1	—	—	—	1	2	—	1	—	—	5
6	4	5	1	—	1	—	1	—	—	1	—	—	1	—	—	—	—	1	—	—	1	4	6
7	2	—	—	1	5	2	2	5	1	—	—	1	1	—	1	4	3	—	—	—	1	1	7
8	—	—	1	—	—	2	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	8
9	7	4	18	15	5	5	8	7	4	6	3	3	11	16	12	4	17	11	—	2	4	1	9
10	2	2	1	2	2	2	1	1	—	—	—	—	3	3	1	—	—	2	—	—	—	—	10
11	2	2	4	4	2	2	4	3	—	—	1	—	3	4	2	2	2	3	2	2	—	—	11
12	5	6	4	13	7	10	8	8	2	8	3	6	5	12	7	5	7	9	1	2	1	1	12
13	—	4	1	—	2	2	—	—	—	—	1	—	—	1	—	2	—	—	—	—	1	—	13
14	—	2	2	2	—	2	2	1	2	1	1	1	3	3	1	—	1	—	—	—	—	—	14
15	11	10	14	13	13	14	8	14	2	2	2	7	15	27	11	3	11	8	1	1	4	4	15
16	8	11	15	16	14	18	19	18	6	5	7	7	3	10	3	1	12	18	2	1	11	5	16
17	17	6	26	13	12	4	17	24	15	9	5	3	11	8	10	4	16	14	1	—	9	9	17
18	2	—	—	3	2	1	2	3	2	1	1	—	2	1	2	1	3	—	—	—	—	—	18
19	—	1	5	4	2	1	2	1	—	1	—	—	2	1	—	—	3	5	1	—	4	—	19
20	—	—	—	1	—	—	1	—	—	1	—	—	3	1	—	—	—	2	—	—	1	—	20
21	—	1	1	1	1	2	—	1	—	—	—	—	1	3	—	—	—	1	—	—	1	—	21
21A	—	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	1	1	1	4	2	3	—	4	1	—	2	5	3	2	—	9	4	—	—	—	1	22
23	—	1	—	—	—	—	—	—	—	1	—	1	—	—	1	—	—	1	—	—	—	1	23
24	—	2	—	2	—	1	—	1	—	—	—	2	—	—	—	—	—	3	—	—	—	—	24
25	16	13	23	20	12	11	17	15	5	7	2	1	3	6	4	5	15	11	—	1	4	8	25
26	7	7	18	3	9	4	4	3	5	3	9	—	2	1	2	1	4	4	5	2	4	—	26
27	—	—	4	—	—	2	—	—	—	—	—	—	3	1	2	1	—	—	—	—	1	—	27
28	29	25	47	49	52	50	27	26	17	23	19	27	40	48	26	18	42	39	6	4	16	14	28
29	—	3	7	4	4	3	1	—	1	2	1	—	—	2	—	—	—	—	—	—	1	—	29

STAFFORDSHIRE—cont.

	Rowley Regis U.D.		Rugeley U.D.		Sedgley U.D.		Short Heath U.D.		Small- thorne U.D.		Stafford M.B.		Stone U.D.		Tamworth M.B.		Tettenhall U.D.		Tipton U.D.		Uttoxeter U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	254	254	27	30	119	105	29	29	98	82	147	143	34	40	56	56	40	37	251	227	43	43	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	1	—	—	—	2	5	5	2	—	—	1	1	—	—	—	1	—	—	3
4	3	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	10	6	—	—	—	1	1	—	3	1	1	—	1	—	2	5	1	1	3	6	—	—	5
6	3	—	—	—	2	1	—	—	1	—	1	1	—	2	—	—	1	—	—	1	1	—	6
7	10	2	—	2	1	—	1	2	—	—	4	1	1	1	—	—	2	—	1	—	—	—	7
8	—	1	—	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—	—	1	—	—	8
9	18	16	4	2	7	4	2	—	10	8	26	13	2	3	5	3	3	1	8	12	3	2	9
10	1	7	—	1	—	3	—	—	1	1	1	2	1	—	—	—	1	2	3	—	1	2	10
11	5	3	—	—	5	1	—	—	—	1	1	2	2	—	2	—	—	6	3	2	—	—	11
12	11	16	4	5	3	5	1	1	3	5	10	12	4	3	5	7	3	4	9	19	6	4	12
13	—	2	—	—	—	—	—	1	—	—	1	1	—	—	—	—	1	2	1	—	—	—	13
14	3	3	1	—	2	—	—	1	1	1	1	1	—	1	1	1	—	4	3	—	—	—	14
15	11	19	3	1	9	8	2	3	10	7	4	14	3	8	3	1	1	2	17	7	3	3	15
16	23	33	4	2	10	10	3	4	6	8	6	12	2	2	6	6	4	2	27	17	4	2	16
17	19	17	—	—	10	12	2	—	16	6	12	11	—	1	1	2	2	1	24	13	2	1	17
18	3	1	—	—	—	—	—	—	1	1	3	2	—	—	2	—	2	—	3	2	—	2	18
19	9	4	—	1	1	—	—	—	2	5	—	1	—	—	1	—	—	9	9	1	—	—	19
20	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	2	—	—	—	—	20
21	1	—	—	2	1	—	—	—	—	1	1	1	—	1	2	1	1	1	—	2	—	—	21
21A	—	—	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	21A
22	8	9	—	1	3	3	—	2	—	—	6	1	2	1	—	2	1	2	2	7	1	1	22
23	—	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	24
25	28	34	3	1	25	13	5	2	16	10	9	12	—	3	2	1	4	—	26	33	4	4	25
26	16	9	1	1	5	1	—	1	2	5	8	2	2	1	4	—	2	1	20	10	—	1	26
27	2	—	—	—	—	2	—	—	—	—	2	2	1	1	—	—	1	—	4	—	—	—	27
28	68	64	7	10	29	39	11	9	23	16	44	47	13	11	16	25	12	14	77	70	15	20	28
29	2	2	—	—	2	—	1	1	—	1	—	1	—	—	1	—	1	—	4	3	—	—	29

ADMINISTRATIVE AREAS, 1912—continued.

STAFFORDSHIRE—cont.

	Seisdon R.D.		Stafford R.D.		Stoke upon Trent R.D.		Stone R.D.		Tamworth (pt.) R.D.*		Tutbury R.D.		Uttoxeter R.D.		Walsall R.D.		Blymhill and Weston under Lizard C.P.'s†					
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F				
1	98	87	58	68	32	25	98	72	34	34	64	68	48	36	85	72	3	2				1
2	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—				2
3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				3
4	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—				4
5	1	2	—	—	1	—	—	1	—	—	—	1	—	—	3	7	—	—				5
6	—	—	—	—	—	1	—	—	—	—	1	2	—	—	—	—	—	—				6
7	1	1	—	—	1	—	2	2	—	2	—	1	4	1	1	—	—	—				7
8	—	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—				8
9	7	2	—	2	2	4	3	2	1	—	4	4	3	2	9	6	—	—				9
10	—	—	—	2	1	—	2	—	1	1	1	2	—	—	1	2	—	—				10
11	2	—	—	—	—	—	2	1	—	—	1	2	1	—	1	2	1	—				11
12	10	6	2	9	1	2	6	4	6	3	4	7	2	3	3	5	—	—				12
13	1	—	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—				13
14	1	—	—	—	—	—	1	—	—	1	—	—	1	—	1	1	—	—				14
15	6	11	10	11	1	4	12	14	2	4	4	13	10	2	6	5	1	1				15
16	5	7	6	2	5	3	4	5	4	4	3	6	2	1	6	10	—	—				16
17	2	6	6	2	2	5	5	—	1	2	4	1	2	2	7	5	—	—				17
18	1	1	—	—	1	—	2	1	—	—	—	—	—	1	2	—	—	—				18
19	2	—	2	1	1	—	1	—	—	—	1	—	—	1	1	1	—	—				19
20	1	—	1	—	—	—	2	1	1	—	—	—	—	1	—	—	—	—				20
21	—	3	—	1	—	—	2	1	1	3	—	2	1	—	—	—	—	—				21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				21A
22	1	1	—	—	1	—	3	1	2	—	1	2	2	1	1	—	—	—				22
23	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—				23
24	—	2	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—				24
25	7	4	7	2	1	1	10	3	3	2	9	4	4	2	13	4	—	—				25
26	4	1	1	3	3	2	7	—	1	—	4	—	4	2	6	1	—	—				26
27	2	—	2	1	1	—	2	—	—	—	1	—	2	—	3	—	—	—				27
28	43	38	20	30	6	1	31	35	11	12	24	19	10	16	20	20	1	1				28
29	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				29

SUFFOLK, EAST.

	Aldeburgh M.B.		Beccles M.B.		Bungay U.D.		Eye M.B.		Felixstowe and Walton U.D.		Hales- worth U.D.		Leiston cum Sizewell U.D.		Lowestoft M.B.		Oulton Broad U.D.		Sax- mundham U.D.		Southwold M.B.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
1	16	24	45	53	17	20	13	21	32	45	10	11	17	19	238	214	31	25	10	13	18	18		1
2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3	1	—	—	—	1	1	—	—	—	—	—	—	—	—	6	7	2	—	—	—	—	—		3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	5	—	—	—	—	—	—		4
5	—	—	1	1	—	—	1	—	1	—	—	—	—	—	3	1	—	—	—	—	—	—		5
6	—	—	—	—	—	—	—	—	2	—	—	—	—	—	3	4	—	—	—	—	—	—		6
7	1	—	2	2	—	—	2	1	—	1	—	—	—	—	—	1	1	—	—	—	—	1		7
8	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		8
9	1	1	4	4	—	3	1	2	2	3	1	—	1	—	16	12	2	1	1	1	2	2		9
10	—	—	—	1	—	—	1	1	—	—	—	—	—	—	1	1	—	1	—	—	—	—		10
11	—	1	—	—	—	—	—	—	—	1	2	1	—	1	1	4	5	—	1	—	—	—		11
12	—	3	1	5	—	2	3	—	2	6	1	2	—	6	16	22	—	3	—	1	—	3		12
13	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1		13
14	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	3	—	—	—	—	—	—		14
15	—	2	6	4	4	2	1	7	3	6	—	1	2	2	20	21	3	4	1	2	1	1		15
16	2	4	1	2	1	—	—	2	1	3	—	2	2	1	13	11	1	2	—	1	1	—		16
17	2	—	1	3	—	1	—	1	2	3	2	—	1	—	18	17	—	2	1	—	1	2		17
18	—	—	—	—	1	1	—	—	—	1	—	—	—	—	2	3	—	2	—	—	—	—		18
19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		19
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—		20
21	1	—	1	1	1	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—		21
21A	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—		21A
22	2	2	2	1	1	2	—	—	—	1	—	1	1	—	7	8	3	1	1	2	—	1		22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—		23
24	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—		24
25	2	—	3	5	—	—	—	—	6	2	—	—	—	2	25	17	2	3	—	2	—	2		25
26	—	—	—	1	—	—	1	—	1	—	—	—	—	—	16	4	2	1	1	—	—	1		26
27	—	—	1	3	—	—	—	—	—	—	—	—	1	—	3	—	—	1	—	—	1	1		27
28	3	11	20	19	6	8	3	7	12	13	4	3	10	6	79	64	9	3	4	3	11	2		28
29	—	—	1	—	1	—	—	—	1	—	—	—	—	—	1	1	1	—	—	—	—	—		29

* The remainder of Tamworth R.D. is in Warwickshire ; see page 535.
† Administered by Shifnal R.D.C. (Shropshire).

SUFFOLK, EAST—cont.

Causes of Death.	Stow-market U.D.		Wood-bridge U.D.		Blything R.D.		Bosmere and Claydon R.D.		East Stow R.D.		Hartis- mere R.D.		Hoxne R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	26	32	20	44	123	123	82	74	32	25	70	71	62	77	1
1 Enteric fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	1	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—	1	—	—	—	4
4 Scarlet fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	1	—	—	1	1	1	1	—	—	1	—	1	—	6
6 Diphtheria and croup	1	—	1	1	1	2	—	—	—	—	—	2	—	—	7
7 Influenza	—	3	—	—	3	2	1	1	—	—	1	—	2	4	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	—	3	1	3	5	10	6	3	3	2	6	1	6	1	10
10 Tuberculous meningitis	—	1	—	—	1	3	—	1	—	—	—	—	—	2	11
11 Other tuberculous diseases	—	—	—	1	3	—	1	3	—	—	1	2	—	2	12
12 Cancer, malignant disease	4	4	1	5	7	11	10	5	3	3	2	4	6	9	13
13 Rheumatic fever... ..	—	—	—	—	1	—	—	—	—	—	—	—	1	1	14
14 Meningitis	1	1	—	—	1	1	—	—	1	—	—	1	—	—	15
15 Organic heart disease	5	2	—	5	16	12	10	15	2	6	7	13	5	6	16
16 Bronchitis	1	4	—	4	12	5	—	5	—	1	5	6	2	5	17
17 Pneumonia (all forms)... ..	1	—	—	—	5	7	6	3	3	2	3	—	1	2	18
18 Other respiratory diseases	—	1	2	—	2	—	2	1	—	1	1	2	—	2	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	2	—	—	1	—	1	—	—	—	20
20 Appendicitis and typhlitis	—	—	—	—	1	2	1	1	—	—	1	—	—	—	21
21 Cirrhosis of liver	—	—	—	—	3	2	—	—	1	—	1	1	1	—	21A
21A Alcoholism	—	—	1	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	1	—	2	2	5	6	5	3	—	—	5	1	2	4	23
23 Puerperal fever	—	—	—	1	—	—	—	—	—	—	—	—	—	1	24
24 Parturition, apart from 23	—	—	—	—	—	4	—	—	—	1	—	2	—	—	25
25 Congenital debility, &c.	1	2	1	1	7	6	8	4	3	2	5	2	9	8	26
26 Violence, apart from 27	2	—	—	1	4	—	4	2	1	—	3	—	1	2	27
27 Suicide	2	—	3	—	—	—	1	—	1	—	1	1	1	—	28
28 Other defined diseases	7	10	8	20	43	43	25	25	12	7	25	32	22	27	29
29 Causes ill-defined or un- known.	—	—	—	—	1	2	1	1	1	—	—	1	1	1	

SUFFOLK, EAST—cont.

SUFFOLK, WEST.

Causes of Death.	Mutford and Lothing- land R.D.		Plomes- gate R.D.		Samford R.D.		Wangford R.D.		Wood- bridge R.D.		Bury St. Edmunds M.B.		Glemsford U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	66	61	99	97	78	67	22	35	97	105	115	122	16	12	1
1 Enteric fever	1	—	—	—	—	—	—	—	—	—	1	1	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	2	1	2	1	—	—	1	—	2	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	1	1	2	—	—	1	1	3	1	1	—	—	—	—	6
6 Diphtheria and croup	2	—	—	1	1	3	—	—	—	2	—	—	—	—	7
7 Influenza	—	—	3	6	1	1	—	—	1	3	—	1	—	—	8
8 Erysipelas	—	—	—	—	—	—	—	—	1	—	—	—	—	1	9
9 Pulmonary tuberculosis	4	3	7	12	4	6	—	1	8	10	10	9	2	1	10
10 Tuberculous meningitis	—	—	—	—	—	—	—	—	—	1	2	—	—	—	11
11 Other tuberculous diseases	1	—	—	—	—	—	—	—	4	—	2	2	—	—	12
12 Cancer, malignant disease	7	8	5	8	5	6	5	4	6	9	14	14	2	2	13
13 Rheumatic fever... ..	1	—	—	2	2	—	—	—	—	1	1	—	—	—	14
14 Meningitis	—	—	—	—	2	—	1	—	2	—	—	1	—	—	15
15 Organic heart disease	7	8	10	13	5	11	1	3	10	9	10	18	1	—	16
16 Bronchitis	4	6	5	4	5	5	—	3	8	5	3	12	—	1	17
17 Pneumonia (all forms)	5	3	3	4	5	1	1	1	2	4	4	5	3	1	18
18 Other respiratory diseases	—	1	2	5	—	—	—	—	1	1	2	1	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	1	—	1	1	—	—	1	—	—	—	2	1	—	—	20
20 Appendicitis and typhlitis	—	—	—	—	2	—	—	—	1	—	1	3	—	1	21
21 Cirrhosis of liver	—	1	—	—	1	—	—	—	1	—	2	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	2	2	1	2	2	2	—	1	4	2	5	4	—	—	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	1	—	2	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	25
25 Congenital debility, &c.	7	6	9	4	2	—	1	1	5	3	8	4	3	—	26
26 Violence, apart from 27	4	2	5	—	4	—	1	2	4	3	2	1	—	—	27
27 Suicide	—	—	3	—	2	—	—	1	1	—	2	—	—	—	28
28 Other defined diseases	19	18	40	33	34	31	9	14	35	46	42	42	5	5	29
29 Causes ill-defined or un- known.	—	—	2	—	—	—	1	—	2	2	2	1	—	—	

ADMINISTRATIVE AREAS, 1912—continued.

SUFFOLK, WEST—cont.

	Hadleigh U.D.		Haverhill U.D.		New- market U.D.		Sudbury M.B.				Brandon R.D.		Clare R.D.		Cosford R.D.		Melford R.D.		Mildenhall R.D.		Moulton R.D.		
	M	F	M	F	M	F	M	F			M	F	M	F	M	F	M	F	M	F	M	F	
1	28	31	26	24	53	61	49	56			34	34	59	69	76	69	101	96	52	56	13	12	1
2	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	1	1	—	—	2
3	—	—	—	—	—	—	1	2			—	—	—	—	—	1	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—			—	—	1	—	—	1	—	—	—	—	—	—	4
5	—	—	—	—	2	—	—	—			—	2	1	1	—	—	—	—	—	—	—	—	5
6	—	—	1	—	—	—	—	—			—	—	—	—	—	—	—	—	—	1	—	—	6
7	—	1	2	—	1	—	—	1			—	3	1	1	—	—	—	4	—	—	—	—	7
8	—	—	—	—	—	1	—	—			—	—	—	—	—	—	—	—	—	—	—	—	8
9	2	1	3	3	6	4	2	6			3	2	4	6	6	4	14	13	—	3	—	1	9
10	—	—	—	—	1	—	—	—			—	—	—	—	—	—	—	1	—	—	—	—	10
11	—	1	—	2	—	2	—	—			2	1	1	—	—	2	1	—	1	2	—	—	11
12	1	3	4	3	7	15	8	11			3	2	7	10	10	4	12	11	3	8	3	1	12
13	—	—	—	—	—	—	—	—			—	—	—	—	—	1	1	—	—	—	—	—	13
14	1	—	—	1	1	2	1	—			—	—	—	—	1	2	—	—	—	—	—	1	14
15	4	3	1	1	—	5	12	7			1	5	6	9	6	8	11	8	3	4	2	2	15
16	—	1	2	2	4	3	3	3			2	2	3	9	5	2	7	4	3	4	—	1	16
17	—	1	1	—	4	2	3	3			1	3	2	2	—	1	2	4	3	3	—	—	17
18	—	—	1	—	2	—	2	1			2	—	—	1	1	—	—	1	3	1	—	—	18
19	—	—	—	1	1	1	—	—			1	—	1	—	—	—	1	—	—	—	1	—	19
20	1	—	—	—	1	—	—	—			—	—	2	—	—	—	1	2	—	—	—	—	20
21	—	—	—	—	3	—	1	—			—	—	1	—	—	—	2	4	1	1	—	—	21
21A	2	1	—	—	—	—	—	1			—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	1	3	—	—	—	2	1			2	—	2	1	5	3	7	3	2	1	1	—	22
23	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	1	—	—	—	23
24	—	1	—	—	—	1	—	—			—	—	—	2	—	—	—	1	—	—	—	—	24
25	2	2	3	2	4	5	2	1			3	2	—	4	6	2	3	4	4	3	2	—	25
26	1	2	1	—	1	1	1	—			—	—	5	—	3	1	5	2	1	1	1	—	26
27	1	—	—	—	—	—	—	—			—	—	1	—	2	—	2	—	2	1	—	—	27
28	11	13	4	9	14	19	11	18			14	10	21	23	30	39	29	33	23	17	3	6	28
29	—	—	—	—	1	—	—	1			—	2	—	—	1	—	1	1	2	4	—	—	29

SUFFOLK, WEST—cont.

SURREY.

	Thed- wastre R.D.		Thingoe R.D.				Barnes U.D.		Carshalton U.D.		Caterham U.D.		Chertsey U.D.		Dorking U.D.		East and West Molesey U.D.		Egham U.D.		Epsom U.D.		
	M	F	M	F			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	51	54	117	113			147	148	50	60	40	46	66	77	39	49	31	34	71	76	60	58	1
2	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	3			—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	3
4	—	—	—	—			1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—			1	1	—	—	1	1	—	1	—	—	—	1	—	—	—	—	5
6	—	—	—	—			—	1	—	—	3	4	—	2	—	2	—	2	1	1	—	1	6
7	1	2	—	3			2	5	—	2	—	—	—	1	1	1	—	1	1	1	—	3	7
8	—	—	—	—			—	1	1	—	—	1	—	1	—	—	—	—	—	—	—	—	8
9	5	3	5	6			19	11	2	4	2	3	4	1	4	3	—	3	10	3	9	4	9
10	—	1	—	1			3	1	1	2	—	1	1	—	1	—	1	1	2	1	—	—	10
11	—	—	—	—			—	1	—	1	1	—	—	1	1	5	—	—	1	—	2	—	11
12	6	4	14	7			11	14	8	4	3	7	3	17	5	10	3	4	7	10	5	7	12
13	—	—	—	—			—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	—			1	1	—	—	—	—	—	—	—	1	—	—	2	—	1	—	14
15	14	11	11	18			12	16	5	7	4	9	13	11	5	6	2	5	9	13	7	9	15
16	2	1	8	5			6	13	2	6	1	3	11	2	3	4	1	1	5	9	4	4	16
17	1	3	5	7			12	4	4	1	4	—	5	3	3	2	4	2	4	1	2	2	17
18	1	1	1	2			3	1	1	—	1	1	—	—	1	2	1	—	3	—	—	—	18
19	—	—	2	—			3	2	2	—	1	—	1	2	—	—	—	—	—	1	1	—	19
20	—	—	—	1			1	2	3	1	—	—	—	—	—	—	1	—	1	2	—	—	20
21	—	—	1	1			4	2	—	—	—	—	2	—	2	1	1	—	2	—	—	—	21
21A	—	—	—	—			1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	21A
22	1	1	5	2			7	6	1	2	—	—	2	2	3	3	—	3	1	1	3	—	22
23	—	—	—	2			—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	23
24	—	—	—	4			—	1	—	—	—	—	—	—	—	—	—	—	3	—	—	—	24
25	3	5	8	10			11	6	3	4	2	—	3	6	4	—	3	—	2	5	3	5	25
26	2	2	8	2			11	4	1	2	1	1	1	2	1	—	4	1	5	3	1	—	26
27	1	—	4	—			5	—	1	1	—	—	1	—	—	—	1	—	1	—	1	—	27
28	14	20	43	38			33	50	13	22	15	14	16	23	6	8	11	9	18	15	22	19	28
29	—	—	2	1			—	2	—	1	—	—	2	—	—	—	—	—	—	—	—	—	29

SURREY—*cont.*

Causes of Death.	Esher and the Dittons U.D.		Farnham U.D.		Frimley U.D.		Godalming M.B.		Guildford M.B.		Ham U.D.		Kingston on Thames M.B.		Leatherhead U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...	65	71	44	40	66	48	46	51	124	131	10	8	260	239	22	23	
1 Enteric fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles ...	—	2	1	—	1	—	—	—	—	—	—	—	2	3	—	—	3
4 Scarlet fever ...	—	1	1	1	—	—	—	—	—	—	1	—	—	—	—	—	4
5 Whooping cough ...	3	—	—	—	—	—	—	—	—	2	1	—	1	10	—	—	5
6 Diphtheria and croup ...	—	—	—	—	—	—	1	—	2	—	—	—	8	8	—	—	6
7 Influenza ...	—	—	1	5	—	3	1	3	2	4	—	—	8	8	—	—	7
8 Erysipelas ...	2	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	6	7	6	3	8	5	4	5	10	9	—	1	22	12	3	—	9
10 Tuberculous meningitis	—	1	1	—	2	—	—	—	—	—	—	—	3	4	1	—	10
11 Other tuberculous diseases	—	—	—	—	—	—	1	1	3	—	—	—	1	1	—	1	11
12 Cancer, malignant disease	8	7	6	7	4	11	3	5	15	14	—	—	18	11	1	2	12
13 Rheumatic fever...	—	—	—	—	—	—	—	1	1	—	—	—	1	3	1	1	13
14 Meningitis ...	—	—	2	—	1	—	1	—	—	—	—	—	2	2	—	2	14
15 Organic heart disease ...	11	10	2	3	2	3	4	6	11	23	1	1	29	33	1	2	15
16 Bronchitis ...	2	6	2	4	6	7	2	1	6	10	1	1	18	15	2	—	16
17 Pneumonia (all forms) ...	1	6	2	1	7	2	2	3	5	6	—	—	18	17	1	2	17
18 Other respiratory diseases	2	1	1	1	—	2	—	1	—	3	—	—	5	10	—	—	18
19 Diarrhoea, &c. (under 2 yrs.)	—	1	—	—	2	1	—	—	1	—	1	1	10	6	—	—	19
20 Appendicitis and typhlitis	—	1	—	—	—	—	—	—	2	—	—	—	2	6	—	—	20
21 Cirrhosis of liver ...	2	1	—	—	—	1	1	1	—	—	1	—	7	1	—	3	21
21A Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	21A
22 Nephritis and Bright's dis.	2	2	—	1	—	1	2	—	4	2	—	—	14	4	2	2	22
23 Puerperal fever ...	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	23
24 Parturition, apart from 23	—	—	—	—	—	1	—	—	—	1	—	—	—	2	—	—	24
25 Congenital debility, &c.	7	4	3	4	9	4	—	3	9	6	—	—	13	16	4	—	25
26 Violence, apart from 27	2	—	3	1	3	1	3	1	5	—	—	—	8	3	—	—	26
27 Suicide ...	3	—	2	—	1	—	—	—	—	1	—	—	1	—	—	—	27
28 Other defined diseases ...	14	20	11	9	20	6	20	19	48	47	5	3	69	62	6	7	28
29 Causes ill-defined or unknown.	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	29

SURREY—*cont.*

Causes of Death.	Merton U.D.		Reigate M.B.		Richmond M.B.		Surbiton U.D.		Sutton U.D.		The Maldens and Coombe U.D.		Walton upon Thames U.D.		Weybridge U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...	68	44	144	166	195	219	89	110	85	86	51	56	50	56	29	29	
1 Enteric fever ...	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles ...	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	3
4 Scarlet fever ...	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	4
5 Whooping cough ...	—	1	2	5	2	1	2	1	—	—	1	1	1	1	—	—	5
6 Diphtheria and croup ...	—	—	—	1	1	—	—	1	—	—	1	2	2	—	—	—	6
7 Influenza ...	1	—	1	1	2	2	1	3	1	2	—	1	1	2	—	—	7
8 Erysipelas ...	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	6	1	16	10	16	10	7	7	10	5	2	2	2	4	1	1	9
10 Tuberculous meningitis	—	—	—	5	2	3	1	—	2	1	1	1	1	—	—	—	10
11 Other tuberculous diseases	—	—	—	1	2	2	2	2	—	—	—	1	—	1	—	—	11
12 Cancer, malignant disease	2	4	15	25	15	33	15	17	7	13	8	11	4	9	3	2	12
13 Rheumatic fever...	—	3	1	1	—	—	—	—	1	1	—	1	1	—	—	—	13
14 Meningitis ...	—	1	1	1	—	2	2	2	—	—	1	—	—	—	—	—	14
15 Organic heart disease ...	9	4	16	18	18	21	10	12	14	13	9	2	5	1	—	5	15
16 Bronchitis ...	3	2	11	5	16	23	—	5	6	5	2	4	9	9	2	—	16
17 Pneumonia (all forms) ...	4	4	7	7	8	10	5	2	5	8	2	—	3	5	1	—	17
18 Other respiratory diseases	—	1	4	1	4	5	1	2	1	1	1	2	1	1	—	1	18
19 Diarrhoea, &c. (under 2 yrs.)	1	1	4	2	3	—	1	1	—	1	1	2	1	—	—	—	19
20 Appendicitis and typhlitis	—	1	1	2	4	4	1	1	—	—	1	—	—	—	—	—	20
21 Cirrhosis of liver ...	—	—	1	2	2	7	2	1	2	2	—	—	—	—	1	1	21
21A Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	1	—	—	7	12	4	2	7	2	4	3	2	—	1	3	1	22
23 Puerperal fever ...	—	—	—	—	—	2	—	2	—	—	—	1	—	1	—	2	23
24 Parturition, apart from 23	—	—	—	—	—	2	—	1	—	1	—	—	—	1	—	—	24
25 Congenital debility, &c.	9	3	6	5	11	10	5	7	6	7	3	5	3	2	3	2	25
26 Violence, apart from 27	3	5	4	—	7	3	4	—	1	2	1	4	1	2	2	3	26
27 Suicide ...	2	—	3	—	5	1	1	—	2	—	—	—	—	—	—	—	27
28 Other defined diseases ...	24	13	48	67	65	72	27	35	25	19	12	14	15	14	13	10	28
29 Causes ill-defined or unknown.	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	1	29

ADMINISTRATIVE AREAS, 1912—continued.

SURREY—cont.

	Wimbledon M.B.		Windle- sham U.D.		Woking U.D.				Chertsey R.D.		Croydon R.D.		Dorking R.D.		Epsom R.D.		Farnham R.D.		Godstone R.D.		Guildford R.D.		
	M	F	M	F	M	F			M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	228	301	23	23	99	96			37	50	283	273	54	49	130	114	109	108	101	101	85	79	1
2	2	—	—	—	—	—			1	—	2	1	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—			—	1	—	1	—	—	1	1	—	—	—	—	1	—	3
4	—	1	1	—	—	—			—	1	1	1	—	—	1	1	—	—	—	—	—	—	4
5	2	8	—	—	1	—			—	1	5	2	—	—	—	1	3	—	—	—	—	—	5
6	3	—	1	—	—	1			1	—	3	4	1	—	1	—	2	—	2	1	—	—	6
7	4	4	1	2	1	1			—	—	—	—	—	—	3	—	2	1	—	2	2	1	7
8	—	—	—	—	1	—			—	—	2	2	—	—	—	—	—	—	—	—	7	1	8
9	22	26	3	2	4	5			2	3	22	25	4	3	11	10	6	9	12	8	7	6	9
10	—	2	—	—	—	1			—	2	5	6	—	2	—	1	1	—	3	—	2	—	10
11	4	1	—	—	3	—			—	2	3	7	—	—	1	2	2	1	2	1	2	3	11
12	18	44	—	2	11	15			4	7	19	31	4	12	15	19	5	16	12	14	9	14	12
13	1	2	—	—	—	—			1	—	4	2	—	—	—	—	—	—	—	—	—	—	13
14	5	1	—	—	2	1			—	1	2	2	—	1	1	1	2	1	—	—	1	—	14
15	17	33	2	3	15	10			4	5	22	25	10	7	16	13	13	13	4	17	9	8	15
16	18	15	—	1	4	5			2	2	20	12	6	1	6	11	12	15	7	7	4	3	16
17	13	19	2	—	5	3			2	4	15	17	4	1	10	3	11	11	6	5	1	2	17
18	3	5	—	—	4	2			—	—	5	6	3	—	2	—	1	2	—	1	—	1	18
19	7	10	—	—	2	2			—	1	13	8	—	—	2	—	1	—	1	—	—	1	19
20	3	5	—	—	2	1			—	1	2	4	—	—	2	—	1	—	2	—	—	1	20
21	5	3	—	—	1	—			1	1	2	2	—	—	2	—	1	—	—	—	—	—	21
21A	—	—	—	—	1	—			—	—	—	1	1	—	—	1	—	—	—	—	1	—	21A
22	8	11	—	—	4	1			2	—	13	6	4	2	4	4	2	6	1	3	4	3	22
23	—	4	—	—	—	1			—	—	—	1	—	—	—	—	—	1	—	—	—	2	23
24	—	3	—	—	—	1			—	—	—	1	—	—	—	—	—	1	—	1	—	2	24
25	14	15	4	1	5	4			4	3	27	8	4	—	12	7	8	6	5	6	5	2	25
26	12	5	—	—	5	6			4	4	23	8	2	3	6	3	9	1	4	—	6	2	26
27	2	2	1	—	1	1			—	—	4	2	1	—	3	—	3	2	3	1	2	2	27
28	65	82	8	10	26	33			9	12	67	87	10	17	31	36	30	15	39	31	28	24	28
29	—	—	—	2	1	2			—	—	2	1	—	—	—	—	—	—	—	—	—	1	29

SURREY—cont.

SUSSEX, EAST.

	Hamble- don R.D.		Reigate R.D.				Battle U.D.		Bexhill M.B.		Burgess Hill U.D.		Cuckfield U.D.		East Grinstead U.D.		Hayward's Heath U.D.		Hove M.B.		Lewes M.B.		
	M	F	M	F			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	139	114	127	88			12	10	75	84	24	22	8	11	35	26	23	35	223	295	71	71	1
2	—	—	1	—			—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	2
3	—	—	—	1			—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	1	—			—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	4
5	—	2	—	—			—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	5
6	—	2	—	3			—	—	—	1	—	—	—	—	—	—	—	—	2	—	1	—	6
7	7	3	9	5			1	—	3	2	1	—	—	—	1	—	1	1	3	5	3	2	7
8	—	—	—	—			—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	8
9	8	11	12	8			1	1	10	3	1	3	—	1	6	3	2	2	17	20	8	6	9
10	—	1	2	1			—	—	1	1	—	1	—	—	—	—	1	3	2	—	—	—	10
11	2	2	3	—			—	—	1	2	—	—	—	—	—	—	1	4	3	2	—	—	11
12	18	8	17	11			2	1	8	10	3	2	2	—	5	5	2	2	26	51	12	10	12
13	1	—	—	1			—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	2	—			1	—	1	—	—	—	—	—	—	—	—	4	—	—	—	—	14
15	17	15	17	15			1	4	8	6	7	5	2	1	2	3	3	6	26	42	6	8	15
16	5	5	6	7			—	—	1	3	—	1	1	2	2	2	—	5	10	19	4	6	16
17	10	5	6	1			—	—	2	3	1	1	—	2	2	—	1	2	8	8	7	3	17
18	2	2	1	—			—	—	2	3	—	1	1	—	—	—	2	1	5	2	—	—	18
19	—	—	—	1			—	—	—	1	—	—	—	—	—	—	—	3	2	1	—	—	19
20	—	2	1	1			—	—	—	2	—	—	—	—	1	1	—	1	2	1	—	—	20
21	2	1	—	—			1	—	1	—	—	—	—	—	—	—	1	1	4	7	2	1	21
21A	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	21A
22	9	2	4	2			1	—	1	1	1	—	—	—	2	1	1	—	9	12	5	2	22
23	—	2	—	—			—	—	—	2	—	—	—	—	—	—	—	—	2	—	—	—	23
24	—	2	—	2			—	—	—	3	—	—	—	—	—	—	1	—	—	2	—	—	24
25	8	3	6	4			1	—	4	4	1	—	—	—	1	2	—	1	8	8	1	1	25
26	4	5	7	2			—	—	4	2	—	—	—	—	1	1	1	1	4	3	1	2	26
27	1	—	—	1			—	—	2	1	—	—	—	—	—	—	—	2	1	3	1	—	27
28	45	41	32	22			2	4	24	32	8	6	2	5	11	7	8	9	86	101	13	27	28
29	—	—	—	—			1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	29

SUSSEX, EAST—cont.

Causes of Death.	Newhaven U.D.		Portslade by Sea U.D.		Rye M.B.		Seaford U.D.		Uckfield U.D.		Battle R.D.		Chailey R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	33	39	38	43	25	26	26	20	24	16	43	36	68	49	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	2	2	—	—	—	—	—	—	—	—	—	1	6
6 Diphtheria and croup ...	1	—	—	1	—	—	—	—	3	1	—	—	—	—	7
7 Influenza	1	—	—	—	—	—	—	1	—	—	1	1	3	1	8
8 Erysipelas	—	—	—	—	—	—	—	—	1	—	—	—	—	—	9
9 Pulmonary tuberculosis	—	4	7	2	—	2	1	1	—	—	4	2	6	4	10
10 Tuberculous meningitis	1	—	3	—	—	—	1	—	—	—	—	—	—	1	11
11 Other tuberculous diseases	—	—	—	1	1	1	—	—	—	—	—	—	2	—	12
12 Cancer, malignant disease	2	11	2	7	—	2	4	3	2	1	7	4	10	5	13
13 Rheumatic fever... ..	—	—	—	—	—	—	—	—	—	—	1	—	—	—	14
14 Meningitis	—	—	—	—	—	—	—	—	1	—	—	—	—	—	15
15 Organic heart disease ...	4	4	2	5	6	5	3	1	2	2	3	11	3	8	16
16 Bronchitis	1	1	1	—	2	4	—	2	1	1	4	1	5	1	17
17 Pneumonia (all forms) ...	2	1	3	4	1	—	—	2	—	5	—	—	3	4	18
18 Other respiratory diseases	2	2	—	—	—	1	—	—	1	1	1	1	1	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	1	1	—	—	—	—	1	—	—	1	—	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	1	—	—	1	1	21
21 Cirrhosis of liver	—	—	1	1	—	1	1	—	1	—	—	—	1	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	1	—	—	—	—	—	22
22 Nephritis and Bright's dis.	1	—	2	4	2	1	—	—	—	—	—	—	2	2	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	1	—	—	—	—	—	—	—	—	—	—	25
25 Congenital debility, &c.	1	1	3	3	2	1	2	1	3	1	4	3	3	3	26
26 Violence, apart from 27	2	2	1	1	—	1	1	1	1	—	1	—	3	—	27
27 Suicide	—	1	—	—	—	—	—	—	—	—	—	—	—	—	28
28 Other defined diseases ...	15	11	10	10	11	7	13	8	6	3	14	12	22	17	29
29 Causes ill-defined or un- known.	—	1	—	—	—	—	—	—	—	—	1	—	—	1	

SUSSEX, EAST—cont.

Causes of Death.	Cuckfield R.D.		East- bourne R.D.		East Grinstead R.D.		Hailsham R.D.		Hastings R.D.		Newhaven R.D.		Rye R.D.		Steyning East R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	99	83	30	20	58	71	102	115	9	11	19	30	68	37	12	13	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	2	1	—	3	—	—	—	—	—	—	2	—	—	—	6
6 Diphtheria and croup ...	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	7
7 Influenza	1	1	1	—	1	—	4	6	—	—	—	1	2	1	—	—	8
8 Erysipelas	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	10	5	3	4	5	4	8	7	1	—	2	6	2	3	1	—	10
10 Tuberculous meningitis	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	11
11 Other tuberculous diseases	1	—	1	—	1	1	1	—	—	—	1	—	1	—	—	—	12
12 Cancer, malignant disease	9	7	5	2	10	9	3	11	1	—	3	3	4	4	2	3	13
13 Rheumatic fever... ..	—	2	—	—	—	—	3	—	—	—	—	—	—	—	—	—	14
14 Meningitis	—	1	—	—	1	—	1	3	—	—	—	—	—	—	—	—	15
15 Organic heart disease	13	11	3	2	11	10	12	16	1	2	1	4	8	6	2	—	16
16 Bronchitis	7	14	—	2	4	4	5	7	1	2	1	—	4	4	1	—	17
17 Pneumonia (all forms) ..	5	4	—	—	2	4	1	6	1	2	5	2	9	4	—	—	18
18 Other respiratory diseases	1	1	1	1	—	4	4	1	—	—	—	—	1	1	—	1	19
19 Diarrhoea, &c. (under 2 yrs.)	—	1	—	—	1	—	2	—	1	—	—	—	—	—	—	1	20
20 Appendicitis and typhlitis	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	21
21 Cirrhosis of liver	1	1	—	—	1	—	2	1	—	—	—	—	—	—	—	1	21A
21A Alcoholism	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	4	2	1	—	1	1	4	3	—	—	—	1	3	1	—	1	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	2	—	1	—	1	—	—	—	—	—	—	—	—	25
25 Congenital debility, &c.	10	4	—	—	—	4	6	11	—	—	1	5	3	1	—	1	26
26 Violence, apart from 27	3	—	2	—	3	2	3	4	—	1	2	—	6	1	1	—	27
27 Suicide	1	1	—	—	2	—	1	—	—	—	1	—	—	—	—	—	28
28 Other defined diseases ...	31	26	11	6	15	23	37	34	2	4	2	8	19	11	5	5	29
29 Causes ill-defined or un- known.	—	1	—	—	—	1	—	—	1	—	—	—	3	—	—	—	

ADMINISTRATIVE AREAS, 1912—continued.

SUSSEX, EAST—cont.										SUSSEX, WEST.												
Ticehurst R.D.		Uckfield R.D.				Arundel M.B.		Bognor U.D.		Chichester M.B.		Horsham U.D.		Little- hampton U.D.		Shoreham by Sea U.D.		Southwick U.D.		Worthing M.B.		
M	F	M	F			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	76	70	132	105			15	19	62	52	80	69	68	78	51	46	34	41	24	30	154	203
2	—	—	—	—			—	—	—	—	1	—	—	—	—	—	—	1	—	—	1	—
3	1	3	1	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	—	—	—	—			—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
5	—	—	1	—			—	—	3	1	1	—	—	2	—	—	1	—	—	1	3	1
6	—	—	2	—			—	—	1	—	1	—	3	1	—	1	—	—	—	—	—	—
7	—	—	1	1			—	—	—	—	1	—	—	—	—	—	—	—	2	5	4	—
8	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	8	4	9	10			2	1	1	6	4	6	3	6	3	5	3	1	—	1	15	13
10	—	1	2	1			—	—	1	1	—	1	1	—	2	1	—	—	—	—	3	2
11	1	—	4	1			—	1	—	2	—	—	—	—	1	—	—	—	—	1	5	—
12	6	9	11	11			2	2	4	6	5	6	7	15	5	12	6	5	1	3	13	28
13	—	—	—	—			—	—	1	—	—	1	—	—	—	—	—	—	—	—	1	—
14	—	—	3	—			1	—	—	—	1	—	—	—	—	1	1	—	—	—	—	1
15	10	20	23	18			1	5	5	3	13	10	6	9	6	10	7	11	5	3	22	26
16	2	2	5	6			1	—	7	3	—	3	4	4	2	2	4	2	1	2	9	14
17	1	4	7	2			—	1	2	5	3	6	5	—	1	—	1	1	1	1	7	10
18	1	—	1	2			—	—	3	1	—	—	1	—	2	—	1	—	1	1	1	2
19	—	—	2	1			—	—	—	—	—	—	1	—	1	—	1	—	—	2	—	2
20	—	—	—	1			—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—
21	1	—	—	—			—	—	1	1	1	—	—	—	1	2	—	1	—	—	2	2
21A	—	—	—	—			—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—
22	3	1	4	3			2	—	1	—	3	3	2	—	2	—	2	3	—	2	2	13
23	—	—	—	2			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24	—	—	—	2			—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—
25	4	2	7	8			1	—	2	2	5	2	7	2	4	1	—	2	2	2	1	5
26	1	1	4	2			—	—	1	1	6	—	2	—	1	1	1	1	5	1	9	8
27	—	—	2	—			1	—	1	—	2	—	3	—	1	1	—	—	—	—	3	—
28	36	23	42	34			4	9	27	18	32	30	22	36	18	8	6	12	7	8	55	66
29	1	—	1	—			—	—	1	—	—	1	—	2	—	—	—	—	—	1	—	1

SUSSEX, WEST—cont.

		East Preston R.D.		Horsham R.D.		Midhurst R.D.		Petworth R.D.		Steyning West R.D.		Thakeham R.D.		West- bourne R.D.		West- hampnett R.D.					
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F				
1		33	41	111	93	90	75	71	53	51	39	51	38	64	47	99	78				1
2		—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—				2
3		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				3
4		—	1	—	—	—	—	—	—	—	—	1	1	—	—	—	1				4
5		—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—				5
6		—	—	1	—	—	1	—	1	—	1	—	—	—	1	—	—				6
7		1	1	1	1	—	—	—	—	—	—	—	1	1	1	—	2				7
8		—	—	2	—	—	—	—	—	2	—	—	—	—	—	1	1				8
9		—	1	11	6	7	4	2	5	4	2	8	3	2	4	7	4				9
10		—	—	—	—	3	—	—	—	—	—	—	—	1	—	2	2				10
11		1	—	3	—	2	1	—	—	—	—	—	—	2	—	—	2				11
12		2	3	8	9	9	11	12	7	9	4	6	4	3	7	12	9				12
13		—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—				13
14		—	1	—	1	—	1	—	—	—	—	—	—	1	1	1	—				14
15		4	10	20	15	6	6	7	6	6	8	5	4	7	10	10	13				15
16		2	—	4	10	5	6	7	4	1	3	1	1	4	1	4	3				16
17		1	4	7	3	8	7	3	—	2	1	2	2	1	—	9	2				17
18		—	1	1	2	3	—	—	—	—	1	1	1	1	1	4	2				18
19		—	—	—	—	1	—	—	—	2	—	—	—	3	—	1	1				19
20		—	—	1	1	2	—	—	—	—	—	—	—	—	—	—	1				20
21		—	—	1	1	2	2	1	1	—	—	—	—	—	—	—	—				21
21A		—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—				21A
22		2	—	4	2	2	—	3	—	3	—	2	1	1	2	2	2				22
23		—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1				23
24		—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—				24
25		4	2	5	4	3	4	4	2	2	2	10	5	3	1	6	1				25
26		2	—	8	2	4	1	4	—	1	2	2	—	3	1	5	4				26
27		1	—	2	2	2	—	1	1	1	—	2	2	1	—	—	—				27
28		13	15	32	30	30	30	27	24	17	15	10	11	27	16	34	27				28
29		—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—				29

WARWICKSHIRE.

Causes of Death.				Bulkington U.D.		Kenilworth U.D.		Nuneaton M.B.		Royal Leamington Spa M.B.		Rugby U.D.		Stratford on Avon M.B.		Sutton Coldfield M.B.		Warwick M.B.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	15	14	39	33	232	206	169	225	102	121	56	60	87	100	78	85	
1 Enteric fever	—	—	—	—	—	—	—	1	—	—	1	1	—	1	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	13	20	2	—	9	6	—	—	—	1	—	1	3
4 Scarlet fever	—	—	—	1	4	3	—	—	—	—	—	—	—	1	1	—	4
5 Whooping cough	1	1	1	1	3	4	—	—	1	—	—	—	2	1	1	—	5
6 Diphtheria and croup	1	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	6
7 Influenza	—	—	2	3	5	1	1	6	2	1	—	—	—	2	2	—	7
8 Erysipelas	—	—	1	—	—	—	2	1	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	—	—	4	3	10	9	11	6	5	5	8	1	5	6	3	9	9
10 Tuberculous meningitis	—	—	—	1	6	4	—	1	—	1	1	1	2	1	—	—	10
11 Other tuberculous diseases	—	—	—	1	10	5	1	1	1	1	1	2	—	—	—	2	11
12 Cancer, malignant disease	1	1	4	2	16	10	15	33	9	25	4	5	13	17	3	7	12
13 Rheumatic fever...	—	—	—	—	2	1	—	—	—	—	1	—	—	2	—	—	13
14 Meningitis	—	—	1	—	3	—	1	—	—	—	—	1	—	—	—	—	14
15 Organic heart disease	—	4	4	2	17	14	23	31	16	14	4	6	14	16	7	12	15
16 Bronchitis	1	1	1	1	19	10	7	12	3	6	2	6	2	4	6	9	16
17 Pneumonia (all forms)	1	—	2	—	11	13	16	18	16	5	2	3	6	8	8	11	17
18 Other respiratory diseases	1	—	1	—	1	3	2	6	3	—	—	1	1	2	—	—	18
19 Diarrhoea, &c (under 2 yrs.)	—	—	—	—	6	7	1	1	—	1	—	—	2	2	—	—	19
20 Appendicitis and typhlitis	—	1	—	—	—	—	1	3	3	1	—	—	—	—	—	—	20
21 Cirrhosis of liver	—	—	—	1	—	—	5	5	1	1	—	1	2	—	—	—	21
21A Alcoholism	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	21A
22 Nephritis and Bright's dis.	—	—	1	1	6	4	6	10	2	3	3	1	2	1	5	1	22
23 Puerperal fever	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	23
24 Parturition, apart from 23	—	—	—	—	—	3	—	1	—	2	—	—	—	2	—	2	24
25 Congenital debility, &c.	2	—	2	3	31	26	9	9	3	8	3	3	—	4	4	9	25
26 Violence, apart from 27	1	—	1	1	10	5	7	4	2	1	3	—	3	2	4	—	26
27 Suicide	—	—	2	—	3	—	3	—	2	1	—	2	1	1	2	—	27
28 Other defined diseases	6	6	11	12	50	62	56	75	23	37	22	26	30	25	32	22	28
29 Causes ill-defined or unknown.	—	—	—	—	2	1	—	1	—	1	1	—	1	—	—	—	29

WARWICKSHIRE—cont.

Causes of Death.				Alcester R.D.		Atherstone R.D.		Brailes R.D.		Castle Bromwich R.D.*		Coventry R.D.		Farnborough R.D.		Foleshill R.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	84	75	155	118	49	29	2	8	2	4	7	6	157	161	
1 Enteric fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	3	2	—	—	—	—	—	—	—	—	1	—	3
4 Scarlet fever	—	1	3	4	—	—	—	—	—	—	—	—	—	5	4
5 Whooping cough	1	—	10	10	—	—	—	—	—	—	—	—	10	9	5
6 Diphtheria and croup	1	—	—	—	—	—	—	—	—	—	—	—	6	1	6
7 Influenza	—	3	—	—	1	—	—	1	1	—	1	—	—	4	7
8 Erysipelas	—	—	—	—	2	1	—	—	—	—	—	—	—	1	8
9 Pulmonary tuberculosis	9	2	9	3	2	5	1	1	—	—	—	—	9	9	9
10 Tuberculous meningitis	—	1	1	1	—	—	—	—	—	—	—	—	—	1	10
11 Other tuberculous diseases	5	2	3	2	—	1	—	—	—	—	—	—	1	3	11
12 Cancer, malignant disease	6	7	11	12	1	2	—	1	—	1	1	2	7	12	12
13 Rheumatic fever...	—	1	1	2	—	—	—	—	—	—	—	—	2	1	13
14 Meningitis	—	1	4	3	—	—	—	—	—	—	—	—	3	3	14
15 Organic heart disease	7	17	18	16	9	6	—	1	—	1	1	2	9	16	15
16 Bronchitis	2	4	8	5	3	3	—	3	—	—	—	—	9	8	16
17 Pneumonia (all forms)	4	—	19	7	1	—	1	—	—	—	—	1	11	15	17
18 Other respiratory diseases	2	—	2	6	—	—	—	—	—	—	—	—	—	—	18
19 Diarrhoea, &c. (under 2 yrs.)	1	—	2	1	—	—	—	—	—	—	—	—	5	3	19
20 Appendicitis and typhlitis	—	2	—	—	2	—	—	—	—	—	—	—	1	—	20
21 Cirrhosis of liver	1	1	—	—	—	—	—	—	—	—	—	—	1	1	21
21A Alcoholism	—	—	—	1	—	—	—	—	—	—	—	—	1	1	21A
22 Nephritis and Bright's dis.	8	2	5	2	1	—	—	—	—	—	—	—	6	1	22
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	1	—	2	—	—	—	—	—	—	—	—	—	1	24
25 Congenital debility, &c.	7	—	12	7	2	—	—	—	1	1	—	—	20	20	25
26 Violence, apart from 27	3	4	5	3	3	—	—	—	—	—	—	—	7	2	26
27 Suicide	2	—	—	—	—	—	—	—	—	—	—	—	3	—	27
28 Other defined diseases	24	25	37	29	22	11	—	1	—	1	4	1	44	42	28
29 Causes ill-defined or unknown.	1	1	1	—	—	—	—	—	—	—	—	—	1	2	29

* Castle Bromwich R.D. abolished 1st April, 1912.

ADMINISTRATIVE AREAS, 1912—continued.

WARWICKSHIRE—cont.

	Meriden R.D.		Monks Kirby R.D.		Nuneaton R.D.		Rugby R.D.		Solihull R.D.		Southam R.D.		Stratford on Avon R.D.		Tamworth (pt.)* R.D.		Warwick R.D.					
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F				
1	97	77	8	6	26	21	130	110	105	104	78	68	60	64	103	74	72	62				1
2	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—				2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				4
5	5	2	—	—	—	—	—	2	4	—	1	1	—	—	—	4	2	—				5
6	—	1	—	—	—	—	—	—	—	—	1	—	2	—	1	—	2	—				6
7	—	1	—	—	—	—	—	1	4	3	3	2	—	1	—	—	1	—				7
8	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2				8
9	8	4	—	—	—	—	—	9	2	8	6	5	4	2	1	6	4	4				9
10	—	1	1	—	—	—	—	1	—	1	1	—	—	—	—	2	1	—				10
11	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	1	1	—				11
12	3	12	2	1	2	1	12	12	9	18	7	9	5	5	8	7	5	9				12
13	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2				13
14	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—				14
15	11	9	—	2	3	2	9	15	10	12	8	10	6	12	7	10	5	6				15
16	8	3	—	—	3	1	7	5	7	2	8	4	5	4	13	7	5	2				16
17	5	4	—	—	1	2	15	7	6	7	3	1	2	3	7	7	4	5				17
18	1	1	—	—	—	—	4	1	1	—	3	3	1	—	1	1	—	—				18
19	—	—	—	—	4	—	—	1	—	—	—	—	1	—	1	—	2	—				19
20	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—	—	—				20
21	1	3	—	—	—	—	1	—	3	1	1	—	—	—	—	1	2	—				21
21A	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				21A
22	3	1	—	—	—	—	2	2	4	5	2	3	5	3	1	—	—	1				22
23	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—				23
24	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	2	—	—				24
25	3	2	—	—	1	3	6	9	7	3	5	4	2	3	3	12	3	4				25
26	5	2	—	—	—	—	7	2	4	2	4	2	5	3	7	2	3	2				26
27	1	—	—	—	—	—	2	2	2	2	—	—	—	—	—	1	1	—				27
28	40	27	5	3	10	8	44	32	36	35	27	22	22	27	38	10	35	24				28
29	—	—	—	—	—	—	1	1	—	—	—	—	—	—	2	—	—	—				29

WESTMORLAND.

	Ambleside U.D.		Appleby M.B.		Grasmere U.D.		Kendal M.B.		Kirkby Lonsdale U.D.		Shap U.D.		Winder- mere. U.D.						East West- morland R.D.		South West- morland R.D.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F					M	F	M	F		
1	18	14	9	6	4	6	83	104	3	5	8	7	30	29					86	58	113	98		1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—		2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—					—	1	—	—		3
4	—	—	—	—	—	—	—	1	3	—	—	—	—	—					1	1	—	—		4
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	1		5
6	—	—	—	—	—	—	—	—	—	—	—	—	—	—					2	—	—	1		6
7	—	1	—	—	1	—	2	4	—	—	—	—	—	1					2	—	3	6		7
8	—	—	—	—	—	—	—	1	—	—	—	—	—	—					—	1	—	—		8
9	2	—	1	—	—	—	6	6	—	—	—	—	3	2					3	2	7	3		9
10	—	—	—	—	—	—	1	—	—	—	—	—	—	—					1	—	—	—		10
11	—	—	—	—	—	—	2	3	—	—	—	—	—	—					—	—	1	2		11
12	3	3	3	2	1	1	6	7	—	1	—	2	5	2					9	8	11	10		12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	1					—	—	1	—		13
14	—	—	—	—	—	—	—	1	—	—	—	—	—	—					1	—	—	1		14
15	1	3	2	1	—	1	11	11	1	—	1	2	1	6					14	4	18	12		15
16	1	1	—	—	—	—	7	13	—	1	—	—	—	1					2	3	—	5		16
17	2	1	—	—	—	—	4	5	1	—	1	—	4	2					3	2	7	5		17
18	—	—	1	1	—	—	2	1	—	—	—	—	—	—					—	1	3	—		18
19	—	—	—	—	—	—	1	1	—	—	—	—	1	—					1	—	—	1		19
20	—	—	—	—	—	—	1	—	—	—	—	—	—	—					—	—	—	—		20
21	2	—	—	—	—	—	1	2	—	—	—	—	—	—					—	—	2	2		21
21A	—	—	—	—	—	—	—	—	—	—	—	—	1	—					—	—	—	—		21A
22	—	—	1	—	—	—	3	4	—	—	—	—	—	2					4	1	3	2		22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—		23
24	—	—	—	—	—	—	—	2	—	—	—	—	—	—					—	1	—	3		24
25	—	—	—	—	—	—	4	9	—	1	1	—	2	—					5	3	6	2		25
26	—	1	—	—	—	—	4	1	—	—	—	—	3	1					3	—	7	1		26
27	1	—	1	—	—	—	2	2	—	—	—	—	—	—					3	1	4	1		27
28	5	4	—	2	2	3	24	28	1	2	5	3	7	10					30	27	39	40		28
29	1	—	—	—	—	1	—	—	—	—	—	—	2	1					1	2	1	—		29

* The remainder of Tamworth R.D. is in Staffordshire; see page 527

WESTMORLAND—cont.

CAUSES OF DEATH IN
WIGHT, ISLE OF.

Causes of Death.	West Ward R.D.				Cowes U.D.		East Cowes U.D.		Newport M.B.		Ryde M.B.		St. Helens U.D.		Sandown U.D.		
	M	F			M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...	55	42			72	62	24	22	65	86	73	81	33	31	27	27	1
1 Enteric fever ...	—	—			—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox ...	—	—			—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles ...	2	—			2	1	—	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever ...	—	—			—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough ...	1	1			2	1	1	1	—	—	—	—	—	—	—	—	6
6 Diphtheria and croup ...	—	—			1	1	1	—	—	3	—	—	1	—	—	—	7
7 Influenza ...	2	—			2	1	—	—	2	1	—	1	1	2	—	—	8
8 Erysipelas ...	—	—			—	1	—	—	1	1	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	3	—			3	4	1	1	7	4	10	6	2	4	1	1	10
10 Tuberculous meningitis	—	—			—	3	—	—	—	—	—	1	—	—	—	—	11
11 Other tuberculous diseases	1	1			3	1	—	—	—	2	—	—	1	—	—	—	12
12 Cancer, malignant disease	5	6			8	3	4	4	7	10	8	5	5	3	3	3	13
13 Rheumatic fever...	1	—			—	—	—	—	—	—	—	—	—	—	—	—	14
14 Meningitis ...	—	—			—	1	—	—	—	—	—	—	—	—	—	—	15
15 Organic heart disease ...	6	8			9	8	1	—	15	13	10	15	2	6	5	5	16
16 Bronchitis ...	4	2			5	2	2	2	2	10	2	8	1	2	1	1	17
17 Pneumonia (all forms) ...	4	—			2	2	—	1	4	5	4	5	2	2	1	1	18
18 Other respiratory diseases	3	3			2	1	—	—	1	1	—	2	1	1	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—			—	—	—	—	—	3	—	1	—	1	—	—	20
20 Appendicitis and typhlitis	1	—			—	—	—	—	2	1	—	—	—	—	—	—	21
21 Cirrhosis of liver ...	—	—			—	—	—	—	1	—	1	—	—	—	1	—	21A
21A Alcoholism ...	—	—			—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	1	—			5	1	1	2	2	—	3	3	3	—	—	1	23
23 Puerperal fever ...	—	—			—	1	—	—	—	1	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	1			—	1	—	—	—	—	—	—	—	—	—	—	25
25 Congenital debility, &c.	3	3			6	3	3	—	1	7	2	—	2	—	—	5	26
26 Violence, apart from 27	3	—			2	—	1	—	2	—	1	2	1	—	—	—	27
27 Suicide ...	1	—			—	—	1	1	—	—	1	—	—	—	—	1	28
28 Other defined diseases ...	10	15			20	26	8	8	18	24	31	31	11	10	14	10	29
29 Causes ill-defined or unknown.	4	2			—	—	—	2	—	—	—	1	—	—	1	—	29

WIGHT, ISLE OF—cont.

WILTSHIRE.

Causes of Death.	Shanklin U.D.		Ventnor U.D.				Isle of Wight R.D.				Bradford on Avon U.D.		Calne M.B.		Chippenham M.B.		
	M	F	M	F			M	F			M	F	M	F	M	F	
ALL CAUSES ...	20	25	38	43			166	161			30	28	32	28	23	26	1
1 Enteric fever ...	—	—	1	—			—	—			—	—	—	—	—	—	2
2 Small-pox ...	—	—	—	—			—	—			—	—	—	—	—	—	3
3 Measles ...	—	—	—	—			—	—			—	—	—	—	—	—	4
4 Scarlet fever ...	—	—	—	—			—	—			—	—	—	—	—	—	5
5 Whooping cough ...	—	—	2	2			1	3			—	—	—	—	—	—	6
6 Diphtheria and croup ...	—	—	1	—			2	2			—	—	—	—	—	—	7
7 Influenza ...	—	—	—	2			4	3			—	2	—	—	—	—	8
8 Erysipelas ...	—	1	—	—			—	2			—	—	—	—	—	—	9
9 Pulmonary tuberculosis	—	3	6	4			10	18			1	1	1	2	1	2	10
10 Tuberculous meningitis	—	—	—	—			—	3			—	—	—	—	1	—	11
11 Other tuberculous diseases	—	—	1	—			2	1			—	—	—	—	—	—	12
12 Cancer, malignant disease	2	4	6	2			19	16			1	2	3	5	2	4	13
13 Rheumatic fever...	—	—	1	—			—	—			—	—	—	—	—	—	14
14 Meningitis ...	—	—	1	—			—	1			—	1	—	—	—	1	15
15 Organic heart disease ...	7	3	1	6			26	23			6	1	3	4	—	4	16
16 Bronchitis ...	—	—	2	1			8	6			3	3	1	4	4	3	17
17 Pneumonia (all forms) ...	1	1	1	4			7	8			—	2	2	—	—	—	18
18 Other respiratory diseases	2	1	—	1			3	3			1	2	1	—	—	1	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	1	—			1	1			—	—	—	—	—	—	20
20 Appendicitis and typhlitis	—	—	1	2			—	—			—	—	—	—	—	—	21
21 Cirrhosis of liver ...	2	—	1	—			—	1			2	1	2	1	—	—	21A
21A Alcoholism ...	—	—	1	—			—	—			—	—	1	—	—	—	22
22 Nephritis and Bright's dis.	—	—	—	3			10	2			—	—	1	—	1	—	23
23 Puerperal fever ...	—	—	—	—			—	—			—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—			—	2			—	—	—	1	—	—	25
25 Congenital debility, &c.	1	—	1	1			7	5			1	1	2	1	3	1	26
26 Violence, apart from 27	1	—	—	1			9	2			2	2	—	—	1	—	27
27 Suicide ...	—	—	—	—			2	—			—	—	—	—	—	—	28
28 Other defined diseases ...	4	11	10	13			52	59			13	10	15	10	10	10	29
29 Causes ill-defined or unknown.	—	1	—	1			2	—			—	—	—	—	—	—	29

ADMINISTRATIVE AREAS, 1912—continued

WILTSHIRE—*cont.*

	Devizes M.B.		Malmes- bury M.B.		Marl- borough M.B.		Melksham U.D.		Salisbury M.B.		Swindon M.B.		Trow- bridge U.D.		War- minster U.D.		Westbury U.D.		Wilton M.B.				
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			
	38	44	10	20	27	15	15	20	110	117	279	258	75	78	27	41	18	16	19	7			
1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—			1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			2
3	—	—	—	—	1	2	—	—	3	—	4	6	—	—	—	—	—	—	2	—			3
4	—	—	—	—	—	—	—	—	—	—	4	1	—	—	1	—	—	—	—	—			4
5	1	—	—	1	—	—	—	—	—	—	3	6	—	—	—	—	—	1	—	—			5
6	1	—	—	—	—	—	—	—	1	—	3	1	—	—	—	—	—	—	—	—			6
7	—	—	—	—	—	—	—	—	2	1	2	1	—	—	—	—	—	1	—	—			7
8	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—			8
9	7	3	—	1	2	—	1	1	8	6	28	19	7	3	—	2	—	—	5	—			9
10	1	1	—	—	1	—	—	—	2	—	4	2	1	—	1	1	—	—	—	—			10
11	—	—	—	—	—	—	—	—	—	1	6	1	—	1	—	—	—	—	—	—			11
12	—	4	—	2	2	1	1	3	9	13	21	20	7	17	3	6	—	4	4	—			12
13	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—			13
14	—	1	—	—	—	—	—	—	—	—	1	3	—	—	—	—	1	—	—	—			14
15	6	10	—	2	2	—	—	4	10	17	32	48	11	5	5	11	3	1	2	2			15
16	3	3	—	3	—	1	2	3	9	8	13	10	8	10	3	2	1	1	—	1			16
17	1	5	—	—	5	1	1	1	7	4	28	15	3	3	1	1	—	—	—	—			17
18	1	—	1	1	—	—	—	—	—	1	3	4	2	2	—	—	—	—	—	—			18
19	—	—	—	—	—	—	—	—	—	—	5	7	1	1	—	—	—	—	—	—			19
20	1	—	—	—	—	—	—	—	1	2	3	2	—	1	1	1	1	—	—	—			20
21	1	—	—	—	2	—	—	—	4	1	1	—	—	—	—	—	—	1	—	—			21
21A	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			21A
22	2	3	—	—	1	—	—	—	5	8	13	8	2	1	1	1	3	—	1	—			22
23	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—			23
24	—	1	—	—	—	1	—	—	—	2	—	2	—	2	—	—	—	—	—	—			24
25	4	—	2	—	2	—	—	1	8	1	24	23	6	5	1	1	1	—	—	—			25
26	—	2	—	—	3	1	2	—	4	3	6	5	2	2	—	—	—	—	—	—			26
27	—	—	—	1	—	—	—	—	1	—	3	1	2	—	—	—	—	—	—	—			27
28	9	10	7	9	6	8	7	7	34	47	73	70	22	24	10	15	7	7	5	4			28
29	—	—	—	—	—	—	1	—	—	1	1	2	—	1	—	—	—	—	—	—			29

WILTSHIRE—*cont.*

	Amesbury R.D.		Bradford on Avon R.D.		Calne R.D.		Chippen- ham R.D.		Cricklade and Wootton Bassett R.D.		Devizes R.D.		High- worth R.D.		Malmes- bury R.D.		Marl- borough R.D.		Melksham R.D.		Mere R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	70	65	35	27	22	24	97	102	72	72	89	75	80	89	52	39	29	26	36	26	38	26	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	4
5	1	3	—	—	—	—	—	—	—	—	1	5	—	1	—	—	1	1	—	—	—	—	5
6	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	6
7	—	—	—	—	—	—	3	1	—	2	1	1	—	—	—	—	—	1	—	3	—	1	7
8	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	8
9	4	2	4	—	—	1	11	5	5	4	4	6	10	3	3	1	2	—	5	—	1	1	9
10	—	—	—	1	—	—	—	1	—	—	—	—	3	—	1	1	—	—	—	—	1	—	10
11	1	—	—	—	3	—	1	—	—	—	1	—	—	—	6	5	1	—	—	—	—	—	11
12	5	7	2	5	2	5	11	15	9	8	8	3	5	7	6	5	—	3	2	5	3	5	12
13	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	1	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	1	—	—	—	—	14
15	9	6	4	4	3	4	10	17	12	10	13	10	11	16	4	8	5	7	—	4	4	—	15
16	2	—	5	1	1	—	6	5	4	4	4	4	7	2	2	2	1	1	5	1	2	1	16
17	4	2	3	3	2	—	7	3	1	3	7	6	4	8	—	2	3	1	1	1	1	1	17
18	1	1	—	—	—	1	3	2	1	—	1	2	1	1	3	—	—	1	1	—	1	2	18
19	1	—	—	—	—	—	1	—	1	1	—	—	2	3	1	—	—	1	—	—	—	—	19
20	1	1	—	—	—	1	1	1	—	—	1	—	—	—	—	—	1	—	—	1	1	—	20
21	1	—	—	—	—	—	1	2	—	1	—	—	—	1	1	—	—	—	—	—	—	—	21
21A	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	21A
22	1	—	1	—	1	—	—	3	2	2	5	3	2	4	1	1	—	—	—	2	1	—	22
23	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	23
24	—	2	—	—	—	—	—	2	—	1	—	1	—	1	—	—	—	—	—	1	—	—	24
25	2	10	1	1	2	1	6	5	2	3	5	—	3	5	3	1	1	2	1	1	2	—	25
26	4	1	3	2	1	—	2	1	7	1	4	1	3	1	3	2	1	2	2	2	1	—	26
27	—	—	2	—	—	—	—	2	1	—	—	—	—	2	—	1	—	—	—	—	—	—	27
28	27	23	10	10	7	10	32	36	24	31	33	30	24	34	24	15	13	6	15	9	15	11	28
29	4	4	—	—	—	—	2	—	2	—	—	2	1	1	—	—	—	—	—	1	—	—	29

WILTSHIRE—cont.

Causes of Death.		Pewsey R.D.		Ramsbury R.D.		Salisbury R.D.		Tetbury (pt.) R.D.*		Tisbury R.D.		Warminster R.D.		Westbury and Whorwellsdown R.D.		Wilton R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	83	93	48	52	53	68	2	4	40	46	41	40	37	45	58	32	1
1 Enteric fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	4
4 Scarlet fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	...	1	4	1	2	1	1	—	—	—	—	—	—	—	—	—	—	6
6 Diphtheria and croup	...	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	7
7 Influenza	...	2	1	1	—	1	2	—	—	1	1	—	1	—	1	—	1	8
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	9
9 Pulmonary tuberculosis	...	5	6	—	2	2	5	—	—	3	6	—	2	—	2	6	—	10
10 Tuberculous meningitis	...	2	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	11
11 Other tuberculous diseases	...	1	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—	12
12 Cancer, malignant disease	...	7	8	4	11	1	8	1	—	3	2	3	4	1	2	5	4	13
13 Rheumatic fever...	...	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	14
14 Meningitis	...	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	15
15 Organic heart disease	...	16	18	4	6	8	11	—	—	7	7	8	6	4	3	5	5	16
16 Bronchitis	...	4	10	1	2	4	7	—	—	1	3	3	5	6	2	3	—	17
17 Pneumonia (all forms)	...	1	2	—	3	2	3	—	—	1	4	—	1	—	—	2	1	18
18 Other respiratory diseases	...	1	—	1	1	—	1	—	—	1	1	—	2	1	—	—	1	19
19 Diarrhoea, &c. (under 2 yrs.)	...	—	—	1	—	1	2	—	—	—	—	—	—	—	1	1	—	20
20 Appendicitis and typhlitis	...	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	21
21 Cirrhosis of liver	...	3	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	21A
21A Alcoholism	...	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	2	2	1	1	2	2	—	1	—	1	—	1	2	3	3	2	23
23 Puerperal fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	...	—	1	—	—	—	2	—	1	—	1	—	1	—	1	—	—	25
25 Congenital debility &c.	...	5	8	6	1	1	4	1	1	2	2	1	1	—	3	8	1	26
26 Violence, apart from 27	...	4	3	4	—	5	—	—	—	2	—	4	1	2	3	3	—	27
27 Suicide	...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	28
28 Other defined diseases	...	27	30	23	21	23	18	—	1	18	16	17	13	20	22	19	16	29
29 Causes ill-defined or unknown.	...	—	—	—	1	1	1	—	—	—	—	1	—	—	—	—	—	

WORCESTERSHIRE.

Causes of Death.						Bewdley M.B.		Broms-grove U.D.		Droitwich M.B.		Evesham M.B.		Kidderminster M.B.		Lye and Wollescote U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	18	23	74	54	16	23	52	47	169	159	102	66	1	—	1	—	1
1 Enteric fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	4
4 Scarlet fever	...	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	5
5 Whooping cough	...	1	1	—	—	—	—	—	—	4	1	10	5	1	—	—	—	6
6 Diphtheria and croup	...	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	7
7 Influenza	...	—	—	2	1	1	1	—	—	—	—	2	1	6	1	—	—	8
8 Erysipelas	...	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	...	1	2	6	4	—	—	4	7	7	11	3	6	—	—	—	—	10
10 Tuberculous meningitis	...	—	—	—	1	—	—	—	—	2	3	4	—	—	—	—	—	11
11 Other tuberculous diseases	...	—	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	12
12 Cancer, malignant disease	...	4	2	7	6	1	1	1	3	16	17	7	4	12	7	4	12	13
13 Rheumatic fever...	...	—	—	—	—	—	—	—	—	1	—	—	2	1	1	—	—	14
14 Meningitis	...	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	15
15 Organic heart disease	...	—	2	5	4	2	1	8	6	13	18	4	6	15	18	14	5	16
16 Bronchitis	...	2	3	5	7	1	1	3	4	26	18	14	5	16	18	14	5	17
17 Pneumonia (all forms)	...	1	1	3	1	—	—	5	2	8	12	10	6	17	18	14	5	18
18 Other respiratory diseases	...	—	1	2	2	—	2	—	—	3	1	2	—	19	18	14	5	19
19 Diarrhoea, &c. (under 2 yrs.)	...	—	—	2	2	—	—	—	—	1	3	2	3	20	19	18	14	20
20 Appendicitis and typhlitis	...	—	—	1	1	—	—	—	—	—	4	1	—	21	20	19	18	21
21 Cirrhosis of liver	...	—	—	1	1	—	—	2	—	2	—	—	—	22	21	20	19	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	3	—	3	2	1	3	2	—	8	5	2	—	23	22	21	20	23
23 Puerperal fever	...	—	—	—	1	—	—	—	—	—	—	—	—	24	23	22	21	24
24 Parturition, apart from 23	...	—	—	—	—	—	—	—	—	—	—	—	—	25	24	23	22	25
25 Congenital debility, &c.	...	—	1	2	1	2	—	—	—	5	16	5	6	26	25	24	23	26
26 Violence, apart from 27	...	1	1	4	2	—	—	—	—	4	7	5	1	27	26	25	24	27
27 Suicide	...	—	—	1	—	—	—	—	—	1	—	—	—	28	27	26	25	28
28 Other defined diseases	...	5	8	27	18	8	12	18	11	41	43	29	22	29	28	27	26	29
29 Causes ill-defined or unknown.	...	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	

* The remainder of Tetbury R.D. is in Gloucestershire ; see page 485.

ADMINISTRATIVE AREAS, 1912—*continued.*WORCESTERSHIRE—*cont.*

	Malvern U.D.		North Broms- grove U.D.		Oldbury U.D.		Redditch U.D.		Stour- bridge U.D.		Stourport U.D.			Broms- grove R.D.		Droitwich R.D.		Evesham R.D.		Fecken- ham R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	
1	106	105	32	32	243	210	84	99	124	111	28	35		83	84	100	90	45	62	36	29	1
2	2	—	—	—	—	1	2	—	—	—	—	—		—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	3
4	—	1	—	1	—	—	1	—	—	3	1	—		—	1	—	—	—	2	—	—	4
5	—	—	—	—	5	12	6	6	2	3	—	4		—	1	1	3	—	—	—	1	5
6	—	—	2	1	—	1	—	—	1	—	—	—		2	4	—	—	—	—	—	—	6
7	—	—	—	1	2	2	—	1	4	3	2	2		1	2	4	3	—	—	1	—	7
8	—	—	—	—	1	1	—	—	—	—	—	—		—	—	—	1	—	—	—	—	8
9	8	3	2	4	20	10	7	8	8	3	1	2		5	5	6	6	2	2	4	3	9
10	—	1	—	—	1	3	2	1	2	—	1	—		—	—	1	—	1	1	—	—	10
11	—	1	—	—	2	2	1	—	2	2	—	—		1	—	1	1	—	—	2	—	11
12	11	18	—	3	15	16	5	21	7	9	3	3		7	8	7	10	3	5	2	5	12
13	1	—	—	—	1	2	—	—	1	—	—	—		—	—	1	—	—	—	—	—	13
14	1	—	—	—	4	3	2	1	1	—	—	—		—	—	—	—	—	—	—	—	14
15	21	19	1	3	18	18	6	10	18	8	1	4		11	8	14	14	2	8	5	6	15
16	4	6	4	4	26	25	9	16	15	14	1	—		8	11	4	3	3	9	2	2	16
17	5	6	1	2	21	16	7	5	13	5	1	—		4	1	5	7	2	2	2	—	17
18	2	1	1	—	5	1	1	—	—	1	1	—		1	—	—	—	1	2	2	—	18
19	—	1	—	—	11	8	1	2	3	1	—	—		1	1	—	1	2	—	2	—	19
20	1	—	—	—	3	—	1	—	—	2	1	—		—	1	1	1	—	1	—	—	20
21	1	—	1	—	3	1	—	—	—	1	—	—		1	—	1	1	2	—	—	—	21
21A	—	—	—	—	—	1	—	—	1	—	—	—		—	—	—	—	—	—	—	—	21A
22	3	3	—	1	5	3	1	3	5	2	3	2		—	1	4	7	—	3	2	—	22
23	—	2	—	—	1	1	—	—	—	—	—	—		—	—	—	1	—	—	—	—	23
24	—	—	—	1	—	2	—	—	—	2	—	—		—	—	—	1	—	2	—	1	24
25	4	4	2	2	25	24	4	2	11	8	5	1		4	4	3	5	1	4	1	—	25
26	7	2	—	—	10	4	3	—	5	2	—	4		1	2	5	1	2	—	—	—	26
27	2	—	1	—	2	1	—	—	—	2	1	—		2	—	2	—	—	—	—	1	27
28	33	35	15	9	62	49	24	21	21	40	6	13		30	33	39	24	25	21	10	10	28
29	—	2	—	—	1	—	1	2	—	—	—	—		4	1	1	—	—	1	—	—	29

WORCESTERSHIRE—*cont.*

	Halesowen R.D.		Kidder- minster R.D.		Martley R.D.		Pershore R.D.		Rock R.D.		Shipston on Stour R.D.		Stow on the Wold (pt.) R.D.*		Tenbury R.D.		Tewkes- bury (pt.) R.D.*		Upton on Severn R.D.		Winch- comb (pt.) R.D.*		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	189	153	67	64	80	81	101	80	19	15	34	34	1	3	47	32	12	15	78	92	1	1	1
2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	—	—	1	—	1	1	1	—	—	—	—	—	—	—	—	—	—	2	—	—	—	3
4	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	4
5	6	7	4	4	—	2	1	1	—	—	—	—	—	—	2	1	—	—	1	—	—	—	5
6	1	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	3	1	—	—	6
7	2	—	1	2	1	—	1	1	—	—	4	1	—	—	—	1	—	—	—	—	—	—	7
8	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	8
9	9	7	3	2	8	3	10	4	5	—	1	—	—	—	2	1	—	—	4	6	—	—	9
10	1	2	1	—	—	3	—	—	1	1	1	—	—	—	—	—	—	—	—	1	—	—	10
11	2	1	—	1	2	—	1	1	—	—	—	—	—	—	2	—	—	—	—	1	—	—	11
12	6	8	3	5	6	16	10	5	1	1	2	2	—	1	6	3	—	1	7	12	—	—	12
13	—	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	13
14	1	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	14
15	17	6	6	5	11	13	20	14	3	2	6	7	—	1	8	5	3	2	10	19	—	1	15
16	17	15	4	3	5	5	3	3	—	2	1	3	—	—	3	5	—	—	—	5	1	—	16
17	27	19	6	2	6	9	5	5	2	1	—	—	—	—	6	3	1	—	4	5	—	—	17
18	4	4	2	—	2	—	2	3	—	—	1	1	—	—	—	1	—	1	1	1	—	—	18
19	4	1	—	1	—	—	1	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	19
20	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	1	2	1	—	—	—	2	—	—	1	—	—	—	—	2	—	—	—	1	1	—	—	21
21A	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	3	4	1	4	4	—	4	2	—	—	3	—	—	—	2	—	—	—	6	—	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	24
25	25	17	1	—	1	4	5	4	1	1	—	2	—	—	—	1	—	—	4	6	—	—	25
26	10	2	5	1	5	1	4	2	—	—	3	1	—	—	1	—	1	—	5	2	—	—	26
27	—	1	1	—	2	—	—	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	27
28	51	47	25	32	26	22	28	31	3	6	11	15	1	1	10	10	6	9	27	30	—	—	28
29	1	1	2	1	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	29

* The remaining parts of Stow on the Wold, Tewkesbury, and Winchcomb R.D.'s are in Gloucestershire; see page 485.

CAUSES OF DEATH IN

WORCESTERSHIRE—cont.

YORKSHIRE, EAST RIDING.

Causes of Death.	Redmarley D'Abitôt and Staunton C.P.'s*					Beverley M.B.		Bridling- ton M.B.		Cotting- ham U.D.		Filey U.D.		Great Driffield U.D.		
	M	F				M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	4	8				108	103	86	88	20	29	21	19	38	32	
1 Enteric fever	—	—				1	2	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—				—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—				1	1	—	1	—	—	2	—	—	—	3
4 Scarlet fever	—	—				—	—	—	—	1	—	—	—	—	—	4
5 Whooping cough	—	—				—	—	—	—	—	—	—	—	—	—	5
6 Diphtheria and croup	—	—				—	—	—	1	2	—	—	1	1	1	6
7 Influenza	—	—				2	—	3	3	—	1	3	2	—	—	7
8 Erysipelas	—	—				—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	—	1				10	6	4	5	2	5	1	1	—	2	9
10 Tuberculous meningitis	1	—				—	4	—	1	—	—	—	—	—	—	10
11 Other tuberculous diseases	—	—				—	—	1	4	—	—	—	1	—	1	11
12 Cancer, malignant disease	—	5				4	11	10	6	—	5	2	—	—	9	12
13 Rheumatic fever... ..	—	—				—	—	1	1	—	—	—	—	—	—	13
14 Meningitis	—	—				2	—	1	—	—	1	—	—	—	—	14
15 Organic heart disease	1	—				11	11	6	7	2	3	—	3	8	2	15
16 Bronchitis	1	—				4	8	7	6	1	—	1	1	4	—	16
17 Pneumonia (all forms)	—	—				2	4	4	2	—	3	1	2	3	1	17
18 Other respiratory diseases	—	—				1	—	3	—	—	1	1	1	1	—	18
19 Diarrhoea, &c.(under 2 yrs.)	—	—				2	2	2	1	—	—	1	—	—	—	19
20 Appendicitis and typhlitis	—	—				—	—	1	—	—	—	—	—	—	—	20
21 Cirrhosis of liver	—	—				2	2	5	2	—	1	—	—	1	—	21
21A Alcoholism	—	—				1	—	1	—	—	—	—	—	1	—	21A
22 Nephritis and Bright's dis.	1	—				6	2	4	1	2	—	1	—	6	1	22
23 Puerperal fever	—	—				—	—	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—				—	—	—	1	—	—	—	—	—	—	24
25 Congenital debility, &c.	—	—				6	6	4	5	—	1	—	—	2	2	25
26 Violence, apart from 27	—	—				6	2	2	2	—	—	—	—	—	—	26
27 Suicide	—	—				2	1	1	—	1	—	—	—	2	—	27
28 Other defined diseases	—	2				42	40	25	39	10	7	7	7	8	12	28
29 Causes ill-defined or un- known.	—	—				3	1	1	—	—	—	1	—	1	1	29

YORKSHIRE, EAST RIDING—cont.

Causes of Death.	Hedon M.B.		Hessle U.D.		Hornsea U.D.		Norton U.D.		Pockling- ton U.D.		Withernsea U.D.		Beverley R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	7	10	26	24	18	23	20	22	20	12	13	14	72	52	
1 Enteric fever	—	—	—	—	—	—	1	—	—	—	—	—	—	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	1	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	—	—	—	—	—	—	—	2	—	—	1	—	5
6 Diphtheria and croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6
7 Influenza	—	—	—	—	—	—	—	—	—	1	—	—	1	—	7
8 Erysipelas	—	—	—	—	—	1	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	1	—	5	1	1	3	3	2	2	—	2	—	3	2	9
10 Tuberculous meningitis	—	—	—	1	1	1	—	—	—	—	—	—	—	—	10
11 Other tuberculous diseases	—	—	—	—	1	—	1	—	—	—	—	—	2	—	11
12 Cancer, malignant disease	1	—	1	3	4	5	1	1	1	2	2	2	7	5	12
13 Rheumatic fever... ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14 Meningitis	—	—	1	1	—	—	—	—	—	—	—	—	1	—	14
15 Organic heart disease	2	1	3	3	—	3	2	7	3	—	—	2	10	8	15
16 Bronchitis	—	2	1	2	—	—	1	1	3	2	—	—	2	2	16
17 Pneumonia (all forms)	—	1	1	2	2	—	3	1	2	—	1	2	10	1	17
18 Other respiratory diseases	—	—	1	1	—	—	—	—	—	—	1	1	1	—	18
19 Diarrhoea, &c.(under 2 yrs.)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19
20 Appendicitis and typhlitis	—	—	—	—	2	—	—	—	—	—	—	—	—	—	20
21 Cirrhosis of liver	—	—	—	—	—	1	—	—	—	—	—	—	1	—	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	—	—	—	—	1	1	2	—	1	—	—	3	5	3	22
23 Puerperal fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	—	—	2	24
25 Congenital debility, &c.	1	2	1	—	1	—	1	3	—	1	—	—	5	3	25
26 Violence, apart from 27	—	—	—	—	—	—	—	—	—	—	2	—	4	3	26
27 Suicide	—	—	—	—	—	—	1	—	—	—	—	—	1	—	27
28 Other defined diseases	2	4	11	9	5	9	4	7	7	4	5	4	18	22	28
29 Causes ill-defined or un- known.	—	—	1	—	—	—	—	—	—	—	—	—	—	—	29

* Administered by Newent R.D.C. (Gloucestershire).

ADMINISTRATIVE AREAS, 1912—continued.

YORKSHIRE, EAST RIDING—cont.

	Bridlington R.D.		Driffield R.D.		Escrick R.D.		Howden R.D.		Norton R.D.		Patington R.D.		Pocklington R.D.		Riccall R.D.		Sculcoates R.D.		Sherburn R.D.		Skirlaugh R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	69	51	88	73	36	37	93	77	42	30	51	47	75	65	28	22	33	42	11	15	50	34	1
2	—	—	—	1	—	1	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	3	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	4
5	—	—	2	3	—	1	2	5	—	—	—	—	—	1	—	—	—	—	—	—	—	—	5
6	—	—	1	2	—	1	1	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	6
7	4	—	1	1	—	—	—	—	—	—	—	2	—	1	—	1	—	1	—	—	1	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	8
9	1	3	2	5	1	2	4	6	1	1	2	4	4	7	2	3	5	2	—	3	3	2	9
10	1	—	2	3	—	—	1	2	—	—	—	—	1	1	—	—	—	—	—	1	1	—	10
11	—	1	1	—	—	—	1	—	—	—	—	1	—	1	—	—	—	1	1	—	—	—	11
12	6	3	4	7	1	3	10	6	4	3	1	7	4	10	2	2	2	8	—	1	8	5	12
13	1	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	1	—	—	—	1	—	1	1	—	—	2	—	—	—	—	—	1	—	—	1	—	14
15	7	7	8	9	2	3	15	11	5	1	14	5	6	12	2	2	3	4	1	2	4	4	15
16	3	4	2	5	—	4	8	7	4	3	3	4	3	2	3	1	3	5	—	—	1	3	16
17	6	4	6	1	2	3	3	2	3	—	3	2	8	3	1	1	—	1	—	1	1	1	17
18	2	3	1	1	1	—	2	1	—	—	1	—	2	—	—	1	—	2	—	—	1	1	18
19	—	—	1	—	—	—	1	—	—	—	2	1	1	—	—	—	—	—	—	—	1	1	19
20	1	1	—	—	—	2	—	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	20
21	—	—	1	—	—	—	—	—	2	—	1	—	—	—	1	—	—	1	—	—	1	—	21
21A	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	—	4	1	1	—	1	2	2	1	4	2	3	2	—	—	2	—	1	2	1	1	22
23	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25	6	5	9	2	6	1	5	6	2	1	2	2	5	3	—	1	3	1	1	2	1	3	25
26	4	1	4	—	1	1	4	—	2	—	1	—	3	—	1	1	—	—	—	—	1	—	26
27	3	—	—	—	2	1	—	—	—	—	2	—	1	—	—	—	—	—	—	—	1	—	27
28	22	16	37	28	15	13	31	24	13	20	15	14	33	20	15	9	13	13	4	4	21	11	28
29	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—	29

YORKSHIRE, NORTH RIDING.

	Eston U.D.		Guisborough U.D.		Hinderwell U.D.		Kirklington cum Upland U.D.		Loftus U.D.		Malton U.D.		Masham U.D.		Northallerton U.D.		Ormesby U.D.		Pickering U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	110	76	54	38	20	12	1	1	55	56	35	31	25	22	29	31	141	129	26	26	1
2	1	—	—	—	—	—	—	—	1	1	1	1	—	—	1	1	1	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15	19	—	—	3
4	—	1	2	—	2	1	—	—	—	—	—	—	—	—	—	—	2	1	—	—	4
5	2	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	2	2	—	—	5
6	4	1	2	—	2	1	—	—	2	1	—	—	—	—	1	—	1	3	—	—	6
7	1	—	—	—	—	—	—	—	—	3	—	—	—	—	3	1	—	1	2	—	7
8	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	—	5	3	3	1	3	—	—	—	2	3	—	1	1	1	—	5	9	1	3	9
10	1	2	1	—	—	—	—	—	1	2	1	—	—	1	1	—	5	3	2	—	10
11	—	2	1	1	—	—	—	—	—	—	2	1	—	2	2	—	3	2	—	—	11
12	6	6	5	1	1	3	—	—	3	7	2	4	1	2	2	4	2	8	2	1	12
13	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	13
14	3	2	—	—	—	—	—	—	1	—	—	—	—	1	1	—	1	3	1	—	14
15	9	6	6	5	—	1	—	1	2	5	6	2	6	4	3	3	8	6	2	4	15
16	8	1	1	1	—	1	—	—	8	4	3	3	—	—	1	3	16	13	1	3	16
17	19	7	7	1	4	1	—	—	4	2	—	1	2	—	1	2	33	16	—	1	17
18	—	—	—	—	—	—	—	—	3	2	1	1	1	1	—	—	3	1	2	—	18
19	—	3	—	1	—	—	—	—	—	—	—	—	—	—	1	—	5	—	—	—	19
20	1	1	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	20
21	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	2	—	—	21
21A	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	2	1	1	1	1	—	—	1	1	1	2	—	—	1	—	3	—	—	—	22
23	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	24
25	11	9	6	6	1	—	—	—	8	3	3	3	—	2	6	1	10	7	1	6	25
26	10	3	2	1	2	—	—	—	4	—	1	—	—	—	—	2	1	4	—	—	26
27	—	1	1	—	—	—	—	—	2	—	1	—	—	—	—	—	3	—	2	1	27
28	24	20	16	15	5	—	1	—	14	19	10	12	13	7	6	11	20	26	12	5	28
29	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	29

YORKSHIRE, NORTH RIDING—cont.

Causes of Death.		Redcar U.D.		Richmond M.B.		Saltburn by the Sea U.D.		Scalby U.D.		Scar- borough M.B.		Skelton and Brotton U.D.		South Bank in Normanby U.D.		Thornaby on Tees M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	72	76	27	24	23	26	8	14	263	324	115	89	129	119	162	160	1
1 Enteric fever	...	—	—	—	1	—	—	2	—	—	1	—	—	1	2	—	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	6	4	—	—	—	—	—	—	—	—	1	—	2	3	22	15	4
4 Scarlet fever	...	—	—	—	1	—	—	—	—	—	—	1	—	2	1	—	1	5
5 Whooping cough	...	1	2	—	—	—	—	1	1	4	2	2	—	—	3	4	3	6
6 Diphtheria and croup	...	3	1	6	2	—	1	—	—	2	5	8	—	2	6	7	7	7
7 Influenza	...	1	1	1	—	—	2	—	—	11	15	3	1	1	—	1	3	8
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	9
9 Pulmonary tuberculosis	...	2	5	2	—	1	—	1	2	15	17	8	3	11	14	8	13	10
10 Tuberculous meningitis	...	1	—	—	—	1	—	—	—	4	3	—	—	1	3	1	1	11
11 Other tuberculous diseases	...	1	4	—	—	—	—	—	—	6	4	3	2	1	4	2	2	12
12 Cancer, malignant disease	...	4	6	—	3	6	4	1	1	25	41	6	4	6	8	11	8	13
13 Rheumatic fever...	...	1	—	1	—	—	—	—	—	1	—	1	1	—	1	—	—	14
14 Meningitis	...	2	2	—	—	—	—	1	1	2	—	2	2	2	3	1	1	15
15 Organic heart disease	...	8	11	2	3	1	4	2	2	32	59	8	11	10	12	6	8	16
16 Bronchitis	...	3	11	1	—	3	2	—	—	8	24	4	11	5	5	16	14	17
17 Pneumonia (all forms)	...	3	1	—	—	1	1	1	3	23	9	11	4	19	4	17	19	18
18 Other respiratory diseases	...	2	—	—	—	—	1	—	—	4	8	3	—	3	7	1	—	19
19 Diarrhoea, &c.(under 2 yrs.)	...	1	—	—	1	—	—	—	—	3	2	4	1	3	1	6	1	20
20 Appendicitis and typhlitis	...	—	—	—	—	—	—	1	—	1	1	1	—	1	1	—	—	21
21 Cirrhosis of liver	...	—	1	1	—	—	1	—	—	6	—	1	1	—	—	1	1	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	3	4	—	—	—	1	—	—	11	11	4	—	3	2	7	3	23
23 Puerperal fever	...	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	...	—	1	—	—	—	—	—	—	—	1	—	—	—	2	—	1	25
25 Congenital debility, &c.	...	6	2	3	1	2	1	—	—	8	14	10	12	13	11	14	11	26
26 Violence, apart from 27	...	1	3	—	—	—	—	1	—	5	5	8	—	10	2	10	2	27
27 Suicide	...	2	—	—	—	—	—	—	—	5	—	3	—	2	—	3	—	28
28 Other defined diseases	...	21	16	10	12	8	8	1	2	93	101	27	28	32	24	23	44	29
29 Causes ill-defined or un- known.	...	—	—	—	—	—	—	—	—	—	—	1	—	1	3	1	2	

YORKSHIRE, NORTH RIDING—cont.

Causes of Death.		Whitby U.D.		Aysgarth R.D.		Bedale R.D.		Croft R.D.		Easing- wold R.D.		Flaxton R.D.		Guis- borough R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	90	87	39	27	45	44	19	11	71	73	54	31	74	48	
1 Enteric fever	...	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	...	—	—	2	—	—	—	—	1	1	—	—	—	—	—	3
4 Scarlet fever	...	—	1	—	—	—	—	—	—	2	1	—	—	—	—	4
5 Whooping cough	...	—	1	2	2	1	—	—	—	—	1	—	—	1	—	5
6 Diphtheria and croup	...	—	—	—	—	—	—	—	—	3	—	—	—	3	2	6
7 Influenza	...	1	1	1	1	1	—	1	—	1	3	—	1	1	1	7
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	...	8	3	3	1	2	3	1	—	4	3	4	4	3	3	9
10 Tuberculous meningitis	...	—	1	—	—	—	—	—	—	—	—	—	—	1	1	10
11 Other tuberculous diseases	...	—	4	1	—	—	3	—	—	1	—	2	1	—	—	11
12 Cancer, malignant disease	...	9	9	2	5	3	5	—	—	7	5	3	3	5	5	12
13 Rheumatic fever...	...	1	1	—	1	—	—	—	—	—	—	—	—	1	1	13
14 Meningitis	...	2	—	—	—	1	—	1	—	1	—	—	1	1	—	14
15 Organic heart disease	...	12	4	4	1	6	7	1	—	10	10	12	6	4	2	15
16 Bronchitis	...	9	9	—	2	2	2	—	—	1	5	1	3	11	4	16
17 Pneumonia (all forms)	...	8	5	4	4	4	3	1	1	1	2	4	—	9	7	17
18 Other respiratory diseases	...	2	2	—	1	—	—	1	—	1	1	—	—	1	—	18
19 Diarrhoea, &c.(under 2 yrs.)	...	1	—	—	—	—	—	1	—	1	2	—	—	1	1	19
20 Appendicitis and typhlitis	...	1	—	—	—	—	—	—	—	1	1	1	1	1	—	20
21 Cirrhosis of liver	...	2	—	—	—	—	1	—	1	2	—	—	—	—	—	21
21A Alcoholism	...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	...	2	1	1	—	2	1	—	1	—	1	2	—	1	2	22
23 Puerperal fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	...	—	2	—	—	—	1	—	—	—	—	—	1	—	1	24
25 Congenital debility, &c.	...	6	7	1	—	5	2	2	2	5	5	5	—	6	2	25
26 Violence, apart from 27...	...	1	1	7	1	2	1	3	—	6	—	1	—	5	2	26
27 Suicide	...	—	2	—	—	—	—	—	—	—	—	—	—	—	—	27
28 Other defined diseases	...	24	32	9	8	16	14	9	3	24	31	17	10	19	14	28
29 Causes ill-defined or un- known.	...	—	1	2	—	—	1	—	—	—	1	—	—	—	—	29

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Barnolds- wick U.D.		Barnsley M.B.		Batley M.B.		Bentley with Arksey U.D.		Bingley U.D.		Birken- shaw U.D.		Birstal U.D.		Bolton upon Dearn U.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES ...	74	70	387	353	259	255	47	37	129	128	20	19	51	49	67	50
1 Enteric fever ...	1	—	2	3	1	1	—	—	1	—	—	—	—	—	—	—
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	13	10	8	9	13	10	—	—	1	—	—	—	—	—	—	—
4 Scarlet fever ...	—	—	7	3	—	2	—	—	2	3	—	—	—	—	1	—
5 Whooping cough ...	—	2	10	14	3	1	1	1	—	—	—	—	—	—	—	1
6 Diphtheria and croup ...	—	—	4	2	3	2	—	2	3	5	—	—	3	—	1	—
7 Influenza ...	—	1	11	9	5	10	—	1	1	—	—	—	—	—	—	—
8 Erysipelas ...	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—
9 Pulmonary tuberculosis ...	4	7	14	22	19	21	1	2	9	7	1	—	4	6	9	4
10 Tuberculous meningitis ...	—	1	3	5	4	4	1	1	—	—	—	—	—	—	1	3
11 Other tuberculous diseases ...	1	—	5	16	5	1	3	1	1	3	—	—	—	1	1	2
12 Cancer, malignant disease ...	1	3	22	23	11	21	5	1	9	14	1	2	4	2	1	4
13 Rheumatic fever... ..	—	—	—	2	1	—	—	—	—	—	—	—	—	1	—	—
14 Meningitis ...	—	—	5	5	3	1	—	—	1	1	—	—	—	—	—	1
15 Organic heart disease ...	4	7	33	37	25	24	4	4	10	12	4	7	9	6	6	5
16 Bronchitis ...	6	6	24	37	26	31	3	2	11	7	2	1	3	5	6	5
17 Pneumonia (all forms) ...	5	3	26	21	13	20	5	5	7	10	2	1	5	1	6	1
18 Other respiratory diseases ...	1	3	2	6	9	3	1	1	2	3	—	—	—	1	1	—
19 Diarrhoea, &c. (under 2 yrs.) ...	1	—	10	3	3	1	—	2	—	2	—	—	—	1	2	2
20 Appendicitis and typhlitis ...	1	—	2	3	2	—	1	—	2	—	—	—	—	—	—	—
21 Cirrhosis of liver ...	1	—	7	6	2	1	—	—	4	—	—	—	—	—	—	1
21A Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis. ...	3	1	17	12	14	13	—	—	10	—	2	2	—	4	1	1
23 Puerperal fever ...	—	—	—	2	—	1	—	—	—	1	—	—	—	—	—	2
24 Parturition, apart from 23 ...	—	2	—	7	—	2	—	—	—	2	—	—	—	2	—	2
25 Congenital debility, &c. ...	7	4	31	24	22	17	6	5	5	6	2	1	7	4	12	4
26 Violence, apart from 27 ...	3	3	28	11	3	4	9	2	5	2	—	1	3	—	5	—
27 Suicide ...	2	—	7	1	2	—	—	—	3	—	2	—	—	1	—	—
28 Other defined diseases ...	19	17	109	68	69	64	7	7	41	48	3	4	12	14	14	12
29 Causes ill-defined or un- known.	1	—	—	2	—	—	—	—	1	2	1	—	—	—	—	—

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Brighouse M.B.		Burley in Wharfe- dale U.D.		Calverley U.D.		Castleford U.D.		Clayton U.D.		Clayton West U.D.		Cleck- heaton U.D.		Cudworth U.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES ...	153	147	16	22	21	16	181	165	24	26	12	11	75	93	52	42
1 Enteric fever ...	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	3	1	—	—	—	—	5	3	—	—	—	—	2	—	—	1
4 Scarlet fever ...	1	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	2	2	—	1	—	—	11	8	—	—	—	—	—	1	1	4
6 Diphtheria and croup ...	—	1	—	—	—	—	—	1	—	—	—	—	—	2	—	—
7 Influenza ...	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—
8 Erysipelas ...	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis ...	21	8	1	1	1	—	16	13	2	1	—	2	3	8	2	2
10 Tuberculous meningitis ...	3	2	—	—	—	—	3	3	—	—	—	—	—	1	2	—
11 Other tuberculous diseases ...	7	3	—	1	—	—	5	4	—	1	—	—	2	1	—	2
12 Cancer, malignant disease ...	6	19	3	3	—	1	9	3	5	2	—	—	4	6	3	3
13 Rheumatic fever... ..	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—
14 Meningitis ...	1	1	—	—	—	—	2	2	1	—	—	—	—	—	2	—
15 Organic heart disease ...	17	17	1	3	3	3	14	16	3	2	2	3	13	17	4	3
16 Bronchitis ...	14	14	—	—	—	2	12	18	1	2	3	1	5	8	5	5
17 Pneumonia (all forms) ...	6	7	—	2	—	1	18	12	1	2	2	—	6	6	6	4
18 Other respiratory diseases ...	2	1	—	1	—	—	—	—	—	—	—	—	1	6	—	1
19 Diarrhoea, &c. (under 2 yrs.) ...	—	—	—	—	—	—	8	8	—	—	—	—	2	—	2	1
20 Appendicitis and typhlitis ...	—	4	—	—	—	1	—	—	—	—	1	—	—	—	1	—
21 Cirrhosis of liver ...	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	1
21A Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis. ...	8	3	—	—	—	1	5	2	1	3	—	—	2	2	1	1
23 Puerperal fever ...	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from 23 ...	—	—	—	1	—	—	—	4	—	—	—	—	—	1	—	2
25 Congenital debility, &c. ...	7	6	2	1	—	1	16	15	—	—	1	1	5	7	8	5
26 Violence, apart from 27 ...	5	1	1	—	1	—	12	2	—	—	1	—	—	—	4	1
27 Suicide ...	2	1	1	—	—	—	2	2	—	—	—	—	2	—	—	—
28 Other defined diseases ...	46	51	7	8	15	6	38	46	9	13	3	1	27	26	9	6
29 Causes ill-defined or un- known.	—	2	—	—	—	—	—	—	—	—	—	1	1	—	1	—

ADMINISTRATIVE AREAS, 1912—continued.

YORKSHIRE, WEST RIDING—cont.

	Darfield U.D.		Darton U.D.		Denby and Cumber- worth U.D.		Denholme U.D.		Dewsbury M.B.		Dodworth U.D.		Doncaster M.B.		Drighling- ton U.D.		Earby U.D.		Elland U.D.		Emley U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	41	33	50	49	15	25	23	28	396	438	24	21	233	222	31	37	44	49	72	82	4	12	1
2	—	—	1	—	—	1	—	—	—	1	—	—	3	1	1	1	1	—	—	1	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	1	—	1	—	1	—	—	8	19	—	—	—	2	—	—	3	4	1	1	—	—	4
5	—	—	3	—	—	2	—	—	8	7	—	—	—	—	—	—	—	—	3	2	—	—	5
6	—	—	—	1	—	—	1	—	2	2	1	—	8	10	—	1	1	3	—	—	—	—	6
7	—	—	1	2	—	—	1	—	8	11	—	—	4	2	1	—	—	—	1	1	—	—	7
8	—	—	—	1	—	—	—	—	3	—	—	—	1	3	—	—	—	—	—	—	—	—	8
9	2	5	1	1	—	1	—	1	27	19	—	1	14	8	—	2	1	4	7	5	—	2	9
10	—	—	1	—	—	—	—	—	7	3	—	—	2	1	—	—	2	—	1	1	—	—	10
11	—	—	—	—	—	—	—	—	10	3	—	1	4	3	—	—	1	1	—	—	—	—	11
12	2	1	1	1	1	1	2	2	24	35	—	4	19	26	3	4	3	1	3	11	—	1	12
13	—	1	—	1	—	—	—	1	—	1	—	—	1	—	1	—	—	—	—	—	—	—	13
14	—	1	1	1	—	—	1	—	2	2	—	—	3	1	—	—	—	—	1	—	—	—	14
15	2	1	3	1	3	4	3	4	45	51	1	4	24	23	5	6	1	4	5	10	2	1	15
16	3	2	4	8	1	3	3	3	38	47	5	3	21	18	2	3	5	7	10	4	—	1	16
17	3	3	5	2	1	1	1	—	27	38	—	1	19	14	3	3	5	7	4	1	—	—	17
18	2	—	1	1	—	—	—	1	9	7	—	—	6	5	1	—	1	—	—	3	—	2	18
19	1	1	—	—	—	—	—	—	3	2	1	—	—	4	—	—	2	—	2	—	—	—	19
20	—	—	—	—	1	—	—	—	1	—	—	—	3	1	1	1	—	—	—	2	—	—	20
21	—	—	—	—	2	—	—	—	2	1	1	—	3	2	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	21A
22	2	—	—	—	—	—	1	1	14	12	—	—	2	2	1	2	2	2	1	5	—	1	22
23	—	—	—	—	—	1	—	—	—	3	—	—	—	1	—	—	—	—	—	—	—	1	23
24	—	—	—	1	—	—	—	—	—	9	—	1	—	1	—	1	—	2	—	—	—	—	24
25	6	4	8	3	—	3	—	1	33	20	1	4	18	13	—	1	3	—	3	2	—	—	25
26	2	1	5	4	—	—	2	—	16	5	2	—	12	4	—	1	2	—	1	2	—	—	26
27	1	—	—	—	—	—	1	—	5	1	—	—	2	2	—	1	—	—	1	1	—	—	27
28	15	12	14	20	6	7	7	14	95	131	12	2	63	74	12	10	10	11	28	30	2	3	28
29	—	—	1	—	—	—	—	—	—	3	—	—	—	1	—	—	1	3	—	—	—	—	29

YORKSHIRE, WEST RIDING—cont.

	Farnley Tyas U.D.		Farsley U.D.		Feather- stone U.D.		Flockton U.D.		Garforth U.D.		Gilder- some U.D.		Golcar U.D.		Gomersal U.D.		Goole U.D.		Greas- brough U.D.		Greetland U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	3	1	38	43	119	106	7	7	31	21	25	26	72	67	26	23	153	135	21	21	33	33	1
2	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	1	1	1	—	—	—	—	2
3	—	—	—	—	3	6	—	—	1	1	1	—	1	3	1	—	8	4	—	—	—	—	3
4	—	—	—	—	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	1	1	—	—	1	—	—	—	1	3	—	1	4	—	—	—	1	—	5
6	—	—	1	—	—	—	—	—	—	—	—	—	—	2	—	—	2	3	—	—	—	—	6
7	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	1	1	—	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1	—	1	8
9	—	—	4	2	4	2	—	—	2	2	2	1	7	5	1	—	10	13	—	2	2	1	9
10	—	—	—	—	1	1	—	—	1	—	1	—	—	2	1	—	5	4	—	1	—	—	10
11	—	—	—	1	3	1	—	—	1	—	—	—	2	1	—	—	2	1	—	—	1	—	11
12	—	—	4	2	3	10	—	—	3	1	2	3	3	10	3	1	10	10	1	2	3	4	12
13	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	1	13
14	—	—	—	1	1	1	—	—	1	—	—	—	—	—	—	—	2	2	—	—	1	1	14
15	1	—	5	13	12	11	2	1	4	3	3	4	5	7	3	5	11	10	2	4	4	10	15
16	—	—	2	1	22	11	1	—	1	4	3	9	8	4	—	1	7	6	1	—	3	3	16
17	—	—	2	1	13	9	1	1	2	2	1	1	8	1	3	2	6	12	4	—	—	2	17
18	—	—	—	2	2	1	—	—	1	—	1	1	—	2	—	—	1	2	1	—	1	—	18
19	1	—	—	—	3	4	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	19
20	1	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	1	—	20
21	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	1	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	21A
22	—	1	2	—	2	1	—	—	—	1	2	1	4	—	1	1	8	5	1	1	2	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	24
25	—	—	5	4	14	14	1	1	3	—	2	1	4	1	1	1	18	8	1	—	2	1	25
26	—	—	—	—	10	3	—	—	1	1	1	—	1	—	2	—	10	5	1	1	1	1	26
27	—	—	1	2	1	—	—	—	—	—	1	—	—	—	—	—	1	1	1	2	—	—	27
28	—	—	11	14	17	24	2	3	8	6	4	4	24	20	9	9	46	43	7	6	9	8	28
29	—	—	—	—	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	29

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Guiseley U.D.		Gunth- waite and Ingbirch- worth U.D.		Hands- worth U.D.		Harrogate M.B.		Haworth U.D.		Hebden Bridge U.D.		Heck- mondwike U.D.		Hipper- holme U.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	39	29	3	2	82	91	166	163	43	38	55	52	81	84	22	27
1 Enteric fever ...	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	—	—	—	—	—	—	—	1	1	—	1	—	3	4	—	—
4 Scarlet fever ...	—	—	—	—	—	1	—	—	3	2	—	—	—	1	—	—
5 Whooping cough ...	—	—	—	—	5	2	1	3	—	—	—	—	3	1	—	—
6 Diphtheria and croup ...	—	—	—	—	1	2	—	1	—	—	—	—	1	—	—	—
7 Influenza ...	1	1	—	—	—	1	—	2	—	—	1	—	—	1	1	1
8 Erysipelas ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	4	1	1	—	3	2	8	8	5	2	5	4	5	4	1	4
10 Tuberculous meningitis	1	1	—	—	—	3	—	3	—	—	—	—	1	2	1	—
11 Other tuberculous diseases	—	—	—	—	1	1	1	1	1	—	2	1	—	1	2	1
12 Cancer, malignant disease	—	3	—	—	8	4	12	18	1	6	4	9	5	8	3	3
13 Rheumatic fever...	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—
14 Meningitis ...	—	—	—	—	2	—	1	2	3	—	2	—	1	—	1	—
15 Organic heart disease ...	6	4	—	1	10	13	20	21	7	8	2	2	8	10	—	2
16 Bronchitis ...	4	1	1	—	4	12	8	16	—	3	4	6	7	9	3	3
17 Pneumonia (all forms) ...	4	1	—	—	2	5	12	8	4	—	4	—	8	6	—	1
18 Other respiratory diseases	3	1	—	—	1	4	5	2	1	—	2	1	—	2	—	1
19 Diarrhoea, &c.(under 2 yrs.)	1	—	—	—	2	—	2	1	—	—	—	—	—	—	—	—
20 Appendicitis and typhlitis	—	—	—	—	1	—	3	1	1	—	—	—	1	—	—	—
21 Cirrhosis of liver ...	—	—	—	—	—	—	3	3	2	—	—	—	1	—	—	—
21A Alcoholism ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	—	—	—	—	1	—	7	4	—	1	3	2	2	4	—	—
23 Puerperal fever ...	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
24 Parturition, apart from 23	—	—	—	—	—	1	—	1	—	1	—	1	—	2	—	—
25 Congenital debility, &c.	3	2	—	—	8	9	8	—	2	3	2	3	3	7	1	—
26 Violence, apart from 27	—	—	—	—	5	—	4	4	—	—	3	1	3	3	—	—
27 Suicide ...	1	—	—	—	3	—	5	1	—	—	1	1	1	—	—	1
28 Other defined diseases ...	7	13	1	1	24	30	66	60	14	10	16	21	28	18	8	10
29 Causes ill-defined or un- known.	1	1	—	—	1	1	—	—	—	—	—	—	—	—	1	—

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Holme U.D.		Holmfirth U.D.		Honley U.D.		Horbury U.D.		Horsforth U.D.		Hoyland Nether U.D.		Hoyland Swaine U.D.		Huns- worth U.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	4	1	64	67	32	35	44	56	53	57	112	77	6	4	7	8
1 Enteric fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	—	—	—	—	—	1	—	—	—	2	3	3	—	—	—	—
4 Scarlet fever ...	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
5 Whooping cough ...	—	—	—	—	1	—	—	—	—	—	3	2	—	—	—	—
6 Diphtheria and croup ...	—	—	—	—	1	—	—	—	2	—	1	—	—	—	—	—
7 Influenza ...	—	—	—	2	—	1	—	1	3	—	3	—	—	—	—	—
8 Erysipelas ...	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
9 Pulmonary tuberculosis	—	—	7	7	3	2	3	7	4	3	9	8	—	—	—	—
10 Tuberculous meningitis	—	—	1	1	—	—	1	—	1	1	3	1	—	—	—	—
11 Other tuberculous diseases	—	—	—	1	—	2	1	—	—	3	1	2	—	—	—	—
12 Cancer, malignant disease	—	—	6	8	2	2	2	9	3	5	5	3	—	1	1	1
13 Rheumatic fever...	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
14 Meningitis ...	—	—	2	—	—	—	—	1	1	1	2	—	—	—	—	—
15 Organic heart disease ...	—	—	17	11	4	8	4	6	6	5	7	8	1	1	2	—
16 Bronchitis ...	—	—	2	2	2	2	2	1	5	6	12	5	—	—	—	1
17 Pneumonia (all forms) ...	1	—	5	1	3	5	8	3	6	2	9	5	1	—	1	1
18 Other respiratory diseases	1	—	—	1	—	—	1	—	1	—	1	4	—	—	—	—
19 Diarrhoea, &c.(under 2 yrs.)	—	—	—	1	—	—	—	—	—	—	2	2	—	—	—	1
20 Appendicitis and typhlitis	—	—	—	1	—	1	2	1	1	—	1	—	—	—	—	—
21 Cirrhosis of liver ...	—	—	1	2	—	—	—	—	—	—	1	—	—	—	—	—
21A Alcoholism ...	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	—	—	3	2	2	—	2	1	3	3	5	1	—	—	—	—
23 Puerperal fever ...	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—
24 Parturition, apart from 23	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—
25 Congenital debility, &c.	—	—	5	1	—	1	5	1	4	2	8	5	—	—	—	1
26 Violence, apart from 27	—	—	—	3	1	—	2	—	1	1	10	1	1	1	—	—
27 Suicide ...	—	—	1	—	1	—	—	—	1	1	—	1	—	—	—	—
28 Other defined diseases ...	2	1	14	22	12	10	11	23	13	18	25	20	2	—	3	3
29 Causes ill-defined or un- known.	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—

ADMINISTRATIVE AREAS, 1912—continued.

YORKSHIRE, WEST RIDING—cont.

	Ilkley U.D.		Keighley M.B.		Kirkburton U.D.		Kirkheaton U.D.		Knares- borough U.D.		Knotting- ley U.D.		Lepton U.D.		Linthwaite U.D.		Liversedge U.D.		Luddenden Foot U.D.		Marsden U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	28	43	323	293	26	27	22	14	49	39	51	74	22	20	54	57	111	101	27	18	44	41	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	15	11	—	—	—	—	—	—	4	9	2	—	—	1	10	9	2	2	—	—	3
4	—	—	8	6	—	1	—	—	—	—	—	1	—	—	3	—	2	4	—	—	1	2	4
5	—	—	4	—	—	—	—	—	—	—	3	2	—	—	1	1	—	1	—	—	—	2	5
6	1	1	7	3	—	—	—	—	2	—	—	2	—	—	—	1	—	2	—	—	—	1	6
7	1	1	1	1	—	2	1	—	—	1	—	—	—	1	1	—	—	—	—	—	1	1	7
8	—	—	—	4	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	8
9	—	—	16	18	3	—	—	2	6	4	3	4	3	1	3	4	2	7	3	—	3	3	9
10	—	—	3	1	—	—	—	—	1	—	1	3	—	1	—	2	3	1	—	1	1	1	10
11	—	—	12	10	—	—	—	—	—	1	2	1	—	—	—	—	1	3	—	—	2	—	11
12	3	3	24	23	4	3	1	—	1	3	1	6	2	2	2	6	4	8	2	—	2	2	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	13
14	—	1	5	1	—	—	—	—	—	—	—	1	1	—	—	—	4	2	—	—	—	—	14
15	4	5	32	29	3	4	1	1	4	5	3	4	2	3	6	6	7	11	5	1	7	9	15
16	—	4	21	23	4	2	1	1	5	2	5	4	3	1	4	8	9	6	2	3	5	2	16
17	4	5	30	21	1	1	—	1	1	1	2	3	—	1	5	2	9	8	2	1	3	—	17
18	—	—	2	2	—	—	2	—	5	—	—	1	—	—	—	1	—	1	—	—	—	—	18
19	—	—	5	—	—	1	—	—	1	—	1	2	—	—	1	—	1	—	—	—	—	1	19
20	—	1	3	3	—	—	2	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	20
21	—	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	21
21A	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	4	4	22	23	2	2	—	—	2	2	—	1	—	2	1	1	10	4	1	2	6	1	22
23	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	3	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	24
25	2	1	16	18	1	1	2	1	2	1	7	9	—	—	3	3	9	4	2	—	1	3	25
26	1	2	12	5	1	—	1	—	2	2	6	2	—	—	3	—	1	1	—	—	2	—	26
27	—	—	1	2	—	—	1	—	—	—	2	—	—	—	1	—	2	—	—	1	—	—	27
28	8	15	80	82	7	9	10	8	15	17	11	18	9	7	19	21	36	25	7	8	9	13	28
29	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	1	—	—	29

YORKSHIRE, WEST RIDING—cont.

	Meltham U.D.		Methley U.D.		Mex- borough U.D.		Midgley U.D.		Mirfield U.D.		Monk Bretton U.D.		Morley M.B.		Mytholm- royd U.D.		Nether- thong* U.D.		New Mill U.D.		Normanton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	25	40	28	25	112	89	10	12	79	69	40	28	166	146	35	35	—	1	28	32	107	96	1
2	—	—	1	—	1	1	—	1	—	—	—	1	1	1	—	—	—	—	—	—	—	—	2
3	—	—	—	—	3	5	—	—	—	—	—	—	4	2	1	2	—	—	—	—	15	8	3
4	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—	—	2	—	4
5	—	—	—	—	1	2	—	—	1	—	1	1	5	4	—	—	—	—	—	—	—	1	5
6	—	—	—	—	—	1	—	—	—	—	—	—	4	6	—	1	—	—	—	2	—	—	6
7	—	1	—	—	—	1	—	—	—	—	—	1	4	1	—	—	—	—	—	—	—	—	7
8	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	—	—	—	—	11	9	2	2	2	4	3	1	11	15	—	2	—	—	5	1	10	3	9
10	1	—	—	—	—	1	—	—	—	—	—	—	2	1	1	1	—	—	—	—	3	4	10
11	1	1	—	—	2	4	—	—	—	1	2	—	4	4	1	2	—	—	—	—	4	1	11
12	—	4	—	6	5	4	2	1	7	12	—	1	9	14	1	2	—	—	3	5	5	7	12
13	—	—	1	—	—	—	—	—	1	1	1	—	3	1	1	—	—	—	—	—	—	—	13
14	—	—	1	1	—	1	—	1	1	1	1	—	—	—	—	—	—	—	1	—	—	1	14
15	7	4	3	5	4	—	—	1	4	5	3	1	16	21	—	4	—	—	3	6	12	9	15
16	2	3	1	2	16	11	3	1	10	5	3	5	6	6	6	2	—	—	2	1	7	17	16
17	1	3	3	3	12	8	—	—	7	2	3	3	12	16	3	—	—	—	—	3	5	6	17
18	2	1	1	—	—	1	—	—	3	1	—	—	2	2	—	1	—	—	—	—	1	—	18
19	—	—	1	—	2	1	—	—	2	—	6	1	5	—	—	—	—	—	1	—	1	4	19
20	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	1	20
21	—	—	—	—	—	—	—	1	2	—	—	1	3	2	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	—	—	—	—	1	1	1	9	4	1	1	6	4	2	4	—	—	1	2	3	1	22
23	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	23
24	—	1	—	1	—	4	—	—	—	1	—	—	—	1	—	1	—	—	—	1	—	2	24
25	—	—	5	2	11	6	—	—	1	2	6	4	16	6	1	1	—	—	4	1	13	8	25
26	—	—	2	—	8	1	—	—	3	—	1	—	10	2	3	—	—	—	—	—	4	1	26
27	1	—	—	—	1	—	—	—	—	—	1	—	2	2	1	1	—	—	2	—	1	—	27
28	8	22	9	5	33	24	2	3	25	27	8	6	39	34	13	10	—	1	6	10	21	22	28
29	—	—	—	—	1	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	29

* Netherthong U.D. abolished 1st April, 1912.

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Oakworth U.D.		Ossett M.B.		Otley U.D.		Oxenhope U.D.		Penistone U.D.		Pontefract M.B.		Pudsey M.B.		Queens- bury U.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES ...	25	22	96	103	61	46	18	17	25	25	153	118	97	113	44	42
1 Enteric fever ...	—	—	—	1	—	—	1	—	—	—	2	—	1	—	—	—
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	—	—	—	1	—	—	—	—	—	—	25	16	4	2	4	—
4 Scarlet fever ...	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
5 Whooping cough ...	—	—	1	2	—	2	—	—	—	—	3	3	—	—	—	—
6 Diphtheria and croup ...	—	1	2	1	—	1	—	—	—	—	—	—	—	2	—	—
7 Influenza ...	—	—	—	1	2	2	—	—	1	1	—	1	—	1	—	—
8 Erysipelas ...	—	—	—	1	—	—	—	—	—	—	2	—	—	1	—	—
9 Pulmonary tuberculosis	1	1	8	3	4	5	—	—	—	1	7	4	5	4	—	1
10 Tuberculous meningitis	—	—	2	—	1	—	—	—	—	—	1	2	—	—	—	—
11 Other tuberculous diseases	1	—	1	—	—	1	1	—	2	—	1	4	3	1	—	—
12 Cancer, malignant disease	2	5	8	8	2	4	1	2	1	1	5	8	6	14	11	5
13 Rheumatic fever...	—	—	1	1	—	—	—	1	—	—	—	—	—	—	1	—
14 Meningitis ...	—	—	—	2	1	1	—	—	—	—	2	1	1	4	—	—
15 Organic heart disease ...	8	5	6	11	7	7	2	3	1	4	6	7	8	14	3	6
16 Bronchitis ...	1	2	7	8	9	3	1	1	2	—	18	10	11	5	1	6
17 Pneumonia (all forms) ...	—	—	8	10	4	—	—	—	2	—	19	13	8	7	2	2
18 Other respiratory diseases	—	1	5	1	—	1	1	—	—	—	—	2	2	2	1	1
19 Diarrhoea, &c.(under 2 yrs.)	—	—	—	—	1	—	—	—	—	1	4	7	2	—	—	—
20 Appendicitis and typhlitis	1	—	—	—	1	—	—	—	—	1	1	—	1	—	—	—
21 Cirrhosis of liver ...	—	—	—	—	1	—	1	—	—	1	—	1	3	1	1	—
21A Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	1	1	6	8	3	—	1	—	2	—	2	5	5	3	2	1
23 Puerperal fever ...	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	—
24 Parturition, apart from 23	—	—	—	1	—	—	—	—	—	2	—	3	—	1	—	1
25 Congenital debility, &c.	—	—	6	5	3	3	1	1	1	3	15	3	11	2	—	1
26 Violence, apart from 27	3	—	4	2	—	2	1	—	2	—	8	1	3	2	1	—
27 Suicide ...	—	—	1	3	1	—	—	—	1	—	2	1	—	—	1	—
28 Other defined diseases ...	7	6	30	33	21	13	6	7	10	8	28	24	24	46	16	16
29 Causes ill-defined or un- known.	—	—	—	—	—	1	1	1	—	—	2	—	—	—	1	1

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Rawdon U.D.		Rawmarsh U.D.		Ripon M.B.		Rishworth U.D.		Rothwell U.D.		Royston U.D.		Saddle- worth U.D.		Scam- monden U.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES ...	26	18	135	119	45	61	8	8	88	75	49	34	84	78	2	2
1 Enteric fever ...	—	—	1	2	—	—	—	—	2	—	—	—	—	—	—	—
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	—	1	9	5	4	4	—	—	1	—	—	—	—	—	—	—
4 Scarlet fever ...	—	—	3	2	—	—	—	—	1	—	—	—	1	—	—	—
5 Whooping cough ...	—	—	5	6	—	2	—	—	2	—	—	—	1	—	1	—
6 Diphtheria and croup ...	1	—	1	1	—	—	—	—	1	—	—	—	2	—	—	—
7 Influenza ...	—	1	1	2	—	—	—	—	—	—	—	—	1	—	—	—
8 Erysipelas ...	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	1	—	9	5	2	4	1	1	4	7	1	3	8	3	—	—
10 Tuberculous meningitis	—	—	3	3	—	1	—	—	—	—	1	—	—	1	—	—
11 Other tuberculous diseases	—	—	5	5	1	2	—	1	3	1	—	—	1	—	—	—
12 Cancer, malignant disease	—	2	4	9	1	5	2	3	7	6	1	—	3	8	—	—
13 Rheumatic fever...	—	—	—	—	1	—	—	—	—	—	1	1	—	2	—	—
14 Meningitis ...	—	—	1	1	2	1	—	—	—	—	—	2	—	2	—	—
15 Organic heart disease ...	3	3	4	3	9	7	2	1	19	12	2	3	8	16	—	1
16 Bronchitis ...	1	2	8	8	2	3	2	—	6	5	9	4	3	5	—	—
17 Pneumonia (all forms) ...	1	1	11	8	4	1	—	—	8	5	6	6	9	8	1	—
18 Other respiratory diseases	—	—	4	—	1	1	—	—	3	—	1	1	3	—	—	—
19 Diarrhoea, &c.(under 2 yrs.)	1	—	4	6	—	—	—	—	1	—	1	1	1	—	—	—
20 Appendicitis and typhlitis	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
21 Cirrhosis of liver ...	2	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—
21A Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
22 Nephritis and Bright's dis.	3	—	2	4	1	—	1	—	—	2	2	—	8	10	—	—
23 Puerperal fever ...	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from 23	—	—	—	5	—	1	—	—	—	—	—	—	—	1	—	—
25 Congenital debility, &c.	1	—	13	12	2	1	—	2	11	2	6	1	2	2	—	—
26 Violence, apart from 27	—	1	9	3	—	2	—	—	6	—	6	—	2	—	—	1
27 Suicide ...	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
28 Other defined diseases ...	12	6	37	26	15	26	—	—	20	26	13	12	28	20	—	—
29 Causes ill-defined or un- known.	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—

ADMINISTRATIVE AREAS, 1912—continued.

YORKSHIRE, WEST RIDING—cont.

	Selby U.D.		Shelf U.D.		Shelley U.D.		Shepley U.D.		Shipley U.D.		Silsden U.D.		Skelman- thorpe U.D.		Skipton U.D.		Slaith- waite U.D.		South Crosland U.D.		South- owram U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	59	59	16	8	4	12	9	9	182	200	35	41	23	32	76	78	33	42	28	25	26	19	1
2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	2
3	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	3
4	1	—	—	—	—	—	—	—	—	3	1	—	—	—	—	—	1	1	—	—	—	1	4
5	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	2	—	5
6	—	—	1	—	—	—	—	—	3	3	1	—	—	—	—	—	—	—	1	1	—	—	6
7	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	8
9	4	6	—	—	—	—	—	—	16	10	1	3	—	2	14	8	2	6	4	3	3	—	9
10	1	—	1	—	—	—	—	—	3	3	—	—	—	—	1	—	—	—	—	—	2	—	10
11	1	1	—	—	—	—	—	—	3	—	—	1	—	—	—	1	—	—	—	—	1	—	11
12	7	5	3	1	1	4	—	2	11	18	2	5	1	2	6	4	5	4	—	4	1	1	12
13	—	—	—	—	—	1	—	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	13
14	1	—	1	—	—	—	—	—	2	2	2	—	—	—	—	—	2	—	—	—	1	—	14
15	5	1	—	1	2	—	—	2	30	39	8	8	4	6	13	5	4	2	6	4	—	—	15
16	6	8	1	—	—	1	—	1	13	16	3	2	6	3	8	11	1	3	1	—	2	2	16
17	6	1	—	1	—	1	1	—	13	9	5	2	1	—	6	6	2	3	3	—	—	—	17
18	1	2	—	—	—	—	—	—	4	4	1	2	1	—	3	2	1	1	—	—	2	—	18
19	—	1	—	—	—	—	1	—	1	1	—	—	1	—	4	—	—	—	—	—	—	—	19
20	—	—	—	—	—	—	—	—	1	1	1	—	—	1	1	1	—	—	—	1	—	—	20
21	1	—	—	—	—	—	—	—	2	2	—	—	—	1	1	1	1	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	21A
22	4	—	2	—	1	—	1	—	6	13	—	2	1	—	1	5	2	1	3	3	—	2	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	23
24	—	2	—	—	—	—	—	—	—	3	—	2	—	—	—	—	—	—	—	—	—	—	24
25	5	2	—	—	—	—	—	—	11	6	1	1	1	2	3	4	2	1	—	—	—	1	25
26	2	—	1	—	—	—	1	—	6	5	—	—	—	1	4	1	—	—	1	—	2	3	26
27	—	—	1	—	—	—	1	1	4	1	—	—	—	—	—	—	—	—	—	1	—	—	27
28	13	29	5	5	—	5	1	3	51	57	7	10	6	13	11	24	11	15	8	7	7	5	28
29	1	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—	—	29

YORKSHIRE, WEST RIDING—cont.

	Sowerby U.D.		Sowerby Bridge U.D.		Soyland U.D.		Springhead U.D.		Stainland with Old Lindley U.D.		Stanley U.D.		Stocks- bridge U.D.		Swinton U.D.		Thurlstone U.D.		Thurnscoe U.D.		Thurston- land U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	17	23	80	86	18	17	29	42	30	25	88	78	52	33	94	77	14	15	19	13	10	17	1
2	1	1	—	—	—	—	1	—	—	—	—	—	2	1	7	3	—	—	—	—	—	—	2
3	—	—	2	1	—	—	1	1	—	—	—	—	2	—	2	—	—	1	—	—	—	—	3
4	—	1	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	1	—	—	—	1	—	1	1	—	2	1	—	1	—	—	—	—	—	—	5
6	—	—	—	1	—	—	—	—	—	1	1	1	—	—	3	2	—	—	—	—	—	1	6
7	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	1	3	7	6	1	3	3	2	1	4	4	4	3	2	5	4	—	1	—	—	2	—	9
10	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	10
11	—	1	1	1	—	—	—	1	1	1	1	2	—	—	3	1	—	—	—	—	—	—	11
12	1	2	8	15	4	—	1	3	2	5	3	7	1	3	4	6	3	1	1	1	—	3	12
13	—	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	13
14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
15	1	1	5	13	3	2	5	10	5	4	16	12	2	3	6	6	—	4	—	—	3	3	15
16	1	2	9	12	2	4	—	1	3	2	11	13	2	2	7	6	3	2	2	2	—	—	16
17	—	—	5	2	1	—	1	4	2	—	10	9	7	1	14	6	—	—	4	1	1	1	17
18	—	—	—	—	2	—	1	—	1	1	1	—	5	1	—	—	2	1	—	—	—	—	18
19	—	—	1	1	—	—	1	3	—	1	6	3	2	—	—	2	—	—	—	1	—	—	19
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	20
21	—	—	1	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	3	—	—	1	1	3	—	3	1	—	3	2	—	1	4	1	—	—	1	1	2	2	22
23	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—	—	23
24	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	24
25	—	1	5	2	—	—	3	1	1	—	5	3	5	4	11	12	—	2	1	—	—	—	25
26	—	—	8	2	1	—	1	1	2	—	2	1	2	2	10	1	—	2	—	—	—	—	26
27	—	—	4	1	—	—	1	—	1	—	2	—	—	—	1	2	—	—	—	—	—	—	27
28	8	10	24	24	3	5	9	9	9	4	18	18	16	11	14	21	5	1	7	6	2	7	28
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	29

YORKSHIRE, WEST RIDING—cont.

Causes of Death.				Tickhill U.D.		Todmorden M.B.		Wakefield M.B.		Wath upon Dearne U.D.		Wheatley U.D.		Whitley Upper U.D.		Whitwood U.D.		Wombwell U.D.	
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES				10	16	176	194	357	380	86	81	25	25	7	4	40	37	124	86
1	Enteric fever			—	—	2	2	—	—	—	2	—	—	—	—	—	—	1	1
2	Small-pox			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles			—	—	3	6	16	12	2	—	1	—	1	—	3	2	1	1
4	Scarlet fever			—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	4
5	Whooping cough			1	1	—	—	5	8	1	—	—	—	—	—	1	1	—	5
6	Diphtheria and croup			—	—	2	1	3	4	—	1	—	—	—	—	—	—	1	6
7	Influenza			—	—	3	1	4	5	—	—	—	—	1	—	1	—	1	7
8	Erysipelas			—	—	1	—	1	—	—	—	—	—	—	—	—	—	1	8
9	Pulmonary tuberculosis			—	—	15	14	30	30	11	9	3	1	—	—	3	2	4	9
10	Tuberculous meningitis			—	—	3	—	2	11	1	2	1	1	—	—	1	1	2	10
11	Other tuberculous diseases			—	—	7	5	7	3	2	1	1	1	—	1	1	2	2	11
12	Cancer, malignant disease			1	2	7	15	14	22	2	2	—	1	1	—	2	1	3	12
13	Rheumatic fever... ..			—	—	—	1	1	2	—	1	—	—	—	—	—	1	—	13
14	Meningitis			—	—	3	2	4	5	2	—	2	—	—	—	—	—	4	14
15	Organic heart disease			—	2	14	25	35	44	8	7	1	3	—	—	3	2	13	15
16	Bronchitis			1	2	15	18	30	39	5	6	1	4	2	—	2	4	17	16
17	Pneumonia (all forms)			—	—	20	10	32	27	12	7	2	1	1	1	10	3	11	17
18	Other respiratory diseases			—	—	4	5	3	3	1	1	—	—	—	—	—	—	1	18
19	Diarrhoea, &c. (under 2 yrs.)			—	—	4	4	4	3	—	—	—	—	1	—	5	1	6	19
20	Appendicitis and typhlitis			—	—	2	—	1	4	1	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver			—	—	1	—	5	1	—	—	—	—	—	—	—	—	—	21
21A	Alcoholism			—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.			—	1	11	12	20	13	1	2	2	—	—	1	—	3	4	22
23	Puerperal fever			—	—	—	1	—	7	—	1	—	1	—	—	—	—	—	23
24	Parturition, apart from 23			—	—	—	—	—	6	—	—	—	—	—	—	—	1	—	24
25	Congenital debility, &c.			1	—	11	10	19	16	8	9	1	2	—	—	1	4	18	25
26	Violence, apart from 27			—	—	3	6	23	10	9	1	1	—	—	—	—	1	3	26
27	Suicide			1	—	—	2	7	1	—	—	1	1	—	—	—	—	—	27
28	Other defined diseases			4	7	44	54	90	103	20	28	10	6	1	—	7	8	32	28
29	Causes ill-defined or un- known.			1	1	1	—	—	1	—	—	—	—	—	—	—	—	1	29

YORKSHIRE, WEST RIDING—cont.

Causes of Death.				Wors- borough U.D.		Yeadon U.D.		Barnsley R.D.		Bishop- thorpe R.D.		Bowland R.D.		Doncaster R.D.		Goole R.D.	
				M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES				74	69	42	50	27	17	8	10	26	24	334	227	63	51
1	Enteric fever			1	—	—	—	—	—	—	—	—	—	1	—	—	—
2	Small-pox			—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles			3	2	—	—	—	—	—	—	—	—	12	10	—	—
4	Scarlet fever			1	1	—	—	—	—	—	—	—	—	1	—	—	—
5	Whooping cough			—	—	—	2	—	—	—	—	1	—	4	7	—	3
6	Diphtheria and croup			—	—	—	1	—	—	—	—	—	—	2	2	1	2
7	Influenza			1	—	—	2	—	—	1	—	—	—	3	—	—	—
8	Erysipelas			—	—	—	—	—	—	—	—	—	—	1	—	—	—
9	Pulmonary tuberculosis			3	4	2	3	—	—	1	—	1	1	13	13	2	2
10	Tuberculous meningitis			1	—	2	1	—	—	—	—	—	—	1	2	—	1
11	Other tuberculous diseases			1	2	—	—	—	—	—	—	—	—	7	4	—	—
12	Cancer, malignant disease			4	4	5	6	1	1	—	—	3	4	15	15	5	4
13	Rheumatic fever... ..			—	1	1	—	—	—	—	—	—	—	—	—	—	—
14	Meningitis			1	—	1	—	—	—	—	—	—	—	3	5	—	—
15	Organic heart disease			7	7	1	7	2	2	—	1	2	3	17	10	4	3
16	Bronchitis			6	9	5	—	2	3	2	1	—	1	14	26	2	1
17	Pneumonia (all forms)			14	6	3	2	7	1	—	2	4	1	21	16	10	5
18	Other respiratory diseases			1	—	—	—	1	—	—	—	—	—	3	4	1	1
19	Diarrhoea, &c. (under 2 yrs.)			2	2	—	—	—	—	—	—	—	—	15	5	2	3
20	Appendicitis and typhlitis			—	—	1	—	—	—	1	1	—	—	1	3	—	—
21	Cirrhosis of liver			—	1	—	1	—	—	—	—	—	—	1	1	1	1
21A	Alcoholism			—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's dis.			1	4	—	1	1	1	1	1	1	1	4	6	5	2
23	Puerperal fever			—	—	—	—	—	—	—	—	—	—	—	—	—	—
24	Parturition, apart from 23			—	1	—	—	—	—	1	—	—	—	—	3	—	—
25	Congenital debility, &c.			8	6	2	5	2	2	—	—	2	—	25	19	3	3
26	Violence, apart from 27			5	—	—	—	2	1	—	—	2	1	98	5	5	1
27	Suicide			1	1	3	—	1	—	—	—	—	—	2	1	—	2
28	Other defined diseases			13	18	16	19	8	6	3	3	9	12	67	66	22	17
29	Causes ill-defined or un- known.			—	—	—	—	—	—	—	—	—	—	3	4	—	—

ADMINISTRATIVE AREAS, 1912—continued.

YORKSHIRE, WEST RIDING—cont.

	Great Ouseburn R.D.		Halifax R.D.		Hems-worth R.D.		Hunslet R.D.		Keighley R.D.		Kiveton Park R.D.		Knares-borough R.D.		Leeds (Round-hay and Seacroft)* R.D.		Pateley Bridge R.D.		Penistone R.D.		Pontefract R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	58	60	45	33	279	263	49	30	37	44	94	64	44	45	18	19	52	39	48	35	123	129	1
2	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—	1	—	1	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	3	—	3	3	10	9	—	—	—	—	—	—	—	—	—	—	—	—	5	4	7	4	4
5	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6	—	—	2	—	1	12	—	—	—	—	2	—	—	—	—	—	1	—	—	—	3	11	6
7	1	—	—	—	1	2	1	—	—	1	—	—	1	—	—	—	—	—	—	1	—	1	7
8	1	—	1	—	—	3	—	—	—	—	4	1	1	—	—	—	—	—	—	1	—	—	8
9	3	4	1	2	17	11	5	2	3	3	2	2	2	3	2	1	2	2	3	4	11	7	9
10	1	1	—	—	2	1	—	—	—	—	2	—	—	—	—	—	1	1	—	—	1	4	10
11	1	2	—	1	7	6	—	—	—	—	—	1	—	1	—	—	1	1	—	—	6	2	11
12	2	9	3	2	8	12	5	1	5	3	5	5	3	6	3	2	4	3	1	1	3	6	12
13	—	—	—	1	3	3	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	13
14	—	2	—	—	1	—	—	1	—	—	3	1	—	—	—	1	—	—	—	—	—	—	14
15	11	9	7	4	12	22	8	6	4	3	8	3	5	3	—	3	8	9	2	2	4	13	15
16	4	2	4	3	30	18	2	2	1	5	6	9	1	4	—	1	9	1	3	2	8	3	16
17	1	—	4	2	29	14	2	2	1	3	8	3	4	2	1	1	4	2	3	—	9	10	17
18	—	1	1	—	7	—	1	—	2	2	5	—	—	2	—	—	1	—	4	—	1	1	18
19	—	—	2	—	8	15	—	—	—	—	6	3	—	—	—	—	—	—	1	1	4	5	19
20	—	—	2	—	6	—	—	—	—	—	—	1	—	—	—	—	—	1	1	—	2	—	20
21	—	—	—	—	1	1	1	—	—	—	—	1	1	—	1	2	2	1	—	—	1	—	21
21A	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	—	—	1	7	10	2	2	1	1	3	1	3	—	1	1	1	—	2	—	4	4	22
23	—	—	—	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	23
24	—	1	—	—	4	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	24
25	4	2	2	—	36	48	3	1	—	—	9	4	4	5	—	2	2	1	5	3	17	13	25
26	4	2	2	—	18	3	7	—	3	1	4	1	2	2	—	—	—	—	5	—	8	3	26
27	1	1	—	—	—	—	3	—	—	1	3	—	—	—	1	—	—	—	—	—	2	1	27
28	19	24	11	13	73	62	8	13	14	19	24	24	18	16	8	5	15	16	11	12	30	40	28
29	—	—	—	1	1	4	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	29

YORKSHIRE, WEST RIDING—cont.

	Ripon R.D.		Rother-ham R.D.		Sedbergh R.D.		Selby R.D.		Settle R.D.		Skipton R.D.		Tadcaster R.D.		Thorne R.D.		Tod-morden R.D.		Wakefield R.D.		Wetherby R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	32	30	229	221	20	16	35	45	79	74	126	108	211	171	75	57	42	24	100	83	96	91	1
2	—	—	1	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	3	—	1	—	2
3	—	—	—	—	—	—	—	2	1	1	2	—	8	7	3	—	—	—	—	—	1	—	3
4	—	—	13	19	—	—	—	—	1	2	—	—	—	—	—	2	—	—	—	—	—	—	4
5	—	—	1	1	1	—	—	—	1	2	1	—	1	2	2	—	—	—	—	4	1	—	5
6	—	1	1	—	—	—	—	—	—	—	2	2	2	—	1	—	1	1	2	—	—	2	6
7	1	1	2	—	—	1	—	—	2	—	3	1	1	—	—	—	1	1	2	—	—	2	7
8	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	8
9	1	3	17	7	—	—	2	4	3	5	5	9	12	11	1	2	3	5	4	4	5	4	9
10	1	—	1	—	—	—	—	—	—	—	—	1	—	1	1	—	—	2	—	1	—	—	10
11	1	—	6	4	—	—	—	—	—	—	3	2	5	4	—	1	—	1	1	3	1	1	11
12	2	3	8	7	2	2	—	6	7	6	8	10	8	14	1	6	6	2	8	8	7	9	12
13	—	—	1	—	—	—	1	—	2	1	1	1	—	2	—	—	—	—	1	1	—	1	13
14	—	—	7	2	—	—	—	—	—	—	—	—	5	—	—	—	—	—	1	2	—	—	14
15	4	4	15	19	4	3	2	5	4	13	18	9	16	11	6	11	4	3	9	8	11	14	15
16	1	3	10	22	1	2	—	5	4	6	10	12	17	17	5	9	—	2	10	7	7	8	16
17	3	2	35	26	3	1	6	1	1	4	2	4	21	14	4	2	1	1	8	9	8	2	17
18	—	—	1	4	—	—	—	—	2	—	2	2	7	2	—	1	—	—	3	1	—	1	18
19	—	—	7	—	—	—	—	—	—	—	1	—	8	—	3	—	—	—	—	—	2	1	19
20	1	—	1	1	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	1	—	—	20
21	1	1	1	2	—	—	1	—	—	—	3	—	1	1	1	—	—	—	—	1	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	1	6	—	—	2	—	3	2	—	4	3	1	5	—	1	1	1	3	3	4	2	22
23	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	23
24	—	—	—	5	—	—	—	—	—	—	—	2	—	3	—	—	—	—	—	1	—	2	24
25	—	—	21	23	2	—	4	1	9	4	3	5	18	17	9	4	7	1	11	5	4	—	25
26	1	—	17	8	1	1	1	3	3	1	5	1	9	1	7	—	1	—	9	1	1	4	26
27	—	1	2	—	—	—	1	—	2	—	1	—	1	1	—	—	3	—	4	—	—	1	27
28	14	10	52	55	6	4	16	14	32	28	48	39	68	55	28	16	13	6	19	23	42	37	28
29	1	—	3	2	—	—	—	—	2	1	4	1	—	1	—	—	—	—	1	—	—	—	29

* Leeds R.D. abolished, 9th Nov., 1912.

1912.

VIOLENT DEATHS.

VIOLENT DEATHS, 1912.

ENGLAND AND WALES.—DEATHS FROM ACCIDENT, NEGLIGENCE AND EXECUTION AT DIFFERENT PERIODS OF LIFE IN THE YEAR 1912—MALES.

(Note.—Deaths in cases where ‘Open Verdicts’ are recorded at inquests, are included under “Accidents”).

No.	Cause or Character of Accident.	Ages at Death.																	85 and upwards								
		All Ages.	Months.			1—	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—	45—		50—	55—	60—	65—	70—	75—	80—	
			Under 1 Month.	1—	3—																						6—
	TOTAL ...	11,007	281	286	165	138	293	306	272	221	675	407	646	615	664	677	747	745	737	662	643	539	414	383	220	149	92
1	MINES, QUARRIES, &c. :—	1,091	—	—	—	—	—	—	—	—	2	28	131	156	132	114	132	103	89	74	61	44	20	5	—	—	—
	(a) Coal mines ...	35	—	—	—	—	—	—	—	—	—	—	6	5	6	4	2	5	—	4	1	—	2	—	—	—	—
	(b) Other mines ...	81	—	—	—	—	—	—	—	—	—	1	8	4	8	9	10	10	10	6	6	5	3	1	—	—	—
2	Quarries, excavations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	(c) Quarries, excavations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	VEHICLES AND HORSES :—	684	—	—	—	1	1	3	—	5	18	19	44	80	68	68	60	60	67	59	49	35	21	16	4	3	3
	(a) Railways ...	685	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	(b) Other vehicles mechanically propelled	472	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	(c) Horse-drawn vehicles and horses ...	523	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	(d) Other and undefined vehicles	337	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	SHIPS, BOATS, DOCKS, &c. (excluding drowning).	206	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	BUILDING OPERATIONS ...	225	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	MACHINERY ...	102	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	WEAPONS AND IMPLEMENTS ...	972	5	6	11	58	184	164	137	83	11	12	17	17	17	20	22	20	25	7	9	14	13	22	12	12	8
7	BURNS, SCALDS, EXPLOSIONS ...	272	—	—	—	2	6	11	7	6	7	7	8	19	17	28	23	27	21	25	17	17	9	7	—	—	—
8	POISONS AND POISONOUS VAPOURS ...	2,053	14	—	—	1	39	52	56	50	245	121	133	148	135	130	155	143	147	137	107	90	64	48	24	7	—
9	DROWNING ...	801	251	136	40	3	10	5	1	3	4	4	2	6	4	5	6	3	13	11	7	4	5	1	1	1	—
10	SUFFOCATION ...	1,604	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11	FALLS ...	193	—	2	—	1	1	3	11	48	49	47	33	55	65	69	88	114	109	138	116	127	165	125	99	58	
12	WEATHER AGENCIES ...	671	11	2	5	16	8	15	18	13	49	34	55	43	48	38	48	38	45	45	33	25	17	9	7	1	
13	OTHERWISE OR NOT STATED (including execution).	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	IN MINES.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	(a) Coal Mines.	528	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Fall of coal, stone, &c., on ...	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Crushing ...	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Fall in pit or shaft ...	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Fall (not otherwise described)	67	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Machinery ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	(b) Coal Mines.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	
Wagon, tram, &c. ...	130	—	—	—	—	—	—	—	—	1	6	15	24	15	11	11	11	9	7	4	6	8	2	—	—	—	
Tub ...	95	—	—	—	—	—	—	—	—	—	7	30	21	3	6	6	7	2	5	6	2	—	—	—	—	—	
Blasting ...	19	—	—	—	—	—	—	—	—	—	—	1	4	2	2	3	1	4	1	1	—	—	—	—	—	—	
Explosion of gas (Cadeby Mine Disaster)	89	—	—	—	—	—	—	—	—	—	—	2	17	17	14	12	6	10	6	3	—	2	—	—	—	—	
Explosion of fire-damp ...	15	—	—	—	—	—	—	—	—	—	—	1	2	2	—	4	3	1	—	1	1	—	—	—	—	—	
Explosion (<i>not otherwise described</i>)	7	—	—	—	—	—	—	—	—	—	—	—	3	1	1	1	1	2	—	—	—	—	—	—	—	—	
Burn or scald (<i>manner not stated</i>)	9	—	—	—	—	—	—	—	—	—	—	1	1	2	1	—	3	1	3	1	1	—	—	—	—	—	
Drowning ...	10	—	—	—	—	—	—	—	—	—	—	1	3	2	1	—	—	—	1	1	1	—	—	—	—	—	
Carbon monoxide ...	10	—	—	—	—	—	—	—	—	—	—	1	3	2	1	1	1	1	3	1	1	—	—	—	—	—	
Electric shock ...	8	—	—	—	—	—	—	—	—	—	—	1	2	3	—	—	—	1	—	1	1	—	—	—	—	—	
Otherwise (<i>or not stated how</i>)* ...	62	—	—	—	—	—	—	—	—	—	2	9	6	7	8	9	7	6	2	4	—	1	1	—	—	—	
<i>(b) Other Mines.</i>																											
Fall of stone, wood, &c., on	19	—	—	—	—	—	—	—	—	—	—	4	—	6	2	—	4	—	2	—	—	1	—	—	—	—	
Otherwise (<i>or not stated how</i>)† ...	16	—	—	—	—	—	—	—	—	—	—	2	5	—	2	2	1	—	2	1	—	1	—	—	—	—	
<i>(c) Quarries, Excavations.</i>																											
Fall of stone, slate, &c. ...	53	—	—	—	—	—	—	—	—	—	1	6	2	6	8	6	4	8	4	2	4	2	—	—	—	—	
By falling ...	12	—	—	—	—	—	—	—	—	—	—	2	—	1	1	1	3	—	2	1	—	—	1	—	—	—	
Machinery ...	5	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	2	—	1	—	—	—	—	—	—	
Otherwise‡ ...	11	—	—	—	—	—	—	—	—	—	—	—	1	1	—	2	3	—	—	2	1	1	—	—	—	—	
VEHICLES AND HORSES.																											
<i>(a) On Railways.</i>																											
Run over on line ...	482	—	—	—	—	1	3	—	3	12	15	27	61	45	44	44	37	50	37	42	28	15	10	3	2	3	
Collision ...	5	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	1	1	—	—	—	—	—	—	—	—	
Carriage, &c., off rail ...	10	—	—	—	—	—	—	—	—	—	—	1	—	1	1	2	3	5	7	2	—	—	—	—	—	—	
Fall from carriage or engine ...	55	—	—	—	1	—	—	—	—	2	1	2	4	3	5	1	9	5	2	2	4	4	4	—	1	—	
Fall (<i>not otherwise described</i>)	8	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1	2	—	1	1	1	—	—	—	
Crushing by carriage or engine ...	84	—	—	—	—	—	—	—	1	3	2	11	10	12	10	7	6	8	8	2	2	2	—	—	—	—	
Fall of heavy substance on ...	12	—	—	—	—	—	—	—	—	—	—	1	1	2	1	2	2	—	1	2	—	—	—	—	—	—	
Otherwise (<i>or not stated how</i>)§ ...	28	—	—	—	—	—	—	—	1	1	1	1	4	5	4	3	2	—	4	1	—	—	1	—	—	—	
<i>(b) Other Vehicles Mechanically Propelled.</i>																											
Electric tramcar ...	24	—	—	—	—	—	2	—	—	4	2	1	—	—	—	2	1	2	1	1	3	1	2	1	—	1	
Motor car ...	271	—	—	—	—	—	7	9	13	67	25	16	6	11	16	10	12	11	12	12	10	11	13	4	5	1	
Motor cab ...	53	—	—	—	—	—	—	—	3	6	3	1	—	1	2	5	1	2	6	2	8	3	5	4	1	—	
Motor omnibus ...	146	—	—	—	—	—	1	2	9	23	16	16	6	9	11	14	6	6	5	8	8	2	3	—	—	1	

* Of the 62 deaths under this heading 2 were due to rope breaking, 3 to horses, 4 to choke damp, and 3 to strain.

† Of the 16 deaths under this heading 3 were due to fall in shaft, 3 to fall (*not otherwise described*), 3 to machinery, 1 to tram, 4 to blasting, and 1 to electric shock.

‡ Of the 11 deaths under this heading 3 were due to burns or scalds, 1 to orushing, 1 to blasting, and 1 to strain.

§ Of the 28 deaths under this heading 2 were due to machinery, 2 to burns or scalds, 2 to striking against bridge, and 3 to electric shock.

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE AT DIFFERENT PERIODS OF LIFE IN THE YEAR 1912.—MALES—continued.

No.	Cause or Character of Accident.	All Ages.	Ages at Death.																85 and upwards.								
			Under 1 Month.	Months.			1—	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—		45—	50—	55—	60—	65—	70—	75—	80—
				1—	3—	6—																					
2	VEHICLES AND HORSES—continued. (b) Other Vehicles Mechanically Propelled—continued. Motor van, &c. ... Motor cycle ... Steam wagon, &c. ... Traction engine ... Aeroplane ... Motor vehicle (other or undefined) ... (c) Horse-drawn Vehicles and Horses. Wagonette ... Carriage ... Dogcart, trap... Omnibus ... Cab ... Van, wagon ... Dray ... Cart ... Horses... (d) Other and Undefined Vehicles. Carriage ... Omnibus ... Tramcar ... Cab ... Van, wagon ... Dray ... Bicycle, tricycle ... Other*... SHIPS, BOATS, DOCKS, &C. Fall of heavy substance on ... Crushing ...	71 55 7 27 15 16 7 5 46 3 6 101 5 254 45 8 8 47 4 237 25 162 32 53 18 (1)	— — — — — — — 																								

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
Blow	9	—	—	—	—	—	—	—	—	—	—	1	—	2	3	—	1	—	1	1	—	—	—	—	—	—
Fall from rigging	9	—	—	—	—	—	—	—	—	—	—	4	—	2	—	—	1	—	—	—	—	—	—	—	—	—
Fall into hold	92	—	—	—	—	—	—	—	—	2	—	8	6	2	15	4	8	12	10	8	6	3	—	—	—	—
Fall into dock	26	—	—	—	—	—	1	—	—	1	—	1	4	2	4	4	1	2	3	7	4	1	—	—	—	—
Fall (not otherwise described)	61	—	—	—	—	—	—	—	—	—	—	5	6	5	10	4	5	6	6	2	—	—	—	—	—	—
Machinery	31	—	—	—	—	—	—	—	—	—	—	5	3	3	6	—	5	1	5	2	—	—	—	—	—	—
Burns, scalds	7	—	—	—	—	—	—	—	—	—	—	—	1	2	1	—	—	1	1	1	—	—	—	—	—	—
Otherwise†	31	—	—	—	—	—	—	—	—	—	—	1	5	6	—	4	4	5	2	—	3	—	—	—	—	—
BUILDING OPERATIONS.																										
Fall of material	12	—	—	—	—	—	—	—	—	—	—	—	—	1	1	5	3	1	1	—	—	—	—	—	—	—
Fall from roof, scaffold, ladder	192	—	—	—	—	—	—	—	—	—	—	12	7	9	17	18	30	25	20	28	16	3	5	1	—	—
Machinery	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
MACHINERY.																										
In metal works	26	—	—	—	—	—	—	—	—	—	—	5	3	3	2	5	1	3	—	2	—	1	—	—	—	—
In textile factories	15	—	—	—	—	—	—	—	—	—	—	3	—	—	5	2	—	1	—	1	—	—	—	—	—	—
Electrical machinery	8	—	—	—	—	—	—	—	—	—	—	2	1	3	—	2	—	—	—	—	—	—	—	—	—	—
In other factories	13	—	—	—	—	—	—	—	—	—	—	2	—	2	1	1	2	—	—	—	—	—	—	—	—	—
Agricultural machinery	20	—	—	—	—	—	1	—	—	—	—	1	—	3	1	2	2	4	—	2	2	1	—	—	—	—
Lift	32	—	—	—	—	—	—	—	—	—	—	3	—	2	2	1	4	2	1	2	2	1	—	—	—	—
Other machinery†	111	—	—	—	—	—	—	—	—	—	—	5	8	9	9	16	11	7	10	8	9	4	—	—	—	—
WEAPONS AND IMPLEMENTS.																										
Gunshot wound	74	—	—	—	—	—	—	1	1	3	12	8	11	8	7	5	—	8	6	2	—	—	—	—	—	—
Cut, stab	28	—	—	—	—	—	1	2	1	1	3	5	1	1	1	2	3	3	—	1	—	—	—	—	—	—
CONFLAGRATIONS, BURNS, SCALDS, EXPLOSIONS.																										
(Not in Mines, Ships, &c.)																										
Conflagration... ..	45	1	—	1	2	1	2	—	3	2	2	1	2	1	2	3	1	2	1	2	4	3	7	1	1	—
Burn, Corrosion—																										
By lamp accident	9	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	3	—	1	—	—	—	—	—	—
By molten metal	5	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—	—
By molten slag	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
By flannelette clothes	17	—	—	—	—	—	—	—	—	—	—	—	3	1	2	—	—	—	—	—	—	—	—	—	—	—
By clothes (not otherwise described)	165	—	—	—	—	—	5	2	5	3	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—
Otherwise (or not stated how)§	287	1	3	3	16	46	45	32	22	22	5	3	7	8	6	8	9	5	3	2	2	6	9	6	11	7

* Of the 32 deaths under this heading 1 was caused by a perambulator.

+ Of the 31 deaths under this heading 2 were due to suffocation (not otherwise described), 1 to suffocation—embedded in linseed in ship's hold, 1 to conflagration, 1 to carbon monoxide, and 1 to ammonia fumes.

+ Of the 111 deaths under this heading 2 were due to explosion of steam boiler.

§ Of the 287 deaths under this heading 2 were due to the bursting of a steel ingot mould, 2 to burns by sulphuric acid, 1 by boiling tar, 2 by petrol, 1 by benzine, and 2 by celluloid collar.

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE AT DIFFERENT PERIODS OF LIFE IN THE YEAR 1912.—MALES—continued.

No.	Cause or Character of Accident.	Ages at Death.																								All Ages.	Under 1 Month.	Months.			Ages at Death.										85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		1—			2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		1—	3—	6—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
7	CONFLAGRATIONS, &C.—continued.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														</

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
10																										
SUFFOCATION.																										
In bed...	632	219	248	123	30	5	1	—	1	1	1	—	—	1	—	1	—	1	1	1	—	—	—	—	—	—
Food, or other foreign body	73	3	10	6	8	3	4	1	2	—	1	1	—	1	1	2	2	1	5	7	4	3	5	1	1	1
Smothered by heavy substance	14	—	—	—	—	—	—	—	1	3	1	1	1	1	—	1	1	1	2	1	—	—	—	—	—	—
Otherwise (or not stated)	82	29	17	7	2	2	—	—	—	—	—	2	1	3	3	1	3	—	5	3	3	1	—	—	—	—
11																										
FALLS.																										
Diving	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
From window	74	—	—	—	—	3	2	2	1	4	—	5	4	11	3	1	1	1	4	4	2	1	3	—	—	—
Down stairs	362	—	—	2	1	3	3	—	1	1	4	7	3	6	13	5	9	33	38	40	38	38	19	22	10	10
In room	131	—	—	5	5	10	2	1	—	2	—	1	—	1	3	—	6	1	2	5	8	11	20	16	14	14
Down lift well	9	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	2	2	—	—	1	—	—	—	—
Otherwise (or not stated)	1,022	—	—	4	6	13	15	11	9	41	45	34	25	37	43	46	55	69	65	87	68	78	83	60	33	33
12																										
WEATHER AGENCIES.																										
Lightning	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stroke	84	—	2	—	1	—	3	—	1	4	—	1	2	1	2	1	7	6	8	12	11	7	1	1	1	1
Gelatio and exposure to cold	92	—	—	—	—	—	—	—	—	—	—	2	1	—	3	3	6	7	11	13	10	8	8	4	4	4
13																										
OTHERWISE, OR NOT STATED.																										
Swallowing foreign body	41	1	1	3	2	2	6	4	2	4	1	1	1	1	1	3	—	2	1	2	3	—	—	—	—	—
Fall of heavy substance on...	177	—	—	—	—	2	2	6	6	20	10	12	13	13	12	18	16	8	15	7	9	4	2	1	1	1
Blow	68	—	—	1	1	2	—	1	1	7	6	8	2	3	4	6	4	4	2	5	4	2	1	1	1	1
Fighting, wrestling, &c.	9	—	—	—	—	—	—	—	—	—	—	—	1	3	2	1	1	1	1	—	—	—	—	—	—	—
Fracture	66	4	1	—	1	—	—	2	—	—	2	—	1	5	2	4	11	7	7	6	5	—	—	—	—	—
Injury by ball or cow	7	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—
Injury by horse other than in sec. 2 (c)	88	—	—	—	—	—	4	1	2	8	3	2	6	2	5	5	6	5	7	9	1	5	2	1	2	2
Football	15	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—
Strain	12	—	—	—	—	—	—	—	—	—	—	—	2	2	1	1	2	—	1	—	—	—	—	—	—	—
Electric shock	23	—	—	—	—	—	—	—	—	—	—	—	3	3	5	2	—	—	3	1	—	—	—	—	—	—
Crickets ball	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other wounds (not by Weapon, or Temple)	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Strangulation	22	—	—	—	6	1	1	—	1	1	6	2	1	—	1	1	1	2	1	6	2	2	1	1	—	—
Starvation	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Accident (not otherwise described)	53	1	—	1	5	1	2	1	—	1	1	4	4	3	2	3	3	5	2	3	2	6	3	1	1	1
Violence (cause or kind not stated)	52	5	—	—	1	1	—	2	1	3	1	5	1	4	—	1	1	2	6	6	3	5	2	1	1	1
14																										
EXECUTION	10	—	—	—	—	—	—	—	—	—	—	—	—	2	2	2	1	—	—	—	—	—	—	—	—	—

* Of the 411 deaths under this heading 4 were due to wounds by steam and 2 by drinking hot liquids.

† Of the 16 deaths under this heading 3 were due to explosion of petrol vapour, 2 to acetylene gas, 2 to end gas, 2 to fume, 1 to gunpowder, 1 to cartridge, and 1 to nitro glycerine.

‡ Of the 23 deaths under this heading 3 were due to carbon dioxide, 2 to sewer gas, 3 to gas in a bar still, 1 to sulphuric acid, 1 to acetylene lamp, 2 to refuse tip, 1 to lime kiln, and 1 to coke.

§ Of the 78 deaths under this heading 2 were due to animals, 2 to fangs, 2 to flesh poisoning, 3 to arsenic, 2 to phosphorus, 1 to antimony, 2 to camphorated oil, 1 to nitric acid, 1 to potassium cyanide, 1 to chloride of zinc, 1 to chloride of barium, 4 to oxalic acid, 3 to acetic acid, 1 to prussic acid, 1 to acanthidide, 3 to chloral, 2 to chlorodyne, 1 to cocaine, 1 to sulphuric, 1 to mercuric (head not stated), 3 to belladonna, 4 to strychnine, 1 to ammoniated tincture of guaiacum, 1 to oil of winter green, 3 to poisonous berries, 1 to lysol, 2 to Jeyes' fluid, and 3 to eating of lincol.

¶ Of the 842 deaths under this heading 4 were due to shipwreck.

¶ Of the 53 deaths under this heading 3 were due to animals (other than those stated), 4 to neglect, and 1 to battle.

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
Motor omnibus	46	—	—	—	—	—	1	—	1	5	2	4	3	3	—	1	4	1	4	3	7	—	6	1	—	—
Motor van, &c.	10	—	—	—	—	—	2	—	—	4	—	1	—	—	—	—	—	2	—	—	1	—	—	—	—	—
Motor cycle	11	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	—	3	—	1	2	—	—	—	—	1
Motor vehicle (other, or undefined)†	9	—	—	—	—	2	—	—	—	1	—	1	1	—	—	—	—	1	1	—	2	—	—	—	—	—
(c) Horse drawn Vehicles and Horses.																										
Wagonette	4	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	2	—	2	—	1	—	—	—	—
Dogcart, trap	17	—	—	—	—	1	3	—	—	2	—	—	—	—	—	—	—	—	1	2	2	—	—	—	—	—
Van, wagon	22	—	—	—	—	2	5	—	—	2	—	—	—	—	—	—	1	—	1	1	3	1	—	3	—	1
Dray	9	—	—	—	1	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—
Cart	44	—	—	—	2	9	4	6	—	8	2	—	—	1	—	1	—	—	2	1	1	—	3	—	3	1
Other (or undefined)†	3	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
Horses	4	—	—	—	—	—	1	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
(d) Other and Undefined Vehicles.																										
Tramcar	28	—	—	—	—	—	2	—	—	—	1	2	—	1	—	—	—	1	4	—	4	5	3	1	2	2
Van, wagon	19	—	—	—	—	3	1	2	—	4	2	—	—	1	—	—	—	1	1	—	—	1	1	—	—	—
Dray	12	—	—	—	—	2	2	2	—	2	1	—	—	1	—	—	—	—	1	1	—	—	—	—	—	—
Bicycle, tricycle	31	—	—	—	—	—	1	1	—	2	1	2	3	1	—	3	1	3	1	2	6	—	2	1	—	1
Other§	8	—	—	1	1	1	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1
SHIPS, BOATS, DOCKS, &C.																										
3 Fall of heavy substance on	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
MACHINERY.																										
5 Other machinery	6	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	2	1	—	—	—	—	—	—	—	—
WEAPONS AND IMPLEMENTS.																										
Gun-shot wound	11	—	—	—	—	—	—	—	—	—	2	3	1	1	1	—	—	1	1	—	1	—	—	—	—	—
Cut, stab	11	—	—	—	1	2	3	—	—	1	1	—	—	—	—	—	—	1	—	—	1	—	1	—	—	—

* Of the 2 deaths under this heading 1 was due to crushing by carriage or engine.

† Of the 9 deaths under this heading 1 was caused by steam roller and 4 by traction engine.

‡ Of the 3 deaths under this heading 1 was caused by a carriage, 1 by omnibus, and 1 by cab.

§ Of the 8 deaths under this heading 2 were caused by carriage, 2 by omnibus, and 2 by perambulator.

|| Of the 6 deaths under this heading 1 was in metal works, and 1 by a lift.

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
FALLS.																										
From window ...	43	—	—	—	1	3	1	1	4	1	—	—	2	3	2	5	1	4	3	2	3	3	2	1	—	1
Down stairs ...	403	—	—	—	—	1	3	1	1	4	3	4	2	3	5	12	15	26	29	24	33	53	67	59	30	28
In room ...	213	—	—	4	4	3	4	1	1	2	1	1	1	1	3	1	3	5	4	3	8	14	33	26	45	45
Otherwise ...	682	1	—	1	1	8	8	10	6	17	8	2	7	6	7	6	11	17	15	22	45	56	97	119	109	103
WEATHER AGENCIES.																										
Lightning ...	3	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Sunstroke ...	31	—	—	—	1	2	—	—	—	3	3	—	—	1	1	1	—	2	3	3	2	3	3	1	2	2
Gelatio and exposure to cold	22	—	—	—	—	—	—	—	—	1	—	—	—	1	1	1	1	1	—	2	4	1	—	—	—	—
OTHERWISE, OR NOT STATED.																										
Swallowing foreign body ...	27	—	1	1	5	3	—	1	—	3	—	2	—	—	1	—	1	3	2	1	1	2	—	—	—	—
Fall of heavy substance on ...	18	—	—	—	1	1	1	3	2	2	1	—	—	—	1	—	1	2	—	1	—	—	—	—	—	—
Blow ...	19	—	—	—	1	1	—	1	—	3	2	1	1	—	—	1	1	1	—	—	—	1	2	2	1	—
Fracture ...	19	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	3	2	2	1	—	—	—	3
Injury by horse other than in Sec. 2 (c)...	9	—	—	—	—	—	1	3	1	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Other Wounds (not weapons or implements)	6	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Strangulation ...	5	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Starvation ...	15	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Accident (not otherwise described)††	23	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	2	2	—	3	1	1	1	1	—
Violence (cause or kind not stated)	28	5	1	1	4	—	—	2	—	2	—	1	3	3	—	—	2	—	2	—	1	5	2	1	2	—

* Of the 572 deaths under this heading 1 was due to carbolic acid, 1 to petrol, and 1 to paraffin.

† Of the 242 deaths under this heading 2 were due to scalds by steam and 3 by drinking hot liquids.

‡ Of the 6 deaths under this heading 2 were caused by house boiler, 2 by gunpowder, 1 by gas (not otherwise described), and 1 by hot water bottle.

§ Of the 9 deaths under this heading 3 were due to carbon dioxide and 2 to carbon monoxide.

¶ Of the 66 deaths under this heading 4 were due to fish poisoning, 4 to food poisoning, 4 to arsenic, 3 to phosphorus, 3 to ammonia, 1 to white precipitate, 1 to caustic potash, 1 to binosalate of potash, 2 to nitric acid, 1 to hydrochloric acid, 3 to chlorite of mercury, 3 to oxalic acid, 1 to acetic acid, 1 to chloral, 3 to chlorodyne, 1 to paraldehyde, 1 to cocaine, 4 to sulphonal, 3 to veronal, 3 to trional, 1 to alcohol, 2 to belladonna, 1 to spirits of camphor, 1 to pennyroyal and steel pills, 1 to lysol, 1 to Nicholls pain cream, and 2 to stinging of insect.

¶ Of the 202 deaths under this heading 3 were due to bathing, 4 to boat upset or fall overboard, 3 to collision, and 1 to sliding.

** Of the 69 deaths under this heading 2 were caused by being smothered by heavy substance.

†† Of the 23 deaths under this heading 3 were due to injury by bull or cow, 4 to injury by other animals, 1 to struggle, 1 to strain, 1 to neglect, 1 to needle in gullet, and 1 to needle in hand.

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
8	POISONS AND POISONOUS VAPOURS.																	
	Ammonia	1	2	8	1	1	2	1	2	2	3	1	—	—
	Hydrochloric acid	1	3	3	5	6	6	6	5	3	2	1	1	—	—
	Potassium cyanide	4	3	3	5	2	4	3	7	3	2	1	1	—	—
	Carbolic acid	2	7	—	3	5	2	2	5	4	1	6	—	—	—	1
	Oxalic acid	—	2	4	3	5	5	8	2	5	3	1	—	—	—	—
	Prussic acid	—	—	1	5	7	3	5	2	7	4	—	—	—	—	—
	Opium, laudanum, morphia	1	—	4	2	6	6	1	5	10	3	2	—	1	1	—
	Strychnia, nux vomica	—	1	1	—	1	—	1	—	1	1	—	—	—	—	—
	Coal gas	4	2	9	10	7	13	10	11	13	5	6	4	1	—	—
	Gas fumes (<i>kind not stated</i>)	—	—	1	2	1	3	—	1	—	2	1	—	—	—	—
	<i>Kind not stated*</i>	3	5	6	9	10	9	10	4	10	7	4	2	1	—	—
9	DROWNING	14	30	43	29	48	41	54	65	50	53	42	16	11	2	—
10	HANGING	4	23	45	48	44	74	89	76	102	72	62	45	24	13	—
11	FALLS.																	
	Jumping from height	1	4	4	5	5	2	2	6	5	7	5	1	1	1	1
13	OTHERWISE OR NOT STATED	—	—	—	—	—	—	—	—	3	2	1	1	—	—	—

* Of the 80 deaths under this heading 3 were due to arsenic, 3 to phosphorus, 1 to antimony, 2 to nitric acid, 1 to caustic soda, 1 to fluoric acid, 3 to chloride of mercury, 1 to potassium bichromate, 1 to potassium oxalate, 2 to chloroform, 2 to nicotine, 1 to cocaine, 1 to atropine, 3 to veronal, 1 to whisky, 1 to camphor, 4 to belladonna, 2 to liniment, 1 to weed killer, 1 to coal tar miscible disinfectant, 1 to carbon dioxide, 2 to carbon monoxide, 2 to chloroform vapour, and 2 to fumes from vapourising fumigator.

ENGLAND AND WALES.—DEATHS FROM SUICIDE AT DIFFERENT PERIODS OF LIFE IN THE YEAR 1912.—FEMALES.

No.	Method of Suicide.	Ages at Death.																	
		All Ages.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.
	TOTAL	902	—	6	58	79	86	82	94	103	90	108	65	64	29	25	12	1	—
2	VEHICLES AND HORSES	39	—	—	2	4	6	5	5	7	2	5	3	—	—	—	—	—	—
6	WEAPONS AND IMPLEMENTS	113	—	—	1	4	9	14	14	13	9	19	8	11	7	2	2	—	—
7	BURNS, SCALDS, EXPLOSIONS	5	—	—	—	2	—	—	—	—	—	3	—	—	—	—	—	—	—
8	POISONS AND POISONOUS VAPOURS	260	—	1	13	24	29	26	42	36	24	22	19	10	6	8	—	—	—
9	DROWNING	298	—	5	41	39	28	25	16	36	24	30	17	18	8	6	5	—	—
10	HANGING	159	—	—	1	5	12	11	13	8	27	24	17	23	7	6	4	1	—
11	FALLS	24	—	—	—	1	2	1	3	3	4	4	—	2	1	3	—	—	—
13	OTHERWISE OR NOT STATED	4	—	—	—	—	—	—	1	—	—	1	1	—	—	—	1	—	—
2	VEHICLES AND HORSES.	39	—	—	2	4	6	5	5	7	2	5	3	—	—	—	—	—	—
6	WEAPONS AND IMPLEMENTS.	15 98	—	—	1	1 3	4 5	4 10	1 13	2 11	1 8	1 18	— 8	— 11	— 7	— 2	— 2	—	—
7	BURNS, SCALDS, EXPLOSIONS.	4 1	—	—	—	2	—	—	—	—	—	2 1	—	—	—	—	—	—	—

POISONS AND POISONOUS VAPOURS.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
8	Phosphorus ...	6	—	1	2	2	—	—	—	—	—	—	—	—	1	—	—	—	—
	Ammonia ...	14	—	—	—	3	1	1	2	4	—	1	2	—	—	—	—	—	—
	Hydrochloric acid ...	41	—	—	2	3	3	9	8	5	2	2	1	1	3	2	—	—	—
	Chloride of mercury ...	7	—	—	—	—	1	1	7	—	—	—	—	3	—	—	—	—	—
	Carbolic acid...	47	—	—	1	3	8	3	5	9	5	5	4	3	—	—	—	—	—
	Oxalic acid ...	46	—	—	2	2	6	6	2	8	4	6	1	3	—	—	—	—	—
	Opium, laudanum, morphia	10	—	—	2	2	—	—	2	—	2	1	3	—	—	1	—	—	—
	Coal gas	31	—	—	1	3	4	3	3	5	1	4	3	—	1	4	—	—	—
	Kind not stated*	58	—	—	5	6	6	3	12	5	9	3	5	2	1	1	—	—	—
9	DROWNING ...	298	—	5	41	39	28	25	16	36	24	30	17	18	8	6	5	—	—
10	HANGING ...	159	—	—	1	5	12	11	13	8	27	24	17	23	7	6	4	1	—
11	FALLS.																		
	Jumping from height	24	—	—	—	1	2	1	3	3	4	4	—	2	1	3	—	—	—
13	OTHERWISE OR NOT STATED	4	—	—	—	—	—	—	1	—	—	1	1	—	—	—	1	—	—

* Of the 58 deaths under this heading 3 were due to arsenic, 1 to sulphuric acid, 1 to nitric acid, 1 to sugar of lead, 1 to potassium cyanide, 1 to potassium oxalate, 2 to prussic acid, 1 to sulphonal, 1 to alcohol, 1 to belladonna, 4 to strychnia, 1 to methylnated spirit, 1 to liniment, 1 to verdin killer, 1 to weed killer, 2 to Jeye's fluid, 2 to disinfectants, 2 to carbon monoxide, and 4 to gas (*kind not stated*).

ENGLAND AND WALES.—DEATHS FROM MANSLAUGHTER AT DIFFERENT PERIODS OF LIFE, in the YEAR 1912.—FEMALES.

	TOTAL	52	2	1	—	—	—	4	—	—	1	6	11	11	11	3	3	—	1	—	—	—	—	—
2	VEHICLES AND HORSES	2	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
6	WEAPONS AND IMPLEMENTS	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	BURNS, SCALDS, EXPLOSIONS	4	—	—	—	—	—	1	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—	—
10	SUFFOCATION	2	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
13	OTHERWISE OR NOT STATED	43	1	1	—	—	—	2	—	—	—	5	9	11	8	3	3	—	—	1	—	—	—	—
2	VEHICLES AND HORSES.																											
	Motor car	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	" cab	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	WEAPONS AND IMPLEMENTS.																											
	By knife	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	BURNS, SCALDS, EXPLOSIONS.																											
	Lamp thrown	3	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—
	Burns (<i>otherwise</i>)	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	SUFFOCATION.																											
	Not stated how	2	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
13	OTHERWISE OR NOT STATED.																											
	Blow, kick	7	—	—	—	—	—	—	—	—	—	—	—	1	—	2	3	—	—	—	—	—	—	—
	Attempt to procure abortion:—																											
	By drugs	15	—	—	—	—	—	—	—	—	—	1	4	6	4	—	—	—	—	—	—	—	—	—
	By operation	15	—	—	—	—	—	—	—	—	—	4	4	3	4	—	—	—	—	—	—	—	—	—
	Not stated how	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
	Starvation	3	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Manslaughter (<i>not otherwise described</i>)	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—

SECONDARY CLASSIFICATION OF CAUSES OF DEATH.

In pursuance of the scheme initiated in last year's Report, the deaths registered in 1912 and allocated on pages 192-195 to causes 20-38 of the International List are classified in the following pages in such a way as to indicate as fully as possible the complete statement of the cause of death in each case. This implies the record not only of the primary cause, as selected for tabulation in the ordinary way, but also of any secondary cause or causes stated in conjunction with it, each separate combination of causes being tabulated separately. The card system now in use makes this possible, but as much work is involved and much space is occupied by the statement of the results only a small portion of the deaths of any one year can be so dealt with. The object aimed at, therefore, is to cover each year about one-tenth of the complete International List of causes, completing the whole every ten years. Causes 1-19 were dealt with in last year's Report, and in this Report causes 20-38 succeed them. Of these, by far the most important are 28-35, which include tuberculosis in its various forms.

Information as to age and sex is given (in Table A in each case) only for causes of death as stated alone or in combination where the instances of each particular form of statement amounted to ten or more. All the forms of certificate separately shown which are of less numerical importance are included in the list following Table A for each disease. These tables and lists are therefore complementary to each other, and every death allocated in the primary classification to the disease to which a given table and list refer is included in one or other of them. Thus in the case of septicæmia there were 177 deaths regarding the cause of which no further information was afforded by the certificate, and these, therefore, appear as "unqualified" in Table A, where their age and sex distribution are shown. There were, on the other hand, only six cases certified as "pneumococcal septicæmia," and these accordingly appear in the list, the number of cases, but no other particulars about them, being stated.

The separate ages shown in the tables are varied according to the characteristic age incidence of the diseases to which they refer, the number of age-groups being in all cases fixed at eight for the sake of convenience in presentation.

In addition to the age and sex classification Table A distinguishes deaths occurring in institutions for the sick and infirm, marked "Inst." in the title margin, from other deaths which are marked "Pr."

The entries in Table B for each disease recapitulate information already given either in Table A or in the list. Table B is merely a summary of Table A and the list, which in themselves form a complete classification by full statement of cause of the deaths they deal with. The headings in Table B are more comprehensive than the corresponding headings in Table A, since the former include the latter and in addition material derived from the list. There were for instance 36 deaths certified simply as tuberculous bronchitis and these appear in Table A (page 575), where each heading implies that no further information was given than that contained in the heading. The supplementary list, however, contains nine other cases of tuberculous bronchitis as to which some further information was supplied, and these are included in the 45 deaths of which particulars are given in Table B under this heading. The total number of certificates classed to chronic pulmonary tuberculosis which stated that death was due to tuberculous bronchitis was 45, shown in Table B; the number of certificates in that form and giving no further information, was 36, shown in Table A; details of the supplemental information afforded for the remaining nine cases are given in the list.

The scope of the headings in Table B is wider than that of those in Table A also in another direction, as indicated by the insertion of International List numbers in Table B. In Table A each term, say, "laryngitis" includes only cases certified as such or under some clearly synonymous term, such as "inflammation of the larynx." Laryngitis (87 B) however in Table B includes all forms of certificate shown in the "Manual of the International List" to be included under the heading "87 B Laryngitis." It would include, *e.g.*, "œdema glottidis," a term not synonymous with laryngitis and, therefore, excluded from that heading in Table A and to be sought, as such, under number 87 in the list.

In some cases no number is appended to a title appearing in Table B, *e.g.*, to lardaceous disease in the table relating to 28A. pulmonary tuberculosis. This omission signifies that the figures entered against the term in question, which is grouped under

No. 55 in the International List with the names of a number of other conditions possessing little in common with it, apply to lardaceous disease only and not to the whole contents of No. 55 ("Other general diseases") in the International List.

As the secondary classification has been undertaken to throw light not only upon the complications of disease, but also on the present condition of death certification, terms regarded as undesirable but still in use, have not been excluded from the tables and lists. It is intended that these should present as complete a picture as possible of the state of death certification, and therefore it is essential that all terms used should be included impartially. To this statement a single exception has to be made. Certain terms, mostly in common use, but descriptive merely of modes of death or otherwise of little significance, have not been recorded. These terms are as follows:--asthenia, atrophy, cachexia, cardiac failure, collapse, debility, decubitus, exhaustion, failure of circulation, heart failure, inanition, marasmus, respiratory failure, senile decay, shock, syncope, weakness.

The numbers shown in Table B do not aggregate to any significant total as do those in Table A. The same deaths may appear in the table twice or oftener, while others do not appear in it at all. Thus a death complicated by laryngitis appears under that heading and under that of "total respiratory diseases" as well. Just as each line of Table B summarises information derived from Table A and the supplementary list, so certain lines in Table B summarise the information contained in other lines of the table itself.

Different types of the disease of primary allocation are given first in the tables and lists, and then, in the order of the International List, the various complicating causes. The combination of a special type with a complicating cause is shown in the position for the cause. Where there are two or more complicating causes they are stated in the order of arrangement of the International List. Entry in the lists is made in all cases under the number of the complicating cause coming first in this order. Thus a certificate of death from pulmonary tuberculosis complicated by pneumonia and pericarditis is entered in the list of pulmonary tuberculosis complications as "pericarditis, pneumonia (1)" under number 77 because pericarditis (77) occurs earlier on the International List than pneumonia (92). In the lists numbers in brackets show the numbers of instances of the form of certificate in question.

Where there is little or no doubt that terms are synonymous they have not been separately listed. Thus, "croupous" and "pleuro-" are merged in "lobar" pneumonia. But where doubt was felt on this point, or the course seemed desirable for any other reason, the terms have been entered separately. Thus, "double" pneumonia is regarded for primary classification purposes as implying double lobar pneumonia, and cases so certified are listed to 92A. This interpretation is however open to doubt, and so in all the lists and tables relating to secondary classification, where it is desired to show as far as possible the exact form of certificate, "double" is given separately from "lobar" pneumonia.

20A. PYÆMIA.

Unqualified (66). Traumatic pyæmia—various forms of trauma (22). Traumatic pyæmia, abscess, operation, chloroform (1). Pyæmic abscess (4). Suppuration of foot (1). *Complications.*—20. Septic absorption (3); pyæmia following vaccination (2); 55. Pyæmic abscess, toxæmia (2); waxy degeneration of organs (1). 68. Melancholia (1). 77. Pericarditis (1). 79. Traumatic pyæmia, aortic disease (1). 91. Broncho-pneumonia (2). 92. Pneumonia (1); septic pneu. (3). 98. Abscess of lung (3). 113. Cirrhosis of liver (1). 120. Streptococcal pyæmia, chronic nephritis (1).

20B. SEPTICÆMIA.

TABLE A.

			All Ages.		0—		1—		10—		25—		35—		45—		55—		65—	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Unqualified	...	Inst.	42	30	5	1	7	8	15	2	1	7	4	6	6	2	3	1	1	3
		Pr.	59	46	10	2	9	5	8	3	8	15	2	5	8	4	5	5	9	7
Septicæmia due to trauma		Inst.	40	9	—	—	2	—	7	3	2	1	6	1	12	2	10	2	1	—
(various forms).		Pr.	24	10	—	—	2	6	2	—	4	1	4	—	4	1	5	—	3	2
Septic poisoning	...	Inst.	4	4	—	—	2	1	—	1	—	—	—	2	—	—	1	—	1	—
		Pr.	5	6	3	3	1	—	—	—	—	—	—	—	—	—	1	1	—	2
Septic poisoning due to		Inst.	2	7	—	—	—	1	—	2	1	1	—	1	1	1	—	—	—	1
trauma (various forms)		Pr.	6	1	—	—	1	—	1	—	1	—	—	1	—	—	2	—	1	—
Blood poisoning	...	Inst.	13	1	—	—	—	—	3	—	—	—	3	—	2	—	3	1	2	—
		Pr.	12	5	—	1	1	1	—	—	1	—	2	1	2	—	4	1	2	1
Blood poisoning due to		Inst.	14	4	—	—	—	—	—	1	2	1	4	1	4	—	3	—	1	1
trauma (various forms)		Pr.	14	2	—	—	2	—	—	—	1	—	2	—	3	—	4	1	2	1

LIST SUPPLEMENTARY TO TABLE A.

Pneumococcal septicæmia (6); general pneumococcal invasion (1); staphylococcus infection (5); traumatic staphylococcus infection (1); streptococcus infection (9); septic infection, amputation of leg (1); sapræmia (2). *Complications.*—20. Pyæmia (2); pneumococcal septicæmia and pyæmia (1); traumatic septic poisoning, pyæmia (1); pyæmia, septic pneumonia, abscesses (1); sept. following vaccination (1); streptococcal sept. following vaccination (1); septic poisoning following vaccination (1). 54. Anæmia (1); purpura, septic pneu. (1). 55. Toxæmia (2); traumatic sept., tox. (1). 56. Alcoholism (2); traumatic sept., alcohol. (2); traumatic sept., alcohol, pemphigus (1). 61. Traumatic sept., septic meningitis (1); streptococcus infection, meningeal affection (1). 66. Paraplegia (1). 71. Septic poisoning, convulsions (2); blood poisoning, convul. (1). 77. Pneumococcal sept. and pericarditis (1); traumatic sept., parenchymatous degeneration of pericardium (1); traumatic sept., pericarditis, pneu. (1); traumatic blood poisoning, septic peric. (1). 78. Septic poisoning, ulcerative endocarditis (1). 79. Traumatic sept., fatty heart (1); traumatic sept., cardiac degeneration (1); heart dis. (1). 82. Thrombosis (1). 84. Traumatic septic poisoning, suppurating glands of neck (1); abscess of axilla (following sore on hand), lobar pneu. (1); septic poisoning, abscess of axilla, albuminuria (1). 87. Septic infection from birth, œdema of glottis (1). 90. Bronchitis (1). 91. Broncho-pneumonia (1); traumatic sept., br.-pneu. (1) septic infection, br.-pneu. (2); br.-pneu. pyelonephritis (1). 92. Traumatic sept., pleuro-pneu. (1); pneumonia (4); traumatic sept., pneu. (3). septic poisoning, pneu. (2); septic pneu. (4); traumatic sept., septic pneu. (2); septic sores on buttock, septic pneu. (1); septic pneu., suppuration of great toe (1). 94. Traumatic sept., infarct of lung (1). 100. Traumatic sept., pharyngeal abscess (1). 110. Sapræmia, intestinal hæmorrhage (1). 117. Peritonitis (1); pneumococcal sept. and peritonitis (1). 120. Chronic nephritis (1). 124. Cystitis, prostatic disease, traumatic cellulitis (1). 142. Gangrene (1); traumatic sept., gangrene, cellulitis (1). 144. Streptococcal sept., cellulitis (1); septic poisoning, cellulitis (2); abscess of neck (1); multiple abscesses (1). 145. Septic poisoning, pustular eczema (1). 154. Senile maniacal exhaustion (1). 189. Hyperpyrexia (1); general pneumococcal infection, hyperpyrexia (1).

TABLE B.

			All Ages.		0—		1—		10—		25—		35—		45—		55—		65—	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Traumatic septicæmia...	...	77	25	—	—	4	8	11	3	8	3	12	1	20	4	17	4	5	2	—
Pneumococcal infection	...	6	3	1	—	1	3	1	—	—	—	2	—	1	—	—	—	—	—	—
Staphylococcus infection	...	4	1	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	1	—
Streptococcus infection	...	7	5	—	—	—	—	3	1	1	—	—	1	2	3	1	—	—	—	—
Septic poisoning	...	19	14	7	4	3	2	1	1	1	—	1	2	1	2	2	1	3	2	—
Traumatic septic poisoning	...	10	8	—	—	2	1	1	2	2	1	1	2	1	1	2	—	1	1	—
Blood poisoning	...	26	6	1	1	1	1	3	—	1	—	5	1	4	—	7	2	4	1	—
Traumatic blood poisoning	...	29	6	—	—	3	—	—	1	3	1	6	1	7	—	7	1	3	2	—
Pneumonia (92B)	...	14	6	—	—	1	1	3	—	1	2	3	—	3	2	2	1	1	—	—
Pneumonia, all forms, (91 and 92).	...	19	8	1	—	2	2	4	—	1	2	4	—	3	3	2	1	2	—	—
Total respiratory diseases (86-98).		21	9	2	—	2	2	4	—	1	3	4	—	3	3	2	1	3	—	—

20C. VACCINIA.

Unqualified (1). *Complications*.—20. Septic absorption (1). 91. Broncho-pneumonia (2).

22. ANTHRAX (SPLENIC FEVER).

Unqualified (5); internal anthrax (1). *Complications*.—56. Alcoholism (1). 92. Pneumonia, carbuncle (1). 168. Asphyxia (1).

24. TETANUS.

Unqualified (78); traumatic tetanus—various forms of trauma (73); traumatic lockjaw (1); tetanus neonatorum (11); trismus neonatorum (1); tetanic convulsions (1). *Complications*.—20. Tetanus following septic sore (1); umbilical sepsis (1). 36. Rachitis (1). 48. Trismus, rheumatoid arthritis, dysphagia, bedsores (1). 61. Meningitis (1); cerebro-spinal meningitis, starvation (1). 63. Myelitis (1). 70. Traumatic tetanus, convulsions (1). 87. Spasm of glottis, pneumonia (1). 90. Traumatic tetanus, bronchitis (1). 91. Broncho-pneumonia (1); br.-pneu., septic mouth (1). 92. Lobar pneumonia, tonsillitis (1); traumatic tetanus, pneu. (1). 108. Appendicitis (2); append., operation (1). 117. Peritonitis (1). 129. Fibroids of uterus (1). 152. Trismus, instrumental delivery (1). 168. Asphyxia (2).

25. MYCOSES.

25A. ACTINOMYCOSIS.

Unqualified (10). Traumatic actinomycosis (1).

Actinomycosis of.—Jaw (2); jaw, necrosis of jaw, hips and spine (1); neck (1); lung (2); lung, pulmonary abscess (1); lung and face, paraplegia, respiratory paralysis (1); thoracic cavity (1); liver (1); liver, pancreatitis (1); appendix (1); appendix, abscess formation, operation (1); appendix, intestinal obstruction (1); cæcum, amyloid disease, suppuration (1); cæcum, subphrenic abscess (1); pelvic colon, fistula (1); abdomen, peritonitis, operation (1); pelvis, hæmorrhage (1).

Actinomycosis, septicæmia (1). Actin., cerebral abscess (1). Actin., abscess in lung and liver (1).

25B. OTHER MYCOSES.

Mycosis fungoides (3).

26. PELLAGRA.

Unqualified (1).

27. BERI-BERI.

Unqualified (5). 92. Pneumonia, pleurisy (1).

28. PULMONARY TUBERCULOSIS (NOT ACUTE).

28A. PULMONARY TUBERCULOSIS.

TABLE A.

			All Ages.		0—		5—		15—		25—		35—		45—		55—		65—	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Unqualified	Inst. 4,120	2,001	33	26	57	97	429	388	804	490	1043	477	932	272	582	159	240	92
Tubercle of lung and larynx.		Pr.	5,270	5,046	93	105	148	277	931	1230	1270	1296	1153	1020	931	619	542	315	202	184
		Inst.	88	27	—	—	1	—	10	3	16	10	33	9	18	4	10	1	—	—
Tubercle of larynx	...	Pr.	250	133	1	—	—	4	34	29	81	40	53	39	54	12	19	5	8	4
		Inst.	42	11	—	—	—	5	2	7	3	15	2	11	3	3	—	1	1	—
Tuberculous bronchitis		Pr.	137	79	2	—	2	2	11	13	44	24	28	20	26	10	17	6	7	4
		Inst.	19	10	—	1	—	—	4	1	—	1	4	2	7	3	4	1	—	1
Tuberculous broncho-pneumonia.		Pr.	2	5	—	2	—	—	—	—	—	—	1	1	—	1	—	—	1	—
		Inst.	25	17	15	10	2	3	1	3	1	1	1	—	3	—	1	—	1	—
Tuberculous pneumonia		Pr.	21	30	12	18	1	6	—	1	4	1	—	2	1	—	3	—	—	2
		Inst.	7	2	—	—	—	—	3	—	—	—	1	—	1	1	2	1	—	—
Tuberculous pleurisy	...	Pr.	12	11	1	2	1	2	2	3	2	—	2	1	2	3	2	—	—	—
		Inst.	13	1	—	—	—	—	—	—	—	1	3	—	3	—	4	—	3	—
Tuberculous fibroid phthisis.		Pr.	12	9	—	—	—	1	1	3	2	1	3	1	2	—	4	3	—	—
		Inst.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
Pulmonary hæmorrhage, hæmoptysis.		Pr.	22	8	—	—	—	—	1	—	3	—	6	2	2	—	8	4	2	2
		Inst.	135	35	1	—	1	2	18	7	28	6	36	6	36	10	9	3	6	1
Rupture of pulmonary blood vessel.		Pr.	368	182	1	1	4	9	55	43	91	35	99	39	69	25	37	16	12	14
		Inst.	7	3	—	—	—	—	—	—	2	1	—	—	4	—	1	2	—	—
Tuberculosis (site not stated).		Pr.	5	1	1	—	—	—	1	—	—	—	2	1	1	—	—	—	—	—
		Inst.	22	21	8	7	2	6	3	1	2	2	3	2	2	—	2	1	—	2
Influenza	...	Pr.	7	3	—	—	—	—	—	1	—	—	2	—	3	—	1	2	1	—
		Inst.	58	29	8	8	6	6	11	6	12	6	15	—	1	2	5	1	—	—
Tuberculous meningitis		Pr.	92	47	9	7	10	7	21	12	25	12	16	4	7	5	2	—	2	—
		Inst.	10	2	7	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of brain or cerebral tuberculosis.		Pr.	5	5	—	—	1	—	1	2	1	—	1	1	—	1	1	1	—	—

28A. PULMONARY TUBERCULOSIS—*continued.*TABLE A—*continued.*

			All Ages.		0—		5—		15—		25—		35—		45—		55—		65—	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Tuberculosis of intestine (includ. tub. ulceration.)	Inst.	45	39	—	—	4	3	4	6	17	10	10	8	3	7	5	3	2	2	2
	Pr.	88	90	2	6	4	8	28	27	26	22	13	18	6	6	6	2	3	1	1
Tuberculosis of peritoneum.	Inst.	18	15	2	—	3	4	3	3	2	3	4	2	4	2	—	—	—	—	—
	Pr.	33	45	3	2	6	4	12	16	6	17	1	4	5	—	—	1	—	—	1
Abdominal tuberculosis	Inst.	1	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
	Pr.	9	16	2	2	2	—	3	5	—	9	2	—	—	—	—	—	—	—	—
Tuberculosis of spine ...	Inst.	9	3	—	—	1	—	2	—	3	1	—	—	1	1	2	—	—	—	1
	Pr.	5	15	—	—	1	1	1	4	1	4	—	4	—	1	2	—	—	—	1
Caries of spine ...	Inst.	5	—	—	—	1	—	2	—	1	—	—	1	—	—	—	—	—	—	—
	Pr.	6	7	—	—	2	1	2	3	—	—	—	2	—	1	—	—	—	—	—
Tuberculosis of hip ...	Inst.	6	2	—	1	1	—	2	1	—	—	1	—	—	—	1	—	—	1	—
	Pr.	12	6	—	—	2	1	5	3	4	1	1	—	—	1	—	—	—	—	—
Tuberculosis of knee ...	Inst.	3	1	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	1	—
	Pr.	5	4	—	—	1	—	2	4	—	—	—	—	1	—	—	—	—	—	—
Tuberculosis of kidney...	Inst.	12	2	—	—	—	—	4	1	3	—	4	—	—	—	1	1	—	—	—
	Pr.	17	11	—	—	1	—	—	2	5	4	5	4	3	1	3	—	—	—	—
Tuberculous adenitis ...	Inst.	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
	Pr.	4	5	—	—	1	1	1	—	—	1	—	—	—	1	2	1	—	—	1
General tuberculosis ...	Inst.	8	7	1	3	—	2	5	—	1	1	—	—	1	—	—	—	—	—	—
	Pr.	37	36	3	2	5	3	14	11	3	8	5	7	5	3	1	2	1	—	—
Diabetes, diabetes mellitus.	Inst.	12	4	—	—	—	—	—	1	3	—	4	2	1	—	3	—	—	1	1
	Pr.	31	26	—	—	—	—	2	2	2	3	7	3	8	5	7	10	5	3	—
Lardaceous (amyloid, waxy) disease.	Inst.	3	1	—	—	—	1	1	—	1	—	1	—	—	—	—	—	—	—	—
	Pr.	4	2	—	—	—	—	—	2	3	—	1	—	—	—	—	—	—	—	—
Toxæmia ...	Inst.	7	1	—	—	—	—	1	—	3	1	3	—	—	—	—	—	—	—	—
	Pr.	5	6	—	—	—	—	—	1	1	2	2	2	1	1	1	—	—	—	—
Meningitis ...	Inst.	16	4	2	—	1	1	3	1	7	1	3	—	—	1	—	—	—	—	—
	Pr.	18	14	1	3	—	—	5	4	9	4	3	2	—	1	—	—	—	—	—
Locomotor ataxy ...	Inst.	5	—	—	—	—	—	—	—	1	—	1	—	—	1	2	—	—	—	—
	Pr.	5	—	—	—	—	—	—	—	—	—	2	—	3	—	—	—	—	—	—
General paralysis of insane.	Inst.	22	11	—	—	—	—	1	1	4	2	10	6	6	1	1	—	—	—	1
	Pr.	12	11	—	—	—	—	2	—	2	1	3	5	1	2	—	3	4	—	—
Melancholia ...	Inst.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pr.	4	17	—	—	—	—	—	1	—	6	4	7	—	2	—	1	—	—	—
Mania ...	Inst.	9	9	—	—	—	—	1	—	4	4	2	1	—	—	2	4	—	—	—
	Pr.	6	6	—	—	1	2	3	—	1	2	—	—	1	1	—	—	—	—	—
Epilepsy ...	Inst.	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Pr.	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions ...	Inst.	6	5	5	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pr.	1	10	—	—	—	—	—	—	—	4	1	1	—	5	—	—	—	—	—
Organic brain disease ...	Inst.	6	1	—	1	—	—	—	—	1	—	2	—	2	—	—	—	—	—	—
	Pr.	1	2	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—
Pericarditis ...	Inst.	2	2	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—
	Pr.	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mitral regurgitation ...	Inst.	5	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
	Pr.	3	8	—	—	—	—	—	—	1	3	1	1	—	1	1	1	—	—	2
Mitral disease ...	Inst.	7	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pr.	9	14	—	—	1	—	—	2	—	2	2	5	2	2	2	3	2	—	—
Valvular disease of heart	Inst.	4	3	—	—	—	—	1	—	1	1	1	—	—	—	—	—	—	—	—
	Pr.	3	3	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Fatty heart ...	Inst.	3	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Pr.	10	10	—	—	—	1	2	1	2	3	3	1	3	2	—	—	—	—	2
Heart disease ...	Inst.	6	9	—	—	—	1	1	—	1	1	1	1	2	2	1	1	—	—	3
	Pr.	20	24	—	—	—	2	2	5	2	3	3	5	5	1	4	5	4	—	3
Hæmorrhage ...	Inst.	5	1	—	—	—	—	2	—	2	—	1	—	—	—	—	—	—	—	—
	Pr.	69	47	—	—	1	1	7	5	16	11	22	7	14	13	5	4	4	—	6
Laryngitis ...	Inst.	7	1	—	—	—	—	1	—	2	1	1	—	1	—	2	—	—	—	—
	Pr.	6	4	—	—	—	—	—	—	—	3	2	1	1	—	2	—	—	—	—
Bronchitis ...	Inst.	13	4	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	Pr.	45	20	1	—	1	—	—	—	8	3	11	—	7	6	9	4	8	7	—
Bronchiectasis ...	Inst.	6	2	—	—	—	1	—	—	1	—	2	1	1	—	—	—	—	—	—
	Pr.	6	4	—	—	—	2	—	—	—	1	—	—	2	1	—	—	—	—	—
Broncho-pneumonia ...	Inst.	10	7	1	1	1	—	—	—	2	—	2	3	2	3	2	—	—	—	—
	Pr.	19	7	1	3	2	—	4	—	4	—	2	2	3	1	3	1	—	—	—
Lobar (pleuro-) pneumonia.	Inst.	4	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pr.	6	6	—	—	—	—	—	1	2	1	1	2	1	1	2	1	—	—	—
Pneumonia ...	Inst.	6	7	—	2	—	—	—	2	2	—	2	2	1	—	—	—	—	—	1
	Pr.	39	20	2	4	1	1	6	2	7	5	8	4	7	3	5	—	3	1	—
Empyema ...	Inst.	3	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—
	Pr.	5	5	1	—	1	—	1	—	1	3	1	—	—	1	—	—	—	—	—
Pleurisy, pleural effusion	Inst.	12	5	—	—	—	—	2	1	2	2	1	2	4	—	3	—	—	—	—
	Pr.	24	16	1	—	—	2	2	4	5	2	7	3	5	2	3	1	1	—	2
Pneumothorax ...	Inst.	22	10	—	—	—	—	4	2	12	3	3	3	2	1	1	—	—	—	—
	Pr.	28	26	—	—	—	—	12	15	8	7	6	1	1	3	1	—	—	—	—
Gangrene of lung	Inst.	9	4	—	—	1	—	1	1	2	1	2	1	—	1	2	—	—	—	—
	Pr.	8	—	—	—	—	—	1	—	4	—	—	—	—	2	—	—	—	—	—

28A. PULMONARY TUBERCULOSIS—continued.

TABLE A—continued.

				All Ages.		0—		5—		15—		25—		35—		45—		55—		65—	
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Asthma	Inst.	3	1	—	—	—	—	—	—	—	—	1	1	2	—	—	—	—	—
			Pr.	5	5	—	—	—	—	—	—	2	2	1	—	1	2	1	1	—	—
Diarrhoea	Inst.	6	2	—	—	—	—	—	—	1	—	1	1	—	—	3	—	1	1
			Pr.	20	16	1	2	—	—	4	4	5	2	3	3	5	2	—	—	2	—
Cirrhosis of liver	Inst.	2	1	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—
			Pr.	12	5	—	—	—	—	—	—	1	—	1	—	8	3	2	2	—	—
Chronic nephritis, Bright's disease.	Inst.	9	4	—	—	—	—	1	—	3	—	1	—	3	3	—	1	1	—
			Pr.	8	1	—	—	—	—	2	—	1	—	1	—	—	1	2	—	2	—
Nephritis	Inst.	4	1	—	—	1	—	1	—	1	—	1	1	—	—	—	—	—	—
			Pr.	6	2	—	—	—	—	—	—	1	—	2	—	2	—	1	—	—	—
Parturition	Inst.	—	7	—	—	—	—	—	—	—	5	—	2	—	—	—	—	—	—
			Pr.	—	27	—	—	—	—	4	—	11	—	12	—	—	—	—	—	—	—
Dropsy	Pr.	10	11	—	—	—	—	1	—	1	4	5	3	—	—	3	3	—	1

LIST SUPPLEMENTARY TO TABLE A.*

Tub. pulmonary consolidation (1); chronic bacillary phthisis (1); acute miliary tub. phthisis (6 mos.) (1); generalised pulmonary t. (1); tub. bronchial glands (4); tub. bronchial glands, t. of larynx (1); tub. bronchial glands, pressure on bronchus (1); t. of lung and larynx, hæmoptysis (4); t. of lung, larynx, and pharynx (2); t. of lung and larynx, tub. bronchopneumonia (1); t. of glottis (1); obstructive membrane in larynx, tub. disease (1); t. of larynx, hæmoptysis (3); t. of larynx, tub. pneumonia (1); laryngitis and pleurisy, probably tub. (1); tub. stenosis of larynx, tracheotomy (2); t. of lungs and throat (3); t. of throat (2); tub. tumour and ulcers of throat (1); tub. bronchiectasis (1); tub. bronchitis, hæmoptysis (1); tub. pleuropneumonia (1); caseous pneumonia (3); tub. pneu., hæmoptysis (2); tub. empyema (5); tub. empyema, operation (2); double tub. pleurisy (1); tub. asthma (1); fibro-caseous pulm. phthisis (1); tub. fibroid phthisis, hæmoptysis (2); pulm. t., grinders' (1); pulm. t., stonemason, dust (1); tub. abscess of lung (2); tub. abscess into trachea (1); tub. abscess of lung, hæmoptysis (1); t., rupture of pulm. blood vessel (1); t., hæmoptysis (4); senile t. (1); tub. toxæmia (4). *Complications.*—9. Croup (1). 10. Tub. fibroid phthisis, influenza (1); influ., laryngitis (1); influ., lobar pneumonia (1); influ., pneu. (1); influ., acute pulmonary congestion (1). 18. T. of lungs and larynx, erysipelas (1); erysip., general paralysis of insane (1); erysip., melancholia (1); 20. Pyæmia (1); septicaemia (2); sept., tub. abscess, pyothorax (2); sept., Charcot's disease of knee (1); sept., pelvic peritonitis (1); sept., extravasation of urine, gangrene of scrotum (1); septic intoxication (1); pulm. and laryngeal t., sept., septic gangrene of lung (1). 29. Acute pulm. t. (1); acute pneumonic phthisis, tub. mastoid disease (1); acute miliary t. (4); tub. bronchial glands, general acute miliary t. (1); tub. pleurisy, acute miliary t. (1); miliary t. (2); tub. bronchial glands, mil. t. (2); tub. br.-pneu., mil. t. (1); consumption, mil. t. (1); general mil. t. (3); tub. bronchial glands, general mil. t., tub. meningitis (2); acute t. (2); acute general t. (5); tub. laryngitis, acute genl. t. (2); tub. laryngitis, acute genl. t., toxæmia (1). 30. Tub. bronchial glands, tub. meningitis, tub. cerebellar tumour (1); t. of lung and larynx, tub. men. (1); t. of larynx, tub. men. (6); t. of throat, tub. men. (1); tub. br.-pneu., tub. men. (8); tub. pneu., tub. men. (1); tub. pleurisy, tub. men. (2); tub. cerebro-spinal men. (2); tub. men., t. of intestines (1); tub. br. pneu., tub. men., t. of intestines (1); tub. men., t. of intestines and peritoneum (1); tub. br.-pneu., tub. men., t. of mesenteric glands (1); tub. men., tub. peritonitis (2); tub. pleurisy, tub. men., tub. perit. (3); tub. pleur., tub. men., tub. perit., tub. pericarditis (1); tub. men., t. of abdomen (2); tub. men., t. of vertebræ (2); tub. br.-pneu., tub. men., spinal caries (1); tub. men., Pott's disease, rickets (1); tub. men., t. of elbow (1); tub. men., t. of bladder (1); t. of pleura, tub. men., tub. glands of neck (1); tub. men., t. of lymphatic glands (1); t., tub. men., t. of glands (1); tub. men., disseminated t. (1); tub. bronchial glands, tub. men., general t. (1); tub. br.-pneu., tub. cerebro-spinal men., general t. (1); tub. men., genl. tub., coma (1); tub. men., epidemic cerebro-spinal men. (1); tub. men., hemiplegia, convulsions (1); tub. men., conv., pneu. (1); tub. men., cardiac disease (1); t., tub. men., br.-pneu. (1); tub. men., pneumonia (1); tub. men., pleural effusion (1); tub. men., peritonitis (1); tub. men., premature parturition (1); tub. men., atelectasis (1); tub. men., coma. (4); tub. abscess of brain (2); tub. cerebral tumour (4); t. of larynx, tub. cerebral tum. (1); tub. bronchial glands, tub. cerebellar tum. (1); t. of larynx, t. of brain (2); t. of brain, serous apoplexy (1); t. of brain paralysis (1). 31. Tabes mesenterica (7); t. of bronchial glands and intestine (1); t. of lungs, larynx and intestine (4); t. of larynx and intestine (3); t. of lungs, trachea, and intestine (1); tub. pneu., t. of intestine (1); t. of duodenum (1); t. of ileum (1); t. of small intestine (1); tub. appendicitis (2); t. of colon (3); t. of rectum (1); tub. ulceration of bowel with perforation (1); t. of intestine and elbow (1); t. of intest. and wrist (1); t. of intest. and knee (1); t. of intest. and nasal bones (1); t. of intest. and mastoid, br.-pneu. (1); t. of intest. and pharynx (2); t. of intest. and stomach (3); t. of larynx, hæmoptysis, t. of intest., t. of pancreas (1); t. of intest. and spleen (1); t. of intest. and kidney (3); t. of intest., t. of kidney, lobar-pneu. (1); t. of intest., t. of kidney, lardaceous liver, spleen and kidneys (1); t. of lungs, larynx, intestine and Fallopian tubes (1); t. of intest., t. of neck glands (1); t. of intest., t. of glands (1); t. of intest., general t. (1); t. of intest., diabetes, dementia (1); t. of intest., t. of suprarenals (1); t. of intest., lardaceous disease (2); t. of intest., toxæmia (1); t. of intest., alcoholism (1); t. of intest., pachymeningitis hæmorrhagica (1); t. of intest., melancholia (2); t. of intest., dementia (3); t. of intest., status epilepticus (1); t. of intest., imbecility (2); t. of intest.,

* In the tables and lists referring to tuberculosis, 't.' stands for tubercle or tuberculosis, and 'tub.' for tuberculous or tubercular.

28A. PULMONARY TUBERCULOSIS—*continued*.

endocarditis (1); t. of intest., arterio-sclerosis (1); t. of intest., engorgement of lung (1); t. of intest., stomatitis (1); t. of intest., pyloric stenosis (1); t. of intest., diarrhoea (7); tub. diarrhoea (3); t. of intest., acute colitis (1); t. of cæcum, intestinal obstruction (1); t. of cæcum, perforative peritonitis (1); t. of intest., lardaceous liver and spleen (1); t. of intest., chronic interstitial nephritis (1); t. of intest., childbirth (1); t. of intest., accelerated by trauma (1); t. of intest., accel. by exposure and want (1); tub. fistula in ano (2); tub. ischio-rectal abscess (1); tub. enteritis and peritonitis (4); t. of large intèst. and peritoneum, toxæmia (1); t. of intest. and peritoneum, general paralysis of insane (1); t. of intest. and perit., fatty heart (1); t. of abdominal glands, perit., and kidney (1); t. of lungs, larynx, and perit. (6); tub. br.-pneu., t. of perit. (2); t. of pleura and perit. (7); t. of perit., Pott's disease (2); t. of perit. and tibia (1); t. of perit. and foot (1); t. of perit. and liver (1); t. of perit., general t. (1); t. of perit., rickets (1); t. of pleura and perit., chronic melancholia (1); t. of perit., mania (1); t. of perit., endocarditis (1); t. of perit., cardiac dilatation, pulmonary oedema (1); t. of perit., pulm. congestion (1); t. of perit., appendicitis (1); t. of perit., intestinal obstruction (2); t. of pleura and perit., cirrhosis of liver (1); t. of pleura and perit., cirrhosis of liver, chronic pancreatitis, calculus (1); t. of perit., ascites (1); basal pulm. phthisis, t. of perit., ascites (1); t. of larynx and abdomen (1); general t. of abdomen (1); abdominal t., pleural effusion (1); alimentary t. (1). 32. T. of spine, operation (1); t. of larynx and spine (2); tub. pneu., t. of spine (1); t. of spine, lumbar abscess (1); tub. br.-pneu., caries of spine (1); caries of spine, lumbar abscess (1); t. of sacrum (1); tub. lumbar abscess (1); psoas abscess (2); tub. iliac disease (1); sacro-iliac disease (1); t. of spine and joints (1); t. of spine, general t. (1); t. of spine, paraplegia (1); tub. br.-pneu., angular curvature of spine, morbus cordis (1); pulm. hæmorrhage, caries of spine, empyema (1); caries of spine, pleurisy, operation on spine (1); t. of spine, oedema of lung (1); caries of spine, abscess of lung (1); caries of spine, retropharyngeal abscess (1); lumbar abscess, cholecystitis (1). 33. T. of shoulder (1); tub. br.-pneu., t. of shoulder (1); tub. abscess of shoulder (1); t. of shoulder and hip (1); t. of elbow (2); t. of pleura and elbow, empyema (1); t. of wrist (2); t. of larynx and wrist (1); tub. empyema, t. of hip (1); morbus coxæ (1); t. of hip and shins (1); t. of hip, general t. (1); t. of hip, lardaceous disease (1); t. of hip, men. (1); morbus coxæ, chronic parenchymatous nephritis (1); t. of knee, operation (1); t. of knee and ankle (1); t. of knee, lupus vulgaris (1); t. of ankle (3); t. of larynx and ankle (1); t. of ankle, bronchitis (1); tub. arthritis (6); t. of joints, kidneys, and epididymis (1). 34. Lupus (5); t. of lungs and larynx, lupus (2); lupus, nasal t. (1); t. of skin (1); t. of ilium (1); t. of ribs (1); tub. bronchial glands, t. of ribs (1); tub. periostitis of rib (1); t. of radius and leg (1); t. of carpus (1); tub. dactylitis, bronchitis (1); tub. dactylitis, empyema (1); tub. ulcer of leg (1); t. of os-calcis (1); t. of tarsus (1); t. of foot (3); tub. osteitis (1); t. of tongue (4); t. of larynx and tongue (1); t. of palate and pharynx (1); t. of pharynx and glands (1); t. of larynx and pharynx, toxæmia (1); t. of pharynx, delusional insanity (1); t. of pharynx, gastro-enteritis (1); t. of thyroid gland (1); t. of larynx and oesophagus (1); tub. pericarditis, granular kidney (1); t. of stomach (1); tub. ulcer of stomach (1); t. of liver (1); t. of liver and kidneys (1); tub. br.-pneu., t. of kidney (1); t. of pleura and kidney (1); tub. pulm. abscess, t. of kidney (1); hæmoptysis, t. of kidney (1); t. of kidney, convulsions, bronchitis (1); t. of kidney, oedema of glottis (1); t. of kidney, albuminuria (1); t. of kidney, uræmia (2); t. of kidney and bladder (2); t. of lungs, larynx, kidney and bladder (1); t. of kidney and bladder, general t. (1); t. of kidney and bladder, general paralysis of insane (1); t. of kidney and bladder, acute mania (1); t. of kidney and tubes, general t., peritonitis (1); tub. cystitis (7); tub. cystitis, uræmia (1); t. of bladder and testicle (1); t. of bladder and prostate (1); t. of prostate (2); t. of prostate, pleurisy (1); t. of testis (2); t. of testis, removal of testicles (1); t. of testis, operation (1); t. of testis, pleurisy with effusion (1); t. of testis, emphysema (1); t. of testis fistula-in-ano (1); t. of lung, throat and testicle, uræmia (1); tub. salpingitis (1); tub. pyosalpinx (1); tub. abscess of breast (1); t. of urinary tract (1); genito-urinary t. (2); t. of perineum (1); t. of pelvis (1); pelvis abscess, prob. tub. (1); t. of neck glands (9); t. of larynx and neck glands (1); tub. br.-pneu., t. of neck glands (2); hæmoptysis, t. of neck glands (1); t. of glands in neck, chest, &c. (1); tub. br.-pneu., t. of axillary glands (1); t. of mediastinal glands (5); t. of larynx and mediastinal glands, pleuro-pneu. (1); t. of pleura and intrathoracic glands (1); tub. br.-pneu., tub. mediastinal abscess (1); tub. br.-pneu., tub. adenitis (1); tub. adenitis, myocardial degeneration, (1); t. of pleura and lymphatic glands, br.-pneu. (1); t. of lymphatic system (1); tub. abscess of thigh (1). 35. Tub. bronchial glands, genl. t. (2); tub. laryngitis, genl. t. (2); hæmoptysis, genl. t. (6); rupture of pulm. blood vessel, genl. t. (1); genl. t., toxæmia (1); genl. t., embolism, coma (1); genl. t., br.-pneu. (1); genl. t., pneu. (1); genl. t., empyema (2); genl. t., empyema, operation (1); genl. t., collapsed lung (1); genl. t., fibroid phthisis (2); genl. t., peritonitis (1); genl. t., necrosis of ankles (1); tub. polyorrhomenitis (1); multiple tub. lesions (1); whole body tub., gastric ulcers (1). 36. Rickets (1); spinal curvature (1). 37. Syphilitic arteritis, cerebral hæmorrhage (1). 47. Rheumatism (1). 48. Chronic rhèumatism (2); arthritis deformans (1); osteo-arthritis (3); rheumatoid arthritis (3); chronic gout (1). 49. Scurvy (1). 50. Caseous tub. br.-pneu., diabetes mellitus (1); hæmoptysis, diabetes mell. (2); hæmoptysis, diabetes mell., acromegaly (1); diabetes, toxæmia, cystitis, urinary stricture (1); diabetes mell., dilated heart (1); diabetes mell., pneumothorax (2); diabetes, chronic nephritis (1); diabetes mell., coma (3). 51. Exophthalmic goitre (5); exophthalmic goitre, pleural effusion, childbirth (1). 52. T. of suprarenals (3); Addison's dis. (4); t. of lung and larynx, hæmoptysis, Addison's dis. (1); Addison's dis., uncontrollable vomiting (1). 53. Spleno-medullary leuchæmia (1); splenic leuchæmia (1); Hodgkin's disease (2). 54. Anæmia (5); t. of larynx, anæmia (1); anæmia, hæmorrhage (1); progressive anæmia (1); pernicious anæmia (2). 55. Diabetes insipidus (1); purpura hæmorrhagica (1); purpura, hæmorrhage (1); lardaceous disease, acute endocarditis (1); lard. disease, pneu. (1); lard. disease, diarrhoea, anasarca (1); toxæmia, bronchiectasis (1); tox., pleural effusion (2); methæmoglobinuria, chronic nephritis (1). 56. Alcoholism (9); t., alcoholism (1); alcohol., men. (1); alcohol., fatty heart (1). 60. Multiple cerebral abscess (1); tub. hyperæmia of lungs, chronic inflam. of brain (1). 61. Tub. bronchial glands, men. (1); tub. br.-pneu., men. (4); t., men. (1); cerebro-spinal men. (1); pneumococcal men. (1); tub. br.-pneu., basal men. (1); men., cerebral hæmorrhage (1); men., mania, valvular dis. (1); men., otorrhœa (1); men., diarrhoea (1); tub. br.-pneu., men., enteritis (1); men., coma (1); tub. br.-pneu.,

28A. PULMONARY TUBERCULOSIS—*continued.*

pachymeningitis, fatty heart (1). 63. Bulbar paralysis (1); paralysis agitans (2); progressive muscular atrophy (1); anterior poliomyelitis (1); anterior poliomyelitis, paralysis (1); disseminated sclerosis (3); lateral sclerosis (1); lateral sclerosis, pyonephrosis, cystitis (1); t. of larynx, combined sclerosis of spinal cord (1); Friedreich's ataxia (1); infantile paralysis (2); syringomyelia (1); transverse myelitis (1). 64. Apoplexy (3); tub. fibroid phthisis, apoplexy (1); cerebral congestion (1); cerebral hæmorrhage (8); t. of lungs and larynx, cer. hæm. (1); cer. hæm., hemiplegia (1); cer. hæm., coma (1); pachymeningitis hæmorrhagica, pigmentary degeneration of heart (1); hæmorrhagic apoplexy (1). 65. Cerebral softening (1); cer. softening, dementia (2); cer. softening, necrosis of jaw (1). 66. Hemiplegia (3); paraplegia (1); congenital paralysis (1). 67. Tub. br.-pneu., general paralysis of the insane (1); g. p. i., fatty heart (2); g. p. i., pulm. gangrene (1). 68. T. of lung and larynx, melancholia (1); recurrent melancholia (1); melancholia, endocarditis (1); t., melancholia, pleural effusion (1); melancholia, pyopneumothorax (1); melancholia, chronic Bright's disease (2); pulm. hæm., mania (1); tub. pleurisy, mania, fatty heart (1); mania, colitis (1); mania, chronic Bright's (1); mania, abscess in neck (1); phthisical mania (2); delusional mania (1); delusional insanity (5); delusional insanity, chronic cardiac degeneration (1); dementia, epilepsy (3); dementia, morbus cerebri (1); dementia, valvular dis. (1); dementia, pneumonia (1); dementia, chronic Bright's (1); secondary dementia (4); secondary dementia, cardio-vascular degeneration (1); stupor (2); intellectual defect (1); intellectual defect, pleurisy (1); intellectual defect, without epilepsy (1). 69. Hæmoptysis, epilepsy (1); epileptic insanity (insanity, epilepsy) (6); tub. br.-pneu., epileptic insanity (1); epil., idiocy (2); epil., imbecility (5); epil., imbecility, cholecystitis (1); epil., organic brain disease (3). 70, 71. Tub. bronchitis, convulsions (1); tub. br.-pneu., conv. (2); tub.-pleurisy, conv. (1); tub. empyema and resection of rib, conv. (1); conv. (meningeal) (1). 73. Peripheral neuritis (3). 74. Idiocy (4); imbecility (7); imbecility, heart disease (1); congenital mental deficiency (1); defective development, physical and mental (1); cerebral tumour (1); t., cerebral tumour (1); Von Recklinghausen's dis. (1); cerebral atrophy (3); non-malignant organic brain disease, stricture of œsophagus (1); congenital organic brain disease (1). 75. Operation for removal of tear sac (CHCl₃), status lymphaticus (1). 76. Mastoid abscess (1). 77. Tub. br. glands, pericarditis (1); adherent pericardium (or pericarditis) (2); purulent peric. (1); peric., endocarditis, pneumonia (1); peric., pneu. (1); peric., pneumococcal empyema (1); peric., pleurisy (3); pericardial effusion, chronic interstitial nephritis (1). 78. Myocarditis (1); myoc., acute nephritis (1); malignant endocarditis (1); endoc. (6); endoc., bronchitis, empyema (1); endoc., childbirth (1); mitral endoc. (2). 79. Endoc., lardaceous kidney (1); chronic endoc. (1); hæmoptysis, aortic obstruction (1); aortic regurgitation (3); aortic dis. (5); aortic and mitral regurg. (3); aortic and mitral regurg., dropsy (1); aortic and mitral dis. (1); mitral stenosis (2); mitral regurg., pneu. (1); double mitral dis. (1); tub. fibroid phthisis, mitral dis. (1); hæmoptysis, mitral dis. (2); mitral dis., cirrhosis of liver (1); mitral dis., dropsy (1); t. of larynx, valvular dis. (1); valv. dis. from rheumatism (1); rheumatic heart (1); valv. dis., arterio-sclerosis (1); valv. dis., pleurisy (1); valv. dis., albuminuria (1); val. dis., childbirth (1); val. dis., fall (1); val. dis., anasarca (2); tub. pulm. abscess, fatty heart (1); fatty heart, angina pectoris (1); fatty heart, liver, spleen and kidneys (1); fibroid degeneration of heart (1), fibroid degen. of heart, waxy liver and kidneys (1); pigmentary degen. of heart (1); myocardial degen. (1); degen. of heart (1); cardio-vascular degen. (1); chronic myocarditis (1); myoc., cardiac dilatation (1); myocardial dis., bronchitis (1); cardiac asthma (2); cardiac dropsy (1); aneurysm of heart (1); clot in heart, pulm. congestion (1); t. of lungs and larynx, cardiac dilat. (1); t. of pleura, cardiac dilat. (1); tub. fibroid phthisis, cardiac dilat. (1); t. of pleura, cardiac dilat., laryngitis (1); cardiac dilat., pleural effusion (1); cardiac dilat., chronic nephritis (2); acute cardiac dilat. (1); acute cardiac dilat., asthmatic seizure (1); chronic t., cardiac incompetence (1); displacement of heart (1); cardiac atrophy, ascites (1); t. of larynx, heart dis. (1); tub. bronch., morbus cordis (2); tub. pneu., morbus cordis (1); tub. fibroid phthisis, morbus cordis (1); hæmoptysis, cardiac dis. (2); heart dis., embolism (1); heart dis., empyema (1); heart dis., pulm., œdema (1); t., heart dis., cirrhosis of liver (1); heart dis., ascites (1); senile heart dis., pulm. congestion (1); cardiac weakness, dropsy (1); chronic heart failure, dropsy (1). 80. Angina pectoris (1). 81. Arterio-sclerosis (1); tub. bronch., art.-scler. (1); tub. br.-pneu., art.-scler. (1); general atheroma (1); tub. fibroid phthisis, atheroma, hæmorrhage (1); art.-scler., chronic nephritis (1). 82. Cerebral embolism (6); tub. pleurisy, cerebral emb. (1); cerebral thrombosis (3); tub. pneu., cerebral thromb. (1); venous thromb. (1); tub. br.-pneu., iliac thromb., pulm. emb. (1); femoral thromb., colitis (1); embolism (1); emb. of heart (1); tub. pleurisy, pulm. emb. (1); t., pulm. emb. (1); emb. of pulm. artery, phlebitis (1). 83. Phlebitis (1); phleb. of leg (1). 84. Lymphadenitis, chronic enteritis (1); hypertrophied cervical glands (1). 85. T. of lungs and larynx, hæmorrhage (1); t. of larynx, hæmorrhage (1); tub. br.-pneu., hæmorrhage (1); rupture of blood vessel (4); hæmorrhage, albuminuria, (1); hæmorrhage, congestion (1); 86. Gangrene of nose (1); removal of adenoids and tonsils (ethyl chloride) (1). 87. Tub. bronchial glands, laryngeal spasm (1); t. of larynx, laryngitis (1); tub. pleurisy, laryng. (1); laryng., pneu. (1); laryng., pneumothorax (1); t., laryng., aphthous stomatitis (1); laryng., diarrhœa (1); laryng., inability to take sufficient food (1); œdema glottidis (1); t. of larynx, œdema glottidis (1); laryngeal necrosis, obstruction (1); ulceration of larynx (1); ulceration of larynx and intestines (1); t., cicatricial stricture of larynx (1). 88. Myxœdema (2). 90. Bronchial catarrh (1); t., bronchiectasis (1); tub. infection, bronchiect. (1); hæmoptysis, bronchiect., emphysema (1); t. of larynx, bronchiect., fibroid phthisis (1); t. of larynx, bronchitis (1); tub. br.-pneu., bronch. (2); hæmoptysis, bronch. (3); t., bronch. (1); t. of lungs and adjacent structures, bronch. (1); acute catarrhal bronch. (1); bronch., br.-pneu., (1); bronch., pneu. (1); bronch., pleurisy (1); hæmoptysis, bronch., pleurisy (1); t. of larynx, bronch., pleur., emphysema (1); bronch., pulm. collapse, emphysema (1); bronch., asthma (4); bronch., emphysema (3); hæmoptysis, bronch., emphysema (1); tub. empyema, bronch., waxy liver (1); bronch., pregnancy (1); bronchorrhœa (1); capillary bronch. (2). 91. T. of larynx, broncho-pneumonia (1); hæmoptysis, br.-pneu. (2); t., br.-pneu. (4); br.-pneu., empyema (1); br.-pneu., pleurisy (1); br.-pneu., asthma (1); tub. bronch., br.-pneu., nephritis (1). 92. T., pleuro-pneu. (1); lobar pneu., senile dementia (1); lobar pneu., accelerated by want of food and medical attendance (1); double pneu. (3); tub. bronchiect., pneu. (1); tub. pleurisy, pneu. (2); pulm. hæm.,

28A. PULMONARY TUBERCULOSIS—*continued*.

pneu. (1); t., pneu. (7); pleural abscess, probably tub., pneu. (1); pneu., empyema (1); pneu., pleurisy (8); t., pneu., pleur. with effusion (1); pneu., fibroid phthisis (1); pneu., abscess of lung (1); t., pneu., enteritis, coma (1); pneu., childbirth (1); pulm. hæmorrhage, septic pneu. (3). 93. Tub. bronchial glands, empyema (1); tub. br.-pneu., empyema, operation (1); hæmoptysis, empyema (1); t., empyema (1); tub. pleur., empyema, operation, pneumothorax (1); empyema, pyothorax (1); empyema, contraction of lungs (1); empyema, sub-phrenic abscess (1); tub. pleur., empyema, sub-phrenic abscess (1); empyema (operation), lardaceous kidneys, uræmia, eclampsia (1); empyema, accel. by morphia (1); hæmoptysis, pleur. (2); rupture of pulm. vessel, pleur. (1); pleur., hydropneumothorax (1); pleur., fibroid phthisis (1); pleur., multilobular cirrhosis of liver (1); pleur., peritonitis (1); hæmop., pleur., nephritis (1); pleur., congestion (1); hæmorrhage into pleura (1); t. of larynx, pneumothorax (1); tub. fibroid phthisis, pneumoth. (1); right pneumoth., left pyopneumoth. (1); pneumoth., emphysema (1); pneumoth., childbirth (1); hydropneumothorax (5); pyopneumothorax (9); tub. abscess of lung, pyopneumoth. (1). 94. Pulm. œdema (5); pulm. congestion (7); hæmoptysis, pulm. congestion (1); hypostatic pneumonia (1); tub. bronch., pulm. collapse (1). 96. Hæmoptysis, asthma (2); asthma, fibrosis (1); asthma, parenchymatous nephritis (1). 97. Emphysema (3); tub. bronch., emphy. (1); hæmoptysis, emphy. (1); Cellular emphy. (1); tub. bronch., emphy., chronic Bright's (1). 98. Silicosis (3); pneumoconiosis (3); chronic interstitial pneu. (1); fibroid phthisis (4); tub. laryngitis, fib. phth. (1); tub. pleur., fib. phth. (1); tub. pneumoth., fib. phth. (1); hæmoptysis, fib. phth. (1); pulmonary abscess (5); tub. bronchiect., pulm. abscess (1); t., pulm. abscess (1); t., pulm. abscess, intestinal statis (1); ruptured lung, universal emphysema (1); new growth of lung (nature unknown) (1); 99. Pyorrhœa alveolaris (1); ulcerative stomatitis (1); t., acute stomat., continued fever (1). 100. Septic pharyngitis (1). 101. Œsophageal obstruction (1). 102. Gastric ulcer (3); hæmoptysis, gastric ulcer (1); hæmoptysis, perforating gastric ulcer (1). 103. Gastritis, gastric catarrh (4); t. of larynx, gastritis (1); tub. miner's phthisis, gastritis (1); t., gastritis (1); alcoholic gastritis (1); dilated stomach (1); acute dilatation of stomach (1); vomiting (2); hæmatemesis (1); tub. pleur., hæmat. (1); hæmat., cirrhosis of liver (2). 104. Intestinal toxæmia (1); t. of lungs and larynx, diarrhœa, intestinal ulceration (1); diarr., premature confinement (1); diarr., frontal sinus suppuration (1); diarr., coma (1); gastro-intestinal catarrh (1); enteritis (5); tub. pleur., enteritis (1); colitis (1); intestinal ulceration (9); ? tuberculosis, intestinal ulceration (1); intestinal ulceration, perforative peritonitis (1); duodenal ulcer (2); duodenal ulcer, peritonitis (1). 108. Appendicitis (2); append., operation (1). 109. Tub. pulm. congestion, intussusception (1). 110. Fistula in ano (4); tub. of lungs and larynx, fistula in ano (1); ischio-rectal abscess (1); pleural effusion (probably tub.), ischio-rectal abs. (1); ischio-rectal abs., fistula (1); tub. br.-pneu., fæcal fistula (1); tub. pleur., fistula of bowel (1); perforation of bowel, peritonitis (1); t. of larynx, hæmorrhage from bowel (1); intestinal hæmorrhage, chronic interstitial nephritis (1). 113. T. of larynx, cirrhosis of liver (1); hæmop., cirrhosis of liver (1); cirrhosis of liver, chronic nephritis (1); amyloid disease of liver and kidney (2); amyloid disease of liver, spleen, and kidney (1). 115. Cholecystitis (1); perihepatitis, splenitis, granular kidney, ascites (1); hepatic enlargement (1). 117. Peritonitis (7); hæmoptysis, perit. (1). 119. Acute nephritis (9); acute neph., uræmia (1); sub-acute neph. (2). 120. Hæmoptysis, Bright's disease (1); interstitial-neph. (1); chronic interstitial neph. (3); chronic parenchymatous neph. (2); cirrhosis of kidney (1); chronic Bright's, uræmia (3); chronic interstitial neph., uræmia (1); Bright's disease, dropsy (3); albuminuria (3); albumin., uræmia (1); albumin., œdema (1); lardaceous kidney (4); renal disease (2); t., neph. (2); neph., dropsy (1); uræmia (4); t., uræmia (1). 122. Perinephric abscess (1); t. of lungs and larynx, abscess of kidney (1); tub. pleur., pyelonephritis (1). 124. Cystitis (4); septic cystitis (1). 125. Perineal abscess, fistula, operation (1). 126. Prostatic abscess (1). 127. Tub. pleur., epididymitis (1). 129. Fibroid tumour of uterus (1). 134. Abortion (1); hæmoptysis, abortion (1); miscarriage (1); t. of lungs and larynx, premature confinement (1); pregnancy (2). 136. T. of lungs and larynx, parturition (4). 142. Gangrene (5); gangrene of foot, amputation (1); Raynaud's disease (1). 144. Gluteal abscess (1); pelvic abscess (1); tub. pleur., pelvic abscess (1); t., abscesses (1). 145. Bedsores (3). 146. Necrosis of iliac bones (1). 147. Arthritis (2). 150. Congenital heart disease (4); cleft palate (1); spinal meningocele (1). 154. Senile dementia (5). 165. Accelerated by morphia (1); accel. by sulphonal (1). 167. Tub. pneu., accel. by scalds (1). 168. Asphyxia (6); tub. bronchial glands, asphyxia (1); pulm. hæm., asphyxia (3); suffocation by blood (1). 186. Accelerated by neglect (1); self-neglect (1); exposure (2); accel. by trauma (various) (5); t., accel. by trauma (2); accel. by strain (1). 187. Miliary pulm. t., anasarca (1); tub. interstitial pneu., dropsy (1); tub. fib. phth., dropsy (1); fib. phth., becoming tub., œdema, (1); ascites (4). 189. Cardiac paralysis (1); dyspnœa (6); coma (1); cyanosis (1); delirium (1); adynamia (1).

28A. PULMONARY TUBERCULOSIS—continued.

TABLE B.

	All Ages.		0—		5—		15—		25—		35—		45—		55—		65—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Tubercle of lung and larynx ...	357	178	1	—	1	4	47	39	104	59	90	50	75	16	30	6	9	4
Tuberculous bronchial glands...	22	12	9	7	7	4	3	—	2	—	—	1	—	—	—	—	1	—
Tubercle of larynx ...	578	283	3	1	3	7	67	54	170	91	141	73	121	32	52	13	21	12
Tuberculous bronchitis ...	29	16	2	3	—	—	—	—	1	1	5	3	9	5	4	1	4	2
Tuberculous broncho-pneumonia	71	65	42	37	6	9	2	6	6	5	5	3	4	1	4	2	2	2
Tuberculous pneumonia ...	24	20	2	3	1	2	7	4	3	1	3	3	4	5	4	2	—	—
Tuberculous pleurisy ...	54	25	—	—	5	4	5	5	4	4	11	2	12	5	12	3	5	2
Tuberculous fibroid phthisis ...	38	9	—	—	—	—	1	1	4	—	8	2	6	—	14	4	5	2
Pulm. hæm., hæmoptysis, &c....	552	248	2	3	7	12	80	54	130	51	145	50	114	38	50	24	24	16
Tuberculosis, (site not stated).	48	48	13	14	2	9	8	5	4	7	9	3	6	1	5	6	1	3
Influenza (10) ...	11	4	—	—	—	—	—	1	—	—	3	1	5	—	1	2	2	—
Acute miliary tuberculosis (29B)	15	11	4	1	2	3	4	2	2	5	2	—	1	—	—	—	—	—
Tuberculosis meningitis (30) ...	208	111	33	25	25	19	41	25	50	25	38	5	10	9	9	3	2	—
Tuberculosis of peritoneum and intestines (31).	279	284	19	20	30	26	62	74	68	79	51	44	27	24	17	9	5	8
Tuberculosis of spine (32) ...	39	40	1	1	7	3	11	10	7	9	6	9	3	4	4	2	—	2
Tuberculosis of joints (33) ...	52	24	—	1	7	2	12	10	10	2	7	4	8	2	3	2	5	1
Tuberculosis of other organs (34).	127	69	6	7	9	2	15	19	25	15	28	12	19	4	18	7	7	3
Disseminated tuberculosis (35)	80	59	6	10	13	6	25	12	13	13	9	8	8	6	5	3	1	1
Tuberculosis, all forms (29-35)	769	562	63	59	88	56	165	147	166	138	139	77	73	47	55	24	20	14
Diabetes (50) ...	53	32	—	—	—	—	3	3	6	3	13	5	13	6	11	10	7	5
Lardaceous (amyloid, waxy) disease.	9	7	—	—	—	1	1	3	4	1	3	—	1	2	—	—	—	—
Toxæmia ...	15	11	—	—	—	—	1	2	5	3	6	3	1	2	1	—	1	1
Alcoholism (56) ...	9	4	—	—	—	—	—	—	1	—	3	1	3	2	2	—	—	1
Meningitis (61C) ...	45	24	9	4	1	3	9	5	17	7	7	3	2	2	—	—	—	—
Locomotor ataxy (62) ...	11	—	—	—	—	—	—	—	1	—	3	—	4	—	3	—	—	—
Other diseases of the spinal cord (63).	12	5	—	—	1	2	2	1	2	—	2	—	1	1	2	1	2	—
Cerebral hæmorrhage, apoplexy (64).	15	6	—	—	—	—	—	—	2	—	1	2	7	2	3	1	2	1
Paralysis (66) ...	6	4	—	—	1	—	—	1	—	1	2	2	2	—	1	—	—	—
General paralysis of insane (67)	26	14	—	—	—	—	1	1	4	2	14	7	6	3	1	—	—	1
Other forms of mental alienation (68).	50	66	—	—	—	—	3	3	12	20	14	20	7	10	9	10	5	3
Epilepsy (69) ...	20	18	—	—	2	3	3	5	6	4	3	1	3	4	2	1	1	—
Convulsions (70, 71) ...	15	7	10	6	3	1	—	—	—	—	2	—	—	—	—	—	—	—
Idiocy, imbecility, cretinism (74A & B).	15	9	1	—	2	2	3	4	4	—	2	3	2	—	1	—	—	—
Other nervous diseases (74D)...	5	17	—	—	—	—	1	—	5	4	4	1	6	—	—	—	—	1
Total nervous diseases (69-74)	220	169	21	10	10	10	22	19	45	38	55	44	34	23	23	13	10	7
Pericarditis (77) ...	12	7	1	1	1	—	1	1	2	—	5	2	2	3	—	—	—	—
Acute endocarditis (78) ...	14	9	—	—	2	—	2	1	2	5	3	2	3	—	2	—	—	1
Valvular disease (79A)...	49	48	—	—	2	1	3	8	4	11	10	10	8	5	15	7	7	6
Fatty degeneration of heart (79B).	9	11	—	—	—	—	1	—	3	2	2	2	2	2	3	3	—	2
Other organic dis. of heart (79C).	66	67	—	1	—	4	8	9	6	11	16	9	15	13	12	8	9	12
Heart disease, all forms (77-80, 85A).	150	141	1	2	5	5	14	18	17	29	36	26	28	23	33	18	16	20
Embolism and thrombosis (82)	10	11	—	—	—	—	—	2	3	1	3	4	2	3	2	—	—	1
Laryngitis (87B) ...	21	8	—	1	—	—	4	—	3	5	5	1	3	1	6	—	—	—
Bronchitis (89, 90) ...	95	44	3	1	1	3	5	2	15	5	20	4	16	11	15	8	20	10
Broncho-pneumonia (91) ...	35	27	4	10	4	4	4	—	7	—	5	6	5	4	5	3	1	—
Lobar pneumonia (92A) ...	15	11	1	—	—	1	—	1	2	3	4	2	5	1	3	2	—	1
Pneumonia, (92B). ...	71	39	7	7	2	2	10	8	14	6	15	7	12	5	7	1	4	3
Empyema (93A) ...	21	13	2	2	3	1	3	1	5	5	4	1	3	2	1	1	—	—
Other pleurisy (93B) ...	133	73	5	—	1	3	23	26	39	19	24	10	23	9	14	4	4	2
Pulmonary oedema and congestion (94B).	10	11	—	3	—	—	2	1	1	1	1	1	2	2	1	3	3	—
Gangrene of lung (95)...	19	4	—	—	1	—	2	1	7	1	3	1	2	1	3	—	1	—
Asthma (96) ...	14	10	—	—	—	—	1	1	2	3	5	2	4	3	2	1	—	—
Total respiratory diseases (86-98).	456	246	21	25	13	14	52	43	98	50	96	33	80	41	58	23	38	17
Diarrhoea and enteritis (104 and 105).	47	43	3	4	1	2	7	10	11	12	9	6	6	8	7	—	3	1
Cirrhosis of the liver (113A)...	21	9	—	—	1	—	—	—	1	—	4	—	12	6	2	3	1	—
Peritonitis (117) ...	12	7	—	—	2	—	3	1	2	2	3	2	1	2	1	—	—	—
Nephritis (119, 120) ...	75	41	—	—	—	2	14	4	22	11	15	7	9	10	10	3	5	4
Total urinary diseases (119-126)	81	45	—	—	—	2	13	4	20	11	15	7	14	12	12	3	7	6
Childbirth (136) ...	—	47	—	—	—	—	—	6	—	25	—	16	—	—	—	—	—	—
Total puerperal conditions (134-141)	—	56	—	—	—	—	—	8	—	31	—	17	—	—	—	—	—	—
Dropsy (187) ...	20	26	—	—	—	—	2	3	3	6	8	5	2	4	4	6	1	2

28B. PHTHISIS (not defined as tuberculous).

TABLE A.

			All Ages.		0—		5—		15—		25—		35—		45—		55—		65—	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Unqualified	Inst. 1522	847	4	10	23	31	168	126	324	222	396	221	312	137	224	72	71	28
			Pr. 4477	4098	47	28	81	192	777	1054	1106	1066	1062	837	769	530	488	264	147	127
Pulmonary consumption			Inst. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Pr. 6	7	—	—	—	—	1	1	3	2	2	2	—	1	—	1	—	—
Consumption	Inst. 6	4	—	—	—	—	3	—	1	2	1	—	1	1	—	1	—	—
Pulmonary hæmorrhage			Inst. 48	18	—	—	—	4	3	4	9	4	16	3	8	2	10	—	2	1
hæmoptysis.			Pr. 268	128	3	—	2	8	44	26	77	38	68	24	44	20	19	7	11	5
Diabetes, diabetes melli-			Inst. 5	7	—	—	—	1	—	—	1	—	1	1	1	4	2	1	—	—
tus.			Pr. 43	28	—	—	—	—	1	6	4	11	2	12	3	10	15	4	3	—
Meningitis	Inst. 4	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—	—	—
			Pr. 10	3	1	—	—	2	1	—	6	—	2	1	—	—	—	—	—	—
Cerebral hæmorrhage	Inst. 1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
			Pr. 7	5	—	—	—	—	1	—	1	—	2	1	1	—	—	2	2	2
General paralysis of insane			Inst. 12	2	—	—	—	—	—	1	2	—	6	1	4	—	—	—	—	—
Mania	Inst. 5	10	—	—	—	—	1	1	2	5	1	4	1	—	—	—	—	—
Dementia	Inst. 6	5	—	—	—	—	2	1	—	2	2	—	1	2	1	—	—	—
Epilepsy	Inst. 2	7	—	—	—	—	1	—	1	3	—	2	—	—	—	2	—	—
			Pr. 4	2	—	—	—	—	1	—	—	1	—	1	1	—	1	—	1	—
Mitral regurgitation	Inst. 4	—	—	—	—	—	—	—	—	—	1	—	—	—	3	—	—	—
			Pr. 4	2	—	—	—	1	—	—	1	—	1	1	1	—	1	—	—	—
Mitral disease	Inst. 4	4	—	—	—	—	—	1	—	1	2	1	1	1	1	—	—	—
			Pr. 8	5	—	—	—	1	—	1	1	3	—	1	1	3	—	—	1	—
Valvular disease of heart			Inst. 1	2	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—
			Pr. 5	9	—	—	—	—	—	2	—	—	—	5	1	2	2	—	2	—
Cardiac dilatation	Inst. 4	1	—	—	—	—	—	—	—	1	1	—	2	—	1	—	—	—
			Pr. 6	5	—	—	—	1	1	1	2	—	1	—	2	1	—	1	—	1
Heart disease	Inst. 6	4	—	—	—	—	—	1	1	—	—	—	1	1	2	—	1	1
			Pr. 31	28	—	—	1	—	3	6	5	6	5	3	7	1	4	5	6	7
Hæmorrhage	Inst. 7	1	—	—	—	—	—	—	1	1	5	—	1	—	—	—	—	—
			Pr. 54	28	—	—	—	2	8	8	17	3	15	5	7	4	5	3	2	3
Bronchitis	Inst. 10	2	—	1	—	—	—	—	—	—	4	—	2	—	3	—	1	—
			Pr. 26	26	1	—	—	—	1	3	5	5	3	5	6	7	4	5	7	—
Broncho-pneumonia	Inst. 8	—	1	—	—	—	2	—	1	—	1	—	2	—	1	—	—	—
			Pr. 14	6	1	3	—	—	1	—	4	—	3	2	3	—	1	—	1	1
Lobar pneumonia	Inst. 3	1	—	—	—	—	—	—	—	—	2	1	—	—	—	—	1	—
			Pr. 4	2	1	1	—	—	—	—	—	—	1	1	1	—	1	—	—	—
Pneumonia	Inst. 12	6	1	1	—	—	2	1	—	5	1	4	1	1	1	—	—	—
			Pr. 49	20	3	1	—	1	9	6	10	5	10	2	6	4	6	1	5	—
Empyema	Inst. 3	1	—	—	—	—	1	1	1	—	1	—	—	—	—	—	—	—
			Pr. 8	1	—	—	1	—	1	—	3	1	3	—	—	—	—	—	—	—
Pleury, pleural effusion			Inst. 1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
			Pr. 11	9	—	—	—	1	2	3	1	3	5	2	2	—	1	—	—	—
Pneumothorax	Inst. 7	3	—	—	—	—	1	1	3	1	2	—	1	—	—	1	—	—
			Pr. 24	12	—	—	—	1	7	3	6	5	7	2	3	—	—	1	1	—
Diarrhœa	Inst. 4	1	—	—	—	—	—	—	1	—	1	—	2	1	—	—	—	—
			Pr. 24	16	—	1	2	—	6	3	5	3	6	1	3	5	2	2	—	1
Chronic nephritis,			Inst. 2	2	—	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—
Bright's disease.			Pr. 8	5	—	—	—	—	1	—	—	4	5	—	1	1	—	—	—	—
Childbirth	Inst. —	5	—	—	—	—	—	—	1	—	4	—	—	—	—	—	—	—
			Pr. —	17	—	—	—	—	2	—	8	—	7	—	—	—	—	—	—	—
Dropsy	Inst. 1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
			Pr. 6	10	—	—	—	—	—	2	—	3	3	2	2	1	—	1	1	1

LIST SUPPLEMENTARY TO TABLE A.

Pulmonary consumption, hæmoptysis (4); consumption, hæmop. (2); bronchial phthisis (1); hæmorrhagic phth. (1); pneumonic phth. (7); acute phth., 12 mos. (1); senile phth. (2); senile phth., pulm. hæmorrhage (1); rupture of blood vessel in lung (8). *Complications.*—10. Influenza (5); hæmoptysis, influ. (1); influenzal pneumonia (1); influ., congestion of lungs (1). 18. Erysipelas (1). 20. Septicæmia (1); infection of lateral sinus and general infection from mastoid suppuration (1); septic absorption from sores, paraplegia (1). 31. Tabes mesenterica (3); intestinal phth. (2); extension to bowels (1); consumption of lungs and bowels (1). 32. Consumption, spinal disease (1). 34. Lupus vulgaris (1); renal consumption (1). 36. Rickets (2); curvature of spine (1); scoliosis, pleurisy (1). 37. Syphilis (1). 46. Mediastinal growth (1); abdominal tumour, operation (1). 47. Acute rheumatism (1); rheumatism (1). 48. Arthritis deformans (1); rheumatoid arthritis (5); hæmoptysis, osteo-arthritis (1); spondylitis deformans (1). 50. Incipient phth., diabetes mellitus (1); diabetes, meningitis (1); diabetes, heart dis. (1); diabetes, chronic nephritis (1); diabetes, coma (2); glycosuria (2). 51. Exophthalmic goitre (1); exophthalmic goitre, mitral dis. (1). 53. Hodgkin's dis. (1). 54. Anæmia (3); anæmia, pleurisy (1); pernicious anæmia (4). 55. Diabetes insipidus (1); toxæmia (5); lardaceous disease (4); amyloid dis., empyema (2); lardaceous disease, anasarca (1). 56. Alcoholism (3); hæmop., alcohol. (2); alcohol, heart dis. (1); alcohol, heart dis., cirrhosis of liver, exposure, and want of food (1). 60. Cerebral abscess (1). 61. Pachymeningitis (1); meningitis,

28B. PHTHISIS (not defined as tuberculous)—*continued*.

convulsions (1); men., mitral dis. (1); men., rectal abscess (1); men., coma (1). 62. Locomotor ataxy (5); tabes (1). 63. Pseudo-hypertrophic paralysis (1); progressive muscular atrophy, cystitis (1); myelitis (1); consumption, myelitis, heart dis., chronic nephritis, dropsy (1); transverse myelitis, pyelonephritis (1); disseminated sclerosis (1); spastic paraplegia (1); congenital spastic paralysis (1). 64. Apoplexy (1); cerebral apoplexy (1); cerebral apoplexy, coma (1); congestion of brain, idiocy, congenital hydrocephalus (1); cerebral hæmorrhage, hemiplegia (1); cer. hæm., paraplegia (1); probably cer. hæm., arterio sclerosis (1). 65. Cerebral softening (1); cer. softening, thrombosis (1). 66. Hemiplegia (1); hemip., aphasia (1); hemip., embolism (1); hemip., bronchitis (1); paralysis, abortion (1); general paralysis (1). 68. Melancholia (9); hæmop., mania (1); recurrent mania (1); mania, colitis (1); mania, cirrhosis of liver (1); primary dementia (1); secondary dementia (2); dementia præcox (1). 69. Epileptic dementia (2); epileptic insanity (3); epil., mental deficiency (2); epil., morbus cordis (1). 70, 71. Convulsions (2); conv. of dentition (1); convulsive seizures, coma (1). 72. Chorea, pregnancy (1). 73. Neuritis (3); peripheral neuritis (2); multiple neuritis (1). 74. Imbecile (8); Mongolian imbecile (1); congenital mental deficiency without epil. (5); cretinism (1); tumour of brain (1); brain dis. (1). 77. Pericarditis (5); peric., acute nephritis (1); adherent peric., aortic dis., hydropneumothorax (1). 78. Myocarditis (1); infective endocarditis (1); endoc. (5); endoc., chronic nephritis (1); endoc., œdema (1). 79. Chronic endoc. (1); aortic stenosis, asthma (1); aortic incompetence (1); aortic dis. (2); mitral stenosis (4); mitral stenosis, lobar pneumonia (1); hæmop., mitral dis. (1); pulm. consumption, valvular dis. (1); hæmop., valv. dis. (1); valv. dis., cardiac dilatation (1); valv. dis., pleurisy (1); valv. dis., enlarged liver (1); fatty heart (1); cardiac degeneration (3); cardiac asthma (1); cardiac dropsy (1); cardiac dropsy, ischio-rectal abscess (1); acute cardiac dilatation (1); dilatation of right ventricle, thrombosis of femoral vein (1); cardiac dilat., dropsy (1); enlargement of heart (2); cardiac displacement (1); cardiac embarrassment (1); chronic pneumonic phth., heart dis. (1); scarlatinal cardiac dis. (1); heart dis., cerebral embolism (1); heart dis., cerebral emb., parturition, coma (1); heart dis., bronchitis (1); heart dis., br.-pneu. (1); heart dis., congestion of lungs and liver (1); heart dis., chronic pneu. (1); heart dis., chronic Bright's (2); heart dis., cystitis (1); heart dis., ascites (2); heart dis., dropsy (4). 81. Arterio sclerosis (3); art. scler., sub acute nephritis (1); art. scler., Raynaud's disease (1); atheroma (1). 82. Cerebral embolism (2); cerebral thrombosis (2); embolism (1); pulm. emb. (5); pulm. thromb. (1); femoral thromb. (1); femoral thromb., double pleurisy (1). 85. Irregular heart, bronchitis (1); consumption, hæmorrhage (2); rupture of blood vessel (2); hæmorrhage, pneu. (2); hæmorrhage, hydropneumothorax (1). 87. Laryngitis (5); laryngeal complications (1). 88. Myxœdema (1). 89, 90. Acute pulm. catarrh (1); bronchiectasis (4); bronchiect., fibroid phth. (1); hæmop., bronchitis (2); incipient phth., bronch. (2); incipient consumption, hæmop., bronch. (1); bronch., br.-pneu. (1); bronch., asthma (2); hæmop., bronch., asthma (1); bronch., asthma, cyanosis (1); bronch., emphysema (4); bronch., congestion (1); capillary bronch. (1). 91. Hæmop., br.-pneu. (1); septic br.-pneu. (1). 92. Double pneumonia (1); double pneu., pleurisy (1); double pneu., accelerated by trauma (striking head on door) (1); apical pneu. (1); pneumonic phth., lobar pneu. (1); septic pneu. (3); hæmop., pneu. (3); consumption, inflammation of lungs (2); pneu., pleurisy (2); pneu., diarrhœa (1); pneu., exposure, want of food (1). 93. Empyema, operation (1); pleurisy with effusion (8); pleur., pneumothorax (1); hæmop., pleur., pulm. congestion (1); pleur., pulm. congestion, dropsy (1); pneumothorax, acute pulm. œdema (1); pyopneumothorax (1); hæmop., pyopneumoth. (1); pneumoth., asphyxia (2). 94. Acute pulm. œdema (1); pulm. œdema (1); acute pulm. congestion (2); pulmonary congestion (8); pulm. congestion, asthma (1); hypostatic pneu. (1); hæmop., hypostatic pneu. (1). 95. Pulm. gangrene (7). 96. Asthma (7); asthmatic bronchitis (1). 97. Emphysema (3). 98. Fibroid lung (2); fibroid lung, following phth. (1); interstitial pneu. (1). 102. Gastric ulcer (5); gastric ulcer, perforation (1); gastric ulcer, hæmaturia (1). 103. Gastritis (4); vomiting (2). 104. Diarrhœa, fistula in ano (1); gastro-enteric catarrh (1); enteritis (8); gastro-enteritis (2); indigestion (1); intestinal ulceration (1); diarrhœa from intestinal ulceration (1). 108. Appendicitis (1); appendix abscess (1); ulcers of appendix, fœcal fistula (1). 109. Intestinal obstruction (2); hæmop., intestinal obstruction (1). 110. Fistula in ano (1); fistula (1); intestinal hæmorrhage (1); bacillus coli infection (1). 113. Cirrhosis of liver (8); alcoholic cirrhosis (1); amyloid disease of liver and kidneys (1). 114. Cholelithiasis (1). 115. Jaundice (1). 117. Peritonitis (3). 119. Acute nephritis (3). 120. Hæmoptysis, Bright's (2); interstitial nephritis (1); lardaceous kidney (3); albuminuria (4); albumin., uræmia (1); renal dis. (1); consumption, renal dis. (1); nephritis (4); pulm. consumption, neph. (1); neph., uræmia (1); neph., coma (1); uræmic convulsions (1). 122. Hæmaturia (1). 124. Cystitis (3). 129. Hæmop., uterine fibroid (1). 134. Ante-partum hæmorrhage (1); pregnancy (5). 136. Embryotomy (1). 144. Multiple abscesses (1). 145. Bedsores (1); ulcer of leg (2); lupus erythematosus (1). 146. Necrosis of ulna and radius (1). 150. Congenital heart disease (2); patent foramen ovale (1). 154. Senile dementia (1). 160. Cut throat (slightly, suicidal) (1). 167. Accelerated by scald (1). 168. Asphyxia (6); hæmop., asphyxia (1). 172. Fall (3). 186. Injury to spine (1); accel. by injury (1); accel. by exposure (1); accel. by neglect (1). 187. Anasarca (4); ascites (3); œdema of arms and legs (1); œdema of legs (1); œdema of legs, dyspnœa (1). 189. Pyrexia (1); delirium (2); dyspnœa (1); anorexia (2); coma (1).

28B. PHTHISIS (not defined as tuberculous)—continued.

TABLE B.

	All Ages.		0—		5—		15—		25—		35—		45—		55—		65—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Pulmonary consumption ...	8	10	—	1	—	—	1	2	4	2	2	2	—	1	—	2	1	—
Consumption ...	15	8	1	—	—	1	5	1	2	3	4	—	2	1	1	2	—	—
Pulmonary hæmorrhage, hæmoptysis	339	160	3	—	2	12	49	31	91	46	93	30	56	24	31	8	14	9
Diabetes (50) ...	52	39	—	—	—	1	—	1	8	5	13	4	13	7	12	17	6	4
Meningitis (61C) ...	19	4	1	—	1	2	5	—	6	1	3	1	3	—	—	—	—	—
Cerebral hæmorrhage, apoplexy (64)	13	7	—	—	—	—	2	—	2	1	3	1	2	—	—	2	4	3
General paralysis of insane (67)	12	2	—	—	—	—	—	1	2	—	6	1	4	—	—	—	—	—
Other forms of mental alienation (68)	20	23	—	—	—	—	3	3	4	10	7	5	5	3	1	2	—	—
Epilepsy (69)	10	13	—	—	—	—	2	2	2	4	2	4	1	1	1	2	2	—
Idiocy, imbecility, crétinism (74A & B)	8	13	—	—	—	1	4	8	4	2	—	2	—	—	—	—	—	—
Total nervous diseases (60-74)	96	81	1	1	1	6	19	18	23	20	23	18	16	6	6	8	7	4
Valvular disease (79A) ...	38	28	—	—	—	2	1	4	3	4	10	10	8	5	13	2	3	1
Other organic dis. of heart (79C)	62	57	—	—	2	2	7	9	9	13	10	6	15	4	12	13	7	10
Heart disease, all forms (77-80, 85A).	107	93	1	—	2	5	8	15	14	20	22	17	24	9	26	15	10	12
Embolism and thrombosis (82)	10	7	—	—	—	1	1	2	4	1	3	2	2	—	—	—	—	1
Bronchitis (89; 90) ...	50	38	1	2	—	1	1	3	6	6	11	4	10	6	13	6	8	10
Broncho-pneumonia (91) ...	24	8	2	3	—	1	3	1	5	—	5	2	6	—	2	—	1	1
Lobar pneumonia (92A) ...	11	5	2	1	—	—	—	—	1	5	2	1	—	—	2	1	1	—
Pneumonia (92B) ...	70	32	5	2	—	1	9	9	15	8	17	3	11	6	7	3	6	—
Empyema (93A) ...	12	4	—	1	1	—	2	1	5	1	4	1	—	—	—	—	—	—
Other pleurisy (93B) ...	58	34	—	1	—	2	12	9	13	12	19	5	11	1	2	4	1	—
Pulmonary œdema and congestion (94B)	9	8	—	—	—	1	1	—	5	1	1	3	1	—	1	2	—	1
Asthma (96) ...	12	4	—	—	—	—	1	—	5	1	2	2	1	—	3	1	—	—
Total respiratory diseases (86-98).	255	134	11	10	—	6	29	22	54	31	68	23	43	15	31	16	19	11
Diarrhœa and enteritis (104 and 105).	38	25	—	2	2	—	9	3	10	7	8	2	6	7	3	3	—	1
Cirrhosis of liver (113A) ...	4	6	—	—	—	—	—	—	—	—	2	1	1	5	1	—	—	—
Nephritis (119, 120)...	28	22	—	—	—	1	1	2	3	6	10	3	6	2	8	4	—	4
Total urinary diseases (119-126).	35	22	—	—	—	1	1	2	4	6	11	3	6	2	12	4	1	4
Childbirth (136) ...	—	24	—	—	—	—	—	2	—	11	—	11	—	—	—	—	—	—
Total puerperal conditions (134-141).	—	32	—	—	—	—	—	6	—	12	—	14	—	—	—	—	—	—
Dropsy (187)...	18	21	—	—	1	—	2	5	—	5	6	5	5	1	3	4	1	1

29. ACUTE PHTHISIS, ACUTE MILIARY TUBERCULOSIS.

29A. ACUTE PHTHISIS.

TABLE A.

	All Ages.		0—		5—		15—		25—		35—		45—		55—		65—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Unqualified ...	Inst. 68	70	7	8	3	12	10	9	22	9	16	18	7	8	3	5	—	1
Acute miliary tuberculosis of lung.	Pr. 169	190	15	24	10	24	30	49	30	36	26	30	36	14	16	12	6	1
	Inst. 3	4	—	1	—	1	—	1	1	1	1	—	—	—	1	—	—	—
Acute phthisis, tuberculosis of larynx.	Pr. 17	8	4	3	1	—	4	3	4	1	1	1	3	—	—	—	—	—
	Inst. 2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Acute tuberculous of larynx.	Pr. 21	9	—	—	—	—	3	5	10	2	5	—	2	1	1	1	—	—
	Inst. 1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
Acute tuberculous broncho-pneumonia.	Pr. 10	10	—	—	—	—	1	3	3	3	1	3	3	—	2	—	—	1
	Inst. 7	7	4	1	—	—	1	—	4	1	—	1	1	1	—	—	1	—
Acute pneumonicphthisis	Pr. 15	12	9	2	3	2	—	3	—	1	1	1	1	1	1	2	—	—
	Inst. 2	5	—	—	—	1	1	—	2	—	2	—	1	1	—	—	—	—
Acute tuberculous pneumonia.	Pr. 5	12	—	—	—	1	—	2	3	3	1	4	1	1	—	1	—	—
	Inst. 4	—	1	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—
Pulmonary hæmorrhage, hæmoptysis.	Pr. 10	8	3	1	—	3	1	1	3	2	—	—	2	—	1	1	—	—
	Inst. 4	2	—	—	—	—	1	1	1	—	1	—	1	—	—	—	—	1
Miliary tuberculosis ...	Pr. 34	20	1	—	—	2	3	6	14	5	6	3	7	2	2	1	1	1
	Inst. 3	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	Pr. 1	8	—	1	—	1	1	1	—	1	—	4	—	—	—	—	—	—

29A. ACUTE PHTHISIS—continued.

TABLE A—continued.

		All Ages.		0—		5—		15—		25—		35—		45—		55—		65—	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Tuberculous meningitis	Inst.	3	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Pr.	12	12	4	2	3	6	3	3	—	1	2	—	—	—	—	—	—	—
Tuberculosis of intestine	Inst.	2	2	—	—	—	—	—	—	1	1	—	1	1	—	—	—	—	—
	Pr.	8	9	1	2	—	1	2	2	3	—	1	3	1	—	1	—	—	—
Tuberculosis of peritoneum.	Inst.	2	5	—	1	—	—	—	1	—	—	2	1	—	1	—	—	—	1
	Pr.	1	6	—	2	—	1	—	1	—	—	1	1	—	1	—	—	—	—
Diabetes, diabetes mellitus.	Inst.	1	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
	Pr.	11	2	—	—	—	—	2	—	3	—	—	1	4	1	—	—	2	—
Hæmorrhage ...	Inst.	2	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	Pr.	5	8	—	—	—	1	—	2	1	1	3	2	1	1	—	1	—	—
Bronchitis ...	Inst.	—	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
	Pr.	17	9	—	1	2	2	1	1	4	2	4	2	4	—	2	1	—	—
Broncho-pneumonia ...	Inst.	4	1	—	1	—	—	1	—	1	—	2	—	—	—	—	—	—	—
	Pr.	6	6	1	1	—	1	2	1	1	2	—	—	2	—	—	1	—	—
Lobar pneumonia ...	Inst.	1	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—
	Pr.	7	2	1	—	1	—	—	2	2	—	—	—	1	—	2	—	—	—
Pneumonia ...	Inst.	5	14	—	—	—	—	1	—	—	—	1	—	2	—	1	—	—	—
	Pr.	15	14	1	3	—	2	4	4	2	—	4	4	3	1	1	—	—	—
Pleurisy ...	Inst.	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Pr.	6	4	—	—	—	—	—	3	—	1	2	—	1	—	1	—	2	—
Pneumothorax ...	Inst.	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Pr.	5	4	—	—	—	—	2	2	1	1	1	—	—	—	1	1	—	—
Childbirth ...	Pr.	—	14	—	—	—	—	—	2	—	6	—	6	—	—	—	—	—	—

LIST SUPPLEMENTARY TO TABLE A.

(See note, page 577.)

Galloping phthisis (1); acute bacillary phth. (1); acute pulm. consumption (3); rapid consump. (1); galloping consump. (5); acute t. of bronchial glands (1); acute t. of larynx, hæmoptysis (1); acute pneumonic phth., t. of larynx (1); acute t. of lungs and throat (2); acute tub. bronchitis (1); acute tub. empyema (1); acute tub. pleurisy (5); acute t. of lungs and pleura (1); ruptured pulm. artery (1). *Complications.*—8. Acute pneumonic phth., pertussis (18 mos.), lobar-pneumonia (1). 18. Erysipelas (1). 29. Acute t. (2); t. of larynx, acute t. (1); acute pneumonic phth., hæmoptysis, acute t. (1); hæmop., acute miliary t. (2); t. of larynx, acute mil. t. (1); tub. br.-pneu., mil. t. (4); tub. pleuro-pneu., mil. t. (1); acute pneumonic phth., mil. t. (1); acute tub. empyema, mil. t. (1); tub. pleurisy, acute t. (1); acute general t. (8); hæmop., acute general t. (1); tub. pleurisy, acute gen. t. (1); tub. bronchial glands, mil. t., t. of peritoneum (1); acute mil. t., Pott's dis., morbus coxæ. (1); hæmop., acute t., meningitis (1); acute mil. t., br.-pneu. (1); galloping consump., acute t., br.-pneu. (1); acute mil. t., pneu. (3); acute pneumonic phth., acute mil. t., pneu. (1); acute mil. t., pneu., pleurisy (1); acute t., pneu., childbirth (1); acute mil. t., empyema (1); acute t., pleur. (2). 30. Mil. pulm. t., tub. meningitis (3); acute mil. t. of larynx, tub. men. (1); acute tub. br.-pneu., tub. men. (5); acute tub. pleur., tub. men. (1); acute tub. pleur., tub. men., t. of peritoneum (1); tub. men., t. of abdomen (1); tub. men., chronic t. of bone (1); tub. men., acute t. of kidneys (1); tub. men., pneu. (1); miliary pulm. t., tub. men., coma (1); acute mil. t. of lungs and brain, peritoneum, etc. (1); t. of brain, spinal t. (1). 31. Tabes mesenterica (2); acute tub. pleur., tabes mesenterica (1); acute mil. t. of lungs and bowels (1); acute tub. pneu., t. of intestine (1); acute t. of throat and intestine, empyema, childbirth (1); t. of intestine, chronic Bright's (1); tub. diarrhœa (1); tub. ischio-rectal abscess (1); tub. rectal abscess, diarrhœa (1); acute t. of mesenteric gland (1); acute mil. pulm. t., t. of mesenteric glands (1); sub-acute pneumonic phth., t. of omentum (1); t. of intestine and peritoneum (1); acute mil. t. of lungs and peritoneum (2); acute tub. br.-pneu., t. of perit. (1); acute t. of pleura, t. of perit. (1); acute t. of pleura, t. of perit. and pericardium (1); t. of perit., cerebral softening (1); t. of perit., pericarditis (2); acute t. of pleura, t. of perit., endocarditis (1); t. of perit., pneu. (1); t. of perit., pleur. (1); t. of abdomen (3); t. of abdomen and glands (1). 32. Tub. pleur., Pott's dis., heart dis. (1); caries of spine (1); caries of spine, paraplegia (1); old spinal dis., deformity of chest, bronchitis (1); tub. lumbar abscess (1). 33. T. of hip (2); morbus coxæ. (1); t. of hip and lymphatics (1); t. of hip, cystitis (1); t. of joint (1). 34. Lupus vulgaris (1); tub. rhinitis (1); t. of pelvis and femur (1); acute bronchitis, prob. tub., t. of foot (1); tub. periostitis (1); acute t. of trachea and œsophagus (1); tub. pericarditis (1); t. of kidney (2); acute mil. t. of lungs, t. of kidney (1); acute tub. br.-pneu., t. of kidney (1); t. of kidney and bladder (1); t. of bladder (1); t. of testicle, pneu. (1); miliary t. of lung, genito-urinary t. (1); t. of cervical glands (1); t. of bronchial and cervical glands (1); acute t. of larynx, t. of cervical glands (1); miliary t. of lung, t. of mediastinal glands (1); t. of glands (1); acute mil. t. of lung, t. of lymphatic glands (1). 35. General t. (6); acute tub. br.-pneu., general t. (1); acute tub. pneu., general t. (1); general t., pleur., ascites (1); secondary infection (1). 36. Rickets (1); lateral curvature of spine (1); 48. Chronic rheumatic arthritis (1); rheumatoid arthritis (1). 50. Diabetes, pulm. congestion (1); diabetes, cirrhosis of liver (1). 51. Exophthalmic goitre, hemi-thyroidectomy, empyema (1). 52. Addison's disease (1). 54. Anæmia (1); pernicious anæmia (1). 55. Diabetes insipidus (1); toxæmia (3); acute mil. pulm. t., tox. (1). 56. Alcoholism (2). 60. Cerebral abscess (1). 61. Meningitis (6); tub. laryngitis, men. (1); tub. br.-pneu., men. (1); men., cerebral tumour (1); tub. pneu., men., otitis media (1). 63. Disseminated sclerosis of cord (1); infantile paralysis (1). 64. Œdema of brain (1); cerebral hæmorrhage (3); cer. hæm., hemiplegia, aphasia (1). 67. General

29A. ACUTE PHTHISIS—*continued*.

paralysis of insane (4); miliary t. of pleura, g. p. i., old pulm. infarct. (1). 68. Melancholia (4); acute laryngeal phth., melancholia (1); mania (4); dementia (1); acute pneumonic phth., dementia (1); secondary dementia (1); delusional insanity (2); confusional insanity, arterio-sclerosis (1). 69. Epilepsy (8); acute pneumonic phth., epil. (1); acute mil. pulm. t., epil., imbecility (1); acute tub. br.-pneu. and pleurisy, epileptic insanity (1). 71. Convulsions (4); tub. br.-pneu., conv. (1); conv., bronchitis (1); conv., premature birth (1). 72. Chorea (1). 73. Peripheral neuritis (2); acute tub. br.-pneu., alcoholic peripheral neuritis (1); neuritis, accident to fingers (1). 74. Imbecility (2); acute mil. pulm. t., imbecility (1); cretinism (1); tub. pleur., chronic brain atrophy (1); cerebral sclerosis (1). 76. Miliary pulm. t., mastoid disease (1). 77. Pericarditis (1); acute tub. br.-pneu., peric. (1). 78. Endocarditis (3). 79. Mitral incompetence or regurgitation (2); mitral dis. (2); valvular dis. (6); acute tub. pleuro-broncho-pneu., fatty heart (1); myocardial degeneration (1); acute tub. pleur., cardiac hypertrophy (1); cardiac dropsy (1); cardiac dilatation (2); cardiac dilat., dropsy (1); cardiac dis. (5). 81. Arterio-sclerosis (3). 82. Pulmonary thrombosis (1); femoral thromb. (1); thromb. (1). 87. Laryngitis (1); acute phth. and laryngitis (1); t. of bronchial glands, laryngeal spasm (1). 90. Bronchiectasis, premature birth (1); acute tub. br.-pneu., bronchitis (1); bronch., asthma (3); bronch., emphysema (1). 91. Hæmop., br.-pneu. (1). 92. Double lobar pneu. (1); lobar pneu., unresolved (1); lobar pneu. empyema (1); infection with pneumococci (1); double pneu. (2); acute tub. pleur., pneu. (1); following pneu. (1); pneu., gangrene of lung (1); inflammation of lungs (1). 93. Empyema (3); empyema, pleurisy (2); galloping consumption, pleur. (1); tub. pneu., pleur. (2); pleural hæmorrhage (1); perforation of pleura (1); acute pneumonic phth., pyopneumothorax (1). 94. Congestion of lungs (3); hæmop., congestion (1); t. of larynx, pulm. œdema (1); acute tub. br.-pneu., pulm. œdema (2); pulmonary collapse (1). 95. Pulm. gangrene (1); t. of larynx, pulm. gangrene (1). 96. Bronchial asthma (2). 97. Emphysema (1). 98. Fibroid disease of lung (2); pulm. abscess (1); pulm. abscess, asphyxia (1); acute pneumonic abscess (1). 101. Stricture of œsophagus (1). 102. Gastric ulcer, operation (1); gastric ulcer, hæmatemesis (1). 103. Gastritis (2); gastritis, catarrhal diarrhœa (1); dilatation of stomach (1). 104. Acute mil. t. of lungs, intestinal catarrh (1); diarrhœa (3); acute tub. pneu., diarrhœa (2); enteritis (1); miliary t. of lungs, chronic colitis (1); chronic duodenal ulcer, operation (1). 113. Cirrhosis of liver (3); acute mil. t. of lungs, cirrhosis of liver (1) chronic hepatitis (1). 115. Hepatitis (1). 117. Peritonitis (3); tub. br.-pneu., perit. (1). 119. Acute nephritis (3); acute neph., uræmia (1). 120. Chronic Bright's (4); interstitial neph. (2); neph. (1); uræmia (1). 122. Pyelitis, congenital heart dis. (1). 126. Hypertrophy of prostate (1). 134. Miscarriage (1); ectopic gestation (1). 136. Pregnancy and parturition (1). 144. Subcutaneous abscesses (1). 168. Asphyxia (2); acute t. of lungs and larynx, asphyxia (1); acute tub. pneu., asphyxia (1); acute general t., pulm. type, asphyxia (1). 186. Lowered vitality from injury (1). 187. Dropsy (4). 189. Adynamia (1); acute tub. br.-pneu., coma (1).

TABLE B.

	All Ages.		0—		5—		15—		25—		35—		45—		55—		65—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Acute miliary tuberculosis of lung	27	23	5	8	1	5	7	5	6	2	2	2	5	—	1	1	—	—
Acute phthisis, tuberculosis of larynx.	24	10	—	—	—	—	5	5	10	2	5	1	3	1	1	1	—	—
Acute tuberculosis of larynx ...	37	28	—	—	—	1	6	10	13	5	7	6	7	3	3	1	1	2
Acute tuberculous broncho-pneumonia.	30	31	19	10	4	5	—	5	1	5	2	2	2	2	1	2	1	—
Acute pneumonic phthisis ...	15	21	1	—	—	3	2	3	6	6	2	6	4	2	—	1	—	—
Acute tuberculous pneumonia	19	13	6	3	2	4	1	1	3	2	4	1	2	1	1	1	—	—
Acute tuberculous pleurisy ...	6	10	—	—	—	3	—	1	2	2	—	2	4	1	—	1	—	—
Pulmonary hæmorrhage, hæmoptysis.	44	25	1	1	—	2	7	7	15	6	7	3	11	3	2	1	1	2
Acute miliary tuberculosis (29B).	26	28	6	6	4	5	4	6	5	3	3	6	2	1	2	1	—	—
Tuberculous meningitis (30) ...	21	24	9	7	3	10	5	4	1	2	2	—	1	—	—	1	—	—
Tuberculosis of peritoneum and intestines (31)	25	43	1	9	1	8	5	8	6	5	8	8	4	3	—	1	—	1
Disseminated tuberculosis (35)	8	3	2	1	1	—	1	1	3	1	—	1	—	—	—	—	—	—
Tuberculosis, all forms (29B-35).	96	113	20	25	12	24	18	24	19	13	17	15	8	5	2	5	—	2
Diabetes (50)	14	3	—	—	—	—	3	—	3	1	—	1	6	1	—	—	2	—
Meningitis (61C)	8	3	1	—	1	1	2	2	3	—	1	—	—	—	—	—	—	—
Other forms of mental alienation (68)	4	11	—	—	—	—	—	1	1	1	1	5	2	3	—	1	—	—
Epilepsy (69)	6	5	—	—	—	—	4	2	1	2	1	1	—	—	—	—	—	—
Total nervous diseases (60-74)	36	34	6	3	2	2	8	7	7	4	6	11	6	4	1	3	—	—
Valvular disease (79A) ...	5	5	—	—	—	—	1	2	1	1	—	2	1	—	2	—	—	—
Other organic disease of the heart (79C)	5	7	—	—	—	—	1	1	1	3	2	1	1	1	—	1	—	—
Heart disease, all forms (77-80, and 85A).	15	16	—	—	1	1	3	4	3	4	4	4	2	1	2	2	—	—
Bronchitis (89, 90)	22	14	1	1	3	2	1	3	5	5	4	2	5	—	2	1	1	—
Broncho-pneumonia (91) ...	12	8	2	2	—	1	4	2	2	2	2	—	2	—	—	1	—	—
Lobar pneumonia (92A) ...	10	6	1	—	1	1	—	3	2	—	—	—	3	1	3	1	—	—

29A. ACUTE PHTHISIS—*continued.*

TABLE B—*continued.*

	All Ages.		0—		5—		15—		25—		35—		45—		55—		65—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Pneumonia (92B)	23	22	1	6	1	3	6	5	3	1	5	6	5	1	2	—	—	—
Other pleurisy (93B)	21	15	—	—	—	—	4	5	4	6	6	3	3	—	2	1	2	—
Total respiratory diseases (86–98).	103	77	5	9	6	9	17	19	20	17	20	14	21	5	11	4	3	—
Diarrhoea and enteritis (104, 105).	3	7	—	1	—	1	1	1	—	1	2	—	2	—	—	—	—	—
Nephritis (119–120)	9	5	—	—	—	1	—	—	—	1	3	1	4	—	2	2	—	—
Total urinary diseases (119–126)	9	6	—	—	—	2	—	—	—	1	3	1	4	—	2	2	—	—
Childbirth (136)	—	16	—	—	—	—	—	3	—	6	—	7	—	—	—	—	—	—
Total puerperal conditions (134–141).	—	20	—	—	—	—	—	3	—	10	—	7	—	—	—	—	—	—

29B. ACUTE MILIARY TUBERCULOSIS.

TABLE A.

	All Ages.		0—		5—		15—		25—		35—		45—		55—		65—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Unqualified { Inst.	64	63	29	21	12	18	6	13	4	6	2	2	3	2	5	1	3	—
Acute general miliary tuberculosis. { Pr.	80	89	36	28	10	16	13	13	9	16	5	11	3	4	2	—	2	1
Acute general tuberculosis. { Inst.	19	14	10	8	3	2	1	4	1	—	4	—	—	—	—	—	—	—
Acute general tuberculosis. { Pr.	13	12	6	4	4	2	2	4	—	—	—	—	—	—	1	—	—	2
Acute tuberculosis ... { Inst.	31	21	12	5	4	4	5	3	3	2	1	2	4	1	1	3	1	1
Acute tuberculosis ... { Pr.	64	82	32	32	8	14	11	15	5	9	2	7	3	2	1	2	2	1
Acute tuberculosis ... { Inst.	2	4	1	1	—	1	1	1	—	—	—	1	—	—	—	—	—	—
Acute tuberculosis ... { Pr.	8	17	1	2	—	4	2	4	2	2	1	3	2	1	—	1	—	—
Tuberculous meningitis { Inst.	17	11	9	5	4	3	3	3	—	—	—	—	—	—	1	—	—	—
Tuberculous meningitis { Pr.	2	3	2	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculous peritonitis { Inst.	2	5	1	1	—	1	1	3	—	—	—	—	—	—	—	—	—	—
Tuberculous peritonitis { Pr.	1	3	—	1	—	1	1	1	—	—	—	—	—	—	—	—	—	—
Meningitis { Inst.	4	2	2	—	2	1	—	—	—	1	—	—	—	—	—	—	—	—
Meningitis { Pr.	2	3	—	1	1	1	1	—	—	—	—	1	—	—	—	—	—	—

LIST SUPPLEMENTARY TO TABLE A.

(See note, page 577.)

Complications.—10. Influenza (1). 19. Varicella (1). 20. Acute general t., septicæmia. 30. Acute general miliary t., tub. meningitis (9); acute genl. t., tub. men. (7); acute t., tub. men. (1); acute general mil. t., tub. cerebro-spinal men. (1); acute genl. mil. t., tub. men., otorrhœa, hyperpyrexia (1); tub. men., coma (1); genl. mil. t., tuberculoma of brain (1); acute genl. t., tuberculoma of brain, tub. men. (1). 31. Tub. enteritis (3); acute genl. mil. t., tub. enteritis (1); acute genl. t., tub. enteritis (1); tub. fistula in ano (1); acute genl. mil. t., t. of mesenteric glands (2); acute genl. t., tub. peritonitis (1); general mil. t., tub. perit. (2); acute genl. mil. t., tub. perit., operation (1); acute genl. t., tub. perit., operation (1); tub. perit., intestinal ulceration (1); abdominal t. (1); acute genl. mil. t., abdominal t. (1); acute genl. t., abdom. t. (2); general mil. t., prob. of abdom. origin (1). 32. Acute genl. mil. t., t. of spine (1); acute genl. t., t. of spine (2); Pott's disease (1); acute genl. t., spinal caries (2); acute genl. mil. t., spinal caries, psoas abscess (1); tub. sacro-iliac dis. (1); acute genl. mil. t., sacro-iliac dis., toxæmia (1). 33. T. of hip (3); acute genl. t., t. of hip (3); morbus coxæ (1); acute tub. coxitis (1); t. of hip and neck glands (1); t. of knee (1); acute genl. mil. t., t. of knee (1); acute genl. t., t. of knee, prostate, and epididymis (1); t. of ankle (1); acute genl. mil. t., t. of ankle (1); tub. arthritis (2). 34. Acute genl. t., lupus of face (2); t. of mastoid (1); acute genl. t., tub. dis. of mastoid, operation (1); acute genl. mil. t., t. of humerus (1); acute genl. t., abscess of liver (1); t. of kidney (3); acute genl. mil. t., t. of kidney (1); acute genl. t., t. of kidney (2); acute genl. mil. t., t. of kidney, bladder, and prostate (1); tub. cystitis (2); acute t., tub. cystitis (1); acute genl. t., tub. cystitis, operation (1); t. of prostate (1); acute genl. mil. t., t. of testis (1); tub. mediastinitis, septic pericarditis (1); acute genl. t., tub. glands of neck (1); acute t., tub. glands of neck (1); t. of lymphatic glands (1); acute genl. mil. t., t. of glands (1); t. of glands, br.-pneu. (1); acute genl. mil. t., tub. abscess of neck (1); acute genl. t., tub. abscess in thigh (1). 36. Acute genl. t., rickets (1). 52. T. of suprarenals (1). 54. Anæmia (1); anæmia, valvular dis. (1). 55. Toxæmia (3). 61. Acute genl. mil. t., meningitis (5); acute genl. t., men. (2); men., convulsions, coma (1); men., coma (1); acute disseminated t., leptomeningitis, coma (1). 64. Cerebral hæmorrhage (1). 68. Acute genl. t., melancholia (1); acute t., melancholia (1); acute t., melancholia following shock, refusal to eat (1). 69. Acute general t., epilepsy, congenital idiocy (1). 70–71. Convulsions (2); acute genl. t., conv. (6). 74. Imbecility (2). 76. Acute mastoiditis (1); mastoid abscess, operation (1). 77. Pericarditis (1). 78. Malignant endocarditis (1). 79. Mitral dis. (1); acute genl. t., fatty heart, anæsthetic (1); acute genl. t., morbus cordis (1). 84. Suppurative glands of neck, congenital heart dis. (1). 90. Bronchitis

29B. ACUTE MILIARY TUBERCULOSIS—continued.

(3); bronch., emphysema (1). 91. Broncho-pneumonia (8); acute genl. mil. t., br.-pneu. (1); acute genl. t., br.-pneu. (1). 92. Pneumonia (1); pneu., pleurisy (1). 93. Empyema (1); pleur. (1). 94. Edema of lungs (1). 96. Acute genl. t., bronchial asthma (1). 104. Diarrhoea (1). 115. Acute perihepatitis (1). 116. Acute genl. t., splenic enlargement (1). 117. Peritonitis (1); acute genl. t., perit. (1). 120. Chronic parenchymatous nephritis, uræmia (1). 136. Acute genl. mil. t., childbirth (1). 142. Gangrene of leg (1). 145. Acute genl. t., bed sore (1); surgical emphysema (1). 146. Caries of sacrum (1). 150. Congenital heart dis. (1). 168. Acute t., asphyxia (1). 173. Accelerated by fall of coal (1). 177. Accel. by want of food (1). 187. General dropsy (1). 189. Coma (2); acute genl. t., coma (2).

TABLE B.

	All Ages.		0—		5—		15—		25—		35—		45—		55—		65—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Acute general miliary tuberculosis.	54	43	26	21	9	8	6	10	4	2	6	—	2	—	1	—	—	2
Acute general tuberculosis	123	126	55	45	16	23	20	22	13	14	6	10	7	4	3	5	3	3
Acute tuberculosis ...	13	24	2	3	1	5	3	7	2	2	1	4	4	2	1	—	—	—
Tuberculous meningitis (30)	30	25	17	13	8	8	4	4	—	—	—	—	—	—	1	—	—	—
Tuberculosis of peritoneum and intestine (31).	16	14	5	6	1	3	4	4	3	1	2	—	—	—	1	—	—	—
Tuberculosis of joints (33)	10	6	1	1	2	2	3	2	4	1	—	—	—	—	—	—	—	—
Tuberculosis of other organs (34).	21	7	7	3	1	—	2	2	4	2	4	—	3	—	—	—	—	—
Tuberculosis, all forms (30-35).	81	56	32	22	13	15	14	13	11	5	6	—	3	1	2	—	—	—
Meningitis (61C) ...	10	11	4	4	4	3	2	2	—	1	—	1	—	—	—	—	—	—
Total nervous diseases (60-74).	12	23	6	8	4	5	2	7	—	1	—	1	—	1	—	—	—	—
Broncho-pneumonia (91)...	9	3	8	2	—	1	—	—	—	—	1	—	—	—	—	—	—	—
Total respiratory diseases (86-98).	14	10	10	3	—	2	—	—	1	2	1	—	1	1	1	2	—	—

30. TUBERCULOUS MENINGITIS.

TABLE A.

	All Ages.		Under 6 Months.		6-12 Months.		1—		2—		3—		5—		10—		20—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Unqualified ...	Inst. 482	405	23	16	46	26	56	61	48	38	79	55	103	89	82	71	45	49
	Pr. 1578	1571	102	93	228	193	320	283	171	175	216	225	278	259	162	225	101	118
Convulsions ...	Inst. 5	5	—	1	1	1	3	1	—	—	—	2	—	—	—	1	—	—
	Pr. 154	130	31	12	20	24	43	41	20	13	16	21	16	10	7	8	1	1
Tuberculous cerebro-spinal meningitis.	Inst. 7	1	—	—	—	—	1	—	1	—	—	—	2	1	2	—	1	—
	Pr. 4	5	—	—	—	—	1	—	—	1	—	—	1	1	—	2	2	1
Tuberculous hydrocephalus.	Inst. 5	1	—	—	3	—	2	—	—	—	—	1	—	—	—	—	—	—
	Pr. 17	14	3	2	5	5	5	4	3	1	—	—	1	1	—	1	—	—
Tuberculous tumour of brain.	Inst. 14	5	—	—	—	—	—	—	—	—	2	2	4	2	2	—	6	1
	Pr. 15	21	—	—	—	—	1	—	—	2	—	1	3	2	4	5	7	11
Tuberculous cerebellar tumour.	Inst. 4	1	—	—	—	—	—	—	—	—	1	—	2	—	—	1	1	—
	Pr. 3	3	—	—	—	—	—	—	1	—	—	—	1	—	1	1	—	2
Bronchitis ...	Pr. 10	7	3	1	4	1	1	3	—	2	2	—	—	—	—	—	—	—
Broncho-pneumonia ...	Inst. 5	1	—	—	1	—	1	1	—	—	1	—	1	—	1	—	—	—
	Pr. 14	11	3	—	2	3	3	4	1	1	3	3	2	—	—	—	—	—
Pneumonia... ..	Inst. 4	2	1	—	—	—	1	—	1	1	—	1	—	—	1	—	—	—
	Pr. 5	5	—	—	1	3	2	—	—	—	1	—	1	—	1	—	1	1
Coma	Inst. 15	14	2	—	1	—	1	1	4	—	1	4	2	7	1	2	3	—
	Pr. 99	103	2	3	14	9	17	16	15	14	16	15	11	14	22	19	2	13
Convulsions, coma...	Pr. 10	16	—	1	2	1	3	2	1	—	4	2	—	3	—	6	—	1

LIST SUPPLEMENTARY TO TABLE A.

(See note, page 577.)

Vomiting (1); hyperpyrexia (1); tub. leptomeningitis (2); miliary meningitis (1); basilar men. (4); posterior basilar men. (1); tub. spinal men. (2); tub. men., acute hydrocephalus (1); tub. hydroceph., convulsions (7); acute hydroceph. (2); tub. men., hydrops ventriculi (1); tub. meningo-encephalitis (1); tub. encephalitis, convulsions (1); tub. cerebral abscess (5); tub. abscess of cerebellum (1); tub. men., tuberculoma of brain (1); tub. tumour of brain, convulsions (3); tub. tumour of pons varolii (1); cerebral dis., tub. growth and men. (1); t. of brain (8); t. of brain, convulsions (4); hemiplegia, prob. tub. (1). Complications.—20. Septic poisoning from ulcerated ankle (1). 36. Rickets (4). 47. Rheumatic fever (1). 50. Acetonæmia (1). 51. Graves dis. (1); t. of brain, exophthalmic goitre (1). 55. Toxæmia (8). 56. Alcoholism (1). 60. Cerebral abscess (1); cerebellar abs. (1); acute encephalitis around old tub. focus (1). 61. Tub. cerebellar tumour,

30. TUBERCULOUS MENINGITIS—continued.

men. (1). 63. Anterior polioencephalitis (1). 64. Effusion into ventricle of brain (2); cerebral hæmorrhage (2). 66. Hemiplegia (3); tub. cephalitis, hemiplegia (1); hemiplegia, pneu. (1); paralysis (1); tub. tumour of brain, paralysis of respiratory centre (1); t. of brain, general paralysis (1); paralysis, coma (2). 69. Epilepsy (3); tub. tumour of brain, epil. (1); status epilepticus (1). 74. Cerebral compression (3). 75. T. of brain, loss of vision (1). 76. Mastoid abscess (1); mastoid dis. (1); otitis media (3); basilar men., otitis media (1); tub. men., acute hydrocephalus, otitis media (1); otorrhœa (1); otitis (external) (1). 78. Endocarditis (2). 79. Mitral disease (1); valvular dis. of heart (3). 82. Cerebral thrombosis (1). 85. Ruptured blood vessel (1). 87. Spasm of glottis (1). 90. Bronchial catarrh (2); tub. cerebral abscess, bronchiectasis (1); convulsions, bronchitis (1); basilar men., bronch. (1); tub. hydrocephalus, bronch. (1); tub. hydroceph., bronch., pneu. (1); bronch., pleurisy, asthma (1); bronch., coma (1). 91. Convulsions, br.-pneu. (1); tub. hydroceph., br.-pneu. (3); br.-pneu., abscess of lung (1). 92. Lobar-pneumonia (3); basal pneu. (1); double pneu. (1); lobar pneu., empyema (1); convulsions, pneu. (1); tub. tumour of brain, pneu. (1); pneu., injury by fall (1). 93. Empyema (2); empyema, operation (1); pleurisy (1). 94. Congestion of lungs (8); œdema of lungs (2). 100. Tonsillitis (1). 102. Gastric ulcer (2). 103. Gastritis (1); gastric catarrh (1). 104. Epidemic diarrhœa (2); diarrhœa (2); enteritis (4); gastro-enteritis (7). 109. Inguinal hernia (1); intestinal obstruction, colotomy (1). 113. Cirrhosis of liver (1); acute catarrhal jaundice (1). 117. Peritonitis, coma (1). 120. Chronic tubular nephritis (1); convulsions, albuminuria (1). 136. Parturition (3); tub. abs. of brain, parturition (1). 142. Gangrene of toes and fingers (1). 144. Abscess (1). 145. Ulcer (1). 146. Abscess of frontal sinuses (1). 147. Arthritis of hip (1). 150. Congenital hydroceph. (1); congenital morbus cordis (3); congenital pulmonary stenosis (2); cleft palate and hare lip, operation on palate (1). 151. Premature birth (1). 172. Accelerated by fall (7); convulsions, accelerated by fall (1); tub. hydroceph., accel. by fall (1). 173. Tub. cerebro-spinal men., accel. by fall of stone (1). 186. Accel. by injury. 189. Dentition (5); basilar men., coma (3); tub. cerebro-spinal men., coma (1); acute hydroceph., coma (1); tub. cerebral tumour, coma (5); t. of brain, coma (1).

TABLE B.

	All Ages.		Under 6 Months.		6-12 Months.		1—		2—		3—		5—		10—		20—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Convulsions	185	158	33	14	25	26	51	45	24	13	21	27	21	14	7	15	3	4
Tuberculous cerebro-spinal meningitis.	14	6	1	—	—	—	3	—	1	1	—	—	3	2	2	2	4	1
Tuberculous hydrocephalous ...	33	18	3	2	11	5	9	5	5	3	1	1	3	1	1	1	—	—
Tuberculous tumour of brain	34	36	—	—	—	1	1	—	1	2	2	4	9	4	6	8	15	17
Tuberculous cerebellar tumour	7	5	—	—	—	—	—	—	1	—	1	—	3	—	1	2	1	3
Tuberculosis of brain	7	9	—	—	—	—	—	—	—	—	—	—	1	1	4	3	2	5
Paralysis (66)	2	8	—	—	—	—	—	1	—	—	1	2	—	1	—	3	1	1
Total nervous diseases (60-74)	13	14	1	—	—	—	1	3	—	—	2	2	2	1	2	5	5	3
Bronchitis (89, 90)	16	10	3	1	4	1	1	5	—	3	5	—	1	—	—	—	2	—
Broncho-pneumonia (91)	22	14	3	—	4	4	5	5	2	2	4	3	3	—	1	—	—	—
Pneumonia (92 B)	14	10	2	—	1	3	3	—	1	2	1	1	1	2	2	1	3	1
Pulmonary œdema and congestion (94 B).	4	6	—	—	1	—	1	1	—	—	1	1	—	2	—	2	1	—
Total respiratory dis. (86-98)	60	43	9	2	11	8	10	11	3	6	11	5	5	6	5	4	6	1
Diarrhœa and enteritis (104, 105).	7	8	2	—	1	2	3	3	—	1	—	1	—	—	1	—	—	1
Coma	129	143	5	4	17	13	22	19	20	14	23	21	13	24	23	30	6	18

31. TUBERCULOSIS OF PERITONEUM AND INTESTINE.

TABLE A.

	All Ages.		Under 6 Months.		6-12 Months.		1—		2—		5—		15—		25—		45—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<i>Tabes mesenterica.</i>																		
Unqualified	13	19	2	6	2	4	3	3	4	2	2	3	—	1	—	—	—	—
Convulsions	201	192	69	50	37	38	45	38	25	38	22	20	2	1	—	3	1	4
Diarrhœa	21	12	4	2	10	3	3	2	2	4	2	1	—	—	—	—	—	—
<i>Tuberculosis of intestine, tuberculous enteritis.</i>																		
Unqualified	39	47	9	6	2	3	6	4	3	7	4	4	4	6	6	10	5	7
Convulsions	164	191	29	27	33	29	26	32	22	29	11	19	12	15	16	24	15	16
Diarrhœa	16	8	6	4	3	2	4	1	3	1	—	—	—	—	—	—	—	—
Unqualified	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Convulsions	7	11	1	1	—	1	1	1	2	2	—	1	—	—	2	3	1	2

31. TUBERCULOSIS OF PERITONEUM AND INTESTINE—*continued*.TABLE A—*continued*.

			All Ages.		Under 6 Months.		6-12 Months.		1—		2—		5—		15—		25—		45—	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<i>Tuberculosis of intestine and peritoneum.</i>																				
Unqualified	{ Inst. 3 Pr. 8	1 6	— —	— —	1 —	— 1	— —	— 2	— —	— 2	1 2	— 3	— 1	1 —	— 2	— —	— 1	
<i>Tuberculosis of mesentery or mesenteric glands.</i>																				
Unqualified	{ Inst. 6 Pr. 34	8 32	5 9	3 9	— 4	1 5	— 10	2 2	1 7	1 5	— 2	1 5	— —	— 1	— 1	3 3	1 1	2 2
<i>Tuberculosis of peritoneum, tuberculous peritonitis.</i>																				
Unqualified	{ Inst. 211 Pr. 586	173 606	3 92	3 60	11 83	5 54	27 107	16 82	39 112	30 99	47 98	32 131	28 36	35 67	33 34	34 81	23 24	18 32
Operation	{ Inst. 4 Pr. —	1 7	— —	— —	2 —	— —	— —	— —	— —	— 1	1 —	— 1	— 1	1 —	— —	— 2	— —	— 2
Meningitis	{ Inst. — Pr. 5	1 7	— —	1 2	— 1	— —	2 2	1 1	1 2	— 2	— —	2 —	— —	— 1	— —	— —	— —	— —
Convulsions	{ Inst. — Pr. 37	1 19	— 12	1 1	— 7	— 7	— 8	— 4	— 8	— 3	— 2	— 3	— —	— —	— —	1 1	— —	— —
Bronchitis	{ Inst. 1 Pr. 6	— 11	— —	— 1	— 1	— 4	1 1	— 3	— 2	— 2	— 1	— —	— 1	— —	— —	— —	— —	1 1
Broncho-pneumonia	{ Inst. 1 Pr. 9	— 4	— —	— —	— 1	— —	1 3	— 1	— 3	— 2	— 2	— 1	— —	— —	— —	— —	— —	— —
Diarrhoea	{ Inst. 2 Pr. 13	2 6	— 3	1 —	— 1	1 1	1 2	— 1	— —	— —	— 4	— —	— 1	— 2	1 1	2 1	1 2	— 1
Intestinal obstruction	{ Inst. 6 Pr. 2	8 9	— —	— —	— —	— —	— 2	— —	— —	1 —	1 —	2 3	1 —	1 1	3 4	1 1	1 1	1 1
Ascites	{ Inst. — Pr. 4	1 8	— —	— 1	— —	— —	— —	— —	— —	— —	— 1	— 2	— 1	— 2	— 2	— 2	— —	1 1
<i>Abdominal tuberculosis.</i>																				
Unqualified	{ Inst. 6 Pr. 29	9 15	1 5	— 3	1 11	1 2	— 3	2 2	— 6	4 5	4 3	1 2	— 1	— —	— —	1 —	— —	— 1

LIST SUPPLEMENTARY TO TABLE A.

(See note, page 577.)

Tabes mesenterica.

Mesenteric disease (2); enlarged mesenteric glands (2); consumption of bowels (3). *Complications.*—19. Mumps, meningitis (1); chicken-pox (1). 36. Rickets (1); consumption of bowels, rickets (1); rickets, convulsions (1). 54. Anæmia (1). 61. Meningitis (1); men., bronchitis (1). 71. Consumption of bowels, convulsions (1); conv., broncho-pneumonia (1); conv., gastric catarrh (1); conv., diarrhoea (1). 76. Mastoiditis (1). 79. Aortic disease (1); “cardiac” (1). 90. Bronchitis (8); consumption of bowels, bronch. (1); capillary bronch. (1). 91. Broncho-pneumonia (3). 92. Pneumonia (2). 103. Gastritis (1); enlarged mesenteric glands, vomiting (1); consumption of bowels, vomiting, diarrhoea (1). 104. Diarrhoea (4); mesenteric disease, diarrhoea (1); ulceration of bowel (1). 108. Appendicitis, intestinal obstruction (1). 109. Intestinal obstruction due to bands, post-operative (1). 110. Faecal fistula, operation (1); abscess in mesenteric gland, faecal fistula, peritonitis (1). 117. Peritonitis (1); perit., ascites (1). 118. Abdominal abscess, operation (1). 187. Ascites (2). 189. Dentition (1).

Tuberculosis of intestine, tuberculous enteritis.

T. of intestine, laparotomy (1); tub. enteritis, tub. toxæmia (1); tub. gastro-enteritis (5); tub. cæcum (4); tub. cæcum, resection of bowel (1); tub. cæcum and appendix (1); tub. appendix (3); ileo-cæcal t. (1); ileo-cæcal t., tub. ulceration of lower ileum (1); t. of colon (3); tub. stricture of ascending colon (1); tub. ulcerative colitis (3); tub. ulceration of colon and sigmoid (1); t. of rectum (5); tub. new growth of bowel (1); tub. diarrhoea (7). *Complications.*—10. Influenza, pneu. (1). 19. Chicken-pox, convulsions (1). 20. T. of colon, septic poisoning (1). 54. Anæmia (1). 61. Meningitis (3); tub. gastro-enteritis, men. (1); tub. appendix, chronic men. (1). 67. General paralysis of insane (2). 68. Melancholia (1); melancholia, fatty heart (1); dementia (1). 69. Epilepsy (3). 70. Tub. diarrhoea, epileptiform fits (1). 71. Tub. diarrhoea, convulsions (1); conv., retro-peritoneal abs. (1); tub. diarrhoea, conv., teething (1); reflex spasms (1). 74. Imbecile (1). 76. Otitis media, bronchitis (1). 79. Valvular disease (1); tub. diarrhoea, cardio-vascular degeneration (1); cardiac dilatation (1); heart disease (1). 85. Hæmorrhage (2); miliary t. of bowels, hæmorrhage (1); t. of rectum, hæmorrhage (1). 90. Bronchitis (4); bronchorrhoea, climacteric (1). 91. Broncho-pneumonia (4); gastro-enteritis (prob. tub.), br.-pneu. (1). 92. Tub. colon, pneumonia (1); pneu., intestinal obstruction, operation (1). 94. Congestion of lungs (1). 103. Ileo-cæcal t., acute dilatation of stomach (1); vomiting and diarrhoea (1). 104. Epidemic diarrhoea (3); enteritis (1); tub. diarrhoea, enteritis (1); ulcerative colitis (1). 108. Tub. pericolicitis, appendicitis, peritonism, subphrenic abs. (1). 109. Umbilical hernia (1); intestinal obstruction (1); hyperplastic t. of colon, intestinal obstruction, peritonitis (1). 110. Tub. appendix, faecal fistula (1); tub. ulcer of duodenum, perforation, faecal fistula (1). 115. Hepatitis, jaundice (1). 117. Tub. gastro-enteritis, general peritonitis (1); perit.,

31. TUBERCULOSIS OF PERITONEUM AND INTESTINE—continued.

Tuberculosis of intestine, tuberculous enteritis—continued.

laparotomy (1); septic perit. (1); tuberculosis, perforation, perit. (1). 120. Tub. colitis, chronic nephritis (1); tub. colon, amyloid disease of kidney (1); albuminuria (1). 125. Vesical fistula (1). 136. Childbirth (2). 144. Abscess (3); umbilical abscess (1). 146. Periostitis of right ilium (1). 172. Accelerated by fall (1); tub. growth of lower bowel, accel. by fall (1).

T. of intestine and mesenteric glands (5); tub. mesenteric disease of bowel (1); t. of intestine and peritoneum, perforation, hæmorrhage (1); t. of intestine and peritoneum, diarrhœa (2); t. of intestine and peritoneum, fæcal fistula (umbilical) (1); t. of cæcum and peritoneum (1); t. of cæcum, appendix and peritoneum (1); t. of appendix and peritoneum (1).

Tuberculosis of mesentery or mesenteric glands.

T. of abdominal glands (3); t. of omentum (1); tub. tabes mesenterica (4); tabes mesenterica, tub. toxæmia (1). *Complications.*—54. Anæmia (1). 55. Toxæmia (1). 61. Meningitis (1). 69. Epilepsy (2). 71. Convulsions (2). 82. Thrombosis of mesenteric veins, hæmorrhage (1). 85. Rupture of blood vessel (1). 90. Bronchitis (1). 91. Broncho-pneumonia (2); t. of abdominal glands, br.-pneu. (1). 92. Pneumonia (3); t. of abdominal glands, pneu. (1); pneu., accel. by want of food and medical attention (1). 104. Diarrhœa (3); ileo colitis (1). 108. Tub. abscesses in omentum, appendix abscess (1). 109. T. of omentum, inguinal hernia (1); intestinal obstruction (1). 110. Fæcal fistula, after operation (1). 117. Peritonitis (3); general perit., run over (1). 187. Ascites (1).

T. of mesenteric glands and peritoneum (2); t. of abdominal glands and peritoneum (2).

Tuberculosis of peritoneum, tuberculous peritonitis.

Colotomy (1); operation, chloroform (1). *Complications.*—10. Influenza (1). 19. Chicken-pox (1); chicken-pox, accelerated by scalds (1). 20. Septicæmia, cellulitis of hand (1). 36. Rickets (2). 48. Arthritis deformans (1). 50. Diabetes (1). 54. Anæmia (2). 55. Diabetes insipidus (1); lardaceous disease (1); toxæmia (8); tox., cervical adenitis (1); tox., intestinal obstruction (1). 61. Meningitis, congestion of lungs (1). 63. Infantile paralysis (1). 66. Hemiplegia, abscess (1). 67. General paralysis of insane (1). 68. Melancholia (1); melancholia, intestinal obstruction (1); mania (1); dementia (2). 69. Epilepsy, imbecility (1). 71. Convulsions, cardiac debility, dropsy (1); conv., bronchitis (1); conv., coma (1). 74. Idiocy (1); imbecility (1); cretinism (2). 77. Pericarditis (1). 78. Myocarditis, cirrhosis of liver (1); mitral endocarditis (1). 79. Mitral stenosis (1); mitral disease (2); chronic endocarditis (1); valvular disease (1); valv. dis., cirrhosis of liver (1); fatty myocardium (1); fatty heart (1); fatty heart, pleurisy (1); fatty heart, senile dementia (1); cardiac incompetence (1); morbus cordis (1). 82. Operation, cerebral embolism (1). 84. Cervical adenitis (1); adenitis, lobar pneu. (1). 85. Hæmorrhage (1); hæmorrhage, ulceration (1). 86. Suppurative rhinitis (1). 90. Bronchial catarrh (1). 92. Lobar pneumonia (2); double lobar pneu. (1); pneu. (8). 94. Congestion of lungs (1). 103. Dilated stomach (1); vomiting (2); vomiting and diarrhœa (1). 104. Epidemic diarrhœa (1); gastro-intestinal catarrh (1); gastro-enteritis (1). 108. Appendicitis (4); appendicitis, operation (1). 109. Rupture of bowel (1); rupture of bowel through umbilicus (1); umbilical hernia, perforation of intestine (1); intestinal obstruction, operation (6); stricture of bowel (1); obstruction by bands, rupture of gut, pelvic abscess (1); intestinal obstruction, gall stones (1). 110. Fæcal fistula (7); fæcal fistula, operation (1); umbilical fæcal fistula (1); fæcal fistula, abscess (1); intestinal fistula, abscess (1); rectal abscess (1); intestinal hæmorrhage (1); perforation of bowel, accelerated by fall (1). 113. Cirrhosis of liver (2); lardaceous disease of liver (1). 115. Acute cholecystitis (1); jaundice (1). 117. Operation, peritonitis (1); perit., ovarian cyst (1). 118. Abdominal abscess (1). 119. Acute nephritis (2). 120. Nephritis, cystitis (1); uræmia (1). 122. Pyelonephritis (1). 136. Childbirth (1). 142. Cancrum oris, gangrene (1). 144. Abscess (1). 151. Hand fed (1). 154. Senile dementia (1). 187. Ascites, probably tub. (1); dropsy (5); œdema (1). 189. Dentition (1).

Abdominal tuberculosis.

General abdominal t. (1). *Complications.*—54. Anæmia (1). 61. Meningitis (1). 71. Convulsions (7). 92. Pneumonia (2). 104. Diarrhœa (1). 110. Laparotomy, fæcal fistula (1); waxy disease of intestine (1); stricture of intestine (1). 117. Peritonitis (2). 120. Granular kidney (1).

Tubercular obstruction of colon (1); tubercular obstruction of bowel, peritonitis (1).

TABLE B.

	All Ages.		Under 6 Months.		6-12 Months.		1—		2—		5—		15—		25—		45—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<i>Tabes mesenterica.</i>																		
Convulsions (70, 71) ...	23	14	5	3	10	3	4	2	2	5	2	1	—	—	—	—	—	—
Total nervous diseases (60-74)	26	14	5	3	10	3	7	2	2	5	2	1	—	—	—	—	—	—
Bronchitis (89, 90) ...	7	3	3	—	2	—	2	1	—	2	—	—	—	—	—	—	—	—
Total respiratory dis. (86-98)	10	6	4	—	3	—	2	2	—	4	1	—	—	—	—	—	—	—
<i>Tuberculosis of intestine, tuberculous enteritis.</i>																		
Convulsions (70, 71) ...	19	11	6	4	5	2	5	3	3	1	—	—	—	—	—	—	—	1
Total nervous diseases (60-74)	28	17	6	4	5	4	5	3	4	1	2	1	1	1	2	—	3	3
Respiratory diseases (86-98)...	9	5	1	1	2	—	1	3	1	—	—	—	—	—	2	1	2	—
Diarrhœa (104, 105) ...	12	14	2	3	—	1	3	1	2	2	—	1	2	—	2	4	1	2

31. TUBERCULOSIS OF PERITONEUM AND INTESTINE—continued.

TABLE B—continued.

	All Ages.		Under 6 Months.		6-12 Months.		1—		2—		5—		15—		25—		45—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<i>Tuberculosis of peritoneum, tuberculous peritonitis.</i>																		
Operation	9	13	—	—	2	—	1	1	1	2	1	3	3	3	1	2	—	2
Meningitis (61C)	5	8	—	2	1	—	2	1	1	3	—	2	—	—	1	—	—	—
Convulsions (70, 71)	38	22	12	2	8	8	8	5	8	3	2	3	—	—	—	1	—	—
Total nervous diseases (60-74)	52	36	13	4	9	8	10	6	10	6	3	5	—	2	4	4	3	1
Heart disease, all forms (77-80, and 85A).	5	11	—	—	—	1	—	—	—	—	2	—	1	2	1	—	1	8
Bronchitis (89, 90)	8	12	—	1	1	4	3	4	2	2	1	—	1	—	—	—	—	1
Broncho-pneumonia (91)	10	4	—	—	1	—	3	1	4	2	2	1	—	—	—	—	—	—
Pneumonia (92)	7	5	—	—	—	—	—	1	3	2	4	1	—	—	—	—	—	1
Total respiratory dis. (86-98)	29	28	—	1	2	4	7	6	9	7	7	2	3	—	1	4	—	4
Diarrhoea and enteritis (104, 105).	16	11	4	1	1	2	3	2	—	—	4	1	1	2	2	2	1	1
Intestinal obstruction (109B)	11	22	—	—	—	—	—	2	1	1	1	6	1	3	6	7	2	3
Dropsy (187)	6	16	—	1	—	1	—	1	—	1	1	4	1	2	3	3	1	3
<i>Total of 31. Tuberculosis of peritoneum and intestine.</i>																		
Operation	13	17	—	—	2	—	1	2	1	2	3	4	3	4	2	3	1	2
Meningitis (61C)	12	11	1	2	1	2	5	1	2	3	—	3	—	—	2	—	1	—
Convulsions (70, 71)	85	51	24	12	25	13	18	10	14	10	4	4	—	—	1	—	1	—
Total nervous diseases (60-74)	113	70	25	14	26	15	23	11	17	13	8	7	1	3	7	4	6	3
Heart disease, all forms (77-80, and 85A).	10	13	—	—	—	1	—	—	1	—	3	—	1	3	3	1	2	8
Bronchitis (89, 90)	19	18	4	2	4	4	6	6	3	2	1	2	1	—	—	1	—	1
Broncho-pneumonia (91)	16	9	—	—	3	2	5	3	4	3	3	1	—	—	—	—	1	—
Pneumonia (92)	11	12	1	2	1	—	1	1	4	3	4	2	—	—	—	2	—	2
Total respiratory dis. (86-98)	50	47	5	4	8	6	13	10	11	10	8	5	3	—	1	7	1	5
Diarrhoea and enteritis (104, 105).	36	31	9	4	2	3	7	5	2	4	6	2	3	2	4	6	3	5
Intestinal obstruction (109B)	13	23	—	—	—	—	—	2	1	1	1	7	2	3	7	7	2	3
Peritonitis (117)	9	7	1	—	1	—	—	—	1	1	2	2	2	1	2	2	—	1
Total urinary dis. (119-126)...	10	2	—	—	—	—	1	—	—	—	4	—	2	1	2	—	1	1
Dropsy (187)	8	17	—	1	—	1	—	1	1	1	2	4	1	2	3	3	1	4

32. TUBERCULOSIS OF SPINAL COLUMN.

TABLE A.

	All Ages.		0—		5—		10—		15—		25—		35—		45—		65—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Unqualified	36	15	5	—	3	—	3	1	6	2	6	2	3	1	9	5	1	4
Tuberculous sacro-iliac disease.	45	34	3	3	4	3	7	2	7	5	11	8	5	6	6	6	2	1
	1	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
Tuberculous spinal abscess.	4	4	—	—	—	—	1	—	1	1	1	2	1	—	1	—	—	—
	1	3	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	1
Spinal caries	4	3	—	—	—	—	1	—	2	—	1	2	—	—	—	1	—	—
	6	8	—	—	1	—	1	—	2	1	1	1	—	—	1	4	—	2
Spinal caries, psoas abscess.	25	18	1	2	2	1	3	2	5	3	4	2	3	1	4	5	3	2
	4	1	—	—	—	—	1	—	1	—	—	—	2	1	—	—	—	—
Psoas abscess	4	3	—	1	—	—	—	—	2	—	—	—	—	1	—	1	—	—
	5	4	—	1	—	—	—	—	—	—	1	—	2	—	2	1	—	2
	5	12	—	—	—	1	—	—	1	—	1	—	1	3	2	4	—	4

LIST SUPPLEMENTARY TO TABLE A.

(See note, page 577.)

T. of spine, laminectomy (1); t. of spine, spinal abscess (1); t. of spine, retro-pharyngeal abscess (1); t. of spine, lumbar abscess (3); t. of spine, psoas and lumbar abs. (1); t. of spine, tub. abscesses (1); t. of spine, abs. (6); t. of spine, abs., drain of pus (1); t. of spine, abs., curvature (1); t. of spine, curvature (3); t. of spine, suppuration (4); t. of spine, sacro-iliac disease (1); t. of spine, necrosis (3);

32. TUBERCULOSIS OF SPINAL COLUMN—*continued.*

tub. osteomyelitis (spinal) (1); Pott's disease (9); Pott's dis., psoas abs. (2); Pott's dis., abs. (2); tub. psoas abs. (3); tub. lumbar abs. (4); tub. sacral abs. (1); spinal caries, tub. spinal abs. (1); spin. car., tub. lumbar abs. (1); spin. car., tub. abs. (1); spin. car., retro-pharyngeal abs. (2); spin. car., psoas abs., operation (1); spin. car., ilio-psoas abs. (1); spin. car., lumbar abs. (2); spinal car., abs. (7); spin. car., rupture of abs. into œsophagus (1); spin. car., suppuration (1); caries of sacrum (1); sacro-iliac dis. (3); necrosis of spine (2); necrosis of spine, psoas abs. (1); spinal abs. (3); septic spinal abs. (1); dorsal abs. (1); dorsal and psoas abs. (1); psoas abs., operation (1); ilio-psoas abs. (1); psoas and lumbar abs. (1); lumbar abs. (3); ilio-lumbar abs. (1); sacral abs. (1); spinal dis. (4); spinal dis., lumbar abs. (1). *Complications.*—10. T. of spine, angular curvature, influenza, toxæmia (1). 20. Lumbar abs., pyæmia (1); tub. iliac abs., septicæmia (1); tub. sacro-iliac dis., sept. (1); spin. car., sept. (1); spin. car., psoas abs., sept. (1); spin. car., abscesses, sept. (1); psoas abs., sept. (2); psoas abs., pyo-septicæmia (1); abs. in loin, sept. (1); spin. car., sept., myelitis, bed sore (1); t. of spine, psoas abs., septic poisoning (1); psoas abs., septic poisoning (1); septic absorption (1); septic intoxication (1). 36. Rickets (1). 50. Spin. car., diabetes mellitus (1). 55. Lumbar abs., purpura (1); lardaceous dis. of abdominal organs (2); lardaceous, amyloid or waxy dis. (7); Pott's dis., waxy dis. (1); Pott's dis., general amylosis (1); t. of sacrum and ilium, amyl. dis. (1); tub. spin. abs., lardaceous dis. (1); tub. abs. of spine, rib, lard. dis. (1); tub. psoas abs., lard. dis. (1); tub. abscesses, lard. dis. (1); spin. car., lard. dis. (5); spin. car., psoas abs., amyl. dis. (1); sacro-iliac dis., suppuration, lard. dis. (1); psoas abs., amyl. dis. (2); t. of sacro-iliac joint, waxy degeneration, perforation of bowels (1); lard. dis., albuminuria, dropsy (1); toxæmia (1); spin. car., tox. (1); psoas abs., tox. (1); lumbar abs., tox. (1); tox., secondary infection, (1). 61. Meningitis (3); spin. caries, men. (7); spin. car., psoas abs., men. (1); lumbo-sacral abs., men. (1); men., fracture of spine (1); spin. car., spin. men., coma (1). 63. Myelitis (2); spin. car., myelitis (3); spin. car., compression, myelitis (2); tub. curv. of spine, pressure, myelitis (1); spin. car., myelitis, cystitis (1); transverse myelitis, bed sore (1). 64. Laminectomy, apoplexy (1); spin. car., cerebral hæmorrhage (2). 66. Paraplegia (2); spin. car., parap. (6); parap., paralysis, bronchiectasis (1); parap., sclerosis of brain (1); tub. old spin. curv., parap., phlebitis (1); parap., hypostatic pneu. (1); parap., cystitis (1); parap., bedsores (1); laminectomy, compression, parap., bedsores (1); paralysis (4); spin. car., paral. (4); Pott's spin. curv., paral. (1); tub. curv., paral. (1); spin. car., paresis of diaphragm, pulm. œdema (1). 69. Epilepsy (1); spin. car., psoas abs., epilepsy (1). 70, 71. Convulsions (2); spin. car., conv. (2); lumbar abs., conv. (1); spin. car., conv., lardaceous liver (1); conv., lardaceous kidney (1). 74. Spin. car., cretinism, microcephaly (1). 78. Spin. car., endocarditis (1). 79. Pott's curv., psoas abs., mitral dis., bronchitis, br. pneu. (1); spin. car., abs., mitral dis., bronchial asthma (2); lumbar abs., myocardial degeneration (1); hypertrophy of heart (1); cardiac dropsy (1); dilatation of heart (1); dilat. of heart, bronchitis (1); tub. spin. curv. (angular), dilat. of heart, pulm. congestion (1); cardiac dis. (1); Pott's dis., cardiac dis. (1); spin. car., cardiac dis. (2). 81. Tub. kyphosis, arterio-sclerosis, dilat. of stomach (1). 82. Cerebral embolism (1); cerebral emb., asphyxia (1); spin. car., laminectomy, pulm. thromb. (1); tub. sacro-iliac dis., pulm. embolism (1). 85. Abscesses, hæmorrhage (1); spin. car., and psoas abs., hæmorrhage (1); sacro-iliac dis., hæmorrhage (1). 87. Laryngitis (1). 90. Lumbar abs., bronchiectasis (1); bronchitis (4); t. of spine, curv., bronch. (3); Pott's dis., bronch. (3); spin. car., bronch. (1); spin. car., psoas abs., bronch. (1); sacro-iliac dis., bronch. (1); spin. abs., bronch. (1); lumbar abs., bronch. (1); spin. car., bronch., br.-pneu., chronic Bright's dis. (1); Pott's curv., bronch., chronic interstitial pneu. (1). 91. Broncho-pneumonia (6); tub. kyphosis, br.-pneu. (1); spin. car., br.-pneu. (3); tub. retro-pharyngeal abs., aspiration pneu., asphyxia (1). 92. Pleuro-pneu. (1); pneu. (3); strumous dis. of spine, curv., pneu. (1); spin. car., pneu. (3); spin. abs., pneu. (1); Pott's dis., pneu., osteo-myelitis (1). 94. Congestion of lungs (2); œdema of lungs (2); tub. abs. of spine, hypostatic pneu. (1); spin. car., psoas abs., hypostatic pneu. (1). 97. Tub. angular curv. of spine, emphysema (1). 98. Psoas abs., pulm. hæmorrhage (1). 102. Gastric ulcer (1). 104. Pott's dis., diarrhœa (1); spin. dis., intestinal ulceration (1). 109. Spin. car., intestinal obstruction (1). 110. Psoas abs., fœcal fistula (1); lumbar abs., lardaceous dis. of intestine and liver (1). 113. Spin. car., hypertrophic cirrhosis of liver (1); psoas abs., lardaceous liver (2); tub. sacro-iliac joint, fatty liver and kidneys (1); amyloid dis. of liver and kidneys (1); lardaceous disease of liver and kidney, ascites, anasarca (1). 117. Spin. car., peritonitis (1). 119. Old tub. sacral dis., acute nephritis (1). 120. Tub. spin. curv., chronic nephritis (1); sacro-iliac dis., Bright's dis. (1); psoas abs., chronic nephritis (1); lumbar abs., chronic Bright's dis. (1); Bright's dis., dropsy (1); old Pott's dis., chronic nephritis, anasarca (1); albuminuria (1); t. of spine, spin. abs., albuminuria (1); tub. abs. of back, albuminuria, uræmic convulsions (1); waxy, lardaceous dis. of kidney (2); tub. sacro-iliac dis., lard. kidney (1); tub. caries sacrum and pelvic bones, abs., lard. kidney (1); spin. car., lard. kidney, uræmic convulsions, dropsy (1); psoas abs., lard. kidney (1); psoas abs., lard. kidney, uræmia (1); kidney disease (1); spin. car., nephritis (3). 122. Ascending nephritis (1); spin. car., pyelonephritis, cystitis (1). 130. Psoas abs., pelvic cellulitis (1). 136. Childbirth (1). 142. Spin. car., gangrenous stomatitis (1). 144. Mediastinal abs. (2); caries of sacro-iliac joint, pelvic abs. (1); psoas abs., suppuration of mesenteric glands (1). 145. Bedsores (1); spin. car., bedsores (1). 150. Caries of spine and ribs, congenital valvular insufficiency (1). 152. Tub. curv. of spine, compression of lungs, cyanosis (1). 186. Tub. abscesses, old injury (1); spin. dis., accel. by injury (1). 187. Ascites (1); psoas abs., dropsy (1); spin. dis., dropsy (1).

32. TUBERCULOSIS OF SPINAL COLUMN—*continued*.

TABLE B.

	All ages.		0—		5—		10—		15—		25—		35—		45—		65—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Pott's disease ...	12	9	2	2	2	—	1	—	2	1	2	3	1	—	2	2	—	1
Tuberculous sacro-iliac dis.	7	10	—	—	—	1	2	—	3	3	1	2	1	2	—	2	—	—
Tuberculous spinal abscess	9	8	—	—	—	—	1	—	2	1	3	3	2	2	1	1	—	1
Spinal caries ...	77	65	2	5	9	2	6	5	15	9	14	7	10	12	19	15	2	10
Psoas abscess ...	37	37	1	2	2	2	1	1	7	3	8	1	7	12	11	10	—	6
Lumbar abscess ...	9	9	2	1	—	1	—	—	3	2	2	1	1	1	—	2	1	1
Septicæmia (20 B) ...	9	5	—	—	—	—	—	1	3	1	1	1	3	1	2	1	—	—
Meningitis (61C) ...	9	6	—	—	3	—	—	3	2	1	1	—	1	2	1	—	1	—
Other diseases of spinal cord (63).	10	2	—	—	—	—	1	1	1	—	1	—	2	—	3	1	2	—
Paralysis (66) ...	14	9	—	—	—	—	1	2	—	—	2	1	6	1	5	4	—	1
Total nervous diseases (60-74).	42	22	2	—	6	—	2	6	3	3	5	1	10	4	11	6	3	2
Other organic dis. of heart (79C).	7	3	—	—	2	—	1	—	2	—	—	3	1	—	—	—	1	—
Heart disease all forms (77-80, 85A).	8	7	—	—	3	—	1	—	2	1	—	3	1	1	1	1	—	1
Bronchitis (89, 90) ...	9	12	2	3	—	2	1	1	2	2	—	—	—	—	3	2	1	2
Broncho-pneumonia (91)	9	4	—	1	4	1	1	—	1	1	—	1	—	—	3	—	—	—
Pneumonia (92) ...	4	6	—	2	2	—	1	—	1	1	—	—	1	—	1	—	—	1
Total respiratory diseases (86-98).	31	24	6	8	3	3	4	1	4	4	1	1	3	1	8	3	2	3
Nephritis (119, 120) ...	12	17	—	—	1	1	—	3	3	3	3	3	2	4	3	3	—	—
Total urinary diseases (119-126).	14	20	—	—	1	1	—	3	3	3	4	3	2	4	4	6	—	—

33. TUBERCULOSIS OF JOINTS.

TABLE A.

	All ages.		0—		5—		10—		15—		25—		35—		45—		65—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Unqualified... { Inst.	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
{ Pr.	5	3	—	—	—	—	—	—	—	—	1	—	2	—	2	1	—	2
Tuberculosis of hip { Inst.	28	17	4	1	—	2	3	2	6	5	7	1	2	3	5	3	1	—
{ Pr.	28	25	1	—	1	3	3	3	7	8	7	1	7	2	1	4	1	4
Hip disease... { Inst.	3	1	—	—	1	—	—	—	2	—	—	—	—	—	1	—	—	—
{ Pr.	6	10	—	—	1	1	—	1	1	3	1	1	1	1	2	2	—	1
Tuberculosis of hip, lardaceous disease. { Inst.	10	5	—	—	1	2	2	1	4	—	2	—	—	2	1	—	—	—
{ Pr.	3	3	—	—	1	—	—	—	2	1	—	—	—	1	—	1	—	—
Tuberculosis of knee { Inst.	7	4	—	2	—	—	—	—	—	—	3	—	—	—	3	1	1	1
{ Pr.	7	5	—	—	1	—	—	—	—	—	1	1	1	1	3	—	1	3

LIST SUPPLEMENTARY TO TABLE A.

(See note, page 577.)

Tub. arthritis with abscesses (1). *Complications*.—20. Tub. arthritis, sapræmia (1); tub. arth., septic absorption (1). 55. Tub. arth., lardaceous dis. (1); tub. arth., amyloid dis. (2). 79. Tub. synovitis, auricular fibrillation of heart (1); tub. arth., morbus cordis (1). 90. Tub. synovitis, bronchitis (1).

T. of shoulder (2).

T. of elbow (6); t. of elbow, convulsions (1).

T. of wrist (2); t. of carpus, rheumatoid arthritis, bedsores (1).

Tub. caries of hip (1); t. of hip, abscesses (3); t. of hip, abscesses, incision (1); t. of hip, operation (3); t. of hip, anæsthetic (1); t. of hip, sinuses, suppuration (1); morbus coxæ (8); os. coxarum deformatum, opus chirurgicum (1); abscess of hip (3). *Complications*.—20. Hip joint dis., pyæmia (1); t. of hip, septicæmia (1); morbus coxæ, sept. (1); morbus coxæ, septic absorption (1); t. of hip (septic) (2); disease of hip (bone), blood poisoning (1). 37. T. of hip, tertiary ulcers, scalp and leg, pulm. congestion, lardaceous liver (1). 48. T. of hip, rheumatism (1); abs. of hip, rheumatism, mitral regurgitation (1); abs. of hip, rheumatoid arthritis (1). 50. T. of hip, acetonaemia (1). 55. T. of hip, Henot's purpura fulminans (1); tub. caries of hip, lardaceous dis. (1); t. of hip, abscesses, lard. dis. (1); morbus coxæ, lard. dis. (2); morbus coxæ, suppuration, lard. dis. (1); t. of hip, lard. dis., granular kidney, uræmia (1); t. of hip, lard. dis., uræmia (1); t. of hip, toxæmia (2); t. of hip, operation, secondary infection, tox. (1). 61. T. of hip, meningitis (5). 68. T. of hip, chronic mania (2). 69. T. of hip, sinuses, epilepsy (1). 72. T. of hip, chorea, endocarditis (1). 76. T. of hip, chronic mastoiditis, chronic suppuration (1). 77. T. of hip, pericarditis, fall (1). 79. Hip dis., mitral regurgitation (1); abs. of hip, cardiac dis., dropsy

33. TUBERCULOSIS OF JOINTS--continued.

(1); t. of hip, cardiac degeneration, dropsy (1); hip. dis., morbus cordis (1). 90. T. of hip, bronchiectasis (1); t. of hip, bronchitis (2). 91. T. of hip, broncho-pneumonia (2); abs. of hip, br.-pneu. (1). 92. T. of hip, septic pneu. (1). 94. T. of hip, pulm. congestion (1); t. of hip, hypostatic pneu. (1). 103. T. of hip, gastritis, enteritis (1); t. of hip, vomiting (2). 104. Hip joint dis., diarrhoea (1). 108. T. of hip, appendicitis, perforation, general septic peritonitis (1). 110. T. of hip, amyloid dis. of intestine and kidney (1); t. of hip, amyloid dis. of intestine, liver and kidney (1). 113. T. of hip, lardaceous dis. of liver (1); t. of hip, amputation, amyloid dis. of liver (1); t. of hip, amyl. dis. of liver, and kidney (2); t. of hip, suppuration, amyl. dis. of liver, spleen and kidneys (1). 115. T. of hip, dis. of liver and kidneys, albuminuria (1). 117. Suppurative tub. hip, peritonitis (1). 120. T. of hip, chronic nephritis (1); t. of hip, lardaceous kidney (9); t. of hip, albuminuria (1); morbus coxæ, albuminuria (1); t. of hip, lard. dis., uræmia (2); morbus coxæ, chronic nephritis, dropsy (1); t. of hip, nephritis (2); morbus coxæ, nephritis (2); t. of hip, nephritis, uræmia (1). 130. Hip dis., pelvic abs. (1). 136. T. of hip, childbirth (1). 142. T. of hip, gangrene (1); hip joint dis., gangrene (1). 146. Abscess of hip, epiphysitis (1). 187. T. of hip, general anasarca (1); t. of hip, ascites (1).
T. of hip and knee (1).

T. of knee.—Complications.—20. T. of knee, amputation, pyæmia, bronchitis (1); t. of knee, operation, septicæmia (1); t. of knee, septic intoxication (1); tub. knee (septic) (1). 55. T. of knee, toxæmia (1). 61. T. of knee, meningitis (1); tub. synovitis of knee, cerebral meningitis (1). 69. T. of knee, epilepsy (2). 71. Tub. abs. of knee, convulsions (1). 74. T. of knee, idiocy (1); t. of knee, organic brain dis. (1). 79. Tub. synovitis of knee, heart dis. (1). 92. T. of knee, pneumonia (1). 94. T. of knee, pulmonary congestion (1); t. of knee, pulm. œdema, amyloid kidneys (1). 120. T. of knee, amyloid kidney (1). 125. T. of knee, urethral fistula, bedsores (1). 145. T. of knee, bedsores (2).
T. of ankle (6); t. of ankle, amputation (1). Complications.—20. T. of ankle, septicæmia (1); t. of ankle, septic absorption (1). 55. T. of ankle, lardaceous dis. (1). 120. T. of ankle, chronic nephritis (1).

TABLE B.

	All Ages.		0—		5—		10—		15—		25—		35—		45—		65—	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Tuberculosis of hip ...	113	84	8	3	9	12	13	8	32	24	23	7	12	10	11	16	5	4
Morbus coxæ ...	13	5	—	—	3	—	3	2	5	1	—	1	—	—	2	1	—	—
Hip disease ...	13	14	—	—	3	1	1	1	4	3	2	2	1	1	2	4	—	2
Tuberculosis of knee ...	26	18	—	3	1	1	—	—	1	2	7	1	1	1	12	5	4	5
Tuberculosis of ankle ...	8	3	—	—	—	2	—	3	1	—	1	—	1	—	2	1	3	2
Lardaceous disease ...	21	12	—	—	3	2	3	3	8	2	3	—	—	3	4	2	—	—
Nervous diseases (60-74) ...	7	10	1	1	1	3	—	1	1	1	—	3	—	—	4	1	—	—
Heart disease, all forms (77-80, 85A).	3	7	—	—	1	1	—	—	1	1	1	1	—	—	—	1	—	3
Respiratory diseases (86-98)	8	6	1	—	—	1	1	—	1	2	—	—	—	—	1	3	4	—
Bright's disease (120) ...	17	17	—	—	—	1	4	1	6	9	3	1	—	3	4	2	—	—
Total urinary diseases (119-126).	19	17	—	—	—	1	4	1	6	9	3	1	—	3	6	2	—	—

34. TUBERCULOSIS OF OTHER ORGANS.

34A. LUPUS.

Unqualified (19); lupus vulgaris (2); lupus of face (11); lupus vulgaris of face (1); lupus of face and head (1); lupus of face and arm (1); lupus of face and pharynx (1); lupus of nose (1); lupus of nose and ear (1); lupus of nose and throat (1); lupus of palate (1); lupus of nose, face, arms, &c. (1). Complications.—18. Lupus of face, erysipelas (1). 20. Lupus of face, pyæmia (1). 48. Chronic rheumatism, morbus cordis (1). 55. Lupus vulgaris, toxæmia (2); lupus of face and throat, tox. (1). 61. Meningitis (3); lupus exedens (face), cerebral men. (1). 63. Myelitis (1). 79. Lupus of face, valvular heart (1); heart dis. (1). 85. Hæmorrhage (1). 90. Bronchitis (2). 92. Pneumonia (1); lupus vulgaris, pneu. (2). 98. Lupus vulgaris of nose and larynx, hæmoptysis (1). 145. Ulceration of neck (1).

34B. SCROFULA.

Unqualified (2); struma (4); strumous abscess (1). Complications.—71. Convulsions, coma (1). 91. Strumous glands of neck, operation, br.-pneu. (1). 103. Struma, gastric catarrh (1).

34C. OTHER TUBERCULOSIS INCLUDED UNDER 34.

(See note, page 577.)

T. of skin, anæmia (1); t. of skin, toxæmia (1); t. of skin, bronchitis, dropsy (1); tub. eczema, convulsions (1); tub. ulcer of face (1); tub. ulceration of neck (1); tub.

34C. OTHER TUBERCULOSIS INCLUDED UNDER 34—*continued*.

ulceration set up by electric shock (1); tub. abscesses of cellular tissue of back (1); t. of skull, suppuration (1); t. of right temporal bone, oper., meningitis, convulsions (1); t. of orbit and malar bone, bronchitis (1); t. of antrum (2); t. of upper jaw, purpura (1); tub. abs. of jaw, oper., erysipelas, dactylitis (1); t. of bone of face, enteritis (1); tub. necrosis of palate, bronchitis, intestinal obstruction (1); t. of middle ear (2); t. of middle ear, meningitis (1); t. of middle ear, men., cavernous sinus thrombosis (1); tub. ulceration of middle ear, hæmorrhage (1); tub. mastoid disease (5); tub. mastoid dis., men. (1); tub. mastoid dis., pneu. (1); t. of sternum (1); t. of ribs (5); tub. osteitis of rib (1); tub. necrosis of rib, operation (1); tub. necrosis of rib, toxæmia (1); t. of rib, diarrhœa (1); t. of ilium (2); t. of ilium, abscesses (1); t. of pelvic bones (4); t. of pelvic bones, lardaceous dis. (1); t. of pelvic bones, cystitis (1); t. of scapula (1); t. of scapula, gastritis (1); t. of clavicle (1); t. of shoulder (3); t. of shoulder, lardaceous dis. (1); t. of shoulder, nephritis, uræmia (1); t. of humerus, cardiac dis. (1); t. of radius (1); tub. caries of ulna (1); t. of radius and ulna (1); t. of metacarpus, br.-pneu., pleurisy, cirrhosis of liver, chronic Bright's dis. (1); tub. dactylitis (2); tub. osteitis and dactylitis (1); t. of femur (5); tub. necrosis of femur (1); tub. osteomyelitis of femur (1); t. of femur, operation (2); t. of femur, pyæmia (1); t. of femur, hemiplegia (1); t. of femur, amyloid kidney (2); t. of femur, uræmia (1); t. of femur and tibia (1); t. of tibia (3); tub. osteo-myelitis of tibia, enlarged thymus, anæsthetic (1); t. of tibia, gangrene (1); t. of bone of leg, amputation (1); t. of tarsus (2); t. of foot (2); t. of foot, operation (1); t. of foot, diabetes (1); t. of foot, men. (1); tub. gangrene of foot, endarteritis (1); t. of foot, gastritis (1); t. of foot, gangrene (1); t. of bone (10); t. of bone, infantile paralysis (1); t. of bone, epilepsy (1); tub. osteo-myelitis (2); tub. osteitis (1); tub. osteitis, toxæmia (1); tub. osteitis, cold abscess, rupture of femoral artery (1).

Tuberculosis of :—Spinal cord (1); posterior nares (1); tonsil, bronchitis (1); pharynx (2); parotid (1); pericardium (4); pericardium, pneumonia (1); œsophagus (1); œsophagus, pleurisy (1); stomach (2); stomach (ulcer) (2); stomach (pyloric stenosis) (1); stomach, peritonitis (1); stomach (ulcer), perforation, hæmorrhage, peritonitis (1); liver (4); liver (abscess) (1); liver, chronic mania, fibroid and dilated heart (1); liver, hypostatic pulm. congestion (1); liver, hæmorrhage into stomach (1); liver, dropsy (1).

T. of kidney, tub. nephritis, (unqualified) (91). *T. of kidney and the following conditions* :—Operation (3); oper., anæsthetic (2); pyæmia (1); anæmia (1); anæmia, convulsions, anuria, calculus (1); lardaceous dis. (1); toxæmia (3); anæsthetic, fatty heart (1); morbus cordis (1); pneu., uræmia (1); pulm. œdema (1); gastritis, dilated stomach (1); gastro-enteritis (1); partial intestinal obstruction (1); lard. dis. of intestine (1); peritonitis (3); perit., perinephric abs. (1); subphrenic abs. (1); Bright's disease (1); albuminuria (1); uræmia (12); operation, uræmia (1); uræmic convulsions (1); oper., uræmia, suppression of urine (1); uræmia, cystitis (1); suppression of urine (3); oper., suppression of urine (1); hæmaturia (1); ascending nephritis, cystitis (1); cystitis (4); dropsy (3).

Tub. pyelitis (1); tub. pyelitis, diarrhœa, amyloid dis. of intestine (1); tub. pyelitis, congestion of liver (1); tub. pyelitis, coma (1); tub. pyelonephritis (3); tub. pyelonephritis, septicæmia (1); tub. pyelonephritis, coma (1); tub. pyonephrosis, amyloid dis. (1); tub. pyonephrosis, uræmia (1); tub. pyonephrosis, uræmia, pyelitis, calculus (1); tub. pyonephrosis, suppression of urine (1).

T. of bladder, tub. cystitis, (unqualified) (36). *T. of bladder and the following conditions* :—Suppuration (1); anæmia (1); meningitis, coma (1); cerebral softening (1); hicough (1); pleurisy (1); diarrhœa (1); uræmia (1); uræmia, ascending nephritis (1); anuria, retention (1); pyelonephritis (1); renal insufficiency (1); pyonephrosis, accelerated by injury (1); chronic cystitis (1); fistula (1); spina bifida (1).

T. of prostate (1); t. of prostate, phlebitis, br.-pneu. (1); t. of testis (1); t. of testis, tub. orchitis (2); t. of testis, peritonitis (1); t. of testis, uræmia (1); tub. epididymitis (2); tub. epididy., amyloid dis. (1); tub. epididy., men. (1); tub. epididy., arterio-sclerosis (1); tub. epididy., bronchitis (1); tub. epididy., pyonephrosis (1); t. of ovaries (1); tub. tumour of ovary, operation (1); t. of ovaries, oper., intestinal paresis (2); t. of ovaries and Fallopian tubes (1); t. of Fall. tube (2); t. of Fall. tube, peritonitis (1); tub. salpingitis (2); tub. salpin., bacillus coli infection (1); tub. salpin., fæcal fistula (1); t. of appendages of womb, suppuration (1); t. of appendages of womb, oper., septic absorption, fæcal fistula (1); t. of breast (2); tub. abs. of breast (1); t. of breast, cerebral hæmorrhage (1); t. of breast, diarrhœa (1); tub. urethral fistula, incontinence, chronic inflammation of prostate (1); t. of urinary tract (2); t. of urinary tract, anæsthetic (1); genito-urinary t. (3); genito-urinary t., mania (1); genito-urinary t., pleurisy (1); genito-urinary t., septic peritonitis (1); genito-urinary t., uræmia (2); tub. mediastinitis (1); tub. mediastinitis, impaired action of heart, dropsy (1); tub. mediastinal tumour, toxæmia (1); tub. axillary and mediastinal suppuration, cerebral softening, coma (1); t. of pelvis (1); t. of pelvis, lardaceous dis. (1); t. of pelvis, men. (1); t. of pelvis, intestinal obstruction (1).

T. of cervical glands (unqualified) (35). *T. of cervical glands and the following conditions* :—Operation (2); anæsthetic (3); erysipelas, acute nephritis (1); septicæmia (1); septic absorption (1); septic intoxication (1); operation, sept., br.-pneu. (1); rickets, convulsions (1); acetoneuria (1); toxæmia (1); meningitis (3); leptomeningitis (1); men., nephritis (1); convulsions (2); conv., gastric catarrh (1); mastoiditis (1); anæsthetic, status lymphaticus (2); operation, hæmorrhage (2); laryngitis (1); bronchitis (2); br.-pneu. (1); œdema of lungs (2); cellulitis (1).

T. of axillary glands, septicæmia (1); t. of mediastinal glands (11); t. of med. glands, pressure on trachea (1); t. of med. glands, pressure on bronchus, abdominal paralysis (1); t. of med. glands, bronchitis (1); t. of med. glands, operation, pneumonia (1); t. of med. glands, œsophageal obstruction (2); t. of thoracic glands (2); t. of pelvic glands (1); t. of pelvic glands, operation (1); t. of glands (25); tub. lymphadenoma (1); t. of glands, operation, (1); t. of glands, pyæmia (1); t. of glands, sept., cellulitis (1); t. of glands, toxæmia (1); t. of glands, toxic absorption (1); t. of glands, convulsions (3); t. of glands, œdema glottidis (1); t. of glands, bronchitis (1); t. of glands, septic pneumonia (1); t. of glands, pneu., enteritis (1); t. of glands, enteritis (1);

34C. OTHER TUBERCULOSIS INCLUDED UNDER 34—continued.

t. of glands, chronic nephritis, anasarca (1); tub. abs. of neck (5); tub. abs. of neck, erysipelas (1); tub. abs. of neck, toxæmia (1); tub. abs. of neck, convulsions (1); tub. abs. of neck, br.-pneu. (1); tub. abs. of neck, rupture into pharynx, asphyxia (1); tub. abs. of neck and axilla (2); tub. abs. of axilla (1); tub. submental abs. (1); tub. abs. of face and head (1); tub. sub-clavicular abs. (1); tub. abs. in chest wall (1); tub. subphrenic abs. (2); tub. subphrenic abs., toxæmia (1); tub. abs. of back (1); tub. abs. of back, sept. (1); tub. abs. in loin, uræmia, pyelitis, calculus (1); tub. gluteal abs. (1); tub. pelvic abs. (3); tub. pelvic abs., lardaceous dis. (1); tub. pelvic abs., amyloid dis. (1); tub. abs. of perineum (1); tub. abs. of leg (1); tub. abs. of thigh (6); tub. abscess (4); tub. abs., sept. (1); tub. abs., bronchitis (1); tub. hæmorrhoids, chronic interstitial pneu., suppurative proctitis, peritonitis, pelvic cellulitis (1); tub. sinus of groin (1); tub. sinus of groin, septicæmia (1); tub. dis. of leg (3).

35. DISSEMINATED TUBERCULOSIS.

TABLE A.

		All ages.		0—		1—		2—		5—		15—		25—		45—		65—	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Disseminated or gen- eral tuberculosis.	Inst.	201	171	31	19	21	20	26	26	36	34	10	18	44	44	29	7	4	3
	Pr.	406	394	92	91	39	28	45	51	59	70	64	58	69	60	31	30	7	6
<i>Disseminated or general tuberculosis and—</i>																			
Tuberculous men- ingitis.	Inst.	25	26	1	7	4	6	9	9	9	4	1	—	1	—	—	—	—	—
	Pr.	5	7	3	1	—	2	—	—	1	2	1	—	—	2	—	—	—	—
Tuberculosis of peritoneum.	Inst.	10	2	2	—	1	—	4	1	1	—	1	—	1	1	—	—	—	—
	Pr.	10	9	1	—	1	—	2	—	3	2	—	4	1	3	2	—	—	—
Tuberculosis of spine.	Inst.	2	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	Pr.	4	6	—	—	—	—	1	1	2	1	—	—	1	2	—	2	—	—
Caries of spine ...	Inst.	1	3	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—
	Pr.	4	3	—	—	—	—	—	—	—	1	2	2	1	—	1	—	—	—
Tuberculosis of hip.	Inst.	7	2	1	—	—	—	—	—	4	2	—	—	—	—	—	—	—	—
	Pr.	5	5	—	—	—	—	—	—	2	—	2	3	1	1	—	1	—	—
Meningitis ...	Inst.	7	4	1	—	—	—	3	3	1	1	1	—	1	—	—	—	—	—
	Pr.	11	10	—	2	1	—	2	3	4	3	—	2	3	—	1	—	—	—
Convulsions ...	Inst.	1	2	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—
	Pr.	9	8	6	2	1	1	1	3	1	2	—	—	—	—	—	—	—	—
Broncho-pneu- monia.	Inst.	4	1	1	—	1	1	1	—	1	—	—	—	—	—	—	—	—	—
	Pr.	9	3	3	1	1	—	3	1	2	—	—	—	—	—	—	—	—	1
Tuberculous maras- mus.	Inst.	3	2	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pr.	3	5	2	4	1	1	—	—	—	—	—	—	—	—	—	—	—	—
*Tuberculous men- ingitis and tuber- culosis of intestine	Pr.	7	5	1	1	1	—	4	1	—	2	1	—	—	1	—	—	—	—
	Inst.	10	7	—	—	3	2	5	1	1	3	—	1	1	—	—	—	—	—
*Tuberculous men- ingitis and tuber- culosis of peri- toneum.	Pr.	14	19	2	2	4	5	2	3	6	3	—	4	—	2	—	—	—	—
	Inst.	4	5	—	—	—	—	2	2	2	1	—	1	—	1	—	—	—	—
*Tuberculous men- ingitis and tuber- culosis of spine.	Pr.	4	7	—	—	—	—	2	2	1	1	—	3	1	1	—	—	—	—
	Inst.	2	4	—	—	—	1	1	1	—	2	1	—	—	—	—	—	—	—
*Tuberculous men- ingitis and caries of spine.	Pr.	6	13	—	—	—	—	—	—	2	4	—	3	2	5	2	1	—	—
	Inst.	7	9	—	—	—	—	1	4	3	4	2	1	1	—	—	—	—	—
*Tuberculous men- ingitis and tuber- culosis of hip.	Pr.	4	4	—	—	—	—	—	1	—	1	—	1	3	1	1	—	—	—
	Inst.	3	2	—	—	—	1	1	—	—	—	2	1	—	—	—	—	—	—
*Tuberculous men- ingitis and tub. glands of neck.	Pr.	3	3	—	—	1	1	1	1	1	1	—	—	—	—	—	—	—	—
	Inst.	6	6	—	—	—	—	—	—	2	2	1	—	3	2	—	1	—	1
*Tuberculosis of spine and tuber- culosis of hip.	Pr.	2	2	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
	Inst.	2	3	—	—	—	—	—	—	—	—	—	1	1	1	—	1	1	—
*Tuberculosis of kidney and tuber- culosis of bladder.	Pr.	13	5	—	—	—	—	—	1	—	—	4	1	6	3	3	—	—	—

* Deaths from tuberculosis of two or more organs (lungs excepted) are classified to No. 35 (see Manual of causes of deaths, p. 8).

LIST SUPPLEMENTARY TO TABLE A.

(See note, page 577.)

*Disseminated or general t. (returned as such) and the following conditions:—*Anæsthetic (1). 10. Influenza, br.-pneu. (1). 20. Septicæmia (1); sept., tub. dis. of sacro-iliac joint, peritonitis, abdominal abscess (1); sept., necrosis of jaw (1). 30. Tub. meningitis, tub. spine (1); tub. men., tub. osteomyelitis (1); tub. men., convulsions (1); tub. cerebro-spinal meningitis (6); t. of brain, cerebral hæmorrhage (1). 31. Tabes mesenterica (3); t. of intestine (9); t. of intestine and stomach (1); t. of peritoneum, septic peritonitis (1); miliary t. of peritoneum, abdominal oper. for ascites (1); t. of mesentery (3); abdominal t. (6). 32. Tub. spinal curvature (1); t. of spine and hip (1); t. of spine

35. DISSEMINATED TUBERCULOSIS—*continued.*

and ribs (1); Pott's disease (2); tub. lumbar abs., oper. (1); caries of spine, paraplegia (2); caries of spine, dropsy (1); sacro-iliac dis. (1); multiple abs. of spine (1). 33. T. of elbow (3); t. of elbow, accelerated by fall (1); t. of wrist (1); t. of synovial membrane of wrist, amputation (1); t. of hip, oper. (2); t. of hip, meningitis (1); t. of hip, pulm. œdema (1); t. of knee (4); t. of knee, meningitis (1); t. of knee, multiple abscesses (1); t. of knee, ankle, and testicle (1); t. of ankle (2); tub. arthritis (5); tub. arthritis, valvular dis. (1); tub. abscesses in several joints (1); t. of joints and bones (1). 34. Lupus (1); tub. mastoid dis. (1); tub. otitis media (1); t. of sternum (1); t. of femur (1); t. of tibia (1); t. of fibula (1); tub. osteitis, meningitis, convulsions (1); t. of kidney (8); t. of kidney, oper. (1); t. of kidneys and bladder (1); t. of kidneys, bladder, and ureters (1); t. of bladder (2); t. of testicle (6); t. of testicle, oper., anæsthetic (1); t. of cervical glands (2); t. of cervical glands and axilla (1); t. of cervical glands and mediastinum (1); t. of mediastinal glands (2); tub. adenitis (7); t. of groin (1); t., abs. of the neck (1). 36. Rickets (1); spin. curv., pneu. (1). 47. Acute rheumatism (1). 50. Diabetes (1). 52. Addison's dis. (2). 53. Hodgkin's dis. (1). 54. Anæmia, br.-pneu. (1). 55. Amyloid dis. (3); amyl. dis., congestion of lungs (1); suppuration, waxy dis. (1); toxæmia (2). 56. Alcoholism (1). 60. Cerebral abscess, mastoid dis. (1). 61. Meningitis, convulsions (1); men., peritonitis (1); men., coma (4); cerebral meningeal symptoms (1). 63. Anterior poliomyelitis (2). 64. Cerebral hæmorrhage (2); cereb. hæm., idiocy (1). 66. Paraplegia (1); paralysis (1). 67. General paralysis of insane (3). 68. Melancholia (1); mania (2); dementia (6). 69. Epilepsy (4); epileptic insanity (1). 70. Epileptiform fits (1). 74. Idiocy (1); imbecility (3); intellectual defect without epilepsy (1); cretinism (1); organic brain dis. (1). 77. Pericarditis (1). 78. Endocarditis (1). 79. Mitral dis. (2); fatty heart, abscess in pelvis, operation (1); fibroid heart, gangrene of lung (1); cardiovascular degeneration (1); brown atrophy of heart, waxy degeneration of kidneys (1); cardiac dropsy (1). 82. Embolism (1). 84. Glandular enlargement (2). 86. Adenoids (1). 88. Myxœdema (1). 90. Bronchitis (2). 91. Broncho-pneumonia, empyema (1). 92. Lobar pneumonia (1); double basal pneu. (1); pneumonia (7). 93. Empyema (1). 94. Pulmonary œdema (2); congestion of lungs, peritonitis (1). 99. Ulcerated mouth (1). 101. Dysphagia (1). 103. Gastritis (2); gastric catarrh (1). 104. Diarrhœa (7); gastro-intestinal catarrh (1); mucous colitis (1); ulcerative enteritis (1); intestinal ulceration (2). 110. Ischio-rectal abscess (1); amyloid dis. of bowels (1). 113. Cirrhosis of liver (1); amyloid disease of liver, &c. (1). 115. Jaundice (1). 117. Peritonitis (4). 119. Acute nephritis (1); nephritis, anasarca (1). 120. Lardaceous dis. of kidney (1); amyloid kidney, dropsy (1); nephritis (1); nephritis, uræmia (1). 122. Pyelonephritis (1). 126. Prostatic disease (1). 134. Pregnancy (1). 136. Childbirth (2). 144. Multiple abscesses (2). 145. Bedsores (2). 173. Accel. by injury in pit (2). 186. Exhaustion due to exposure (1). 187. Dropsy (1); anasarca (2). 189. Teething (2); coma (1).

General t. of glandular organs, tub. tabes mesenterica (1). Chronic miliary t. (over 6 mos.) (5); chronic mil. t., tub. meningitis (1); chronic mil. t., meningitis, convulsions (1). Tub. marasmus, tub. meningitis (1); tub. marasmus, men. (1); tub. marasmus, diarrhœa (1). Congenital t., abscesses (1); multiple tub. abscesses (1).

Tuberculosis of two or more organs (see note to Table A).

Tub. meningitis and the following conditions.—Tabes mesenterica (9); t. of intestines, perforation of ulcer (1); t. of rectum (1); tub. appendicitis, operation (1); t. of mesenteric glands (2); t. of mesenteric glands, appendicitis (1); t. of mesenteric glands, t. of peritoneum (1); t. of abdominal glands (1); t. of abdominal and mediastinal glands (1); mesenteric t., accel. by concussion from fall (1); t. of peritoneum, rickets (1); t. of perit., chorea (1); t. of perit., br.-pneu. (1); t. of perit., ovarian cystoma, operation (1); t. of perit., premature labour (1); t. of perit., coma (1); t. of perit. and pericardium (1); abdominal t. (6); psoas abscess (1); Pott's dis. (1); caries of spine, psoas abscess (2); old case of spinal curvature (1); t. of spine, tub. morbus coxæ (1); t. of spine, t. of right arm (1); t. of spine, pelvic and thigh bones (1); t. of spine and foot, general amyloid dis. (1); t. of spine, paraplegia (1); lateral curvature of spine, paralysis (1); t. of shoulder (1); t. of elbow (1); hip dis. (5); morbus coxæ (3); t. of hip and knee (1); t. of hip and ankle (1); t. of knee (9); t. of knee, tub. abscess (operation) t. of left eye (1); t. of ankle (5); tub. arthritis (4); lupus (1); lupus vulgaris of face (1); t. of skin and jaw (1); tub. otitis media (2); tub. mastoiditis (4); tub. mastoiditis and dactylitis (1); tub. caries of ribs and sinus (1); t. of sacrum (1); t. of tibia (1); tub. dactylitis (1); t. of bones (2); t. of toe (1); t. of pericardium (1); t. of stomach (2); t. of kidney (1); t. of bladder (2); t. of testicle (1); tub. epididymitis (2); tub. glands of neck, convulsions (1); tub. glands of mediastinum (1); tub. adenitis (7); tub. abscesses (1); tub. polyserositis (1); Addison's dis. of suprarenal glands (1).

Tub. cerebro-spinal meningitis, t. of spine (1); tub. cerebro-spinal meningitis, spinal caries (1); tub. cerebro-spinal men., psoas abscess (1); tub. spinal men., t. of abdominal glands, convulsions (1); t. of brain, spin. caries (1); t. of brain and hip (1); t. of brain and foot, coma (1); t. of brain, t. of pharynx (1); tabes mesenterica, spinal caries, (1); tabes mesenterica, t. of cervical glands (1); tabes mesenterica, tub. lymphadenitis (1).

T. of intestine and the following conditions:—T. of spine (1); t. of spine and hip (1); t. of hip (2); t. of hip and knee (1); t. of hip and pelvis (1); t. of knee (1); tub. lupus (1); tub. mastoiditis (1); t. of sternum and ribs (1); t. of pelvic bones (1); tub. dactylitis (1); t. of bones (1); t. of pharynx (1); t. of pharynx, tub. abscesses, albuminuria (1); tub. mediastino-pericarditis (1); t. of liver (1); t. of kidneys (1); t. of kidneys, vomiting and diarrhœa (1); t. of kidneys and bladder (1); t. of kidneys and bladder, uræmia (1); t. of bladder, operation (1); t. of bladder and testis (1); tub. epididymitis (1); t. of urinary tract, perineal prostatectomy (1); t. of genito-urinary organs (1); t. of glands of neck (3); t. of glands (1); t. of thigh (1).

Tub. fistula in ano, tub. glands, broncho-pneumonia (1); t. of mesenteric glands, knee, and axillary glands (1); t. of mesenteric, cervical, and mediastinal glands (1); t. of abdominal glands, t. of ankle (1).

T. of peritoneum and the following conditions:—T. of omentum, liver, &c. (1); t. of spine (1); spinal caries, psoas abs., hip dis., ascites (1); t. of hip (6); t. of sacrum (1); t. of bone of foot (1); t. of foot (1); tub. ulcers of skin, ascites (1); t. of kidney (4); t. of kidney, operation (2); t. of kidney, melancholia (1); t. of bladder (2); tub. ovarian tumour (1); t. of ovaries and uterus (1); tub. salpingitis (1); t. of neck glands (1); multiple tub. abscesses, convulsions (1); t. of suprarenal capsules (1).

35. DISSEMINATED TUBERCULOSIS—continued.

Tuberculosis of two or more organs—continued.

T. of abdomen and the following conditions :—*T. of spine* (1) ; *t. of hip* (2) ; *t. of foot and bladder* (1) ; *t. of bladder* (1) ; *t. of neck glands* (1).

T. of spine and hip, septic poisoning (1) ; *t. of spine, t. of hip*, amyloid disease (1) ; *t. of spine*, psoas abs., *t. of hip*, lardaceous dis. (1) ; *tub. kyphosis*, lumbar abscess, *t. of hip* (1) ; *t. of spine, t. of knee* (3) ; *t. of spine, t. of knee*, amyloid dis. (1) ; *t. of spine, t. of ribs* (1) ; *caries of spine and pelvis*, psoas abs. (1) ; *spinal caries*, *tub. abscesses of bones of right forearm* (1) ; *psoas abs., tub. osteitis* (1) ; *t. of spine and œsophagus* (1) ; *t. of spine, tub. erosion of stomach*, paraplegia (1) ; *t. of spine, t. of liver* (1) ; *t. of spine and kidneys* (2) ; *spinal caries, tub. kidney disease* (1) ; *psoas and lumbar abscesses, tub. nephritis* (1) ; *tub. spondylitis, tub. orchitis* (1) ; *t. of spine, tub. adenitis* (1) ; *t. of spine, Addison's disease* (2) ; *t. of elbow, t. of knee* (2) ; *t. of elbow, t. of kidney* (1) ; *t. of wrists, knees, and ankles* (1) ; *t. of hip and knee* (2) ; *t. of hip and pelvis* (2) ; *t. of hip and pelvis, operation* (2) ; *t. of hip and pelvis, pericarditis* (1) ; *strumous ulceration of hips, legs, thighs, and arms* (1) ; *t. of hip, t. of kidney* (3) ; *morbus coxæ, t. of kidney* (1) ; *t. of hip, t. of bladder* (1) ; *t. of knee, lupus* (1) ; *t. of knee, t. of arm* (1) ; *t. of knee, t. of kidney* (1) ; *t. of knee, t. of bladder* (1) ; *t. of knee, secondary tub. deposits* (1) ; *t. of joints, lupus* (1) ; *t. of inferior maxilla, tongue, and floor of mouth* (1) ; *t. of ribs and humerus, lardaceous disease* (1) ; *t. of ribs, foot, &c.* (1) ; *t. of iliac bones and perineum* (1) ; *t. of haunch bone, t. of hand and foot* (1) ; *t. of femur and kidney* (1) ; *t. of femur, tub. cystitis* (1) ; *t. of tibia, groin, and neck* (1) ; *t. of tarsus and lymphatic glands* (1) ; *t. of foot and perineum, anæmia* (1) ; *t. of stomach and liver* (1) ; *tub. obstruction of pylorus, general glandular t., convulsions* (1) ; *t. of stomach, tub. abscesses* (1) ; *t. of liver, spleen, glands of neck, atheroma of aorta* (1) ; *t. of liver, &c.* (1) ; *t. of kidney and bladder, diarrhœa* (1) ; *t. of kidney and bladder, peritonitis* (1) ; *t. of kidney and bladder, uræmia* (3) ; *t. of kidney and bladder, pyelonephritis* (1) ; *t. of kidney, bladder and testicles* (1) ; *t. of kidney, bladder and testicles, uræmia, coma* (1) ; *t. of kidney and testis* (1) ; *t. of prostate and bladder* (1) ; *t. of bladder and testis* (2) ; *t. of bladder and testis, cysts, pyelitis* (1) ; *tub. adenitis of neck and mediastinal glands* (1) ; *tub. glands of neck and chest* (1) ; *tub. glands of neck, secondary deposits in legs* (1) ; *t. of neck and chest* (1) ; *tub. sinuses in back and groin, amyloid dis., diarrhœa* (1).

TABLE B.

	All ages.		0—		1—		2—		5—		15—		25—		45—		65—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Tuberculous meningitis (30)	37	38	4	10	6	9	11	10	10	6	4	—	2	3	—	—	—	—
Tuberculosis of peritoneum and intestines (31).	29	26	5	—	5	2	6	5	5	5	2	6	2	7	4	1	—	—
Tuberculosis of spinal column (32).	21	15	—	—	—	—	3	3	6	3	8	2	3	4	1	3	—	—
Tuberculosis of joints (33)	24	23	1	—	—	1	—	—	8	4	6	9	6	5	3	4	—	—
Tuberculosis, all forms (30–34).	139	115	13	10	15	14	21	20	31	19	19	17	27	24	11	8	2	3
Meningitis (61 C.) ...	27	17	3	3	2	—	6	8	7	2	1	4	7	—	1	—	—	—
Other forms of mental alienation (68).	4	6	—	—	—	—	—	—	—	—	1	1	1	4	1	1	1	—
Convulsions (70, 71) ...	14	13	6	3	2	1	2	5	2	2	1	2	1	—	—	—	—	—
Total nervous diseases (60–74).	55	53	9	5	4	3	8	14	11	10	4	11	13	6	5	4	1	—
Heart disease, all forms (77–80, 85 A.).	4	8	—	—	—	—	—	—	2	1	—	1	1	4	—	2	1	—
Broncho-pneumonia (91) ...	15	6	5	3	2	1	5	1	3	—	—	—	—	—	—	—	—	1
Pneumonia (92) ...	3	7	—	2	1	—	—	1	2	1	—	2	—	—	—	—	—	1
Total respiratory diseases (86–98).	23	19	6	6	4	1	6	3	6	2	—	3	1	1	—	1	—	2
Diarrhœa and enteritis (104, 105).	6	7	1	—	1	—	—	1	—	—	—	3	3	2	1	1	—	—
Peritonitis (117) ...	2	7	—	1	1	—	—	—	1	1	—	3	—	1	—	1	—	—
Nephritis (119, 120) ...	6	7	1	—	—	—	—	—	2	—	1	—	1	3	1	3	—	1
Total urinary diseases (119–126).	9	8	1	—	—	—	—	—	2	—	1	—	3	4	2	3	—	1
Dropsy ...	5	6	1	—	—	1	—	—	3	1	—	—	1	2	—	2	—	—
Tub. marasmus ...	8	8	7	7	1	1	—	—	—	—	—	—	—	—	—	—	—	—
*Tub. men. and t. of intestines.	9	5	1	1	2	—	4	1	—	2	1	—	1	1	—	—	—	—
*Tub. men. and t. of peritoneum.	26	32	2	3	8	7	8	4	7	8	—	7	1	3	—	—	—	—
*Tub. men. and t. of spine	11	13	—	—	—	—	4	4	5	2	—	4	2	3	—	—	—	—
*Tub. men. and caries of spine.	9	19	—	—	—	1	1	1	3	7	1	4	2	5	2	1	—	—
*Tub. men. and t. of hip ...	13	13	—	—	—	—	1	5	4	5	3	2	4	1	1	—	—	—
*Tub. men. and t. of knee	7	3	—	—	—	—	1	1	4	2	—	—	—	—	—	—	—	—
*Tub. men. and tub. glands of neck.	7	5	1	—	1	2	2	1	1	1	2	1	—	—	—	—	—	—
*T. of spine and hip ...	8	11	—	—	—	—	—	—	4	4	1	2	3	2	—	2	—	1
*T. of kidney and bladder...	16	13	—	—	—	—	—	1	—	—	4	3	8	5	3	3	1	1

* See note to Table A

28-35. TUBERCULOSIS, ALL FORMS.

(corresponding to Table B. of individual headings.)

[illegible]

28-35. TUBERCULOSIS, ALL FORMS—continued.

	All Ages.		0—		1—		5—		15—		25—		35—		45—		65—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Tabes mesenterica ...	259	239	123	100	94	92	35	34	2	2	2	5	—	2	3	2	—	2
Mesenteric disease ...	—	3	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Consumption of bowels ...	5	2	3	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—
Enlarged mesenteric glands	2	2	1	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—
T. of intestine, tub. enteritis	497	496	92	83	91	96	32	48	71	71	86	73	59	57	54	52	12	16
Tub. gastro-enteritis ...	3	3	1	1	2	1	—	1	—	—	—	—	—	—	—	—	—	—
T. of appendix ...	7	4	—	—	1	—	2	—	2	2	1	1	—	1	1	—	—	—
T. of small intestine ...	2	2	—	—	—	—	—	—	1	1	—	—	1	1	—	—	—	—
T. of large intestine ...	20	11	—	1	—	1	3	—	5	2	2	2	5	4	4	1	1	—
T. of rectum ...	8	1	—	—	—	—	—	—	—	—	2	1	2	1	4	—	—	—
Tub. diarrhoea ...	9	9	—	2	4	3	—	—	1	—	1	2	2	1	1	1	—	—
Tub. fistula in ano...	5	—	—	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—
T. of mesentery, mesenteric glands.	68	62	24	21	31	19	5	10	—	2	2	4	4	2	—	3	2	1
T. of abdominal glands ...	6	6	—	2	1	1	4	—	—	—	—	3	1	—	—	—	—	—
T. of omentum ...	5	—	—	—	—	—	1	—	2	—	—	—	1	—	1	—	—	—
T. of peritoneum, tub. peritonitis.	1114	1121	227	151	365	288	213	226	109	165	70	116	52	82	69	72	9	21
T. of abdomen ...	64	47	26	10	18	20	12	2	1	5	—	2	5	3	2	4	—	1
T. of spine ...	189	156	—	2	18	14	48	26	34	29	32	29	21	22	30	26	6	8
Pott's disease ...	15	16	—	—	3	2	3	4	4	2	2	4	1	1	2	2	—	1
Sacro-iliac disease ...	16	11	—	—	—	—	3	1	6	2	1	2	2	2	4	4	—	—
Spinal abscess ...	12	8	—	—	1	1	1	—	3	1	3	2	2	2	2	1	—	1
Psoas abscess ...	50	25	—	2	2	1	5	1	8	2	13	1	9	6	13	6	—	6
Lumbar abscess ...	21	11	1	—	2	1	2	1	5	2	4	1	3	—	2	5	2	1
Dorsal abscess ...	2	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
Iliac abscess ...	1	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Spinal caries ...	140	73	—	1	7	9	29	15	27	13	23	7	21	9	28	15	5	4
Spinal disease ...	3	4	—	—	—	—	1	—	1	2	—	—	—	—	1	—	—	2
Tub. retro-pharyngeal abscess	1	2	—	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—
T. of sacrum ...	3	5	—	—	—	—	—	—	—	—	2	1	1	1	—	3	—	—
Tub. curvature of spine ...	6	9	—	—	—	—	2	1	—	2	1	2	2	2	1	1	—	1
T. of joints, tub. arthritis...	21	22	—	—	—	—	3	1	6	8	5	3	2	—	4	4	1	6
T. of shoulder ...	6	6	1	—	1	—	—	1	—	—	1	—	1	2	2	1	—	2
T. of elbow ...	11	9	1	—	—	1	—	1	1	2	—	—	1	—	5	2	1	4
T. of wrist ...	5	4	—	—	—	—	—	—	2	—	—	—	1	1	2	1	—	2
T. of hip ...	206	139	5	—	7	10	54	38	54	38	42	15	20	11	17	22	7	5
Morbus coxae ...	18	10	—	—	1	—	8	5	6	3	1	1	—	—	2	1	—	—
Hip disease ...	17	15	—	—	1	—	6	3	5	3	2	1	1	1	2	5	—	2
T. of knee ...	65	35	—	1	1	3	10	4	10	9	13	2	7	4	18	7	6	5
T. of ankle ...	20	10	—	—	2	1	1	—	5	2	2	1	2	1	5	2	3	3
Lupus ...	23	56	—	—	1	—	2	1	1	8	5	5	5	5	4	18	5	19
Scrofula ...	1	2	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1
Struma ...	2	9	1	3	1	1	—	1	—	—	—	—	—	4	—	—	—	—
T. of skin ...	3	4	1	—	1	—	—	—	—	1	1	—	—	1	—	2	—	—
Tub. ulceration ...	1	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
T. of skull ...	2	1	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
T. of jaw ...	2	4	—	—	1	2	1	1	—	—	—	—	—	—	—	1	—	—
T. of palate...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
T. of middle ear ...	4	4	2	3	1	1	1	—	—	—	—	—	—	—	—	—	—	—
Tub. mastoid disease ...	10	7	6	4	2	3	1	—	—	—	—	—	1	—	—	—	—	—
T. of nasal bones ...	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
T. of rib ...	10	7	—	—	—	1	—	—	1	3	2	—	1	2	3	1	3	—
T. of sternum ...	2	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
T. of ilium ...	4	2	—	—	—	—	—	—	—	—	1	1	1	—	1	1	1	—
T. of pelvic bones ...	4	6	—	—	—	—	—	—	—	—	2	—	—	2	2	3	—	1
T. of scapula ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
T. of clavicle ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
T. of humerus ...	2	2	—	—	1	—	—	—	—	1	—	—	—	1	1	—	—	—
T. of radius...	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
T. of ulna ...	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
T. of carpus ...	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—
T. of femur...	14	5	—	—	—	—	—	—	—	—	5	—	1	2	6	2	2	1
T. of tibia ...	5	5	—	—	1	—	2	1	1	—	1	—	—	2	—	1	—	1
T. of fibula ...	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
T. of leg (bone) ...	2	1	—	—	—	—	1	—	—	—	—	—	—	1	1	—	—	—
T. of foot ...	11	11	1	—	2	1	2	—	2	2	1	—	—	1	1	4	2	3
T. of tarsus...	—	4	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	1
Tub. dactylitis ...	5	4	—	—	3	2	—	—	—	—	—	—	1	1	—	1	1	—
Tub. osteitis ...	4	3	—	—	1	—	1	—	—	2	1	—	1	—	—	—	—	1
T. of bone (undefined)	14	2	—	—	2	1	2	—	3	—	1	1	—	—	4	—	1	—
Tub. osteo-myelitis ...	1	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
T. of tongue ...	6	—	—	—	1	—	—	—	—	—	1	—	—	—	3	—	1	—

28-35. TUBERCULOSIS, ALL FORMS—*continued*.

	All Ages.		0—		1—		5—		15—		25—		35—		45—		65—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
T. of tonsil ...	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
T. of mouth ...	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
T. of thyroid ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
T. of pharynx ...	7	4	—	—	—	—	1	—	1	1	3	1	—	1	2	1	—	—
T. of parotid ...	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
T. of nose ...	1	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
T. of eye ...	2	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
T. of spinal cord ...	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
T. of pericardium ...	6	5	—	—	—	—	2	3	—	—	—	1	2	—	2	1	—	—
T. of pancreas ...	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
T. of spleen... ..	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
T. of œsophagus ...	3	2	—	—	—	—	—	—	—	—	1	—	—	1	2	1	—	—
T. of stomach ...	7	9	—	1	1	—	1	2	—	3	2	2	2	—	1	1	—	—
T. of liver ...	11	7	—	—	—	2	—	2	—	—	—	—	—	—	7	3	1	—
T. of kidney ...	188	102	—	3	8	5	11	10	36	25	38	18	45	15	47	23	3	3
Tub. pyelitis ...	4	—	—	—	—	—	1	—	—	—	—	—	1	—	2	—	—	—
Tub. pyelonephritis, pyonephrosis	5	4	—	—	—	—	—	1	—	—	2	2	2	—	1	1	—	—
T. of bladder ...	90	37	1	—	—	1	4	2	12	5	20	9	24	6	26	11	3	3
T. of prostate ...	10	—	—	—	—	—	—	—	1	—	2	—	—	—	5	—	2	—
T. of testicle, tub. orchitis	32	—	—	—	—	—	—	—	1	—	3	—	15	—	12	—	1	—
Tub. epididymitis ...	11	—	—	—	—	—	—	—	—	—	1	—	1	—	6	—	3	—
T. of ovary ...	—	6	—	—	—	—	—	—	—	1	—	1	—	—	—	3	—	1
T. of Fallopian tube, tub. salpingitis.	—	12	—	—	—	—	—	—	—	4	—	3	—	5	—	—	—	—
T. of uterus and appendages	—	2	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
T. of breast... ..	—	5	—	—	—	—	—	—	—	1	—	—	—	3	—	1	—	—
T. of urinary tract...	4	1	—	—	—	—	—	1	1	—	1	—	2	—	—	—	—	—
Genito-urinary tuberculosis	8	2	—	—	—	—	—	1	1	—	4	—	1	—	2	—	—	1
Tub. mediastinitis ...	3	4	1	—	2	1	—	1	—	—	—	—	—	1	—	—	—	1
T. of pelvis ...	8	4	—	—	—	—	1	1	2	1	3	1	—	—	1	1	1	—
T. of cervical glands ...	61	57	13	6	15	21	8	10	8	5	7	3	4	1	5	6	1	5
T. of axillary glands ...	2	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—
T. of mediastinal glands ...	23	8	2	3	7	2	2	1	1	—	3	2	2	—	5	—	1	—
T. of glands (undefined) ...	49	42	8	2	11	11	7	7	4	10	4	3	5	4	8	1	2	4
Tub. cervical abscess ...	7	7	1	2	4	2	1	—	—	—	—	—	—	1	—	1	1	1
Tub. axillary abscess ...	1	4	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	3
Tub. abscess of face ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Tub. sub-mental abscess ...	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tub. sub-clavicular abscess	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Tub. abscess in chest wall...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Tub. sub-phrenic abscess ...	1	2	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
Tub. pelvic abscess...	3	2	—	—	—	—	1	—	—	1	—	—	—	1	2	—	—	—
Tub. abscess in loin ...	2	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
Tub. gluteal abscess ...	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Tub. abscess of back ...	2	2	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—
Tub. abscess of thigh ...	3	5	—	1	—	1	—	1	—	1	—	1	—	—	2	—	1	—
Tub. abscess of leg... ..	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Tub. abscess (part not stated)	8	7	1	—	2	2	1	4	1	—	—	—	—	—	2	1	1	—
Various localities, organ not stated.	10	12	1	—	—	—	1	—	1	2	1	—	1	4	4	4	1	2
Tub. polyorrhomenitis, tub. polyserositis.	1	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
General tuberculosis ...	936	844	152	136	198	188	162	145	126	122	102	97	86	79	95	62	15	15
Tub. marasmus ...	8	8	7	7	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Chronic miliary tuberculosis	2	5	1	1	—	1	—	—	1	3	—	—	—	—	—	—	—	—
Congenital tuberculosis ...	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Principal complications.</i>																		
Pulmonary hæmorrhage, hæmoptysis.	935	433	—	3	6	1	9	26	136	92	236	103	245	83	264	98	39	27
Influenza (10) ...	18	9	—	—	—	—	1	—	—	1	2	3	5	2	8	3	2	—
Septicæmia (20 B.) ...	30	22	1	1	—	1	4	1	5	3	6	5	6	5	8	4	—	2
Rickets (36 A.) ...	14	6	2	1	10	3	1	1	—	—	—	1	—	—	—	—	—	—
Diabetes (50) ...	123	75	—	—	—	—	1	2	7	4	17	9	26	10	57	41	15	9
Anæmia, chlorosis (54) ...	10	22	1	1	1	1	—	2	1	7	—	1	3	4	4	6	—	—
Alcoholism (56) ...	18	10	—	—	—	—	—	—	—	—	3	4	3	2	12	3	—	1
Encephalitis (60) ...	9	4	—	—	1	1	—	—	3	—	1	2	1	1	3	—	—	—
Meningitis (61 C.) ...	140	91	10	12	26	18	19	21	23	17	36	10	14	8	10	5	2	—
Locomotor ataxy (62) ...	14	3	—	—	—	—	—	—	—	—	1	1	4	1	9	1	—	—
Other diseases of the spinal cord (63).	30	14	—	—	—	3	3	5	6	2	4	—	4	1	9	3	4	—
Cerebral hæmorrhage, apoplexy (64).	39	22	—	—	—	—	1	2	2	1	5	1	7	4	17	9	7	5
Paralysis (66) ...	30	34	—	—	1	3	3	5	—	8	5	3	10	7	10	6	1	2
General paralysis of the insane (67).	47	18	—	—	—	—	1	—	1	2	7	2	23	10	15	3	—	1

28-35. TUBERCULOSIS, ALL FORMS—*continued*.

	All Ages.		0—		1—		5—		15—		25—		35—		45—		65—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Other forms of mental alienation (68).	84	115	—	—	—	—	—	—	7	10	19	35	23	32	27	32	8	6
Epilepsy (69) ...	49	46	—	—	2	1	4	6	11	11	10	12	8	8	11	8	3	—
Convulsions (70-71) ...	137	90	69	38	50	33	13	9	1	6	1	1	3	1	—	2	—	—
Neuritis (73 B.) ...	2	11	—	—	—	—	—	—	1	—	—	3	—	2	1	5	—	1
Idiocy, imbecility, cretinism (74 A. and B.).	33	35	—	—	2	1	6	7	9	19	10	2	2	6	4	—	—	—
Total nervous diseases (60-74).	616	494	80	49	83	60	49	55	63	75	99	73	101	84	116	81	25	17
Diseases of the ears (76) ...	14	9	7	3	4	5	1	1	1	—	1	—	—	—	—	—	—	—
Pericarditis (77) ...	25	11	2	—	1	1	6	2	1	1	5	—	6	4	4	3	—	—
Acute endocarditis (78) ...	22	21	—	—	—	—	3	2	4	7	3	9	6	2	6	—	—	1
Valvular disease (79 A.) ...	100	96	—	—	—	—	4	5	5	20	12	17	21	24	48	20	10	10
Fatty degeneration of the heart (79 B.).	11	18	—	—	—	—	—	—	1	—	4	3	2	2	4	8	—	5
Other organic disease of the heart (79 C.).	148	152	—	1	1	1	6	7	19	21	17	32	29	18	57	44	19	28
Heart disease, all forms (77-80 and 85 A.).	304	298	2	1	2	2	19	16	29	48	40	61	64	51	119	75	29	44
Embolism and thrombosis (82).	26	23	—	—	—	—	1	2	2	5	7	4	6	5	10	5	—	2
Laryngitis (87 B.) ...	30	11	—	1	—	1	2	—	5	—	4	6	6	2	13	1	—	—
Bronchitis (89, 90) ...	226	142	18	12	25	21	8	13	12	10	28	17	35	11	66	35	34	23
Broncho-pneumonia (91) ...	147	84	21	12	43	36	16	9	12	5	14	3	13	8	25	9	3	2
Lobar pneumonia (92 A.) ...	41	27	2	1	4	3	4	4	—	4	4	4	9	4	17	6	1	1
Pneumonia (92 B.) ...	200	131	6	8	25	23	12	10	27	27	35	17	38	18	46	21	11	7
Empyema (93 A.) ...	44	21	1	1	5	2	4	3	8	2	12	8	9	2	5	3	—	—
Other pleurisy (93 B.) ...	219	131	—	—	5	1	2	5	42	40	58	41	49	19	55	23	8	2
Pulmonary oedema and congestion (94 B.).	38	39	1	2	4	7	1	6	6	3	9	4	4	6	10	10	3	1
Gangrene of lung (95) ...	23	11	—	—	—	—	1	—	3	2	7	2	4	4	7	3	1	—
Asthma (96) ...	21	16	—	—	—	—	2	—	7	1	9	5	2	5	—	5	1	—
Total respiratory diseases (86-98).	1027	613	50	37	111	93	49	51	114	96	181	106	189	75	263	119	70	36
Gastritis (103 A.) ...	14	11	1	3	1	1	—	1	3	—	2	2	1	1	5	3	1	—
Diarrhoea and enteritis (104, 105).	149	125	18	11	15	20	11	5	26	19	27	24	22	17	27	24	3	5
Appendicitis (108) ...	7	10	—	—	1	—	3	5	1	3	2	—	—	2	—	—	—	—
Intestinal obstruction (109 B.).	22	27	—	—	2	4	1	7	4	3	4	3	6	5	4	4	1	1
Cirrhosis of liver (113 A.)	33	19	—	—	—	—	1	—	—	—	2	—	7	2	21	17	2	—
Peritonitis (117) ...	32	32	2	1	4	2	6	5	6	9	6	4	4	4	4	7	—	—
Nephritis (119, 120) ...	179	125	2	—	1	—	10	12	30	23	37	26	38	24	54	30	7	10
Other diseases of the kidney and annexa (122) ...	20	11	—	—	—	—	2	2	3	1	3	2	7	—	4	5	1	1
Diseases of the bladder (124)	21	5	—	—	—	—	1	—	—	—	3	—	2	—	12	4	3	1
Total urinary diseases (119-126).	226	142	2	—	1	—	13	14	31	24	42	27	50	24	75	41	12	12
Puerperal conditions (134-141).	—	66	—	—	—	—	—	—	—	11	—	33	—	22	—	—	—	—
Dropsy (187) ...	64	84	1	2	1	5	7	6	9	13	9	14	16	18	19	21	2	5
Dentition (189 C.) ...	9	4	5	—	4	4	—	—	—	—	—	—	—	—	—	—	—	—

36. RICKETS, SOFTENING OF BONES.

36A. RICKETS.

TABLE A.

[illegible]

36A. RICKETS—*continued.*

TABLE A—continued.

[illegible]

LIST SUPPLEMENTARY TO TABLE A.

Rachitis, curvature (1); rachitis, deformity of chest (1); rachitic marasmus (1); pyrexia (1). *Complications*.—9. Croup (1). 54. Anæmia (6); anæmia, purpura, bronchitis (1); pernicious anæmia, dentition (1). 55. Toxæmia, pneumonia (1); tox., periostitis of femur (1). 60. Cerebral abscess otitis media (1). 61. Basic meningitis (1); meningitis (9); men., convulsions (1); men., mastoid abscess (1); men., bronchitis (1). 64. Cerebral congestion (1). 69. Epilepsy (2); epileptic convulsions (1). 70. Epileptiform convulsions (1). 71. Pre-natal rickets, convulsions (1); conv., tetany (1); conv., laryngismus stridulus (3); conv., br.-pneu. (3); conv., pneu. (2); conv., pulm. congestion (1); conv., gastritis (1); conv., gastric catarrh (1); conv., dyspepsia (1); conv., diarrhœa (2); conv., enteritis (1); conv., gastro-enteritis (1); conv., indigestion (1); conv., eczema (1); conv., hydrocephalus (3); conv., congenital hydrocephalus (1); conv., improper diet (1); conv., asphyxia (1); conv., coma (1). 74. Hydrocephalic idiot (1); cerebral conv. (1); tetany (6); tetany, laryngismus stridulus (1); tetany, bronchitis (2); tetany, br.-pneu. (1); cerebral irritation, dentition (1). 76. Otitis media (1). 79. Morbus cordis (1). 84. Lymphatism (1); status lymphaticus, chloroform (1); hypertrophy of thymus, acute catarrhal laryngitis (1); adenitis (1); glandular abs. in groin (1). 87. Laryngismus stridulus, bronchitis (3); œdema of glottis (1); nervous croup (1); spasmodic croup, br.-pneu. (1). 90. Bronchial catarrh (2); curvature of spine, bronchitis (1); bronch., br.-pneu. (3); bronch., pneumonia, pleurisy (1); bronch., asthma (1); bronch., gastric catarrh (1); bronch., diarrhœa (1); bronch., gastro-enteritis (1); bronch., nephritis (1); bronch., epiphysitis (1); bronch., hydrocephalus (1); bronch., improper feeding (1); bronch., dentition (3); capillary bronch. (3). 91. Septic br.-pneu., vomiting, diarrhœa (1); br.-pneu., congenital hydrocephalus (1). 92. Lobar (or pleuro-) pneumonia (3). 94. Pulmonary œdema (2); congestion of lungs (3). 98. Apneumosis (1); chronic pneumonia (1). 103. Gastritis (7); gastric catarrh (3); vomiting, diarrhœa (1). 104. Infective enteritis (2); diarrhœa (6); diarrhœa, excessive hæmorrhage from cord at birth (1); gastro-intestinal catarrh (1); spinal rickets, gastro-intestinal catarrh (1); gastro-intestinal catarrh, premature birth (1); enteritis (7); intestinal disturbance, congenital defects, enlarged head (1). 109. Obstruction, starvation (1). 113. Cirrhosis of liver (1). 116. Enlargement of spleen (1). 117. Suppurative peritonitis (1). 119. Acute nephritis (1). 120. Uræmia (1). 136. Rachitic pelvis, delivery by version (1). 142. Cancrum oris (2); gangrene of palate and cheek with necrosis of bone (1). 150. Congenital hydrocephalus (1); congenital fœtal rickets, defective development of skull bones, compression of brain (1). 151. Improper feeding (2). 187. Œdema (1). 189. Dentition (4).

TABLE B.

[illegible]

SYPHILIS—FORMS AND SITES (*see page 605*).

			All Ages.		Under 3 Months.		3—12 Months.		1—		15—		35—		45—		55—		65—	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Syphilis (form or site not stated).	Inst.	155	104	51	30	22	26	8	6	18	11	15	11	16	11	15	7	10	2	
	Pr.	188	149	102	70	31	26	8	6	6	16	6	11	20	10	12	6	3	4	
Tertiary syphilis ...	Inst.	10	16	—	—	—	—	—	—	2	3	1	4	—	4	2	2	5	3	
	Pr.	11	10	—	—	—	—	—	—	1	3	2	2	3	1	2	3	3	1	
Specific disease ...	Inst.	5	3	1	1	3	1	1	—	—	1	—	—	—	—	—	—	—	—	
	Pr.	24	17	11	14	7	1	1	—	3	—	1	—	1	1	—	—	—	1	
Lues ...	Inst.	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Pr.	8	2	4	—	1	—	—	1	—	—	2	—	—	—	—	—	1	1	
Congenital syphilis ...	Inst.	129	92	76	39	37	36	13	15	2	2	1	—	—	—	—	—	—	—	
	Pr.	244	169	167	120	54	40	16	7	4	—	—	1	3	—	—	—	—	1	
Congenital specific disease	Inst.	9	8	8	4	1	3	—	1	—	—	—	—	—	—	—	—	—	—	
	Pr.	45	37	35	26	6	7	3	4	1	—	—	—	—	—	—	—	—	—	
Congenital lues ...	Inst.	6	8	4	3	2	4	—	1	—	—	—	—	—	—	—	—	—	—	
	Pr.	17	15	13	10	4	4	—	1	—	—	—	—	—	—	—	—	—	—	
Specific marasmus...	Inst.	4	—	—	—	3	—	1	—	—	—	—	—	—	—	—	—	—	—	
	Pr.	9	2	7	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
Cerebral syphilis ...	Inst.	20	3	—	—	—	—	—	—	8	—	4	—	6	3	2	—	—	—	
	Pr.	2	2	1	—	—	—	—	—	—	1	1	—	—	—	1	—	—	—	
Gumma of brain ...	Inst.	14	9	—	—	—	—	—	—	3	3	4	4	7	2	—	—	—	—	
	Pr.	12	6	—	—	—	—	—	—	5	1	1	2	2	2	3	1	1	—	

LIST SUPPLEMENTARY TO ABOVE TABLE.

Syphilis of, or syphilitic.—Sores of head and body (1); meningitis (2); lepto-meningitis (1); meningoencephalitis (2); spinal cord (1); spinal cord and liver (1); myelitis (3); spastic paralysis (1); disseminated sclerosis (1); cerebro-spinal (1); cerebral softening (1); paraplegia (6); paraplegia (probably syphilitic) (1); paralysis (2); cerebral palsy (1); dementia (1); cerebral tumour (9); lesion of vagus (1); endocarditis (1); morbus cordis (1); arterial degeneration (1); arterio-sclerosis (1); arteritis (5); endarteritis (2); arteritis and arthritis (1); aortitis (4); mesaortitis (1); cerebral thrombosis (2); cerebral embolism (2); cervical glands (1); rhinitis (2); larynx (7); trachea (2); lungs (2); stomatitis (2); tongue (2); tongue and Luschka's tonsil (1); palate (2); stricture of rectum (2); ulceration and stricture of rectum (1); cirrhosis of liver (2); liver (2); hepatitis (1); tumour of liver (1); liver and spleen (1); kidneys (1); ulceration of vagina (1); multiple abscesses (1); ulceration (2); ulceration of legs (4); ulceration of legs (probably syphilitic) (1); pemphigus (1); disease of skull (1); necrosis of inferior maxilla (1); disease of spine (1); knee (1); marasmus (2); general debility (1); cachexia (1).

Tertiary syphilis, rupia (1); tertiary syphilis of brain and liver (1); tert. syphilitic ulceration (2); tert. ulceration of leg (3); tert. ulceration of face (1); tert. specific ulceration of nose (1); tert. specific stenosis of larynx (1); tert. nodules on brain (1); tert. multiple gummata (1); tert. gumma of cerebrum (1); tert. gumma of lung (1); tert. gumma of ribs (suppurating) (1); tert. syphilis, gummata of thigh and arm (1). Gumma (3); suppurating gumma (1); gummatous growth (1); gumma of face (1); gummatous meningitis (4); gummatous pachymeningitis (1); gummatous men. and endarteritis (1); gummatous men. and intracervical gumma (1); specific cerebro-spinal men. (gummata) (1); gumma of spinal cord (3); gumma of spinal cord in neck (1); syphilis, gumma of brain (1); specific dis., gumma of brain, cerebral tumour (gumma) (1); cerebral tumour, ? gumma (1); neoplasm of medulla oblongata, probably gumma (1); specific dis., a small neoplasm, probably gumma, at base of brain (1); gummatous mediastinitis (1); syphilitic mediast., gumma (1); mediastinal tumour, gumma (1); gumma of axilla (1); gumma of windpipe (1); gumma of lung (2); syphilis, gumma of lung (1); gumma in mouth (1); gummatous ulceration of palate (1); gummatous ulceration of tongue (1); gummata of tongue and face (1); gumma in throat (1); gumma of fauces and liver (1); gumma of liver (2); gumma of kidney (1); gumma of sternum (2); gummatous chronic abscesses (1); gumma of thigh (1).

Acquired syphilis (1); acquired from midwife (1); snuffles (2); secondary syphilis (2).

Congenital syphilis, syphilitic ulceration of mouth (1); congenital syphilis, syphilitic hepatitis (1); congenital syphilis, syphilitic rash (1); congenital syphilitic marasmus (1). Condylomata (1). Congenital disease (7). Constitutional disease (3).

Specific rupia (1); specific disease, snuffles (2). *Specific.*—Meningitis (5); polioencephalitis (1); myelitis (5); spinal paralysis (probably specific) (1); paraplegia (3); general paralysis of insane (2); cerebral tumour (5); atrophy of brain (1); cerebral degeneration (1); cerebral dis. (2); optic neuritis (1); arterio-sclerosis (3); aortitis (4); arteritis (1); endarteritis (3); cerebral thrombosis (1); heart block (1); dis. of larynx (6); stenosis of larynx (2); hepatization of lung (1); fibroid phthisis (1); fibrosis of lung (1); dis. of lung (1); oedema of lung (1); ulcerative stomatitis (1); ulceration of mouth and anus (1); ulceration of lips, toes, and vulva (1); dis. of palate (1); stricture of oesophagus (1); gastro-hepatitis (1); gastro-enteritis (1); ulceration of intestine and rectum (1); cirrhosis of liver (2); jaundice (1); enlargement of liver (3); hepatitis and nephritis (1); multiple abscesses (1); ulcer of leg (2); ulcer of thigh (1); hydrocephalus (1); eczema (2); pemphigus (3); dermatitis (5); pustular exanthema (1); epiphysitis (1); disease of nasal bones and cartilages (1); necrosis of cranial bones (1); necrosis of jaw (1); disease of knee (1). Acquired specific disease (1); specific condylomata (1).

Congenital specific.—Disease of brain (1); disease of brain and cord (1); disease of liver (1); hypertrophy of liver (1); toxic oedema (1).

Luetic pachymeningitis of the cord (1); cerebral lues (1); white (luetic) pneumonia (1); luetic disease of lung (1); luetic marasmus (1).

SYPHILIS—COMPLICATIONS (*see page 605*).

		All ages.		Under 3 Months.		3—12 Months.		1—		15—		35—		45—		55—		65—	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Uncomplicated	Inst.	301	199	122	65	61	58	18	20	17	19	27	8	24	14	18	6	14	9
	Pr.	445	299	279	192	84	51	20	10	19	11	13	10	16	13	9	8	5	4
Meningitis ...	Inst.	2	1	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—
	Pr.	5	4	—	—	1	2	2	1	1	1	—	—	1	—	—	—	—	—
Convulsions	Inst.	10	4	8	2	1	2	—	—	1	—	—	—	—	—	—	—	—	—
	Pr.	59	51	41	31	14	17	2	3	1	—	—	—	—	—	—	—	—	—
Cerebral tumour	Inst.	4	2	—	—	—	—	—	—	3	1	—	—	1	—	—	—	—	—
	Pr.	4	8	—	—	—	—	1	—	—	1	1	2	2	3	—	2	—	—
Bronchitis ...	Inst.	3	2	1	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—
	Pr.	5	12	1	3	2	2	2	2	—	—	—	2	—	—	—	1	—	2
Pemphigus ...	Inst.	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	Pr.	2	7	2	6	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Premature birth	Inst.	4	4	4	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Pr.	13	5	13	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—

LIST SUPPLEMENTARY TO ABOVE TABLE

10. Influenza (2). 18. Erysipelas (2). 20. Pyæmia (1); py. from salvarsan injection (1); py., paralysis, chronic bedsores (1); py., ulcers of leg (1); septicæmia (5); streptococcal sept. (1); septic infection (1); sept., ophthalmia neonatorum (1); sept., convulsions (1); sept., gangrene (1); sept., furunculosis of chest and neck (1); sept., necrosis of nasal bones (1); septic absorption (1); sepsis (2); blood poisoning, pneumonia (1); blood poisoning from ulcers (1). 28. Pulmonary tuberculosis (3); tuberculosis (1); phthisis (1). 31. Mesenteric disease (1). 36. Rickets (1). 38. Ophthalmia neonatorum, septic broncho-pneumonia (1). 48. Rheumatoid arthritis, dementia (1). 54. Anæmia (3); profound secondary anæmia (1). 55. Purpura hæmorrhagica (1); lardaceous dis. (1); fatty degeneration, ulceration of rectum and vagina (1); toxæmia (3); tox. pharyngitis (1); tox., ulceration of œsophagus (1); tox., ulceration of thigh (1). 56. Alcoholism (4); alcohol., cerebral hæmorrhage, cerebral tumour (1). 60. (Gumma of brain), inflammation and softening around old lesion, hemiplegia (1). 61. Basal meningitis (1); post basic men., hydrocephalus (1); septic men. (2); men., otitis media (1); suppurative men., ulceration of mucous membrane of nose, coma (1); men., coma (1); pachymeningitis (1); pachymen., œdema of medulla (1). 62. Locomotor ataxy (2); loco. ataxy, cerebral hæmorrhage (1); loco. ataxy, pulmonary œdema (1). 63. Bulbar paralysis (1); paralysis of throat muscles (1); paral. of vocal cords (1); myelitis (4); spastic paraplegia (2); disseminated sclerosis (2); cerebro-spinal dis. (1); cerebro-spinal atrophy, broncho-pneumonia (1). 64. Apoplexy (1); paralytic seizure (1); cerebral œdema (1); cerebral congestion (1); cerebral atheroma, heart dis., bronchitis (1); cerebral hæmorrhage (6); cereb. hæm., cerebral tumour (2); cereb. hæm., endarteritis (1); cereb. hæm., endarteritis obliterans (1); cereb. hæm., cerebral endarteritis (1); cereb. hæm., coma (1). 65. Cerebral softening (1); cereb. soft., hemiplegia (1); cereb. soft., hemipl., stricture of œsophagus (1); cereb. soft., heart dis. (1); cereb. soft., arterio-sclerosis, embolism (1); cereb. soft., endarteritis (1); cereb. soft., dis. of arteries (1). 66. Hemiplegia (4); hemipl., dementia (1); hemipl., convulsions (1); hemipl., conv., blindness, coma (1); hemipl., cerebral endarteritis (1); hemipl., cereb. endarteritis, hæmorrhage (1); hemipl., coma (1); paraplegia (9); parapl., pyelonephritis (1); parapl., cystitis (1); parapl., bedsores (1); paralysis (4); paral., cerebral tumour (2); paral., injury at birth (1); paral., coma (1); general paral. (2). 67. General paralysis of insane (3); general paral. of insane, cerebral tumours (1). 68. Melancholia (1); mania (1); mania, Jacksonian epilepsy (1); dementia (1); insanity (2); primary dementia, acute nephritis (1). 69. Epilepsy (2); status epilepticus (1); epil., bronchitis (1); epil., coma (1). 70, 71. Epileptiform fits (2); convulsions, cerebral tumour (1); conv., broncho-pneumonia (1); conv., enteritis (1); conv., chronic ulcers of legs (1); conv., pemphigus (2); conv., abscess of knee (1); conv., accelerated by improper feeding and want of medical attention (1); conv., cleft palate (1); conv., premature birth (1); conv., hæmorrhage from bowels (1); conv. accelerated by being in bed with parents (1); conv., dentition (1); conv., coma (1). 74. Cerebellar degeneration (1). 75. Sloughing corneal ulcer (1). 79. Endocarditis (1); aortic regurgitation (1); aortic incompetence, mesaortitis (1); mitral dis. (1); valvular dis. (1); valv. dis., general arterio-sclerosis (1); fatty heart (1); fatty heart, arterio-sclerosis, waxy liver (1); degenerated myocardium (2); dis. of cardiac muscle, inflammation of aorta (1); fibroid heart (1); aortic dilatation (1); cardiac dilat. (1); cardiac dilat., cirrhosis of liver (1); heart dis. (6); cardiac failure, dropsy (1). 81. Atheroma, ulceration (1); aortitis (2); mesaortitis (2); stenosis of coronary arteries (1); endarteritis (2); endarteritis, thrombosis (1); endarteritis obliterans, gangrene of lower limbs (1); endarteritis, coma (1). 82. Cerebral embolism (1); cerebral thrombosis (3); cereb. throm., bronchitis (1); thrombosis (1); thromb. coma (1). 84. Status lymphaticus (1). 85. Epistaxis (1); hæmorrhage (3); multiple hæm. (1); rupture of blood vessel, hæm. (1); peritoneal hæm. (2); hæm., sloughing ulceration of soft palate (1); hæm., cirrhosis of liver (1); hæm., icterus neonatorum (1). 86. Nasal catarrh (1). 87. Laryngismus stridulus (1); laryngitis (3); obstruction of larynx by œdema, ulceration (1); œdema glottidis, psoriasis (1); perichondritis of larynx (1); stricture of larynx (1); stenosis of larynx, tracheotomy (1); laryngeal obstruction (2); ulceration of larynx (2); ulceration of larynx, broncho-pneumonia (1). 90. Bronchiectasis, bronchitis (1); septic bronch. (1); purulent bronch. (1); pyo-bronch. (1); bronch., stricture of œsophagus (1); bronch. hepatic cirrhosis (1); bronch., anuria, bedsores (1); bronch., pemphigus (1). 91. Broncho-pneumonia (9); (Specific laryngeal stenosis), tracheotomy, septic br.-pneu. (1); br.-pneu., ulcerative glossitis (1); br.-pneu., general peritonitis (1). 92. Lobar pneumonia (2); pneumonia (9); (Tertiary syphilitic stenosis of larynx), tracheotomy, pneu. (1); septic pneu. (1). 94. Congestion of lungs (3);

SYPHILIS—COMPLICATIONS—*continued.*

pulmonary oedema (1); hypostatic pneu. (1). 98. Chronic interstitial inflammation of lungs (1); hæmoptysis (2). 99. Thrush (1). 100. Ulceration of pharynx (2); stenosis of pharynx, tracheotomy (1). 101. Stricture of œsophagus (2); ulceration and stricture of œsophagus (1). 103. Gastritis (2); gastric catarrh (1); hæmatemesis (3); acute dilatation of stomach (1); pyloric stenosis of stomach (1); persistent vomiting (1); vomiting, diarrhœa (1); vomiting, umbilical hernia (1). 104. Diarrhœa (4); infantile cholera (1); gastro-intestinal catarrh (1); gastro-enteric catarrh (1); enteritis (6); catarrhal enteritis (1); gastro-enteritis (5); ulceration of colon (1); dyspepsia (1). 109. Intestinal obstruction, stricture of rectum (1). 110. Ulceration of rectum (2); rectal hæmorrhage (1); stricture of rectum (1); strict. of rectum, peritonitis (1); strict. of rectum, Bright's disease (1); melæna, ascites (1). 113. Cirrhosis of liver (4); cirrhosis of liver, pulmonary collapse, ascites (1). 115. Jaundice (3); icterus gravis (1); hepatitis, jaundice (1); fibrosis of liver (1); dis. of liver (1). 117. Peritonitis (5). 118. Abdominal abs. (1). 119. Acute nephritis (1); acute nephritis, uræmia following treatment with new salvarsan (1). 120. Bright's disease (1); chronic nephritis (1); nephritis, coma (1); uræmic poisoning, acute inflammation of urethra, coma (1). 122. Acute pyelonephritis (1). 124. Cystitis (3); septic cystitis (1); gangrenous cystitis (1); papilloma of bladder (1). 125. Perineal abs. (1); stricture of urethra (1). 136. Childbirth (1); difficult labour (1). 142. Phagedæna (1). 144. Cellulitis (1); abscess of leg (1). 145. Ulceration of legs (3); ulceration of thoracic wall (1); bedsores (1); eczema (4); intertrigo (1); psoriasis (1); dermatitis (1); desquamative dermatitis (1). 146. Necrosis of maxilla (1); necrosis of skull (1); necrosis of frontal bones (1); necrosis of tibia (2); necrosis of femur (1); caries of femur (1). 150. Hydrocephalus (4); cleft palate, harelip (1). 151. Premature birth, cyanosis (1); jaundice neonatorum (1). 152. Hæmorrhage from umbilicus (1); atelectasis (1); difficult labour (1). 168. Asphyxia (1). 186. Accidentally choked with food (1). 187. Dropsy (2); ascites (4). 189. Teething (1); hyperpyrexia (1); coma (3).

TABLE B.

	All Ages.		Under 3 Months.		3—12 Months.		1—		15—		35—		45—		55—		65—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Syphilis (unqualified)	345	254	153	100	54	52	16	12	25	28	21	22	36	21	27	13	13	6
Syphilitic disease of various organs	89	53	7	2	2	5	2	—	22	10	24	12	21	15	9	5	2	4
Specific disease	33	21	13	15	10	2	2	—	3	2	3	—	2	1	—	—	—	1
Specific disease of various organs...	53	39	10	9	2	4	2	2	6	5	6	4	13	9	9	4	5	2
Tertiary syphilis	28	38	—	—	—	—	—	—	5	8	4	8	3	5	7	10	9	7
Gumma	56	29	1	—	—	—	1	1	12	7	15	9	15	4	9	6	3	2
Lues	14	3	5	—	3	—	1	1	—	1	4	—	—	—	—	1	1	—
Congenital syphilis...	381	263	249	160	93	76	29	22	6	2	1	1	3	1	—	—	—	1
Congenital specific disease	58	46	43	30	9	11	3	5	3	—	—	—	—	—	—	—	—	—
Congenital lues	23	23	17	13	6	8	—	2	—	—	—	—	—	—	—	—	—	—
Specific marasmus	13	2	7	2	4	—	2	—	—	—	—	—	—	—	—	—	—	—
Gumma of brain	31	15	—	—	—	—	—	—	10	4	7	6	10	4	3	1	1	—
Meningitis	13	5	1	—	—	1	1	1	3	—	2	1	2	1	4	1	—	—
Spinal cord	11	9	—	—	—	—	—	1	2	1	5	2	2	3	2	1	—	1
Paraplegia	4	6	—	—	—	—	—	—	2	1	—	1	1	3	1	1	—	—
Cerebral tumour	12	7	—	—	—	—	1	—	3	1	3	3	4	2	1	1	—	—
Cerebral (total)	72	28	1	—	—	—	1	—	24	7	15	9	20	9	9	3	2	—
Nervous diseases (total) ...	108	50	2	1	—	1	2	2	32	9	23	14	28	16	18	6	3	1
Arteritis, endarteritis	8	5	—	—	—	—	—	—	1	1	3	2	2	1	1	—	1	1
Aortitis, mesoarteritis	7	1	—	—	—	—	—	—	1	—	2	—	3	—	—	1	1	—
Diseases of arteries (total)	21	6	—	—	—	—	—	—	2	1	8	2	6	1	1	1	4	1
Larynx	9	8	—	—	3	—	—	—	3	2	—	3	3	—	3	—	—	—
Lungs	7	5	1	—	—	—	—	—	—	1	4	—	—	1	2	1	—	2
Respiratory diseases (total)	18	15	1	—	3	—	—	—	4	5	5	3	3	1	5	1	—	2
Mouth	6	3	2	1	1	1	—	—	1	—	—	—	—	—	—	2	1	—
Liver	9	13	2	3	1	2	—	—	1	3	2	2	2	1	1	1	—	1
Ulcer, ulcerations, of skin...	3	8	—	—	—	—	—	—	1	1	—	1	1	5	—	1	1	—
Bones	7	5	2	1	—	—	—	—	2	2	—	3	—	—	—	—	2	—
Septicæmia (20 B.)	5	12	3	3	—	2	—	—	2	—	2	—	3	—	—	2	—	—
Meningitis (61 C.)	13	8	—	—	3	5	3	1	3	1	3	—	1	—	1	—	—	—
Cerebral hæmorrhage, apo- plexy (64.)	17	5	—	—	—	—	—	—	3	1	5	2	3	2	5	—	1	—
Hemiplegia (66 A.)	9	5	—	—	—	—	—	—	1	—	1	2	3	1	2	2	2	—
Paraplegia (66 B.)	4	8	—	—	—	—	—	—	3	—	—	—	3	4	—	1	1	—
Other paralysis (66 C.)	7	4	—	1	—	—	—	—	—	—	2	—	3	1	2	—	—	2
Convulsions (70-71)	77	64	52	36	16	22	2	3	4	3	—	—	3	—	—	—	—	—
Cerebral tumour (74 C.)	12	13	—	—	—	—	1	—	3	3	1	5	5	3	2	2	—	—
Total nervous diseases (60- 74.)	157	118	52	37	19	27	6	4	14	12	16	14	28	12	16	8	6	4
Heart disease, all forms (77- 80 and 85 A.)	15	8	—	—	—	—	—	—	2	2	4	1	7	1	1	3	1	1
Diseases of arteries (81) ...	17	7	—	—	—	—	1	—	4	3	2	1	4	1	4	2	2	—
Bronchitis (89, 90)	16	16	4	3	3	4	3	2	2	1	1	2	2	1	1	—	—	2
Pneumonia (91, 92)	10	20	1	4	2	5	1	3	—	1	2	4	1	2	3	—	—	1
Total respiratory diseases (86- 98.)	42	46	7	7	6	10	6	6	5	4	3	7	7	4	6	3	2	5
Diarrhœa and enteritis (104 and 105.)	11	12	5	7	3	3	3	—	—	1	—	1	—	—	—	—	—	—
Urinary diseases (119-126)...	13	9	—	—	—	—	—	—	3	3	2	3	2	3	3	—	3	—
Pemphigus (145 C.)	6	7	5	6	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Premature birth (151 A.) ...	14	14	14	11	—	3	—	—	—	—	—	—	—	—	—	—	—	—

Complications not returned as syphilitic, &c.—

Syphilitic, specific, &c., or Syphilis, &c., of—

38B. GONOCOCCUS INFECTION.

Gonorrhœal septicæmia (1); pelvic peritonitis, operation, menorrhagia (probably gonorrhœal) (1); gonorrhœal urethritis (1); gonorrhœal metritis and peritonitis (1); gonorrhœal pelvic abscess (1). *Complications.*—20. Gonorrhœa, pyæmia (1); gonorrhœa, septicæmia (2); balanorrhœa, sept., (1); gonorrhœal arthritis and urethritis, sept. (1); gonorrhœa, sept., prostatic abscess (1); gonorrhœa, sept., purulent vaginitis, pyosalpinx (1); gonorrhœal ophthalmia, blood poisoning (1). 30. Gonorrhœal conjunctivitis, acute hydrocephalus (1). 35. Gonorrhœal rheumatism, general tuberculosis (1). 47. Gonorrhœa, sub-acute rheumatism, alcoholism (1). 54. Gonorrhœal pelvic peritonitis, anæmia (1). 55. Gonorrhœa, toxæmia, septic metritis (1). 61. Gonorrhœa, meningitis (1). 79. Gonorrhœa, morbus cordis (1). 82. Gonorrhœal septicæmia, pulmonary embolism, miscarriage (1). 84. Gonorrhœa, abscess in groin (1). 92. Gonorrhœal ovaritis, pneumonia (1). 102. Gonorrhœa, gastric ulcer, hæmatemesis, pregnancy (1). 116. Gonorrhœa, lardaceous disease of spleen, chronic pyelonephritis, urethral fistula (1). 117. Gonorrhœa, pelvic peritonitis (1); gonorrhœal vulvo-vaginitis, perit. (1); gonorrhœa, perit., abscess in Fallopian tube (1); gonorrhœa, perit., double pyosalpinx (1). 119. Gonorrhœal urethritis, acute nephritis (1). 120. Gonorrhœal stricture of urethra, uræmia, acute retention, coma (1). 122. Gonorrhœal stricture of urethra, internal urethrotomy, suppression of urine (1); gonorrhœal stricture of urethra, ascending pyelitis (1). 124. Stricture of urethra (probably gonorrhœal), cystitis, urethral fistula (1). 125. Gonorrhœal urethral stricture, perineal abscesses, extravasation of urine (1); gonorrhœal urethritis, extravasation of urine (1); gonorrhœal stricture of urethra, extravasation of urine, cellulitis of scrotum and perineum (1). 127. Gonorrhœa, cellulitis of scrotum (1). 132. Gonorrhœa, double salpingo-oöphoritis (1); gonococcal peritonitis, pyosalpinx (1). 136. Gonorrhœa, childbirth (1).

38C. PURULENT OPHTHALMIA.

Ophthalmia neonatorum (11); conjunctivitis (1). *Complications.*—61. Ophthalmia neonatorum, meningitis (1). 71. Ophthal. neonatorum, convulsions (2); conjunctivitis, conv. (1); purulent conjunctivitis, conv. (1); inflammation of eyes, conv. (1). 86. Purulent infection of left eye, suppuration of nasal cavity and sinuses (1). 90. Ophthal. neonatorum, bronchitis (1); conjunctivitis, bronch. (1). 92. Conjunctivitis, pneumonia (1). 104. Ophthal. neonatorum, infective enteritis (1); gastro-enteritis (1); kerato-malacia, food atrophy (1). 132. Ophthal. neonatorum, vulvo-vaginitis (1). 145. Dermatitis (1). 151. Conjunctivitis, want of breast milk (1).

DEATHS and POPULATIONS used in calculating STANDARDIZING FACTORS on pages 132-162.—COUNTIES and COUNTY AGGREGATES of URBAN and RURAL DISTRICTS.
(For individual districts, see pages 163-174.)

NOTE.—In consequence of the impracticability of distributing the populations enumerated in certain Institutions to the individual areas from which their inmates are drawn, the sum of the figures for the Urban and Rural Districts do not always agree with the totals for the Urban and Rural aggregates in each county.

Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.
ANGLESEY.	51,030	920·0	CORNWALL.	328,098	5,833·8	HEREFORDSHIRE.	114,269	2,109·3
Urban Districts	19,031	318·6	Urban Districts	143,587	2,508·4	Urban Districts	40,036	698·9
Rural Districts	31,999	600·8	Rural Districts	184,511	3,325·1	Rural Districts	74,233	1,410·0
BEDFORDSHIRE.	193,934	3,250·0	CUMBERLAND.	265,579	4,212·0	HERTFORDSHIRE.	308,601	4,991·1
Urban Districts	117,205	1,820·0	Urban Districts			Urban Districts	195,092	3,126·9
Rural Districts	76,729	1,430·1	Before 9th Nov., 1912.	165,146	2,535·8	Rural Districts	113,509	1,863·9
BERKSHIRE.			Rural Districts			HUNTINGDONSHIRE.	55,678	1,026·5
Before 9th Nov., 1911.	195,584	3,398·6	Before 9th Nov., 1912.	100,432	1,676·7	Urban Districts	23,692	409·0
Urban Districts	57,664	997·9	Urban Districts			Rural Districts	31,985	617·5
Rural Districts	137,920	2,400·9	After 9th Nov., 1912.	170,951	2,628·2	KENT.	1,015,968	16,562·5
BERKSHIRE.			Rural Districts			Urban Districts		
After 9th Nov., 1911.	192,874	3,352·3	After 9th Nov., 1912.	94,627	1,584·3	Before 9th Nov., 1912.	706,585	11,136·4
Urban Districts	57,664	997·9	DENBIGHSHIRE.	144,152	2,303·1	Rural Districts		
Rural Districts	135,210	2,354·6	Urban Districts	47,786	754·2	Before 9th Nov., 1912.	309,383	5,426·7
BRECKNOCKSHIRE.	59,202	966·5	Rural Districts	96,366	1,549·5	Urban Districts		
Urban Districts	17,626	282·3	DERBYSHIRE.	560,013	8,485·5	After 9th Nov., 1912.	706,855	11,140·1
Rural Districts	41,576	684·0	Urban Districts	288,074	4,285·4	Rural Districts		
BUCKINGHAMSHIRE.	219,551	3,729·7	Rural Districts	271,939	4,200·4	After 9th Nov., 1912.	309,113	5,423·0
Urban Districts	80,209	1,291·5	DEVONSHIRE.	456,414	8,114·5	LANCASHIRE.		
Rural Districts	139,342	2,438·5	Urban Districts	231,489	4,089·3	Before 1st Apr., 1912.	1,731,909	24,914·0
CAMBRIDGESHIRE.	128,110	2,297·0	Rural Districts	224,925	4,025·3	Urban Districts	1,496,435	21,288·5
Before 1st Apr., 1912.	51,718	844·2	DORSETSHIRE.	223,266	3,795·8	Rural Districts	235,719	3,629·9
Rural Districts			Urban Districts	118,898	1,896·0	LANCASHIRE.		
Before 1st Apr., 1912.	76,392	1,453·1	Rural Districts	104,368	1,900·1	After 1st Apr., 1912.	1,713,909	24,630·4
Urban Districts			DURHAM.	926,411	13,783·0	Urban Districts	1,478,435	21,004·9
After 1st Apr., 1912.	55,969	908·3	Urban Districts	528,820	7,837·4	Rural Districts	235,719	3,629·9
Rural Districts			Rural Districts	397,592	5,945·4	LEICESTERSHIRE.	248,796	4,045·2
After 1st Apr., 1912.	72,141	1,389·0	ELY, ISLE OF.	69,964	1,267·5	Urban Districts	98,763	1,509·9
CARDIGANSHIRE.	60,009	1,137·8	Urban Districts	36,717	664·0	Rural Districts	150,033	2,535·8
Urban Districts	16,358	279·6	Essex.	33,247	603·8	LINCOLNSHIRE.		
Rural Districts	43,651	857·7	Urban Districts	1,056,435	16,481·4	PAIRTS OF HOL- LAND.	83,051	1,518·6
CARMARTHENSHIRE.	160,077	2,538·4	Before 1st Apr., 1912.	792,423	11,769·5	Urban Districts	37,327	671·8
Urban Districts			Rural Districts			Rural Districts	45,724	846·7
Before 1st Apr., 1912.	60,295	910·3	Before 1st Apr., 1912.	264,012	4,711·2	PARTS OF KES- TEVEN.	110,246	1,962·5
Rural Districts			Urban Districts			Urban Districts	43,652	729·6
Before 1st Apr., 1912.	99,782	1,628·4	After 1st Apr., 1912.	798,852	11,858·1	Rural Districts	66,616	1,233·2
Urban Districts			Rural Districts			PARTS OF LIND- SEY.	238,382	4,197·0
After 1st Apr., 1912.	65,266	979·8	After 1st Apr., 1912.	257,583	4,622·6	Urban Districts	96,322	1,571·0
Rural Districts			FLINTSHIRE.	92,900	1,526·7	Rural Districts	142,060	2,626·4
After 1st Apr., 1912.	94,811	1,558·9	Urban Districts	34,938	556·0	LONDON.	4,552,795	69,157·4
CARNARVONSHIRE.	125,294	2,128·1	Rural Districts	57,962	970·7	MERIONETHSHIRE.	45,648	798·7
Urban Districts	58,455	946·2	GLAMORGANSHIRE.	742,265	10,577·4	Urban Districts	20,200	342·5
Rural Districts	66,839	1,181·5	Urban Districts	538,536	7,549·4	Rural Districts	25,448	456·6
CHESHIRE.	675,748	10,178·4	Rural Districts	203,729	3,028·5	MIDDLESEX.	1,122,090	16,713·5
Urban Districts	493,168	7,339·9	GLOUCESTERSHIRE.	328,869	5,731·8	Urban Districts	1,071,521	15,907·2
Rural Districts	182,580	2,838·7	Urban Districts	100,885	1,729·5	Rural Districts	48,131	763·2
			Rural Districts	227,984	4,002·4			

DEATHS and POPULATIONS used in calculating STANDARDIZING FACTORS on pages
132-162—continued.

Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.
MONMOUTH-SHIRE.	311,982	4,658.5	RUTLANDSHIRE.	20,346	362.2	WARWICKSHIRE.		
Urban Districts			Urban Districts	3,667	60.3	After 9th Nov.,		
Before 1st Oct.,			Rural Districts	16,679	301.9	1911.	300,140	4,930.5
1912.	265,208	3,866.8	SHROPSHIRE.	246,190	4,318.4	Urban Districts	134,254	2,137.0
Rural Districts			Urban Districts	109,927	1,857.7	Rural Districts	165,886	2,794.3
Before 1st Oct.,			Rural Districts	136,263	2,461.2			
1912.	46,774	791.6	SOMERSETSHIRE.			WESTMORLAND.	63,742	1,079.4
Urban Districts			Before 9th Nov.,			Urban Districts	26,942	439.9
After 1st Oct.,			1911.	407,304	7,081.1	Rural Districts	36,800	640.3
1912.	270,144	3,941.3	Urban Districts	158,047	2,619.8			
Rural Districts			Rural Districts	249,257	4,461.3	WIGHT, ISLE OF.	88,186	1,563.0
After 1st Oct.,						Urban Districts	57,311	1,018.9
1912.	41,838	717.1	SOMERSETSHIRE.			Rural Districts	30,875	543.7
MONTGOMERY-SHIRE.	53,263	968.0	After 9th Nov.,					
Urban Districts	19,181	335.9	1911.	388,852	6,789.7	WILTSHIRE.	286,548	4,923.5
Rural Districts	34,082	632.2	Urban Districts	158,047	2,619.8	Urban Districts	125,219	2,013.1
			Rural Districts	230,805	4,169.9	Rural Districts	161,329	2,910.2
NORFOLK.	321,083	6,081.0	SOUTHAMPTON.	433,566	6,964.8			
Urban Districts	61,040	1,081.4	Urban Districts			WORCESTER-SHIRE		
Rural Districts	260,044	5,000.2	Before 1st Apr.,			Before 9th Nov.,		
			1912.	203,715	3,082.1	1911.	424,846	6,748.9
NORTHAMPTON-SHIRE.	213,347	3,584.0	Rural Districts			Urban Districts	232,773	3,559.8
Urban Districts	95,728	1,425.6	Before 1st Apr.,			Rural Districts	192,073	3,189.0
Rural Districts	117,620	2,158.7	1912.	229,851	3,882.9			
			Urban Districts			WORCESTER-SHIRE		
NORTHUMBEB-LAND.	370,984	5,673.2	After 1st Apr.,			After 9th Nov.,		
Urban Districts			1912.	204,664	3,097.7	1911.	288,370	4,782.7
Before 1st Apr.,			Rural Districts			Urban Districts	153,587	2,415.1
1912.	246,192	3,669.0	After 1st Apr.,			Rural Districts	134,783	2,367.4
Rural Districts			1912.	228,902	3,867.3	Urban Districts		
Before 1st Apr.,						After 9th Nov.,		
1912.	124,792	2,004.6	STAFFORDSHIRE.			1912.	156,798	2,463.9
Urban Districts			Before 9th Nov.,			Rural Districts		
After 1st Apr.,			1911.	737,478	11,451.9	Urban Districts		
1912.	269,895	4,027.8	Urban Districts	529,972	8,049.6	After 9th Nov.,		
Rural Districts			Rural Districts	207,506	3,403.2	1912.	131,572	2,318.6
After 1st Apr.,			STAFFORDSHIRE.			YORKSHIRE,	153,795	2,697.6
1912.	101,089	1,645.8	After 9th Nov.,			EAST RIDING.		
			1911.	668,571	10,452.1	Urban Districts	60,114	1,042.7
NOTTINGHAM-SHIRE.	344,595	5,394.1	Urban Districts	461,065	7,049.8	Rural Districts	93,681	1,655.0
Urban Districts	215,475	3,198.6	Rural Districts	207,506	3,403.2			
Rural Districts	129,120	2,196.0	SUFFOLK, EAST.	203,040	3,617.3	YORKSHIRE,	314,792	5,244.1
			Urban Districts	81,198	1,341.5	NORTH RIDING.		
OXFORDSHIRE.			Rural Districts	121,842	2,275.8	Urban Districts	179,080	2,855.5
Before 9th Nov.,			SUFFOLK, WEST.	117,211	2,154.9	Rural Districts	135,712	2,388.7
1911.	146,048	2,641.0	Urban Districts	43,957	747.8			
Urban Districts	46,348	801.2	Rural Districts	73,254	1,406.9	YORKSHIRE,		
Rural Districts	99,700	1,839.9	SURREY.	658,823	10,250.1	WEST RIDING.		
			Urban Districts	442,153	6,880.7	Before 1st April,		
OXFORDSHIRE.			Rural Districts	216,675	3,369.5	1912.	1,581,723	23,671.1
After 9th Nov.,						Urban Districts	1,201,760	17,740.7
1911.	136,190	2,487.9	SUSSEX, EAST.	241,244	4,080.7	Rural Districts	379,963	5,930.7
Urban Districts	36,490	648.1	Urban Districts	116,524	1,946.8			
Rural Districts	99,700	1,839.9	Rural Districts	124,720	2,134.6	YORKSHIRE,		
PEMBROKESHIRE.	90,159	1,541.5				WEST RIDING.		
Urban Districts	38,861	626.7	SUSSEX, WEST.	175,690	3,109.1	After 1st April,		
Rural Districts	51,298	914.7	Urban Districts	82,681	1,452.0	1912.	1,576,439	23,600.3
			Rural Districts	93,009	1,658.1	Urban Districts	1,201,760	17,740.7
PETERBOROUGH,	44,834	761.3	WARWICKSHIRE.			Rural Districts	374,679	5,859.9
SOKE OF.			Before 9th Nov.,					
Urban Districts	33,493	547.5	1911.	406,326	6,461.4	YORKSHIRE,		
Rural Districts	11,144	207.4	Urban Districts	240,440	3,667.9	WEST RIDING.		
			Rural Districts	165,886	2,794.3	After 9th Nov.,		
RADNORSHIRE.	22,675	400.4				1912.	1,569,445	23,499.1
Urban Districts	5,828	95.6				Urban Districts	1,201,760	17,740.7
Rural Districts	16,847	304.5				Rural Districts	367,685	5,758.7



